

# References

- Acocks, J.P.H. 1953 *Veld Types of South Africa. Botanical Survey of South Africa. Memoir No.28.* Government Printer, Pretoria.
- Acocks, J.P.H. 1964 *Karoo vegetation in relation to the development of deserts.* In: Davis, D.H.S. (ed). *Ecological Studies of Southern Africa.* pp 100-112. W. Junk, The Hague
- Anonymous.1996 *South African National Agricultural Policy.* Department of Agriculture & Land Affairs, Pretoria.
- Barnes, D.L.and Dempsey, C.P. 1993 *Grazing trials with sheep on kikuyu (Pennisetum clandestinum Chiov.) foggage in the eastern Transvaal highveld.* *African Journal of Range and Forage Science* 10 66-71.
- Bartholomew, P.E. 2000 *Establishment of pastures.* In: Tainton (ed) *Pasture Management in South Africa.* Natal University Press, Pietermaritzburg.
- Bond, W.J. and Midgley G.F. 1996 In press. *A proposed CO<sub>2</sub> controlled mechanism of woody plant invasion in grasslands and savanna.* In: *Global Change Biology.*
- Coe, M.J., Cumming, D.M., Phillipson, J. 1976 *Biomass production of large African herbivores in relation to rainfall and primary production.* *Oecologia* 22: 341-354.
- Danckwerts, J.E. and Teague, W.R. 1989 *Veld management in the Eastern Cape.* Government Printer, Pretoria.
- de Pauw, E., Coetzee, M.E., Calitz, A.J., Beukes, H. and Vits, C. 1998 *Production of an agro-ecological zones map of Namibia (first approximation), Part II: Results.* *Agricola*, 33-43.
- du Toit, P.F. 1967 *Bush encroachment with specific reference to Acacia karroo encroachment.* *Proceedings of the Grassland Society of Southern Africa* 2, 119-126.
- Ellery, W.N., Scholes, R.J. and Scholes, M.C. 1995 *The distribution of sweetveld and sourveld in South Africa's grassland biome in relation to environmental factors.* *African Journal of Range and Forage Science* 12: 38-45.

FAO. 2002 Online statistical database, FAO Rome.

Gambiza, J. and Nyama, C. 2000 *Zimbabwe: FAO Country Profile*. Rangeland Resources. FAO, Rome, Italy.

Hilton-Taylor, C., Rebelo, A.G., Pressey, R.L., and Cowling, R.M. 1999 *Reserve selection in the Succulent Karoo, South Africa: coping with high compositional turnover*. Source: Plant ecology Dordrecht; Boston: Kluwer Academic Pub., c1997-; June 1999.v.142 (1/2), p.35-55.

Hoffman, M.T. and O'Connor, T. 1999 *Vegetation change over 40 years in the Weenen/Muden area, KwaZulu-Natal: evidence from photo-panoramas*. African Journal of Range and Forage Science 16: 71-88.

Hoffman, M.T. and Ashwell, A. 2001 *Nature divided. Land degradation in South Africa*. University of Cape Town Press, Cape Town.

Isaacson, B. 1995 *'Namibia food security and nutrition assessment report.'* National Food Security and Nutrition Technical Committee, Windhoek.

Klug, J. and Arnott, J. 2000 In: Tainton (ed) *Pasture Management in South Africa*. Natal University Press, Pietermaritzburg.

Le Houerou, H.N. 1984 *Rain use efficiency: a unifying concept in land use ecology*. Journal of Arid Environments 7:213-247.

O'Connor, T.G. and Bredenkamp, G.J. 1997 *Grassland*. In: Cowling R.M., Richardson D.M. and Pierce S.M. (eds). *Vegetation of South Africa*. Cambridge University Press, Cambridge.

Palmer, A.R. 1998 *Grazing Capacity Information System (GCIS)*. Instruction Manual. ARC-Range and Forage Institute, Grahamstown.

Palmer, A.R., Ainslie, A., and Hoffman, M.T. 1999 *Proceedings of the Vth International Rangeland Congress, Townsville, Australia*. July 1999.

Partridge, T.C. 1997 *Evolution of landscapes*. In: Cowling, R.M., Richardson, D.M. and Pierce, S.M. (eds). *Vegetation of South Africa*. Cambridge University Press, Cambridge. pp 5-20.

Perkins, J.S. and Thomas D.S.G. 1993 *Environmental responses and sensitivity to permanent cattle ranching, semi-arid western central Botswana*.

Rattray, J.M. 1957 *The grass and grass associations of southern Rhodesia*. Rhodesia Agricultural Journal 54, 197-234.

Rethman, N.F.G. and Gouws, C.I. 1973 *Foggage value of Kikuyu (Pennisetum clandestinum Hochst, ex Chiov.)*. Proceedings of the Grassland Society of Southern Africa 8: 101-105.

Rutherford, M.C. 1982 *Above-ground biomass categories of the woody plants in the Burkea africana-Ochna pulchra savanna*. Bothalia 14: 131-138.

Rutherford, M.C. and Westfall, R.H. 1986 *The Biomes of Southern Africa - an objective categorization*. Memoirs of the Botanical Survey of South Africa 54: 1-98.

Sweet, J. and Burke, A. 1999 *Namibia: FAO Country Profile*. Rangeland Resources. FAO, Rome, Italy.

Trollope, W.S.W. 1980 *Controlling bush encroachment with fire in the savanna areas of South Africa*. Proceedings of the Grassland Society of Southern Africa 15, 173-177.

Wight, J.R., Skiles, J.W. 1987 *SPUR: Simulation of production and utilization of rangelands. Documentation and user guide*. US Department of Agriculture, Agricultural Research Service, ARS 63. 372pp.

Zacharias, P.J.K., Clayton, J., and Tainton, N.M. 1991 *Leucaena leucocephala as a quality supplement to Pennisetum clandestinum foggage : A preliminary study*. Journal of the grassland society of Southern Africa 8: 59-62.