

**Joint FAO/WHO Meeting on Pesticide Residues
Rome, 20-29 September 1999**

The Annual Joint FAO/WHO Meeting on Pesticide Residues (JMPR) was held in Rome, Italy, from 20 to 29 September 1999. The following information is an extract of the results of this meeting with the aim of making them accessible to interested parties at an early date.

The Meeting evaluated 31 pesticides, including one new compound and 12 compounds undergone a complete re-evaluation within the Periodic Review Programme of the Codex Committee on Pesticide Residues (CCPR).

The Meeting allocated Acceptable Daily Intakes (ADIs) and Acute Reference Doses (Acute RfDs), estimated maximum residue levels which it recommended for use as Maximum Residue Limits (MRLs) by the CCPR, and estimated Supervised Trials Median Residue (STMR) level as a basis for the estimation of the dietary intakes of residues of the pesticides reviewed. The estimates are recorded in the Table below.

As in 1998, the Meeting devoted particular attention to the estimation of the dietary intakes of the pesticides reviewed in relation to their ADIs. Those compounds whose estimated dietary intakes might, on the basis of the available information, exceed their ADIs are marked with footnotes. For the first time, the Meeting also estimated the acute dietary risk of some of the pesticides.

The Table includes the Codex reference numbers of the compounds and the Codex Classification Numbers (CCNs) of the commodities, to facilitate reference to the Codex Maximum Residue Limits for Pesticides (*Codex Alimentarius*, Vol.2B) and other documents and working documents of the Codex Alimentarius Commission.

The Table will be included as Annex 1 to the JMPR – Report 1999 to be published early in 2000. This report will provide full details of the reasons for the recommendations, of the calculations of dietary intake and of the assessment of dietary risk of the pesticides reviewed. As usual this table will also become the Annex to the “JMPR – Evaluations 1999 Part I – Residues” to be published later in 2000.

The following qualifications are used in the Table.

* following recommended MRL	At or about the limit of determination
* following name of pesticide	New compound
** following name of pesticide	Compound reviewed in CCPR Periodic Review Programme

Po The recommendation accommodates post-harvest treatment of the commodity.

T Temporary

W in place The previous recommendation is withdrawn, or
of a recommended withdrawal of the recommended MRL or existing Codex or draft
MRL MRL is recommended

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
Bentazone (172)		Acute RfD: Unnecessary				
Bitertanol ** (144)	0.01	JF 0226	Apple juice			0.0336
		AB 0226	Apple pomace, Dry			1.78
			Apple pomace, Wet			0.648
			Apple sauce			0.0346
		FS 0240	Apricot	W ¹	1	
		FI 0327	Banana	0.5	0.5	0.075
		GC0640	Barley	0.05 *		0
		AS 0640	Barley straw and fodder, Dry	0.05 *		0
		AL1030	Bean forage (green)	W ¹	10	
		FS 0013	Cherries	1	2	0.365
			Cherry jam			0.16
			Cherry juice			0.062
			Cherry preserve			0.22
		VP 0526	Common bean (pods and/or immature seeds)	W ¹	0.5	
		VC0424	Cucumber	0.5	0.5	0.18
		MO 0105	Edible offal (Mammalian)	0.05*		0.05
		PE 0112	Eggs	0.01 *		0
		MM 0095	Meat (from mammals other than marine mammals)	0.05* (fat)		0.05
		ML 0106	Milks	0.05*		0.05
		FS 0245	Nectarine	1	1	0.17
		AF 0647	Oat forage (green)	0.05 * ²	0.1 *	0.05
		AS 0647	Oat straw and fodder, Dry	0.05 *	0.1 *	0
		GC 0647	Oats	0.05 *	0.1 *	0
		FS 0247	Peach	1	1	0.17
		SO 0697	Peanut	W ¹	0.1 *	
		AL 1270	Peanut forage (green)	W ¹	20	
		FS 0014	Plums (including prunes)	2	2	0.34
			Plum jam			0.21

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
		FP 0009	Pome fruits	2	2	0.24
		PM 0110	Poultry meat	0.01 *		0
		PO 0111	Poultry, Edible offal of	0.01 *		0
		GC 0650	Rye	0.05 *	0.1 *	0
		AF 0650	Rye forage (green)	0.05 * ²	0.1 *	0.05
		AS 0650	Rye straw and fodder, Dry	0.05 *	0.1 *	0
		VO0448	Tomato	3		0.76
		JF 0448	Tomato juice			0.1
			Tomato paste			1.6
			Tomato preserve			0.28
		GC0653	Triticale	0.05 *		0
			Triticale straw and fodder, Dry	0.05 *		0
		GC0654	Wheat	0.05 *	0.1 *	0
		AS 0654	Wheat straw and fodder, Dry	0.05 *	0.1 *	0
		<p><u>Residue</u> for compliance with MRLs for plant and animal commodities: bitertanol For estimation of dietary intake for plant commodities: bitertanol For estimation of dietary intake for animal commodities: sum of bitertanol, p-hydroxy bitertanol and its acid hydrolyzable conjugates The residue is fat soluble ¹ Previous recommendation should be withdrawn ² Dry weight Acute RfD: Unnecessary Periodic review was for residues only</p>				
Buprofezin (173)	0.01	FC 0004	Oranges, Sweet, Sour	0.5	W	0.011
			Orange juice			0.012
			Orange pulp, dry			0.27
		<p><u>Residue</u> (for MRLs and STMRs): buprofezin The residue is fat soluble</p>				
Carbofuran (096)	0.002	FC 206	Mandarin	0.5		
		<p><u>Residue</u> (for MRLs and STMRs): sum of carbofuran and 3-hydroxy- carbofuran, expressed as carbofuran. Acute RfD: May be necessary but has not yet been established.</p>				
Carbosulfan (145)	0.01	FC 206	Mandarin	0.1		
		<p><u>Residue</u> (for MRLs and STMRs): carbosulfan Acute RfD: May be necessary but has not yet been established.</p>				
Chlormequat (015)	0.05	Acute RfD: 0.05 mg/kg bw				
Chlorpyrifos ** (017)	0.01	<p>Acute RfD: 0.1 mg/kg bw ADI unchanged Periodic review was for toxicology only</p>				
Clethodim (187)	0.01	VD 0071	Beans, Dry	2	W	0.81
		AL 0061	Bean fodder (hay)	10		1.8
		AL 1030	Bean forage (vines)	5		1.5
		MO 1280	Cattle, Kidneys	W	0.2*	
		MO 1281	Cattle, Liver	W	0.2*	

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
		MM 0812	Cattle meat	W	0.5*	
		ML 0812	Cattle milk	W	0.1*	
		PE 0840	Chicken eggs	W	0.5*	
		PM 0840	Chicken meat	W	0.5*	
		MM 0095	Meat (from mammals other than marine mammals)	0.2*		0
		ML 0106	Milks	0.05*		0
		MO 0105	Edible offal (mammalian)	0.2*		0
		PE 0112	Eggs	0.05*		0
		OC 0697	Peanut oil, Crude			0.52
		OR 0697	Peanut oil, Edible			0.12
		VR 0589	Potato ¹	0.5	0.2	
		PO 0111	Poultry, Edible offal of	0.2*		0
		PM 0110	Poultry meat	0.2*		0
		SO 0702	Sunflower seed	0.5	W	0.06
		OC 0702	Sunflower seed oil, Crude	0.1*	W	0.012
		JF 0448	Tomato juice			0.27
			Tomato paste			1.2
			Tomato puree			0.77
		<p><u>Residue</u> (for MRLs and STMRs): sum of clethodim and metabolites containing 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as clethodim</p> <p>¹ STMRs could not be estimated as the previously reviewed data from France, Italy and Ukraine were not re-submitted.</p>				
Diazinon (022) ¹	0.002	JF 0226	Apple juice			0.0004
			Apple pomace, Wet			0.0572
			Apple sauce			0.0004
			Apple slices, Canned			0.0004
		VB 0041	Cabbages, Head	0.5	2	0.01
		MM 0814	Goat meat	2 (fat) V	2 (fat) V	0.3 (fat) ² 0.02 (whole muscle) ²
		MO 0098	Kidney of cattle, goats, pigs and sheep	0.03 V	0.03 V	0.01 ²
		MO 0099	Liver of cattle, goats, pigs and sheep	0.03 V	0.03 V	0.01 ²
		MM 0097	Meat of cattle, pigs and sheep	2 (fat) V	2 (fat) V	0.3 (fat) ² 0.02 (whole muscle) ²
		ML 0106	Milks	0.02 F V	0.02 F V	0.02 ²
		FP 0009	Pome fruit	0.3	2	0.04
		<p><u>Residue</u> (for MRLs and STMRs): Diazinon</p> <p>The residue is fat-soluble</p> <p>¹ Estimated dietary intake might, on the basis of the available information, exceed the ADI.</p> <p>² STMR proposed by the 1996 JMPR</p>				
Dimethipin ** (151)	0.02	<p>Acute RfD: 0.02 mg/kg bw</p> <p>Previous ADI: unchanged</p> <p>Periodic review was for toxicology only.</p>				
Dinocap (087)	0.008	VO 0448	Tomato	0.3		0.045

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
		<u>Residue</u> (for MRLs and STMRs): dinocap Acute RfD: 0.008 mg/kg bw				
Ethephon (106)	0.05	VC4199	Cantaloupe	1	1	0.24 ¹
		DF 0269	Dried grapes	5		0.84
		FB 0269	Grapes	1	1	0.31
		VO 0051	Peppers	5	30	0.98
		FI 0353	Pineapple	2	1	0.13
			Pineapples canned			0.036
			Pineapple juice			0.051
		VO 0448	Tomato	2	2	0.41
		JF 0448	Tomato juice			0.14
			Tomato paste			0.31
			Wine			0.31
		<u>Residue</u> (for MRLs and STMRs): ethephon ¹ Cantaloupe: STMR expressed on whole fruit, not edible portion Acute RfD: May be necessary but has not yet been established.				
Ethoprophos ** (149)	0.0004	Acute RfD: 0.05 mg/kg bw Previous ADI: 0.0003 mg/kg bw Periodic review was for toxicology only.				
Ethoxyquin ** (035)	0.005	FP 0230	Pear	W	3 Po	1.86
		<u>Residue</u> (for MRLs and STMRs) ethoxyquin Acute RfD: Unnecessary Periodic review was for residues only.				
Fenamiphos ** (085)	0.0008	FP 0226	Apple	0.05*		0.01
		JF 0226	Apple juice			0.0078
		FI 0327	Banana	0.05*	0.1	0.02
		VB 0400	Broccoli	W	0.05*	
		VB 0402	Brussels sprouts	0.05	0.05*	0.01
		VB 0041	Cabbages, Head	0.05	0.05*	0.01
		VR 0577	Carrot	0.2	0.2	0.02
		VB 0404	Cauliflower	W	0.05*	
		SB 0716	Coffee beans	W	0.1	
		SM 0716	Coffee beans, Roasted	W	0.1	
		SO 0691	Cotton seed	0.05*	0.05*	0
		OC 0691	Cotton seed oil, Crude	0.05*		0.01
		MO 0105	Edible offal (mammalian)	0.01*		0
		PE 0112	Eggs	0.01*		0
		FB 0269	Grapes	0.1	0.1	0.02

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
		JF 0269	Grape juice			0.009
		FI 0341	Kiwifruit	W	0.05*	
		MM 0095	Meat (mammalian)	0.01*		0
		VC 0046	Melons, except watermelon	0.05*	0.05*	0.02
		ML 0106	Milks	0.005*		0
		FC 0004	Oranges, Sweet, Sour	W	0.5	
		SO 0697	Peanut	0.05*	0.05*	0
		OC 0697	Peanut oil, Crude	0.05*		0
		VO 0051	Peppers	0.5		0.055
		FI 0353	Pineapple	0.05*	0.05*	0.01
			Pineapple juice, Canned			0.012
			Pineapple juice, Raw			0.006
		VR 0589	Potato	W	0.2	
		PO 0111	Poultry, Edible offal of	0.01*		0
		PM 0110	Poultry meat	0.01*		0
		VD 0541	Soya bean, Dry	W	0.05*	
		VR 0596	Sugar beet	W	0.05*	
		VR 0508	Sweet potato	W	0.1	
		VO 0448	Tomato	0.5	0.2	0.05
		JF 0448	Tomato juice			0.05
		VC 0432	Watermelon	0.05*		0.02
		Residue (for MRLs and STMRs): sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos Acute RfD: 0.0008 mg/kg bw (1997) Periodic review was for residues only.				
Fenpropimorph (188)	0.003	FI 0327	Banana	2		0.11
		PE 0112	Eggs	0.01*		0
		MO 0098	Kidney of cattle, goats, pigs and sheep	0.05		0.026
		MO 0099	Liver of cattle, goats, pigs and sheep	0.3		0.22
		MF 0100	Mammalian fats (except milk fats)	0.01		0.006
		MM 0095	Meat (from mammals other than marine mammals)	0.02		0.009
		ML 0106	Milks	0.01		0.004
		PF 0111	Poultry fats	0.01*		0
		PM 0111	Poultry meat	0.01*		0
		PO 0111	Poultry, Edible offal of	0.01*		0
		Residue for compliance with MRLs and estimation of dietary intake for plant commodities: fenpropimorph For compliance with MRLs and estimation of dietary intake for animal commodities: N-[3-(4-phenylisobutyric acid)-2-methyl propyl]-2,6(cis)-dimethyl morpholine, expressed as fenpropimorph. Acute RfD: May be necessary but has not yet been established.				
Fenpyroximate (193)	0.01	FP 0226	Apples	0.3		0.09
		JF 0226	Apple juice			0.04
			Apple puree			0.05

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
		MO 1280	Cattle kidney	0.01*		
		MO 1281	Cattle liver	0.0 *		
		ML 0812	Cattle milk	0.005* F		0.002
		MM 0812	Cattle meat	0.02 (fat)		0.01
		FB 0269	Grapes	1		0.07
		DH 1100	Hops	10		4.4
		FC 0004	Oranges, Sweet, Sour	0.2		0.01
			Beer			0.004
			Wine			0.005
		Residue (for MRLs and STMRs): fenpyroximate The residue is fat-soluble. Acute RfD: May be necessary but has not yet been established.				
Folpet (041)	0.1	FP 0226	Apple	10	W	3.1
		JF 0226	Apple juice			0.11
			Apple pomace, Wet			8.1
		VC 0424	Cucumber	1	W	0.36
		DF 0269	Dried grapes (currants, raisins and sultanas)	40	W	8.0
		FB 0269	Grapes	10	W	2.5
		JF 0269	Grape juice			0.0075
		VL 0482	Lettuce, Head	50		14
		VC 0046	Melons, except watermelon	3	W	0.41
		VA 0385	Onion, Bulb	1		0.07
		VR 0589	Potato	0.1	W	0.01
		FB 0275	Strawberry	5	W	1.6
		VO 0448	Tomato	3	W	0.90
			Tomato puree			0.025
			Tomato paste			0.025
			Wine			0
		Residue (for MRLs and STMRs): folpet Acute RfD: May be necessary but has not yet been established.				
Glufosinate-ammonium (175)	0.02 ¹	MO 0105	Edible offal, (Mammalian)	0.1*		0
		PE 0112	Eggs	0.05*		0.05 ²
		AS 0645	Maize fodder	10		0.72
		AF 0645	Maize forage	5	0.2	0.54
		MM 0095	Meat (from mammals other than marine mammals)	0.05*		0
		ML 0106	Milks	0.02*		0
		PM 0110	Poultry meat	0.05*		0.05 ²
		PO 0111	Poultry, Edible offal of	0.1*		0.1 ²
		VD 0541	Soya bean (dry)	2	0.1	0.87
		Residue (for MRLs and STMRs): Sum of glufosinate-ammonium, 3-(hydroxy(methyl)phosphinoyl)propionic acid and N-acetyl-glufosinate calculated as glufosinate (free acid). ¹ Group ADI for glufosinate-ammonium, 3-(hydroxy(methyl)phosphinoyl)propionic acid and N-acetyl glufosinate, alone or in combination. ² LOD is assigned as STMR value Previous ADI: 0.02 mg/kg bw (1991) Acute RfD: Unnecessary				

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
Malathion ** (049)	0.3	AL 1021	Alfalfa, Forage	500		157
		AL 1020	Alfalfa, fodder	200		17
		FP 0226	Apple	W	2	
		VS 0621	Asparagus	1		0.305
		VP 0071	Beans (dry)	2	8 Po	0.36
		BP 0061	Beans, except broad beans and soya beans	1		0.31
		FB 0264	Blackberries	W	8	2.6
		FB 0020	Blueberries	10	0.5	2.27
		VB 0400	Broccoli	W	5	
		VB 0041	Cabbages, Head	W	8	0
		VB 0404	Cauliflower	W	0.5	
		VS 0624	Celery	W	1	
		GC 0080	Cereal grains	W	8 Po	
		VL 0464	Chard	W	0.5	
		FS 0013	Cherries	W	6	1.35
		AL 1023	Clover	500		231
		AL 1031	Clover, Hay or fodder	150		33.5
		FC 0001	Citrus fruits	W	4	
		VP 0526	Common bean (pods and/or immature seeds)	W	2	0.31
		SO 0691	Cotton seed	20		4.7
		OC 0691	Cotton seed oil, Crude	13		3.15
		OR 0691	Cotton seed oil, edible	13		3.06
			Cotton seed, Meal	1.4		6.58
			Cotton seed oil, B&D			0.038
		VC 0424	Cucumber	0.2		0.02
		DF 0167	Dried fruits	W	8	
		VO 0440	Egg plant	W	0.5	
		VL 0476	Endive	W	8	
		FB 0269	Grapes	W	8	0.86
		VL 0480	Kale	W	3	
		VB 0405	Kohlrabi	W	0.5	
		VD 0533	Lentil (dry)	W	8	
		VL 0482	Lettuce, Head	W	8	
		GC0645	Maize	0.05		0.01
		AS 0645	Maize fodder	50		4.7
		AF 0645	Maize forage	10		0.2
		VL 0485	Mustard, Green	2		0.07
		AO51900	Nuts (whole in shell)	W	8	
		VA 0385	Onion, Bulb	1		0.23
		VA 0389	Spring onion	5		0.52
FS 0247	Peach	W	6			
FP 0230	Pear	W	0.5			
VP 0063	Peas (pods and succulent = Immature seeds)	W	0.5			
VO 0051	Peppers	0.1	0.5	0.01		
FB 0272	Raspberries, Red, Black	W	8			
VR 0075	Root and tuber vegetables ¹	W	0.5			
CM 0650	Rye bran, Unprocessed	W	20 PoP			
CF 1250	Rye flour	W	2 PoP			
CF 1251	Rye wholemeal	W	2 PoP			
VL 0502	Spinach	3	8	0.35		
FB 0275	Strawberry	1	1	0.25		
VO 0447	Sweet corn	0.02		0.01		

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
		GC 0651	Sorghum	3		0.235
		VO 0448	Tomato	0.5	3	0.21
		VJ 0448	Tomato, Juice	0.01		0.00
			Tomato, Wet pomace			0.20
			Tomato, Dry pomace			1.6
			Tomato, Puree			0.07
			Tomato, Catsup			0.09
		VR 0506	Turnip, Garden	0.2	3	0.05
		VL 0506	Turnip, Greens	5		1.195
		GC 0654	Wheat, Grain	0.5		0.04
			Wheat, Forage	20		4.14
		AS 0654	Wheat straw and fodder, Dry	50		6.85
		<p><u>Residue</u> (for MRLs and STMRs): malathion ¹Except turnip, garden Periodic review was for residues only. Acute RfD: May be necessary but has not yet been established.</p>				
Methiocarb** (132)	0.02	VS 0620	Artichoke, Globe	W	0.05 *	
		VB0400	Broccoli	W	0.2	
		VB0402	Brussels sprouts	W	0.2	
		VB0041	Cabbages, Head	W	0.2	
		VB0404	Cauliflower	W	0.2	
		GC0080	Cereal grains	W	0.05 *	
		FC 0001	Citrus fruits	W	0.05 *	
		PE 0840	Eggs	W	0.05 *	
		TN 0666	Hazelnuts	W	0.05 *	
		VL 0482	Lettuce, Head	W	0.2	
		VL 0483	Lettuce, Leaf	W	0.2	
		MM0095	Meat (from mammals other than marine mammals)	W	0.05 *	
		ML0106	Milks	W	0.05 *	
		PM 0110	Poultry meat	W	0.05 *	
		SO 0495	Rape seed	W	0.05 *	
		VR 0596	Sugar beet	W	0.05 *	
		VO 0447	Sweet corn (corn-on-the-cob)	W	0.05 *	
		FB 0275	Strawberry	1		0.44
		<p><u>Residue</u> (for MRLs and STMRs): sum of methiocarb, methiocarb sulfoxide and methiocarb sulfone, expressed as methiocarb. Periodic review was for residues only.</p>				

Pesticide (Codex reference no.)	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
		CCN	Name	New	Previous	
Permethrin ** (120)	0.05 ¹	Acute RfD: Unnecessary ¹ For technical-grade permethrin with cis:trans ratios of 25:75 to 40:60. Previous ADI: unchanged Periodic review was for toxicology only.				
2-Phenylphenol ** (056)	0.4	FP 0226	Apple	W	25 Po	
		FC 0001	Citrus fruits	10	10 Po	0.20
		AB 0001	Citrus pulp, Dried	60		
		JF 0004	Orange juice	0.5		0.12
			Orange oil			340
		FP 0230	Pear	W	25 Po	
		<u>Residue</u> (for MRLs and STMRs): plant commodities: sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol Previous ADI: 0.02 mg/kg bw (1990) Acute RfD: Unnecessary				
Phosalone (060)	0.02	FP 0009	Pome fruits	2	W ¹	0.8
		FS 0012	Stone fruits	2		0.45
		TN 0660	Almonds	0.1		0.05
		TN 0666	Hazelnuts	0.05*		0.05
		TN 0678	Walnuts	0.05*		0.05
			Apple compote			0.1
		<u>Residue</u> (for MRLs and STMRs): phosalone The residue is fat soluble ¹ For apple Acute RfD: May be necessary but has not yet been established.				
Propargite ** (113)	0.01	Acute RfD: Unnecessary Previous ADI: 0.15 mg/kg bw Periodic review was for toxicology only.				
Propylene thiourea	0.0003	Acute RfD: 0.003 mg/kg bw Previous temporary ADI: 0.0002 mg/kg bw				
Pyrethrins ** (063)	0.04	Acute RfD: 0.2 mg/kg bw Previous ADI: unchanged Periodic review was for toxicology only.				
Pyriproxifen * (200)	0.1	MM0812	Cattle meat	0.01* (fat)		0
		MO0812	Cattle, Edible offal of	0.01*		0
		FC 0001	Citrus fruits	1		0.013
			Cotton gin trash	5		0.91
		SO 0691	Cotton seed	0.05		0.01
			Cotton seed meal			0.001
		OC 0691	Cotton seed oil, Crude	0.01		0.002
		OR 0691	Cotton seed oil, Edible	0.01		0.002
		MM0814	Goat meat	0.01* (fat)		0

Pesticide	ADI, Mg/kg bw	Commodity		Recommended MRL, mg/kg		STMR, STMR-P mg/kg
(Codex reference no.)		CCN	Name	New	Previous	
		MO 0814	Goat, Edible offal of	0.01*		0
		<u>Residue</u> (for MRLs and STMRs): pyriproxifen The residue is fat-soluble. Acute RfD: Unnecessary New compound				
Tebufenozide (196)	0.02	FP 0009	Pome fruit	1	1	0.17
			Apple pomace, Wet			0.425
			Apple juice			0.021
			Apple puree			0.0425
		FB 0269	Grapes	1	0.5	0.25
			Grape pomace, Wet			0.675
			Wine			0.0625
		<u>Residue</u> (for MRLs and STMRs): tebufenozide The residue is fat soluble.				