

## CONTENTS

PARTICIPANTS .....	v
ABBREVIATIONS WHICH MAY BE USED .....	xi
ESTIMATION OF DIETARY INTAKE OF PESTICIDE RESIDUES .....	xv
USE OF JMPR REPORTS AND EVALUATIONS BY REGISTRATION AUTHORITIES .....	xvii
INTRODUCTION .....	xix
 <u>The monographs</u> <sup>1</sup>	
Acephate .....	1
Aldicarb .....	27
Bifenthrin .....	59
Chlorfenvinphos ** .....	67
DDT .....	151
Diazinon .....	175
Dithiocarbamates .....	227
Fenarimol .....	229
Ferbam ** .....	241
Flumethrin * .....	251
Haloxypop .....	289
Methamidophos .....	305
Propoxur .....	337
Tebufenozide * .....	347
Teflubenzuron * .....	443
Thiram ** .....	527
Ziram ** .....	583
 ANNEX I      ADIs, MRLs and STMR levels .....	 617
ANNEX II      Previous FAO and WHO documents .....	625
ANNEX III      Report of Hague Workshop on data evaluation for estimation of dietary intake .....	633

---

<sup>1</sup> \* First evaluation

\*\* Evaluation in CCPR periodic review programme



**1996 JOINT MEETING OF THE FAO PANEL OF EXPERTS ON  
PESTICIDE RESIDUES IN FOOD AND THE ENVIRONMENT  
AND THE WHO CORE ASSESSMENT GROUP**

Rome, 16-25 September 1996

**PARTICIPANTS**

Toxicological Core Assessment Group

Professor J.F. Borzelleca *Vice-Chairman*  
Pharmacology, Toxicology  
Medical College of Virginia  
Virginia Commonwealth University  
Richmond, Virginia  
USA

Dr P. Fenner-Crisp *Vice-Chairman*  
Deputy Director  
Office of Pesticide Programs (H7501C)  
US Environmental Protection Agency  
Washington, D.C.  
USA

Dr. M. Joffe  
Department of Epidemiology and Public Health  
Imperial College of Medicine at St. Mary's  
London  
UK

Dr A. Moretto  
Università di Padova  
Istituto di Medicina del Lavoro  
Padova  
Italy

Professor O. Pelkonen *Rapporteur*  
Professor of Pharmacology  
Department of Pharmacology and Toxicology  
University of Oulu  
Oulu  
Finland

Professor A. Rico  
Biochemistry-Toxicology  
Physiopathology and Experimental Toxicology Laboratory (INRA)  
Ecole Nationale Vétérinaire  
Toulouse  
France

FAO Panel of Experts on Pesticide Residues

Dr Ursula Banasiak  
Federal Biological Research Centre for Agriculture and Forestry  
Kleinmachnow  
Germany

Mr S.J. Crossley  
Pesticide Safety Directorate  
Ministry of Agriculture, Fisheries and Food  
York  
UK

Mr D.J. Hamilton *Rapporteur*  
Animal and Plant Health Services  
Department of Primary Industries  
Brisbane  
Australia

Mr N.F. Ives *Chairman*  
Health Effects Division (7509C)  
US Environmental Protection Agency  
Washington, DC  
USA

Ms Elena Masoller  
Servicios de Laboratorios  
Ministerio de Ganadería, Agricultura y Pesca  
Montevideo  
Uruguay

Mr T. Sakamoto  
Coordinator  
Agricultural Chemicals Inspection Station  
Ministry of Agriculture, Forestry and Fisheries  
Tokyo  
Japan

Secretariat

Dr A. Ambrus *FAO Joint Secretary*  
c/o AGPP, FAO  
Rome

Dr Elisabeth Bosshard (*WHO Temporary Adviser*)  
Wettswil  
Switzerland

Dr W.H. van Eck  
Chairman, Codex Committee on Pesticide Residues  
Public Health Division  
Ministry of Health, Welfare and Sport  
Rijswijk  
The Netherlands

Dr K. Fujimori (*WHO Temporary Adviser*)  
Division of Pharmacology  
Biological Safety Research Center  
National Institute of Health Sciences  
Ministry of Health and Welfare  
Tokyo  
Japan

Dr. D.L. Grant (*WHO Temporary Adviser*)  
Director, Pesticide Evaluation Division  
Health Evaluation Division  
Health Canada  
Ottawa  
Canada

Dr. R.J. Hance  
Head of Pesticides Section  
Joint FAO/IAEA Division  
Vienna  
Austria

Dr J.L. Herrman *WHO Joint Secretary*  
International Programme on Chemical Safety  
World Health Organization  
Geneva  
Switzerland

Mrs E. Heseltine  
Communication in Science  
Saint-Léon-sur Vézère  
France

Mrs P.H. van Hoeven-Arentzen (*WHO Temporary Adviser*)  
National Institute of Public Health and Environment  
Bilthoven  
The Netherlands

Dr Jens-Jørgen Larsen (*WHO Temporary Adviser*)  
Head, Department of General Toxicology  
Institute of Toxicology  
National Food Agency of Denmark  
Søborg  
Denmark

Mr A.F. Machin  
London  
UK

Dr. T.C. Marrs (*WHO Temporary Adviser*)  
Department of Health  
London  
UK

Dr D. McGregor  
Unit of Carcinogen Identification and Evaluation  
International Agency for Research on Cancer  
Lyon  
France

Dr G. Moy  
Food Safety Unit  
Division of Food and Nutrition  
World Health Organization  
Geneva  
Switzerland

Dr. J.C. Rowland (*WHO Temporary Adviser*)  
Toxicology Branch II  
Health Effects Division (H7509C)  
US Environmental Protection Agency  
Washington, DC  
USA

Dr G. Vettorazzi (*WHO Temporary Adviser*)  
International Toxicology Information Centre (ITIC)  
San Sebastian  
Spain

Mr M. Walsh  
Principal Administrator EEC  
Commission of the European Communities  
Législation des produits végétaux et de nutrition animale  
Brussels  
Belgium

Mr M. Watson (*WHO Temporary Adviser*)  
Head, Risk Evaluation Branch  
Pesticides Safety Directorate  
Ministry of Agriculture, Fisheries and Food  
York  
UK

Dr Y. Yamada  
Food Standards Officer  
Joint FAO/WHO Food Standards Programme  
Food and Nutrition Division  
Food and Agriculture Organization of the United Nations  
Rome  
Italy

## ABBREVIATIONS WHICH MAY BE USED

Ache	acetylcholinesterase
ADI	acceptable daily intake
AFI(D)	alkali flame-ionization (detector)
ai	active ingredient
ALAT	alanine aminotransferase
approx.	approximate
ASAT	aspartate aminotransferase
BBA	Biologische Bundesanstalt für Land- und Forstwirtschaft
bw	body weight
(not b.w.)	
c	centi- ( $\times 10^{-2}$ )
CA	Chemical Abstracts
CAS	Chemical Abstracts Services
CCN	Codex Classification Number (this may refer to classification numbers for compounds or for commodities).
CCPR	Codex Committee on Pesticide Residues
ChE	cholinesterase
CNS	central nervous system
cv	coefficient of variation
CXL	Codex Maximum Residue Limit (Codex MRL). See MRL.
DFG	Deutsche Forschungsgemeinschaft
DL	racemic (optical configuration, a mixture of dextro- and laevo-)
DP	dustable powder
DS	powder for dry seed treatment
EBDC	ethylenebis(dithiocarbamate)
EC	(1) emulsifiable concentrate (2) electron-capture [chromatographic detector]
ECD	electron-capture detector
EMDI	estimated maximum daily intake
EPA	Environmental Protection Agency
ERL	extraneous residue limit
ETU	ethylenethiourea
F <sub>1</sub>	filial generation, first
F <sub>2</sub>	filial generation, second
f.p.	freezing point
FAO	Food and Agriculture Organization of the United Nations
FDA	Food and Drug Administration
FID	flame-ionization detector
FPD	flame-photometric detector
g (not gm)	gram

µg	microgram
GAP	good agricultural practice(s)
GC-MS	gas chromatography - mass spectrometry
G.I.	gastrointestinal
GL	guideline level
GLC	gas-liquid chromatography
GLP	Good Laboratory Practice
GPC	gel-permeation chromatography
GSH	glutathione
h (not hr)	hour(s)
ha	hectare
Hb	haemoglobin
hl	hectolitre
HPLC	high-performance liquid chromatography
HPLC-MS	high-performance liquid chromatography - mass spectrometry
IBT	Industrial Bio-Test Laboratories
i.d.	internal diameter
i.m.	intramuscular
i.p.	intraperitoneal
IPCS	International Programme on Chemical Safety
IR	infrared
IRDC	International Research and Development Corporation (Mattawan, Michigan, USA)
i.v.	intravenous
JMPR	Joint FAO/WHO Meeting on Pesticide Residues (Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group)
LC	liquid chromatography
LC <sub>50</sub>	lethal concentration, 50%
LC-MS	liquid chromatography - mass spectrometry
LD <sub>50</sub>	lethal dose, median
LOAEL	lowest observed adverse effect level
LOD	limit of determination (see also "*" at the end of the Table)
LSC	liquid scintillation counting or counter
MFO	mixed function oxidase
µm	micrometre (micron)
min	minute(s)
MLD	minimum lethal dose
M	molar
mo	month(s)

(not mth.)

MRL	Maximum Residue Limit. MRLs include <u>draft MRLs</u> and <u>Codex MRLs (CXLs)</u> . The MRLs recommended by the JMPR on the basis of its estimates of maximum residue levels enter the Codex procedure as draft MRLs. They become Codex MRLs when they have passed through the procedure and have been adopted by the Codex Alimentarius Commission.
MS	mass spectrometry
MTD	maximum tolerated dose
n	normal (defining isomeric configuration)
NCI	National Cancer Institute (United States)
NMR	nuclear magnetic resonance
NOAEL	no-observed-adverse-effect level
NOEL	no-observed-effect level
NP(D)	nitrogen-phosphorus (detector)
NTE	neuropathy target esterase
OP	organophosphorus pesticide
PHI	pre-harvest interval
ppm	parts per million. (Used only with reference to the concentration of a pesticide in an experimental diet. In all other contexts the terms mg/kg or mg/l are used).
PT	prothrombin time
PTDI	provisional tolerable daily intake. (See 1994 report, Section 2.3, for explanation)
PTT	partial thromboplastin time
PTU	propylenethiourea
RBC	red blood cell
s.c.	subcutaneous
SC	suspension concentrate (= flowable concentrate)
SD	standard deviation
SE	standard error
SG	water-soluble granule
SL	soluble concentrate
SP	water-soluble powder
sp./spp.	species (only after a generic name)
sp gr	specific gravity
(not sp. gr.)	
STMR	supervised trials median residue
t	tonne (metric ton)
T <sub>3</sub>	tri-iodothyronine
T <sub>4</sub>	thyroxine
TADI	Temporary Acceptable Daily Intake
<i>tert</i>	tertiary (in a chemical name)
TLC	thin-layer chromatography
TMDI	theoretical maximum daily intake
TMRL	Temporary Maximum Residue Limit
TPTA	triphenyltin acetate
TPTH	triphenyltin hydroxide

TSH	thyroid-stimulating hormone (thyrotropin)
UDMH	1,1-dimethylhydrazine (unsymmetrical dimethylhydrazine)
USEPA	United States Environmental Protection Agency
USFDA	United States Food and Drug Administration
UV	ultraviolet
v/v	volume ratio (volume per volume)
WG	water-dispersible granule
WHO	World Health Organization
WP	wettable powder
wt/vol	weight per volume
w/w	weight ratio (weight per weight)
<	less than
≤	less than or equal to
>	greater than
≥	greater than or equal to
*	(following residue levels, e.g. 0.01* mg/kg): level at or about the limit of determination



## ESTIMATION OF THE DIETARY INTAKE OF PESTICIDE RESIDUES

In response to recommendations of a Joint FAO/WHO Consultation on Guidelines for predicting the Dietary Intake of Pesticide Residues held in York UK in 1995, the 1996 Joint Meeting extended its estimations of residues to include calculations of the median residue levels found in supervised trials (STMR levels) in order to provide a basis for the estimation of the dietary intake of the pesticides reviewed.

The estimated STMRs are included in the Tables of Recommendations in the Appraisals of the compounds reviewed and in the Table of ADIs and MRLs in Annex I. Further details of the response of the 1996 JMPR to the York Consultation and information about an informal workshop held in The Hague, The Netherlands, in April 1996 to consider the implementation of the York recommendations by the JMPR are given in Sections 2.2.1 and 2.2.3 of the report of the Meeting.

The report of the Hague Workshop is reproduced as Annex III to these evaluations. It explains in detail the procedures used in the calculation of STMRs and directs attention to the associated changes in the Tables of residues resulting from supervised trials and in the presentation of the Appraisals.

## **USE OF JMPR REPORTS AND EVALUATIONS BY REGISTRATION AUTHORITIES**

The summaries and evaluations contained in this book are, in most cases, based on unpublished proprietary data submitted for the purpose of the JMPR assessment. A registration authority should not grant a registration on the basis of an evaluation unless it has first received authorization for such use from the owner who submitted the data for JMPR review or has received the data on which the summaries are based, either from the owner of the data or from a second party that has obtained permission from the owner of the data for this purpose.









## INTRODUCTION

The report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group (JMPR), held in Rome, 16-25 September 1996, contains a summary of the evaluations of residues in foods of the various pesticides considered as well as information on the general principles followed by the Meeting. The present document contains summaries of the residues data considered, together with the recommendations made.

The Evaluations are issued in two parts:

Part I: Residues (by FAO)

Part II: Toxicology (by WHO)

For those interested in both aspects of pesticide evaluation, not only both parts but also the reports containing summaries of residue and toxicological considerations will be available. Special attention is drawn to Annex I containing updated ADIs, MRLs, and STMR levels (see p. xv), which also appears in full as part of the report of the Meeting.

Some of the compounds considered at this Meeting have been previously evaluated and reported on in earlier publications. In general only new information is summarized in the relevant monographs and reference is made to previously published evaluations, which should also be consulted. In the case of older compounds which are re-evaluated as part of the periodic review programme of the Codex Committee on Pesticide Residues (CCPR) however, a comprehensive review of all available data, including data which may have previously been submitted, is carried out. Compounds evaluated for the first time are indicated by a single asterisk and those evaluated in the CCPR periodic review programme by a double asterisk in the Table of Contents.

The name of the compound appearing as the title of each monograph is followed by its Codex Classification Number in parentheses.

References to previous Reports and Evaluations of Joint Meetings are listed in Annex II.

### Acknowledgements

The monographs in these Evaluations were prepared by the following participants in the 1996 JMPR for the FAO Panel of Experts on Pesticide Residues in Food and the Environment:

Dr. A. Ambrus, Dr. U. Banasiak, Mr. S. Crossley, Mr. D.J. Hamilton, Mr. N.F. Ives, Mr. A.F. Machin, Ms. E. Masoller and Mr. T. Sakamoto.

**Note:** Any comments on residues in food and their evaluation should be addressed to the:

Plant Protection Service  
Plant Production and Protection Division  
Food and Agriculture Organization  
Viale delle Terme di Caracalla  
00100 Rome, Italy