

## **Africa**

### central

trypanosomiasis in humans, 9007

### East

*T. b. brucei* stocks from, 8894

*T. congolense* stocks from, 8902

trypanosomiasis in humans, 9007

### southern

land use, effects of tsetse on, 9124

### sub-Saharan

#### trypanosomiasis

in animals, 8709, 8737, 8984

in cattle, 8991, 8993

in humans, 8991

trypanosomiasis in humans, 8706, 8709

trypanosomiasis in livestock, 8989, 9000

tsetse control, 8991, 9000, 9152

### West

land use, effects of tsetse on, 9124

*T. congolense* strains from, 8902

trypanotolerant cattle in, 8908

## **antelope, roan**

trypanosome infection

prevalence, Côte d'Ivoire, 8880

## **antibiotics**

in tsetse bloodmeal, effects, 8710

## **antibodies**

*see also* immune response

### anti-midgut

in immunised rabbits, 8854

detection, in diagnosis, 8761, 8783, 8867, 8881, 9178, 9181

### monoclonal

anti-bovine CD8, mouse, 9060

in diagnostic testing, 8758, 8759, 9177

to isometamidium chloride, 9221

### polyclonal

in diagnostic testing, 8759

in human trypanosomiasis, 9045

## **antigen**

*see also* variant surface glycoprotein

### trypanosome

circulating, detection of, 8761, 9180

detection tests in diagnosis, 8849, 8881

expression in *Spodoptera frugiperda* cells, 9119

flagellar pocket, in vaccine, 8896

in diagnosis, 8758, 8759, 8761, 8783, 9099, 9164, 9180

stimulation of immune response *in vitro*, 8779

## **antigenaemia**

in trypanosome-infected cattle, 8881, 9179, 9183

## **antigenic variation**

in trypanosomes, 8709, 8973, 9090

*T. brucei*, 8830

*T. congolense*, 8895

## **antimitotics**

treatment of trypanosomiasis, 8877

## **arsenicals**

melaminophenyl, quantitative estimation, 8937

treatment of human trypanosomiasis, 8707, 8877

**attractants/attractiveness for tsetse**

*see also* odour attractants/baits/stimulants

chickens, 9021

crocodiles, 9021

lizards, monitor, 9021

oxen, trypanosome-infected, 9020

rabbits, 9021

snakes, 9021

warthogs, 8728

**barriers**

tsetse, 9008, 9025

targets, 9157

***Beauveria bassiana***

pathogenicity in tsetse, 8735

**Benin**

*G. tachinoides* in, 8733

north

trypanotolerant cattle in, 9061

southeast

trypanotolerant cattle productivity, 8907

tsetse control, trapping, 8733

**Berenil** *see* diminazene aceturate

**BHC**

spraying, in Zululand, 9152

**biting flies**

mechanical transmission of trypanosomes, 8753

*T. vivax* infection, Nigeria, 9053

vectors of camel trypanosomiasis, Ethiopia, 8764

**buffalo**

blood, for tsetse diet, 8712, 9129

effect on trypanosome development, 9163

host for tsetse

*G. longipennis*, Kenya, 9039

*G. pallidipes*, Kenya, 9039

serum, trypanocides in, 8782

trypanoresistance, 8782

trypanosome infection

prevalence, Côte d'Ivoire, 8880

trypanotolerance, mechanisms, 8782

**Burkina Faso**

Bobo-Dioulasso

*T. congolense* stocks from, 9177

trypanosomiasis in animals, 9177

*G. tachinoides* in, 8855

Tabanidae in

trapping, 8730, 8731

trypanosome transmission, 8730

trypanosomiasis in animals

epidemiological survey, 9178

trypanosusceptibility in small ruminants, 8769

tsetse control, trapping, 8730, 8731, 8855

tsetse distribution, 8997

**bushbuck**

host for tsetse

*G. longipennis*, Kenya, 9039

*G. pallidipes*, Kenya, 9039  
*T. b. rhodesiense* infection  
transmission, 9036

## camel

*T. evansi* infection, 8754, 8882  
diagnosis, 8882, 8905, 9182  
in Egypt, 8883, 8892, 8905  
in Ethiopia, 8764  
in Kenya, 8744, 8916, 9182, 9200, 9201  
in Mauritania, 8756, 8757  
in Sudan, 8771  
in United Arab Emirates, 8778  
pathological effects, 8883, 8892, 8905  
treatment, 8916  
drug resistance, 8916, 9200, 9201, 9223  
*T. evansi* infection (exp.)  
haematological changes, 8778  
trypanosomiasis  
control, 9201  
detection, 8882  
diagnosis, 9181  
epidemiology, Mauritania, 8756  
field survey, Mauritania, 8757  
haematological changes, 8892  
in United Arab Emirates, 8778  
incidence  
in Chad, 8754  
in Ethiopia, 8764  
infection rate, 9181  
prevalence, in Kenya, 9181  
treatment, 8892

## Cameroon

*G. m. submorsitans* in, 9006  
tsetse habitat mapping, 9006

## cattle

Baoulé crosses  
trypanosome prevalence, Côte d'Ivoire, 9176  
blood  
in tsetse feeding studies, 9129  
in tsetse infection studies, 9034  
Boran  
*T. brucei* infection (exp.)  
antigenaemia, 8881  
diagnosis, 8881  
*T. b. rhodesiense* infection (exp.)  
transmission studies, 9036  
*T. congolense* infection (exp.)  
effect on blood cell populations, 8768, 9054  
immune response, 9060  
*T. vivax* infection (exp.)  
effect on pregnancy, 9189  
in tsetse susceptibility studies, 9037  
trypanosusceptibility, 8768, 9054, 9194  
trypanotolerance, 9189  
Borgou  
productivity in Benin, 8907

- trypanotolerance, 8907, 9061
- drug residues in, 9199
- Galana
  - T. vivax* infection (exp.)
    - effect on pregnancy, 9189
  - trypanosusceptibility, 9189, 9194
- Jersey
  - prophylaxis, 9197
  - trypanosomiasis, 9197
- Keteku
  - mixed infection, 9052
  - T. brucei* sspp. infection, 9052
  - T. congolense* infection, 9052
  - T. vivax* infection, 9052
  - trypanosomiasis
    - prevalence, Nigeria, 9052
  - trypanotolerance, 9052
- Lagunaire
  - diagnostic testing for trypanosomiasis, Togo, 8760
- Muturu
  - mixed infection, 9052
  - T. brucei* sspp. infection, 9052
  - T. congolense* infection, 9052
  - T. vivax* infection, 9052
  - trypanosomiasis
    - prevalence, Nigeria, 9052
  - trypanotolerance, 9052
- N'Dama
  - crosses
    - trypanosome prevalence, Côte d'Ivoire, 9175
  - diagnostic testing for trypanosomiasis, Togo, 8760
  - performance under tsetse challenge, Zaire, 8784
  - production economics, Zaire, 8845
  - T. brucei* sspp. infection, 9052
  - T. congolense* infection, 8763, 9052
    - effect on health and productivity, 8770, 8784
  - T. congolense* infection (exp.)
    - blood cell population changes, 9054
    - effect of diet on response, 9057
    - trypanotolerance studies, 8783
  - T. vivax* infection, 8763
    - effect on health and productivity, 8770, 8784
  - T. vivax* infection (exp.)
    - trypanotolerance studies, 8783
  - trypanosome infection
    - effect on reproductive performance, 8767
    - in Gambia, 8770
      - epidemiological survey, 8767
      - prevalence, 8767
    - in Zaire, 8783, 8784
    - mixed, 8763, 9052
    - treatment, 8784
  - trypanosomiasis
    - in Zaire, 8763
    - incidence, Gambia, 8773
    - prevalence, Nigeria, 9052

- trypanosusceptibility
  - effect of helminth infection, 8770
- trypanotolerance, 8781, 8783, 8784, 8845, 8909, 8910, 9052, 9054
- treatment
  - dip
    - deltamethrin, 9025, 9142, 9151, 9152, 9153
  - drug, 8988, 9053, 9062, 9063, 9191, 9199, 9203
    - toxicity, 9204
  - insecticide, 9157
    - $\lambda$ -cyhalothrin, 9142
    - $\alpha$ -cypermethrin, 8861, 9142, 9148
    - deltamethrin, 9142, 9151, 9153, 9203
    - pyrethroids, 9025, 9142, 9148, 9152, 9156
  - pour-on
    - $\lambda$ -cyhalothrin, 9142
    - $\alpha$ -cypermethrin, 8861, 9142, 9148
    - deltamethrin, 9151
    - pyrethroids, 9025, 9142, 9148, 9152, 9156
  - sprays
    - pyrethroid, 9025, 9142
- T. brucei* infection, 8753, 9203
- T. congolense* infection, 8803, 8894, 8896, 9190, 9203, 9216
  - diagnosis, 8758
- T. congolense* infection (exp.)
  - drug residues in tissues, 9063
  - effect of vaccine, 8896
  - immune response, 8887
  - treatment, 8896
- T. vivax* infection, 8754, 8755, 8896, 9190, 9203
  - diagnosis, 8758
- T. vivax* infection (exp.)
  - effect of vaccine, 8896
  - immune response, 8887
  - treatment, 8896
- trypanosome infection
  - biochemical changes, 9183
  - diagnosis, 8759, 8760, 9179
  - haematological changes, 9183
  - immunological changes, 9183
  - prevalence
    - in Côte d'Ivoire
      - effect on productivity, 9176, 9190
    - in Ethiopia, 9148
  - rate, Kenya, 9150
- trypanosomiasis, 8993
  - as constraint to production, 8723, 8737, 8845
  - diagnosis, 8754, 8760, 8763, 9177
  - distribution, Togo, 9138
  - effect on growth rate, 9194
  - effect on rinderpest vaccination, 9191
  - epidemiology, 8725, 8984, 9008
    - survey, Zaire, 8763
  - in sub-Saharan Africa, 8991, 8993
  - in Tanzania, 8861
  - in Togo, 8846
  - in Uganda, 9203
  - incidence

- in Chad, 8755
- in Gambia, 9002
- in Kenya, 9194
- in Nigeria, 9053
- in Togo, 8760, 9138
- in Zaire, 8753

**cattle** (cont.)

trypanosomiasis (cont.)

prevalence

- effect of age, 9052
- in Ethiopia, 8737
- in Gambia, 9002, 9128
- in Nigeria, 8754, 9052, 9053, 9175
- in Togo, 9002, 9135, 9138
- in Zaire, 8845
- in Zambia, 9125

prophylaxis, 9062

risk, 8984

- in Ethiopia, 8725, 8737, 8988

susceptibility, 9194

trypanosusceptible, 9194, 9195

- clinicopathological effects of infection, 9183

trypanotolerance, 8782

- in different breeds, 9194
- modelling, 8780
- parameters, 8780, 8781, 8783, 8784

trypanotolerant

- clinicopathological effects of infection, 9183
- genetics, 8849
- immune response, 8906
- in control of trypanosomiasis, 9052
- production economics, Togo, 8846
- trypanoresistance, 8782

*Trypanozoon* isolates from Uganda, 8808

*Trypanozoon* prevalence, Uganda, 9146

West African Shorthorn

- trypanotolerance, 8781

Zebu

crosses

- trypanosome prevalence, Côte d'Ivoire, 9176
- diagnostic testing for trypanosomiasis, Togo, 8760
- health and productivity, Ethiopia, 9195
  - effect of tsetse control, 8890
- reproductive performance, 8765, 9059
- resistance, acquired, 8765

treatment

- drug trials, 8762, 9064
- insecticide studies, 9142
- T. brucei* infection, 8762
- T. congolense* infection
  - effect on reproductive performance, 8893
  - prevalence, Ethiopia, 8762
  - treatment, 9064
- T. vivax* infection, 8762
  - effect on reproductive performance, 8893
  - treatment, 9064

- trypanosome infection
  - frequency of parasitaemia, 9058, 9059, 9195
  - genetic variation in PCV, 9058, 9195
  - incidence, Nigeria, 8765, 8893
  - mixed, effect on reproductive performance, 8893
  - treatment, 9058, 9059
- trypanosome prevalence
  - effect on reproductive traits, 9059
  - in Ethiopia, 9193
- trypanosomiasis
  - drug resistance, 9193, 9195
  - effect on productivity, 8777, 8890, 9193, 9195
  - effect on reproduction, 8893, 8904, 9059
  - in Central African Republic, 8723
  - in Ethiopia, 9059, 9193, 9195
  - in Kenya, 9064
  - incidence, in Gambia, 8773
  - prevalence, in Ethiopia, 8777, 8904
  - treatment, drug, 8723, 8777, 8904, 9193, 9195
- trypanosusceptibility studies
  - in Ethiopia, 9195
  - in Kenya, 9194

### **Central African Republic**

- G. f. congolensis* in, 8723
- G. f. fuscipes* in, 8723, 9021
- Nola Bilolo

- trypanosomiasis in humans, 8994
- testse control, trapping, 8723, 9021
- tsetse distribution, 8723

### **central nervous system (CNS)**

- in human trypanosomiasis, 8749, 8867, 9045
- drugs in, 8877
- pathology, 9046, 9047

### **cerebrospinal fluid (CSF)**

- in goats
  - drugs in, 9198
- in human trypanosomiasis
  - IgM levels, 9044
  - protein levels, 9044
  - trypanosomes in, 8868, 9041, 9051, 9166, 9172
  - white blood cell count, 8876, 9051, 9172

### **Chad**

- trypanosomiasis
  - in humans, 8994
  - incidence
    - in camels, 8755
    - in cattle, 8755

### **challenge**

- trypanosome
  - to camels, Kenya, 9181
  - to Zebu cattle, Kenya, 9064
- tsetse
  - to cattle
    - experimental, 9060
    - in Kenya, 9194, 9197
    - in Uganda, 9153
    - N'Dama

- in Gambia, 8773
- in Zaire, 8783, 8784
- Zebu
  - in Ethiopia, 8762, 9193
  - in Gambia, 8773

### **characterisation**

- of *G. p. gambiensis* colonies
  - by C-banding, 8851
  - by isoenzyme studies, 8851
- of trypanosomes
  - by DNA probes, 8879, 8947, 9033, 9196
    - radioactive, 9177
  - by DNA typing, 8950
  - by electrophoresis
    - enzyme, 8950, 9160
    - starch gel, thin layer, 8865
  - by human serum sensitivity tests, 9160
  - by isoenzyme analysis, 8947, 8948, 8949
  - by PCR, 9033, 9177, 9196
  - by restriction fragment length polymorphisms (RFLP), 9160
- of *Trypanozoon* isolates
  - by isoenzyme electrophoresis, 8808

### **chemotherapy** 8787

- for control of trypanosomiasis
  - in animals, 9146
  - in humans, 9007
- in *T. b. brucei*-infected rats, 9220
- in *T. b. rhodesiense*-infected monkeys, 8788
- in *T. congolense*-infected sheep, 9188

### **chicken**

- attractiveness for tsetse, 9021

### **Congo**

- Bouenza region
  - trypanosomiasis in humans, 8847
    - control, 8847
    - historical aspects, 8847
- G. f. fuscipes* in, 8856
- G. tabaniformis* in, 8856
- trypanosomiasis in humans, 8870, 8871, 8872
  - control, 9007
  - historical aspects, 9007

### **control, trypanosomiasis** 8987, 9124, 9127

- community participation, 8737, 8848, 8983, 9029, 9147
- computerised techniques, 8983, 8992, 8994, 8997
- cost, 8736, 8737, 8845, 8846, 9145, 9165
- cost-effectiveness, 8848, 8988, 8998, 9145
- drugs use, 8751, 8781, 8787, 8876, 8988, 8989, 9007, 9062
- geographical information systems in, 8994, 8997, 9000, 9124, 9126
- historical aspects, 8707, 9007
- in Congo, 8847, 9007
- in Côte d'Ivoire, 8742, 8862, 9165
- in Equatorial Guinea, 8745
- in Ethiopia, 9001, 9005
- in Kenya, 9147
- in Senegal, 8708
- in Tanzania, 8861, 9007
- in Togo, 9135, 9145

in Uganda, 9029, 9146  
in Zimbabwe, 9151, 9157  
integrated, 8787, 9025  
land use associations, 8983, 9001, 9124  
research, 8983  
review, 8983  
screening, 9007  
socio-economics, 8845, 8846, 8848, 8895  
strategies, 8984, 8985, 8994, 9025, 9026, 9128, 9165  
training, 8983, 8999, 9128, 9165  
trypanotolerant livestock in, 8780, 8781, 8845, 8846, 8849  
vaccination, 8781, 8849  
vector control, 8708, 8736, 8737, 8745, 8781, 8787, 8848, 8862, 8984, 8989, 8999, 9005, 9007, 9008, 9025, 9029, 9145, 9146, 9147, 9151, 9157

**control, tsetse** 8709, 8781, 8987, 9123, 9125

biological, 8735  
campaigns, 8984, 9003  
community participation, 8737, 8848, 9025, 9026, 9029, 9144, 9147, 9155  
computerised techniques, 8983, 9130  
cost, 8736, 8737, 9026, 9027, 9125, 9144, 9151, 9155, 9156, 9157  
cost-effectiveness, 8848, 9151  
game elimination, 8992  
game management, 9007  
genetic modification, 9131  
geographical information systems in, 9125  
growth regulators, 8736  
in Africa, 8991  
in Benin, 8733  
in Burkina Faso, 8730, 8731, 8855  
in Central African Republic, 8723, 9021  
in Côte d'Ivoire, 8726, 8736, 8862, 8895, 9143, 9144, 9175, 9190  
in Equatorial Guinea, 8745  
in Ethiopia, 8725, 8737, 8890, 9001, 9005, 9148, 9155, 9156  
in Gambia, 9128  
in Kenya, 8727, 9031, 9139, 9147  
in Senegal, 8708  
in Tanzania, 8861, 8996, 9007  
in Togo, 9003

**control, tsetse (cont.)**

in Uganda, 9007, 9029, 9146, 9153, 9203  
in Zambia, 8999, 9125  
in Zimbabwe, 8732, 8734, 8992, 9151, 9154, 9157  
in Zululand, 9152  
insecticide, 8708, 8726, 8781, 9025  
  BHC, 9152  
  cattle treatment, 8725, 8861, 9025, 9142, 9152, 9157, 9203  
  cost, 9142, 9151  
   $\lambda$ -cyhalothrin, 9142  
   $\alpha$ -cypermethrin, 8725, 8860, 8861, 9142, 9145, 9148, 9176  
  DDT, 8734, 8991, 9152, 9154  
  deltamethrin, 8733, 8860, 9028, 9029, 9142, 9145, 9146, 9149, 9151, 9153, 9154, 9155, 9203  
  endosulfan, 8732  
  impregnated screens, targets and traps, 8708, 8733, 8991, 8995, 9025, 9027, 9029, 9146, 9149, 9155, 9157, 9176, 9190  
  organochlorine, 8991  
  organophosphate, 8991  
  pour-on, 8725, 8860, 8861, 9025, 9142, 9148, 9152, 9155

- pyrethroids, 9025, 9152
  - synthetic, 8991, 9142, 9152, 9155
- spraying, 8734, 9008, 9142
  - aerial, 8732, 9025, 9152
  - ground, 8708, 9025, 9028, 9154
- integrated, 8787, 9025, 9026
- land use associations, 8997, 9001, 9125, 9126
- multi-disciplinary programmes, 9025
- re-invasion, 8992, 8996, 9003, 9025, 9027
- review, 9025, 9026
- screens, 9142
  - electrified, mobile, 9150
  - insecticide-treated, 8708, 8733
- spraying, 8734, 9008, 9142
  - aerial, 8732, 9025, 9152
  - ground, 8708, 9025, 9028, 9154
- sterile insect technique, 9025
- strategy, 9025, 9026, 9125, 9128, 9143, 9144
- sustainability, 9026, 9027
- targets
  - baited, 8737, 9147
    - odour-, 8995, 9149, 9157
  - insecticide-treated, 8733, 8991, 8995, 9025, 9027, 9145, 9149, 9155, 9157
    - cattle, 9151
- training, 8989, 9029, 9128, 9130, 9133
- traps, 8723, 8781, 9008, 9021, 9142, 9152, 9203
  - baited, 9147
    - odour-, 8730, 8731, 8995, 9030, 9150
  - biconical, 8731, 8736, 8855, 9027, 9139, 9150, 9190
  - bipyramidal, 9029
  - Challier-Laveissière, 8855
  - epsilon, 9154
  - F3, 8730, 8731, 8855, 9030
  - Flint, 8855
  - Gouteux, 8855
  - insecticide-treated, 8708, 8733, 8991, 8995, 9025, 9027, 9029, 9146, 9176, 9190
  - Laveissière, 8855
  - Mérot, 8855
  - monoconical, 8731, 8855, 9139, 9143
  - monopyramidal, 8745, 9146
  - NG-2G, 8730, 8731, 9031
  - NGU2B, 9139
  - NGU2G, 9139
  - Noireau, 8855
  - pyramidal, 9139
  - pyroxyfen-treated, 8736, 9150
  - screen-, 8730, 8731, 8855
  - Vavoua, 8855, 9139, 9143
- vegetation clearance, 8996, 9007, 9008
- wild animal depletion, 9008

### **Côte d'Ivoire**

- Bouaflé focus, 8726, 8736
  - G. p. palpalis* in, 8726, 8736
- Comoé Game Reserve
  - trypanosome prevalence in wild animals, 8880
- Daloa
  - G. n. nigrofusca* in, 9033

- G. p. pallicera* in, 9033
- G. p. palpalis* in, 9033
- G. longipalpis* in
  - distribution and abundance, 9141
- G. nigrofusca* in, 9161
- G. p. pallicera* in, 9161
- G. palpalis* in, 9143
- G. p. palpalis* in, 8862, 9161
- G. tachinoides* in, 9143
- T. congolense* stocks from, 8894
- trypanosome infections, identification, 9161
- trypanosome prevalence
  - in cattle, 9176, 9190
  - in sheep, 9176
- trypanosomiasis
  - in humans, 8865, 8871
    - control, 8994, 9165
    - gambiense*, 8742
    - incidence, 8742
    - man-fly contact, 8742, 8862
    - monitoring, 9165
    - prevalence, 8862
    - risk factors, 8742, 8862
    - surveillance, 9165
    - Vavoua focus, 8994
  - monitoring, 9143, 9176, 9190
  - tsetse control, 8726, 8736, 8862, 9144
  - trapping, 8995, 9143, 9176, 9190

#### **crocodile**

- attractiveness for tsetse, 9021

#### **culture**

*see also in vitro* studies

- trypanosome, 8709
  - in diagnosis of trypanosomiasis, 9040
  - T. brucei* bloodstream form, 9082
  - T. b. brucei* procyclics, 9104
  - T. congolense* procyclics, 9104
  - T. simiae* procyclics, 9104

#### **λ-cyhalothrin**

- pour-on cattle treatment, 9142

#### **α-cypermethrin**

- pour-on, 8860, 9146
  - cattle treatment, 8725, 9148
  - efficacy in tsetse control, 8861
- treated targets, 9145
- treated traps, 9176

#### **DDT**

- for tsetse control, Africa, 8991
- spraying
  - in Zimbabwe, 9154
  - environmental effects, 8734
  - in Zululand, 9152

#### **deltamethrin**

- cattle treatment, 9142, 9151, 9203
- dip, 9151, 9153
- pour-on, 8860, 9145, 9151

impregnated screens, traps and targets, 8733, 9029, 9146, 9149, 9155  
persistence, 9142  
spraying, in Zimbabwe, 9028, 9154

**DFMO** *see* difluoromethylornithine

**diagnosis**

comparison of techniques, 8759, 8760, 8761, 8865, 8878, 8880, 8881, 8882, 9166, 9170, 9177, 9182  
evaluation of techniques, 8758, 8759, 8761, 8783, 8867, 8879, 8882, 9040, 9164, 9166, 9169, 9170, 9177, 9180, 9182  
field, 8759, 8865, 8878, 8880, 9180, 9182  
of animal trypanosomiasis, 8753, 8754, 8755, 8756, 8757, 8758, 8759, 8760, 8761, 8763, 8764, 8770, 8783, 8849, 8878, 8879, 8880, 8881, 8882, 8888, 8905, 9053, 9170, 9175, 9177, 9180, 9181, 9182, 9197  
of human trypanosomiasis, 8748, 8867, 8876, 9040, 9041, 9044, 9123, 9164, 9165, 9166, 9168, 9169, 9170, 9180  
parasitological, 8754, 8756, 8757, 8758, 8760, 8763, 8764, 8770, 8783, 8849, 8867, 8876, 8878, 8880, 8881, 8882, 8905, 9041, 9044, 9053, 9143, 9165, 9166, 9170, 9175, 9177, 9180, 9181, 9182, 9197  
serological, 8753, 8756, 8757, 8758, 8759, 8760, 8761, 8783, 8867, 8876, 8880, 8881, 8905, 9040, 9143, 9165, 9166, 9169, 9170, 9175, 9177, 9180, 9181, 9182, 9197

**diagnostic markers** 8838

**diagnostic techniques**

antibody detection, 9178  
antigen detection, 8783, 8788, 8849, 8881  
blood examination, 9179, 9180  
blood smear, 8754, 8756, 8757, 8760, 8763, 8764, 8770, 8880, 8882, 8905, 9041, 9044, 9166  
buffy coat, 8754, 8783, 8878, 8881, 8896, 9179, 9197, 9202  
    phase contrast, 9177  
    quantitative, 9040, 9170  
card indirect agglutination test, 9169  
card latex agglutination antigen test, 9182  
CATT, 8761, 8876, 9040, 9170  
CSF examination, 9041, 9044, 9166  
dipstick colloidal dye immunoassay, 8759  
ELISA, 8753, 8761, 8879, 9062, 9197  
    ag-, 9183, 9202, 9205  
    antibody, 9181  
    antigen, 8758, 8879, 8880, 8881, 9164, 9175, 9177, 9178, 9181  
enzyme immunoassay, 8783  
haematocrit centrifugation, 8759, 8878, 8882, 9166, 9170  
    micro, 8881, 9040, 9181, 9182  
IFAT, 8773, 9166  
indirect immunofluorescence, 8757, 8760, 8761  
KIVI, 8880, 9040, 9170  
latex agglutination antigen test, 9180  
lymph node fluid examination, 8763, 8876  
m-AECT, 8882, 9170  
mouse inoculation, 9166, 9181, 9182  
silicone centrifugation, 8882  
Suratex, 9182  
thick film, 9170  
thin film, 8878, 8880  
wet film, 8878, 8882  
Woo method, 8760

**difluoromethylornithine (DFMO)**

combined with melarsoprol, 8998  
cost, 8998, 9171, 9173

delivery devices, 9072  
development, 9004, 9173  
    review, 8751  
evaluation in cell culture, 8752  
pharmacokinetics, 8798  
-sensitive primate model, 9075  
side effects, 8798, 8998

**difluoromethylornithine (DFMO) (cont.)**

treatment  
    in *T. b. brucei*-infected rats, 9072  
    of trypanosomiasis, 8798  
        in animals, 8752  
        in humans, 8752, 8867, 8877, 8998, 9171  
            combined with melarsoprol, 8998  
            combined with suramin, 9173  
            *gambiense*, 9172, 9173  
            *rhodesiense*, 9173

**dimercaprol**

treatment of human trypanosomiasis, 9044

**diminazene**

treatment of human trypanosomiasis, *gambiense*, 8876, 9172

**diminazene aceturate**

efficacy, 8785, 8786  
    in *T. b. brucei*-infected rats, 9220  
    in *T. congolense*-infected cattle, 8762  
pharmacokinetics  
    in cattle, 9063  
    in goats, 9198  
resistance  
    in *T. congolense*, 8912, 8913, 9077, 9196  
    in *T. evansi*, 9201  
    in trypanosome-infected cattle, 9193  
susceptibility  
    in *T. congolense*, 8912, 9196  
treatment  
    in cattle, 8777, 9204  
        *T. congolense*-infected, 9063  
    in dogs  
        *T. evansi*-infected, 8915  
    in donkeys  
        *T. evansi*-infected, 8889  
    in goats  
        *T. congolense*-infected, 8766, 8912, 8913, 9196  
        trypanosome-infected, 9184, 9202  
    in sheep  
        *T. vivax*-infected, 9175  
        trypanosome-infected, 9202  
    of animals, 9145  
    of trypanosomiasis  
        in cattle, 8904, 9053, 9059, 9193, 9195, 9203  
        in humans, 8877  
        in sheep, sub-curative, 8886

**DNA**

detection systems  
    for trypanosome strains, 8912  
        PCR, 8912, 9159

- detection tests in diagnosis, 8849
- fingerprinting, 8849
- kinetoplast, 8835, 8977
- probes
  - for trypanosome identification, 8746, 8879, 8947, 9033, 9159, 9179
  - radioactive marking, 8879
- sequence
  - for trypanosome characterisation, 9196
- trypanosome
  - k, maxicircles, 8977
    - T. brucei*, 9118
  - k, minicircles, 9116
  - loss of, *T. evansi*, 9103
  - sequence, complementary, of VSG, 8978
- tsetse
  - hybridisation, 8715, 9013
  - probes, 8715
  - profiles, 8715

## **dog**

- Nigerian mongrel
  - T. brucei* infection (exp.)
    - erythrocyte response, 8776
- T. brucei* infection (exp.)
  - biochemical changes, 8901
  - circulatory disturbances, 8774
  - clinical manifestations, 8774, 8901
- T. b. brucei* infection (exp.)
  - pathological effects, 8894
- T. congolense* infection
  - pathological effects, 8888
- T. congolense* infection (exp.)
  - treatment, 8894
- T. evansi* infection
  - pathological effects, 8891
  - treatment, 8891
- T. evansi* infection (exp.)
  - clinical symptoms, 8903
  - pathological effects, 8921
  - treatment, 8915
- trypanotolerance, 8894
- Trypanozoon* isolates from, Uganda, 8808

## **domestic animals**

- trypanosome infection, 8865, 9160
  - identification, 9170
  - rate, Uganda, 9146
- trypanosomiasis
  - diagnosis, 8761

## **donkeys**

- T. evansi* infection
  - pathology, 8889
  - treatment, 8889

## **drugs**

- combinations, 8877, 8998, 9172, 9173
- concentration
  - in CSF, 9198
  - in lymph, 9198
  - in plasma, 8875, 9174, 9198

- in serum, 9197
- cost, 9064, 9173
- cost-effectiveness, 8998
- delivery systems, 8787, 9072, 9218
- design, 9243, 9250
- detection in cattle serum, 9062, 9197
- development, 9004, 9122
- disposition
  - homidium bromide, 9199
- dose, 8911, 9171, 9174, 9196, 9197
- elimination half-life
  - homidium bromide, 9199
  - pentamidine, 9174
- evaluation, 8787, 9074, 9172
  - DFMO, 8752
- in tsetse bloodmeals, effects, 8711
- injection route, 8911
- new, 8785, 8786, 8801, 8802, 8877, 9122
- pharmacokinetics
  - DFMO, 8798
  - diminazene aceturate, 9198
  - homidium bromide, 9199
  - melarsoprol, 8938
  - pentamidine, 8875, 9174
- requirements in trypanotolerant cattle, 8784
- residues
  - in cattle tissues (exp.), 9063, 9199
  - in meat, Kenya, 8914
- resistance, 8753, 8777, 8787, 8904, 8911, 8988, 8989, 9148, 9195, 9223
  - diminazene aceturate, 8762, 8912, 8913, 9077, 9193, 9196, 9201
  - homidium, 9064
  - isometamidium chloride, 8916, 9064, 9201
  - melarsomine, 8916
  - melarsoprol, 8877
  - Mel Cy, 8944
  - multiple, 8916, 9201
  - pentamidine, 8936
  - quinapyramine prosalt, 8916
  - suramin, 8805, 8939, 9200, 9201
  - Trypacide, 9201
- resistant trypanosomes, 9058, 9059, 9062, 9064
- side effects
  - DFMO, 8798, 8998
  - melarsoprol, 8750, 8998, 9049, 9051
  - pentamidine, 8875
  - suramin, 9050
- targeting, 8838
- targets, 9243
- therapy, regimes, 8988
- toxicity, 8787, 9204
  - melarsoprol, 8750, 8877, 9051
- trypanocidal, 8749, 8781, 8988, 8989
  - antimitotics, 8877
  - arsenicals, 8707, 8877, 8937
  - DFMO, 8752, 8798, 8867, 8877, 8998, 9004, 9072, 9075, 9171, 9172, 9173
- dimercaprol, 9044

diminazene, 8876, 9172  
diminazene aceturate, 8762, 8766, 8777, 8785, 8786, 8877, 8886, 8889, 8904, 8912, 8913, 8915, 9053, 9059, 9063, 9077, 9145, 9175, 9184, 9193, 9195, 9196, 9198, 9201, 9202, 9203, 9204, 9220  
homidium bromide, 9064, 9199  
homidium chloride, 9053  
imidazoles, 8877  
isometamidium chloride, 8883, 8896, 8916, 9026, 9064, 9184, 9191, 9197, 9201, 9202, 9203, 9204, 9218, 9221  
lithium chloride, 9220  
melarsamine hydrochloride, 9073  
melarsomine, 8916  
melarsoprol, 8750, 8867, 8876, 8877, 8938, 8998, 9041, 9044, 9049, 9050, 9051  
Mel Cy, 8944  
nifurtimox, 8807, 8877, 9172  
pentamidine, 8867, 8875, 8877, 8936, 9172, 9174  
quinapyramine prosalt, 8891, 8916  
spiroarsoranes, 8942, 9219  
suramin, 8805, 8867, 8877, 8892, 8939, 8946, 9041, 9044, 9050, 9172, 9173, 9200, 9201  
Trypacide, 9201

### **Duttonella**

infecting tsetse, identification, 9159

**eflornithine** *see* difluoromethylornithine

### **Egypt**

trypanosomiasis in camels, 8883, 8892, 8905

### **eland**

blood, for tsetse diet, 8712, 9129  
effect on trypanosome development, 9163  
serum, trypanocides in, 8782

### **elephant**

host  
for *G. longipennis*, Kenya, 9039  
for *G. pallidipes*, Kenya, 9039  
trypanosome infection  
prevalence, Côte d'Ivoire, 8880

### **endosulfan**

aerial spraying, Zimbabwe  
environmental effects, 8732

### **environment**

effects of insecticides on non-target organisms, 8732, 8734  
effects of land use changes, 9124  
factors in trypanosomiasis control, 8994  
impact of tsetse control operations, 8732, 8734, 8848, 8991, 8995, 8999, 9001, 9005

### **epidemics**

of human trypanosomiasis  
in Congo, 8847, 9007  
in Tanzania, 9007  
in Uganda, 8990, 9007, 9160  
in Zaire, 8707

### **epidemiology** 8709, 8999, 9003, 9038, 9039

of drug resistance in camels, 9223  
of trypanosomiasis, 9124, 9159  
in animals, 8741, 8983, 8984, 8994, 9177, 9178  
in camels  
in Kenya, 8916  
in Mauritania, 8756

- in cattle, 8725
  - in Zaire, 8763
  - modelling, 9008
- in humans, 8994, 9168
  - in Equatorial Guinea, 8745

### **Equatorial Guinea**

- G. p. palpalis* in, 8745
- Luba focus, 8745
  - trypanosomiasis in humans, 8994
- trypanosomiasis in humans, prevalence, 8745
- tsetse control, trapping, 8745
- tsetse distribution, 8745

### **Escherichia coli**

- expression in
  - of *T. brucei* fructose-1,6-bisphosphate aldolase, 9232
  - of *T. brucei* glycosomal glyceraldehyde-3-phosphate dehydrogenase, 9239
  - of *T. cruzi* glycosomal glyceraldehyde-3-phosphate dehydrogenase, 9239

### **Ethiopia**

- Ogaden
  - trypanosomiasis in camels, 8764
- southwest
  - Ghibe Valley
    - land use, 9001, 9005
    - trypanosomiasis
      - control, 9001, 9005, 9156
      - risk to cattle, 8988, 9193, 9195
    - tsetse control, 9001, 9005, 9148, 9155, 9156
  - G. fuscipes* in, 8725
  - G. f. fuscipes* in, 9148
  - G. m. submorsitans* in, 8725, 9148
  - G. pallidipes* in, 8725, 9148
  - trypanosomiasis
    - control, 8737
    - in cattle
      - prevalence, 8737, 8762, 8777, 8904
      - risk, 8725, 8737, 8777, 8904, 9058, 9059
      - Zebu, 8777, 8904, 9058, 9059, 9193
    - tsetse challenge to cattle, 8762
    - tsetse control, 8737
    - tsetse population monitoring, 8725, 9149
- western
  - trypanosomiasis
    - in cattle, Zebu, 8890
    - risk, 8890
    - in livestock, 8866
  - tsetse control, 8890

### **Gambia, The**

- G. m. submorsitans* in, 8947
- productivity of N'Dama cattle, 8767, 8770
- surveys, epidemiological
  - of trypanosome-infected N'Dama cattle, 8767
  - tsetse, 9128
- T. godfreyi* n. sp. from, 8947
- trypanosomiasis in cattle
  - incidence, 9002
  - N'Dama, 8773

prevalence, 9002, 9128  
Zebu, 8773

**gene/s**

*see also* RNA

in trypanosomes

Ca<sup>2+</sup> ATPase, 8825  
dihydrofolate reductase-thymidylate synthase, 9236  
inosinate dehydrogenase, 8841  
invariant surface glycoprotein, 8982  
PARP, 8828  
phosphoglycerate kinase-encoding, 9230  
RNA

cytoplasmic, 9105, 9106  
sn, 9105, 9106  
U2, 9237

t, upstream, 9105, 9106

serum resistance-associated, 8959

tubulin

β-, 9244  
cluster, 8819

VSG, 8830, 8832, 8964, 9249

in tsetse

anti-parasite, 9011  
sex-linked, 9032

**genetic/s**

of trypanotolerance, 9194, 9195

markers, 8849, 8908  
selection, 8849, 8910

trypanosome

backcrossing, 8958  
characterisation, 8950  
chromosomes, 9227  
crosses, 9118  
diversity, 8948, 9225  
endonuclease, 9113  
editing domain-specific, 9110  
gene amplification, 8841  
gene conversion, 8971  
gene expression, 8825, 8832, 8964, 8971, 8981, 9105, 9121, 9229, 9236, 9244, 9260  
gene isolation, 9236  
gene transcription, 8830, 8964, 8966, 9237  
units, 9257

genome

mitochondrial, 9245  
nuclear, 8976

genomic organisation, 8982

genotyping, 8916

heterogeneity, 9224

karyotyping, 8916, 8948

kinetoplast DNA maxicircle inheritance, 9118

linkage disequilibrium, 8949

mapping, long-range restriction, 9227

nuclease, heterologous, 9110

polyadenylation, 9085

populations, 8948, 9225

recombination, 8830

RNA

- editing, 8974, 9113
- elongation, 9257
- g, 9254
  - binding proteins, 9111
  - domains, 9111
- ligase, 9110, 9113, 9114
- m, 9085
  - editing, 9114
  - precursor, 9097
- mt
  - editing domains, 9109
  - guide-mRNA chimera formation, 9110, 9113, 9114
- polymerases, 8981
- processing signals, 9097
- sn, U2, transcription, 9237
- spliced leader, analysis, 9240
- spliced leader-associated, 8827
- t
  - gene promoter elements, 9228
  - mitochondrial, 8834, 9241
  - spliced leader cap structure, 9256
  - surface antigen expression, 8829
  - trans*-splicing, 9085
  - Trypanozoon* isolates, 8808
  - variability, 8948
- tsetse, 8851, 8991
  - backcrossing, 8719
  - C-banding, 8851
  - chromosomes, 8719, 8851
  - DNA
    - hybridisation, 8715, 9013
    - probes, 8715
    - profiles, 8715
  - gene expression, 8714, 9011
  - gene frequency, 9032
  - genome, 8715, 9013
  - hybrid sterility, 8719
  - in maturation of trypanosome infections, 8739, 9032
  - mariner* sequences, 9013
  - modifications, 9131
    - to RLO, 9131
- variation in PCV
  - in trypanosome-infected cattle, 9058
- geographical information systems (GIS)** 8993, 9005
  - in land use studies, 9000, 9124
  - in trypanosomiasis control, 8994, 8997, 9126
  - in tsetse control strategies, 8983, 9125
- Glossina***
  - behaviour
    - feeding, 9022
    - flight, 8729
    - host location, 8729, 8991
    - host selection, 8729
    - landing, 8729, 9027
    - olfactory stimuli, 8991
    - orientation, 8729
    - response to colour, 9134

- response to odour, 8729
- resting, 8859
- target-orientated, 9157
- trap-orientated, 8724, 9027, 9140
- visual stimuli, 8991, 9134
- biology, 8781, 9003, 9123, 9130
  - bloodmeals, 9032
  - chemoreceptors, 9132
  - digestive tract, dissection, 8740
  - fat levels, 9022
  - feeding interval, 9022
  - genetics, 8714, 8739, 8991, 9011, 9131
  - hosts, 8992
  - lectin, 8739, 8863
  - mechanoreceptors, 9132
  - midgut bacteria endochitinase activity, 8863
  - midgut extracts, 8854
  - nutritional state, 8729
  - physiological state, 8729
  - physiology, 8991
  - reproduction, 8991
  - RLOs, 8714, 9131
  - salivary gland, dissection, 8740, 8865
  - salivary gland infection, 9179
  - sensilla, 9132
  - sexual dimorphism, 9132
  - survival, 8991
  - symbiotic micro-organisms, 9011
  - taxonomy, 8991, 9130

***Glossina*** (cont.)

biology (cont.)

- T. brucei* infection, 8844, 8863, 8865
- T. congolense* infection, 8803, 8863, 8865, 8896, 9032
- T. vivax* infection, 8896
- trypanosome infection, 8740, 9160
  - diagnosis, 8865, 9179
  - identification, 9159
  - maturation, 8991, 9032
    - genetics of, 8739
  - refractoriness, 8863, 9131
  - susceptibility, 8863, 9131
- Trypanozoon* infection, 9032
- vector competence, 9130
- vectorial capacity, 8991
- viviparity, 9027
- control, 8709, 8781, 8787, 8848, 8859, 8983, 8984, 8987, 8989, 9027, 9123, 9125, 9126, 9130, 9131
  - in Africa, 8991
  - in Benin, 8733
  - in Burkina Faso, 8730, 8731
  - in Central African Republic, 8723, 9021
  - in Côte d'Ivoire, 8726, 8862, 8995, 9143, 9144, 9176, 9190
  - in Equatorial Guinea, 8745
  - in Ethiopia, 8725, 8890, 9001, 9005, 9148, 9155, 9156
  - in Gambia, 9128
  - in Kenya, 8727, 9031, 9139, 9147
  - in Senegal, 8708

- in Tanzania, 8861, 8996
- in Togo, 9003
- in Uganda, 9007, 9029, 9146, 9153, 9203
- in Zambia, 8999, 9125
- in Zimbabwe, 8732, 8734, 8992, 9151, 9154, 9157
- in Zululand, 9152
- trapping, 9027, 9136, 9143, 9203
- ecology, 9130, 9140
  - abundance, 9125
    - in Togo, 9135
    - modelling, 9002
  - density
    - in Central African Republic, 8723
  - distribution, 8983, 8994, 8997, 9000, 9125, 9130
    - in Burkina Faso, 8997
    - in Central African Republic, 8723
    - in Equatorial Guinea, 8745
    - in Kenya, 9137
    - in Mali, 8997
    - in Togo, 9135
    - in Zambia, 8997
    - in Zimbabwe, 8992
    - in Zululand, 9152
    - modelling, 9002
  - habitats
    - in Cameroon, 9006
    - in Tanzania, 8738, 8996
  - populations
    - dispersal, 9008
    - monitoring, 8995, 8996
  - species abundance
    - in Central African Republic, 8723
- rearing, 8710
- diets, 8710

***G. austeni***

- behaviour
  - mating, 8721
  - target-orientated, 9134
- chemoreceptors, 8713
- control, 9152
- emergence, 8721
- endosymbionts, 9012
- habitats, 9152
- in Kenya, 9038
- in Zululand, 9152
- irradiation effects, 8721
- larviposition, 8721
- lectin, 8852
- mechanoreceptors, 8713
- pupae, 8721
- response to colour, 9134
- sensory organs, 8713
- sterility, 8721
- taxonomy, 9012
- T. simiae* infection, 9038
- wing, 8713

- G. brevipalpis***  
clones, 8715  
control, 9152  
endosymbionts, 9012  
genetics  
    DNA hybridisation, 9013  
    DNA profile, 8715  
    genome, 8715, 9013  
    hybridisation, 8715  
    *mariner* sequence, 9013  
habitats, 9152  
in Tanzania, 8861  
in Zululand, 9152  
lectin, 8743, 8852  
midgut infection, 8743  
refractoriness, 8743  
salivary gland infection, 8743  
taxonomy, 9012  
*T. b. brucei* infection rates (exp.), 8743  
trypanosome infection, 8861  
    maturation, 8743
- G. fusca***  
distribution, in Togo, 9003
- G. fusca congolensis***  
in Central African Republic, 8723
- G. fuscipes***  
in Ethiopia, 8725  
in Zaire, 8763
- G. fuscipes fuscipes***  
bloodmeals, 9021  
chemoreceptors, 8713, 8717  
control, 9146, 9148  
density fluctuations, Uganda, 9146  
host preferences, 9146  
in Central African Republic, 8723, 9021  
in Congo, 8856  
in Ethiopia, 9146  
in Kenya, 9139  
in Uganda, 8808, 9029, 9146  
mechanoreceptors, 8713, 8717  
response to odour, 9021  
response to traps, 9139  
sensory organs, 8713  
trapping, 8856, 9021, 9029, 9139, 9146  
trypanosome infection rate, 9146  
*Trypanozoon* isolates from, 8808  
wing, 8713, 8717
- G. longipalpis***  
abundance, in Côte d'Ivoire, 9141  
activity cycle, diurnal, 9141  
distribution  
    in Togo, 9138  
    seasonal, in Côte d'Ivoire, 9141  
habitats, in Côte d'Ivoire, 9141
- G. longipennis***  
agglutinating activity  
    D-glucosamine inhibition, 9017



- midgut infection, 8743
- puparial weight, 9129
- salivary gland infection, 8743
- T. brucei* infection (exp.)
  - effect of host blood on, 9163
  - infection rates, 9163
  - transmission to cattle, 8881
- T. b. brucei* infection (exp.)
  - infection rates, 8743
- T. congolense* infection (exp.)
  - effect of host blood on, 9034, 9163
  - infection rates, 9034, 9163
- T. vivax* infection (exp.)
  - transmission, 9037
- trypanosome infection
  - maturation, 8743

***G. morsitans morsitans***

- antennal cells, 9018, 9019
- behaviour, target-orientated, 9024, 9134
- bloodmeals, 9034, 9163
- chemoreceptors, 8713
- control, 9154
- digestive tract anatomy, 8741

***G. morsitans morsitans* (cont.)**

- endosymbionts, 9012
  - molecular analysis, 9010
- feeding responses, 8728
- flight, 8729
- genetics
  - DNA hybridisation, 9013
  - gene frequency, 9032
  - gene, sex-linked, 9032
  - genome, 9013
  - mariner* sequence, 9013
- haemagglutination activity, 8720
- haemolymph, 8720
- host location, 8729
- host selection, 8729
- in Zimbabwe, 8728, 8853, 9019, 9154
- knockdown, 9154
- landing, 8728, 8729, 9024
- larval interval, 8853
- lectin, 8720
  - N*-acetyl-glucosamine inhibition, 9034
- mechanoreceptors, 8713
- midgut epithelium, 8741
- midgut infection, 9160
- nutritional state, 8729
- orientation, 8729
- pathogenic effects
  - of *Beauveria bassiana*, 8735
  - of *Metarhizium anisopliae*, 8735
- physiological state, 8729
- predation, 9154
- pregnancy, 8853
- protease levels, 9034
- reproductive rates, 8853

- response to colour, 9134
- response to odour, 8729, 9018, 9019, 9024
- RLOs, 9131
- salivary gland infection, 9160
- sensory organs, 8713
- sex pheromone, 8718
  - synthesis, 9016
- spraying, 9154
- taxonomy, 9012
- trapping, 9149, 9154
- T. brucei* infection (exp.)
  - effect of host blood on, 9163
  - infection rates, 9163
- T. b. brucei* infection
  - transmission studies, 9160
- T. b. rhodesiense* infection
  - maturation, 9032
  - transmission studies, 9036, 9160
- T. congolense* infection, 8741
  - experimental
    - effect of host blood on, 9034, 9163
    - infection rates, 9034, 9163
  - maturation, 9032
- trypanosome transmission, 9160
- Trypanozoon* infection
  - maturation, 9032
- visual responses, 8728
- wing, 8713
- G. morsitans submorsitans*** 8723
  - chemoreceptors, 8713
  - control, 9148
  - distribution, in Togo, 9138
  - genetics, 8719
    - DNA hybridisation, 9013
    - genome, 9013
    - mariner* sequence, 9013
  - habitat, 8725, 9006
  - hosts, in Gambia, 8947
  - hybrid sterility, 8719
  - hybridised with *G. m. centralis*, 8719
  - in Cameroon, 9006
  - in Ethiopia, 8725, 9148
  - in Gambia, 8947
  - mechanoreceptors, 8713
  - midgut infection, 8947
  - population monitoring, Ethiopia, 8725
  - proboscis infection, 8947
  - sensory organs, 8713
  - T. godfreyi* n. sp. infection, 8947
  - vectorial capacity, 8725
  - wing, 8713
- G. nigrofusca***
  - in Côte d'Ivoire, 9161
  - trypanosome infections, 9161
- G. nigrofusca nigrofusca***
  - in Côte d'Ivoire, 9033
  - trypanosome infection

- multiple, 9033
- G. pallicera pallicera***
  - in Côte d'Ivoire, 9033, 9161
  - trypanosome infection, 9161
    - multiple, 9033
- G. pallidipes***
  - age, 8746
  - behaviour
    - flight, 8729
    - foraging, 9023
    - host location, 8729
    - host-orientated, 8860
    - host selection, 8729
    - probing, 9023
    - target-orientated, 9024, 9134
  - bloodmeals, 8712, 9023, 9037, 9039
    - evacuation of, 9023
  - control, 8999, 9148, 9151, 9152, 9153, 9154
  - diet, laboratory, 8712
  - distribution, in Kenya, 9137
  - endosymbionts, bacterial, 8714
  - fat content, mean, 9020
  - feeding response, 8728
  - feeding success, 8860, 9020
  - genetics
    - DNA hybridisation, 9013
    - genome, 9013
    - mariner* sequence, 9013
  - habitat, 8725, 8727, 9039
  - haematin content, mean, 9020
  - haemolymph, 8714
  - hosts, in Kenya, 9039
  - hypopharynx, 9037
  - in Ethiopia, 8725, 9148
  - in Kenya, 8727, 8860, 9020, 9037, 9038, 9039, 9137, 9150
  - in Tanzania, 8861
  - in Uganda, 9153
  - in Zambia, 8746, 8999
  - in Zimbabwe, 8728, 8853, 8857, 9151, 9154
  - knockdown, 9151, 9154
  - labrum, 9037
  - landing, 8728, 8729, 9024
  - larval interval, 8853
  - larviposition, 8727
  - lectin, 8852
  - mortality, laboratory, 8712
  - Nannomonas* infection, 8746
  - nutritional state, 8729
  - orientation, 8729
  - ovarian age, 8746, 9150
  - physiological state, 8729
  - populations
    - age structure, 8746
    - allopatric, Kenya, 9037, 9038
    - dispersal, 8727
    - monitoring
      - in Ethiopia, 8725

- in Kenya, 8727
- movement, 8727
- suppression, in Kenya, 9150
- predation, 9154
- pregnancy, 8853
- pteridine fluorescence, 9150
- puparial weight, 8712
- reproductive performance, 8712
- reproductive rates, 8853
- RLOs, 9131
- response to colour, 9134
- response to odour, 8729, 9023, 9024
- spraying, 9154
- trappability, 9023
- trapping, 8727, 8857, 8860, 9023, 9027, 9039, 9137, 9150, 9154
- T. brucei* infection, 8746
- T. congolense* infection, 8746
  - experimental
    - effect on peritrophic membrane, 9158
- T. simiae* infection, 8746, 9038
  - experimental
    - susceptibility, 9038
- T. vivax* infection, 8746
  - experimental
    - susceptibility, 9037
- trypanosome infection, 8861
  - natural, 8746
  - prevalence, 8746
  - rate, 9150
  - susceptibility, 9037, 9038
- visual response, 8728
- wing fray, 8746, 9150
- G. palpalis***
  - abundance
    - in Nigeria, 9002
    - in Togo, 9003
  - antennae, CO<sub>2</sub> receptors, 8716
  - control, 9027, 9143
  - distribution, in Togo, 9003
  - in Côte d'Ivoire, 9143
  - insecticide effects, 9142
  - knockdown, 9142
  - landing, 9027
  - lectin, 8852
  - response to odour, 8716
  - sensory structures, 9132
  - trapping, 9027
- G. palpalis gambiensis***
  - characterisation
    - C-banding, 8851
    - isoenzyme, 8851
  - chemoreceptors, 8713
  - control, 8708
  - distribution, in Togo, 9138
  - genetics, 8851
    - chromosomes, 8851
    - DNA, 8715

- DNA hybridisation, 9013
  - genome, 9013
  - mariner* sequence, 9013
- haemagglutination activity, 8720
- haemolymph, 8720
- in Senegal, 8708
- in Togo, 9138
- lectin, 8720
- mechanoreceptors, 8713
- sensory organs, 8713
- trypanosome infection
  - susceptibility, 8851
- wing, 8713
- G. palpalis palpalis***
  - behaviour, target-orientated, 9134
  - bloodmeals, 8726
    - effects of antibiotics in, 8710
    - effects of benzyl benzoate in, 8711
  - control, 8736, 8745
  - distribution
    - in Equatorial Guinea, 8745
- G. palpalis palpalis* (cont.)**
  - distribution (cont.)
    - in Togo, 9138
  - endosymbionts, 9012
  - fecundity, 8710, 8711
  - feeding response, 8711
  - genetics
    - DNA, 8715
    - DNA hybridisation, 9013
    - genome, 9013
    - mariner* element, 9013
  - growth regulation, 8736
  - habitats, 8726
  - hosts, 8726
  - in Côte d'Ivoire, 8726, 8736, 8862, 9033, 9161
  - in Equatorial Guinea, 8745
  - mouthparts, 8722
  - population density, Côte d'Ivoire, 8862
  - productivity, 8710, 8711
  - puparia production, 8711
  - reproductive cycle, 8710
  - reproductive system, 8710
  - response to colour, 9134
  - resting sites, 8726
  - RLOs, 9131
  - survival rate
    - daily, 8862
    - laboratory, 8710, 8711
  - taxonomy, 9012
  - trapping, 8736, 8745
  - T. brucei* infection, 8948
  - trypanosome infection, 9161
    - multiple, 9033
    - transmission, 8865
- G. tabaniformis***
  - in Congo, 8856

in Zaire, 8763  
trapping, 8856

**G. tachinoides**

abundance, in Togo, 9003  
age, 8858  
behaviour, trap-orientated, 8858  
bloodmeals  
    effects of antibiotics in, 8710  
chemoreceptors, 8713  
control, 8733, 9143  
cuticle, 8718  
distribution, in Togo, 9003, 9138  
eclosion, 8718  
emergence, 8718  
endosymbionts, 9012  
fecundity, 8710  
haemagglutination activity, 8720  
haemolymph, 8720  
in Benin, 8733  
in Burkina Faso, 8855  
in Côte d'Ivoire, 9143  
in Nigeria, 8754  
landing, 8858  
lectin, 8720, 8852  
lipid content, 8858  
mechanoreceptors, 8713  
nutritional status, 8858  
productivity, 8710  
pupae, 8718  
reproductive cycle, 8710  
reproductive system, 8710  
response to odour, 8858  
sensory organs, 8713  
sex pheromones, 8718  
sexual dimorphism, 8718  
survival rate, laboratory, 8710  
taxonomy, 9012  
trapping, 8733, 8855, 9143  
*T. congolense* infection, 8754  
*T. vivax* infection, 8754  
trypanosome infection, 8858  
    rate, Nigeria, 8754  
wing, 8713

**goat**

blood  
    for tsetse diet, 8712, 9129  
    in tsetse infection studies, 9034, 9163  
    *T. b. brucei* trypanosomes in, 8743  
CSF, drug concentration in, 9198  
Djallonké  
    *T. congolense* infection (exp.)  
        pathogenic effects, 8769  
    *T. vivax* infection (exp.)  
        pathogenic effects, 8769  
lymph, drug concentration in, 9198  
pharmacokinetics of diminazene aceturate, 9198  
plasma, drug concentration in, 9198

## Red Sokoto

- T. brucei* infection (exp.)
  - effect on plasma biochemistry, 8772
- T. congolense* infection
  - effect of haemoglobin type, 9185
- T. congolense* infection (exp.)
  - effect on transaminase levels, 8766
  - treatment, 8766

## Sahelian Fulani

- T. congolense* infection (exp.)
  - pathogenic effects, 8769
- T. vivax* infection (exp.)
  - pathogenic effects, 8769
- T. brucei* infection
  - diagnosis, 8878
- T. b. rhodesiense* infection (exp.)
  - transmission studies, 9036
- T. congolense* infection
  - diagnosis, 8878
  - treatment, 8786
- T. congolense* infection (exp.)
  - diagnosis, 8758
  - drug resistance studies, 9196
  - treatment, 8912, 8913, 9196
  - relapse, 8912, 8913, 9196
- T. evansi* infection
  - experimental, 8756
  - in Kenya, 8744
- T. simiae* infection (exp.)
  - in tsetse susceptibility studies, 9038
- T. vivax* infection, 9053
  - diagnosis, 8878
- T. vivax* infection (exp.)
  - diagnosis, 8758
  - in tsetse susceptibility studies, 9037

## trypanosome infection

- effect on fertility, 9184
- infection rate, Nigeria, 8878
- treatment, 9184

## trypanosomiasis

- effect on production, 9202
- prevalence
  - in Nigeria, 8878, 9175
  - in Uganda, 9202
- prophylaxis, 9202
- treatment, 9202

## West African Dwarf

- T. congolense* infection (exp.)
  - effect of haemoglobin type, 9185
  - effect on transaminase levels, 8766
  - pathogenic effects, 8902
  - treatment, 8766
  - trypanotolerance, 8902

## growth regulators

- pyriproxyfen, 8736

## guinea pigs

- T. b. brucei* infection

trypanolytic serum factor, 8922  
*T. evansi* infection  
pathological effects, 8921

### **hartebeest**

trypanosome infection  
prevalence, Côte d'Ivoire, 8880

### **high density lipoprotein (HDL)**

human, 9042, 9071  
cytotoxicity, 9246  
effect on trypanosomes, 8789  
trypanocidal effect, 9211  
trypanolytic factor, 8933

### **homidium bromide**

labelled, disposition in cattle, 9199  
resistance in *T. congolense*, 9064  
treatment of cattle trypanosomiasis, 9064

### **homidium chloride**

treatment of cattle trypanosomiasis, 9053

### **horses**

lymphocytes  
effect on *T. evansi* *in vitro*, 8779

### **host-parasite relationships** 8709

in animal trypanosomiasis, 8985  
in human trypanosomiasis, 8868

### **hosts**

laboratory, 8710, 8711, 8712

### **hybrids, tsetse**

genetic analysis, 8719  
sterility, 8719

### **identification**

*see also* characterisation

of trypanosomes  
by DNA probes, 8746, 8947, 9033, 9159, 9161, 9179  
by isoenzyme analysis, 8947, 9170  
by PCR, 9033, 9159, 9161, 9170, 9179  
by starch-gel electrophoresis, 8865  
of tsetse  
computer-aided, 9130, 9133

### **imidazoles**

in treatment of trypanosomiasis, 8877

### **immune response**

IL-1 $\alpha$  expression, 8794  
in camels  
antibody titre, 9181  
in cattle  
antibody production, 8773  
anti-trypanosome, 8881  
IgG, 8906, 9183  
IgG1, 8753  
IgG2, 8753  
CD8 T cells in, 9060  
tumour necrosis factor- $\alpha$  expression, 8887  
in horses  
interleukin 2 formation, 8779  
interleukin 2 receptor formation, 8779

- in humans, 9046
  - antibodies, 8867
    - IgM, 9044, 9045
    - polyclonal, synthesis, anti-conjugated tryptophan-like epitope, 9044
    - to interferon- $\gamma$ , 8869
  - astrocytes in, 9042
  - B cells, 9047
  - B lymphocyte proliferation, 9045
  - eosinophils, 9042
  - interferon- $\gamma$  production, 8749, 8869
  - lymphocytes, 9042
  - macrophages, 8749, 9042, 9047
  - T cells, 9047
    - CD8+, 8749
  - trypanolysis, 9042
  - tumour necrosis factor production, 8749

### **immune response (cont.)**

- in mice
  - antigen specific Th cell subset, 8924
  - mTNF, role, 8927
  - suppressor macrophages, 9068
- in rabbits
  - anaemia, 9210
- in rats, 8932
  - anaemia, 9209
  - antibodies, 9209
    - to interferon- $\gamma$ , 8869
  - effects on erythron values, 8793
- in sheep
  - antibodies, 8895
  - chancre, 8895
  - tumour necrosis factor- $\alpha$  receptor activity, 9192
- in tsetse
  - agglutination, 9009, 9017
  - haemagglutination activity, 8720, 8852
  - macrophages in, 8794
  - T lymphocyte proliferation, 8796
  - tumour necrosis factor- $\alpha$  expression, 8794

### **immunisation**

- of rats
  - against *T. evansi*, 8793
  - with  $\gamma$ -irradiated *T. evansi*, 8931
  - with killed *T. evansi*, 8932

### **immunity**

- in humans
  - following trypanosomiasis, 9168
- passive
  - in *T. evansi*-infected mice, 8792

### **immunocompetence**

- in mice, 8805

### **immunology**

- in trypanotolerance, 8782

### **immunoprophylaxis**

- in rats, 8932

### **immunoprotection**

- heterologous, in cattle, 8896

**immunosuppression**

- in cattle, 8753
- in horses, 8779
- in human trypanosomiasis, 8749, 9042
- in mice, 8805

**insecticides** 8781, 9008

- BHC, 9152
- cattle treatment, 9157
- $\lambda$ -cyhalothrin, 9142
- $\alpha$ -cypermethrin, 8725, 8860, 8861, 9142, 9145, 9148, 9176
- DDT, 8734, 8991, 9152, 9154
- deltamethrin, 8733, 8860, 9028, 9029, 9142, 9145, 9146, 9149, 9151, 9153, 9154, 9155, 9203
- dips, 9025, 9151, 9152, 9153
- endosulfan, 8732
- impregnated screens, 8733
- impregnated targets, 8733, 8991, 8995, 9025, 9027, 9134, 9145, 9149, 9155
- impregnated traps, 8733, 8991, 8995, 9025, 9027, 9146, 9157, 9176, 9190
- organochlorine, 8991
- organophosphate, 8991
- pour-on, 8725, 8860, 8861, 9025, 9142, 9145, 9148, 9151, 9152, 9156
- pyrethroids, 8991, 9025, 9142, 9148, 9152, 9156
- spraying, 8734, 9025, 9142
  - aerial, 8732, 9025, 9152
  - ground, 9025, 9028, 9154

**invariant surface glycoprotein**

- T. brucei*
  - gene family, 8982
  - genomic organisation, 8982

**in vitro studies**

- for drugs testing
  - in *T. brucei*, 8802
  - in *T. congolense*, 8803
  - in *T. evansi*, 8939, 9223
- in diagnosis
  - of tsetse trypanosome infections, 8865, 9040
- with trpanosomes
  - T. brucei*
    - bloodstream form, 9082
    - transformation, 8963

**irradiation**

- $\gamma$ , of tsetse
  - in control monitoring, 8721

**isometamidium chloride**

- prophylaxis
  - in cattle, 9204
  - in goats, 9202
  - in rabbits, 9218
  - in sheep, 9202
- resistance
  - in *T. evansi*, 9201
  - in *T. vivax*, 9064
- treatment
  - in trypanosome-infected goats, 9184
  - of trypanosomiasis
    - in camels, 8883
    - resistance, 8916
  - in cattle, 8896, 9064, 9191, 9203

detection in serum, 9062, 9197

## **Kenya**

blood-sucking flies

trapping studies, 9136

Busia District

trypanosomiasis

in animals, 9147

in humans, focus of, 9147

Coastal Province

*G. austeni* in, 9038

*G. pallidipes* in, 9037, 9038

*G. f. fuscipes* in, 9139

*G. longipennis* in, 9137

*G. morsitans* in, 9002

*G. pallidipes* in, 8860, 9020, 9137, 9150

Machakos District

*G. pallidipes* in, 9150

tsetse control, 9150

Nguruman

*G. longipennis* in, 8727, 9039

*G. pallidipes* in, 8727, 9037, 9038, 9039

*T. congolense* populations from, 8803

trypanosomiasis in Zebu cattle, 9064

tsetse distribution, 8727

tsetse trapping, 8727, 9031, 9039

trypanosome infections

in camels, 8744, 8916

in goats, 8744

trypanosomiasis

in camels, 9200, 9201, 9223

prevalence, 9181

in cattle, 8896, 9194, 9197

in dogs, 8888

tsetse control field studies, 8860

tsetse distribution survey, 9137

tsetse trapping, 9137, 9139, 9150

## **land use**

effect of trypanosomiasis control, 8889, 8997, 9001

modelling, 9124

effect of tsetse control, 8983, 8989, 8995, 9001, 9005, 9125, 9126

mapping, Cameroon, 9006

## **land use planning**

effect of trypanosomiasis control, 8997, 8999

in tsetse-freed areas, 8848, 8983, 8984, 8992, 8996, 9000

## **lectin**

in tsetse midgut, 8739, 8852

interaction with trypanosomes, 8739, 8743

role in refractoriness/susceptibility, 8863

## **leech**

*T. b. brucei* infection, 8864

## **lions**

trypanosome infection, Tanzania, 8738

## **lithium chloride**

chemotherapeutic efficacy

in *T. b. brucei*-infected rats, 9220

## **livestock**

- development programmes, 8997
- trypanosomiasis
  - constraint to production, 8781, 8845, 8984
  - effect on distribution in Africa, 8989
  - effect on health, 8989
  - effect on production, 8985, 8989
  - in Africa, 8781, 8845, 8989, 8997
    - sub-Saharan, 8709, 8984
  - in Ethiopia, 8866
  - in Senegal, 8708
  - in tsetse belt, 8985
  - in Zaire, 8845
  - pathology, 8985
  - prevalence, 9127
  - treatment, 8878

## **Mali**

- tsetse distribution studies, 8997

## **man**

- trypanosome stocks from, Uganda, 9160
- Trypanozoon* isolates from, Uganda, 8808

## **man-fly contact**

- in Busoga, Uganda, 8990, 9162
- in Côte d'Ivoire foci, 8742, 8862

## **mark-release-recapture**

- in tsetse population monitoring, 8727
- in tsetse reproduction studies, 8853

## **Mauritania**

- trypanosomiasis in camels, 8756
  - infection rate, 8757

## **Mel Cy (melarsenoxide cysteamine)**

- resistance in *T. b. brucei*, 8944

## **melarsomine**

- treatment of *T. evansi*-infected camels
  - resistance, 8916

## **melarsoprol**

- cost-effectiveness, 8998
- pharmacokinetics in monkeys, 8938
- resistance, in trypanosomes, 8877
- side effects, 8998, 9049, 9051
  - Guillain-Barré-like syndrome, 8750
  - reactive encephalopathy, 9051
- toxicity, 8877, 9051
- treatment of human trypanosomiasis, 8750, 8876, 8877, 8998, 9041, 9044, 9050, 9172
  - combined with DFMO, 8998
  - efficacy, 9051
  - relapse, 9049
  - side effects, 9051
  - toxicity, 9051

## ***Metarhizium anisopliae***

- pathogenicity in *G. m. morsitans*, 8735

## **mice in laboratory studies** 8776, 8795

- immunocompetence, 8805
- immunosuppression, 8805
- modelling trypanotolerance, 8780, 8782
- resistant strains, 8780

susceptible strains, 8780

*T. brucei* infection

bone marrow nitric oxide production, 9067

development of anaemia, 9067

**mice in laboratory studies** (cont.)

*T. brucei* infection (cont.)

drugs testing, 8943

erythrocyte peroxidation *in vitro*, 8790

glomerulopathy, 8934

immune response, 9068

nitric oxide production, 9068

ornithine decarboxylase inhibition, 9096

transmitted by Stomoxyinae, 9035

vaccine, 9207

*T. b. brucei* infection

drug effects, 8797, 8940, 8941, 8942, 9074, 9076, 9219

immune response, 8927

neuropathogenesis, 9208

trypanotolerance, 8780

*T. b. rhodesiense* infection

drug effects, 8935, 9074

immune response, 8924

resistance, 8924, 9213

transmission studies, 9036

*T. congolense* infection

drug effects, 8940

drug resistance studies, 9077

transmission by Stomoxyinae, 9035

*T. evansi* infection, 8917

diagnosis, 8882

drugs testing, 8943

immunoprophylaxis, 8923

infectivity, 8756

passive immunity, 8792

pathological effects, 8921

suramin resistance, 8805

transmission by Stomoxyinae, 9035

*T. vivax* infection

transmission by Stomoxyinae, 9035

**models/modelling** 8997

epidemiologic, 9008

herd, in socio-economic studies, 8845, 8846

in drugs testing, 8877

mathematical, 8993

murine, in trypanosomiasis control, 9060

trypanosomiasis

abundance, 9002

control, 9060

control and land use, 9124

distribution, 9002

human, in rats, 8868

trypanotolerance, 8780

tsetse

abundance, 9002

biology, 9003

dispersal, 8727, 9008

distribution, 9002

**monitor lizard**

attractiveness for tsetse, 9021

**monkey, vervet**

melarsoprol pharmacokinetics, 8938

*T. b. rhodesiense* infection

diagnosis, 8788

treatment, 8788, 9205

**nagana**

aetiology, historical, 8844

impact on livestock production, 8985

in cattle

in sub-Saharan Africa, 8991

in Uganda

treatment, 9203

in Zululand

vectors, 9152

***Nannomonas***

infecting tsetse, 8746

identification, 9159, 9161

**nets, electric**

for tsetse sampling, 8860

efficiency, 8724

in tsetse behaviour studies, 8728, 8858, 9020

**nifurtimox**

treatment

in *T. b. rhodesiense*-infected rats, 8807

of human trypanosomiasis, 8877, 9172

**Nigeria**

Anambra State

trypanosome incidence in cattle, 8765

Borno State

biting flies in, 9053

trypanosomiasis in animals

survey, 9053

*G. palpalis* in, 9002

Gongola State

*G. tachinoides* in, 8754

trypanosomiasis in cattle

prevalence, 8754

northern

trypanosome infections in Zebu cattle, 8893

trypanosomiasis

in cattle

prevalence, 9052

in goats

prevalence, 8878

survey, 8878

in sheep

prevalence, 8878

survey, 8878

northwest

trypanotolerant Borgou cattle in, 9061

southwest

trypanosomiasis in ruminants

prevalence, 9175

**non-target organisms**

in Zimbabwe

effect of DDT on birds' eggs, 8734

effect of deltamethrin on lizards, 9028

effect of endosulfan on birds, 8732

Tabanidae in tsetse traps, 9030

**normalised difference vegetation indices (NDVI)**

in tsetse distribution studies, 9135

**Novidium** *see* homidium chloride

**odour attractants/baits/stimuli** 9152

acetone, 8727, 8729, 9023, 9027, 9030, 9136

attractiveness for Tabanidae, 8730, 8731

carbon dioxide, 8716, 8729, 9027

p-cresol, 8716

dung, 9136

cattle, 9021

lactic acid, 9136

live animals, caged, 9021

metacresol, 8731

metacresol/octenol mixture, 8730, 8731

octenol, 8716, 8727, 8729, 8730, 8731, 8858, 9018, 9030, 9136

ox, 9157

phenols, 8858, 9030

4-methyl, 8729, 9027, 9030

3-*n*-propyl, 8729, 9027, 9030

sebum

cattle, 9021

ox, 9024

urine, 9027

cattle, 9021, 9023

cow, 8727, 8858, 9136

**organochlorines** 8991**organophosphates** 8991**ostrich**

host for tsetse, Kenya, 9039

**ox**

attractiveness for tsetse, 9157

in deltamethrin pour-on evaluation, 9151

in tsetse feeding studies, 9020

effect of pour-ons, 8860

*T. congolense* infection, 9020

*T. vivax* infection, 9020

**packed cell volume (PCV)**

in camels

*T. evansi*-infected, 8892

in cattle, 8754

genetic variation, 9058

*T. congolense*-infected, 8762, 8768, 8770, 8784, 8887, 9054, 9057

*T. vivax*-infected, 8770, 8773, 8784, 8887, 9037

trypanosome-infected, 8777, 8904, 9052, 9059, 9176, 9183, 9195

in dogs

*T. brucei*-infected, 8774, 8901

in donkeys

*T. evansi*-infected, 8889

in goats

- T. brucei*-infected, 8772
- T. congolense*-infected, 8902, 9185
- trypanosome-infected, 9202
- in mice
  - T. b. brucei*-infected, 8780
- in oxen
  - trypanosome-infected, 9020
- in sheep
  - T. congolense*-infected, 8902, 9186
  - trypanosome-infected, 9176, 9202
- regulation in trypanotolerant cattle, 8781

#### **parasitaemia**

- control
  - in N'Dama cattle, 8783, 9054
  - in trypanoresistant buffalo, 8782
- in camels
  - T. evansi*-infected, 8778, 8882
- in cattle, 8985
  - frequency, 9058, 9059, 9195
  - T. congolense*-infected, 8762, 8768, 8783, 8784, 8896, 9054, 9057, 9063
  - T. vivax*-infected, 8783, 8784, 8896, 9037
  - trypanosome-infected, 8760, 8777, 8904, 9193, 9195
- in dogs
  - T. brucei*-infected, 8774, 8776, 8901
- in goats
  - T. congolense*-infected, 8902, 8913, 9196
  - trypanosome-infected, 9184
- in humans, 8867
  - T. b. gambiense*-infected, 9040, 9170
- in mice
  - T. b. brucei*-infected, 8780
- in oxen
  - trypanosome-infected, 9020
- in sheep
  - T. congolense*-infected, 8897, 8902, 9186, 9187, 9188, 9192
  - T. vivax*-infected, 9175

#### **pentamidine**

- resistance in *T. b. brucei*, 8936
- treatment of human trypanosomiasis, 8867, 8875, 8877, 9172
  - combined with suramin, 9172
  - pharmacokinetics, 9174
  - side effects, 8875

#### **pigs**

- T. brucei* infection, 8865
- T. simiae* infection (exp.)
  - in tsetse susceptibility studies, 9038
- Trypanozoon* isolates, from Uganda, 8808
- Trypanozoon* prevalence rate, Uganda, 9146

#### **population/s**

- distribution
  - G. longipennis*, Kenya, 8727
  - G. pallidipes*, Kenya, 8727
- monitoring
  - G. fuscipes*, Ethiopia, 8725
  - G. m. submorsitans*, Ethiopia, 8725
  - G. pallidipes*, Ethiopia, 8725

**prednisolone**

treatment in human trypanosomiasis, 9041, 9051

**prophylaxis** 8781, 8787

immuno-, in *T. evansi*-infected mice, 8923

in goats, 9202

in sheep, 9202

in *T. congolense*-infected rabbits, 9218

of trypanosomiasis

in animals, 8911

in camels, 9182

in cattle, 9062, 9197

comparison of drugs, 9064

drug toxicity, 9204

**pyrethroids**

for tsetse control, 8991, 9142, 9148, 9156

cattle dips, 9025, 9152

pour-ons, 9025, 9142, 9148, 9152, 9156

sprays, 9142

synthetic, 8991, 9142, 9148, 9152, 9156

**pyriproxyfen**

cost, 8736

treated traps, 8736, 9150

**quinapyramine prosalt**

treatment

of *T. evansi*-infected camels

resistance, 8916

of *T. evansi*-infected dogs, 8891

**rabbits**

as laboratory hosts, 8710, 8711, 8712, 8743, 8854

attractiveness for tsetse, 9021

blood, in tsetse infection studies, 9034

*T. brucei* infection

drug effects, 9217

*T. b. brucei* infection

effect on plasma iron concentration, 9212

effect on plasma zinc concentration, 9212

*T. congolense* infection

anaemia response, 9210

drug effects, 9217, 9218

*T. evansi* infection

cardiac electrical activity, 8919

drug effects, 9217

pathological effects, 8921

serum sodium and potassium, 8919

**rats**

immunisation studies, 8793, 8931, 8932

model of human trypanosomiasis, 8868

*T. brucei* infection

drug effects, 9217

effects on biological clock function, 8791

haematological changes, 9206

serum biochemical changes, 9206

serum kininogen-like moiety, 8925

vaccines, 9207

*T. b. brucei* infection

- anaemia, 9209
- antibody response, 9209
- blood-brain barrier damage, 8929
- drug effects, 8806, 9072, 9214, 9220
- effect on body temperature, 9066
- effect on locomotor activity, 9066
- effect on sleep pattern, 8920, 9066
- immune response, 8869
- interaction with dorsal root ganglia neurons, 9065

*T. b. rhodesiense* infection

- drug effects, 8807

*T. congolense* infection, 9158

- drug effects, 9214, 9217
- glutathione reductase, 9069
- serum kininogen-like moiety, 8925

*T. evansi* infection, 8917

- drug effects, 9217

**rearing**

- G. pallidipes*, 8712

- G. p. palpalis*, 8710, 8711

- G. tachinoides*, 8710

**remote sensing** 8994, 9005

- in tsetse control strategies, 8983

- in tsetse distribution surveys, 9003

- in tsetse habitat mapping, 9006

**rhinoceros**

- blood, in tsetse infection studies, 9034

**rickettsia-like organisms (RLOs)**

- DNA, plasmid, 9131

- genetic modification, 9131

**RNA**

*T. brucei*

- cytoplasmic, gene expression, 9106

- editing intermediates, 9113

- elongation in transcription units, 9257

- g-m chimeras, 9113, 9114

- g, secondary structure of molecules, 9254

- helicase activity, 8824

- ligase, 9110, 9113, 9114

- m, editing, 9114

- m, precursor, 9097

- m, 3' (-terminal region, 9229

- m, VSG, polyadenylation site, 9085

- mt, editing domains, 9109

- mt, guide-m chimera-forming activity, 9110

- polymerases, 8981

- processing signals, hierarchies, 9097

- sn, gene expression, 9105

- sn, U2, gene transcription, 9237

- sn, U3, common core structure, 8960

- spliced leader, 9240

- spliced leader-associated, 8827

- t, genes, 9105

- internal promoter elements, 9228

- t, mitochondrial, 9241

- nuclear-encoded, 8834

*T. b. brucei*

g, binding proteins, specific, 9111

g, domains, 9111

*T. congolense*

editing, developmental regulation, 8974

trypanosome

cytoplasmic, genes, 9106

sn, genes, 9106

t, genes, 9106

#### **ruminants**

*T. brucei* infection, 9175

*T. congolense* infection, 9175

*T. vivax* infection, 9175

trypanosomiasis, prevalence, Nigeria, 9175

**S-31183** *see* pyriproxyfen

**Samorin** *see* isometamidium chloride

#### **screening**

for trypanosomiasis

in goats, 9202

in humans, 9007, 9166

in sheep, 9202

parasitological, in cattle, 8760

#### **screens**

electrified

mobile, catch, 9150

netting, efficiency, 8724

insecticide-impregnated, 8708

deltamethrin, 8733

Laveissière, efficiency, 8733

#### **Senegal**

*G. p. gambiensis* in, 8708

trypanosomiasis in livestock, 8708

tsetse eradication, 8708

#### **serum**

animal

antibodies in, 8761

buffalo

trypanocides in, 8782

camel

in diagnostic testing, 8757

*T. evansi*-infected, ketones in, 8771

cattle

chemoprophylactic drug detection in, 9062, 9197

in diagnostic testing, 8753, 8758, 8760, 9197

eland

trypanocides in, 8782

goat

in diagnostic testing, 8756, 8758

guinea pig

trypanolytic factor in, 8922

human

acidic GPI-hydrolysing phospholipase in, 8930

anti-interferon- $\gamma$  antibodies in, 8869

HDL in, 9211

HDL-independent trypanocidal action, 9071

in diagnostic testing, 9169

in trypanosome characterisation, 9160

- lysis of *T. b. brucei*, 8965
- lysis of *T. b. gambiense*, 8826
- polyclonal antibodies in, 9045
- sensitivity, in *T. b. rhodesiense*, 9036
- trypanocidal factor, mechanism, 9211
- trypanolytic activity, 9251

rat

- anti-interferon- $\gamma$  antibodies in, 8869

sheep

- in diagnostic testing, 8756, 8758

**sheep**

Djallonké

- T. congolense* infection (exp.)
  - pathogenic effects, 8769, 8902
  - trypanotolerance, 8902

- T. vivax* infection (exp.)
  - pathogenic effects, 8769

- trypanosome prevalence, Côte d'Ivoire, 9176

Djallonké  $\exists$  Sahel

- trypanosome prevalence, Côte d'Ivoire, 9176

Sahelian Fulani

- T. congolense* infection (exp.)
  - pathogenic effects, 8769

- T. vivax* infection (exp.)
  - pathogenic effects, 8769

Scottish Blackface

- T. congolense* infection (exp.)
  - blood biochemical changes, 9187, 9188
  - effect on adrenocortical function, 8897, 8899
  - effect on pituitary function, 8897, 8899
  - effect on red cell volume, 9186
  - effect on response to GnRH, 8898
  - effect on secretion of LH, 8898
  - effect on secretion of testosterone, 8898
  - pathology, 8897

**sheep** (cont.)

Scottish Blackface (cont.)

- T. congolense* infection (exp.) (cont.)
  - pathophysiology, 9186
    - effect of dietary protein, 9188
    - effect of energy intake, 9187

- T. brucei* infection
  - diagnosis, 8878

- T. b. brucei* infection
  - iridium serum kinetics, 9076

- T. congolense* infection
  - diagnosis, 8878
  - immune response, 8895
  - kinetics of development, 8895

- T. congolense* infection (exp.)
  - diagnosis, 8758
  - immune response
    - effect of energy intake, 9192

- T. evansi* infection (exp.), 8756

- T. vivax* infection, 9053
  - diagnosis, 8878, 9175
  - treatment, 9175

- T. vivax* infection (exp.)
  - diagnosis, 8758
  - effects on reproduction, 9056
- trypanosome infection rate, Nigeria, 8878
- trypanosome prevalence
  - in Côte d'Ivoire
    - effect on productivity, 9176
- trypanosomiasis
  - effect on production, 9202
  - prevalence
    - in Nigeria, 8878, 9175
    - in Uganda, 9202
  - prophylaxis, 9202
  - treatment, 9202
- West African Dwarf
  - T. brucei* infection (exp.)
    - effect on plasma biochemistry, 8900
    - effect on serum biochemistry, 8900
    - haematological changes, 8775
  - T. congolense* infection
    - effect of haemoglobin type, 9185
  - T. vivax* infection (exp.)
    - effect during pregnancy
      - on feed intake, 8884
      - on liveweight, 8884
      - on nitrogen retention, 8884
    - effect on reproduction, 8886
    - effects post-partem
      - on feed intake, 8885
      - on liveweight, 8885
      - on milk yield and composition, 8885
    - treatment, 8886

#### Yankasa

- T. congolense* infection
  - effect of haemoglobin type, 9185

#### **small ruminants**

- trypanosomiasis, field survey, 8878

#### **snake**

- attractiveness for tsetse, 9021

#### **spiroarsoranes**

- trypanocidal properties, 8942
- effect of ligands, 9219

#### **Spot-on** *see* deltamethrin

#### **spraying** 9008

- aerial, 9025
  - BHC, 9152
  - DDT, 9152
  - endosulfan, 8732
  - environmental implications, 8732
  - in Zimbabwe, 8732
  - in Zululand, 9152
- DDT, 8734
  - environmental implications, 8734
  - in Zimbabwe, 8734, 9154
  - in Zululand, 9152
- deltamethrin
  - environmental effects, 9028

- in Zimbabwe, 9154
- droplet deposition studies, 8859
- ground
  - deltamethrin, 9154
  - in Zimbabwe, 9028, 9154
- sterile insect technique (SIT)** 9025
- Stomoxysinae**
  - mechanical transmission of trypanosomes, 9035
  - trapping studies, Kenya, 9136
- Stomoxys**
  - sensory structures, 9132
- Stomoxys calcitrans**
  - transmission of *T. evansi*, 8744
- Stomoxys spp.**
  - control, Ethiopia, 9148
  - trapping studies, Kenya, 9136
- Sudan**
  - T. evansi* infection in camels, 8771
  - trypanosomiasis in humans, *gambiense*, 9004
- suramin**
  - biological activity, 8946
  - resistance
    - in *T. evansi*, 8939, 9200, 9201
    - in *T. evansi*-infected mice, 8805
  - sensitivity in *T. evansi*, 9200
  - treatment of trypanosomiasis
    - in humans, 8867, 8877, 9041, 9044
    - gambiense*, 9172
      - combined with pentamidine, 9172
    - rhodesiense*, 9050
      - combined with DFMO, 9173
  - in *T. evansi*-infected camels, 8892, 9200
- surra**
  - diagnosis, 9182
- surveys**
  - entomological
    - in Congo, 8856
    - in Equatorial Guinea, 8745
    - in Zaire, 8763
  - epidemiological
    - in Burkina Faso, 8758, 9178
    - in Côte d'Ivoire, 8742
    - in Gambia, 8767
    - in Zaire, 8763
  - of trypanosomiasis
    - in animals, Nigeria, 9053
    - in camels, Mauritania, 8757
    - in cattle
      - in Togo, 8760, 9135, 9138
      - in Zaire, 8763
    - in humans, 8742
      - in Côte d'Ivoire, 8742
      - in Equatorial Guinea, 8745
      - in Zaire, 8876, 9167, 9168
    - in livestock, Chad, 8755
    - in Togo, 9003
    - in Zambia, 9125

of tsetse, 9127, 9139  
distribution  
    in Kenya, 9137  
    in Togo, 9138  
in Gambia, 9128  
in Togo, 9003, 9135  
in Zambia, 9125  
sero-parasitological  
    in Equatorial Guinea, 8745  
    in Togo, 8760

### **Tabanidae**

attractiveness of tsetse traps, 8730, 8731, 9030  
control, Ethiopia, 9148  
in Burkina Faso, 8730, 8731  
in mechanical transmission of trypanosomes, 8730  
in Zimbabwe, 9030  
response to tsetse odour attractants, 8730, 8731, 9030  
trapping, 8730, 8731, 9030  
*T. evansi* transmission, 8730  
*T. vivax* transmission, 8730

### ***Tabanus* sp.**

vector of cattle trypanosomiasis, Zaire, 8763

### **Tanzania**

*G. brevipalpis* in, 8861  
*G. morsitans* in, 8861, 9002  
*G. pallidipes* in, 8861  
Serengeti National Park  
    trypanosome infection in lions, 8738

trypanosomiasis  
    in cattle, 8861  
    in humans, control, 9007

### **targets**

baited, 8737, 9024, 9147  
barriers to reinvasion, 9157  
catch, 9024  
cloth, 9024, 9145, 9149  
coloured, 9134, 9145  
design, 9134  
efficiency, 8724, 8733, 9027, 9157  
electrified, 9024  
insecticide-impregnated, 8991, 8995, 9025, 9027, 9134, 9145, 9157  
     $\alpha$ -cypermethrin, 9145  
    deltamethrin, 8733, 9149, 9155  
live, insecticide-treated cattle, 9151  
netting, 9149  
odour-baited, 8995, 9149, 9157

### **Togo**

*G. fusca* in, 9003  
*G. longipalpis* in, 9138  
*G. medicorum* in, 9138  
*G. m. submorsitans* in, 9138  
*G. palpalis* in, 9003  
*G. p. gambiensis* in, 9138  
*G. p. palpalis* in, 9138

*G. tachinoides* in, 9003, 9138  
*T. congolense* stocks from, 8894  
trypanosome infection in cattle, 8894  
trypanosomiasis  
    control, 9135, 9145  
    in animals, 9145  
    in cattle, 8760, 9003  
        prevalence, 9002, 9135  
        survey, 9138  
trypanotolerant cattle production, 8846  
tsetse  
    abundance, 9135  
    control, 9003, 9145  
    distribution, 9003, 9135, 9138  
    survey, 9003, 9135, 9138

### **transmission**

index, in tsetse, 9160  
mechanical, 8865  
    of *T. evansi* by Tabanidae, 8730  
    of *T. vivax* by Tabanidae, 8730  
    of trypanosomes by biting flies, 8753  
    of trypanosomes by Stomoxyinae, 9035  
needle prick  
    of *T. evansi* by *S. calcitrans*, 8744  
of *T. evansi*, 8744  
of *T. simiae*, 9038  
of trypanosomes, 8709, 9160  
of trypanosomiasis, 9003, 9032  
    animal, 8741, 8844, 8848, 9146  
    human, 8706, 9146

### **traps/trapping** 8781, 9008, 9021, 9152, 9203

attractiveness for Tabanidae, 8730, 8731, 9030  
baited, 9147  
barriers, 8727  
biconical, 8723, 8725, 8727, 8731, 8736, 8855, 9027, 9136, 9137, 9139, 9150, 9190  
bipyramidal, 9021, 9029, 9136  
catch, 8730, 8855, 8857, 8858, 9021, 9027, 9030, 9139, 9154  
Challier-Laveissière, 8855  
cloth, 9030, 9136  
colour, 9027, 9030, 9136  
cost-effectiveness, 9139  
design, 9136  
effectiveness, 9030, 9139  
efficiency, 8730, 8731, 8733, 8745, 8855, 8857, 8858  
epsilon, 8857, 9154  
F3, 8730, 8731, 8855, 8857, 9030, 9137  
Flint, 8855  
for population monitoring, 8723, 8725, 8727, 8991  
for population surveys, 8856, 9137, 9139  
for *Stomoxys* spp., 9136  
Gouteux, 8855  
Hanotier's tyre, 8733  
insecticide-impregnated, 8708, 8858, 8991, 8995, 9025, 9029, 9176, 9190  
    deltamethrin, 8733, 9146  
Lancien monoconical, 8856  
Laveissière, 8855  
M1, 8857

M2, 8857  
M3, 8857  
Mérot, 8855  
monoconical, 8731, 8855, 9139, 9143  
monopyramidal, 8745, 9146  
NG-2G, 8730, 8731, 9023, 9031, 9039, 9136  
NGU, 9137  
NGU2B, 9139  
NGU2G, 9139  
Nguruman, 8727  
Noireau, 8855  
odour-baited, 8727, 8730, 8731, 8858, 8995, 9021, 9023, 9027, 9030, 9136, 9137, 9150  
pyramidal, 9139  
pyriproxyfen-treated, 8736, 9150  
screen-, 8730, 8731, 8855  
shape, 9027, 9030  
size, 9027  
Vavoua, 8855, 9139, 9143

### **Trypacide**

resistance, in *T. evansi*, 9201

### **trypanocides**

acridine derivatives, 9078  
camptothecin, 9087  
evaluation  
    amino acids, thiazole-containing, 9074  
    peptides, thiazole-containing, 9074  
human haptoglobin-related protein, 9070  
human serum, 9211  
    HDL-independent, 9071  
hyperosmolar agents, 9214  
naturally occurring  
    in buffalo serum, 8782  
    in eland serum, 8782  
    plants extracts, 9214  
    plant microtubule inhibitors, 8799  
    plants  
        *Bridelia ferruginea*, 8943  
        *Cannabis sativa* constituents, 8806  
        *Calendula arvensis* saponins, 8945  
        *Croton macrostachys*, 8943  
        *Hedera helix* saponins, 8945  
        *Piper guineense*, 8943  
        *Sapindus mukurassi* saponins, 8945  
        *Zanthoxylum chalybeum*, 8943

new

    Agridine, efficacy, 8786  
    Pirobenz, efficacy, 8785  
5-nitrothiophene/oxime/ether derivatives, 8802  
phosphonylmethylalkylpurines, 8940  
ronidazole, 9217  
screening, 9079  
TherAmide, 8935  
trypanothione, 9242

### **trypanoresistance**

in cattle, 8908  
    N'Dama, 8781  
    trypanotolerant, 8782

- West African Shorthorn, 8781
- Zebu, 8765
- in goats, 9185
  - Djallonké, 8769
- in mice, 8752
- in sheep, 9185, 9192
  - Djallonké, 8769
- in wild animals, 8782
- Trypanosoma brucei***
  - acidic vacuoles, 8840
  - agglutination, 9009
  - alkyl dihydroxyacetone phosphate synthase, 9262
  - antigen
    - detection, 9180
    - intracellular, 9207
    - stage-specific, 9257
  - antigenic variation, 8830
  - basal body axoneme, 9261
  - bloodstream form, 8955, 8963, 9082, 9248
  - Ca<sup>2+</sup>/H<sup>+</sup> exchange, 8840
  - Ca<sup>2+</sup> storage, 9255
  - calmodulin, 8822
  - cdc2-related protein kinases, 9246
  - cell division, 8823
  - characterisation, 8949
    - population, 8948
  - codon usage of kinetoplasts, 9084
  - cysteine protein activity, 8925
  - cytokinesis, 8975
    - defect induction, 8956
  - cytoplasmic pH, 9255
  - cytoskeletal proteins, 9261
  - developmental cycle, 8844
  - differentiation, 8823, 9248
  - dihydrofolate reductase-thymidylate synthase, 9236
  - DNA-gyrase inhibition of 4-oxo-1,4-dihydro-3-pyridine carboxylic acid derivative, 9102
  - drug effects, 8799, 8802, 8943, 8954, 9217
  - drug targets, 9243
  - dyskinetoplastic mutant, 9101
  - effect of HDL-independent human serum factor, 9071
  - effects of nitric oxide, 8926
  - endoplasmic reticulum, 8825, 8967, 8979
  - ethanolamine transport and metabolism, 9253
  - flagellum, 8843
    - attachment zone, 9261
  - fructose-1,6-bisphosphate aldolase, 9232
  - GARP, *T. congolense*, expression on surface, 9094
  - G-protein, life cycle stage-specific, 9088
  - genetics
    - backcrossing, 8958, 9257
    - chromosomes, megabase-sized, 9227
    - crosses, 9118
    - diversity, 8948, 9225
    - endonuclease, 9113
      - editing domain-specific, 9110
    - episome, 8964
    - gene/s

Ca<sup>2+</sup>-ATPase, 8825  
encoding, 8813  
expression, 8825, 8832, 8964, 8981, 9105, 9121, 9229, 9236, 9260  
invariant surface glycoprotein, 8982  
isolation, 9236  
loci, 8813  
PARP, promoter, 8828  
phosphoglycerate kinase-encoding, 9230  
RNA, 9105, 9228, 9237  
transcription, 9237  
tubulin, cluster, 8819  
VSG, 8830, 8832, 8964  
genomes, nuclear, 8976  
genomic organisation, 8982  
inheritance, kinetoplast DNA maxicircles, 9118  
karyotype analysis, 8948  
linkage disequilibrium, 8949  
nuclease, heterologous, 9110  
polyadenylation, 9085  
populations, 8948, 9225  
procyclin promoter, 9258  
recombination, 8830  
ribosomal promoter, 9258  
RNA  
editing, 9109, 9113  
elongation in transcription units, 9257  
g, secondary structure of molecules, 9254  
g-m chimeras, 9113, 9114  
helicase activity, 8824  
ligase, 9110, 9113, 9114  
m, 9114  
m, precursor, 9097  
m, 3' terminal region, 9229  
m, VSG, polyadenylation, 9085  
mt, 9109  
mt guide-m, chimera-forming activity, 9110  
polymerases, bacteriophage T3 and T7, 8981  
processing signals, 9097  
sn, gene expression, 9105  
sn, U2, transcription, 9237  
sn, U3, common core structure, 8960  
spliced leader analysis, 9240  
spliced leader-associated, 8827  
t, 9228  
t, mitochondrial, 8834, 9241  
t, upstream genes, 9105  
sequence conservation, 8827  
spliced leader cap structure, 9256  
transcription unit, 9257  
foreign, 8964  
transcriptional control, 8830  
*trans*-spliceosomal ribonucleoproteins, 8827  
*trans*-splicing, 9085  
VSG promoter, 9258  
glyceraldehyde-3-phosphate dehydrogenase inhibition, 8980  
glycosomal glyceraldehyde-3-phosphate dehydrogenase, 9239  
glycosomal phosphoglycerate kinase inhibition, 9115

glycosomes, 8836, 9093, 9262

GPI

- anchor biosynthesis, 8979
- attachment requirements, 8953, 8968
- biosynthesis, 8967

***Trypanosoma brucei*** (cont.)

GPI (cont.)

- biosynthesis (cont.)
  - role of inositol acylation, 9238
  - role of inositol deacylation, 9238
- inositol phosphate glycan from, 8928
- membrane anchors, 9112
- myristoylation reaction, 8811
- phospholipase
  - hydrolysis, 8930
  - inhibition, C, 8969
  - glycan requirements, 8969
- toxin, 8794
- 3-hydroxy-3-methylglutaryl CoA reductase activity, 8954
- in vitro* cultivation, 9082
- infecting cattle, 8753, 8861, 9203
  - Boran, 8881
  - Zebu, 8762
- infecting dogs, 8774, 8776, 8901
- infecting goats, 8878
  - Red Sokoto, 8772
- infecting mice, 8790, 8934, 8943, 9035, 9067, 9068, 9207
- infecting pigs, 8865
- infecting rabbits, 9217
- infecting rats, 8791, 8925, 9206, 9207, 9217
- infecting ruminants, 9175
- infecting sheep, 8878
  - West African Dwarf, 8775, 8900
- infecting tsetse, 8746, 8844, 8861, 8863, 8865, 8948, 8949, 9161, 9163
- infection rate
  - in goats, 8878
  - in sheep, 8878
- infectivity, potential human, 9146
- invariant surface glycoprotein, 8982
- isoenzymes, 8865, 8948, 8949
- isolates, sexual compatibility, 9089
- kinetoplast
  - base contents, 9084
  - DNA maxicircles, 9118
- lipid source, host plasma, 8955
- lipoamide dehydrogenase, 9243
- maturation in tsetse, 8863
- microbodies, N-terminal import signals, 9086
- microtubule polarity, 8975
- mitochondria, 8824, 9101, 9241
  - heat shock protein 70, 9101
- myristate exchange, 8811
- Nrk protein kinase, developmental regulation, 8817
- nuclear GTPase Ran/TC4, homologue, 8957
- organellar genome segregation, 8975
  - defects, 8956
- organelle biogenesis, 8972

- organelle positioning, 8975
- ornithine decarboxylase
  - heterodimer formation, 8970
  - inhibition, 9096
- paraflagellar rod, 8813, 8842
- phosphoenolpyruvate carboxykinase, 8836, 9098
- plasmid DNA replication, 8828
- procyclics, 8865, 8963, 8964, 9248
- procyclin, 9229
  - expression, 8821
- protein
  - cell surface, 8979
  - EF-hand calcium-binding, 8843
  - 39-kilodalton, 9091
  - MARP-1, 8809
  - MARP-2, 8809
  - phosphatase inhibition, 8956
  - procyclic acid repetitive, 8828
  - translation elongation factor-1 $\alpha$ , 8822
  - tyrosine kinase-mediated signal transduction, 8794
- sexual compatibility of isolates, 9089
- surface expression of *T. congolense* GARP, 9094
- taxonomy, sub-specific, 9083
- topoisomerase I inhibition, 9087
- transformation *in vitro*, 8963
- trypanothione reductase, 9243
- UDP-Gal:GPI anchor  $\alpha$ 1,3-galactosyltransferase acceptor, 9252
- vacuolar acidity, 9255
- VSG, 8964
  - expression site promoter
    - PARP promoter-mediated activation, 9120
  - mRNA, 9085, 9229

***T. brucei* spp.**

- infecting trypanotolerant cattle, 9052
- kinetoplastid membrane protein 11, 9117
- life cycles, 9117
- trans-sialidases, 8816

***T. brucei brucei***

- bloodstream form, 8743, 8780, 8818, 8951, 9100
- characterisation, 8950
- chromatin, 8820
- concanavalin A-binding glycoproteins, 9104
- culture, 9104
- cyclical development, 8743
- DNA typing, 8950
- drug effects, 8804, 8806, 8940, 8941, 8942, 8945, 9072, 9074, 9076, 9078, 9215, 9219, 9220
- drug resistance, 8936, 8944
- effect of human haptoglobin-related protein, 9070
- effect of human serum trypanocidal factor, 9211
- flagellar cytoskeleton repetitive proteins, 9099
- glycosomal holo glyceraldehyde phosphate dehydrogenase, 9259
- glycosylation, 8814
- HDL sensitivity, 9246
- hexose-sugar catabolism, oligomycin sensitivity, 9100
- histone H1 protein amino acid sequence, 9231
- histones, characterisation, 8951
- hsp 70, immunogenic members, 9107

- infecting dogs, 8894, 9076
- infecting guinea pigs, 8922
- infecting leeches, 8864
- infecting mice, 8780, 8797, 8927, 8940, 8941, 8942, 9074, 9076, 9208, 9219
- infecting rabbits, 8743, 9212
- infecting rats, 8806, 8869, 8920, 8929, 9065, 9066, 9072, 9209, 9214, 9220
- infecting sheep, 9076
- infecting tsetse, 8743, 9160
- infection rates in tsetse, 8743
- isoenzyme electrophoresis, 8950
- kinetoplast membrane protein 11, 8796
- lysis by human serum, 8965
- maturation in tsetse, 8743
- metabolic inhibitors, 9226
- metacyclics, 8780
- methionine, soluble, 9226
- microtubules, 8804
- mitochondrial ribonucleoprotein complexes, 9111
- polyamines, intracellular, 8818
- procyclic form, 8743, 9104
- procyclic trypomastigotes, 8818
- pyridoxal uptake and metabolism, 9092
- pyridoxine uptake and metabolism, 9092
- RNA, g
  - binding proteins, 9111
  - domains, 9111
- transformation, 8818
- trypanolysis, 8933

***T. brucei gambiense***

- antigen, detection, 9180
- characterisation, 8950
- DNA typing, 8950
- drug effects, 9080
- genetic heterogeneity, 9224
- infecting humans, 8742, 8747, 8750, 8753, 8867, 8869, 8873, 8875, 8876, 8890, 8998, 9004, 9040, 9041, 9043, 9046, 9049, 9051, 9164, 9167, 9168, 9170, 9171, 9172, 9173, 9174
- inosinate dehydrogenase gene amplification, 8841
- isoenzyme electrophoresis, 8950
- isoenzyme pattern, 8865
- lysates, 9251
- lysis by human serum, 8826
- topoisomerases, 9080
- trypanolytic activity of human serum, removal, 9251

***T. brucei rhodesiense***

- antigen, detection, 9180
- aspartate aminotransferase, 8759
- bloodstream form, 8759
- bloodstream trypomastigotes, 9036
- calmodulin, 9233
- cell surface, 8810
- differentiation, 9245
- drug effects, 8807, 9074, 9075, 9078, 9079
- EATRO 2340 stock, 9032
- endosomes, 8810
- Etat 1/10, 9036
- flagellar pocket antigen, 8896
- gene expression, 9244

- gene, serum resistance-associated, 8959
- Golgi, 8810
- human serum resistance, 9036
- human serum sensitivity, 9036
- infecting bushbuck, 9036
- infecting cattle, Boran, 9036
- infecting goats, 9036
- infecting humans, 8753, 8877, 8990, 9029, 9050, 9075, 9160, 9162, 9166, 9169, 9173
- infecting mice, 8924, 8935, 9036, 9074, 9213
- infecting monkeys, 8788, 9205
- infecting rats, 8807
- kinetoplastid membrane protein 11, 8796
- life cycle forms, 9245
- lysosomal membrane glycoprotein transport, 8810
- lysosomes, 8810
- maturation in tsetse, 9032, 9160
- metacyclics, 9036, 9249
- mitochondrial genome repositioning, 9245
- protein phosphatase inhibition, 9244
- $\beta$ -tubulin gene, 9244
- VSG
  - gene promoter, 9249
  - like protein, 8959

#### ***T. congolense***

- antigen, detection, 9180
- antigen expression in *Spodoptera frugiperda* cells, 9119
- BeNat 1.3, 8978
- characterisation
  - of populations, 9196
  - of stocks, 8879, 9033, 9177

#### ***T. congolense* (cont.)**

- chromatin analysis, 8833
- congopain, 8906
- culture, 9104
- cysteine protease, 8906, 8925, 9235
- development in tsetse, 8741
- DNA, 8912
- drug effects, 8940, 9079, 9217, 9218
- drug resistance, 8912, 8913, 9064, 9077, 9196
  - multiple, 8916
- drug sensitivity, 8803, 8912, 9196, 9216
- drug targets, 8838
- establishment in tsetse, 9034
- flagellum-mediated adhesion, 9095
- forest type, 9177
- GARP expression on *T. brucei*, 9094
- genetics
  - gene conversion, 8971
  - gene expression, 8971
  - mosaic transcripts, 8966
- glycoproteins, concanavalin A-binding, 9104
- IL 1180, 8887, 8912, 9054, 9196
- IL 3274, 8912, 8913, 9196
- infecting cattle, 8758, 8760, 8803, 8861, 8887, 8894, 8896, 8906, 9063, 9190, 9203, 9216
  - Boran, 8768, 9054, 9060
  - crosses, 9176
  - Keteku, 9052

Muturu, 9052  
N'Dama, 8763, 8770, 8783, 8784, 9052, 9054, 9057  
Zebu, 8762, 8893, 9064  
infecting dogs, 8888, 8894  
infecting goats, 8758, 8786, 8878, 8912, 8913, 9196  
Djallonké, 8769  
Red Sokoto, 8766, 9185  
Sahelian Fulani, 8769  
West African Dwarf, 8766, 8902, 9185  
infecting mice, 8940, 9035, 9077  
infecting oxen, 9020  
infecting rabbits, 9210, 9217, 9218  
infecting rats, 8925, 9069, 9158, 9214, 9217  
infecting ruminants, 9175  
infecting sheep, 8758, 8878, 8895, 9192  
crosses, 9176  
Djallonké, 8769, 8902, 9176  
Sahelian Fulani, 8769  
Scottish Blackface, 8897, 8898, 8899, 9186, 9187, 9188  
West African Dwarf, 9185  
Yankasa, 9185  
infecting tsetse, 8739, 8741, 8746, 8754, 8803, 8861, 8863, 8865, 8896, 9032, 9033, 9158, 9161, 9163  
infection rate  
in goats, 8878  
in sheep, 8878  
infectivity, 9216  
interaction with endothelial cells, 8962  
isoenzyme profile, 8947  
Kilifi, 9033, 9161  
kinetics of development, 8895  
kinetoplastid membrane protein 11, 8796, 9117  
life cycle, 8741, 8974, 9108, 9117  
major surface glycoprotein, 9094  
maturation in tsetse, 8863, 9032  
metacyclics, 8895  
pathogenicity, 8906  
of different stocks, 8902  
phosphoglycerate kinase  
compartmentalisation, 8971  
expression, 8971  
polyadenylation, regulation, 8974  
procyclic form, 9104, 9234  
protein kinases, 9108  
proteins, kinetoplast-associated, 8838  
riverine-forest, 9033, 9161  
RNA editing, regulation, 8974  
savanna, 9033, 9161, 9177  
stocks  
EATRO 2340, 9032  
SIKUDA88, 9032  
1/148 FLY9, 9032  
trans-sialidases, 8816, 9234  
trypanothione reductase inhibition, 8812  
tyrosine phosphorylation, 9108  
VAT, metacyclic, expression, 8895  
virulence, 9185

VSG

- complementary DNA sequence, 8978
- sequence determination, 8831

***T. cruzi***

- glycosomal glyceraldehyde-3-phosphate dehydrogenase expression in *E. coli*, 9239

***T. equiperdum***

- drug effects, 9079, 9087
- kinetoplast DNA maxicircles, 8977
- kinetoplast DNA minicircles, segregation, 9116
- topoisomerase I inhibition, 9087
- topoisomerase II activity, mitochondrial, 9116

***T. evansi***

- antigen, detection, 9180
- antigen, soluble, 8779
- cloning, 9200
- cryopreservation, 8918
- drug effects, 8943, 9079, 9217
- drug resistance, 8805, 8916, 8939, 9200, 9201, 9223
- drug-resistant phenotype, 8916
- drug sensitivity, 9200, 9222
- genotype, 8912
- geographical distribution, 9103
- growth rate, 9200
- host range, 9103
- infecting camels, 8744, 8756, 8757, 8764, 8771, 8778, 8882, 8883, 8892, 8905, 8916, 9182, 9200, 9201
- infecting dogs, 8891, 8903, 8915, 8921
- infecting donkeys, 8889
- infecting goats, 8744, 8756
- infecting guinea pigs, 8920
- infecting mice, 8792, 8805, 8882, 8917, 8921, 8923, 8943, 9035
- infecting rabbits, 8919, 8920, 9217
- infecting rats, 8793, 8917, 8931, 9217
- infecting sheep, 8756
- infection rate in camels, 8757
- $\gamma$ -irradiated, 8793, 8931
- karyotype, electrophoretic, 8916
- kinetoplast DNA maxicircle, loss of, 9103
- pyruvate production, 9222
- transmission, 8730, 8744

***T. godfreyi* n. sp.** 9033

- behaviour, 8947
- bloodstream trypomastigotes, 8947
- characterisation, 8947
- DNA probe, 8947
- isoenzyme profile, 8947
- kinetoplast, 8947
- life cycle, 8947
- morphometrics, 8947
- undulating membrane, 8947

***T. simiae*** 9033

- CP 11, 9038
- CP 813, 9038
- culture, 9104
- glycoproteins, concanavalin A-binding, 9104
- infecting goats, 9038
- infecting pigs, 9038

infecting tsetse, 8746, 9038  
isoenzyme profile, 8947  
kinetoplastid membrane protein 11, 8796, 9117  
life cycle, 9117  
procyclic form, 9104

**T. vivax**

antigen, detection, 9180  
drug resistance, 9064  
IL 2337, 8887, 9037  
IL 3096, 9037  
infecting biting flies, 9053  
infecting camels, 8755  
infecting cattle, 8754, 8755, 8758, 8760, 8861, 8887, 8896, 9053, 9190, 9203  
    Boran, 9037, 9189  
    crosses, 9176  
    Galana, 9189  
    Keteku, 9052  
    Muturu, 9052  
    N'Dama, 8763, 8770, 8773, 8783, 8784, 9052  
    Zebu, 8762, 8773, 8893, 9064  
infecting goats, 8758, 8878, 9037, 9053  
    Djallonké, 8769  
    Sahelian Fulani, 8769  
infecting mice, 9035  
infecting oxen, 9020  
infecting ruminants, 9175  
infecting sheep, 8758, 8878, 9053, 9056  
    crosses, 9176  
    Djallonké, 8769, 9176  
    Sahelian Fulani, 8769  
    West African Dwarf, 8884, 8885, 8886  
infecting tsetse, 8746, 8754, 8861, 8896, 9037  
infection rates  
    in goats, 8878  
    in sheep, 8878  
    in tsetse, 9037  
transmission, 8730

**trypanosome/s**

antigenic variation, 8709, 9090  
biochemistry, 8709  
biology, 8781, 8839  
bloodstream form, 9009, 9017, 9159  
characterisation, 8879, 9160  
chromatin, functional morphology, 8961  
cultivation, 8709  
    *in vitro*, 8865  
development in tsetse, 8863  
differentiation in tsetse, 8863  
drug-resistant, 8777, 8787, 8877, 8904, 8988, 9058, 9059, 9062, 9193  
evolution, 8951  
genetics, 8829  
glyceraldehyde-3-phosphate dehydrogenase inhibition, 9122  
glycosomes, 8837  
human serum resistance, 9160  
human serum sensitivity, 9160  
identification, 9159  
infecting cattle, 8765, 9150

N'Dama, 8767, 8783

Zebu, 9058, 9059

infecting domestic animals, 8865, 9146

infecting lions, 8738

infecting tsetse, 8851, 8858, 8863, 8865, 9131, 9146, 9150, 9159

infecting waterbuck, 8782

infecting wild animals, 8880

infectivity, potential human, 9146

isoenzymes, 8865

**trypanosome/s (cont.)**

lectin binding sites, 9160

life cycle, 8709

metacyclics, 8865

morphology, 8709

non-variable antigens, 8973

pathogenicity, 9159

physiology, 8709

populations, drug-resistant, 8787

prevalence

in cattle, 9190

in Côte d'Ivoire, 9176

in Ethiopia, 8904, 9148

N'Dama

in Gambia, 8767

Zebu

in Ethiopia, 8777, 8904, 9059

in lions, Tanzania, 8738

in sheep, Côte d'Ivoire, 9176

procyclics, 8865, 9009, 9017

RNA genes, 9106

salivarian, 8709

surface antigen expression, 8829

taxonomy, 8709

transmission, 8709, 8730

VATs, 8973

**trypanosomiasis, general**

control, impact on land use, 9124

diagnosis, 8709, 9123

diagnostic markers, 8838

distribution, modelling, 9002

drug targeting, 8838

immunology, 8709

impact, 9003

monitoring, 9143

pathology, 8709

prevalence, 9125

modelling, 9002

risk, 9003, 9125, 9127

transmission, 9003

treatment, 8709, 8798, 8800, 9081

**trypanosomiasis in animals** 9123

clinical symptoms/pathological effects, 8761, 8777, 8903, 8904, 9059

abortion, 8756, 8763, 8884, 8904, 9055, 9056, 9059, 9181, 9189, 9193, 9195

anaemia, 8760, 8768, 8769, 8774, 8775, 8776, 8778, 8781, 8782, 8888, 8891, 8892, 8897, 8901, 8985, 9060, 9186, 9187, 9188, 9194

circulatory disturbances, 8774

corneal opacity, 8891, 8901

dehydration, 8893  
dry skin, 8883, 8892  
elevated pulse rate, 8774, 8889  
elevated respiration rate, 8774, 8889  
elevated temperature, 8774, 8889, 8891, 8901  
emaciation, 8763, 8883, 8892, 8905, 9181  
eosinophilia, 8892  
fever, 8883, 8884, 8892, 8905  
haematological changes, 8889, 8892  
haemorrhage, 8888  
hepatosplenomegaly, 8888  
hypoglycaemia, 8889  
impaired fertility, 8985, 9195  
infertility, 9055  
lachrymation, 8883, 8892  
leucocytosis, 8892, 9186  
leucopenia, 8774  
listlessness, 8889  
loss of condition, 8774, 8893, 8897, 8905, 8985  
lymphadenomegaly, 8888  
lymphocytosis, 8778  
lymphopenia, 8778  
macrocytosis, 8775  
monocytosis, 8774, 8892  
neurological disorder, 8888  
ocular impairment, 8774, 8901  
oedema, 8883, 8889, 8901, 8905  
oestrous irregularity, 9055, 9056  
pale mucous membranes, 8883, 8892  
premature birthing, 9055, 9056  
pyrexia, 8897, 9186  
reduced growth rate, 8777, 8784, 8884, 8897, 8985, 9187, 9190, 9194, 9195  
reproductive abnormalities, 8884, 8886, 8893, 8899, 8904, 9055  
staggering gait, 8889  
swollen lymph nodes, 8763  
testicular degeneration, 8893  
weakness, 8763, 8883, 8892, 8905, 8985, 9181  
weight loss, 8756, 8769, 8770, 8884  
constraint to production, 8737, 8781, 8787, 8845, 8984, 8985, 9126  
control, 8736, 8780, 8781, 8848, 8849, 8983, 8985, 8989, 9126, 9143, 9146, 9147  
diagnosis, 8761, 8879, 9053, 9177, 9180  
epidemiology, 8741, 8983  
in Burkina Faso, 9177  
in Côte d'Ivoire, 9143  
in sub-Saharan Africa, 8709, 8737, 8984  
in Togo, 8846, 9145  
in Uganda, 9146  
in Zaire, 8753, 8845  
in Zululand, 8844  
infection rate, 9143  
monitoring, 9143  
prevalence  
    in Burkina Faso, 9178  
    in Zaire, 8845  
prophylaxis, 8911  
survey, Nigeria, 9053  
transmission, 8741, 8848, 9146

treatment, 8785, 8786, 8787, 8911, 9055, 9145

**trypanosomiasis in camels**

control, 9201

diagnosis, 9182

in Egypt, 8883, 8892

in Ethiopia, 8764

in Kenya, 9200, 9201

in Mauritania, 8756, 8757

in United Arab Emirates, 8778

incidence, in Chad, 8755

pathology, 8892

prevalence, in Kenya, 9181, 9182

risk factors, 8757

treatment, 8883, 8892, 8916, 9182

*T. evansi* infection, 8756, 8757, 8764, 8778, 8883, 8892, 9201

*T. vivax* infection, 8755

**trypanosomiasis in cattle**

control, 8737, 8781, 9062, 9151, 9157

diagnosis, 8753, 8754, 8760, 8904, 9053

epidemiology, 8725, 9008

immunology, 9060

in Central African Republic, 8723

in Chad, 8755

in Ethiopia, 8725, 8737, 8777, 8904, 9055, 9059, 9156, 9195

in Gambia, 8773, 9128

in Kenya, 9064, 9194, 9197

in Nigeria, 8754, 8893, 9052, 9053, 9175

in sub-Saharan Africa, 8991, 8993

in Tanzania, 8861

in Togo, 8760, 9002, 9135, 9138

in Uganda, 9203

in Zaire, 8753, 8763

in Zambia, 9125

in Zululand, 8844, 8985

incidence

in Chad, 8755

in Gambia, 8773, 9002

in Kenya, 9194, 9197

in Zaire, 8753

pathology, 8768, 8893

prevalence

in Ethiopia, 8737, 8777, 8890, 8904

in Gambia, 9002, 9128

in Nigeria, 8754, 8893, 9052, 9053, 9175

in Togo, 9002, 9135

in Zambia, 9125

risk, 8725, 8737, 8904

in Ethiopia, 8725, 8777, 8890, 8904, 8988, 9058, 9059

in Uganda, 9153

spatial progression, modelling, 9008

survey, Togo, 8760, 9135

treatment, 8723, 8777, 8781, 8861, 8904, 9053, 9059, 9062, 9195, 9203

*T. brucei* infection, 8861, 9052, 9203

*T. congolense* infection, 8763, 8861, 8893, 9052, 9064, 9203

*T. vivax* infection, 8763, 8773, 8861, 8893, 9052, 9053, 9064, 9203

trypanosome challenge, Kenya, 9064

**trypanosomiasis in dogs**

- T. congolense* infection
  - pathology, 8888
- T. evansi* infection
  - pathology, 8891
  - treatment, 8891

**trypanosomiasis in domestic animals**

- diagnosis, 8761

**trypanosomiasis in goats**

- diagnosis, 8878
- effect on production, 9202
- prevalence
  - in Nigeria, 8878, 9175
  - in Uganda, 9202
- prophylaxis, 9202

**trypanosomiasis in humans**

- clinical symptoms/pathological effects, 8748, 8868
  - adrenal insufficiency, 9050
  - anaemia, 8749
  - brain reactivity abnormalities, 8873
  - circadian rhythm disturbances, 8870, 8871, 8872, 8874, 9048
  - CNS abnormalities, 8749, 9045, 9046, 9047
  - coma, 9046
  - dyspnoea, 9041
  - fatigue, 9044
  - fever, 9041, 9044
  - hepatosplenomegaly, 9041
  - increased pulse rate, 9041
  - lesion, 9044
  - lymphadenopathy, 9041
  - meningoencephalitis, 8747, 8871, 8872, 8873, 8874, 9047, 9048
  - myalgia, 9044
  - myositis, 9041
  - oedema, 9041, 9047
  - polyneuritis, 9041
  - rash, 9041, 9044
  - reactive encephalopathy, 9051
  - sleep disturbances, 8747, 8749, 8870, 8871, 8872, 8874, 9042, 9043, 9046, 9047, 9048
  - weight loss, 9041
- control, 8751, 9146
  - programmes, 8742, 8745, 8876, 8994, 9147, 9162, 9165, 9166

**trypanosomiasis in humans (cont.)**

- detection, 9165
- diagnosis, 8748, 8867, 8876, 9040, 9041, 9044, 9123, 9164, 9166, 9168, 9169, 9170, 9180
- drugs, new, 9122
- environmental factors, 8994
- epidemics, 8707, 8847, 8990, 9160
- etiology, 8868
- historical aspects, 8706, 8707, 8745, 8847, 8986, 8990, 9007
- immunity, 9168
- immunology, 8749, 8869, 9045, 9046
- in Africa, 8709, 9007
  - East, 8008, 9007
  - sub-Saharan, 8991
- in Central African Republic, 8994
- in Chad, 8994
- in Congo, 8847, 8870, 8871, 8872, 9007, 9170

in Côte d'Ivoire, 8726, 8736, 8742, 8862, 8865, 8871, 8994, 9165, 9170  
in Equatorial Guinea, 8745, 8994  
in Kenya, 9147  
in Sudan, 9004  
in Tanzania, 9007  
in Uganda, 8990, 8994, 8998, 9007, 9027, 9029, 9040, 9146, 9160, 9162, 9166  
in Zaire, 8707, 8748, 8753, 8876, 9049, 9051, 9167, 9168  
incidence  
    in Côte d'Ivoire, 8742  
    in Uganda, 9166  
    in Zaire, 8876, 9167, 9168  
modelling, 8868  
monitoring, 9165  
pathogenesis, 8706  
pathology, 9042, 9045, 9046  
prevalence  
    in Côte d'Ivoire, 8862  
    in Equatorial Guinea, 8745  
prevention, 8706  
relapse, 9168, 9172  
research, 8706  
risk, 8984, 8994, 9167, 9168  
risk factors, 8742, 8862, 9162  
risk index, 8862  
surveillance, 8745, 9040, 9165, 9166  
transmission, 8706, 9146  
treatment, 8706, 8707, 8748, 8751, 8867, 8877, 8998, 9041, 9122, 9168  
    drug, 8749, 9250  
        arsenical, 8707, 8877  
        combinations, 8877, 8998  
        DFMO, 8751, 8752, 8867, 8877, 8998, 9004, 9171, 9172, 9173  
        dimercaprol, 9044  
        diminazene, 8876, 9172  
        diminazene aceturate, 8877  
        imidazoles, 8877  
        melarsoprol, 8750, 8867, 8876, 8877, 8998, 9041, 9044, 9049, 9050, 9051, 9172  
        nifurtimox, 8877, 9172  
        pentamidine, 8867, 8875, 8877, 9172, 9174  
        prednisolone, 9041, 9051  
        suramin, 8867, 8877, 9041, 9044, 9050, 9172, 9173  
*T. b. gambiense* infection, 8742, 8747, 8750, 8753, 8867, 8869, 8873, 8875, 8876, 8990, 8998,  
    9004, 9040, 9041, 9043, 9046, 9049, 9051, 9164, 9167, 9168, 9170, 9171, 9172, 9173, 9174  
*T. b. rhodesiense* infection, 8753, 8808, 8877, 8990, 9029, 9050, 9075, 9160, 9162, 9166, 9169,  
    9173

#### **trypanosomiasis in livestock**

control, 8708, 8985, 8989, 8997  
in Africa, 8989, 8997  
    sub-Saharan, 8709  
in Ethiopia, 8866  
in Senegal, 8708  
in Zaire, 8845  
pathology, 8985  
prevalence, 9127

#### **trypanosomiasis in sheep**

diagnosis, 8878  
effect on production, 9202  
effect on reproduction, 9056

pathology, 8897

prevalence

in Nigeria, 8878, 9175

in Uganda, 9202

prophylaxis, 9202

**trypanosusceptibility**

in cattle, 8906, 9183

Boran, 8768, 9054

Galana, 9189, 9194

N'Dama

effect of helminth infection, 8770

Zebu, 9195

in goats

Djallonké, 8769

effect of haemoglobin type, 9185

Sahelian Fulani, 8769

in sheep

Djallonké, 8769

effect of haemoglobin type, 9185

Sahelian Fulani, 8769

**trypanotolerance** 8709, 9055

expression, 8782

genetics of, 8910, 9194, 9195

heritability, 8781

markers, 8849, 8908

in buffalo

control of anaemia, 8782

control of parasitaemia, 8782

in cattle, 8782, 8906, 9183

Boran, 9189, 9194

Borgou, 8907, 9061

control of parasitaemia, 8783

for trypanosomiasis control, 8780, 8781, 8849

Galana, 9194

Keteku, 9052

Muturu, 9052

N'Dama, 8781, 8783, 8784, 8845, 8909, 8910, 9052, 9054, 9057

production economics, 8845, 8846

West African Shorthorn, 8781

Zebu, 9194

in dogs, 8894

in goats, 8902

in sheep, 8902

modelling, in mice, 8780

parameters of, 8780, 8784

selection for, 8780, 8849

traits

PCV regulation, 8781

**Trypanozoon**

enzyme profiles, 8808

genetics, 8808

hosts, 8808

in Uganda, 8808, 9146

infecting domestic animals, 9146

infecting tsetse, 9033

infectivity, potential human, 9146

isolates, characterisation, 8808

maturation in tsetse, 8739, 9032  
prevalence in tsetse, Côte d'Ivoire, 9033  
prevalence rate  
  in cattle, Uganda, 9146  
  in pigs, Uganda, 9146

#### **tsetse belt**

  in Africa, 8985  
  Zambezi, 8992

#### **tsetse eradication** 8730, 8984, 9003, 9025, 9026

  in Senegal, 8708  
  in Zimbabwe, 8992  
  in Zululand, 9152

### **Uganda**

#### Busoga

  trypanosomiasis in humans, *rhodesiense*, 9029  
    historical aspects, 8990  
    risk factors, 9162

*G. pallidipes* in, 9158

#### northwest

  trypanosomiasis in humans, *gambiense*, 9040

#### southwest

*G. f. fuscipes* in, 9146  
  *T. brucei* isolates from, 9089  
  trypanosome infection in cattle, 8759  
  trypanosomiasis  
    in animals, 9146  
    in cattle, 9203  
    in humans, 9146  
      *rhodesiense*, 9166  
  *Trypanozoon* isolates from, 8808, 9146  
  tsetse control, trapping, 9146  
  tsetse density, 9146

#### southern

  trypanosomiasis in humans, 8994  
  *T. b. gambiense* from, 9224  
  trypanosomiasis  
    in goats, prevalence, 9202  
    in humans, 9007, 9029, 9160  
      *gambiense*, 8998  
    in sheep, prevalence, 9202  
    risk to cattle, 9153  
  tsetse control, 9007, 9029, 9153  
  trapping, 9029

### **United Arab Emirates**

  trypanosomiasis in camels, 8778

### **vaccination**

  in cattle, 8896

### **variable antigen type (VAT)**

  in diagnostic testing, 9164  
  *T. b. gambiense*, 9164

### **variant surface glycoprotein (VSG)**

*T. brucei*  
    expression site promoter, 9120

- gene expression site, 8832, 8964, 9229
- gene transcription, 8830, 8964
- promoter, 9258
- mRNA polyadenylation site, 9085
- T. b. gambiense*, 9164
- T. b. rhodesiense*, 8959
  - gene, putative promoter, 9249
- T. congolense*
  - complementary DNA sequence, 8978
  - sequence determination, 8831

### **warthog**

- attractiveness for tsetse, 8728
- host
  - for *G. longipennis*, Kenya, 9039
  - for *G. pallidipes*, Kenya, 9039
  - for tsetse, 8728, 8947
- trypanosome infection
  - prevalence, Côte d'Ivoire, 8880
  - T. godfreyi* n. sp., Gambia, 8947

### **waterbuck**

- blood, for tsetse diet, 8712, 9129
- trypanosome infection, 8782
  - prevalence, Côte d'Ivoire, 8880
- trypanotolerance, mechanisms, 8782

### **wild animals**

- trypanoresistance, 8782
- trypanosome infection, identification, 9170
- trypanosomosis, Côte d'Ivoire, 8880
- trypanotolerance, 8985

### **Zaire**

- southwestern
  - G. fuscipes* in, 8763
  - G. tabaniformis* in, 8763
  - trypanosomiasis in cattle, 8763
- trypanosome infection in cattle, 8783
- trypanosomiasis
  - in cattle, 8753, 8845
    - prevalence, 8845
  - in humans, 8707, 8748, 9049
    - gambiense*, 8753, 8876, 9051, 9167, 9168
    - incidence, 8876, 9167, 9168
    - rhodesiense*, 8753
    - survey, 8876, 9167, 9168
- tsetse challenge to cattle, 8783, 8784

### **Zambia**

- Eastern Province
  - trypanosomiasis in cattle, 9125
  - tsetse control studies, 9125
- G. morsitans* in, 8999
- G. pallidipes* in, 8999
- Luangwa Valley
  - G. pallidipes* in, 8746
  - trypanosomiasis in goats, 9184
- trypanosomiasis, control, 8999
- tsetse control, 8999

tsetse distribution, 8997

### **Zimbabwe**

*G. morsitans* in, 8857

*G. m. morsitans* in, 8728, 8853, 9154

*G. pallidipes* in, 8728, 8853, 8857, 9151, 9154

spraying, ground, 9028

*T. congolense* isolates from, 9216

tsetse behaviour studies, 8728, 9019

tsetse control, 8992

    cattle treatment studies, 9151, 9157

    environmental impact, 8732, 8734, 9028

    game elimination, 8992

    spraying, 8732, 8734, 9028, 9154

    trapping, 8857, 9030, 9157

tsetse distribution, 8992

tsetse eradication, 8992

tsetse sampling studies, 8724

Zambezi fly belt, 8992

### **Zululand**

*G. austeni* in, 9152

*G. brevipalpis* in, 9152

trypanosomiasis

    in cattle, 9152

        historical aspects, 8844, 9152

    in livestock, 8985

tsetse control, 9152