

## **Africa**

### Central

- livestock production, 9530
- trypanotolerant cattle in, 9727
- research, 9723

### East

- livestock production, 9530
- tsetse control, 9406

### North

- livestock production, 9530

### Southern

- livestock production, 9530

### sub-Saharan

- trypanosomiasis, 9402
- control, modelling, 9265
- tsetse control, 9266

### tropical

- development, role of tsetse in, 9269

### trypanosomiasis, distribution

- effect of global warming on, 9662

### trypanotolerant livestock in, 9530

### tsetse distribution studies

- linear discriminant analysis, 9674
- NDVI analysis, 9674

### West

- livestock production, 9530
- productivity of N'Dama cattle, 9463
- trypanosomiasis control, modelling, 9265
- trypanotolerant cattle in, 9727
- research, 9723

## **aldrin**

- spraying, in Zimbabwe, 9557

## **Angola**

- trypanosomiasis in humans, prevalence, 9533

## **antibodies**

*see also* immune response

### anti-galactocerebroside auto

- in human trypanosomiasis, 9436

### antigen-specific, 9458, 9462

detection in diagnosis, 9335, 9430, 9436, 9451

### isotype-specific, 9458

### monoclonal

- characterisation, 9337

- in diagnostic testing, 9338, 9451

- production, 9338

- to isometamidium in mice, 9485

to invariable antigens, 9430

to variable antigens, 9430

trypanosome-specific, 9459

## **antigenic variation** 9685

in trypanosomes, 9570

*T. brucei*, 9532, 9635, 9761

*T. b. gambiense*, 9532

*T. congolense*, 9532

*T. evansi*, 9532

*T. vivax*

interaction with host immune system

modelling, 9470

### **antigens**

*see also* variant surface glycoprotein

circulating, detection, 9451, 9574, 9571

detection in diagnosis, 9454

invariable, 9430

surface expression *in vitro*, 9462

trypanosome, 9458, 9459

  congopain, 9459

  detection tests, 9335

  invariant

*T. congolense*, 9325, 9712

  33 kDa cysteine protease, 9459

  70 kDa hsp, 9459

  specific, in diagnosis, 9430, 9451

  VSG, 9459, 9570

  whole lysate, 9459

### **arsenicals**

treatment of human trypanosomiasis, 9535

### **attractants/attractiveness for tsetse**

*see also* baits, odour attractants

cattle, 9679

humans, 9680

pigs, 9680

### **baits**

*see also* attractants, odour attractants

human, 9680

pig, 9680

treated cattle, 9554

visual, 9554

### **barriers**

to reinvasion in tsetse-freed areas, 9417

### ***Beauveria bassiana***

biocontrol potential in tsetse, 9294

### **Benin**

trypanotolerant livestock in, 9705

### **Berenil** *see* diminazene aceturate

### **biting flies**

in Ethiopia, 9298

### **blood**

cattle

  detection of trypanosomes in, 9319

in human trypanosomiasis

  endotoxin levels, 9315

### **Botswana**

tsetse control

  bush clearing, 9399

  game management, 9399

  spraying, 9399

### **buffalo**

as host for tsetse, Kenya, 9681

### **Burkina Faso**

*G. fusca* in, 9550

*G. longipalpis* in, 9550

*G. morsitans* in, 9550

*G. m. submorsitans* in, 9279, 9280, 9291

*G. nigrofusca* in, 9550  
*G. pallicera* in, 9550  
*G. palpalis* in, 9550  
*G. p. gambiensis* in, 9291, 9304  
*G. tachinoides* in, 9279, 9280, 9550  
Sideradougou  
  trypanosomiasis in cattle  
    epidemiological monitoring, 9691  
    incidence, 9691  
  tsetse eradication programme, 9691  
Tabanidae in, 9279  
trypanosomiasis in cattle, 9308, 9574  
  control, 9291  
  monitoring, 9291  
tsetse  
  challenge to cattle, 9710  
  control, 9291, 9308  
  distribution studies, 9547, 9550  
  trapping studies, 9279, 9280, 9291

### **bushpig**

as host for tsetse, Kenya, 9681

### **camels**

*T. evansi* infection  
  diagnosis, 9454, 9469  
  in Kenya, 9454  
  pathology, 9692  
  prevalence, 9692  
  treatment, 9334, 9454, 9469, 9729  
*T. evansi* infection (exp.)  
  chemotherapeutic response, 9454  
trypanosomiasis, 9469  
  in Kenya, 9729  
  in Nigeria, 9692  
  in Somalia, 9448  
  in Sudan, 9334

### **Cameroon**

entomological survey, 9289  
*G. palpalis* in, 9289  
*G. tabaniformis* in, 9289  
man-fly contact, 9289  
tsetse trapping, 9289

### **cattle**

as host for tsetse, Kenya, 9681  
attractiveness for tsetse, 9679, 9710  
Baoulé  
  productivity, Côte d'Ivoire,  
    effect of tsetse control, 9702  
  trypanosome prevalence, Côte d'Ivoire, 9575  
  trypanotolerance, 9705, 9707, 9710  
    genetics of, 9725

### **Boran**

*T. congolense* infection, 9463  
*T. congolense* infection (exp.)  
  antibody response, 9711, 9712  
  anti-VSG, 9585  
  B lymphocyte response, 9583

- erythropoietic response, 9576
- immune response, 9458, 9712, 9713, 9714
- pharmacokinetics of <sup>14</sup>C homidium chloride, 9587
- T. vivax* infection (exp.)
  - diagnosis, 9461
  - effects on pregnancy, 9461
  - immune response, 9713
- crossbred
  - trypanosomiasis, prevalence, Nigeria, 9449
- crosses
  - N'Dama and Boran
    - in trypanotolerance studies, 9715, 9728
- defensive behaviour against tsetse, 9670
- Fulani Mbororo
  - trypanosomiasis, 9531
- Galana
  - T. vivax* infection (exp.)
    - effect on pregnancy, 9700
  - trypanosusceptibility, 9700, 9716, 9717
- Galana Boran
  - trypanosomiasis challenge, Kenya, 9716
  - tsetse challenge, Kenya, 9716
- Kuri
  - trypanosomiasis, prevalence, Nigeria, 9449
- Mbala
  - trypanosomiasis, prevalence, Nigeria, 9449
- Mbororo Zebu
  - treatment, insecticide, 9553
  - trypanosome infection rates, 9553
  - trypanosomiasis, Central African Republic, 9553
- Muturu
  - trypanosomiasis
    - in calves, 9450
    - in Nigeria, 9450
    - T. brucei* infection, 9450
    - T. congolense* infection, 9450
    - T. vivax* infection, 9450
  - trypanotolerance, 9450
- N'Dama
  - erythrocyte glutathione concentration, 9330
  - growth parameters, 9709
  - in Gambia, 9728
  - productivity
    - in Côte d'Ivoire, 9705
      - effect of tsetse control, 9702
    - in Gambia, 9722, 9726
    - in Ghana, 9705
    - in Mali, 9709, 9719
    - in West Africa, 9463
  - tick resistance, 9465
  - trypanoresistance, 9459
  - T. congolense* infection, 9708
  - T. congolense* infection (exp.)
    - antibody response, 9711, 9712
    - anti-VSG, 9585
    - B lymphocyte response, 9583
    - effect on tick population, 9331

- erythropoietic response, 9576
- immune response, 9458, 9459, 9712, 9713, 9714
- treatment, 9459
- T. vivax* infection, 9708
- T. vivax* infection (exp.)
  - immune response, 9713
- trypanosome infection
  - in Gambia, 9319
  - in Zaire, 9708
- trypanosome prevalence, Côte d'Ivoire, 9575
- trypanosomiasis, 9465
  - effect on semen quality, 9726
  - prevalence, Nigeria, 9450
- trypanotolerance, 9459, 9540, 9705, 9707, 9720
  - genetics of, 9707, 9708, 9709, 9715, 9725, 9728
  - heritability, 9707
  - indicators, 9708
  - links with performance, 9581
- Orma Boran
  - mixed infection, 9699
  - T. congolense* infection, 9699
  - T. vivax* infection, 9699
  - T. vivax* infection (exp.)
    - effect on pregnancy, 9700
  - trypanosome infection
    - effect on pregnancy, 9699
  - trypanosomiasis challenge, Kenya, 9716
  - trypanotolerance, 9699, 9700, 9716, 9717
  - tsetse challenge, Kenya, 9716
- treated, as tsetse baits, 9554
- treatment, 9467, 9716
  - diminazene, plasma concentrations, 9468
  - diminazene aceturate, 9717
  - insecticide, 9298
    - cypermethrin, 9296, 9422
    - deltamethrin, 9291, 9663
    - pour-on, 9291, 9296, 9298, 9422
- trypanoresistance, 9582
- T. brucei* infection, 9574
- T. congolense* infection, 9574
  - immune response, 9462
    - T-cell-mediated, 9325
- T. congolense* infection (exp.)
  - effect on erythropoietin concentrations, 9322
- T. vivax* infection, 9560, 9574
- T. vivax* infection (exp.)
  - effect on erythrocyte glutathione, 9579
  - effect on red blood cell count, 9579
- trypanosome infection, mixed, 9574
- trypanosome prevalence, Ethiopia, 9296
- trypanosomiasis, 9685
  - diagnosis, 9574, 9580
  - effect on antibody response to rinderpest vaccination, 9580
  - in Burkina Faso, 9574
  - in Central African Republic, 9531
  - in Côte d'Ivoire, 9575
  - control, 9467

- treatment, 9467
- in Ethiopia, 9298
- in Gambia, 9540
- in Uganda, 9580
- self-cure, 9717
- trypanosusceptible, 9458
  - in Côte d'Ivoire, 9720
  - in Nigeria, 9721
- trypanotolerance, 9401, 9450, 9458, 9459, 9530, 9540
  - genetics of, 9584, 9726, 9728
  - links with performance traits, 9581
- trypanotolerant, 9705
  - in Nigeria, 9721
  - in trypanosomiasis control, 9663, 9664
  - production, in Côte d'Ivoire, 9267
- Trypanozoon* isolates from, Nigeria, 9333
- tsetse control, impact on, 9268
- Wadara
  - trypanosomiasis, prevalence, Nigeria, 9449

**cattle** (cont.)

- West African Shorthorn
  - productivity, in Gambia, 9722
- White Fulani
  - T. vivax* infection, 9693
  - trypanosome infection rate, Nigeria, 9693
  - trypanosome prevalence, Nigeria, 9693
  - trypanosomiasis
    - prevalence, in Nigeria, 9449

**Zebu**

- attractiveness for tsetse, 9710
- crosses
  - productivity, Côte d'Ivoire
    - effect of tsetse control, 9702
  - trypanosome prevalence, Côte d'Ivoire, 9575
    - with trypanotolerant breeds, 9401, 9465
- erythrocyte glutathione concentration, 9330
- productivity, Gambia, 9722
- T. congolense* infection, 9308, 9718
- T. congolense* infection (exp.)
  - effect on tick population, 9331
- trypanosomiasis, 9401, 9465
  - effect on health and productivity, 9718
  - impact of tsetse control, 9324
    - in Central African Republic, 9302, 9324
    - in Ethiopia, 9718
  - incidence, Burkina Faso, 9691
  - treatment, 9324, 9718
- trypanosusceptibility, 9710, 9717, 9725
- trypanotolerance, 9717

**Central African Republic**

- G. f. fuscipes* in, 9302, 9324, 9552, 9553, 9560
- trypanosomiasis in cattle, 9302, 9324, 9531, 9553
- tsetse control, 9324, 9552, 9553

**central nervous system (CNS)**

- in trypanosomiasis
  - in humans, 9438, 9566, 9572
  - trypanosomes in, 9445

in mice

drug effects, 9352

**cerebrospinal fluid (CSF)**

in human trypanosomiasis, 9535

albumin in, 9683

antibodies in, 9436

cells in, 9314, 9441, 9443

drugs in, 9444, 9572

endotoxin levels, 9315

IgG levels, 9683

IgM levels, 9437, 9683

protein in, 9437, 9441, 9683

trypanosomes in, 9314, 9438, 9441, 9573, 9683

white blood cells in, 9572, 9573, 9683

in *T. b. rhodesiense*-infected monkeys

protein changes, 9482

white cell changes, 9482

**Chad**

*T. evansi* stocks from, 9342

**challenge**

needle, to cattle, 9710

trypanosome

homologous, re-challenge in cattle, 9711

in trypanotolerance studies, 9715

to cattle

in Burkina Faso, 9291

trypanotolerant, 9699

trypanosomiasis

in Côte d'Ivoire, 9305

to cattle

in Kenya, 9716

in West Africa, 9584

tsetse

relationship with trypanotolerance, 9706

to cattle

in Burkina Faso, 9710

in Gambia, 9722

in Nigeria, 9401

N'Dama

in West Africa, 9463

trypanotolerant

in Kenya, 9699, 9716

in Mali, 9706

**characterisation**

*see also* identification/detection

of trypanosomes

by hybridisation, 9309

by isoenzyme electrophoresis, 9764

by PCR, 9309

molecular, 9359

**chemotherapeutics** 9402

effects on trypanosomes of

mebazol, 9348

melatonin, 9343

agonist S-20098, 9343

2'-deoxy-2'-(3-methoxybenzamido) adenosine analogues, 9349

## **chemotherapy**

- combination, 9446, 9447
- for trypanosomiasis control, 9663
- in *T. brucei*-infected mice, 9612
- of trypanosomiasis
  - in animals, 9446
  - in humans, 9446

## **China**

- T. evansi* stocks from, 9342

## **chloroquine phosphate**

- combined with DFMO
- treatment of *T. b. brucei*-infected rats, 9483

## **Congo**

- Boko Songho
  - gambiense* trypanosomiasis in humans, 9314
- Bouenza focus, 9314
- Brazzaville
  - trypanosomiasis in humans, 9432, 9433, 9441
- trypanosomiasis in humans, 9436
  - gambiense*, 9567

## **control, trypanosomiasis**

- community participation, 9264, 9583, 9663
- co-ordinated, 9405
- costs, 9267, 9402, 9467, 9533, 9663, 9664, 9723
- ecological impact, 9723
- GIS in, 9265
- historical, 9408
- in Africa, sub-Saharan, 9402
- in Central African Republic, 9324
- in Côte d'Ivoire, 9267, 9467
- in Ethiopia, 9298
- in Mozambique, 9407
- in Togo, 9265, 9266
- in Uganda, 9311, 9442
- in Zaire, 9398
- integrated, 9264, 9324
- land use change, 9723
- modelling, 9561
- planning, 9265
- research, 9400, 9404
- satellite imagery in, 9265
- socio-economic benefits, 9266, 9723
- strategy, 9264, 9533
- sustainability, 9264
- trypanotolerant livestock in, 9267, 9663, 9664, 9704, 9723
- vaccine research, 9400
- vector control, 9263, 9266, 9291, 9297, 9298, 9324, 9398, 9400, 9419, 9533, 9535, 9540, 9556, 9561, 9575, 9663, 9702

## **control, tsetse** 9263, 9297, 9678

- bush clearance, 9399, 9406
- campaigns, 9266, 9324
- chitin synthesis inhibition, 9295
- community participation, 9266, 9533, 9554, 9556, 9663, 9676
- cost, 9422, 9533, 9552, 9554, 9663
- game management, 9399
- geographical information systems (GIS) in, 9403, 9535, 9548
- habitat destruction, 9540

- historical, 9408
- impact, 9268, 9293, 9297, 9324
  - on environment, 9419, 9420, 9423, 9424
  - on land use, 9403
- in Africa, sub-Saharan, 9266
- in Botswana, 9399
- in Burkina Faso, 9291, 9308
- in Central African Republic, 9324, 9552
- in Côte d'Ivoire, 9575, 9663, 9702
- in Ethiopia, 9268, 9296, 9298, 9422, 9663
- in Gambia, 9540, 9663
- in Kenya, 9409, 9556, 9663
- in Nigeria, 9266, 9401
- in Northern Rhodesia (historical), 9408
- in Togo, 9663
- in Uganda, 9672
- in Zaire, 9398, 9663
- in Zimbabwe, 9292, 9293, 9295, 9403, 9420, 9423, 9557
- insecticide
  - aldrin, 9557
  - cattle treatment, 9422, 9553, 9663, 9672
  - cypermethrin, 9296, 9419, 9422, 9575, 9702
  - DDT, 9292, 9293, 9419, 9420, 9423, 9424, 9557
  - deltamethrin, 9291, 9292, 9419, 9420, 9553, 9663
  - dieltrin, 9419, 9557
  - endosulfan, 9292, 9419, 9557
  - endrin, 9557
  - flumethrin, 9553
  - heptachlor, 9557
  - impregnated traps/targets/screens, 9292, 9398, 9533, 9575, 9672, 9702
  - pour-on, 9291, 9296, 9298, 9422, 9553
  - pyrethroid, 9291, 9419
  - spot-on, 9553
  - spraying, 9293, 9399, 9420, 9557
    - aerial, 9292
    - ground, 9292, 9420, 9423, 9424
- integrated, 9264, 9266
- modelling, 9417
- recent developments, 9676
- remote sensing, 9548
- satellite imagery in, 9403
- screens, 9663
  - impregnated, 9533
- socio-economics, 9403
- spraying, 9293, 9297, 9399, 9557, 9561
  - aerial, 9292, 9663
  - ground, 9292, 9420, 9423, 9424, 9663, 9676
- sterile insect technique, 9299, 9300, 9663
- strategy, 9266, 9398
- sustainability, 9264, 9266
- targets, 9297, 9554
  - insecticide-treated, 9292
  - triflumuron-treated, 9292
- traps, 9324, 9409, 9421, 9533, 9535, 9548, 9552, 9561, 9663
- control, tsetse** (cont.)
- traps (cont.)
  - biconical, 9554, 9575

Challier-Laveissière, 9554  
insecticide-impregnated, 9533, 9575, 9702  
monopyramidal, 9539  
odour-baited, 9556

## **Côte d'Ivoire**

Daloa

*G. p. palpalis* in  
trapping experiments, 9680  
trypanosomiasis in humans, 9433  
*G. fusca* in, 9550  
*G. longipalpis* in, 9309, 9550  
*G. medicorum* in, 9550  
*G. morsitans* in, 9550  
*G. nigrofusca* in, 9305, 9550  
*G. pallicera* in, 9305, 9550  
*G. palpalis* in, 9305, 9550  
*G. tachinoides* in, 9550  
*T. brucei* populations from, 9744  
trypanosome prevalence, 9305  
in cattle, 9720  
trypanosomiasis  
control, 9663, 9664, 9702  
in cattle  
control, 9467  
in humans, 9436, 9684  
*gambiense*, 9313, 9564  
in livestock, 9539, 9575  
risk to cattle, 9267  
trypanotolerant cattle production, 9267  
trypanotolerant livestock in, 9663, 9664, 9705, 9720  
tsetse control, 9663, 9702  
effect on livestock productivity, 9702  
trapping  
effect on trypanosome prevalence in livestock, 9575  
tsetse distribution studies, 9547, 9550

## **culture**

*see also in vitro* studies

*T. brucei*, 9532  
*T. b. gambiense*, 9532  
*T. congolense*, 9532  
*T. evansi*, 9532

## **Cymelarsan**

efficacy  
in *T. b. brucei*-infected mice, 9489  
evaluation  
in *T. evansi*-infected camels, 9454, 9469  
resistance  
in *T. evansi*, 9519  
treatment of trypanosomiasis in camels, 9334

## **cypermethrin**

in tsetse control  
environmental impact, 9419  
impregnated traps, 9702  
biconical, 9575  
pour-on, 9296  
cattle treatment, 9296, 9422

## **DDT**

- dynamics, modelling, 9292
- in tsetse control
  - environmental impact, 9419, 9423
- spraying
  - effect on non-target organisms, 9420, 9423, 9424
  - environmental impact, 9292, 9293
  - ground, 9420, 9423, 9424
  - in Zimbabwe, 9292, 9293, 9420, 9423, 9424, 9557

## **deltamethrin**

- as alternative to DDT, 9420
- cattle treatment, 9663
  - pour-on, 9291
  - spot-on
    - impact on tsetse density, 9553
- impregnated targets, 9292
- in tsetse control
  - environmental impact, 9419

## **detection techniques**

- for trypanosomes
  - branched DNA-based, 9589
  - DNA amplification, 9305, 9308, 9592
  - dot-ELISA, 9336, 9339, 9559
  - microscopic examination, 9303, 9305, 9309
  - PCR, 9305, 9308, 9309
    - amplified mini-exon repeat hybridisation, 9590
  - tsetse salivation, 9303, 9304

## **DFMO** *see* difluoromethylornithine

## **diagnosis** 9688

- comparison of techniques, 9319, 9430, 9454, 9469, 9563, 9564, 9691
- evaluation of techniques, 9319, 9341, 9454, 9469, 9559, 9564, 9574, 9691
- field, 9451, 9454, 9564, 9691
- of animal trypanosomiasis, 9318, 9319, 9320, 9451, 9454, 9469, 9574, 9577, 9580, 9693, 9698, 9703
- of human trypanosomiasis, 9263, 9311, 9312, 9317, 9341, 9398, 9430, 9431, 9437, 9442, 9533, 9535, 9562, 9563, 9564, 9573, 9682, 9683
- parasitological, 9303, 9304, 9311, 9319, 9430, 9437, 9451, 9454, 9469, 9533, 9563, 9577, 9580, 9683, 9691
- serological, 9311, 9318, 9320, 9341, 9430, 9451, 9454, 9469, 9533, 9535, 9574, 9682, 9683, 9688, 9691

## **diagnostic techniques**

- antibody detection, 9430, 9469
- antigen detection, 9469
- blood smear, 9437, 9580
- buffy coat, 9319, 9563, 9574, 9682, 9691, 9729
- CATT, 9311, 9430, 9563, 9564
- CSF examination, 9683
- dark ground/phase contrast, 9711
- direct agglutination, 9430
- ELISA, 9335, 9430
  - Ab-, 9469
  - Ag-, 9469
  - antigen capture, 9451
  - antigen detection, 9318, 9574, 9691, 9707
  - dot-, 9336, 9338, 9559
    - membrane-based, 9339
- haemolytic detergent, 9319

HCT, 9452, 9711  
  micro-, 9453, 9454, 9469  
immune lysis, 9430  
immunofluorescence, 9430  
indirect haemagglutination, 9430  
KIVI, 9564  
  mini-, 9564  
m-AECT, 9562, 9563, 9564  
microscopic examination, 9303, 9563  
mouse inoculation, 9320, 9454, 9469, 9729  
sodium dodecylsulphate (SDS) centrifugation, 9319  
Suratex, 9454  
thin film, stained, 9452  
variant specific trypanolysis, 9341  
wet film, 9452, 9577

**diamidine**

resistance  
  in *T. equiperdum*, 9367  
uptake  
  by *T. b. brucei*, 9371

**dieldrin**

in tsetse control  
  environmental impact, 9419  
  in Uganda, 9677  
  residues in human milk, 9677  
  spraying, Zimbabwe, 9557

**difluoromethylornithine (DFMO)**

cost, 9443, 9447  
pharmacokinetics, 9447  
resistance, in *T. b. rhodesiense*, 9351  
toxicity, 9447  
treatment  
  of *T. b. brucei*-infected rats  
    combined with chloroquine phosphate, 9483  
  of trypanosomiasis  
    in humans, 9317, 9441, 9443, 9445, 9446, 9447, 9535, 9571, 9573  
    combined with melarsoprol, 9573  
    efficacy, 9443, 9447  
    tolerance, 9443

**dimercaprol**

treatment of human trypanosomiasis, 9437

**diminazene**

cost, 9447  
liposomal  
  efficacy in *T. evansi*-infected mice, 9491  
pharmacokinetics, 9447  
  in goats, 9586  
resistance  
  in *T. congolense*-infected mice, 9619  
toxicity, 9447  
treatment  
  of human trypanosomiasis, 9447  
    combined with suramin, 9572  
    efficacy, 9447  
  of *T. evansi*-infected mice, 9739

**diminazene aceturate**

concentration in rat brain, 9357

- effects in *T. brucei*, 9355
- effects on polyamine metabolism in rat hepatocytes, 9479
- resistance
  - in *T. congolense*, 9353
- sensitivity
  - in *Trypanozoon* stocks, 9333
- toxic effects of multiple doses in rats, 9484
- treatment
  - in cattle, 9717, 9718
  - in *T. brucei*-infected rats, 9487
  - in *T. b. brucei*-infected dogs, 9451, 9696
  - in *T. b. gambiense*-infected mice, 9513
  - of trypanosome-infected pigs, 9629
  - of trypanosomiasis in dogs, 9577

## DNA

- amplification by PCR, 9426
- c, products, *T. b. brucei*, 9646
- chromosomal, 9426
- d-nucleoside, modified, *T. brucei*, 9661
- exogenous, targeting into *T. brucei*, 9632
- fingerprinting, 9426
- probes
  - for trypanosome identification, 9426, 9562, 9629
- random amplified polymorphic
  - in trypanosome identification, 9426
- rearrangements, *T. brucei*, 9647
- repetitive sequences
  - for trypanosome identification, 9426
  - specific, for *T. godfreyi*, 9511
- trypanosome
  - amplification for detection
    - T. brucei*, 9592
    - T. equiperdum*, 9592
    - T. evansi*, 9592

## DNA (cont.)

- trypanosome (cont.)
  - complementary
    - expressed sequence tags, *T. b. rhodesiense*, 9375
  - kinetoplast maxicircle
    - replication, *T. brucei*, 9370
  - kinetoplast, minicircle
    - T. b. gambiense*, 9562
  - polymorphic, 9743
  - probes
    - hybridisation, 9562, 9629
    - type-specific, 9309
  - sequence homology, *T. equiperdum*, 9759
  - T. brucei*, 9764
  - T. brucei* spp., detection technique, 9589
- tsetse
  - amplification by PCR, 9305

## dog

- splenectomised
  - T. b. brucei* infection (exp.)
    - diagnosis, 9451
    - treatment, 9451, 9696
- T. brucei* infection (exp.)

- leucocyte response, 9329
- thrombocyte response, 9329
- T. b. brucei* infection, 9489
  - diagnosis, 9703
  - treatment, 9703
- T. b. brucei* infection (exp.)
  - effect of splenectomy, 9696
  - treatment, 9696
  - trypanosomiasis, 9696
- T. b. gambiense* infection, 9562
- T. evansi* infection, 9577
- trypanosomiasis, 9703
  - diagnosis, 9577
  - in India, 9577
  - treatment, 9577

#### **domestic animals**

- trypanosome infections, Zaire
  - T. brucei*, 9562
  - T. b. gambiense*, 9562
  - T. congolense*, 9562

#### **drugs**

- combinations, 9483
  - diminazene and suramin, 9572
  - melarsoprol
    - and DFMO, 9573
    - and megalol, 9612
    - and pentamidine, 9573
    - and suramin, 9573
  - pentamidine and suramin, 9572
  - therapy in human trypanosomiasis, 9571, 9572
- costs, 9663
- design, 9350
- pharmacokinetics
  - DFMO, 9447
  - diminazene, 9447, 9586
  - <sup>14</sup>C homidium chloride, 9587
  - melarsoprol, 9443, 9447
  - nifurtimox, 9447
  - pentamidine, 9444, 9447
  - suramin, 9447
- resistance, 9291, 9296, 9532
  - Cymelarsan, 9519
  - DFMO, 9351
  - diamidine, 9367
  - diminazene, 9619
  - diminazene aceturate, 9353, 9357, 9718
  - in humans, 9443
  - in *T. brucei*, 9488
  - in *T. congolense*-infected mice, 9619
  - in *T. evansi*, 9477, 9519, 9741
  - in *Trypanozoon* stocks, 9333
  - melarsen, 9371
  - MelCy, 9488
  - quinapyramine sulphate, 9729
  - suramin, 9356, 9488, 9729, 9741
- screening, 9354, 9617
- side effects

- melarsoprol, 9442, 9445, 9689
- pentamidine, 9444
- slow release devices, 9613
- toxicity
  - quinapyramine sulphate-quinapyramine chloride, 9740
- trypanocidal
  - arsenicals, 9535
  - chloroquine phosphate, 9383
  - Cymelarsan, 9334, 9454, 9469, 9489, 9519
  - DFMO, 9317, 9351, 9441, 9443, 9445, 9446, 9447, 9483, 9535, 9571, 9573
  - diamidine, 9367, 9371
  - dimercaprol, 9437
  - diminazene, 9447, 9468, 9491, 9572, 9586, 9619, 9739
  - diminazene aceturate, 9333, 9353, 9355, 9451, 9479, 9484, 9487, 9513, 9577, 9629, 9696, 9717, 9718
  - homidium bromide, 9613
  - homidium chloride, 9587
  - IMOL 881, 9443
  - isometamidium, 9332, 9485, 9613, 9620, 9703
  - isometamidium chloride, 9333, 9358, 9580
  - megazol, 9609, 9612
  - melarsen, 9371
  - melarsomine, 9729
  - melarsoprol, 9347, 9433, 9434, 9437, 9438, 9442, 9443, 9445, 9447, 9535, 9566, 9573, 9612, 9689
  - MelCy, 9488
  - MLD 73811, 9443
  - nifurtimox, 9447
  - nitroimidazoles, 9535, 9571, 9612, 9690
  - pentamidine, 9355, 9443, 9444, 9447, 9481, 9535, 9572, 9573, 9625
  - quinapyramine chloride, 9740
  - quinapyramine sulphate, 9729, 9740
  - spiroarsoranes, 9615
  - suramin, 9352, 9356, 9437, 9443, 9447, 9488, 9572, 9573, 9690, 9703, 9729, 9739, 9741
  - Trypan, 9454

**eflornithine** *see* difluoromethylornithine

**endosulfan**

- aerial spraying, 9292
- in tsetse control
  - environmental impact, 9419
  - spraying, Zimbabwe, 9557

**endrin**

- spraying, in Zimbabwe, 9557

**environment**

- effects of insecticides on non-target organisms, 9292, 9293
- factors in trypanosomiasis resurgence, 9405
- factors in tsetse control, 9266
- impact of insecticides
  - residues in human milk, Uganda, 9677
- impact of tsetse control operations, 9293, 9297, 9403, 9419, 9420
- monitoring, 9297

**epidemics**

- of human trypanosomiasis
  - in Sudan, 9404
  - in Uganda, 9404, 9534, 9536, 9537
  - in Zaire, 9404

origins, 9400

**epidemiological monitoring**

of bovine trypanosomiasis, 9691

**epidemiology**

of nagana, in Central African Republic, 9302

of *T. vivax* infection

in Central African Republic, 9560

of trypanosome infections in tsetse, 9400

of trypanosomiasis, 9400

in animals, 9669

in cattle, Kenya, 9717

in humans, 9263, 9398, 9533

**Equatorial Guinea**

trypanosomiasis in humans, *gambiense*

Luba focus, 9573

***Escherichia coli***

expression in

of *T. b. brucei* glycerol-3-phosphate dehydrogenase, 9643

of *T. vivax* antigen, 9340

**Ethiopia**

Gambella

*G. fuscipes* in, 9285

*G. m. ugandensis* in, 9285

*G. pallidipes* in, 9285

*G. tachinoides* in, 9285

trypanosomiasis in humans, 9285

tsetse survey, 9285

tsetse trapping, 9285

Ghibe Valley

*G. fuscipes* in, 9422

*G. morsitans* in, 9422

*G. pallidipes* in, 9422

trypanosomiasis in cattle, 9718

prevalence, 9422

risk, 9718

tsetse control

by cattle treatment, 9422

south-western

*G. f. fuscipes* in, 9296

*G. m. submorsitans* in, 9296

*G. pallidipes* in, 9296

trypanosome prevalence in cattle, 9296

trypanosomiasis in cattle, 9298

tsetse control, 9296, 9298

tsetse population monitoring, 9296

trypanosomiasis control, 9663

trypanotolerant livestock in, 9663

tsetse control, 9663

western

Didessa Valley

cattle production, 9268

tsetse control, 9268

**flumethrin**

pour-on cattle treatment

impact on tsetse density, 9553

**fly belt**

Middle Belt zone, southern Nigeria, 9320  
Mumbwa, Zambia, 9307  
Singida, Tanzania, 9307

**Gambia, The**

productivity of N'Dama cattle, 9722, 9726  
trypanosomiasis  
  control, 9663, 9664  
  in N'Dama cattle, 9319  
  risk to cattle, 9331  
trypanotolerant cattle in, 9581  
trypanotolerant livestock in, 9663, 9664, 9720  
tsetse  
  challenge to cattle, 9722, 9726  
  control, 9663  
  distribution, 9726  
  numbers, 9726

**gene/s**

*see also* RNA

in trypanosomes  
  adenylate cyclase, 9764  
  elongation factor-1 $\alpha$ , 9779  
  *esag* 8, 9768  
  glucose transporter, 9630  
  glutamic acid/alanine-rich protein, 9360  
  hsp60, 9369  
  hsp70, 9385  
  isolation, 9764  
  PARP, 9755  
  protein coding, 9626  
  thymidine kinase, 9659  
  VSG, 9377, 9628, 9637, 9647, 9759, 9780, 9781  
in tsetse  
  mapping, 9272  
  marker, 9272  
  X-linked, 9306

**genetic/s**

of resistance, 9685  
  expression, 9710  
  in mice, 9344  
of trypanotolerance, 9581, 9582, 9584, 9707, 9708, 9715, 9726, 9727  
  characterisation, 9710, 9715, 9724, 9725, 9727  
  criteria for selection, 9709, 9726, 9727  
  expression of resistance, 9710  
  gene mapping, 9715  
  genes, 9707, 9715, 9725, 9727, 9728  
  heritability, 9707  
  markers, 9707, 9715  
  selection, 9707, 9726, 9727  
  variation, 9707  
trypanosome  
  editing, deletion, 9500  
  endonuclease, cleavage, 9756  
  exchange, 9503  
  exonuclease, terminal U, 9756  
  gene expression, 9377, 9512, 9755, 9779, 9781

- gene I family, expression site-associated, 9512
- gene regulation, 9745
- gene transcription, 9385, 9495, 9504, 9755
- gene transcriptional regulation, 9377
- genomes, 9508, 9743
- genomic organisation, 9779
- genotypes, 9744
- heterogeneity, 9743
- mini-chromosomes, artificial, 9386
  - linear, 9516
- mutagenesis, 9659
- phylogeny, 9494
- ribosomal DNA promoter, 9393
- RNA editing, 9517, 9518, 9521
- sequence divergence in VSG genes, 9637
- telomere exchange, 9780
- telomeric GGGTTA repeats, 9766
- telomeric locus, 9379
- transferrin receptor, 9781
- trans*-spliceosomes, 9758
- tsetse
  - allele frequency, 9307
  - autosomes, 9307, 9543
  - chromosomes, X, 9272, 9543
  - eye colour mutants, 9272, 9543
  - gene mapping, 9272
  - genes, marker, 9272
  - genome
    - biochemical markers, 9410
    - molecular markers, 9410
  - hybridisation, 9307
  - linkage groups, designation, 9272
  - loci, 9307
  - of refractoriness, 9542
  - of susceptibility, 9542
  - variation, 9307

### **geographical information systems (GIS)**

- in assessment of impact of tsetse control, 9403
- in trypanosomiasis control, 9265
- in tsetse control, 9535, 9548
- on tsetse and agriculture, 9266

### **Ghana**

- trypanotolerant livestock productivity, 9705

### ***Glossina***

- behaviour
  - bait-orientated, 9554
  - biting, 9668
  - feeding preference, 9706
  - flight, upwind, 9675
  - host detection, 9413
  - host discrimination, 9413
  - host location, 9681
  - host searching, 9675
  - landing response, 9413
  - mating, 9668
  - odour source location, 9281
  - response to odour, 9413, 9675

- trap-orientated, 9556
- visual response, 9413
- biology, 9400, 9668
  - age, physiological, 9287
  - fossil, 9666
  - growth rate, 9287
  - hosts, 9668
  - identification, 9668
  - lectin activity, carbohydrate inhibition, 9415
  - life cycle, 9287, 9668
  - pupa, life span, 9287
  - rearing, 9668
    - mass, 9287
  - receptor systems, 9282
  - refractoriness, 9411, 9415
  - RLOs, 9411, 9415
  - structure, 9668
  - symbionts, 9415
    - effect on trypanosome infections, 9411
  - T. brucei* infection, 9339
  - T. congolense* infection, 9339
  - T. simiae* infection, 9339
  - T. vivax* infection, 9339
  - trypanosome infection, 9400, 9415, 9426
    - detection, 9336
    - experimental
      - detection, 9339
    - maturation, 9415, 9411
    - midgut, 9426
      - experimental, 9339
    - mouthpart, 9426
      - experimental, 9339
      - salivary gland, 9339
    - rate, 9706
      - in Gambia, 9726
      - in Senegal, 9726
- control, 9263, 9264, 9297, 9400, 9406, 9419, 9540, 9554, 9668
  - in Botswana, 9399
  - in Burkina Faso, 9291, 9308
  - in Central African Republic, 9323, 9552, 9553
  - in Côte d'Ivoire, 9575, 9663, 9702
  - in Ethiopia, 9268, 9296, 9422, 9663
  - in Gambia, 9663
  - in Kenya, 9409, 9421, 9556, 9663
  - in Nigeria, 9266, 9401
  - in Togo, 9663
  - in Uganda, 9672
  - in Zaire, 9398, 9663
  - in Zimbabwe, 9292, 9293, 9295, 9403, 9420, 9423, 9557
  - modelling, 9417
  - trapping, 9413, 9421, 9673
- ecology
  - abundance
    - in Burkina Faso, 9550
    - in Côte d'Ivoire, 9550
  - adult survival, 9287
  - birth rate, 9417

- contact with cattle, 9726
- death rate, 9417
- dispersal, 9668
- distribution, 9668
  - in Burkina Faso, 9547, 9550
  - in Côte d'Ivoire, 9547, 9550
  - in Gambia, 9726
  - in Senegal, 9726
  - vertical, 9673
- habitats, 9283
- movements, 9668
  - modelling, 9556
- populations
  - dynamics, 9547
    - modelling, 9287, 9556
  - sampling, 9285
  - spatial spread, modelling, 9417
- pupal survival, 9287
- resting sites, 9404
- role in development of tropical Africa, 9269
- genetics
  - genome, 9410
    - biochemical markers, 9410
    - molecular markers, 9410
  - autosomes, 9543
  - chromosomes, X, 9543
  - eye colour mutants, 9543
  - of refractoriness, 9542
  - of susceptibility, 9542
- in Rwanda, 9673
- in Zimbabwe, 9673
- taxonomy, classification, 9668

**G. austeni**

- endosymbionts
  - 16S ribosomal DNA sequences, 9271
- host location, 9681
- in Kenya, 9681
- in Zanzibar, 9551
- mycetocytes, 9271
- mycetome, 9271
- population monitoring, 9551
- trapping, 9551, 9681

**G. brevivalpis**

- effects of radiation
  - on fecundity, 9425
  - on life span, 9425
  - on reproduction, 9425
- endosymbionts
  - 16S ribosomal DNA sequences, 9271
- feeding, 9427
- host location, 9681
- in Kenya, 9681
- mycetocytes, 9271
- mycetome, 9271
- response to odour, 9427
- trapping, 9681

***G. fusca***

- distribution and abundance
  - in Burkina Faso, 9550
  - in Côte d'Ivoire, 9550

***G. fuscipes***

- control, 9422
- in Ethiopia, 9285, 9422

***G. fuscipes fuscipes***

- antennae, olfactory cells, 9413
- control, 9552, 9553, 9555, 9672
  - insecticide, 9296
- distribution, in Uganda, 9672
- effects of radiation
  - on fecundity, 9425
  - on life span, 9425
  - on reproduction, 9425
- emergence, 9555
- feeding behaviour, 9412
- feeding state, 9672
- flight, 9555
- habitats, 9672
- in Central African Republic, 9302, 9324, 9552, 9553, 9560
- in Ethiopia, 9296
- in Kenya, 9416
- in Uganda, 9672
- legs, taste hairs on, 9412
- mating scar patterns, 9276
- ovaries, 9672
- population structure, 9672
- probing, 9555
- proboscis, 9412
- response to neem, 9555
- response to odour, 9413, 9416
- response to traps, 9416
- sense organs, 9412, 9413
- taste response, 9412
- transmission of *T. vivax*, 9560
- trapping, 9324, 9552
  - field studies, 9416
- uterus, 9672
- visual response, 9413
- wing fray, 9672

***G. longipalpis***

- distribution and abundance
  - in Burkina Faso, 9550
  - in Côte d'Ivoire, 9550
- in Côte d'Ivoire, 9309, 9550
- Nannomonas* infections, 9309
- response to odour, 9288
- trapping, 9288
- T. congolense* infection, 9309
- T. simiae* infection, 9309
- T. vivax* infection, 9309
- Trypanozoon* infections, 9309

***G. longipennis***

- feeding, 9427
- host location, 9681

in Kenya, 9427, 9559, 9681  
midgut infection, 9559  
response to odour, 9427  
trapping, 9427, 9681  
*T. congolense* infection, 9559

***G. medicorum***

distribution and abundance  
in Burkina Faso, 9550  
in Côte d'Ivoire, 9550  
response to odour, 9288  
trapping, 9288

***G. morsitans***

control, 9422, 9554  
distribution and abundance  
in Burkina Faso, 9550  
in Côte d'Ivoire, 9550  
distribution in Africa, 9674  
effect of global warming, 9662  
eclosion, 9278  
habitats, 9554  
hosts, 9549  
in Burkina Faso, 9550  
in Côte d'Ivoire, 9550  
in Ethiopia, 9422  
in Kenya, 9674  
in Tanzania, 9674  
in Uganda, 9549  
in Zimbabwe, 9674  
pupariation, 9278  
spread, Uganda, 9549  
visual motion detection, 9665

***G. morsitans centralis***

feeding, 9427  
genetic/s  
allele frequency, 9307  
autosomes, 9307  
enzyme electrophoresis, 9307  
hybridisation, 9307  
inter-colony fertility, 9307  
loci, 9307  
variation, 9307  
in Tanzania, 9307  
in Zambia, 9307  
larviposition, 9670  
pheromones, larval, 9670  
pupae, 9670  
response to odour, 9427  
susceptibility to infection, 9307  
*T. b. brucei* infection, 9307  
*T. congolense* infection, 9307  
*T. vivax* infection, 9307  
vectorial competence, 9307

***G. morsitans morsitans***

abortion, 9295  
age, 9282  
behaviour  
landing, 9286

- probing, 9292
- bloodmeals, 9306
- breeding sites, 9294
- egg phase, 9273
- endosymbionts
  - 16S ribosomal DNA sequences, 9271
- genetics
  - eye colour mutants, 9543
  - reciprocal crosses, 9543
  - X-linked gene(s), 9306
- glomerular basement membrane, 9414
- head capsule, pteridine content, 9543
- in trypanosome transmission (exp.), 9461
- in Zambia, 9418
- in Zimbabwe, 9273, 9286, 9290, 9546
- larval phase, 9273
- larviposition, 9670
- lectin binding, 9414
- Malpighian tubules, 9667
- midgut infection, 9306
- mycetocytes, 9271
- mycetome, 9271
- pathogenic effects
  - of *Beauveria bassiana*, 9294
  - of *Metarhizium anisopliae*, 9294
- peritrophic matrix, 9414
- pheromones, larval, 9670
- pregnancy, 9273
- proboscis, 9282
- pupae, 9294, 9670
- reproduction
  - effects of triflumuron, 9295
- reproductive cycles, 9295
- response to odour, 9286, 9290, 9546, 9554
- salivary gland extract
  - human coagulation protease thrombin inhibitor, 9541
- salivary gland infection, 9306, 9310
- salivation, 9282, 9303, 9304
- sex, 9282
- starvation, effects, 9282
- transmission, cyclical, of *T. vivax* (exp.), 9700
- trapping, 9286, 9290, 9418, 9546
- T. brucei* infection, 9361
- T. b. rhodesiense* infection, 9310
- T. congolense* infection
  - detection, 9304
  - experimental, 9282
  - trypanosome ejection, 9303
- trypanosome-binding proteins, 9558
- trypanosome infection, 9282
- Trypanozoon* isolates from, 9306, 9310
- vectorial capacity, 9303, 9306
- G. morsitans submorsitans***
  - control, insecticide, 9291, 9296
  - in Burkina Faso, 9279, 9280, 9291
  - in Ethiopia, 9296
  - in Mali, 9719

trapping, 9279, 9280, 9291

**G. morsitans ugadensis**  
population decline, Ethiopia, 9285

**G. nigrofusca**  
distribution and abundance  
    in Burkina Faso, 9550  
    in Côte d'Ivoire, 9550  
in Côte d'Ivoire, 9305  
trypanosome infection, 9305

**G. pallicera**  
distribution and abundance  
    in Burkina Faso, 9550  
    in Côte d'Ivoire, 9550  
in Burkina Faso, 9550  
in Côte d'Ivoire, 9305, 9550  
trypanosome infection, 9305

**G. pallidipes**  
activity peaks, 9273  
age, 9540  
behaviour, target-orientated, 9546  
bloodmeals, 9301, 9428, 9679  
    effect of host PCV, 9301  
control, 9422  
    insecticide, 9296  
density, Kenya, 9548  
distribution studies, Kenya, 9548  
effects of 4-methylene-L-proline, 9275  
egg phase, 9273  
emergence, 9544  
fat content, 9546, 9679  
feeding success, 9679  
flight, 9546  
    direction, 9281  
haematin content, 9301  
host location, 9681  
in Ethiopia, 9285, 9296, 9422  
in Kenya, 9281, 9427, 9428, 9548, 9559, 9629, 9679, 9681, 9699  
in Zambia, 9418  
in Zimbabwe, 9273, 9281, 9284, 9286, 9290, 9429, 9546  
larval phase, 9273  
midgut infection, 9429, 9559  
*Nannomonas* infection, 9429, 9629  
nutritional state, 9679  
odour source location, 9284  
ovarian development, pupal  
    effect of temperature, 9544, 9545  
parturition, 9273  
populations, allopatric, 9428  
pregnancy, 9273, 9546  
proline dehydrogenase inhibition, 9275  
pupa, 9544, 9545  
response to odour, 9281, 9284, 9286, 9290, 9546, 9554  
salivary gland infection, 9428  
susceptibility to infection, 9428  
trapping, 9273, 9281, 9286, 9290, 9418, 8427, 9429, 9546, 9548, 9681

**G. pallidipes** (cont.)  
*T. b. brucei* infection (exp.)

- infection rate, 9428
- maturation rate, 9428
- T. congolense* infection, 9429, 9559
- T. godfreyi* infection, 9429
- T. simiae* infection, 9429
- G. palpalis***
  - bloodmeals, 9274, 9671
  - control, 9554
  - distribution and abundance
    - in Burkina Faso, 9550
    - in Côte d'Ivoire, 9550
  - fat content, 9274, 9671
  - feeding, 9274
    - cycle, 9671
  - flight, 9274, 9671
  - habitats, 9554
    - in Burkina Faso, 9550
    - in Cameroon, 9289
    - in Côte d'Ivoire, 9305, 9550
    - in Nigeria, 9693
  - larviposition, 9671
  - mate seeking, 9274
  - mortality risk, 9274
  - nutritional status, 9693
  - trapping, 9289
  - trypanosome infection, 9305
- G. palpalis gambiensis***
  - age, 9282
  - bloodmeals, 9291
  - control, insecticide, 9291
  - hosts, monitor lizard, 9291
  - in Burkina Faso, 9291, 9304
  - in Mali, 9719
  - probing behaviour, 9282
  - proboscis, 9282
  - salivation, 9282, 9304
  - starvation effects, 9282
  - trapping, 9291
  - T. congolense* infection
    - detection, 9304
    - experimental, 9282
  - trypanosome-binding proteins, 9558
  - trypanosome infection
    - effect on probing behaviour, 9282
- G. palpalis palpalis***
  - abortion, 9270
  - attractants, 9680
  - endosymbionts, 9277
    - 16S ribosomal DNA sequences, 9271
  - enzymes, 9272
  - fecundity, 9270
  - genetics
    - chromosome, X
      - loci for enzymes, 9272
      - loci for eye colour mutants, 9272
    - eye colour mutants, 9272, 9543
    - gene mapping, 9272

- linkage groups, designation, 9272
- marker genes, 9272
- head capsule, pteridine content, 9543
- in Côte d'Ivoire, 9680
- in Nigeria, 9673
- in Zaire, 9304
- larvae, 9270
- mating scar pattern, 9276
- mycetocytes, 9271
- mycetome, 9271, 9277
- pregnancy, 9270
- pupariation, 9270
- reproductive disorders, 9270
- resting, 9673
- RLOs
  - in midgut, 9277
  - in salivary gland, 9277
    - non-hypertrophied, 9277
- salivation, 9304
- trapping, 9680
- T. congolense* infection
  - detection, 9304
- G. tabaniformis***
  - in Cameroon, 9289
  - trapping, 9289
- G. tachinoides***
  - age, 9282
  - ageing, 9669
  - distribution and abundance
    - in Burkina Faso, 9550
    - in Côte d'Ivoire, 9550
  - eclosion
    - effect of radiation on, 9300
  - effects of radiation
    - on eclosion, 9300
    - on fecundity, 9425
    - on life span, 9425
    - on pupae, 9299, 9300
    - on reproduction, 9300, 9425
  - endosymbionts
    - 16S ribosomal DNA sequences, 9271
  - in Burkina Faso, 9279, 9280, 9550
  - in Côte d'Ivoire, 9550
  - in Ethiopia, 9285
  - in Mali, 9719
  - in Nigeria, 9693
  - mycetocytes, 9271
  - mycetome, 9271
  - nutritional status, 9693
  - probing behaviour, 9282
    - effect of starvation, 9282
    - effect of trypanosome infection, 9282
  - proboscis, 9282
  - pupae
    - effect of radiation on, 9299, 9300
  - reproduction
    - effect of radiation, 9300

- response to odour, 9288
- salivation, 9282
- sex, 9282
- starvation
  - effect on probing behaviour, 9282
- sterilisation, 9299, 9300
- sterility, 9299, 9300
- trapping, 9279, 9280, 9288
- T. congolense* infection
  - experimental, 9282
- trypanosome infection
  - effect on probing behaviour, 9282
- wing, 9669

## goats

- aqueous washings as tsetse bait, 9416
- East Africa  $\exists$  Galla
  - plasma and lymph
    - pharmacokinetics of diminazene in, 9586
  - in tsetse infection studies, 9428
  - T. brucei* infection, 9452, 9694
  - T. congolense* infection, 9452
  - T. vivax* infection, 9452, 9694
  - trypanosome infection rate, Uganda, 9694
  - trypanosome prevalence, Nigeria, 9452
  - trypanosomiasis prevalence, Nigeria, 9452
  - trypanotolerance, 9530
  - Trypanozoon* infections
    - drug resistance, 9333
- West African Dwarf
  - T. vivax* infection (exp.)
    - effect at different levels of food intake
      - on energy, 9695
      - on hormones, 9695
      - on nitrogen metabolism, 9695
      - on serum metabolites, 9695
    - effect on energy requirement, 9455
    - effect on fat metabolism, 9578

## heptachlor

- spraying, in Zimbabwe, 9557

## high density lipoproteins (HDL)

- human
  - particle accumulation by trypanosomes, 9387
  - trypanolytic activity, 9736
  - trypanolytic factor, 9316
- independent lysis of *T. b. brucei*, 9599, 9600
- lysis of trypanosomes, 9599

## homidium bromide

- prophylaxis
  - in *T. congolense*-infected rabbits, 9613

## homidium chloride

- <sup>14</sup>C, in Boran cattle
  - pharmacokinetics, 9587

## horse

- T. equiperdum* infection
  - detection, 9335
- T. evansi* infection, 9453

- trypanosomiasis
  - control, 9698
  - diagnosis, 9698
  - distribution, 9698
  - incidence, 9698
  - pathology, 9698
  - prophylaxis, 9698
  - treatment, 9698

**human plasma sensitivity**

- in *Trypanozoon* stocks, 9333

**identification**

*see also* characterisation, detection

of trypanosomes

- by DNA amplification using PCR, 9305, 9309
- by DNA probes, 9426, 9429
  - hybridisation, 9562
  - k, specific, 9562
  - parasite-type specific, 9309
- by DNA sequences, repetitive, 9426
- by dot-blot hybridisation, 9426, 9429
- by electrophoresis, pulsed field gel, 9426
- by immunohistochemical methods, 9588
- by isoenzyme analysis, 9426
- by karyotype analysis, 9426
- by m-AECT, 9562
- by PCR, 9426, 9429
  - amplified mini-exon repeat hybridisation, 9590
- by RAPD analysis, 9426
- by RFLP, 9426

**immune complexes**

- in cattle, 9712, 9713

**immune response 9685**

- in cattle, 9710

- antibody response, 9711, 9713
  - antigen-specific, 9458
  - anti-VSG, 9585
  - auto-, 9713
  - IgG, 9583, 9585, 9711, 9712
  - IgM, 9583, 9585, 9711, 9712, 9713
  - isotype-specific, 9458
  - to VSG, 9458, 9462
  - VSG-specific, 9711
- B-cell activation, 9583
- B-cell proliferation, 9458, 9459
  - CD5<sup>+</sup>, 9713
  - peripheral, 9713
- B-cell response *in vitro*, 9462
- blood cell changes, 9714
- bone marrow response, 9714
- hypocomplementaemia, 9712

**immune response (cont.)**

- in cattle (cont.)

- interferon- $\gamma$ 
  - mRNA expression, 9325
  - production, 9325, 9458, 9459
- interleukin-2

- expression, 9325
- production, 9325, 9458
- interleukin-4 expression, 9325
- lymph node cell proliferation, 9458
- skin reaction, 9710
- spleen cell proliferation, 9713
- T-cell-mediated, 9325
- T-cell proliferation, 9458, 9459
- trypanosusceptible, 9583, 9585
- trypanotolerant, 9583, 9585
- in dogs
  - leucocyte response, 9329
  - thrombocyte response, 9329
- in humans
  - antibody production, 9570
    - IgG, 9570, 9683
    - IgM, 9683
      - elevated, 9437
  - auto-antibodies, 9570
    - anti-galactocerebroside, 9436
  - hypergammaglobulinaemia, 9570
  - interferon- $\gamma$  production, 9570, 9594
    - elevated levels, 9440
  - interleukin-1 production, 9570
  - MHC polymorphism, 9568
  - TNF- $\alpha$  production, 9314, 9570
- in mice, 9605
  - CD8<sup>+</sup> cells, 9735
  - immunosuppression, 9686
  - interferon- $\gamma$  production, 9732
  - interleukin-4, role, 9731, 9732
  - macrophage activation, 9686
  - nitric oxide synthesis, 9686
  - T-cell responses, 9603
- in rabbits
  - antibody production, 9591
- in rodents
  - interferon- $\gamma$  production, 9594
- in sheep
  - chancre, 9328, 9460
  - humoral
    - antibody production, 9701
  - Ig-bearing cells, surface, proliferation, 9460
  - lymph node enlargement, 9460
  - lymphoblast proliferation, 9460
  - lymphocyte proliferation, 9460
  - T-cell proliferation
    - CD4<sup>+</sup>, 9460
    - CD8<sup>+</sup>, 9460
- immune system** 9685
- immunity**
  - in cattle
    - T-cell-mediated, 9459
  - in humans
    - following *gambiense* trypanosomiasis, 9312
    - natural, to *T. b. brucei*, 9600, 9736
  - innate, 9688

**immunodepression**

in human trypanosomiasis, 9570

**immunodiagnosis** 9685**immunological dysfunction** 9712**immunology**

of trypanosomiasis, 9685

**immunopathology** 9688**immunosuppression** 9686, 9712

caused by *T. brucei*

interferon- $\gamma$  involvement, 9597

TNF involvement, 9597

effects in *T. evansi*-infected mice, 9739

in human trypanosomiasis, 9533, 9570

in mice

nitric oxide mediated, 9603

**IMOL 881**

effectiveness

against *T. b. gambiense*, 9443

against *T. b. rhodesiense*, 9443

against *T. equiperdum*, 9443

against *T. evansi*, 9443

**India**

trypanosomiasis in dogs, 9577

**insecticides**

aldrin, 9557

cattle treatment, 9422, 9663, 9672

pour-on, 9553

spot-on, 9553

cypermethrin, 9296, 9419, 9422, 9575, 9702

DDT, 9292, 9293, 9419, 9420, 9423, 9424, 9557

deltamethrin, 9291, 9292, 9419, 9553, 9663

dieldrin, 9419, 9557, 9677

endosulfan, 9292, 9419, 9557

endrin, 9557

flumethrin, 9553

heptachlor, 9557

impregnated traps/screens/targets, 9292, 9398, 9575, 9672, 9702

naturally occurring

neem, 9555

organochlorine, 9677

pour-on, 9291, 9296, 9298, 9422, 9553

pyrethroid, 9291, 9419, 9422

residues in human milk, 9677

spot-on, 9553

spraying, 9399, 9420, 9423, 9424, 9663

**in vitro studies**

cultivation

of *T. equiperdum*, 9492

of *T. evansi*, 9492, 9493

for drug screening, 9354

in *T. evansi*, 9490

for drug testing, 9610, 9611

HL-60 cell-*T. b. rhodesiense* culture system, 9354

in *T. brucei*, 9522

on drug effects

in mice, *T. b. brucei*-infected, 9480

in rats, 9479

- on drug resistance in *T. evansi*, 9477
- on immune response in cattle, 9462
- on immune response to *T. brucei*, 9476, 9597
- on immunosuppression in mice, 9603
- on interaction of *T. brucei* with rats, 9604
- on protein import in *T. brucei* mitochondria, 9506

#### **irradiation**

- gamma
  - effect on *G. brevipalpis*, 9425
  - effect on *G. f. fuscipes*, 9425
  - effect on *G. tachinoides*, 9425

- of tsetse pupae
  - effect of nitrogen on, 9299
  - gamma
    - effect of chilling, 9300

#### **isometamidium**

- antibodies to, in mice, 9485
- detection in serum, 9332
- interaction with *T. congolense*, 9620
- prophylaxis
  - in *T. congolense*-infected rabbits, 9613
- treatment
  - in *T. b. brucei*-infected dog, 9703

#### **isometamidium chloride**

- effect
  - in *T. congolense*, 9358
- sensitivity
  - in *Trypanozoon* stocks, 9333
- treatment
  - of trypanosomiasis in cattle, 9580

#### **Kenya**

- biting flies, trapping studies, 9427
- G. austeni* in, 9681
- G. brevipalpis* in, 9427, 9681
- G. f. fuscipes* in, 9416
- G. longipennis* in, 9427, 9559, 9681
- G. morsitans* distribution in, 9674
- G. m. centralis* in, 9427
- G. pallidipes* in, 9281, 9427, 9428, 9559, 9629, 9679, 9681, 9699
- Lambwe Valley
  - G. pallidipes* in, 9548
  - tsetse distribution studies, 9548
  - tsetse trapping, 9548
- Nannomonas*-type trypanosome from, new, 9629
- Nguruman
  - tsetse trapping, 9556
- Stomoxiinae in, 9427
  - trapping studies, 9421
- Stomoxys* in, 9427
- Tabanidae in, 9427
- T. b. brucei* stocks from, 9428
- T. evansi* infection in camels, 9454
- T. evansi* stocks from, 9342
- trypanosomiasis
  - challenge to cattle, 9716
  - control, 9663

- in camels, 9729
- in cattle, 9717
- risk, to cattle, 9699
- trypanotolerant livestock in, 9663
  - cattle, 9716, 9717
- tsetse challenge to cattle, 9717
- tsetse control, 9663
  - field studies, 9416
  - trapping, 9281, 9409, 9421, 9427, 9681

### **land use**

- change associated with trypanosomiasis control, 9723
- effect on trypanosomiasis in cattle, Gambia, 9540
- impact of tsetse control, 9403
- in Nigeria, 9266
- livestock production in Africa, 9530
- patterns
  - in trypanosomiasis control strategy, 9265

### **lectins**

- activity
  - carbohydrate inhibition, 9415
- binding, 9414
- relationship with trypanosome surface molecules, 9415

### **livestock**

- as tsetse bait, 9297
- trypanosomiasis, Côte d'Ivoire, 9539
- trypanosusceptible
  - trypanosome prevalence, 9706
  - tsetse challenge, 9706
- trypanotolerant, 9705
  - genetics, 9727
  - impact of in West and Central Africa, 9723
  - productivity, 9704, 9726, 9727
  - trypanosome prevalence, 9706
  - tsetse challenge, 9706

### **Mali**

- G. m. submorsitans* in, 9719
- G. p. gambiensis* in, 9719
- G. tachinoides* in, 9719
- trypanosomiasis in cattle, prevalence, 9719
- trypanotolerant cattle in, 9709, 9719
- tsetse challenge to cattle, 9709, 9719

### **man**

- attractiveness for tsetse, 9680

### **man-fly contact**

- 9405
- in Cameroon, 9289
- in Uganda, southeast, 9672

### **Mauritania**

- T. evansi* stocks from, 9342

### **megazol**

- combined with melarsoprol
- effects in *T. brucei*-infected mice, 9612

### **melarsen**

- resistance
  - in *T. b. brucei*, 9371

sensitivity  
in *T. b brucei*, 9371

**melarsomine**

treatment in *T. evansi*-infected camels, 9729

**melarsoprol**

cost, 9447

efficacy, 9447

gel

testing in *T. brucei*-infected mice, 9347

pharmacokinetics, 9443, 9447

relapse, 9443

side effects

reactive encephalopathy, 9442, 9445, 9689

toxicity, 9447

treatment

of human trypanosomiasis, 9433, 9434, 9437, 9438, 9443, 9447, 9535, 9566, 9689

combined with DFMO, 9573

combined with pentamidine, 9573

combined with suramin, 9573

of *T. brucei*-infected mice

combined with megazol, 9612

relapse, 9690

**MelCy**

resistance

in *T. brucei*, 9488

***Metarhizium anisopliae***

biocontrol potential in tsetse, 9294

**metronidazole**

treatment of human trypanosomiasis

combined with suramin, 9690

relapse, 9690

**mice in laboratory studies**

antibody response to isometamidium, 9485

immunosuppression, 9603

*T. brucei* infection

drug testing, 9347, 9352, 9612

glomerular disease, immunology and pathology, 9605

growth inhibition, parasite, 9345

immunological studies *in vitro*, 9603

interaction with CD8<sup>+</sup> cells, 9735

susceptibility

effect of dietary magnesium, 9475

trypanothione reductase inhibition, 9748

virulence, 9346

*T. b. brucei* infection

drug effects, 9348, 9480, 9742

Cymelarsan, 9489

drug testing, 9608, 9609, 9614, 9615, 9616, 9617, 9618, 9625

immune response, 9473, 9731, 9732

*T. b. gambiense* infection

drug effects

diminazene aceturate, 9513

drug testing, 9608, 9614

immune response, 9473

*T. b. rhodesiense* infection, 9602

drug testing, 9608, 9614, 9615

*T. congolense* infection

drug effects, 9742  
drug testing, 9608, 9614, 9619  
resistance

drug, 9353  
genetics of, 9344

*T. evansi* infection  
cloning success, 9356  
drug effects  
liposomal diminazene, 9491  
drug resistance, 9356  
drug testing, 9614, 9622  
drug treatment, 9739  
immunosuppression, 9739  
pathogenicity of different stocks, 9342

*T. muscui* infection  
immune response, 9473

*T. vivax* infection  
drug effects, 9742

trypanosomiasis, 9685  
immunobiology, 9686

#### **MLD 73811**

effectiveness  
against *T. b. gambiense*, 9443  
against *T. b. rhodesiense*, 9443

#### **models/modelling**

DDT dynamics, Zimbabwe, 9292  
land use, 9266  
mathematical, *gambiense* trypanosomiasis, 9561  
matrix, 9287

populations  
cattle, 9268  
tsetse, dynamics, 9287

stochastic, 9417, 9539  
*T. vivax* antigenic variation  
interaction with host immune system, 9470

trypanosomiasis  
control, 9265  
in livestock, 9539  
*T. b. brucei*-infected sheep, 9436  
trypanotolerant herd production, 9267

tsetse  
control, 9417  
invasion, 9556  
movements, 9556  
population dynamics, 9287, 9556  
spatial spread, 9417  
vertical distribution, 9673

#### **monitor lizard**

aqueous washings as tsetse bait, 9416  
as host for tsetse, Burkina Faso, 9291

#### **monkeys, vervet**

*T. b. rhodesiense* infection  
CSF, cell and protein changes, 9482  
post-treatment reaction, 9482

#### **Mozambique**

trypanosomiasis control, 9407  
tsetse surveys, 9407

**nagana**

epidemiology, Central African Republic, 9302

**Naganol** *see* suramin**Nannomonas**

characterisation, molecular, 9359

genetics, 9360

infecting tsetse, 9303, 9305, 9309, 9429

-type trypanosome

characterisation, 9629

culture, 9629

DNA hybridisation, 9629

flagellum, 9629

infecting *G. pallidipes*, Kenya, 9629

infecting pig, 9629

isolation, 9629

kinetoplast, marginal, 9629

undulating membrane, 9629

**nets, electric** 9286, 9554

in tsetse behaviour studies, 9273

flight, 9675

**nets, hand** 9554

catch, 9546

**nifurtimox**

cost, 9447

efficacy, 9447

pharmacokinetics, 9447

toxicity, 9447

treatment of human trypanosomiasis, 9447

**Niger**

*T. evansi* stocks from, 9342

**Nigeria**

Borno State

trypanosomiasis in cattle, prevalence, 9449

Jos Plateau

*G. palpalis* in, 9693

*G. tachinoides* in, 9693

trypanosomiasis in cattle, 9693

land use, 9266

northeastern

trypanosomiasis in camels, prevalence, 9692

northern

*G. p. palpalis* in, 9673

southern

trypanosomiasis

in pigs, 9320

risk to cattle, 9721

trypanosusceptible cattle in, 9721

trypanotolerant cattle in, 9721

southwest

trypanosomiasis in Zebu cattle, 9401

trypanosomiasis

in cattle, prevalence, 9450

in goats, prevalence, 9452

in humans

foci, 9333

in sheep, prevalence, 9452

trypanotolerant livestock in, 9705  
tsetse control modelling, 9266

**nitroimidazoles**

treatment of human trypanosomiasis, 9535  
  trials, 9571  
treatment of *T. brucei*-infected mice, 9612

**non-target organisms**

effect of tsetse control  
  on aquatic invertebrates, 9419  
  on fish, 9419

in Zimbabwe

  effects of DDT, 9423, 9424  
    on aquatic biota, 9292  
    on bats, 9420  
    on birds, 8420  
      woodland, 9293  
    on fish, 9420  
    on insects, 9420  
    on lizards, 9420

**normalised difference vegetation index (NDVI)**

  in tsetse distribution studies, 9674

**odour attractants/baits/stimuli**

*see also* attractants, baits

  acetone, 9286, 9288, 9290, 9413, 9416, 9427, 9546, 9673, 9675  
  butanone, 9286, 9290  
  captive animals, 9427  
  carbon dioxide, 9286, 9290, 9675

**odour attractants/baits/stimuli (cont.)**

  4-cresol, 9427, 9681  
  dung, rhinoceros, 9427  
  effectiveness studies, 9288  
  3-ethylphenol, 9290  
  4-ethylphenol, 9290  
  goat, aqueous washings, 9416  
  host, 9416, 9427, 9554  
    artificial, 9281, 9284, 9290, 9675  
    natural, 9283, 9284, 9286, 9288, 9290, 9675  
      cattle, 9286  
  metacresol, 9280  
  3-methylphenol, 9288, 9290, 9413, 9416  
  4-methylphenol, 9288, 9290, 9416, 9675  
  monitor lizard, aqueous washings, 9416  
  octenol, 9280, 9286, 9288, 9290, 9413, 9416, 9427, 9546, 9675  
  ox, 9290  
    breath, 9288  
    urine, 9288  
  phenol, 9290, 9546  
  phenolic residues, 9286, 9288  
  3-propylphenol, 9290  
  3-n-propylphenol, 9416, 9427, 9675, 9681  
  4-n-propylphenol, 9290  
  urine  
    buffalo, 9681  
    cattle, 9681  
    cow, 9416, 9427, 9673  
    human, 9416

ox, 9288  
rhinoceros, 9427  
waterbuck, 9681

### **odour plumes**

artificial, 9281, 9284  
host, 9283  
structure, 9283  
tsetse response to, 9284  
turbulence, 9283  
wind speed effects, 9281

### **ox**

attractiveness for tsetse, 9290  
breath, as tsetse bait, 9288  
odour, attractiveness for tsetse, 9290  
PCV, effect on tsetse bloodmeal size, 9301  
trypanosomiasis, 9290  
urine, as tsetse bait, 9288

### **packed cell volume (PCV)**

as measure of anaemia control, 9707, 9708, 9714  
control in trypanotolerant cattle, 9710, 9714, 9716  
in cattle, 9330  
    *T. congolense*-infected, 9322, 9576, 9718  
    *T. vivax*-infected, 9461, 9576  
    trypanosome-infected, 9553, 9575, 9581, 9702, 9711, 9716, 9717  
in goats  
    trypanosome-infected, 9452  
in oxen  
    effect on tsetse bloodmeal size, 9301  
in sheep  
    trypanosome-infected, 9452, 9575

### **parasitaemia**

in cattle  
    control, 9581  
    *T. vivax*-infected, 9708  
    trypanotolerant, 9710, 9714, 9716  
    *T. congolense*-infected, 9322, 9714, 9718  
    *T. vivax*-infected, 9579  
    trypanosome-infected, 9575, 9717  
    trypanotolerant, 9707, 9711, 9716  
in dogs, *T. b. brucei*-infected, 9696  
in human trypanosomiasis, 9570  
in mice, *T. brucei*-infected, control, 9686  
in pig, trypanosome-infected, 9629  
in sheep  
    *T. congolense*-infected, 9323, 9326, 9457  
    trypanosome-infected, 9575  
*T. brucei*, 9694  
*T. vivax*, 9694

### **pentamidine**

bis-carba analogue, synthesis, 9625  
cost, 9447  
effects  
    in *T. brucei*, 9355  
    in *T. b. brucei*-infected mice, 9625  
    on rat liver mitochondria, 9480  
efficacy, 9447

- plasma concentration in humans, 9444
- pharmacokinetics, 9444, 9447
- side effects, 9444
- toxicity, 9447
  - nephro-, in humans, 9444
- treatment of human trypanosomiasis, 9443, 9444, 9447, 9535
  - combined with melarsoprol, 9573
  - combined with suramin, 9572

#### **permethrin**

- in tsetse control
  - environmental impact, 9419

#### **pig**

- attractiveness for tsetse, 9680
- crossbred
  - T. brucei* infection, 9320
  - T. congolense* infection, 9320
- trypanosomiasis
  - diagnosis, 9320
  - infection rate, Nigeria, 9320
  - prevalence, Nigeria, 9320
- Nannomonas*-type infection, 9629
- T. brucei* infection, 9694
- T. b. gambiense* infection, 9562
- T. congolense* infection, 9694
- trypanosome infection rate, Uganda, 9694
- Trypanozoon* isolates from, Nigeria, 9333

#### **prophylaxis**

- in *T. congolense*-infected rabbits, 9613
- of trypanosomiasis
  - in cattle, 9580
  - in horses, 9698

#### **pyrethroid**

- cattle treatment, 9291
- in tsetse control
  - environmental impact, 9419

#### **quinapyramine chloride**

- combined with quinapyramine sulphate
- toxicity in *T. evansi*-infected rats, 9740

#### **quinapyramine sulphate**

- treatment of *T. evansi*-infected camels, 9729

#### **rabbits in laboratory studies**

- T. congolense* infection
  - drug effects, 9613
- T. equiperdum* infection
  - detection, 9335
- T. evansi* infection
  - antibody detection, 9591

#### **rats in laboratory studies**

- diminazene aceturate
  - effects on polyamine metabolism of hepatocytes, 9479
  - toxicity, 9484
- drug treatment, 9357
- model of human trypanosomiasis, 9474
- oxidative phosphorylation in liver mitochondria
  - effect of pentamidine on, 9481
- T. brucei* infection

- diminazene aceturate treatment, 9487
- drug effects, 9343
- effect on action of gossypol, 9730
- effects of interferon- $\gamma$ , 9595
- effects of melatonin, 9595
- effects of nitric oxide, 9596
- gossypol toxicosis, 9737
- hypothalamus involvement, 9595
- pathogenesis, 9487
- plasma lipid changes, 9734
- T. b. brucei* infection, 9604
  - combination drug treatment, 9483
  - drug testing, 9623, 9624
  - dysregulation of biological clock, 9471
  - pathogenesis, 9474
  - sleep disturbance, 9471
- T. congolense* infection
  - drug testing, 9624
- T. evansi* infection
  - drug toxicity in, 9740
  - immunohistochemical identification, 9588
- trypanosome-infected
  - nitric oxide production, 9733

#### **remote sensing**

- in tsetse distribution studies, 9548, 9550
- in tsetse population studies, 9547, 9548

#### **reservoir hosts** 9400

- cattle
  - for *T. brucei* spp., 9333
- domestic animals, Zaire
  - of *gambiense* trypanosomiasis, 9562

#### **rhinoceros, black**

- attractiveness for tsetse, 9427

#### **RNA**

- T. brucei*, 9764
  - binding protein, nucleolar, 9757
  - editing, 9517, 9518, 9521, 9652, 9744, 9765
    - U-deletional, 9756
  - g, 9652, 9756
  - kinetoplastid, 9744
  - ligase, 9517
    - activities, 9756
  - m, 9652, 9765
    - hexose transporter, 9380
    - hsp70, post-transcriptional control, 9639
  - polymerase II promoter, 9509
  - putative, helicase, DEAD box family, 9388
  - U5-like, small, 9758
- T. equiperdum*
  - editing, 9652
  - g, 9652
  - m, 9652
- trypanosome
  - r, large and small subunits, 9494

#### **Rwanda**

- trypanosomiasis in humans, 9438
- tsetse trapping, 9673

**satellite imagery**

- in assessment of tsetse control impact, 9403
- in trypanosomiasis control, 9265

**screening**

- for trypanosomiasis
- in humans, 9311, 9430, 9682

**screens** 9412

- cost, 9663
- insecticide-impregnated, 9398, 9533

**Senegal**

- trypanotolerant livestock in, 9705, 9726
- tsetse
  - cattle contact, 9726
  - challenge to cattle, 9726
  - distribution, 9726
  - numbers, 9726

**serum**

- animal
  - in diagnosis of trypanosomoses, 9318
- cattle
  - drug detection in, 9332
  - trypanosome-specific antibodies in, 9436
- human
  - albumin in, 9683
  - autoantibodies in
    - anti-galactocerebroside, 9436
  - HDL-independent lysis of *T. b. brucei*, 9599, 9600
  - IgG levels, 9683
  - IgM levels, 9683
  - in diagnostic testing, 9341, 9430
  - nitrate levels, 9686
  - protein in, 9683
  - resistance in *T. b. rhodesiense*, 9387
  - sensitivity in *T. b. brucei*, 9387
  - TNF- $\alpha$  levels, 9314
  - trypanocidal activity, 9736
  - trypanolytic activity, 9316, 9341, 9599, 9600, 9601
    - inhibition, 9316
  - trypanocidal activity, 9685
  - trypanolytic factors in, 9736
    - role in trypanotolerance, 9710

**sheep**

- Djallonké
  - trypanosome prevalence, Côte d'Ivoire, 9575
  - trypanosomiasis
    - effect on semen quality, 9726
- Djallonké  $\exists$  Sahel
  - trypanosome prevalence, Côte d'Ivoire, 9575
- Scottish Blackface
  - T. congolense* infection (exp.)
    - blood biochemical changes, 9323
    - effect of castration
      - on endocrine function, 9327
    - effect on endocrine function
      - of hypothalamo-pituitary-gonadal axis, 9327
    - pathophysiology

- effect of energy intake on, 9323
- T. brucei* infection, 9452
- T. brucei* infection (exp.)
  - growth inhibition, trypanosome, 9345
- T. b. brucei* infection (exp.)
  - in trypanosomiasis modelling, 9436
- T. congolense* infection, 9452, 9694
- T. congolense* infection (exp.)
  - effect
    - of nutritional level
      - on bodyweight, 9457
      - on carcass composition, 9457
      - on degree of anaemia, 9457
    - on pituitary-testicular responsiveness
      - to gonadotrophin-releasing hormone, 9326
    - on plasma luteinising hormone, 9326
    - on testosterone concentration, 9326
  - immune response, 9460
  - local skin reaction, 9328
- T. vivax* infection, 9452, 9694
- trypanosome infection rate, Uganda, 9694
- trypanosome prevalence, Nigeria, 9452
- trypanosomiasis prevalence, Nigeria, 9452
- trypanotolerance, 9530
- Trypanozoon* infection
  - drug resistance, 9333

## Somalia

- trypanosomiasis in camels, 9448

## spiroarsoranes

- effects in trypanosome-infected mice, 9615

## spraying 9561

- aerial, 9663
  - endosulfan, 9292
- aerosol application, 9297
- ground, 9663
  - DDT, 9292
  - in Zimbabwe, 9292
    - environmental impact, 9420, 9423, 9424
- impact, 9297
- in Botswana, 9399
- in Zimbabwe, 9293
  - aldrin, 9557
  - DDT, 9557
  - dieldrin, 9557
  - endosulfan, 9557
  - endrin, 9557
  - heptachlor, 9557

- residues in river bays, 9557
- side effects, 9297

**sterile insect technique (SIT)** 9299, 9300, 9663

**Stomoxysinae**

- in traps, Zimbabwe, 9286
- mechanical transmission of *T. vivax*, 9560
- trapping studies, Kenya, 9421, 9427

**Stomoxys spp.**

- in Ethiopia, 9296
- trapping studies, Kenya, 9421, 9427

**Sudan**

- trypanosomiasis
  - in camels, 9334
  - in humans, 9404
    - gambiense*, 9537
- trypanotolerant cattle in, 9716

**suramin**

- cost, 9447
- efficacy, 9447
- pharmacokinetics, 9447
- resistance
  - in *T. brucei*, 9488
  - in *T. evansi*, 9741
- sensitivity, in *T. evansi*, 9741
- toxicity, 9447
  - in *T. evansi* clones, 9356
- treatment
  - of *T. brucei*-infected mice, 9352
  - of *T. evansi*-infected camels, 9729
  - of *T. evansi*-infected mice, 9739
  - of trypanosomiasis in dogs, 9703
  - of trypanosomiasis in humans, 9437, 9443, 9447
    - combined with diminazene, 9572
    - combined with melarsoprol, 9573
    - combined with metronidazole, 9690
    - combined with pentamidine, 9572

**survey**

- entomological
  - in Burkina Faso, 9308
  - in Cameroon, 9289
- epidemiological, in Burkina Faso, 9691
- trypanosomiasis
  - in cattle, Burkina Faso, 9691
  - in pigs, Nigeria
    - in abattoirs, 9320
    - in field/markets, 9320
- tsetse
  - in Ethiopia, 9285
  - in Mozambique, 9407

**Tabanidae**

- in Burkina Faso, 9279, 9308
- in Ethiopia, 9290
- trapping, 9279, 9308
  - studies, Kenya, 9427
- T. congolense* infection, 9308

## Tanzania

*G. morsitans* distribution, 9674

*G. m. centralis* in, 9307

*T. b. brucei* stocks from, 9428

## targets 9297, 9554

catch, 9286, 9546

cloth, 9286

efficiency studies, 9286

electrified, 9286

insecticide-impregnated, 9292, 9672

netting, 9286

odour-baited, 9286, 9546, 9675

triflumuron-treated, 9295

## Togo

trypanosomiasis

control, 9663, 9664

in animals

control, 9265, 9266

prevalence, 9266

trypanotolerant livestock in, 9663, 9664, 9720

tsetse control, 9663

## transmission

cyclical, 9536, 9560

of *T. vivax* by *G. m. morsitans* (exp.), 9700

mechanical, 9536

of *T. vivax* by Stomoxyinae, 9560

of human trypanosomiasis, 9536

## traps/trapping 9409, 9535, 9553, 9561, 9663

baited, 9673, 9680, 9681

biconical, 9279, 9280, 9285, 9288, 9289, 9416, 9548, 9551, 9554, 9575, 9680, 9693

catch, 9280, 9286, 9288, 9413, 9416, 9418, 9421, 9427, 9673, 9680, 9681

comparisons, 9279

Challier, 9693

Challier-Laveissière, 9279, 9280, 9554

cloth, 9421

coloured, 9421, 9551, 9693

comparisons, 9418, 9427

cost, 9552, 9663

cost-effectiveness, 9418

effectiveness, 9418

efficiency, 9280, 9286, 9556

comparison, 9279

Epsilon, 9551

evaluation, Burkina Faso, 9279, 9280

F3, 9416, 9418, 9551

for tsetse population

monitoring, 9291

sampling, 9285, 9418, 9693

studies, 9672

surveys, 9289

for trypanosomiasis control, 9324

insecticide-impregnated, 9398, 9533, 9575

$\alpha$ -cypermethrin, 9702

M1, 9418

M2, 9418

M3, 9418

Mérot, 9279

monoconical, 9279  
monopyramidal, 9539  
NG2B, 9416  
NG2G, 9416, 9427, 9681  
odour-baited, 9280, 9286, 9288, 9413, 9416, 9421, 9427, 9556  
in tsetse behaviour studies, 9273, 9286

**traps/trapping** (cont.)

pyramidal, 9416, 9672  
sticky panel  
catch, 9551  
Stomoxiinae, trials of, 9421  
tabanids in, 9308  
Vavoua, 9416, 9421, 9427

**triflumuron**

chitin synthesis inhibition  
in tsetse control studies, 9295

**Trypan**

evaluation  
in *T. evansi*-infected camels, 9454

**trypanocides**

*S*-adenosylmethionine decarboxylase inhibitors, 9608, 9610, 9611  
(*S*)-9-(3-hydroxy-2-phosphonyl-methoxypropyl)adenine, 9614  
anti-trypanosomal activity  
of camptothecin analogues, 9478

plants

*Allium sativum*, 9742  
*Alstania boonei* extracts, 9623  
*Annona senegalensis*  
extracts, 9623  
seeds, 9621  
*Anthocleista nobilis* root bark, 9617  
*Combretum dolycopetalum*  
extracts, 9623  
root extract, 9624  
*Harungana madagascariensis* extracts, 9623  
indigenous  
screening against *T. evansi*, 9490  
*Morinda lucida*, 9623  
*Nauclea latifolia*  
extracts, 9623  
root bark, 9616  
*Ritchiea capparoides* var. *longipedicellata* roots, 9607  
*Uvaria chamae* root bark extract, 9618  
*Xanthium strumarium* leaves, 9622  
purine 2',3'-acyclonucleosides, 9657

**trypanoresistance**

in cattle, 9582  
N'Dama, 9458

**Trypanosoma**

protein coding genes, 9626

***T. brucei***

acidocalcisomes, Ca<sup>2+</sup> release, 9527  
adenylate cyclase  
activation, 9651  
stimulation, 9361  
amino acid decarboxylation, 9752  
antigenic switches, 9647

- antigenic variation, 9532, 9635, 9761
- ATP synthase, peptide inhibition, 9754
- basal body, 9378
- biochemistry, 9532
- bloodstream form, 9365, 9390, 9396, 9510, 9655, 9774
- Ca<sup>2+</sup>, cytoplasmic, 9655
- cell cycle, 9774
- characterisation, 9764
- clones
  - S 427 clone 1, G<sub>1</sub> checkpoint progression, 9771
  - drug resistant, 9488
- cloning, 9764
  - by functional complementation, 9653
- culture, 9532, 9764
- differentiation, 9346, 9338, 9655, 9774
- DNA, 9764
  - amplification, 9592
  - exogenous, targeting into, 9632
  - modified d-nucleoside, 9661
  - polymerases, 9656
  - probes, 9629
  - rearrangements, 9647
  - ribosomal, promoter, 9393
- drug effects, 9347, 9352, 9355, 9362, 9390, 9478, 9480, 9486, 9612, 9657
- drug resistance, 9488, 9532
- endonuclease, 9517
- endoplasmic reticulum, targeting, 9749
- epitope, 9750
- esag* 6, 9781
- esag* 7, 9781
- genetics
  - clonality, 9744
  - editing, deletion, 9500
  - endonuclease, cleavage, 9756
  - evolution, 9744
  - exchange, 9503
  - exonuclease, terminal U, 9756
  - gene expression, 9377, 9393, 9755, 9779, 9781
  - gene isolation, 9764
  - gene transcription, 9384, 9385, 9495, 9639, 9755
  - gene transcriptional regulation, 9377
- genes
  - adenylate cyclase, 9746
  - elongation factor-1 $\alpha$ , 9779
  - esag* 8, 9768
  - hsp60, mitochondrial, 9369
  - hsp70, 9385
  - PARP, 9755
  - thymidine kinase, viral, 9659
  - VSG, 9377, 9393, 9637, 9648, 9780
    - expression-site promoter, 9648
    - sequence divergence, 9637
- genome, 9508
  - partition, 9526
- genomic organisation, 9779
- genotypes, 9744
- linkage, 9744

- mini-chromosomes, artificial, 9386
  - linear, 9516
- mitosis, 9526
- mutagenesis, 9659
- PARP/VSG ES promoter, 9778
- populations, 9744
- ribonucleoprotein complexes, 9652, 9765
- ribosomal DNA promoter, 9393
- RNA, 9764
  - binding protein, nucleolar, 9757
  - editing, 9517, 9518, 9652, 9745, 9756, 9765
    - kinetoplastid, 9521, 9745
  - g, 9652, 9756
  - L-r, nucleotide sequences of 5' terminal regions, 9649
  - ligase, 9517, 9756
  - m, 9652, 9765
  - m hexose transporter, 9380
    - 3'-untranslated regions, 9380
  - m, hsp70, 9639
  - polymerase II promoter, 9509
  - putative helicase of DEAD box family, 9388
  - U5-like, small, 9758
- sequence divergence in VSG genes, 9637
- telomere, single stranded g-rich, sequence binding, 9636
- telomeric exchange, 9780
- telomeric GGGTTA repeats, 9766
- telomeric locus, 9379, 9393
- transferrin receptor, 9781
- trans*-spliceosomes, 9758
- glucose uptake, 9529
- $\gamma$ -glutamylcysteine synthetase, 9769
- glyceraldehyde-3-phosphate dehydrogenase inhibition, 9349, 9499
- glycolysis, 9365
- glycolytic enzyme inhibition, 9395
- glycosomes, 9349
  - biogenesis, 9644
- DHFR hybrid protein import, 9507
- GPI
  - anchor
    - protein, 9634, 9638
    - tetragalactose moiety, 9642
  - biosynthetic pathway
    - glucosaminyl phosphatidylinositol  $\alpha$ -4-mannosyltransferase, 9425
  - glycolipid C, 9762
  - myristoylation, 9782
  - phospholipase C
    - activation, 9651
    - inhibition, 9772
    - phosphatidylinositol hydrolysis, 9753
- growth, 9346
  - factor, 9594
  - inhibition, 9345
- identification, 9426, 9532
- immunology, 9532
- infecting cattle, 9574
  - Muturu, 9450

- infecting dogs, 9329
- infecting goats, 9452, 9694
- infecting livestock, 9318
- infecting mice, 9345, 9346, 9347, 9352, 9475, 9603, 9605, 9612, 9686, 9735
- infecting pigs, 9694
  - crossbred, 9320
- infecting rats, 9343, 9487, 9595, 9596, 9730, 9734, 9737
- infecting sheep, 9345, 9452
- infecting tsetse, 9339
- in vitro* studies, 9476, 9480, 9506, 9522, 9597
- isoenzyme electrophoresis, 9764
- kinetoplasts, 9362
  - DNA maxicircle replication, 9370
- life cycle, 9362, 9377
- lipid metabolism, 9782
- long-term storage, 9627
- mannose-6-phosphate receptor, cation-independent, 9638
- metacyclics, 9377, 9781
- microtubular-membrane complex, 9390
- microtubule inhibitors, trifluralin, 9738
- mini-exon repeats, PCR amplification, 9590
- mitochondria, 9777
  - import, 9392
    - protein, 9505
    - yeast tRNA<sup>His</sup>, 9520
- mutagenesis, 9761
- organelle biogenesis, 9750
- ornithine decarboxylase, 9505, 9515, 9767
  - cofactor reactivity, 9514
  - decarboxylation, 9752
  - substrate binding, 9514
- PARP promoter, 9496
- pathology, 9532
- plasma membrane, 9396
- plasmids, TTA TAA triplet repeats, 9775
- polyamine back-conversion enzyme inhibition, 9355
- procyclic, 9339, 9373, 9529, 9767, 9778
  - glucose transporter, THT 2, 9366
- procyclin PARP A unit, 9495
- proteasomes, 9763
- proteins
  - DHFR hybrid, 9507
  - extracellular, 9598

***T. brucei*** (cont.)

- proteins (cont.)
  - heat shock
    - 60, 9369
    - 70, 9509, 9639
  - cytoplasmic, 9383
  - mitochondrial, 9369, 9383
  - high molecular weight, 9378
  - import into glycosomes, 9507
  - import into mitochondria, 9506
  - Rieske iron-sulphur, 9392, 9777
  - RNA-binding, 9757
  - small GTP-binding, homologues,

- molecular cloning, 9376
- targeting, 9750
- transferrin-binding complex, 9394
- tyrosine phosphatase
  - activity, 9362
  - membrane, 9363
- tyrosine-phosphorylated, 9757
- pyruvate transport inhibition, 9396
- replication, 9346
- reproduction, 9744
- S-adenosyl-L-methionine decarboxylase activity, 9522
- secretory reporter system, 9749
- self-fertilisation, 9658
- slender form, 9522
- sterols, exogenous and endogenous sources, 9373
- strains, ILRAD 1797, 9329
- stumpy form, 9522
- thymidine kinase, 9644
- transfection, 9764
  - stable, 9510
- transferrin uptake, 9395
- trans-sialidase, 9502
- trypanothione, biosynthesis, 9769
- trypanothione reductase inhibition, 9748
- vesicle trafficking, 9376
- virulence, 9346
- VSG, 9642
  - expression site, 9781
  - genes, 9377, 9393, 9637, 9648, 9780
  - mosaic coats, 9773
  - myristate exchange, 9498
  - procyclin switch, 9650
  - surface epitopes, 9381

***T. brucei* ssp.**

- detection by branched DNA-based technique, 9589
- infecting tsetse, 9305

***T. brucei* spp.**

- infecting cattle, 9333
- infectivity to man, 9333

***T. brucei brucei***

- S-adenosylmethionine decarboxylase inhibition, 9608, 9610, 9611
- alternative oxidase inhibition, 9391
- aromatic amino acid transamination, 9751
- bloodstream form, 9372, 9497, 9501
- CB1 epitope expression, 9497
- coenzyme Q9, reduced, inhibition, 9391
- culture, 9558
- DNA, c, products, 9646
- drug effects, 9348, 9371, 9609, 9614, 9615, 9616, 9617, 9618, 9621, 9623, 9624, 9625, 9742
- endoplasmic reticulum, 9389
- endosomes, 9497
- glucose transporter genes, 9630
- glycerol-3-phosphate dehydrogenase, NAD-linked,
  - expression in *E. coli*, 9643
- glycosyltransferases, 9770
- growth in tsetse, 9428
- human HDL<sub>3</sub> particle accumulation, 9387

- human serum sensitivity, 9387
- infecting dogs, 9451, 9489, 9696, 9703
- infecting domestic animals, 9652
- infecting livestock, 9316
- infecting mice, 9348, 9473, 9489, 9608, 9609, 9614, 9731, 9732, 9742
- infecting rats, 9471, 9474, 9483, 9604, 9623, 9624
- infecting sheep, 9436
- infecting tsetse, 9307, 9428
- lysis
  - by human serum, 9736
  - by human trypanolytic factor, 9599, 9600
- lysosomes, 9497
- mannose synthase dolichol phosphate, 9770
- maturation in tsetse, 9428
- methionine recycling, 9751
- nitric oxide, cytostatic effect, 9472
- nucleoside *N*-ribohydrolase, 9776
- P2 nucleoside transporter, 9371
- plasma membrane potential, 9501
- procyclics, 9501, 9558
- proliferation, inhibition of, 9747
- proteases, 9604
- protein
  - 33 kDa, mitochondrial, 9372
  - 44 kDa, 9389
  - LDL-binding, 9631
- RNA primed PCR fingerprints, 9646
- slender form, 9497
- stocks
  - IL 3294, 9428
  - IL 3965, 9428
- strain 8/18, 9451, 9696
- stumpy form, 9497
- survival, 9428
- triosephosphate isomerase, variant, 9633

***T. brucei gambiense***

- S*-adenosylmethionine decarboxylase inhibition, 9608, 9610
- adhesion, to human brain microvascular endothelial cells, 9606
- antigenic variation, 9532
- biochemistry, 9532
- bloodstream form, 9430, 9497
- CB1 epitope expression, 9497
- characterisation of isolates, 9628
- culture, 9532, 9558
- DNA, 9652
  - polymorphic, amplification, 9743
- drug effects, 9443, 9513, 9607, 9614
- drug resistance, 9532
- endosomes, 9497
- genes
  - glucose transporter, 9630
  - VSG, 9628
- genetic heterogeneity, 9743
- genome, 9743
- glycoprotein, membrane
  - processing and transport, 9382
- identification, 9562

- immunology, 9532
- infecting domestic animals, 9562
- infecting humans, 9311, 9312, 9313, 9314, 9317, 9341, 9430, 9431, 9441, 9444, 9447, 9533, 9534, 9536, 9537, 9561, 9562, 9564, 9567, 9568, 9572, 9573, 9682, 9683, 9736
- infecting mice, 9473, 9513, 9608, 9614
- invariable antigens, 9430
- kinetoplast
  - pararosaniline resistant clone, 9513
  - pararosaniline sensitive clone, 9513
- lymphocyte triggering factor-like activity, CD8-dependent, 9593
- lysosomes, 9497
- nitric oxide, cytostatic effect, 9472
- pathology, 9532
- procyclics, 9430, 9558
- slender form, 9497
- stumpy form, 9497
- VAT, 9341
  - repertoire, 9430
- VSG, 9430
  - genes, 9628

***T. brucei rhodesiense***

- S-adenosylmethionine decarboxylase inhibition, 9608, 9610, 9611
- adhesion, to human brain microvascular endothelial cells, 9606
- antigen
  - invariable, 9430
  - plasma membrane, 9451
- apoptosis, 9660
- bloodstream form, 9430
- culture, 9558
- DNA, c, expressed sequence tags, 9375
- drug effects, 9354, 9443, 9614, 9615
- drug resistance, 9351
- endosomes, tubular, 9368
- gene expression, 9512
- gene I family, expression site-associated, 9512
- genes, glucose transporter, 9630
- glycerol-3-phosphate dehydrogenase, NAD-dependent, 9654
- human HDL, particle accumulation, 9387
- human serum resistance, 9387
- infecting humans, 9430, 9431, 9437, 9438, 9439, 9447, 9534, 9536, 9537, 9566, 9682, 9686, 9694, 9736
- infecting mice, 9602, 9608, 9614
- infecting monkeys, 9482
- in vitro* culture system, 9354
- lymphocyte triggering factor-like activity, CD8-dependent, 9593
- perinuclear acidic compartment, 9368
- procyclics, 9430, 9558, 9660
- protein, LDL-binding, 9631
- sexual processes, 9310
- transport inhibition, 9368
- VAT repertoire, 9430
- VSG, 9430

***T. congolense***

- S-adenosylmethionine decarboxylase inhibition, 9608, 9610
- antigenic variation, 9532
- biochemistry, 9532
- characterisation, 9359

- congopain, 9459, 9583
- culture, 9532
- cysteine protease, 9583, 9712
- differentiation, 9338
- DNA probes, 9629
- drug effects, 9358, 9613, 9614, 9620, 9624, 9742
- drug resistance, 9291, 9353, 9532, 9619
- EATRO 325, 9282, 9303
- epitopes, 9585
  - surface exposed, 9711
- forest type, 9305, 9309
- GARP
  - $\alpha$ -amanitin-sensitive transcription, 9504
- Gboko strain, 9701
- genome partition, 9526
- glutathione reductase photoinactivation, 9384
- GPIs
  - precursors, 9760
  - protein anchor, 9760
- identification, 9426, 9429
- T. congolense*** (cont.)
- IL 1180, 9304, 9714
- IL 13E3, 9576
- ILNat3.1, 9711
- immunology, 9532
- infecting calves, 9322
- infecting cattle, 9325, 9353, 9449, 9462, 9574, 9575
  - Boran, 9458, 9463, 9576, 9583, 9585, 9587, 9711, 9712, 9713, 9714
  - Galana, 9716
  - Orma, 9699, 9716
  - Muturu, 9450
  - N'Dama, 9331, 9458, 9459, 9576, 9583, 9585, 9708, 9711, 9712, 9713, 9714
  - Zebu, 9308, 9331, 9718
- infecting domestic animals, 9562
- infecting goats, 9452
- infecting livestock, 9318
- infecting mice, 9344, 9353, 9608, 9614, 9619, 9742
- infecting pigs, 9694
  - crossbred, 9320
- infecting rabbits, 9613
- infecting rats, 9624
- infecting sheep, 9326, 9328, 9452, 9457, 9560, 9575, 9694
  - Scottish Blackface, 9323, 9327
  - West African Dwarf, 9701
- infecting tabanids, 9308
- infecting tsetse, 9305, 9307, 9309, 9339, 9429, 9559
- invariant antigens, 9712
  - congopain, 9325
  - 33 kDa cysteine protease, 9325, 9459
  - 69 kDa, 9712
  - hsp, 9325
  - 70 kDa hsp, 9459, 9712
- Kilifi type, 9305, 9309, 9429, 9629
- long-term storage, 9627
- lysosomes, 9712
- metacyclics, 9460
- mitosis, 9526

- metatrypanosomes, 9303
- pathology, 9532
- procyclic, 9339
- protein
  - hsp70/BiP, 9583
  - LDL-binding, 9631
- riverine-forest type, 9309, 9429
- savanna type, 9303, 9305, 9308, 9309, 9426, 9429, 9629
- stumpy form, 9303
- surface antigen, major, 9504
- trypanothione reductase
  - E201D and E201Q mutants, 9397
  - photoinactivation, 9384
- Tsavo type, 9309
- VSG, 9325, 9458, 9459, 9583, 9585, 9711

***T. cruzi***

- drug effects, 9486
- genome partition, 9502
- life cycle, 9362
- mitosis, 9526
- protein
  - hsp70
    - cytoplasmic, 9383
    - mitochondrial, 9383
  - tyrosine phosphatase activity, 9362
- trans-sialidase, 9502

***T. equiperdum***

- DNA
  - amplification, 9592
  - sequence homology, 9759
- drug effects, 9443
- drug resistant clone, 9367
- genes
  - glucose transporter, 9630
  - VSG, 9759
- infecting horses, 9334
- infecting rabbits, 9335
- in vitro* cultivation, 9492
- long-term storage, 9627
- protein, LDL-binding, 9631
- pseudogenes, 9759
- P2 purine transporter, 9367
- ribonucleoprotein complexes, 9652
- RNA
  - editing, 9652
  - g, 9652
  - m, 9652

***T. evansi***

- adenosine transporters, alteration, 9519
- antigenic variation, 9532
- biochemistry, 9532
- clones, akinetoplasmic, pararosaniline-induced, 9523, 9524
- cloning, 9356
- culture, 9532
- DNA amplification, 9592
- drug effects, 9443, 9490, 9491, 9614, 9622
- drug resistance, 9356, 9477, 9519, 9632, 9729, 9741

- drug sensitivity, 9741
- genes, glucose transporter, 9630
- growth rates, 9741
- identification, 9588
- immunology, 9532
- infecting camels, 9334, 9454, 9469, 9692, 9729
- infecting dogs, 9577
- infecting horses, 9453
- infecting mice, 9342, 9356, 9491, 9614, 9622, 9739
- infecting rabbits, 9591
- infecting rats, 9588, 9740
- in vitro* cultivation, 9492, 9493
- in vitro* studies, 9477, 9490
- long-term storage, 9627
- L-rRNA, 5' terminal regions
  - nucleotide sequences, 9649
- lymphocyte triggering factor-like activity, CD8-dependent, 9593
- pathogenicity of different stocks, 9342
- pathology, 9532
- surface membrane, concavities, 9523
- survival in horses, 9453
- tryptophan catabolism, 9374

***T. godfreyi***

- characterisation, 9359
- genetics, 9360
- identification, 9429
- infecting tsetse, 9305, 9429
- repetitive DNA sequence, 9511

***T. musculi***

- infecting mice, 9473

***T. simiae*** 9320

- characterisation, 9359
- differentiation, 9338
- DNA probes, 9629
- genetics, 9360
- identification, 9426, 9429
- infecting tsetse, 9305, 9309, 9339, 9429
- procyclic, 9339

***T. theileri***

- infecting livestock, 9318

***T. vivax***

- antigen expression in *E. coli*, 9340
- antigenic variation, 9470
- differentiation, 9338
- drug effects, 9742
- genes, glucose transporter, 9528
- glucose uptake, 9528
- infecting cattle, 9449, 9574, 9575, 9579
  - Boran, 9461, 9713
  - Orma, 9699, 9700, 9716
  - Galana, 9700, 9716
  - Muturu, 9450
  - N'Dama, 9708, 9713
  - Zebu, 9693
- infecting goats, 9452, 9694
  - West African Dwarf, 9455, 9578, 9695
- infecting livestock, 9318

- infecting mice, 9742
- infecting sheep, 9452, 9575, 9694
  - West African Dwarf, 9321
- infecting tsetse, 9305, 9307, 9309, 9339
- KETRI 2501, 9700
- protein, LDL-binding, 9631
- transmission by Stomoxyinae, 9560

**trypanosome/s**

- antigenic stimulus, 9688
- antigenic variation, 9685
- autolysates, 9697
- differentiation, 9685
- drug resistance, 9296
- glyceraldehyde-3-phosphate dehydrogenase inhibition, 9350
- identification, 9426
- infecting rats, 9733
- infecting tsetse, 9336, 9411, 9415, 9426
- infection rates
  - in cattle, Nigeria, 9693
  - in tsetse, 9706, 9726
- interaction with lectin, 9415
- life cycle, 9685
- metabolites, 9697
- maturation in tsetse midgut, 9411, 9415
- phylogeny, 9494
- prevalence
  - in cattle
    - in Central African Republic, 9324
    - in Côte d'Ivoire, 9575, 9702, 9720
    - in Ethiopia, 9296
    - in Nigeria, 9693
  - in goats
    - in Nigeria, 9452
  - in sheep
    - in Côte d'Ivoire, 9575
    - in Nigeria, 9452
  - in trypanosusceptible livestock, 9706
  - in trypanotolerant livestock, 9706
  - in tsetse, 9706
    - in Côte d'Ivoire, 9305
  - in Zaire, 9720
- rRNAs
  - large and small subunits, 9494
- surface coat, 9685
- surface molecules, 9415
- toxins, 9697
- virulence, 9685

**trypanosomiasis general**

- control, 9402, 9407
  - in Africa
    - Central, 9723
    - sub-Saharan, 9402
    - West, 9723
  - in Central African Republic, 9324
  - in Côte d'Ivoire, 9267, 9467
  - in Ethiopia, 9298
  - in Mozambique, 9407

- in Togo, 9265, 9266
- in Uganda, 9311, 9442
- in Zaire, 9398
- sustainability, 9264

distribution in Africa, 9662

**trypanosomiasis general (cont.)**

- immunology, 9685
- immunopathology, 9688
- in Mozambique, 9407
- in sub-Saharan Africa, 9402
- mechanisms of cellular injury, 9697
- pathogenesis, 9402
- risk, Uganda, 9672
- serodiagnosis, 9688
- surveillance, 9402

**trypanosomiasis in animals**

clinical symptoms/pathological effects

- abortion, 9321, 9699, 9700, 9718
- anaemia, 9322, 9323, 9457, 9576, 9577, 9579, 9581, 9686, 9692, 9700, 9717
- anorexia, 9577
- calf mortality, 9718
- corneal opacity, 9577
- emaciation, 9461
- eosinopenia, 9692
- fever, 9695, 9697
- foetal mortality, 9718
- growth retardation, 9321, 9323, 9457
- hormonal imbalance, 9697, 9700
- hyperproteinaemia, 9692
- leucopenia, 9329, 9692
- liver enlargement, 9692
- loss of condition, 9321
- low birth weight, 9461
- lymphopenia, 9692
- microangiopathy, 9697
- monocytosis, 9692
- nutritional imbalance, 9697
- oedema, 9577
- peroxidation, 9697
- premature birth, 9461
- reproductive disorder, 9700
- sleep disturbance, 9343
- spleen enlargement, 9692
- still birth, 9461, 9700
- thrombocytopenia, 9329
- weakness, 9461, 9577
- weight loss, 9700

control, 9265, 9266

- historical, 9269

diagnosis, 9318, 9319, 9320, 9451, 9454, 9469, 9574, 9577, 9580, 9693, 9698, 9703

epidemiological monitoring, 9318

impact, 9265

management, 9266

pathogenesis

- role of nutrition in, 9456

prevalence, 9318

- in Togo, 9266

treatment, 9446

**trypanosomiasis in camels** 9469

in Kenya, 9729

in Nigeria, 9692

in Somalia, 9448

in Sudan, 9334

prevalence, 9692

treatment, 9334, 9469, 9729

*T. evansi* infection, 9334, 9692, 9729

**trypanosomiasis in cattle** 9465, 9685

control, 9298, 9324, 9467, 9663, 9664

diagnosis, 9319, 9574, 9580, 9691, 9693

immune response, 9325, 9458, 9459, 9462, 9583, 9585, 9710, 9711, 9712, 9713, 9714

impact of tsetse control, 9324

in Burkina Faso, 9574, 9691

in Central African Republic, 9302, 9324, 9531, 9553

in Côte d'Ivoire, 9467, 9663

in Ethiopia, 9298, 9422, 9663, 9718

in Gambia, 9319, 9540, 9663, 9720

in Kenya, 9663, 9699, 9716, 9717

in Mali, 9719

in Nigeria, 9401, 9693, 9721

in Togo, 9663

in Zaire, 9663

incidence

in Burkina Faso, 9691

in Kenya, 9717

prevalence

in Ethiopia, 9422

in Mali, 9719

in Nigeria, 9449, 9450

resistance to, 9582, 9726

risk, 9705

in Côte d'Ivoire, 9267, 9575

in Ethiopia, 9718

in Gambia, 9331, 9540

in Kenya, 9699

in Nigeria, 9721

self-cure, 9717

survey, 9691

treatment, 9324, 9467, 9580, 9717

*T. vivax* infection, 9693

**trypanosomiasis in dogs**

diagnosis, 9577, 9703

in India, 9577

treatment, 9577, 9703

*T. b. brucei* infection, 9703

*T. evansi* infection, 9577

**trypanosomiasis in goats**

prevalence

in Nigeria, 9452

in Uganda, 9694

*T. brucei* infection, 9694

*T. vivax* infection, 9694

**trypanosomiasis in horses**

control, 9698

diagnosis, 9698

distribution, 9698  
incidence, 9698  
pathology, 9698  
prophylaxis, 9698  
treatment, 9698

**trypanosomiasis in humans** 9685

association with HIV, 9313  
clinical symptoms/pathological effects  
  abnormal EEG traces, 9435, 9438  
  annular macules, 9437  
  asthenia, 9314  
  behavioural impairment, 9435  
  cerebellar, 9438  
    syndrome, 9566  
  cerebral involvement, 9435  
  cerebromeningitis, 9435  
  circadian disturbances  
    cortisol, 9440  
      secretion, 9569  
    hormone profiles, 9684  
    hormone release, 9432  
      growth, 9569  
    interferon- $\gamma$  levels, 9440  
    prolactin, 9440  
      secretion, 9569  
    sleep-wake, 9432, 9433, 9434, 9435, 9438, 9440, 9535, 9567, 9569  
    thyrotropin levels, 9567  
  depressive disorder, 9317  
  drowsiness, 9566  
  encephalitis, 9566, 9570  
  encephalopathy, 9535  
  epileptic seizures, 9435  
  fatigue, 9437  
  fever, 9314, 9437  
  frontal syndrome, 9441  
  hemiplegia, 9566  
  hypogonadism, 9429  
  hypothalamic-pituitary-gonadal axis dysfunction, 9439  
  impotence, 9439  
  lesions, 9437  
  loss of libido, 9439  
  meningitis, 9566, 9570  
  meningoencephalitis, 9314, 9433, 9435, 9440, 9441, 9570, 9687  
  motor impairment, 9435  
  myalgias, 9437  
  neurological disorder, 9314  
  neuropsychiatric, 9436  
  oedema, 9314  
  papillo-oedema, 9441  
  pruritic rash, 9437  
  pyramidal, 9438  
  rigors, 9437  
  sleep disturbances, 9317, 9432, 9433, 9434, 9438, 9684  
  stupor, 9317  
  tetrapyramidal syndrome, 9566  
  trembling, 9566  
  vigilance disturbances, 9435

- vomiting, 9317
- weight loss, 9317
- control, 9263, 9311, 9398, 9400, 9402, 9405, 9441, 9442, 9533, 9535, 9561
- diagnosis, 9263, 9311, 9312, 9317, 9341, 9398, 9430, 9431, 9437, 9442, 9447, 9533, 9535, 9536, 9562, 9563, 9564, 9573, 9682, 9683, 9685
- economic factors, 9405
- environmental factors, 9405
- epidemics, 9404, 9534, 9536, 9537, 9561
- epidemiology, 9263, 9398, 9400, 9402, 9404
- historical aspects, 9312, 9433
- immune response, 9314, 9436, 9437, 9440, 9568, 9570, 9594, 9599, 9600, 9683
- immunology, 9570, 9571
- immunopathology, 9570
- in Africa, sub-Saharan, 9402
- in Angola, 9533
- in Congo, 9314, 9432, 9433, 9436, 9441, 9567
- in Côte d'Ivoire, 9313, 9433, 9436, 9564, 9684
- in Equatorial Guinea, 9573
- in Ethiopia, 9285
- in Sudan, 9404, 9537
- in Uganda, 9311, 9404, 9439, 9442, 9533, 9534, 9536, 9537, 9689, 9694
- in Zaire, 9312, 9398, 9404, 9533, 9562, 9572
- incidence
  - in Uganda, 9311
- modelling, 9561
- pathogenesis, 9474, 9571, 9686
  - immuno-, 9440
  - of neurological involvement, 9436
- pathology, 9263
- physiopathology, 9314, 9315
- political factors, 9405
- prevalence, 9533, 9561
  - in Angola, 9533
  - in Uganda, 9533
  - in Zaire, 9398, 9533
- risk, 9398, 9402, 9405, 9533
- risk factors, 9313
- screening, 9311, 9682
- sex differences in, 9565
- surveillance, 9398, 9402, 9404, 9533
- survey, 9533
- transmission, 9311, 9536
- treatment, 9263, 9311, 9312, 9315, 9317, 9405, 9442, 9446, 9533, 9535
  - arsenicals, 9535
  - combination therapy, 9571, 9572, 9573

**trypanosomiasis in humans (cont.)**

- treatment (cont.)
  - DFMO, 9317, 9441, 9443, 9445, 9446, 9447, 9535, 9571, 9573
  - dimercaprol, 9437
  - diminazene, 9447, 9572
  - melarsoprol, 9433, 9434, 9437, 9438, 9442, 9443, 9445, 9447, 9535, 9566, 9573, 9689, 9690
  - metronidazole, 9690
  - nifurtimox, 9447
  - nitroimidazole, 9535, 9571
  - pentamidine, 9443, 9444, 9447, 9535, 9572, 9573
  - relapse, 9447, 9535, 9572

suramin, 9437, 9443, 9447, 9572, 9573, 9690

*T. b. gambiense* infection, 9311, 9312, 9313, 9314, 9317, 9341, 9430, 9431, 9441, 9444, 9447, 9533, 9534, 9536, 9537, 9561, 9562, 9564, 9567, 9568, 9572, 9573, 9682, 9683

*T. b. rhodesiense* infection, 9430, 9431, 9437, 9438, 9439, 9447, 9534, 9536, 9537, 9566, 9682, 9686, 9690, 9694

upsurges, 9398, 9405

vector-parasite relationships, 9263

### **trypanosomiasis in livestock**

risk, in Côte d'Ivoire, 9575

### **trypanosomiasis in pigs**

diagnosis, 9320

infection rate, Nigeria, 9320

prevalence, Uganda, 9694

*T. brucei* infection, 9320, 9694

*T. congolense* infection, 9320, 9694

### **trypanosomiasis in sheep**

prevalence

in Nigeria, 9452

in Uganda, 9694

*T. congolense* infection, 9694

*T. vivax* infection, 9694

### **trypanosusceptibility**

genetics of, 9718

in cattle, 9720

Boran, 9458, 9583, 9585

Orma, 9717

Galana, 9700, 9716, 9717

Zebu, 9710, 9717, 9718

in livestock

trypanosome prevalence, 9706

in mice, 9731, 9732

### **trypanotolerance** 9688

biology of, 9704

control of anaemia, 9581, 9707, 9708, 9710, 9714

control of parasitaemia, 9581, 9707, 9708, 9710

criteria, 9581, 9709

expression of, 9706

genetics of, 9581, 9582, 9707, 9709, 9710, 9715, 9726, 9727, 9728

heritability, 9707

impact of, 9704, 9723

in cattle, 9267, 9401, 9450, 9530, 9663, 9664, 9705, 9720, 9723

Baoulé, 9710

genetics of, 9723

N'Dama, 9458, 9540, 9581, 9585, 9707, 9708, 9709, 9715, 9720, 9728

genetics of, 9584

Orma Boran, 9699, 9700, 9716, 9717

research, 9728

in goats, 9530

in livestock, 9663, 9704

genetics of, 9727

in sheep, 9530

in small ruminants, 9726

indicators, 9708

links with performance traits, 9581

markers, 9581

mechanisms, 9705

selection for, 9581

trypanolytic serum factors, 9710

**trypanotolerant**

cattle

in Côte d'Ivoire, 9720

in Gambia, 9720

in Togo, 9720

in trypanosomiasis control, 9663, 9664

in Zaïre, 9720

production, economics, 9720

livestock, 9705, 9726

productivity, 9704, 9727

trypanosome prevalence, 9706

**Trypanozoon**

drug resistance/sensitivity, 9333

human plasma resistance/sensitivity, 9333

human serum resistance/sensitivity, 9306, 9310

identification by DNA probes, 9426

infecting cattle, 9333

infecting pigs, 9333

infecting tsetse, 9306, 9309, 9310

infectivity to humans, 9306, 9310, 9333

maturation in tsetse, 9306, 9310

transmissibility, 9306, 9310

**tsetse eradication** 9266, 9269, 9399

in Burkina Faso, 9691

in north-western Zimbabwe, 9420

**Uganda**

Busoga

trypanosomiasis in humans, 9404, 9534, 9536, 9537

insecticide residues in human milk, 9677

Mukono District

trypanosomiasis

in humans, 9694

in pigs, 9694

in small ruminants, 9694

northern

trypanosomiasis in humans, 9442

southeast

*G. f. fuscipes* in, 9762

*rhodesiense* trypanosomiasis in humans, 9439

trypanosomiasis risk, 9672

tsetse control, 9672

*T. brucei* populations from, 9744

trypanosomiasis in humans, 9404, 9689

Busoga focus, 9534, 9536, 9537

epidemics, 9534, 9536, 9537

*gambiense*, 9534, 9536, 9537

prevalence, 9533

*rhodesiense*, 9534, 9536, 9537

trypanotolerant cattle in, 9716

tsetse control, 9677

western

*G. morsitans* in, 9549

West Nile province

trypanosomiasis in humans

control, 9311

*gambiense*, 9311  
incidence, 9311  
screening, 9311

**variable antigen type (VAT)**

of *T. b. gambiense*, 9430  
clone populations, 9341  
of *T. b. rhodesiense*, 9430

**variant surface glycoprotein (VSG)**

antigens, in human trypanosomiasis, 9570  
*T. brucei*, 9650  
gene, 9637, 9780  
expression, 9377, 9393, 9781  
transcriptional regulation, 9377  
GPI anchor, 9652  
mosaic coats, expression of, 9773  
myristate exchange, 9498  
surface epitopes, 9381  
*T. b. gambiense*, 9430  
genes, 9628  
*T. b. rhodesiense*, 9430  
*T. congolense*, 9325, 9458, 9583, 9595, 9711  
*T. equiperdum*, genes, 9759

**warthog**

as host for tsetse, Kenya, 9681

**Zaire**

Bundundou region  
trypanosomiasis in humans, prevalence, 9398  
*G. p. palpalis* in, 9304  
trypanosome infections  
in cattle, 9708  
in domestic animals, 9562  
trypanosome prevalence, 9720  
trypanosomiasis  
control, 9663, 9664  
in humans, 9404  
Boma focus, 9562  
*gambiense*, 9312, 9562, 9572  
prevalence, 9398, 9533  
trypanotolerant cattle in, 9716, 9720  
trypanotolerant livestock in, 9663, 9664, 9708  
tsetse abundance, 9538  
tsetse control, 9663

**Zambia**

*G. m. centralis* in, 9307  
*G. m. morsitans* in, 9418  
*G. pallidipes* in, 9418  
Luangwa  
*G. pallidipes* in, 9429  
tsetse trapping studies, 9418  
*T. brucei* populations from, 9744  
*T. b. brucei* infection in dogs, 9489  
trypanosomiasis in humans, *rhodesiense*, 9690

**Zanzibar**

Unguja Island  
*G. austeni* in, 9551

tsetse trapping, 9551

## **Zimbabwe**

*G. morsitans* distribution, 9674

*G. m. morsitans* in, 9273, 9286, 9290, 9546

*G. pallidipes* in, 9273, 9281, 9286, 9290, 9546

Lake Kariba

tsetse control, 9403

environmental impact, 9292, 9293

insecticide, 9292, 9293

spraying, 9292

spraying, ground

DDT

environmental impact, 9420, 9423, 9424

Stomoxyinae in, 9286

tsetse behaviour studies, 9284, 9286, 9290, 9675

tsetse control

impact on land use, 9403

spraying, 9420, 9423, 9424, 9557

studies, 9295, 9546

tsetse trapping, 9273, 9281, 9286, 9290, 9546

Zambezi Valley

*G. pallidipes* in, 9429

trypanosome infection in cattle, 9353