

## SUBJECT INDEX

Numbers refer to the abstract and bibliographic reference numbers appearing in the *Tsetse and Trypanosomiasis Information Quarterly*, volume 22 (1999). For organisations, see page 254.

### Africa

#### Central

trypanosomiasis in humans, 10994

#### East

trypanosomiasis control, 10883

trypanosomiasis in cattle, 10766

relationship with tick-borne disease,  
10766

trypanotolerant cattle in, 11020

tsetse control, 10976

tsetse distribution, remote sensing, 11106

#### southern

impact of tsetse control, 10833

tsetse control, 10976

#### sub-Saharan

trypanosomiasis

control, 10957

in humans, 10719

in livestock, 10886

tsetse control, 10957

trypanosomiasis

in cattle, 11090

in livestock, 10768, 10966

#### West

trypanosomiasis

in animals, 10988

in humans, 10714

### agricultural production constraints

animal trypanosomiasis, 10966

### Angola

*T. b. gambiense* epidemics, 10719

trypanosomiasis in humans, 10719

### antibodies

*see also* immune response

anti-immunoglobulin, in cattle, 10770

anti-trypanosome, in humans, 10857

anti-tsetse saliva, 11118

detection assays, 11030

monoclonal

in diagnostic tests, 10875, 10878, 10879

species-specific

in diagnostic testing, 10753

to trypanosome tyrosine amino transferase

activity

in camels, 11145

in mice, 11145

### antigen/s

*see also* variant surface glycoproteins

trypanosome

components, 10780

detection, 10749, 10756, 10879

immunogenicity, 10781

in diagnosis, 10870, 10871, 10875, 10878,

10996, 11030, 11127

invariant, 10878

recognition, 10720

repertoire, 10886

*T. b. gambiense*, 11127

*T. congolense*, for ELISA, 11007

variable surface, 11127

### antigenaemia

in trypanosome-infected cattle, 11021

### antigenic variation

 10948, 11088

### antigenicity

of tsetse saliva, 11118

### arsenicals

resistance, in *T. brucei* spp., 11166

### attractants/attractiveness for tsetse

baits, 10844

human sweat, 10725, 10731

traps, coloured, 10842

uric acid, 10731

### bait/s

*see also* odour attractants

catch, 10844, 10845

mobile, 10844

ox, 10844

sampling, 10845

siting, 10845

**Berenil** *see* diminazene aceturate

### biting flies

horse flies, 10754

in Ethiopia, 10968

in Mauritania, 10754

in Nigeria, 10868, 10869

stable flies, 10754

transmission of *T. evansi*, 10916

### Botswana

dourine in equines, prevalence, 11134

Okavango Delta

*G. m. centralis* in, 10959

### Botswana (cont.)

Okavango Delta (cont.)

tsetse control, 10959, 10976, 11107  
trapping, 11107

#### **buffalo**

reservoir host, role, 10854  
*T. b. brucei* infection (exp.), 10854  
*T. congolense* infection, 10854  
*T. vivax* infection (exp.), 10854  
trypanotolerance, 10854

#### **Burkina Faso**

Bobo-Dioulasso  
trypanosomiasis in animals, 10850  
tsetse distribution, 10850  
*G. m. submorsitans* in, 10851, 10979  
*G. p. gambiensis* in, 10728, 10738  
*G. tachinoides* in, 10738, 10851, 10979  
Sideradougou  
tsetse distribution, 10738  
trypanosomiasis  
in cattle, 11132  
prevalence, 11005  
risk, 10851  
tsetse control  
SIT, 10972  
trapping, 10979

#### **camels**

treatment  
melarsomine, 10835  
*T. evansi* infection, 10835  
diagnosis, 10756  
immune response, 11145  
in Kenya, 10756, 10769  
in Mauritania, 10737  
in Sudan, 10769  
prevalence  
in Nigeria, 10880  
*T. evansi* infection (exp.)  
C<sub>3</sub> level changes, 11017  
immune response, 10760  
polymorphonuclear cell changes, 11016  
treatment, 10760  
melarsomine, 11016  
trypanosomiasis  
diagnosis, 11011  
in Egypt, 11139  
in Kenya, 11011  
in Mauritania, epidemiological survey,  
10754  
in Nigeria, 10880  
  
prevalence, 11011  
in Mauritania, 10754  
screening, 11011  
*T. evansi* infection, 11011, 11139

#### **Cameroon**

diagnostic testing in pigs, 11001  
*G. p. palpalis* in, 10740, 10991  
trypanosomiasis in cattle, prevalence, 11010  
trypanosomiasis in humans, 10857  
foci, 10740, 10991  
Bipindi, 11128  
Campo, 11127, 11128  
Fontem, 10862, 11117, 11128  
*gambiense*, 10862, 11001

#### **cattle**

Adamawa  
trypanosome infection, Nigeria, 10874  
Ankole longhorn  
*T. brucei* infection (exp.)  
CNS involvement, 11142  
treatment, efficacy assessment, 11142  
as tsetse hosts, Uganda, 10992  
Boran  
role as reservoir host, 10854  
*T. b. brucei* infection (exp.), 10854  
*T. congolense* infection (exp.), 10854,  
10990  
diminazene aceturate multiple treatment,  
11143  
*T. vivax* infection (exp.), 10854, 10990  
effects, 11027  
treatment, 11027  
trypanosomiasis  
effect on bone marrow functions, 11014  
trypanosusceptibility, 10854, 10889  
Bunaji  
trypanosome infection, Nigeria, 10869  
crossbred  
trypanosome infection  
effect on tick susceptibility, 10755  
in Nigeria, 10869  
infection rate, 10755  
treatment, 10755  
trypanosusceptibility, 10755  
Friesian  
susceptibility to ticks, 11020  
trypanosome infection, Nigeria, 10869  
trypanosusceptibility, 10766, 11020  
Fulani  
trypanosome infection, Nigeria, 10876  
Galana Boran  
trypanosusceptibility, 10766, 10883, 11020  
  
Gobra Zebu  
treatment, 10764  
trypanosome infection  
effect on tick susceptibility, 10755  
rate, 10755

- treatment, 10764
- trypanosusceptibility, 10755
- Maasai Zebu
  - trypanosusceptibility studies, 10883
  - trypanotolerance, 10766, 11020
- mixed infections, 11008
- N'Dama
  - role as reservoir host, 10854
  - treatment, 10764
  - T. b. brucei* infection (exp.), 10854
  - T. congolense* infection, 11022
    - effects on IL-10 transcription, 10889
    - effects on nitric oxide secretion, 10889
  - T. congolense* infection (exp.), 10854
    - effect of nutrition, 10758, 10759
    - effect on grazing behaviour, 10759
    - effect on work, 10758
  - T. vivax* infection, 11022
  - T. vivax* infection (exp.), 10854
- trypanosome infection
  - effect on tick susceptibility, 10755
  - rate, 10755
  - treatment, 10755
- trypanosomiasis
  - effect on bone marrow functions, 11020
  - trypanosusceptibility, 10755
  - trypanotolerance, 10854, 10889, 11019, 11021, 11022
  - heritability, 10763
- Ngoni
  - deltamethrin pour-on trials, 11110
- Orma Boran
  - trypanosusceptibility studies, 10883
  - trypanotolerance, 10766, 11020
- Red Bororo
  - trypanosome infection, Nigeria, 10874
- Sokoto Gandali
  - trypanosome infection, Nigeria, 10869
- treatment
  - diminazene aceturate, 11024, 11115
  - homidium bromide, 11024
  - insecticide, 10976, 10978, 10987
    - cypermethrin pour-on, 10967, 10968, 11029
    - deltamethrin pour-on, 11018, 11110, 11115
    - dips, pyrethroid, 11105
    - pour-on, 10736, 11135
  - isometamidium chloride, 11024
  - T. brucei* infection, 10739, 10751, 10881, 11025, 11132, 11133
  - T. brucei* infection (exp.)
    - in diagnostic testing, 11012, 11013
  - T. b. brucei* infection, 11026
  - T. b. rhodesiense* infection, 11026
  - T. congolense* infection, 10734, 10739, 10881, 11025, 11091, 11132, 11133
  - T. congolense* infection (exp.), 10875, 11006
    - drug testing, 11024
    - drug treatment, 10890
  - T. evansi* infection, 11091
  - T. evansi* infection (exp.), 10770
  - T. theileri* infection, 10881
  - T. vivax* infection, 10734, 10739, 10751, 10757, 10881, 11006, 11025, 11132, 11133
  - T. vivax* infection (exp.), 10875
- trypanosome infection
  - diagnosis, 11132, 11133, 11135
  - mixed, 11132
  - prevalence, 10968
    - Burkina Faso, 11132
    - rate, Kenya, 10881
- trypanosomiasis
  - chemotherapy, 11135
  - control, 11090, 11115
    - strategies, 10766
  - diagnosis, 10751, 10850, 10867, 10868, 10873, 10874, 10875, 10877, 10879, 11005, 11007, 11008, 11010
  - distribution, Nigeria, 10867
  - effect on work capacity, 11091
  - immune response, 10877, 10886
  - impact of tsetse control, 10734, 10755
  - in Burkina Faso, 10739, 10850, 11132
  - in Kenya, 10734, 10878
  - in Mali, 10878
  - in Nigeria, 10867, 10868, 10873
  - in South Africa, 11105
  - in Togo, 10978
  - in Uganda, 10751, 11135
  - in Zambia, 11007
  - incidence, Kenya, 11018
  - infection rate, Congo D.R., 10877
  - on Uganda/Kenya border, 11115
  - pathology, 11014
  - prevalence
    - in Burkina Faso, 11005
    - in Cameroon, 11010
    - in Congo D.R., 10877
- cattle** (cont.)
  - trypanosomiasis (cont.)
    - prevalence (cont.)
      - in Mozambique, 11025
      - in Nigeria, 10867, 10868, 10873, 10874
      - in Uganda, 11008, 11135
      - in Zambia, 11133
    - relationship with tick-borne disease, 10766
    - self-cure, 11133

- treatment, 10883, 11018, 11133  
*T. brucei* infection, 10868, 10874, 10878, 11005, 11008, 11010, 11115  
*T. congolense* infection, 10868, 10874, 10878, 11005, 11008, 11010, 11014, 11105, 11115  
*T. vivax* infection, 10868, 10873, 10874, 11005, 11008, 11010, 11014, 11018, 11105, 11115, 11135  
trypanosome infection, 10873, 10879  
trypanosusceptibility, 10755, 10763  
  effect on production, 10966  
trypanotolerance, 10763, 10766  
  genetics, 10888  
trypanotolerant, 10720, 10755  
Wadara  
  trypanosome infection, Nigeria, 10869  
White Fulani Zebu  
  *T. vivax* infection (exp.)  
    acquired resistance, 10887  
    self-cure, 10887  
Zebu  
  treatment with pour-on, 10968  
  *T. congolense* infection, 11029  
  *T. vivax* infection, 11029, 11147  
  trypanosomiasis  
    incidence, Ethiopia, 11029  
    prevalence, Ethiopia, 11029  
  trypanosomiasis (exp.)  
    effect of lactose on drug treatment, 11144
- Central African Republic**  
*G. f. fuscipes* in, 11113  
*T. b. gambiense* epidemics, 10719  
trypanosomiasis in humans, 10719  
tsetse control, trapping, 11113
- central nervous system (CNS)**  
involvement in trypanosomiasis  
  bovine, 11142  
  human, 10747, 10859  
  diagnosis, 10742
- cerebrospinal fluid (CSF)**  
in human trypanosomiasis, 11002  
  cell numbers, 11000  
  IgM concentration, 11000, 11126  
  melarsoprol in, 10865  
  parasite DNA in, 10859  
  proteins in, 10863, 11000, 11126  
  trypanosomes in, 10742, 10747, 11000, 11003, 11126  
  white cell count, 10742, 10747
- challenge**  
  tick, natural  
  to cattle, 11020
- trypanosome  
  in acquired resistance studies, 10887  
  to cattle, 10758  
    in Burkina Faso, 10739  
    on Uganda/Kenya border, 11115
- tsetse  
  experimental, in diagnosis, 10875  
  incidence, Nigeria, 10871  
  monitoring, Nigeria, 10871  
  to cattle, 10755  
    in Ethiopia, 11029  
    in Mali, 10890, 11024  
    in Kenya, 10883  
    in Zambia, 10890, 11110  
    in Zimbabwe, 10750  
  to livestock, Kenya, 11009
- characterisation**  
*see also* identification, detection  
  of *T. brucei* ssp. stocks  
    isoenzyme, 11164  
  of trypanosomes, 10794, 10850  
  by PCR, 10850, 10851, 10988
- chemosterilants**  
  on traps, 11114
- chemotherapy** 10963, 10978  
  of trypanosomiasis  
    animal, 11115  
    bovine, 11135  
    human, 10864, 10866, 11088
- chitin synthesis inhibitors**  
  on traps/targets, 11114  
  triflumuron, 10979, 10981
- Congo, Democratic Republic**  
*G. f. fuscipes* in, 10877  
*G. pallidipes* in, 10877  
Northern Kivu  
  trypanosomiasis  
    in cattle, 10877  
    in goats, 10877  
*T. b. gambiense* epidemics, 10719  
trypanosomiasis in humans, 10719  
  *gambiense*, 11000  
  surveillance, 10997  
tsetse distribution, 10877
- Congo, People's Republic**  
Bouenza focus, 10848  
*G. p. palpalis* in, 10848  
trypanosomiasis in humans, 10848, 11129  
tsetse trapping, 10848
- contaminating devices (CDs)**  
  entomopathogenic fungi, 10983  
  on traps and targets, 10981
- control, trypanosomiasis** 10828, 10963, 11088, 11089, 11155

- clearing, 10826
- community participation, 10834, 10986
- cost, 10829, 10956, 10957, 11092
- cost-benefit, 10834, 11090
- cost-effectiveness, 10986
- depopulation, forced, 10826
- drug treatment, 10717, 10719, 10768, 10829, 11023
- GIS in, 10955, 10962, 11090, 11092, 11093
- impact, 10963
- in Africa
  - central, 10994
  - East, 10883
  - sub-Saharan, 10886
- in Congo D.R., 10877, 10997
- in Kenya, 10960, 10986
- in Nigeria, 10825, 10832, 10868, 10870, 10871, 10876
- in Togo, 10955, 10978
- in Uganda, 10826, 10985, 11008
- in Zambia, 10834
- integrated, 10766, 10768, 10829, 10883
- management, 10956, 10957, 10986, 11092
- models, 11090, 11111
- monitoring, Nigeria, 10869, 10870, 10871
- multi-disciplinary, 11094
- on Uganda/Kenya border, 11115
- options, 10763
- planning, 11092
- programmes, 10988, 10994
- prophylaxis, 10752
- research, 11088
- selective breeding, 10763
- socioeconomics, 10827, 10832, 10886
- strategy, 10877, 10955, 10957, 10997
- surveillance, 10717, 11086
- sustainability, 10986
- therapeutic, 10752, 10768
- vaccines, research, 11090
- vector control, 10719, 10734, 10763, 10768, 10828, 10829, 10868, 10876, 10955, 11023, 11094, 11111, 11115
- control, tsetse** 10713, 10718, 10719, 10828, 10829, 10963, 10965, 11023
  - community-based, 10984
  - community participation, 10733, 10834, 10849, 10956, 10963, 10977, 10985, 10986, 11087
  - cost, 10955, 10956, 10957, 10959, 10968, 10976, 11092, 11112
  - cost-benefit, 10834
  - cost-effectiveness, 10986
  - GIS in, 11092, 11093, 11107
  - impact, 10954, 10968
  - in Africa, 10736
    - eastern, 10976
    - southern, 10976
    - sub-Saharan, 10957
  - in Botswana, 10959, 10976, 11107
  - in Burkina Faso, 10972, 10979
  - in Central African Republic, 11113
  - in Congo P.R., 10848
  - in Côte d'Ivoire, 10975, 10981
  - in Ethiopia, 10736, 10967, 10968, 11029
  - in Kenya, 10716, 10734, 10883, 10960, 10974, 10981, 10983, 10986, 10990, 11108, 11109, 11115
  - in Mali, 11112
  - in Nigeria, 10827, 10868, 10869, 10870, 10871, 10879, 10972
  - in Tanzania, 10969, 10972, 10987, 11095
  - in Togo, 10955, 10978
  - in Uganda, 10981, 10985, 10992, 11008, 11115, 11135
  - in Zambia, 10834, 10980, 10982, 11087
  - in Zanzibar, 10736
  - in Zimbabwe, 10833, 10954, 10980, 10981, 10982, 11116
- insect growth regulators, 10981
- insecticide, 10713
  - cypermethrin, 11107
  - deltamethrin, 10734, 11107, 11112, 11115, 11116
  - dips, 11105
  - livestock treatment, 10828, 10978, 10987, 11029
  - on traps/screens/targets, 11107, 11112, 11115, 11116, 11135
  - pour-on, 10734, 10736, 10963, 10967, 10968, 10978, 11029, 11135
  - spraying, 10828, 10847, 10849, 10976
- integrated, 10736
- lethal insect technique, 10970, 10983
- control, tsetse** (cont.)
  - management, 10956, 10957, 10974, 10986, 11092
  - monitoring, 10879
    - in Nigeria, 10869, 10870, 10871
  - planning, 10963, 10977, 11008, 11092
  - remote sensing, 11106, 11107
  - research, 1071611
  - screens, 10736, 10876, 10982, 10987, 11112
  - SIT, 10713, 10736, 10847, 10969, 10972, 10976, 10981, 10987, 11008
  - socioeconomics, 10736, 10827, 10833, 10977, 10978, 11087
  - spraying
    - aerial, 10849, 11107
    - ground, 10849

- strategies, 10733, 10957, 10970, 10977, 10992  
surveillance, 10716  
sustainability, 10986  
targets, 10733, 10828, 10847, 10959, 10977,  
10980, 10981, 10982, 10984, 10990, 11107,  
11114, 11116  
theatre in, 10985  
traps/trapping, 10733, 10736, 10828, 10842,  
10848, 10849, 10868, 10869, 10871, 10876,  
10883, 10970, 10975, 10977, 10981-10983,  
10985, 10990, 11112-11115, 11135
- Côte d'Ivoire**  
*Glossina* guild, 11104  
*G. fusca* in, 11104  
*G. longipalpis* in, 10975, 11104  
*G. nigrofusca* in, 11104  
*G. pallicera* in, 11104  
*G. palpalis* in, 11104  
*G. tachinoides* in, 10981  
trypanosomiasis  
  in humans, 10742, 10857, 11125  
    Aboisso focus, 10861  
    Bouaflé focus, 10745  
    *gambiense*, 10865, 11000, 11002  
    survey, 10860  
  tsetse control, 10975, 10981  
  tsetse hosts, 10995  
  tsetse monitoring, 10975
- crocodiles**  
  as host for tsetse, Burkina Faso, 10738
- cryopreservation**  
  of trypanosomes, 10727
- Cymelarsan** *see* melarsomine
- cypermethrin**  
  cattle treatment, 10967, 10968, 11029  
  impregnated targets, 11107
- deltamethrin**  
  impregnated screens/targets/traps, 11107,  
  11112, 11115, 11116  
  odour-baited, 10981, 10984  
  pour-on, 10734, 11018, 11110, 11115  
  tsetse susceptibility to, 10735
- detection**  
  of trypanosomes, 10749, 10770, 10835, 10858,  
  10870  
  by blood examination, 10757  
  by PCR, 10740, 10748, 10751, 10991,  
  10993, 11001, 11031  
  comparison of techniques, 10993, 11001  
  dot-ELISA, 10993  
  field, 10757  
  in diagnosis, 10870  
  in tsetse, 10993  
  microscopical examination, 10988  
  molecular probes, 10988  
  xenodiagnosis, 10854
- DFMO** *see* difluoromethylornithine
- diagnosis** 10963  
  comparison of techniques, 10744, 10745,  
  10748, 10749, 10751, 10753, 10756, 10757,  
  10857, 10867, 10870-10872, 10875, 10879,  
  10891, 11010-11012, 11126-11128  
  costs, 10835, 11125  
  evaluation of techniques, 10748, 10749, 10753,  
  10857, 10872, 10879, 10998, 11000, 11006,  
  11007, 11011, 11012, 11030, 11126, 11133  
  field, 10835, 10860, 11000, 11001, 11011,  
  11094  
  of animal trypanosomiasis, 10750, 10751,  
  10753, 10754, 10756, 10827, 10835, 10850,  
  10867-10875, 10878-10880, 11001, 11005-  
  11008, 11010-11013, 11025, 11030, 11094,  
  11132-11135, 11138, 11139, 11145  
  of human trypanosomiasis, 10717, 10719,  
  10742-10745, 10825, 10857-10864, 10996-  
  11000, 11002, 11088, 11125-11128, 11130,  
  11131  
  parasitological, 10744, 10745, 10748-10751,  
  10753, 10754, 10756, 10757, 10825, 10857,  
  10858, 10860, 10863, 10867-10871, 10874,  
  10878-10880, 10891, 10998-11001, 11006-  
  11008, 11010, 11011, 11013, 11021, 11024,  
  11030, 11126, 11128, 11130, 11131, 11133,  
  11135, 11138  
  sensitivity, 10878, 10996, 11001, 11006,  
  11007, 11010, 11030, 11127, 11133  
  serological, 10749, 10751, 10754, 10756,  
  10757, 10825, 10858, 10863, 10869, 10870,  
  10871, 10878, 10879, 10996, 10998, 10999,  
  11006, 11007, 11010-11013, 11021, 11030,  
  11128, 11131, 11133, 11134, 11145  
  specificity, 11006, 11007, 11010, 11133
- diagnostic techniques**  
  antigen detection, 11019  
  blood film  
    thick, 10871  
    thin, 10867, 10871, 10877, 10880  
    wet, 10748, 10749, 10880  
  blood smear, 10752, 10753, 10754, 10873,  
  10880, 11130, 11132, 11133  
    stained, 11005, 11007, 11010  
  buffy coat, 10744, 10745, 10752, 10753,  
  10875, 10987, 11005-11008, 11010, 11011,  
  11019, 11021, 11024, 11025, 11132, 11135  
  dark ground, 10871, 10872, 10873, 10879  
  microhaematocrit, 10748  
  phase contrast, 11133  
  card agglutination (CATT), 10743, 10745,

- 10754, 10858, 10860-10862, 10998, 11011, 11030, 11118, 11128  
1.3, 11127  
card latex agglutination, monoclonal-dependent (Suratex), 10756  
CIATT, 10857  
*TrypTect*, 10857  
complement fixation, 11134  
CSF examination, 11000, 11126  
dip-stick assay, 10879  
double immunodiffusion, 10749  
ELISA, 10857, 11021, 11030, 11117, 11118  
Ag-, 10749, 10753, 10754, 10770, 10869-10871, 10875  
antigen-capture sandwich, 10869, 11006, 11007, 11012  
competitive drug, 10890  
direct sandwich, 10870, 10871, 10878, 10879, 11010  
indirect, 10879, 11007, 11133  
enzyme assay, direct, 11145  
haematocrit centrifugation (HCT), 10751, 10756, 10867, 10880, 11013, 11025  
IFAT, 10754, 10996  
immunoblot, 11118  
immunodiffusion, radial, 11126  
KIVI, 11128, 11164  
latex agglutination, 11000, 11030, 11126  
latex CATT, 11127  
LATEX/IgM, 11000, 11126  
mAECT, 10745, 10751, 10860, 10861, 11013  
  
mHCT, 11010  
microscopic examination, 10744, 10750  
mouse subinoculation, 10749, 10756, 11011  
nephelometry, 11126  
neutralisation assay, indirect, 11145  
PCR, 10748, 10751, 10757, 10850, 10857, 10859, 10872, 10879, 11012, 11128, 11142  
Western blot, 11030  
Woo test, 10744
- diamidines**  
effectiveness, 10830  
resistance, in *T. brucei* spp., 11166
- difluoromethylornithine (DFMO, eflornithine)**  
side effects, 10767  
treatment  
of *T. brucei*-infected dogs, 10767  
of *T. b. brucei*-infected mice, 10783  
of *T. b. rhodesiense*-infected monkeys, 11057  
of trypanosomiasis, in humans, 10747, 11051, 11086, 11131
- Diminaphen**  
effects in *T. b. brucei*-infected mice, 10913
- diminazene aceturate**  
effects  
in *T. b. brucei*-infected mice, 10913  
resistance, 11029  
sensitivity testing, 10908, 10909, 10910  
susceptibility testing  
in *T. b. brucei*, 11026  
in *T. b. rhodesiense*, 11026  
target, in *T. brucei*, 10784  
treatment  
of cattle, 11115  
of *T. brucei*-infected cattle, 11012, 11013  
assessment of efficacy, 11142  
of *T. brucei*-infected dogs, 10767, 11025  
of *T. congolense*-infected cattle, 11143  
of *T. evansi*-infected dog, 11140  
of trypanosome-infected cattle, 11018, 11024, 11029  
of trypanosome-infected sheep, 10884
- DNA**  
trypanosome  
amplification  
by PCR, 10989  
in diagnostic testing, 10861  
base, biosynthesis and function, 10937  
c, *T. brucei*, cloning, 11072  
in blood and CSF, human, 10859  
in diagnostic testing, 10867
- DNA (cont.)**  
trypanosome (cont.)  
k  
maxicircles, 10916  
minicircles, 10924  
*T. brucei*, 11071  
microsatellite, 10989  
polymerase activities, 10932  
*T. brucei*, 10807, 10989  
*T. b. gambiense*, 10998  
*T. evansi*, fingerprinting, PCR, 10772  
tsetse  
microsatellite, polymorphism, 10850, 10855
- dogs**  
anti-tsetse saliva antibodies in, 11118  
*T. brucei* infection (exp.)  
treatment, 10767  
*T. b. brucei* infection (exp.)  
transmission, 10892  
*T. b. rhodesiense* infection, 11026  
trypanosomiasis  
clinical signs, 11025  
diagnosis, 11008, 11025  
in Mozambique, 11025

prevalence, Uganda, 11008  
treatment, 11025, 11140  
*T. brucei* infection, 11008, 11025  
*T. evansi* infection, 11140

**domestic animals**

*T. brucei* infection  
prevalence, Uganda, 11008  
reservoirs, Uganda, 11026

**donkeys**

*T. equiperdum* infection, Botswana, 11134  
*T. evansi* infection  
transplacental transmission, 11138  
*T. evansi* infection (exp.)  
diagnostic testing, 10749

**dourine**

equine, in Botswana, 11134

**drugs**

administration, 11051  
assays, 10769  
availability, 11051  
combinations, 10864, 11051  
DFMO and diminazene aceturate, 10767  
DFMO and suramin, 10747  
melarsoprol and nitrofuranes, 11051  
melarsoprol and nitroimidazoles, 11051  
suramin and megalzol, 10782  
controlled release, 11157  
cost, 11051, 11086  
delivery systems, 10866, 10890  
dosage regimens, 11051  
under-dosing, 11023  
pharmacokinetics  
homidium bromide, 11027  
pharmacology, 10866  
research, 10835, 10864, 11086  
resistance, 10829, 10835, 11013, 11023, 11051  
arsenical-diamidine, 11166  
diminazene aceturate, 11026, 11029  
impact, 10768  
isometamidium, 11018  
melarsomine, 11177  
prevalence, 10768  
suramin, 10769  
*T. brucei*  
inheritance of, 11177  
*T. b. brucei*, 11166  
*T. b. gambiense*, 11003, 11166  
*T. b. rhodesiense*, 11026, 11166  
*T. congolense*, 10908, 11143  
*T. evansi*, 10769, 10911  
*T. vivax*, 11018  
trypanosome, 11029  
sensitivity  
testing, 11024, 11026

*T. evansi*, 10769  
side effects, 11051  
DFMO, 10767  
pentamidine, 11004  
sustained release devices, 11024  
evaluation, 10890  
synthesis, 11051  
targets, 10866, 10890  
trypanocidal, 10755, 10968  
arsenicals, 10927, 11166  
Cymelarsan *see* melarsomine  
DFMO, 10747, 10767, 10783, 11051,  
11057, 11086, 11131  
diamidines, 10830, 11166  
Diminaphen, 10913  
diminazene aceturate, 10767, 10784, 10884,  
10908-10910, 10913, 11012, 11013,  
11018, 11024-11026, 11029, 11115,  
11140, 11142, 11143  
fexinidazole, 11051  
homidium bromide, 10890, 11024, 11027,  
11157  
homidium chloride, 10884  
isometamidium chloride, 10884, 10890,  
10908-10910, 10969, 11015, 11018,  
11024, 11025, 11028, 11053, 11157  
megalzol, 10782, 11051  
melarsomine, 10756, 10760, 10769, 10835,  
10927, 11016, 11168, 11177  
melarsoprol, 10747, 10837, 10862, 10865,  
11003, 11004, 11051, 11057, 11086,  
11129, 11131  
Mk-436, 11051  
nifurtimox, 11051  
nitrofurazone, 11051  
nitroimidazoles, 11051, 11088  
pentamidine, 10784, 10830, 10861, 10862,  
11004, 11086  
pentamidine isethionate, 11130  
quinapyramine, 10756, 10768, 10769,  
10911, 11023  
suramin, 10747, 10769, 10782, 10784,  
10830, 10911, 11086, 11160

**Duttonella** 10757

detection, 10851

**eflornithine** *see* difluoromethylornithine

**Egypt**

trypanosomiasis in camels, 11139

**eland**

role as reservoir host, 10854  
*T. b. brucei* infection (exp.), 10854  
*T. congolense* infection (exp.), 10854  
*T. vivax* infection (exp.), 10854

trypanotolerance, 10854  
**endosymbionts of tsetse** 10722, 10724  
genetic manipulation, 10722  
isolation and culture, 10729, 11099  
primary (P)  
    *Wigglesworthia glossinidia*, 11099, 11101  
secondary (S), 11097, 11099  
    *Sodalis glossinidius*, 10837  
    *Wolbachia* (Rickettsiaceae), 11099, 11100

**environment**

change, impact on tsetse distribution, 10738  
impact of trypanosomiasis control, 10964  
impact of tsetse control, 10736, 10986  
    in southern Africa, 10833

**epidemics**

of human trypanosomiasis, 10717, 11086  
    Angola, 10719  
    Central Africa, 10994  
    Central African Republic, 10719  
    Congo D.R., 10719, 10997  
    Nigeria, 10825  
    Sudan, 10719  
    Uganda, 10985  
        historic, 10830  
        south-eastern, 10719

*T. b. gambiense*, 10719

*T. b. rhodesiense*, 10719

**epidemiology** 10713, 10716

of *T. evansi*, 10835  
of trypanosomiasis, 11089  
    in animals, 11001, 11007  
        in West Africa, 10988  
    in humans, 10828, 10864, 10989, 10997, 11001  
        environmental factors, 10961  
    in livestock, 10828, 10850, 10855

**ethidium** *see* homidium bromide

**Ethiopia**

trypanosomiasis in cattle  
    incidence, 11029  
    prevalence, 11029  
    risk, 10967  
tsetse control, 10736, 10967, 10968, 11029

**fly rounds**

mobile vehicle, for tsetse sampling, 10990

**French Guiana**

*T. vivax* from, 10753

**fungi, entomopathogenic**

*Beauveria bassiana*, 10983  
*Metarhizium anisopliae*, 10983  
on contaminating devices, 10983  
on traps/targets, 11114

**Gambia, The**

cattle feeding experiments, 10759  
livestock production under trypanosomiasis risk, 10958  
trypanosomiasis in draught cattle, studies, 11091  
trypanosomiasis in goats, 10872  
trypanosomiasis in livestock, risk, 10958

**genetics**

of trypanotolerance  
    genes, 10888  
    markers, 10720  
trypanosome, 11072  
    chromosome, diploid megabase, 11185  
    *cis*-splicing systems, 10940  
    clade taxon composition, 10793  
DNA  
    k, maxicircles, 10916  
    k, minicircles, 10924  
    sequences, microsatellite, 10989  
epidemiology, 10794  
evolution, 10793

**genetics (cont.)**

trypanosome (cont.)  
    evolutionary relationships, 10917  
    gene/s, 10835  
        conserved organisation, 10800  
        expression, 10858, 11081, 11198  
        hsp 70, 10936  
        LiTat 1.3, 10858, 10998  
        mini-exon, 10918  
        organisation, 11070  
        transcription, 10809, 10941, 10952  
        trees, 10787, 10790, 10791, 10792  
        VSG, 10949, 10953, 10858, 10998  
genome, 10809, 10989  
    markers, 10928  
    organisation, 11169  
    project, 10788, 10789  
mapping, 11181  
markers, 10989  
phylogenetic relationships, 10916  
RNA  
    binding activity, 11173  
    binding proteins, 10940  
    degradation, 10943  
    double-stranded, 10943  
    editing, 10919, 10938, 11068, 11181, 11186  
    g, 11173, 11181  
    k, 10938, 11186  
    levels, 11180  
    ligands, combinatorial selection, 11176  
    m, 10943, 11181

- polymerases, 10952
- r, 18S sequences, 10917
- tsetse
  - enzyme loci, 10838
  - gene expression, 10836
  - gene flow, 10728
  - genome, 10836
  - intraspecific variability, 10728, 10850, 10855
  - isoenzyme comparisons, 10838
  - microsatellite DNA polymorphism, 10850, 10855
  - microsatellite markers, 10728
- geographical information systems (GIS)** 10713, 10716, 10738, 10833, 10967
  - database, 10974
    - disease and vector integrated (DAVID), 11092, 11093
  - in epidemiological studies, 10850
  - in trypanosomiasis control strategies, 10955, 10963, 11090, 11092, 11093
  - in trypanosomiasis surveillance, 10961, 10997
  - in tsetse control, 10834, 11092, 11093, 11107
  - in tsetse surveys, 10843
- global positioning systems (GPS)** 10716
- Glossina**
  - behaviour, 10713
    - activation, 11103
    - activity, circadian, 11104
    - colour choice, 10842
    - feeding, 11104
    - flying, heights, 11104
    - host preference, 10855
    - odour attractants, 10828, 10842
    - olfactory response, 11103, 11114
    - ranging, 11103
    - response to host stimuli, 11103
    - response to treated livestock, 10855
    - spatial preference, 10855
    - temporal preference, 10855
    - trap/screen-related, 10855
    - visual response, 11114, 11103
- biology, 10713, 10963
  - age, 10727
  - anatomy, 10828
  - anti-trypanosomal factors, 10839
  - blood diet, 11104
  - blood meals, 10995, 11117
  - classification, 10828
  - endosymbionts, 10722, 10724, 10729
  - feeding *in vitro*, 10727
  - food, 10849
  - infective feed, 10727
  - larviparity, 11104
  - life cycle, 10849
  - molecular, 10713
  - physiology, 10828
  - reproduction, 11104
  - RLO culture, 10729
  - saliva, antigenicity, 11118
  - salivary gland, trypanosome infection, 11124
  - symbionts
    - P, *Wigglesworthia glossinidia*, 11099
    - S, 11097, 11099
    - Wolbachia* (Rickettsiaceae), 11099
  - T. brucei* infection, 11124
  - T. b. gambiense* infection, 10724, 10727
  - T. b. rhodesiense* infection, 10724, 10727
  - T. vivax* infection
    - mouthparts, 10757
    - proboscis, 10757
- trypanosome infection
  - development, 10839
  - maturation, 10727, 10839, 10855
  - midgut, 10727
  - rates, 10727, 10831, 10873
  - salivary gland, 10727, 11124
  - susceptibility, 10855
  - transmission, 11097
  - vectorial capacity, 10988
  - vectorial competence, 10855
- control, 10713, 10718, 10733, 10763, 10828, 10829, 10956, 10963, 10964, 10965, 10977, 11092, 11093
  - in Africa
    - East, 11106
    - eastern, 10976
    - southern, 10833, 10976
    - sub-Saharan, 10957
  - in Botswana, 10959, 11107
  - in Burkina Faso, 10972
  - in Côte d'Ivoire, 10981
  - in Ethiopia, 10967, 10968, 11029
  - in Kenya, 10716, 10883, 10960, 10981, 10983, 10984, 10986, 10990, 11108, 11109, 11115
  - in Mali, 11112
  - in Nigeria, 10868, 10870, 10871, 10972
  - in South Africa, 11105
  - in Tanzania, 10969, 10972, 10987, 11095
  - in Togo, 10955, 10978
  - in Uganda, 10981, 10985, 11008, 11115
  - in Zambia, 10834, 10980, 10982, 11087, 11110
  - in Zimbabwe, 10833, 10954, 10980, 10981, 10982, 11116

- monitoring, 10879
  - in Nigeria, 10869, 10870, 10871
- SIT, 10969, 10972, 10976, 10981, 10987
- spraying, 10849
- trapping, 10842, 10849, 10868, 10871, 10883, 10970, 10977, 10980, 10981, 10983, 10987, 10990, 11104, 11114
- ecology, 10713
  - abundance, 11092, 11106
    - in Togo, 10843
  - densities, Nigeria, 10881
  - distribution, 10717, 10828, 11092, 11093, 11104, 11106
    - in Burkina Faso, 10850
    - in Congo, 10877
    - in Togo, 10843
- dynamics
  - natural, 11106
  - seasonal, 11104
- guilds, 11104
- habitats, 10828, 10960, 10965, 11107
- hosts, 10965, 10995, 11104, 11117
- populations, 11104, 11106
  - decline, 10965
  - dynamics, 10828
  - sampling, 10828
- resting places, 10849, 11104
- genetics, 10724, 10828
  - intraspecific variation, 10850
  - microsatellite DNA polymorphism, 10850
- host-parasite interactions, 10828
- rearing, 10724, 10727, 10972
- Glossina austeni***
  - behaviour
    - landing bias, 10846
  - blood meals, 10969
  - control, 10969, 10970, 10973, 10987
    - SIT, 10736
    - trapping, 10736
  - dimethylalkanes, 11098
  - fat body, 11099
  - haemolymph, 11099
  - in East Africa, distribution, 11106
  - in Kenya, 10974
  - in South Africa, 10973, 11105
  - in Tanzania, 10736, 10846, 10969, 10987
  - mating age, 11095
  - midgut, 11099
  - milk gland, 11099
  - muscle, 11099
  - pupae, 10969, 11095
  - rearing, 10969, 10970, 11095
  - S-symbionts, 11099
  - susceptibility to deltamethrin, 10735
  - testes, 11099
  - trapping, 10846
  - T. b. brucei* infection, 10854
  - T. congolense* infection, 10854
  - T. vivax* infection, 10854
  - trypanosome infection
    - rates, 10854
    - susceptibility, 10854
  - vectorial capacity, 10969
- Glossina brevipalpis***
  - control, 10973, 10990, 11105
  - dimethylalkanes, 11098
  - fat body, 11099
  - haemolymph, 11099
- Glossina brevipalpis* (cont.)**
  - in Kenya, 10974, 10990
  - in South Africa, 10973, 11105
  - landing response, 10990
  - midgut, 11099
  - milk gland, 11099
  - muscles, 11099
  - S-symbionts, 11099
  - testes, 11099
  - trapping, 10990
  - T. b. brucei* infection, 10854
  - T. congolense* infection, 10854
  - T. vivax* infection, 10854
  - trypanosome infection, 10990
    - midgut, 10990
    - proboscis, 10990
    - rates, 10854, 10990
    - susceptibility, 10854
- Glossina fusca***
  - in Côte d'Ivoire, 11104
- Glossina fuscipes***
  - control, 10983
  - effects of entomopathogenic fungi, 10983
  - in Kenya, 10983
  - rearing, 10970
- Glossina fuscipes fuscipes***
  - behaviour
    - biting, 10731
    - feeding, 10992
    - flight, 10731
    - peridomestic, 10992
    - probing, 10731
  - blood meals, 10992
  - control, 10981, 10992
  - feeding sites, 10725
  - habitats, 10992
  - host discrimination, 10725
  - hosts, 10992
  - in Central African Republic, 11113

in Congo D.R., 10877  
in East Africa, distribution, 11106  
in Kenya, 10974  
in Uganda, 10981, 10992, 11008, 11135  
mechanoreceptors, 10731  
on Uganda/Kenya border, 11115  
response  
  to odour, 10731  
  to surface heat, 10731  
  to taste, 10725, 10731  
taste cells, 10725, 10731  
trapping, 11113, 11115, 11135

***Glossina fuscipleuris***

in Kenya, 10974

***Glossina longipalpis***

in Côte d'Ivoire, 10975, 11104  
in Nigeria, 10869  
trapping, 10975

***Glossina longipennis***

activity patterns, 10844  
age, effects, 10844  
ageing, 10984  
blood meals, 10734  
control, 10734, 10984  
fat reserves, 10844  
haematin reserves, 10844  
in East Africa, distribution, 11106  
in Kenya, 10734, 10844, 10974, 10984, 11018  
ovary, 10984  
*T. b. brucei* infection, 10854  
*T. congolense* infection, 10854  
*T. vivax* infection, 10854  
trypanosome infection  
  rates, 10854  
  susceptibility, 10854  
wing fray, 10844, 10984

***Glossina morsitans***

in East Africa, distribution, 11106

***Glossina morsitans centralis***

blood diets, 11096  
DNA virus infection, 10841  
midgut infection, 10853  
in Botswana, 10959  
pregnancy cycle, 10841  
pupae, 10841  
rearing, 11096  
salivary gland, hypertrophy, 10841  
transmission of trypanosome infections (exp.),  
  10854  
trapping, 10959  
trimethylalkanes, 11098  
*T. b. brucei* infection, 10853, 10854  
*T. congolense* infection, 10853, 10854

*T. congolense* infection, drug resistant (exp.)  
  infectivity, 11143  
  transmissibility, 11143  
*T. vivax* infection, 10853, 10854  
trypanosome infection  
  experimental  
    detection, 10993  
    identification, 10993  
  rates, 10854  
  refractoriness, 10853  
  
  susceptibility, 10853, 10854  
    effect of blood diet, 11096

***Glossina morsitans morsitans***

abdomen, 11100  
abundance, Zimbabwe, 10845  
adult mortality, 10732  
antennae, olfactory response, 11102  
blood meals, 10836, 11122  
development, 10732  
control, 10980, 10981, 10982  
dimethylalkanes, 11098  
distribution, Zimbabwe, 10845  
DNA library, 10836  
DNA virus infection, 10841  
fat body, 11099  
feeding response  
  effect of deltamethrin pour-on treatment,  
    11110  
genetics  
  genes, 10836  
  genome, 10836  
  X chromosome-linked enzymes, 10839  
haemolymph, 10837, 11099  
head, 11100  
in South Africa, 11105  
in Zambia, 10980, 10982, 11110  
in Zimbabwe, 10732, 10845, 10980, 10981,  
  10982, 11116  
isoenzymes, 10839  
metacyclic index, 11122  
metacyclic infection rate, 11123  
midgut, 10836, 11099  
  infection, 11123  
milk gland, 11099  
movement, modelling, 10845  
muscle, 11099  
ovaries, 11100  
populations  
  modelling, 10732  
  survival, 10732  
pregnancy cycle, 10841  
procyclic index, 11122, 11123  
procyclic infection, 11122

- pupae, 10841
- pupal mortality, 10732
- reproduction, 10732
- response to odour, 11102
- response to vegetation, 10845
- symbionts
  - S, 11099
  - Wolbachia*, 11000
- salivary gland, 10836
  - hypertrophy, 10841
  - infection, 10852
- secondary endosymbionts, 10837
- strains, Mall, 11119, 11123
- susceptibility to deltamethrin, 10735
- testes, 11099
- thorax, 11100
- thrombin inhibitor, 10836
- trapping, 10732, 10845, 11116
- T. b. brucei* infection, 11119
  - transmissibility, 10852
- T. b. gambiense* infection, 11119
- T. congolense* infection, 11119, 11122, 11123
  - experimental, 11024
- trypanosome infection, 10839
  - intestinal, 11122
  - mature, 11122
  - rate, 10852
- vectorial competence, 11123
  - effect of host parasitaemia, 11122
- Glossina morsitans submorsitans***
  - in Burkina Faso, 10851, 10979
  - infection rates, 10979
  - trapping, 10979
  - trimethylalkanes, 11098
  - T. brucei* infection, 10851
  - T. congolense* infection,
    - drugs testing, 10908
  - T. vivax* infection, 10851
  - trypanosome infection rates, 10851
- Glossina nigrofusca***
  - in Côte d'Ivoire, 11104
- Glossina pallicera***
  - in Côte d'Ivoire, 11104
- Glossina pallidipes***
  - abundance, Zimbabwe, 10845
  - antennae, olfactory cells, 11102
  - blood meals, 10734
  - control, 10734, 10980, 10981, 10982
  - dimethylalkanes, 11098
  - distribution, Zimbabwe, 10845
  - in Congo D.R., 10877
  - in East Africa, distribution, 11106
  - in Kenya, 10734, 10971, 10974, 10981, 11018, 11028
  - in South Africa, 11105
  - in Tanzania, 10741
  - in Uganda, 11135
  - in Zambia, 10980, 10982
  - in Zimbabwe, 10845, 10980, 10981, 10982, 11116
- Glossina pallidipes*** (cont.)
  - longevity, 10971
  - mortality, 10971
  - movement, modelling, 10845
  - pupae, 10971
  - rearing, 10971
  - response to odour, 11102
  - response to vegetation, 10845
  - susceptibility to deltamethrin, 10735
  - trapping, 10845, 11116, 11135
  - T. brucei* infection, 10741
  - T. b. brucei* infection, 10854
  - T. congolense* infection, 10741, 10854
  - T. vivax* infection, 10741, 10854
  - trypanosome infection
    - effect of age on, 10741
    - prevalence, 10741
    - rate, 10741, 10854
    - susceptibility, 10854
- Glossina palpalis***
  - age, effects, 10735
  - blood meals, 10730
  - effect of juvenile hormone analogue (labelled), 10730
  - in Côte d'Ivoire, 11104
  - in Nigeria, 10868, 10869
  - riverine, 10717
  - trapping, 11104
- Glossina palpalis gambiensis***
  - age, effects, 10735
  - blood meals, 10738, 10739
  - control, 11112
  - genetic/s, 10838
    - gene flow, 10728
    - microsatellite markers, 10728
    - polymorphisms, 10728
    - population, 10838
    - variability, 10728
  - host preference, 10738, 10739
  - in Burkina Faso, 10728, 10738, 10739
  - in Mali, 11112
  - isoenzymes, 10838
  - metacyclic index, 11120, 11121
  - midgut, infection rates, 10739, 11120
  - populations, 10728
  - procyclic index, 11120, 11121
  - salivary gland infection, 10852, 11120

- strains  
Bobo-Dioulasso, 11120, 11121  
Maison-Alfort, 11119, 11121
- susceptibility to deltamethrin, 10735
- trapping, 10738, 11112
- T. brucei* infection, 10739, 11119, 11120, 11121
- T. b. brucei* infection  
transmissibility, 10852
- T. b. gambiense* infection, 11119
- T. congolense* infection, 10739, 11119
- T. vivax* infection, 10739
- trypanosome infection rate, 10852
- vectorial competence, 11119, 11120, 11121
- wing asymmetry, 10726, 10840
- Glossina palpalis palpalis***  
age, effects, 10735  
behaviour, landing, 10848  
fat body, 11099  
genetics, 10838  
population, 10838  
X chromosome-linked enzymes, 10839
- haemolymph, 11099
- in Cameroon, 10740, 10991
- in Congo P.R., 10848
- isoenzymes, 10838, 10839
- midgut, 11099
- milk gland, 11099
- muscle, 11099
- S-symbionts, 11099
- salivary gland, 11099  
infection, 10852
- strains, Mongo-Bemba, 11119
- susceptibility to deltamethrin, 10735
- testes, 11099
- trapping, 10848
- T. brucei* infection, 10740, 10991
- T. b. brucei* infection, 11119  
transmissibility, 10852
- T. b. gambiense* infection, 11119
- T. congolense* infection, 10740, 10991, 11119
- T. simiae* infection, 10740, 10991
- T. vivax* infection, 10740, 10991
- trypanosome infection, 10839  
mixed, 10991  
prevalence, 10740  
proboscis, 10991  
rate, 10740, 10852, 10991
- vectorial competence, 11119
- Glossina swynnertoni***  
in Kenya, 10974
- Glossina tachinoides***  
behaviour, sexual, 10723  
blood meals, 10738, 10739
- cuticular hydrocarbons, 10723
- dimethylalkanes, 11098
- endosymbionts, *Wigglesworthia glossinidia*, 11101
- host preference, 10738, 10739
- in Burkina Faso, 10738, 10739, 10851, 10979
- in Côte d'Ivoire, 10981
- in Nigeria, 10868, 10869, 10873
- metacyclic index, 11120
- midgut infection rates, 10739, 11120
- nutritional status, 10735
- procyclic index, 11120
- salivary gland, infection, 11120
- sex pheromone, 10723
- strains, N'Djamena, 11120
- susceptibility to deltamethrin, 10735
- trapping, 10738, 10979, 10981
- trimethylalkanes, 11098
- T. brucei* infection, 10738, 10739, 10851
- T. b. brucei* infection, 11120
- T. congolense* infection, 10738, 10739
- T. vivax* infection, 10738, 10739, 10851
- trypanosome infection rate, 10851, 10873, 10979
- vectorial competence, 11120
- goats**  
anti-tsetse saliva antibodies in, 11118  
as hosts for tsetse, Cameroon, 11117  
as laboratory hosts for tsetse, 11096
- East African  
trypanosomiasis  
impact on performance, 11028  
prevalence, Kenya, 11028  
prophylaxis, 11028
- Sahelian  
*T. congolense* infection (exp.)  
drugs testing, 10908
- Red Sokoto  
*T. congolense* infection, 10752  
*T. vivax* infection, 10752
- trypanosomiasis  
diagnosis, 10752  
prevalence, Nigeria, 10752
- T. brucei* infection, 11008
- T. b. brucei* infection (exp.)  
diagnostic testing, 10749
- T. congolense* infection, 10872, 11009, 11137
- T. vivax* infection, 10872, 11008, 11009
- trypanosome infection, Gambia, 10872
- trypanosomiasis  
diagnosis, 11008  
effect on productivity, 10966  
immune response, 10877

- infection rate, Kenya, 11009
- prevalence
  - in Congo D.R., 10877
  - in Uganda, 11008
- West African Dwarf
  - T. congolense* infection (exp.)
    - haematological response, 10882
    - immune response, 10882
    - trypanotolerance, 10882
- Guinea**
  - trypanosomiasis in humans, survey, 10860
- guinea pigs**
  - T. b. brucei* infection (exp.), 11120, 11121
- homidium bromide**
  - controlled release studies, 11157
  - in sustained release devices, 10890, 11024
  - pharmacokinetics in cattle, 11027
  - prophylaxis in cattle, 10890, 11024
  - treatment of *T. congolense*-infected cattle, 10890, 11027
- homidium chloride**
  - treatment of trypanosome-infected sheep, 10884
- horses**
  - T. equiperdum* infection, Botswana, 11134
  - trypanosomiasis
    - in Gambia, 10958
    - risk, Gambia, 10958
    - susceptibility, 10958
- host-vector relationship** 10739
- human serum resistance**
  - in *T. brucei*, 11182
  - in *T. b. rhodesiense*, 10953, 11026
- identification**
  - see also* characterisation, detection
  - of trypanosomes, 11088
    - by DNA probes
      - hybridisation, 11142
      - microsatellite, 11124
    - by dot-ELISA, 10993
    - by ELISA, 11117, 11124
    - by PCR, 10738-10740, 10757, 10855, 10989, 10991, 10993, 11124, 11142
    - comparison of techniques, 10993
    - xenodiagnosis, 11124
- immune response**
  - in camels
    - antibody production, 11145
    - changes in C<sub>3</sub> levels, 11017
    - polymorphonuclear cells, 10760
  - immune response** (cont.)
    - in cattle, 11029
      - antibody production, 10886
      - humoral, 10763
    - in goats
      - antibody production, 10882
      - blood cell changes, 10882
    - in humans
      - antibodies
        - anti-tsetse saliva, 11118
        - IgE, 11118
        - IgG, 11118
        - IgM, 11118, 11151
      - IL-10, 11088
      - TNF- $\alpha$ , 11088
      - trypanolytic factors, 10778, 11151
    - in mice
      - antibody production, 11145, 11152
        - anti-IL-10, 10779
      - autoantibodies, anti-cytokine, 11034
      - CD3<sup>+</sup> cells, role, 11153
      - CD4<sup>+</sup>8<sup>-</sup> cells, role, 11153
      - effect of anti-IFN- $\gamma$  antibodies, 10905
      - IFN- $\gamma$  production, 11153
      - IL-4 production, 11153
      - IL-10 synthesis, 11149, 11153
      - lymphocyte proliferation, 10779
      - macrophage/monocyte response, 10886
      - role of IFN- $\gamma$ , 10897
      - T-cell response, 10774, 10886
      - tumor necrosis factor  $\alpha$ , 10775
    - in rabbits
      - haematological responses, 10898
      - humoral, 11036
    - in rats
      - antibody, 11035
      - bone marrow responses, 10894
      - chemokines, upregulation of, 11150
    - in sheep
      - antibody production, 10886
      - B-cell population changes
        - CD5<sup>+</sup>, 10762
      - blood cell changes, 10882, 10884
      - bone marrow reaction, 10884
      - PBL, 10761
      - T-cells
        - CD4<sup>+</sup>, 10762
        - CD5<sup>+</sup>, 10762
        - CD8<sup>+</sup>, 10762
        - CD4<sup>+</sup>CD8<sup>+</sup>, 10762
- immunisation**
  - tubulin from *T. brucei*, 11042
- immunity**

- natural, human, 10778
- immunology** 10963, 11088
  - of trypanotolerance, 10888
- immunosuppression**
  - in *T. congolense*-infected mice, 11153
  - in *T. evansi*-infected camels, 10760, 11016, 11017
  - in *T. evansi*-infected sheep, 10760
  - in trypanosome-infected hosts, 10762
    - cattle, 10886
- Indonesia**
  - trypanosomiasis in draught animals, study, 11091
- insect growth inhibitors**
  - on traps and targets, 11114
- insect growth regulators (IGRs)**
  - chitin synthesis inhibitors, 10979, 10981, 11114
  - juvenile hormone analogues, 10730, 10981, 11114
  - on traps/targets, 10979, 10981, 11114
- insecticides**
  - cattle dips
    - pyrethroids, 11105
  - cypermethrin, 10967, 10968, 11029, 11107
  - deltamethrin, 10734, 10735, 10981, 10984, 11018, 11107, 11110, 11112, 11115, 11116
  - impregnated traps/screens/targets, 10847, 11107
  - livestock treatment, 10828, 10855, 10967, 10968, 10976, 10987
  - persistent, on cattle, 10987
  - pour-on, 10713, 10734, 10736, 10967, 10968, 10978, 11018, 11029, 11110, 11115
  - pyrethroids, 10713, 11105
    - synthetic, 10981
  - Spot-on, 10734
  - spraying, 10828, 10847
    - aerial, 10849, 10976
    - ground, 10849, 10976
- in vitro studies**
  - cultivation of trypanosomes, 10727, 10915
    - T. b. brucei*, 11064
  - in drugs testing, 10785
  - on immune response, 10761
    - to *T. brucei* in mice, 10775
    - to *T. b. rhodesiense* in mice, 10774
    - to *T. congolense* in mice, 10779
- irradiation**
  - of bovine serum, effect on ELISA, 10878
- isometamidium chloride** 10969
  - in controlled release studies, 11157
  - in sustained release devices, 10890, 11024
  - pharmacokinetics in sheep, 11015
- prophylaxis
  - in cattle, 10890, 11024
  - in goats, 11028
  - in mice, *T. evansi*-infected, 11053
  - in sheep, 11028
    - T. congolense*-infected, 11015
  - resistance, in *T. vivax*, 11018
  - sensitivity testing, 10908, 10909, 10910
  - treatment
    - of trypanosome-infected dogs, 11025
    - of trypanosome-infected sheep, 10884
- juvenile hormone analogues/mimics (JHA)**
  - degradation in tsetse, 10730
  - on traps and targets, 10981, 11114
  - pyriproxyphen, 10981
- Kenya**
  - fly belts, 10974
  - Galana Ranch
    - G. longipennis*, trapping studies, 10844
    - tsetse control, 11108, 11109
  - G. austeni* in, 10974
  - G. brevipalpis* in, 10974, 10990
  - G. f. fuscipes* in, 10974
  - G. fuscipleuris* in, 10974
  - G. longipennis* in, 10974, 10984, 11018
  - G. pallidipes* in, 10971, 10974, 10981, 11018, 11028
  - G. swynnertoni* in, 10974
  - Lake Victoria
    - T. brucei* infection in monitor lizards, 11124
  - Lambwe Valley
    - trypanosomiasis control, 10960
    - tsetse control, 10716, 10960
  - Nguruman
    - trypanosome infection rates in cattle, 10881
    - trypanosusceptibility studies in cattle, 10883
    - tsetse challenge, 10883
    - tsetse densities, 10881
    - tsetse trapping, 10842, 10883
  - Transmara District
    - trypanosomiasis in livestock, 10986, 10990
    - tsetse control, 10986
  - trypanosomiasis in camels, 10756, 10769, 11011
  - trypanosomiasis in cattle, 10878, 10990
    - incidence, 11018
  - trypanosomiasis in goats
    - incidence, 11009
    - prevalence, 11028
  - trypanosomiasis in humans, *rhodesiense*, 11124
  - trypanosomiasis in sheep
    - incidence, 11009

prevalence, 11028  
tsetse control, 10734  
trapping, 10981, 10984, 10990  
tsetse distribution, 10974  
tsetse monitoring, 10984  
/Uganda border  
*G. f. fuscipes* on, 11115  
trypanosomiasis control, 11115  
tsetse control, 11115

**Kwazulu-Natal** *see* South Africa

#### **land use**

association with human trypanosomiasis, 10961  
impact of trypanosomiasis control, 10964  
impact of tsetse control, 10954, 10955, 10964  
effect on biological diversity, 10954, 10964  
effect on vegetative structure, 10964  
in Kenya, 10960  
impact on tsetse distribution, 10974  
impact on tsetse populations, 10965  
in Burkina Faso  
effect on tsetse distribution, 10738  
in epidemiological studies, 10850  
in Zambia, planning, 11087  
in Zimbabwe  
impact of tsetse control, 10833

**lethal insect technique** 10970

use of entomopathogenic fungi, 10983

#### **livestock**

baits, in tsetse control, 10978  
production  
constraints, 10755, 10868, 11090  
in sub-Saharan Africa, 10886  
impact of trypanosomiasis risk, 10958, 10966  
impact of tsetse control, 10955  
under trypanosomiasis risk, 10763  
trypanosomiasis  
constraint to productivity  
in Kenya, 10986  
effect on production, 10966  
in Kenya, 10990  
in sub-Saharan Africa, 10886  
in Tanzania, 10987  
in Togo, 10955, 10978  
monitoring, 10987  
prevalence, Nigeria, 10876  
*T. vivax* infection, 10987

**livestock** (cont.)

trypanosusceptibility, 10763  
trypanotolerance, 10763

**Lot Quality Assurance Sampling (LQAS)**

estimation of human trypanosomiasis  
prevalence, Uganda, 10999

#### **Malawi**

trypanosomiasis in humans, 10857

#### **Mali**

drug trials, 10890, 11024  
*G. p. gambiensis* in, 11112  
trypanosomiasis in cattle, 10878  
tsetse challenge to cattle, 10890, 11024  
tsetse control trials, 11112

#### **mammals**

non-primate sera, trypanotolerance studies, 11141

#### **man**

as host for tsetse, Uganda, 10992

#### **man-fly contact**

in Cameroon, 11117

#### **Mauritania**

*T. evansi* infection in camels, 10737  
trypanosomiasis in camels, 10754

#### **megazol**

combined with suramin  
effects in *T. b. brucei*-infected mice, 10782

#### **melarsomine (Cymelarsan)**

interaction with *T. brucei*, 10927, 11168  
resistance, in *T. brucei*, 11177  
sensitivity, in *T. evansi*, 10769  
treatment of *T. evansi*-infected camels, 10756, 10760, 10835, 11016

#### **melarsoprol**

in CSF, 10865  
in plasma, 10865  
in urine, 10865  
metabolism, 10865  
treatment  
of human trypanosomiasis, 10747, 10857, 10862, 11003, 11004, 11051, 11086, 11129, 11131  
combined with nitrofuranes, 11051  
combined with nitroimidazoles, 11051  
of *T. b. rhodesiense*-infected monkeys, 11057

#### **mice in laboratory studies**

immunisation studies, 11042  
modelling animal trypanosomiasis, 10886  
transmissibility of *T. congolense*, 11143

#### *T. brucei* infection

drug effects, 11055, 11159  
immune response, 10775

#### *T. b. brucei* infection, 10852, 10854

biochemical effects, 11032  
CNS pathology, 10782  
drug effects, 10782, 10906, 10912, 10913, 11026, 11062

- immune response, 11034
- in vitro* studies, 10773
- modelling trypanosomiasis, 10783
  - human, 10782
  - neuronal activity, 11032
  - transmission, 10892
- T. b. gambiense* infection
  - drug effects, 10912
- T. b. rhodesiense* infection
  - drug effects, 10906, 10912, 11026
  - immune response, 10774, 10897
  - nitric oxide production, IFN- $\gamma$  dependent, 11148
- T. congolense* infection, 10854, 10856
  - antibody responses, 11152
  - concurrent with *Plasmodium*, 10904
  - drug effects, 10912, 10914
  - IL-10 synthesis, 11149
  - immune response, 10779, 10905, 11153
  - immunosuppression, 11153
  - resistance, 11149
  - trypanosomiasis resistance QTLs, 11038
- T. equiperdum* infection
  - drug effects, 10912
- T. evansi* infection, 10804, 10856
  - detection by PCR, 11031
  - drug effects, 10912, 11053, 11054
  - immune response, 11047, 11145
  - immunogenicity, 10776, 10781
  - pathology, 11040
  - transplacental transmission, 11045
- T. vivax* infection, 10887
  - transmitted from cattle, 11147
- trypanosusceptibility studies, 10888
- trypanotolerance
  - genetics, 10888
  - modelling, 10888
- models/modelling**
  - discriminant analysis
    - tsetse distribution and abundance, 10843
  - in trypanosomiasis control strategies
    - economic surplus, 11090
    - herd simulation, 11090
    - multivariate, statistical, 11092
  - populations, tsetse, 10732
  - trypanosomiasis
    - animal, 10886
    - human, 11088, 11111
      - in mice, 10782
      - rhodesiense* in monkeys, 11043, 11057
    - transmission, 10828, 10856
  - trypanotolerance, 10888
  - tsetse movements, 10845
- monitor lizards**
  - as host for tsetse, Burkina Faso, 10738
  - T. brucei* infection, Kenya, 11124
- monkeys, vervet**
  - T. brucei* infection
    - nitric oxide production, 10777
  - T. b. rhodesiense* infection (exp.)
    - nitric oxide production, 11043
    - pathology, 11057
    - treatment, 11057
- Mozambique**
  - trypanosomiasis in cattle, prevalence, 11025
  - trypanosomiasis in dogs, 11025
- mules**
  - T. equiperdum* infection, Botswana, 11134
- nagana**
  - in South Africa, review, 11105
- Nannomonas**
  - infections in tsetse, 10851
- nets/netting**
  - hand, 10737
- Nigeria**
  - Bauchi State
    - trypanosomiasis
      - control, monitoring, 10870, 10871
      - in cattle, prevalence, 10869
      - tsetse control, monitoring, 10870, 10871
  - biting flies in, 10868, 10869, 10876
  - Delta State
    - trypanosomiasis in humans, 10825
  - G. longipalpis* in, 10869
  - G. palpalis* in, 10868, 10869
  - G. tachinoides* in, 10868, 10869, 10873
  - Jos Plateau
    - trypanosomiasis in cattle, 10867
  - Kaduna State
    - trypanosomiasis
      - in cattle, prevalence, 10874
      - in livestock, 10827
  - Northern
    - trypanosomiasis in cattle, prevalence, 10873
  - Plateau State
    - trypanosomiasis
      - control, monitoring, 10870, 10871
      - in cattle, prevalence, 10869
      - tsetse control, monitoring, 10870, 10871
  - Taraba State
    - trypanosomiasis in humans, 10831, 10832
  - trypanosomiasis
    - in camels, 10880
    - in goats, prevalence, 10752
    - in humans, 10868
    - in livestock, 10868, 10876

- in sheep, prevalence, 10752
- tsetse control
  - SIT, 10972
  - trapping, 10868, 10869, 10871, 10876
- nitrofuranes**
  - nifurtimox, 11051
  - nitrofurazone, 11051
  - treatment of human trypanosomiasis
    - combined with melarsoprol, 11051
- nitroimidazoles**
  - fexinidazole, 11051
  - megazol, 11051
  - MK-436, 11051
  - treatment of human trypanosomiasis, 11051, 11088
    - combined with melarsoprol, 11051
- non-tsetse-transmitted animal trypanosomiasis (NTTAT)**
  - diagnosis, 10835
  - differentiation, 10835
  - economic impact, 10835
  - relationship with other diseases, 10835
- Novidium** *see* homidium chloride
- odour attractants/baits/stimuli** 10976
  - acetone, 10973, 10975, 11116
  - ketones, 10845
  - 3-methylphenol, 10975
  - 4-methylphenol, 10973, 10975, 11116
  - 1-octen-3-ol, 10845, 10973, 10975, 11102, 11116
  - on traps/screens/targets, 10973
  - phenols, 10845
  - 3-*n*-propylphenol, 10973, 11116
- ox**
  - as bait for tsetse, 10844
  - trypanosomiasis
    - effect on production, 10966
- packed cell volume (PCV)** 11094
  - as indicator of trypanotolerance, 10763
  - as selection criterion for trypanotolerance, 10765
  - effect of trypanosomiasis, 11009
  - in camels, *T. evansi*-infected, 10756, 10880
  - in cattle
    - control, 11019, 11021
    - monitoring, 11110
    - T. brucei*-infected, 11013
    - T. congolense*-infected, 10758, 11027, 11029, 11143
    - T. vivax*-infected, 11018, 11029, 11135
    - trypanosome-infected, 10750, 10755, 10873
  - in goats, *T. congolense*-infected, 10882
  - in monkeys, *T. b. rhodesiense*-infected, 11043, 11057
  - in sheep, *T. congolense*-infected, 10882, 10884
- parasitaemia**
  - as indicator of trypanotolerance, 10763
  - host, effect on vectorial competence in tsetse, 11122
  - in bovids
    - T. b. brucei*-infected, 10854
    - T. congolense*-infected, 10854
    - T. vivax*-infected, 10854
  - in camels, *T. evansi*-infected, 11017, 11145
  - in cattle
    - control, 11019, 11021, 11022
    - T. brucei*-infected, 11013
    - T. congolense*-infected, 10758, 10759, 11027, 11029, 11143
    - T. vivax*-infected, 10887, 11029
    - trypanosome-infected, 11029
  - in goats, *T. congolense*-infected, 10748, 10882
  - in mice, *T. evansi*-infected, 11145
  - in monitor lizards, *T. brucei*-infected, 11124
  - in monkeys, *T. b. rhodesiense*-infected, 11043
  - in rabbits
    - T. b. brucei*-infected, 10902
    - T. congolense*-infected, 10903
  - in sheep, *T. congolense*-infected, 10883, 10884, 11015
- pentamidine**
  - effectiveness, 10830, 10862
  - target, in *T. b. brucei*, 10784
  - treatment
    - of human trypanosomiasis, 10861, 11086
    - side effects, 11004
- pentamidine isethionate**
  - treatment of human trypanosomiasis, 11130
- pigs**
  - anti-tsetse saliva antibodies in, 11118
  - as reservoirs of human trypanosomiasis, 11127
  - as source of tsetse blood meals, 11117
  - role in transmission of human trypanosomiasis, 11117
  - T. b. gambiense* infection, 11164
  - T. b. rhodesiense* infection, 11026
  - trypanosomiasis
    - diagnosis, 11008
    - mixed infections, 11008
    - prevalence
      - in Nigeria, 10868
      - in Uganda, 11008
    - role in epizootiology, 10868
    - T. brucei* infection, 10868, 11008

*T. congolense* infection, 10868

**prophylaxis**

- homidium bromide in cattle, 11024
- in human trypanosomiasis, 11088
- isometamidium chloride
  - in cattle, 11024
  - in goats, 11028
  - in sheep, 11015, 11028

**pyrethroids** 10713

- cattle dips, 11105
- synthetic, on traps/targets, 10981

**quinapyramine**

- contra-indications in cattle, 11023
- resistance in *T. evansi*, 10911
- sensitivity in *T. evansi*, 10769
- treatment of trypanosomiasis in camels, 10756

**rabbits in laboratory studies** 10971

- as hosts for tsetse, 11096
- T. b. brucei* infection
  - effects
    - on inflammatory cytokine, 10900
    - on lipoproteins, 10900
    - on serum fatty acids, 10902
    - on serum lipids, 10903
  - haematological responses, 10898
  - pathogenicity, 10893
- T. congolense* infection
  - effects
    - on serum fatty acids, 10902
    - on serum lipids, 10903
- T. evansi* infection
  - diagnostic testing, 11030
  - immune response, humoral, 11036
  - infectivity of different strains, 11039

**rats in laboratory studies**

- T. brucei* infection, 11124
  - drug effects, 10909, 10910
  - effects
    - on blood sugar, 10896
    - on serum protein profile, 10896
  - immune response, suppression, 11035
  - neurodegeneration patterns, 11044
- T. b. brucei* infection, 11119, 11122
  - biochemical effects, 11041
  - bone marrow response, 10894
  - diagnosis, 10891
  - effect of diabetes on severity, 11037
  - effect on *Brucella* vaccine, 10901
  - immune response, 11150
  - pathogenic effects, 10895
  - transmission, 10892
- T. b. gambiense* infection, 11119

- T. congolense* infection, 11119
  - bone marrow response, 10894
  - immune response, suppression, 11035
  - pathogenic effects, 10895, 10899

*T. evansi* infection, 10771, 10804

- pathology, 11040

**re-invasion, tsetse** 10984

**remote sensing** 10716

- in analysis of land use change, 10833
- in tsetse abundance studies, 11106
- in tsetse control, 11107
- in tsetse distribution studies, East Africa, 11106
- in tsetse surveys, 10843

**reptiles**

- as tsetse hosts, Uganda, 10992

**reservoir hosts**

- animal, 11001
  - in Uganda, 11008, 11026
- human, 10858, 10998, 11001
- of trypanosomes, for tsetse, 10854

**RNA**

- T. brucei*
  - binding protein, 10919, 10940
  - double-stranded, 10943
  - editing, 10816, 10919, 10938, 11068, 11181, 11186
    - g, 11181
      - binding activities, 11173
    - k, 11186
    - levels, 11180
  - ligands, combinatorial selection, 11176
  - m, 10936, 11181
    - cleavage, 11068
    - degradation, 10943
  - polymerase II-transcribed genes, 10808
  - polymerase III-transcribed genes, 10808
  - T7, polymerase, 10952
- trypanosome
  - polymerase II transcription, 10809
- r
  - 18S, 10793, 10917
  - small subunit, 10790

**ruminants**

- trypanosome infection, Burkina Faso, 10738

**Rwanda**

- trypanosomiasis in humans, *rhodesiense*, 10747

**Samorin** *see* isometamidium chloride

**satellite imagery**

- identifying tsetse habitat, 11107
- predicting tsetse distribution, 11106

**screening**

- for human trypanosomiasis, 10743, 10744,

- 11127  
in Congo D.R., 10997  
for *T. evansi* in camels, Kenya, 11011  
for trypanosomiasis in cattle, 11115  
for trypanosomiasis in livestock  
incidence, Tanzania, 10987
- screens** 10855  
black/blue/black, 11112  
blue, 10736  
cloth, 10736  
coloured, 10987  
insecticide-impregnated, 10736, 10849, 10876,  
10982, 10987  
deltamethrin, 11112  
odour-baited, 10982  
stationary electrified, 10990
- sentinel herds**  
for monitoring disease incidence, 10987
- serum**  
cattle  
effect of irradiation on diagnosis, 10878  
human  
HDL, 10778  
protein complex, 10778  
resistance  
in *T. brucei*, 11182  
in *T. b. rhodesiense*, 10953, 11026  
trypanolytic factors, 10778
- sheep**  
anti-tsetse saliva antibodies in, 11118  
as hosts for tsetse, Cameroon, 11117
- sheep (cont.)**  
Djallonké  
*T. congolense* infection (exp.)  
effect of diet, 10885, 11136  
effect on lambing, 10885  
effect on offspring performance, 11136  
effect on weight during pregnancy,  
11136  
haematological response, 10882, 11136  
haematopoietic response, 10885  
immune response, 10882  
trypanotolerance, 10765, 10882  
Dorper  
trypanosomiasis  
impact on performance, 11028  
prevalence, Kenya, 11028  
prophylaxis, 11028  
*T. congolense* infection (exp.)  
effect of diet, 11015  
isometamidium prophylaxis, 11015  
pathophysiology, 11015  
*T. evansi* infection (exp.)  
biochemical estimations, 11046  
immune response, 10761, 10762  
treatment, 10761
- trypanosomiasis  
effect on production, 10966  
in Kenya, 11009  
infection rate, Kenya, 11009  
*T. congolense* infection, 11009  
*T. vivax* infection, 11009
- Yankassa  
*T. brucei* infection (exp.)  
immune response, 10884  
treatment, 10884  
*T. congolense* infection, 10752  
*T. congolense* infection (exp.)  
immune response, 10884  
treatment, 10884  
*T. vivax* infection, 10752  
*T. vivax* infection (exp.)  
immune response, 10884  
treatment, 10884  
trypanosomiasis  
diagnosis, 10752  
prevalence, Nigeria, 10752
- South Africa**  
nagana in, review, 11105  
tsetse distribution, review, 11105  
*G. m. morsitans* in, 11105  
Kwazulu-Natal  
*G. austeni* in, 10973, 11105  
*G. brevipalpis* in, 10973, 11105  
*G. pallidipes* in, 11105  
nagana, review, 11105  
tsetse control, 10973, 11105  
tsetse eradication, 11105
- Spot-on** *see* deltamethrin
- spraying**  
insecticide, 10828, 10847  
aerial, 10849, 10976  
in Botswana, 11107  
ground, 10849, 10976
- sterile insect technique (SIT)** 10713, 10847,  
10981, 11008, 11114  
in Africa, eastern and southern, 10976  
in Burkina Faso, 10972  
in Ethiopia, 10726  
in Nigeria, 10972  
in Zanzibar, 10736, 10969, 10972, 10987
- sticky panels**  
for tsetse monitoring, 10987
- Stomoxysinae**  
in Mauritania, 10737  
trapping, 10737
- Stomoxys**

- mechanical transmission of trypanosomes, 10734, 10856, 10876  
trapping, Nigeria, 10869
- Sudan**  
*T. b. gambiense* epidemics, 10719  
trypanosomiasis  
  in camels, 10769  
  in humans, 10719
- suids**  
trypanosome infection, Burkina Faso, 10738
- suramin**  
effectiveness, 10830  
resistance in *T. evansi*, 10769, 10911  
sensitivity in *T. evansi*, 10769  
target, in *T. b. brucei*, 10783  
treatment  
  of human trypanosomiasis, 10747, 11086  
    combined with DFMO, 10747  
  of *T. b. brucei*-infected mice  
    combined with meglumine, 10782
- surra** *see* trypanosomiasis in camels
- surveys**  
biting flies, Nigeria, 10869  
entomological, in Burkina Faso, 10738  
epidemiological  
  trypanosomiasis in animals, Burkina Faso, 10850  
  trypanosomiasis in camels, Mauritania, 10754  
parasitological, in Burkina Faso, 10738  
prevalence of trypanosomiasis, Zimbabwe, 10750  
trypanosomiasis in animals  
  on Buvuma Island, Uganda, 11008  
trypanosomiasis in cattle  
  by ELISA, 11007  
  in Nigeria, 10867, 10874  
trypanosomiasis in humans  
  in Côte d'Ivoire, 10860  
  in Guinea, 10860  
  in Uganda, 10999  
tsetse  
  costs, 10843  
  GIS in, 10843, 10850  
  in Nigeria, 10869
- tabanids**  
  in Mauritania, 10737  
  mechanical transmission of trypanosomes, 10734, 10876  
  trapping, 10737, 10754  
    in Nigeria, 10869
- Tanzania**  
*G. pallidipes* in, 10741
- trypanosomiasis in humans, 10857  
Zanzibar (Unguja Island)  
  *G. austeni* in, 10736, 10846, 10969, 10987  
  tsetse control, 10736  
    SIT, 10969, 10972, 10987  
  tsetse eradication programme, 10987, 11095  
  tsetse trapping studies, 10846
- targets** 10733, 10828, 10976, 10977, 11105  
  as baits, 10844  
  as invasion barriers, 11116  
  black, 10844  
  blue-black, 10845  
  catch, 10973, 11116  
  chitin-synthesis inhibitor-impregnated, 10979, 10981, 11114  
  cloth, 10990  
  coloured, 10973  
  contaminating devices on, 10981  
  effectiveness, 10973  
  electrocuting, 10844  
  entomopathogenic fungi on, 11114  
  in tsetse monitoring, 11114, 11116  
  insect growth regulators on, 11114  
  insecticide-treated, 10847, 10973, 10981, 10982, 10984, 10990  
    cypermethrin, 11107  
    deltamethrin, 10984, 11107, 11116  
  juvenile hormone analogue-treated, 10981, 11114  
  odour-baited, 10844, 10845, 10973, 10959, 10980, 10981, 10982, 10984, 11107, 11116  
  visual stimuli, 10981
- Togo**  
trypanosomiasis in livestock, 10955, 10978  
tsetse  
  control, 10978  
  distribution and abundance studies, 10843
- transmission**  
  cycle, 10825  
  mechanical  
    by biting flies, 10916  
    by stomoxys, 10856  
    by *Stomoxys*, 10734, 10876  
    by tabanids, 10734, 10876  
    of trypanosomiasis in animals, 10876  
  models, 10828  
  of trypanosomes by tsetse, 11097  
  of trypanosomiasis, 10738, 11089  
    bovine  
      effect of cattle treatments, 11110  
    human, 10849  
      role of pigs, 11117  
  trypanosome, risk, 10850
- traps/trapping** 10733, 10855, 10977

biconical, 10848, 10849, 10868, 10869, 10871, 10876, 10975, 11112  
bipyramidal, 10737  
biting flies, 10754  
blue/white, 10736  
catch, 10845, 10846, 10848, 10975, 11113, 11114  
chemosterilants on, 11114  
chitin synthesis inhibitor-treated, 10981, 11114  
cloth, 10842  
coloured, 10842, 10846  
comparison, 10975  
contaminating devices on, 10981, 10983  
cost, 11112  
cost-effectiveness, 10848  
cross-shaped, 10846  
double, 11113  
efficiency, 10842, 10846, 10975, 11112  
entomopathogenic fungi on, 11114  
Epsilon, 10845, 10975, 10984  
F3, 10844, 10984  
in lethal insect technique, 10970  
in tsetse monitoring, 10975, 10984, 11114  
insect growth inhibitors on, 11114

**traps/trapping** (cont.)

insecticide-treated, 10981, 11135  
  deltamethrin, 11112, 11115  
juvenile hormone analogue-treated, 10981, 11114  
Lancien, 10848  
Latin squares, 11113  
legpanel, 10846  
Mérot, 10975  
monoconical, 10975  
N'Gu (NG2G), 10975  
NITSE, 10868, 10869, 10871, 10876  
odour-baited, 10842, 10845, 10849, 10883  
olfactory stimuli, 10981  
pyramidal, 10848, 10849, 10975, 10981, 11115  
sticky, 10736, 10846  
stomoxys, 10737  
tabanids, 10737, 10754  
Vavoua, 10848, 10849, 10975  
visual stimuli, 10981

**trypanocides**

ascofuranone plus glycerol, 11062  
7-deaza analogues, 10786  
gallic acid, 10813  
megalomicin, 10907  
(+)-5'-noraristeromycin, 10786  
natural  
  Chinese herbal, 11063  
  curcumin, 10785

cyanobacterial ambigol C, 11061  
*Kigelia pinnata* root bark, 11060  
multi-herbal, 10914  
*Unonopsis buchtienii* aporphine alkaloids, 11162  
nitrosylated compounds, 11055  
oligodeoxyribonucleotide phosphorothioates, 11052  
poly( $\epsilon$ -caprolactone)-based, 11059  
poly(D,L-lactide)-based, 11059  
rimantadine, 11156  
salicylhydroxamic acid, 11054  
SIPI 1029, 10906  
(2,2':6',2''-terpyridine)platinum(II) complexes, 11158  
trybazine hydrochloride, 10912

***Trypanosoma***

genetic nomenclature, 11163

***Trypanosoma brucei***

acid phosphatase, 10930  
adenosine transport, 11082  
antigen detection, 10870, 10871  
antigenic variation, 10948  
apoptosis, 11066  
arachidonic acid, 10929  
asparagine-glycosylation pathway, 11178  
biochemical effects, 10945, 10946  
bloodstream form, 10811, 10820, 10942, 11159  
calcium entry, 10929  
cell growth inhibition, 10821  
clones, S 427, 11141  
cystamine inactivation  
  role of Cys-319, 10799  
cysteine proteinase inhibition, 11159  
development, 10923  
diamine auxotrophy, 11048  
differentiation, 11183  
dihydrofolate reductase, 11085  
DNA, 10807  
  c, cloning, 11072  
  kinetoplast, 11071  
  sequences, microsatellite, 10959  
drug effects, 10907, 10909, 10910, 10927, 11052, 11058, 11156, 11158, 11162, 11168  
drug resistance, 11177  
drug targets, 11085  
endocytosis, pathways, 10931  
endoplasmic reticulum, marker, 11170  
energy metabolism, 10797, 10815  
evolution, 10793  
 $\alpha$ -galactosyltransferase, 11192  
genetic/s, 11072  
  chromatin, processive transcription, 10952  
  chromosomes, diploid megabase, 11185

- cis*-splicing systems, 10940
- DNA
  - $\beta$ -D-glucosyl-hydroxymethyluracil, 10937
  - minicircles, 10924
  - polymerase activities, 10932
- dominant-negative, 11198
- exchange, 11171
- gene/s, 10933
  - conserved organisation, 10800
  - expression, 11081
  - expression sites, 10798, 10801, 10812, 10949, 11189
  - hsp 70, 10936
  - hsp 100, 10814
  - organisation, 11070
  - RNA polymerase II, 10808
  - RNA polymerase III, 10808
  - transcription, 10808, 10952
  - VSG, 10798, 10801, 10812, 10949, 11189
- genome, 10989
  - expressed sequence tags, 10928
  - organisation, 11169
  - physical analysis, 10808
  - transcriptional analysis, 10808
- linkages, conservation, 10814
- megabase chromosomes, molecular karyotype, 10810
- minichromosome segregation, 10805
- minicircles, random segregation, 11194
- RNA
  - double-stranded, 10943
  - editing, 10816, 10919, 10938, 11068, 11181, 11186
  - g, 11181
  - g, binding activity, 11173
  - k, 11186
  - levels, 11180
  - ligands, combinatorial selection, 11176
  - m, 11181
  - m, cleavage, 11068
  - m, degradation, 10943
  - m, steady state, 10936
  - polymerase, 10952
- U deletion, 10802
- U insertion, 10802
- variability, 10989
- glucose-6-phosphate dehydrogenase, 11174
- $\beta$ -D-glucosyl-hydroxymethyluracil, 10807, 11074
- $\gamma$ -glutamylcysteine synthesis, 10799
- glyceraldehyde-3-phosphate dehydrogenase, 11168
  - inhibition, 11049, 11050, 11154
- glycerol-3-phosphate dehydrogenase, 10927
- glycerol uptake, 10820
- glycosomal malate dehydrogenase, molecular cloning, 10920
- glycosylation mutants, ConA-resistance, 10795
- GPEET-PARP, phosphorylation, 11184
- GPI, 11187
- GPI anchor
  - side chain  $\alpha$ -galactosyltransferases, 11067
  - synthesis, 11065
- GPI-dependent secretory transport, 10939
- GPI membrane anchor, biosynthesis
  - GlcNAc-PI de-N-acetylases, 11195
- GPI-specific phospholipase C
  - S-myristolation, 11165
- GPI-specific phospholipid C, 10814
- GTP-binding protein, 11196
- human serum resistance, 11026, 11182
- human serum sensitivity, 11026
- identification, 10991, 10993
- infecting animals, 10746
- infecting cattle, 10739, 10750, 10751, 10868, 10869, 10874, 10878, 10881, 11005, 11008, 11010, 11012, 11013, 11025, 11026, 11115, 11132, 11133
  - Ankole longhorn, 11142
- infecting dogs, 10767, 11008, 11025, 11026
- infecting goats, 11008
- infecting livestock, 10870, 10871, 10876
- infecting mice, 10775, 11026, 11159
- infecting monitor lizards, 11124
- infecting monkeys, 10777
- infecting pigs, 10868, 11008, 11026
- infecting rats, 10896, 11035, 11044
- infecting sheep, Yankassa, 10884
- infecting tsetse, 10738, 10739, 10740, 10741, 10851, 10991, 10993
- infectivity, 11124
- in vitro* cultivation, 10915
- isolates, 11026
- life cycle, 11124
- lysosomal membrane glycoprotein, p67, molecular cloning, 11073
- metabolic enzyme activity, core, 11180
- microtubules, cytoskeleton, 10944
- mitochondria, 10932
  - polyadenylation, 11186
- mitochondrial acetate:succinate coenzyme A-transferase, acetate production, 11175
- mitochondrial Y-box family protein, RBP16, gRNA binding activity, 11173
- nuclear organisation, 11169
- ornithine decarboxylase, 10942, 10950

- oxidase, alternative, 10926  
PARP expression, regulation, 11197  
PCR detection, 10751, 10872  
pH homeostasis, 10819  
6-phosphogluconate dehydrogenase, 11076  
phosphoglycerate kinase, 10797  
  inhibition, 11077  
phosphoglycerate kinase isoenzymes  
  expression in *E. coli*, 10823  
phospholipase A<sub>2</sub>, 10929  
phospholipid C, GPI-specific, 10814  
polysome profiles, 10923  
procyclic form, 10811, 10820, 11052, 11178  
procyclin, 11079  
protease, extracellularly released, 11190  
proteases, 10947, 11193  
protein farnesylation inhibition, 10821
- Trypanosoma brucei* (cont.)**  
protein glycosylation mutants, 11178  
proteins, 10930, 10945, 10946  
  DEAD-box, HEL64  
  gene knockout analysis, 11188  
  farnesyltransferase, 10822  
  GTP-binding, 11196  
  guide RNA binding, gBP21, 10919  
  heat shock, 10814, 10936  
  inhibitors, 10818, 10821  
  kRNA-editing associated (REAP-1), 10938  
  mitochondrial oligo (U)-binding, 10816  
  mitochondrial Y-box family, RBP16, 11173  
  nuclear, 10940  
  poly (A) binding, I, 11072  
  RNA-binding, 10940  
  TBRGG1, 10816  
Rab4 and Rab5 isoforms, 10931  
ribonucleotide reductase, allosteric regulation,  
  10935  
surface coat, 10796  
surface receptors, 10922  
surface transporters, 10922  
telomerase, 11167  
transformation, 10811  
triosephosphate isomerase, 11075  
  interface cysteine, 11191  
trypanothione reductase inhibition, 11058  
tubulin, 11042  
VCP homologue, 11078  
volume homeostasis, 10819  
VSG, 10798, 10812, 10934, 10949
- Trypanosoma brucei* spp.**  
Central African stocks  
  isoenzyme characterisation, 11164  
  zymodemes, 11164  
characterisation, 10794  
genetic epidemiology, 10794  
infecting humans, 10746, 10861
- Trypanosoma brucei brucei***  
S-adenosylmethionine cellular transport, 11172  
biochemical effects, 10921  
bloodstream form, 10786, 11064, 11161  
characterisation, isoenzyme, 11164  
Congolese stock, 10852  
cyclical development, 11096  
cyclophilin A, 11069  
cysteine proteinase inhibition, 11161  
culture, 11064  
drug effects, 10784, 10785, 10787, 10813,  
  10912, 10913, 11060, 11062  
drug resistance, 11166  
EATRO 1125, 11119, 11120, 11121  
GUTat 3.1, 10786  
human serum sensitivity, 11026  
identification, 10989  
infecting buffalo, 10854  
infecting cattle, 11026  
  Boran, 10854  
  N'Dama, 10854  
infecting dogs, 10892  
infecting domestic animals, 11026  
infecting eland, 10854  
infecting goats, 10748  
infecting livestock, 11089  
infecting mice, 10773, 10782, 10783, 10852,  
  10854, 10892, 10906, 10912, 10913, 11026,  
  11032, 11034  
infecting rabbits, 10893, 10898, 10900, 10902,  
  10903  
infecting rats, 10891, 10892, 10894, 10895,  
  10901, 11037, 11041, 11150  
infecting tsetse, 10852, 10853, 10854, 11096,  
  11119, 11120, 11121  
infecting waterbuck, 10854  
lysis by human serum factors, 10778  
metacyclic form, 10852, 11120, 11121  
oligopeptidase, 10784  
phylogenetic relationships, 10916  
pleomorphic clone, 10748  
procyclic form, 10785, 10852, 11120, 11121  
protein methylation, 11172  
STIB 247-L, 10853  
transmissibility, 10852  
trypomastigotes, 11060  
uracil, transporter, 11179
- Trypanosoma brucei gambiense***  
aspartate aminotransferase, 11164  
bloodstream form, 11127  
characterisation of stocks, isoenzyme, 11164  
drug effects, 10912

drug resistance, 11003, 11166  
identification, 10989  
infecting humans, 10719, 10742-10745, 10857-10859, 10862, 10863, 10865, 10996, 10998-11000, 11002-11004, 11111, 11126, 11127, 11129-11131, 11164  
infecting mice, 10912  
infecting pigs, 11164  
infecting tsetse, 10724, 10727, 11119  
isolates, 10996  
LiTat 1.3, 10817, 11127  
    gene, 10858, 10998  
LiTat 1.5, 11127  
LiTat 1.6, 11127  
lysis by human serum factors  
    resistance mechanisms, 10778  
Mba strain, 11119  
Phanzu strain, 11119  
superoxide dismutase phenotype, 11164  
variable surface antigens, 11127  
VSG, 10817  
    genes, 10858, 10998  
    regulation, 11189

***Trypanosoma brucei rhodesiense***

S-adenosylmethionine cellular transport, 11172  
apoptosis, 11083  
biochemical effects, 10921  
bloodstream form, 10941, 11063  
cell death, Con A-induced, 10951  
drug effects, 10912, 11061, 11063  
drug resistance, 11166  
epidemics, 10719  
gene expression, 10951, 10953  
genome, 10928  
human serum resistance, 10953, 11026  
identification, 10989  
infecting cattle, 11026  
infecting dogs, 11026  
infecting domestic animals, 11026  
infecting humans, 10719, 10747, 10857, 11026, 11124  
infecting mice, 10774, 10897, 10906, 10912, 11026, 11148  
infecting monkeys, 11043, 11057  
infecting pigs, 11026  
infecting tsetse, 10724, 10727  
KETRI 2537, 11043, 11057  
KETRI 2772, 11057  
lysis by human serum factors  
    resistance mechanisms, 10778  
procyclic form, 10941, 10951  
prohibitin, 11083  
protein methylation, 11172  
RACK homologues, 11083

transcripts, 10941  
transformation, 10941  
Utat 4.1, 10996  
VSG, gene expression site, 10953  
zoonosis, 10830

***Trypanosoma congolense***

Agriumbe stock, 11119  
antigen detection, 10870, 10871  
antigen for ELISA, 11007  
bloodstream form, 10908  
cyclical development, 10854, 11096  
cysteine proteinase inhibition, 10806  
drug effects, 10908, 10910, 10912, 10914  
drug resistance, 10908, 11027, 11029, 11143  
drug sensitivity, 11024, 11027  
epimastigotes, 11123  
evolutionary relationships, 10917  
forest type, 10738, 10739, 10740, 10991  
genes, conserved organisation, 10800  
glutamic acid/alanine-rich protein, 11079  
identification, 10991, 10993  
IL 13-E3, 10853  
IL 1180, 10853, 10908, 11024, 11027, 11119, 11122, 11123  
IL 3330, 11027  
IL 3338, 11143  
infecting buffalo, 10854  
infecting cattle, 10734, 10739, 10750, 10868, 10869, 10875, 10878, 10881, 10890, 11005, 11006, 11008, 11010, 11014, 11024, 11025, 11091, 11105, 11115, 11132, 11133  
    Adamawa, 10874  
    Boran, 10854, 10990, 11027, 11143  
    N'Dama, 10758, 10759, 10854, 10889, 11022  
    Red Bororo, 10874  
    Zebu, 11029  
infecting eland, 10854  
infecting goats, 11009, 11137  
    Red Sokoto, 10752  
    Sahelian, 10908  
    West African Dwarf, 10882  
infecting humans, 10861  
infecting livestock, 10870, 10871, 10876  
infecting mice, 10779, 10854, 10855, 10904, 10905, 10912, 10914, 11038, 11149, 11152, 11153  
infecting pigs, 10868  
infecting rabbits, 10902, 10903  
infecting rats, 10894, 10895, 10899, 11035  
infecting sheep, 11009, 11015  
    Djallonké, 10882, 10885, 11136  
    Yankassa, 10752, 10884  
infecting stomoxys, 10856

- infecting tsetse, 10738-10741, 10853, 10854, 10890, 10991, 10993, 11096, 11119, 11122, 11123
- infecting waterbuck, 10854
- ITC 84, 10759
- K60/1, 10853
- Kilifi type, 10740, 10856, 10991
- mechanical transmission, 10856
- mesocyclic form, 11123
- Trypanosoma congolense*** (cont.)
- metacyclic form, 11122, 11123
- PCR detection, 10748, 10872
- procyclic form, 11122, 11123
- propeptides, 10806
- Samorogouan/89/CRTA/267, 10908
- savanna type, 10738-10740, 10861, 10991
- transferrin, 11056
- variability, 10988
- VSG disulphide bonds, 10925
- Trypanosoma cruzi***
- diamine auxotrophy, 11048
- drug effects, 11158
- evolution, 10793
- evolutionary relationships, 10917
- genetic linkages, conservation, 10814
- GPI-specific phospholipid C, 10814
- heat shock protein 100, 10814
- lysis by human serum factors
- resistance mechanisms, 10778
- phospholipid C, GPI-specific, 10814
- triosephosphate isomerase, 11075
- interface cysteine, 11191
- Trypanosoma cyclops***
- evolution, 10793
- Trypanosoma equiperdum***
- biochemistry, 10916
- detection, 10916
- distinguishing from *T. evansi*, 10835, 10916
- DNA, k, maxicircles, 10916
- drug effects, 10912
- flagellar pocket, 10916
- infecting donkeys, 11134
- infecting horses, 11134
- infecting mice, 10912
- infecting mules, 11134
- in vitro* cultivation, 10916
- molecular characteristics, 10916
- morphology, 10916
- pathogenicity, 10916
- phylogenetic relationships, 10916
- transmission, 10916
- Trypanosoma evansi***
- antigens, excreted/secreted, 10780, 11084
- biochemistry, 10916
- biometrical alterations, 10804
- clones, 11047
- detection, 10835, 10916
- PCR, 10872
- differentiation, intra-species, 10772
- distinguishing from *T. equiperdum*, 10835, 10916
- distribution, 10835
- drug effects, 10912, 11053, 11054
- drug resistance, 10911
- drug sensitivity, 10769
- genetics, 10835
- infecting camels, 10737, 10756, 10760, 10769, 10880, 11011, 11016, 11017, 11139, 11145
- infecting cattle, 10770, 11091
- infecting dogs, 11140
- infecting donkeys, 10749, 11138
- infecting mice, 10776, 10781, 10804, 10856, 10912, 11031, 11040, 11045, 11047, 11053, 11145
- infecting rabbits, 11030, 11036, 11039
- infecting rats, 10771, 10804, 11040
- infecting sheep, 10761, 10762, 11046
- infecting stomoxys, 10856
- in vitro* cultivation, 10916
- irradiation, effects, 10776
- KETRI 3136, 10769
- molecular studies, 10835, 10916
- morphology, 10916
- strains, infectivity, 11039
- survival after death of host, 10771
- pathogenicity, 10916
- phylogenetic relationships, 10916
- strains, 10835
- transmission, 10856, 10916
- TREU 2143, 10761
- tyrosine aminotransferase, 11145
- Trypanosoma grayi***
- evolutionary relationships, 10917
- Trypanosoma rangeli***
- evolution, 10792
- evolutionary relationships, 10917
- Trypanosoma simiae***
- genetics
- mini-exon gene, 10918
- identification, 10991
- infecting tsetse, 10851, 10991
- Trypanosoma theileri***
- infecting cattle, 10881
- Trypanosoma vivax***
- antigen detection, 10870, 10871
- cyclical development, 11096
- detection, PCR, 10748, 10751, 10872
- drug resistance, 11018

- drug sensitivity, 11029
- genes, conserved organisation, 10800
- haemorrhagic form, 11018
- identification, 10991
- IL 4007, 10703
- in tsetse-free areas, 10835
- infecting buffalo, 10854
- infecting cattle, 10734, 10739, 10750, 10751, 10753, 10757, 10868, 10869, 10873, 10875, 10878, 10881, 11005, 11006, 11008, 11010, 11014, 11018, 11025, 11105, 11115, 11132, 11133, 11135
  - Adamawa, 10874
  - Boran, 10854, 10990
  - N'Dama, 10854, 11022
  - Red Bororo, 10874
  - White Fulani Zebu, 10887
  - Zebu, 11029, 11147
- infecting eland, 10854
- infecting goats, 11008, 11009
  - Red Sokoto, 10752
- infecting livestock, 10870, 10871, 10876, 10987
- infecting mice, 10887
- infecting pigs, 11008
- infecting sheep, 11009
  - Yankassa, 10752, 10884
- infecting tsetse, 10738, 10739, 10741, 10757, 10851, 10853, 10854, 10991, 11096
- infecting waterbuck, 10854
- Trypanosomatidae**
  - genetic exchange, 11171
- trypanosome/s**
  - S-adenosylmethionine decarboxylase, 10866
  - antigenic variation, 11088
  - antigens, 10720, 10749
  - bloodstream form, 10727
  - characterisation, 10988
    - by PCR, 10850, 10851
  - cryopreservation, 10727
  - cysteine proteases, 10866
  - distribution, 11094
  - drug targets, 11080
  - epidemiology, 11094
  - evolution, 10793
  - genetics, 10787, 10790, 10791, 10792, 10793
  - genome, 10809
  - genome project, 10788, 10789
  - glycoprotein surface coat, 10778
  - glycosomal enzymes, 10866
  - identification, 11088
    - by PCR, 10738, 10751
  - infecting cattle, 10755, 10886
    - Fulani, 10876
    - Galana Boran, 10883
    - Maasai Zebu, 10883
    - Orma Boran, 10883
  - infection rate in cattle, Nigeria, 10881
  - invariant components, 10886
  - infecting humans, 10793
  - infecting primates, 10793
  - in vitro* cultivation, 10727
  - life cycles, 11094
  - morphology, 11094
  - nomenclature, 11094
  - non-tsetse transmitted, 10835
  - ornithine decarboxylase, 10866
  - prevalence
    - in cattle, 10867
    - in tsetse, 10991
  - purine, biosynthetic pathway, 10866
  - procyclic form, 10727
  - promoter activity, 10809
  - RNA
    - polymerase II transcription, 10809
    - r, small subunit, 10790
    - r, 18S, 10793
  - Salivarian
    - evolutionary relationships, 10917
    - ribosomal RNA 18S sequences, 10917
  - sterol, biosynthetic pathway, 10866
  - taxonomy, 11094
  - thiol metabolism, 11080
  - transmission, risk, 10850
  - trypanothione reductase, 10866
  - variability, 10988
  - VSG, 10886
- trypanosomiasis general**
  - constraint to agricultural development, 10834
  - control, 10752, 10956, 10962, 10963, 10964, 11092, 11155
    - in Africa, sub-Saharan, 10957
    - in Kenya, 10960
    - in Nigeria, 10868, 10871
    - in Togo, 10955
    - in Zambia, 10834
    - integrated, 10829
  - diagnosis, 11089
  - distribution, 11092
  - epidemics, 11089
  - epidemiology, 10829, 10850, 11089
  - history, 11089
  - in African livestock, 10768
  - incidence, 11089
    - in Nigeria, 10871
    - in Zambia, 10982
  - modelling, 10782, 10783, 11092
  - monitoring, 10869, 10871

- pathogenesis, 11033, 11089
- trypanosomiasis general** (cont.)
  - pathology, 11089
  - prevalence, 11089
  - prognosis, 11089
  - risk, 10828, 11089
    - in Burkina Faso, 10851
  - symptoms, 11089
  - transmission, 11089
  - treatment, 11089
- trypanosomiasis in animals** 11089
  - as constraint to agricultural production, 10966
  - chemoprophylaxis, 11094
  - chemotherapy, 11094
  - clinical symptoms/pathological effects, 10763
    - abortion, 10968
    - anaemia, 10758, 10763, 10854, 10882-10884, 10895, 10902, 11014, 11015, 11019, 11025, 11028, 11135, 11136
    - bleeding through skin and ears, 11135
    - CNS disturbances, 11025
    - corneal opacity, 11025
    - depressed growth rate, 10885
    - depression, 11028
    - dilated abdomen, 11025
    - dullness, 10755
    - emaciation, 10827, 10874
    - endocrinological changes, 11140
    - enlarged lymph nodes, 11057
    - enlarged spleen, 11135
    - fever, 11025
    - hypoalbuminaemia, 11025
    - hypocomplementaemia, 11017
    - hypothyroidism, 11140
    - inflammation of lymph nodes, 11025
    - inspiratory dyspnoea, 11025
    - leucopenia, 11014
    - loss of appetite, 10827, 11091
    - loss of vision, 11025, 11140
    - ocular discharge, 10874
    - ocular lesions, 11025
    - offspring mortality, 10884
    - petechial haemorrhage, 11135
    - polyglandular endocrine failure, 10746
    - poor hair coat, 10827
    - proteinaemia, 11025
    - reduced appetite, 11057
    - retarded growth, 11015, 11021
    - splenomegaly, 11057
    - stiffness, 11057
    - vomiting, 11025
    - weight loss, 10755, 11028
  - control, 10827, 10828, 10870, 10876, 10886, 11023, 11090, 11094
  - cost, 11090
  - diagnosis, 10827, 10870, 10879, 11001, 11008, 11094
  - drug resistance, 11023
  - epidemiology, 10828
    - in Burkina Faso, 10850
    - in West Africa, 10988
  - in Nigeria, 10827, 10870, 10876
  - in sub-Saharan Africa, 10886
  - incidence, 11093
  - modelling, 10886
  - monitoring, Nigeria, 10970
  - pathogenesis, 11094
  - prevalence, 11093
    - in Nigeria, 10876
    - in Uganda, 11008
  - prevention, 11094
  - resistance, 11094
  - treatment, 11094
    - diminazene aceturate, 11140
  - T. brucei* infection, 10876
  - T. b. brucei* infection, 11089
  - T. congolense* infection, 10876
  - T. vivax* infection, 10876
- trypanosomiasis in camels (surra)**
  - control, 10756
  - diagnosis, 10756, 11011, 11145
  - in Egypt, 11139
  - in Kenya, 10756, 11011
  - in Mauritania, 10754
  - prevalence, Mauritania, 10754
  - treatment, 10756
  - T. evansi* infection, 10756, 11011, 11139, 11145
    - prevalence, Nigeria, 10880
- trypanosomiasis in cattle** 10720
  - control, 10766, 10883
  - diagnosis, 10751, 10850, 10867, 10868, 10873, 10874, 10875, 11005, 11010
  - distribution, Nigeria, 10867
  - drug therapy, 11012, 11013
  - haemorrhagic, in Uganda, 11135
  - immune response, 10886
  - in East Africa, 10766
  - in Kenya, 10734
  - in Nigeria, 10867, 10868, 10873, 10874
  - in South Africa, 11105
  - in sub-Saharan Africa, 10886
  - in Uganda, 10751
- incidence
  - in Ethiopia, 11029
  - in Kenya, 10734, 10883, 11018

- in Zambia, 11110
- on Uganda/Kenya border, 11115
- pathology, 11014
- prevalence
  - in Burkina Faso, 11005
  - in Cameroon, 11010
  - in Congo D.R., 10877
  - in Nigeria, 10867, 10868, 10873, 10874, 10876
  - in Uganda, 11008, 11135
  - in Zambia, 11110
  - in Zimbabwe, 10750
  - on Uganda/Kenya border, 11115
- trypanosomal, 10968
- relationship to tick-borne disease, 10766
- risk, Nigeria, 10874
- threat, 10833
- treatment, 11105
  - diminazene aceturate, 11115
- T. brucei* infection, 10739, 10750, 10751, 10868, 10874, 11005, 11008, 11010, 11115
- T. congolense* infection, 10734, 10739, 10750, 10868, 10874, 11005, 11008, 11010, 11029, 11105, 11115
- T. vivax* infection, 10734, 10739, 10750, 10751, 10868, 10873, 10874, 11005, 11008, 11010, 11029, 11105, 11115, 11135
- trypanosome infection, 10734, 10873
- trypanosomiasis in dogs**
  - chemoprophylaxis, 11025
  - in Mozambique, 11025
  - prevalence, Uganda, 11008
  - T. brucei* infection, 11008, 11025
- trypanosomiasis in goats**
  - diagnosis, 10752
  - incidence, Kenya, 11009
  - prevalence
    - in Congo D.R., 10877
    - in Kenya, 11028
    - in Nigeria, 10752
    - in Uganda, 11008
  - T. brucei* infection, 11008
  - T. congolense* infection, 11009
  - T. vivax* infection, 11008, 11009
- trypanosomiasis in humans** 10721, 10963, 11089
  - blood-brain barrier
    - role of cytokines, 11088
  - carbohydrate metabolism, 11088
  - chemotherapy, 11088
  - clinical aspects, 11088
  - clinical symptoms/pathological effects, 10849
    - adenopathy, 11131
    - adynamia, 10746
    - anaemia, 10831
    - anorexia, 10746
    - cervical gland enlargement, 10831
    - chancre, 11130
    - CNS involvement, 10742, 10747, 10859
    - CSF abnormalities, 11002
    - emaciation, 10831
    - fever, 10831, 11131
    - headache, 10831
    - infertility, 10746
    - itching, 10831
    - joint pains, 10831
    - lethargy, 10746
    - low weight, 10862
    - meningoencephalitis, 11002, 11131
    - neuroendocrine dysfunction, 10746, 11002
    - neurological, 10859, 11131
    - neuronal damage, 10863
    - oedema, 10831
    - sleep-wake cycle disturbances, 11129, 11131
    - trypanosomes in CSF, 10747
    - weakness, 10831
  - control, 10717, 10719, 10825, 10826, 10828, 10832, 10849, 10985, 10994, 10997
  - diagnosis, 10717, 10719, 10742-10745, 10825, 10857-10861, 10863, 10864, 10996-11001, 11088, 11125-11128, 11130, 11131
  - electroencephalographic features, 11088
  - endemicity, 11127
  - epidemics, 10717, 10825, 10830, 10985, 10994, 10997, 11986
    - in Uganda, 10992
  - epidemiology, 10828, 10830, 10864, 10961, 10989, 10997
  - foci, 10745, 10848, 10857, 10861, 10862, 10989, 10991, 10994, 10997
    - in Cameroon, 10991
    - Bipindi, 11128
    - Campo, 11127, 11128, 11164
    - Fontem, 11117, 11128
  - historical aspects, 10830
  - hormones in, 11088
  - immunology, 11088
  - in Africa
    - sub-Saharan, 10719
    - West, 10714
  - in Angola, 10719
- trypanosomiasis in humans (cont.)**
  - in Cameroon, 10857, 10862, 11001, 11117, 11127
  - in Central African Republic, 10719
  - in Congo D.R., 10719, 10997, 11000
  - in Congo P.R., 10848, 11129

- in Côte d'Ivoire, 10742, 10745, 10857, 10860, 10861, 10865, 11000, 11002, 11125
- in Guinea, 10860
- in Kenya, 11124
- in Malawi, 10857
- in Nigeria, 10825, 10830, 10831, 10832, 10868
- in Rwanda, 10747
- in Sudan, 10719, 11086
- in Tanzania, 10857
- in Uganda, 10719, 10740, 10826, 10830, 10858, 10961, 10985, 10992, 10996, 10998, 11003, 11004, 11026
- incidence
- in central Africa, 10994
  - in Uganda, 10961
- modelling, 10782, 11088, 11111
- nitric oxide involvement, 11088
- pathogenesis, 10746
- role of cytokines, 11088
- pathology, 11088
- polyamine metabolism, 11088
- prevalence, 10857
- in Cameroon, 11127
  - in Nigeria, 10825
  - in Uganda, 10999
- prevention, 10849
- prophylaxis, 11088
- reservoirs, 11127
- resurgence, 10825
- risk, Nigeria, 10825, 10832
- screening, 10743, 10744, 10997, 11127
- socioeconomics, 10832, 10862
- surveillance, 10717, 10961, 10997, 11086, 11125
- surveys, 10743
- transmission, 10999, 11117
- treatment, 10717, 10719, 10746, 10747, 10849, 10857, 10861, 10862, 10864-10866, 10997, 11000, 11002, 11086, 11088
- combination therapy, 10747, 10864, 11051
  - DFMO, 10747, 11051, 11086, 11131
  - melarsoprol, 10747, 10857, 10862, 10865, 11003, 11004, 11051, 11086, 11129, 11131
  - nitrofuranes, 11051
  - nitroimidazoles, 11051, 11086
  - pentamidine, 10861, 10862, 11004, 11086
  - pentamidine isethionate, 11130
  - relapse, 11003
  - review, 10864
  - suramin, 10747, 11086
- T. brucei* spp. infection, 10746, 10861
- T. b. gambiense* infection, 10719, 10742-10745, 10857-10859, 10862, 10863, 10865, 10996, 10998-11000, 11002-11004, 11111, 11126, 11127, 11129-11131
- T. b. rhodesiense* infection, 10719, 10747, 10857, 11026, 11124
- T. congolense* infection, 10861
- trypanosomiasis in livestock**
- control, 10986
  - diagnosis, 10987
  - effect on productivity, 10966, 10986
  - incidence
    - in Africa, 10966
    - in Tanzania, 10987
  - in Kenya, 10986, 10990
  - in Togo, 10955, 10978
  - prevalence, Togo, 10955
  - risk
    - in Africa, 10966
    - in Ethiopia, 10967
    - in Gambia, 10958
  - T. vivax* infection, 10987
- trypanosomiasis in pigs**
- in Nigeria, 10868
  - mixed infections, 11008
  - prevalence, Uganda, 11008
  - T. brucei* infection, 10868, 11008
  - T. congolense* infection, 10868
- trypanosomiasis in sheep**
- diagnosis, 10752
  - incidence, Kenya, 11009
  - prevalence
    - in Kenya, 11028
    - in Nigeria, 10752
  - T. congolense* infection, 11009
  - T. vivax* infection, 11009
- trypanosusceptibility**
- in cattle
    - Boran, 10854, 10889
    - crossbred, 10755
    - Friesian, 10766, 11020
    - Galana Boran, 10766, 10883, 11020
    - genetics, 10888
    - Gobra Zebu, 10755
    - immune responses, 10886
    - Maasai Zebu, 10883
    - N'Dama, 10755
    - Orma Boran, 10883
  - in horses, 10958
  - in livestock, 10958
    - impact on production, 10966
- trypanotolerance**
- anti-*T. brucei* activity in non-primate mammal sera, 11141
  - assessment, 11019, 11021
  - control of anaemia, 11019, 11021

- control of parasitaemia, 11019, 11021, 11022
- criteria, 11019, 11021
- genetic parameters, 10763
- in buffalo, 10854
- in cattle, 10720, 10755
  - antigen recognition, 10720
  - effect on production, 10966
  - genes, 10888
  - genetic markers, 10720, 10763
  - genetics, 10888, 10889
  - immune response, 10886
    - humoral, 10763
  - immunology, 10888, 10889
  - Maasai Zebu, 10766, 11020
  - N'Dama, 10758, 10763, 10854, 10889, 11019, 11021, 11022
    - infection status, 11019, 11021
  - Orma Boran, 10766, 11020
  - susceptibility to ticks, 11020
- in eland, 10854
- in goats, West African Dwarf, 10882
- in humans, 11001
- in mice
  - genetics, 10888
  - immunology, 10905
- in sheep, 10765
  - Djallonké, 10882
- in waterbuck, 10854
- indicators
  - anaemia control, 10854
  - parasitaemia control, 10763, 10854
  - PCV, 10763
- selection criteria, 10765
- selective breeding, 10763
- variance, 10763
- Trypanozoon**
  - detection by PCR, 10748
  - maturation in tsetse, 10839
- tsetse eradication** 10977, 11106
  - in Kwazulu-Natal, 11105
  - in Nigeria, 10870, 10871
  - in Tanzania, 10987, 11095
  - in Zambia, 10982
  - monitoring, 10879
- tsetse/fly front** 10750
- tsetse/fly belts**
  - in Kenya, 10974, 11028
- Uganda**
  - Busoga
    - trypanosomiasis in humans, 10985
  - Buvuma Island
    - G. f. fuscipes* in, 11008
    - trypanosomiasis in animals, survey, 11008
- G. f. fuscipes* in, 10981, 10992, 11135
- G. pallidipes* in, 11135
- /Kenya border
  - G. f. fuscipes* on, 11115
  - trypanosomiasis control, 11115
  - tsetse control, 11115
- Mbale District
  - trypanosomiasis in cattle, 11135
- north-western
  - trypanosomiasis in humans, 10858
    - gambiense*, 10996, 10998, 10999, 11003, 11004
- southern
  - trypanosomiasis in humans, 10826
- south-eastern
  - trypanosomiasis in humans, 10992
    - rhodesiense*, 11026
  - T. b. rhodesiense* epidemics, 10719
- Tororo District
  - trypanosomiasis
    - in cattle, 11135
    - in humans, 10961
- trypanosomiasis
  - in cattle, 10751
  - in humans, 10719, 10742
    - control (historic), 10830
    - T. b. gambiense* epidemics, 10719
  - tsetse control, trapping, 10981
- vaccines** 10720, 11090
  - development studies, 11042
- variant surface glycoproteins (VSG)** 10886
  - T. brucei*
    - antisera, 10934
    - expression site, 10801, 10812, 10949
      - chromatin remodelling, 11189
    - gene, expression site promoter, 10798
    - regulation, 11189
  - T. b. gambiense*, 10817
    - genes, 10858, 10998
- variant surface glycoproteins (cont.)**
  - T. b. rhodesiense*
    - gene expression site, 10953
  - T. congolense*
    - disulphide bonds, 10925
- trypanosome
  - promoter, 10809
- vectorial competence**
  - G. m. morsitans*, 11119, 11122, 11123
  - G. p. gambiensis*, 11119, 11120, 11121
  - G. p. palpalis*, 11119
  - G. tachinoides*, 11120
- waterbuck**

role as reservoir host, 10854  
*T. b. brucei* infection (exp.), 10854  
*T. congolense* infection (exp.), 10854  
*T. vivax* infection (exp.), 10854  
trypanotolerance, 10854

### **Zambia**

field drug trials, 10890  
*G. m. morsitans* in, 10980, 10982, 11110  
*G. pallidipes* in, 10980, 10982  
land use planning, 11087  
trypanosomiasis  
  control, 10834  
  incidence, 10982  
  in cattle, 11007  
    control trials, 11110  
    incidence, 11110  
    prevalence, 11110, 11133  
tsetse challenge, 10890  
tsetse control, 10834, 11087  
  trapping, 10980, 10982  
tsetse eradication, 10982

**Zanzibar** *see* Tanzania

### **Zimbabwe**

eastern/north-eastern  
  trypanosomiasis in cattle, 10750  
  tsetse challenge to cattle, 10750  
*G. m. morsitans* in, 10845, 10980, 10981,  
  10982, 11116  
*G. pallidipes* in, 10845, 10980, 10981, 10982,  
  11116  
Lake Kariba  
  *G. m. morsitans* in, 10732  
tsetse control, 10833, 10973, 10982  
  impact, 10954  
  trapping, 10980, 10981, 11116  
  trials, 11116  
tsetse trapping studies, 10845

### **Zululand**

nagana, review, 11105  
tsetse control, 11105  
tsetse eradication, 11105

