

- Abdallah, M.** 2002. Length-weight relationship of fishes caught by trawl off Alexandria, Egypt. *Naga ICLARM Q.* 25(1):19–20.
- Abdul Malak, D., Livingstone, S., Pollard, D., Polidoro, B., Cuttelod, A., Bariche, M., Bilecenoglu, M., Carpenter, K., Collette, B., Francour, P., Goren, M., Kara, M., Massutí, E., Papaconstantinou, C. & Tunesi L.** 2011. *Overview of the Conservation Status of the Marine Fishes of the Mediterranean Sea*. Gland, Switzerland and Malaga, Spain: IUCN, vii + 61 pp. (also available at <http://data.iucn.org/dbtw-wpd/edocs/RL-262-001.pdf>).
- Abecasis, D., Bentes, L., Ribeiro, J., Machado, D., Oliveira, F., Veiga, P., Gonçalves, J.M.S & Erzini, K.** 2008. First record of the Mediterranean parrotfish, *Sparisoma cretense* in Ria Formosa (south Portugal). *Mar. Biodiv. Rec.*, 1: e27. DOI: 10.1017/5175526720600248x.
- Abella, A.J., Arneri, E., Belcari, P., Camilleri, M., Fiorentino, F., Jukic-Peladic, S., Kallianiotis, A., Lembo, G., Papacostantinou, C., Piccinetti, C., Relini, G. & Spedicato, M.T.** 2002. Mediterranean stock assessment: current status, problems and perspective: Sub-Committee on Stock Assessment, Barcelona. 18 pp.
- Abellan, E. & Basurco, B.** 1999. Finfish species diversification in the context of Mediterranean marine fish farming development. Marine finfish species diversification: current situation and prospects in Mediterranean aquaculture. CIHEAM/FAO, 9–27. CIHEAM/FAO, Zaragoza.
- ACCOBAMS**, May 2009 [www.accobams.org](http://www.accobams.org)
- Agostini, V.N. & Bakun, A.** 2002. “Ocean triads” in the Mediterranean Sea: physical mechanisms potentially structuring reproductive habitat suitability (with example application to European anchovy, *Engraulis encrasicolus*). *Fish. Oceanogr.*, 3: 129–142.
- Akin, S., Buhan, E., Winemiller, K.O. & Yilmaz, H.** 2005. Fish assemblage structure of Koycegiz Lagoon-Estuary, Turkey: spatial and temporal distribution patterns in relation to environmental variation. *Estuar. Coast. Shelf Sci.*, 64(4): 671–684.
- Akyol, O., Unal, V., Ceyhan, T. & Bilecenoglu M.** 2005. First confirmed record of *Lagocephalus sceleratus* (Gmelin, 1789) in the Mediterranean. *J. Fish. Biol.*, 66: 183–1186.
- Akyüz, E.F.** 1957. Observations on the Iskenderun Red Mullet (*Mullus barbatus*) and its environment. *Proc. Gen. Fish. Coun. Medit.*, 4: 305–326.
- Al-Hassan, L.A.J. & El-Silini, O.A.** 1999. Check-list of bony fishes collected from the Mediterranean coast of Benghazi, Libya. *Rev. Biol. Mar. Oceanog.*, 34: 291–301.
- Al-Maslamani, I., Le Vay, L., Kennedy, H. & Jones, D.A.** 2007. Feeding ecology of the grooved tiger shrimp *Penaeus semisulcatus* De Haan (Decapoda: Penaeidae) in inshore waters of Qatar. *Arabian Gulf Mar. Biol.*, 150(4): 627–637.
- Allain, C.** 1960. Topographie dynamique et courants généraux dans le bassin occidental de la Méditerranée. *Rev. Trav. Inst. Pêches Marit.*, 24(1): 121–145.
- Allegrucci, G., Fortunato, C. & Sbordoni, V.** 1997. Genetic structure and allozyme variation of sea bass (*Dicentrarchus labrax* and *D. punctatus*) in the Mediterranean Sea. *Mar. Biol.*, 128(2): 347–358.
- Allsop, D.J. & West, S.A.** 2003. Constant relative age and size at sex change for sequentially hermaphroditic fish. *J. Evol. Biol.*, 16: 921–929.
- Alvarado Bremer, J.R., Vinas, J., Mejuto, J., Ely, B. & Pla, C.** 2005. Comparative phylogeography of Atlantic bluefin tuna and swordfish: the combined effects of vicariance, secondary contact, introgression, and population expansion on the regional phylogenies of two highly migratory pelagic fishes. *Mol. Phylogenet. Evol.*, 36(1): 169–187.

- Andaloro, F. & Potoschi, A.** 1997. Ichthyofauna associated to fish aggregation devices in the southern Tyrrhenian Sea. Proceedings of a Workshop on the biology and fishery of dolphin-fish and related species, Palma de Mallorca, October 1997.
- Andaloro, F., Campo, D., Castriota, L. & Sinipoli, M.** 2007. Annual trend of fish assemblage associated with FADs in the southern Tyrrhenian Sea. *J. Appl. Ichthyol.*, 23(3): 258–263.
- Antolović, J., Vaso, A., Kashta, L., Shutina, V., Anagnosti, S., Bogdanović, S., Adamić, L., Antolović, N.** 2001. Protection of the Mediterranean Monk seal (*Monachus monachus*) and its habitats. *Rapp. Comm. Int. Mer Médit.*, 36: 230 p.
- Astraldi, M., Gasparini, G.P., Vetrano, A. & Vignudelli, S.** 1999. Study of the seasonal and interannual variability in the Corsica Channel and the Sicily Strait based on long time series of data. *Biol. Mar. Medit.*, 6(1): 52–63.
- Avsar, D.** 2001. Age, growth, reproduction and feeding of the spurdog (*Squalus acanthias* Linnaeus, 1758) in the South-eastern Black Sea. *Estuar. Coast. Shelf Sci.*, 52(2): 269–278.
- Ayaz, A., Acarli, D., Altinagac, U., Ozekinci, U., Kara, A. & Ozen, O.** 2006. Ghost fishing by monofilament and multifilament gillnets in Izmir Bay, Turkey. *Fish. Res.*, 79(3): 267–271.
- Badalamenti, F., D'Anna, G., Pinnegar, J.K. & Polunin, N.V.C.** 2002. Size-related trophodynamic changes in three target fish species recovering from intensive trawling. *Mar. Biol.*, 141: 561–570.
- Bahamon, N., Sardà, F. & Suuronen P.** 2006. Improvement of trawl selectivity in the NW Mediterranean demersal fishery by using a 40 mm square mesh codend. *Fish. Res.*, 81: 15–25.
- Balss, H.** 1927. Bericht über die Crustacea Decapoda (Natantia und Anomura). Zoological Results of the Cambridge Expedition to the Suez Canal 1924, XIV. *Trans. Zool. Soc. Lond.*, 22: 221–227.
- Baltz, D.M.** 1991. Introduced fishes in marine systems and inland seas. *Biol. Conservat.*, 56:151–177.
- Barash, A. & Danin, Z.** 1973. The Indo-Pacific species of mollusca in the Mediterranean and notes on a collection from the Suez Canal. *Isr. J. Zool.*, 21(3–4): 301–374.
- Barash, A. & Danin, Z.** 1977. Additions to the knowledge of Indo-Pacific mollusca in the Mediterranean. *Conchiglie*, 13(5–6): 85–116.
- Bard, F.X.** 1973. Étude sur le germon *Thunnus alalunga* de l'Atlantique. Éléments de dynamique de populations. *Rapp. Int. Comm Conserv. Atlant. Tunas Sci. Pap.*, 3: 198–224.
- Barghigiani, C., Pellegrini, D., Gioffré, D., De Ranieri, S. & Bargagli, R.** 1986. Preliminary results on the mercury content of *Citharus linguatula* (L.) in the northern Tyrrhenian Sea. *Mar. Pollut. Bull.*, 9: 424–427.
- Bariche, M.** 2005. Age and growth of Lessepsian rabbitfish from the eastern Mediterranean. *J. Appl. Ichthyol.*, 21(2): 141–145.
- Bariche, M.** 2006. Diet of the Lessepsian fishes, *Siganus rivulatus* and *Siganus luridus* (Siganidae) in the eastern Mediterranean: A bibliographic analysis. *Cybiurn*, 30(1): 41–49.
- Bariche, M. & Saad, M.** 2008. Settlement of the Lessepsian blue-barred parrotfish *Scarus ghobban* (Teleostei: Scaridae) in the eastern Mediterranean. *Mar. Biodiv. Rec.*, 1: e5 doi: 10.1017/S1755267205000497.

- Bariche, M., Harmelin-Vivien, M. & Quignard, J.-P.** 2003. Reproductive cycles and spawning periods of two Lessepsian siganid fishes on the Lebanese coast. *J. Fish Biol.*, 62: 129–142.
- Bariche, M., Letourneur, Y. & Harmelin–Vivien, M.** 2004. Temporal fluctuations and settlement patterns of native and Lessepsian herbivorous fishes on the Lebanese coast (eastern Mediterranean). *Environ. Biol. Fish.*, 70: 81–90.
- Bariche, M., Alwan, N. & El-Fadel, M.** 2006. Structure and biological characteristics of purse seine landings off the Lebanese coast (eastern Mediterranean). *Fish. Res.*, 82(1–3): 246–252.
- Bariche, M., Sadek, R., Al-Zein, M.S. & El-Fadel, M.** 2007. Diversity of juvenile fish assemblages in the pelagic waters of Lebanon (Eastern Mediterranean). *Hydrobiologia*, 580(1): 109–115.
- Barreiros, J.P.** 1995. *Aspectos de comportamento e reprodução do mero *Epinephelus marginatus* (Lowe, 1834) nos Açores*. Angra do Heroísmo, 1995. Departamento de Ciências Agrárias, Universidade dos Açores. 95 p. (Ph.D. dissertation).
- Barreiros, J.P., Santos, R.S. & de Borba, A.E.** 2002. Food habits, schooling and predatory behaviour of the yellowmouth barracuda, *Sphyraena viridensis* (Perciformes: Sphyraenidae) in the Azores. *Cybium*, 26(2) :83–88.
- Basusta, N., Erdem, Ü. & Mater, S.** 1997. Iskenderun körfezi'nde yeni bir Lesepsiyen göçmen bahk türü; Kizilgözlü Sardalya, *Etrumeus teres* (DeKay, 1842). *Mediterranean Fisheries Congress*, 9–11 April, 1997, Izmir, pp.921–924.
- Bauchot, M.-L. & Blanc, M.** 1961. Poissons Marins de l'Est Atlantique tropical. Téléostéens Perciformes. II. Percoidei., *Atlantide Rep.*, 6: 43–101.
- Bavay A.** 1897. Au sujet du passage d'un mollusque de la mer rouge dans la Méditerranée. *Bull. Soc. Zool. Fr.*, 199 pp.
- Bearzi, G., Agazzi, S., Gonzalvo, J., Costa, M., Bonizzoni, S., Politi, E., Piroddi, C. & Reeves, R.R.** 2008. Overfishing and the disappearance of short-beaked common dolphins from western Greece. *Endang. Species Res.*, 5: 1–12.
- Bell, J.D. & Harmelin-Vivien, M.L.** 1983. Fish fauna of French Mediterranean *Posidonia oceanica* seagrass meadows. 2. Feeding habits. *Tethys*, 11: 1–14.
- Ben Abdallah, A.R., Alturky, A.A. & Fituri, A.A.** 2005. Records of exotic fishes in the Libyan coast. *Libyan J. Mar. Sci.*, 10: 1–14. (in Arabic with English abstract).
- Ben Rais Lasram, F. & Mouillot, D.** 2008. Increasing southern invasion enhances congruence between endemic and exotic Mediterranean fish fauna. *Biol. Invasions*, 11: 679–711.
- Ben Soussi, J., Golani, D., Mejri, H. & Capapé, C.** 2005. On the occurrence of *Cheilopogon furcatus* in the Mediterranean Sea. *J. Fish Biol.*, 67: 1144–1149.
- Ben-Eliahu, M.N., Golani, D. & Ben-Tuvia, A.** 1983. On predation on polychaetes (Annelida) by the squirrelfish *Adioryx ruber* (Holocentridae) with a new polychaete record for the Mediterranean coast of Israel. *Tethys*, 11(1): 15–19.
- Ben-Tuvia, A.** 1953. Mediterranean fishes of Israel. *Bull. Sea Fish. Rese. St. Haifa*, 8: 1–40.
- Ben-Tuvia, A.** 1953b. New Erythrean fishes from the Mediterranean coast of Israel. *Nature*, 172: 464–465.
- Ben-Tuvia, A.** 1962. Collection of fishes from Cyprus. *Bull. Res. Counc. Isr.*, 11B: 132–145.

- Ben-Tuvia, A.** 1964. Two siganids fishes of Red Sea origin in the eastern Mediterranean. *Bull. Sea Fish. Res. St. Haifa*, 37: 3–10.
- Ben-Tuvia, A.** 1966. Red Sea fishes recently found in the Mediterranean. *Copeia*, 2: 254–275.
- Ben-Tuvia, A.** 1975. Mugilid fishes of the Red Sea with a key to the Mediterranean and Red Sea species. *Bamidgeh*, 27: 14–20.
- Ben-Tuvia, A.** 1976. Occurrence of Red Sea fishes *Herklotsichthys punctatus*, *Autisthes puta* and *Rhonciscus stridens* in the eastern Mediterranean. *Isr. J. Zool.*, 25: 12–213.
- Ben-Tuvia, A.** 1977. New records of Red Sea immigrants in the eastern Mediterranean. *Cybium*, 3: 95–102.
- Ben-Tuvia, A.** 1979. Studies of the population and fisheries of *Sparus aurata* in the Bardawil Lagoon, eastern Mediterranean. *Isr. J. Zool.*, 20: 1–39.
- Ben-Tuvia, A.** 1983. An Indo-cific goby *Oxyurichthys papuensis* (Valenciennes, 1837) in the eastern Mediterranean. *Isr. J. Zool.*, 20: 1–39.
- Ben-Tuvia, A.** 1990. A taxonomic reappraisal of the Atlanto–Mediterranean soles *Solea solea*, *S. senegalensis* and *S. lascaris*. *J. Fish Biol.*, 36(6): 947–960.
- Ben-Tuvia, A. & Golani D.** 1984. A West African fangtooth moray eel *Enchelycore anatina* from the Mediterranean coast of Israel. *Copeia*, 2: 541–544.
- Ben-Tuvia, A. & Golani D.** 1993. *Some observations on the biology of atherinid fishes from the Mediterranean and Red Sea coast of Israel.* Le Système littoral Méditerranéen. Maison de l'Environnement de Montpellier. Actes du Colloque Scientifique, Montpellier, 58–63 pp.
- Ben-Yami, M. & Glaser, T.** 1974. The invasion of *Saurida undosquamis* (Richardson) into the Levant Basin—An example of biological effect of interoceanic canal. *Fish. Bull.*, 72: 359–373.
- Bernardez, C., Freire J. & Gonzalez–Gurriaran E.** 2000. Feeding of the spider crab *Maja squinado* in rocky subtidal areas of the Ría de Arousa (north-west Spain). *J. Mar. Biol. Assoc. UK*, 80(1): 95–102.
- Bertin, L.** 1943. Les clupéiformes du Canal de Suez, comparés à ceux de la mer Rouge et de la Méditerranée. *Bull. Mus. Natl. Hist. Nat.*, 2<sup>e</sup> Sér., 15(6): 386–391.
- Bertoncini, A.A.** 1999. Ocorrência de juvenis de aroupas (*Epinephelus marginatus*, Lowe, 1834) (Perciformes: Serranide, Epinephelinae), em sistema intertidais no município de Penha-S.C. Relatório de Pesquisa UNIVALI/CTTMar. 40 pp.
- Bethoux, J.P., Gentili, B., Raunet, J. & Tailliez, D.** 1990. Warming trend in the western Mediterranean deepwater. *Nature*, 347: 660–662.
- Bettoso, N. & Dulčić, J.** 1999. First record of the oil fish *Ruvettus pretiosus* (Pisces Gempylidae) in the Northern Adriatic sea. *J. Mar. Biol. Assoc. UK*, 79: 1145–1146.
- Bianchi, C.N. & Morri, C.** 2000. Marine biodiversity of the Mediterranean Sea: Situation, problems, and prospects for future research. *Mar. Pollut. Bull.*, 40(5): 367–376.
- Bianchi, G., Carpenter, K.E., Roux, J.-P., Molloy, F.J., Boyer, D. & Boyer, H.J.** 1993. *FAO species identification field guide for fishery purposes. The living marine resources of Namibia.* FAO, Rome. 250 pp.
- Bianchi, G., Carpenter, K.E., Roux, J.-P., Molloy, F.J., Boyer D. & Boyer, H.J.** 1999. *FAO species identification guide for fishery purposes. Field guide to the living marine resources of Namibia.* Rome, FAO. 265 pp.
- Bigelow, H.B., Bradbury, M.G., Dymond, J.R., Greeley, J.R., Hildebrand, S.F., Mead, G.W., Miller, R.R., Rivas, L.R., Schroeder, W.L., Suttkus, R.D. & Vladykov, V.D.** 1963. Fishes of the western North Atlantic. Part three, New Haven, Sears Foundation Marine Research, Yale University.

- Bilecenoglu, M. & Taskavak, E.** 1999. Some observations on the habitat of the Red Sea immigrant Sweeper, *Pempheris vanicolensis*, on the Mediterranean coast of Turkey. *Zool. Middle East*, 17: 67–70.
- Bilecenoglu, M., Taskavak, E. & Kunt, K.B.** 2002. Range extension of three lessepsian migrant fish (*Fistularia commersoni*, *Sphyræna flavicauda*, *Lagocephalus suezensis*) in the Mediterranean. *J. Mar. Biol. Assoc. UK*, 82: 525–526.
- Bilecenoglu, M., Taskavak, E., Mater, S. & Kaya, M.** 2002. Checklist of the marine fishes of Turkey. *Zootaxa*, 113: 1–194 p.
- Billard, R.** 1997. Les poissons d'eau douce des rivières de France. Identification, inventaire et répartition des 83 espèces. *Lausanne, Delachaux & Niestlé*, 192 pp.
- Bini, G.** 1968. Atlante dei Pesci delle Coste Italiane, volume 4. Osteitti., Mondo Sommerso Editrice, Rome. 163 pp.
- Bitar, G. & Kouli-Bitar, S.** 1999. Inventaire des mollusques marins benthiques du Liban et remarques bigéographiques sur quelques espèces nouvellement signalées. *Mésogée*, 56: 37–44.
- Bizsel, K.C. & Cihangir, B.** 1996. A new fish record for the Turkish seas; yellow mouth barracuda (Sphyrænidae; *Sphyræna viridensis* Cuvier, 1829). *Turk. J. Zool.*, 20: 357–359.
- Blackburn, M. & Serventy, D.L.** 1981. Observations on distribution and life history of skipjack tuna, *Katsuwonus pelamis*, in Australian waters., *Fish. Bull.*, 79: 85–94.
- Bograd-Zismann, L.** 1965. The food of *Saurida undosquamis* in the eastern Mediterranean in comparison with that in Japanese waters. *Rapp. Comm. Int. Mer Médit.*, 18: 251–252.
- Böhlke, J.E. & Chaplin, C.C.G.** 1993. Fishes of the Bahamas and adjacent tropical waters. 2<sup>nd</sup> edition. University of Texas Press, Austin.
- Bouaziz, A.** 1992. *Le merlu (Merluccius merluccius méditerranæus, Cadenat, 1950) de la baie de Bou–Ismail: biologie et écologie*. ISMAL (Alger). 85 pp. (Magistère thesis).
- Boudaya, L., Neifar, L., Taktak, A., Ghorbel, M. & Bouain, A.** 2007. Diet of *Chelidonichthys obscurus* and *Chelidonichthys lastoviza* (Pisces: Triglidae) from the Gulf of Gabes (Tunisia). *J. Appl. Ichthyol.*, 23: 646–653.
- Bozzano, A., Sarda, F. & Rios, J.** 2005. Vertical distribution and feeding patterns of the juvenile European hake, *Merluccius merluccius* in the NW Mediterranean. *Fish. Res.*, 73: 29–36.
- Bradai, M.N.** 2000. Diversité du peuplement ichtyque et contribution à la connaissance des Sparidés du golfe de Sfax. Faculté des Sciences de Sfax, 600 pp. (Thèse d'Etat).
- Bradai, M.N., Ghorbel, M. & Bouain, A.** 1993. Premières observations dans le golfe de Gabès (Tunisie) de *Sphoeroides cutaneus* (Tétraodontidae). *Cybiurn*, 17(1): 86.
- Breder, C.M. & Rosen, D.E.** 1966. Modes of reproduction in fishes. T.F.H. Publications, Neptune City, New Jersey. 941 pp.
- Brito, A.** 1991. Catalogo de los pesces de las Islas Canarias., Francisco Lemus, la Laguna. 230 pp.
- Brusca, R.C. & Brusca, G.J.** Invertebrates. 2<sup>nd</sup> ed., Sinauer Associates, Inc. Publishers., Sunderland, Massachusetts 01375.

- Bruslé, S.** 1983. Contribution to the sexuality of a hermaphrodite teleost, *Serranus hepatus* L. *J. Fish Biol.*, 22(3): 283–292.
- Bruun, A.F.** 1935. *Parexocoetus*, a Red Sea flying fish in the Mediterranean. *Nature*, 136: 553.
- Bryden, H. & Kinder, T.** 1991. Recent progress in strait dynamics. *Rev. Geophys.*, 29(S): 617–631.
- Bullock, A.E. & Monod, T.** 1997. Myologie céphalique de deux poissons perroquets (Teleostei: Scaridae). *Cybium*, 21(2):173–199.
- Burtalovic, V., Lučić, D., Conides, A., Glamuzina, B., Dulčić, J., Hafner, D. & Batistic, M.** 2004. Food of sand smelt, *Atherina boyeri* Risso, 1810 (Pisces: Atherinidae) in the estuary of the Mala Neretva River (middle-eastern Adriatic, Croatia). *Sci. Mar.*, 4: 597–603.
- Bussotti, S., Guidetti, P. & Belmonte, G.** 2003. Distribution patterns of the cardinal fish, *Apogon imberbis*, in shallow marine caves in southern Apulia (SE Italy). *Ital. J. Zool.*, 2: 153–157.
- Bussotti, S., Denitto, F., Guidetti, P. & Belmonte, G.** 2002. Fish assemblage in shallow marine caves of the Salento Peninsula (Southern Apulia, SE Italy). *Mar. Ecol.*, 23(1): 11–20.
- Buxton, C.D. & Garratt, P.A.** 1990. Alternative reproductive styles in seabreams (Pisces: Sparidae). *Environ. Biol. Fish.*, 28(1–4): 113–124.
- Calderon-Aguilera, L.E.** 1991. An autoregressive model of the temperature-growth relationship for the Western Mediterranean blue whiting *Micromesistius poutassou*. *Ecol. Model.*, 56: 47–61.
- Camiñas, J.A.** 2004. *Sea turtles of the Mediterranean Sea: population dynamics, sources of mortality and relative importance of fisheries impacts*. FAO Fisheries Report no. 738, Supplement. Rome, FAO, pp. 27–84.
- Campo, D., Mostarda, E., Castriota, L., Scarabello, M.P. & Andaloro, F.** 2006. Feeding habits of the Atlantic bonito, *Sarda sarda* (Bloch, 1793) in the southern Tyrrhenian sea. *Fish. Res.*, 81(2–3): 169–175.
- Can, A., Bilecenoglu, M.** 2005. Türkiye Denizlerinin Dip Balıkları Atlası [Atlas of bottom dwelling fishes of Turkey]. Arkadas Yayınevi, 224 p., Ankara, ISBN 975-509-429-6 [in Turkish].
- Canli, M., Kalay, M. & Ay, Ö.** 2001. Metal (Cd, Pb, Cu, Zn, Fe, Cr, Ni) concentrations in tissues of a fish *Sardina pilchardus* and a prawn *Peaneus japonicus* from three stations on the Mediterranean Sea. *Bull. Environ. Contam. Toxicol.*, 67: 75–82.
- Carbonell, A. & Abello, P.** 1998. Distribution characteristics of pandalid shrimps (Decapoda: Caridea: Pandalidae) along the Western Mediterranean slope. *J. Nat. Hist.*, 32: 63–1474.
- Carpenter, K.** 1994. List of FAO names in the yearbook found inconsistent with FIRM's Species Identification and Data Programme publications and other primary sources., pers. comm. FIDI–FIRM List, FAO, Rome.
- Carpentieri, P., Colloca, F. & Ardizzone G.D.** 2005. Day–Night variations in the demersal nekton assemblage on Mediterranean shelfbreak. *Estuar. Coast. Shelf Sci.*, 63(4): 577–588.
- Cartes, J.E.** 1993. Feeding habits of pasiphaeid shrimps close to the bottom on the Western Mediterranean slope. *Mar. Biol.*, 117(3): 459–468.
- Cartes, J.E.** 1995. Diets of, and trophic resources exploited by bathyal penaeoidean shrimps from the western Mediterranean. *Mar. Freshwat. Res.*, 46(6): 889–996.

- Cartes, J.E. & Sarda, F.** 1989. Feeding ecology of the deep-water aristeid crustacean *Aristeus antennatus*. *Marine Ecol. Prog. Ser.*, 54: 229–238
- Cartes, J.E. & Carrassón, M.** 2004. Influence of trophic variables on the depth range distributions and zonation rates of deep-sea megafauna: the case of the Western Mediterranean assemblages. *Deep Sea Res. I*, 51: 263–279.
- Cartes, J.E., Company, J.B. & Maynou, F.** 1994. Deep-water decapod crustacean communities in the Northwestern Mediterranean: influence of submarine canyons and season. *Mar. Biol.*, 2: 221–229.
- Cartes, J.E., Sarda, F., Company, J.B. & Lleonart, J.** 1993. Day-night migrations by deep-sea decapods crustaceans in experimental samplings in the western Mediterranean Sea. *J. Exp. Mar. Biol. Ecol.*, 17(1): 63–73.
- Casali, P., Giammarini, C., Di Silverio, M.C. & Parrilli, S.** 1999. Preliminary observations on the biology of *Uranoscopus scaber* (Linnaeus, 1758) in the North and Central Adriatic Sea. *Biol. Mar. Mediterr.*, 6(1): 544–546.
- Castriota, L., Finola, M.G., Campagnolo, S., Papatone, C. & Andaloro, F.** 2006. Diet of juvenile *Pagrus pagrus* from sandy bottoms of the southern Tyrrhenian Sea. *Cybium*, 4: 291–295.
- Çelik, U. & Oehlenschläger, J.** 2005. Zinc and copper content in marine fish samples collected from the eastern Mediterranean Sea. *Eur. Food Res. Technol.*, 220(1): 37–41 pp.
- Cervigón, F.** 1993. *Los peces marinos de Venezuela*. Volume 2. Fundación Científica Los Roques, Caracas, Venezuela. 497 pp.
- Cervigón, F.** 1994. *Los peces marinos de Venezuela*. Volume 3. Fundación Científica Los Roques, Caracas, Venezuela. 295 pp.
- Cervigón, F., Cipriani, R., Fischer, W., Garibaldi, L., Hendrickx, M., Lemus, A.J., Márquez, R., Poutiers, J.M., Robaina, G. & Rodríguez, B.** 1993. *FAO species identification sheets for fishery purposes. Field guide to the commercial marine and brackish-water resources of the northern coast of South America*. FAO, Rome. 513 pp.
- Chaoui, L., Kara, M.H., Faure, E., Quignard, J.P.** 2006. Growth and reproduction of the Gilthead seabream *Sparus aurata* in Mellah lagoon (North Eastern Algeria). *Sci. Mar.*, 3: 545–552.
- Charrier, G., Chenel, T., Durand, J.D., Girard, M., Quiniou, L. & Laroche, J.** 2006. Discrepancies in phylogeographical patterns of two European anglerfishes (*Lophius budegassa* and *Lophius piscatorius*). *Mol. Phylogenet. Evol.*, 38: 742–754.
- Chartosia, N., Tzomos, T.H., Kitsos, M.S., Karani, I., Tselepides, A. & Koukouras, A.** 2005. Diet comparison of the bathyal shrimps, *Aristeus antennatus* (Risso, 1816) and *Aristaeomorpha foliacea* (Risso, 1827) (Decapoda, Aristeidae) in the eastern Mediterranean. *Crustaceana*, 78(3): 273–284.
- Chauvet, C.** 1991. Le corb ou brown meagre (*Sciaena umbra*–Linnaeus, 1758) quelques éléments de sa biologie. In C.F. Boudouresque, M. Avon & V. Gravez, eds. *Les espèces marines à protéger en Méditerranée*, pp. 229–235. GIS Posidonie publ. Fr.
- Chemmam-Abdelkader, B., Kraiem, M.M. & El Abed, A.** 2004. Etude de l'âge et de la croissance de deux espèces de dentex (*D. dentex* et *D. maroccanus*) des côtes tunisiennes. *Bull. Inst. Natn. Tech. Mer. Salammbou*, 31: 43–51.
- Chilari, A., Petrakis, G. & Tsamis, E.** 2006. Aspects of the biology of blackspot seabream (*Pagellus bogaraveo*) in the Ionian Sea, Greece. *Fish. Res.*, 77(1): 84–91.

- Chrisafi E., Kaspiris P. & Katselis G.** 2007. Feeding habits of sand smelt (*Atherina boyeri*, Risso 1810) in Trichinis Lake (Western Greece). *J. Appl. Ichthyol.*, 23: 209–214.
- Cicek, E., Avsar, D., Yeldan, H. & Ozutok, M.** 2006. Length-weight relationships for 31 teleost fishes caught by bottom trawl net in the Babadillimani Bight (northeastern Mediterranean), *J. Appl. Ichthyol.*, 22: 290–292.
- Claro, R.** 1994. Características generales de la ictiofauna. In R. Claro, ed. *Ecología de los peces marinos de Cuba*. pp. 55–70. Instituto de Oceanología Academia de Ciencias de Cuba and Centro de Investigaciones de Quintana Roo, Mexico.
- Coad, B.W. & McAllister, D.E.** 2009. Dictionary of Ichthyology <http://www.briancoad.com/Dictionary/Introduction.htm>. Revised 29 July 2009.
- Cohen, D.M., Inada, T. Iwamoto, T. & Scialabba, N.** 1990. FAO species catalogue. Vol. 10. Gadiform fishes of the world (Order Gadiformes). An annotated and illustrated catalogue of cods, hakes, grenadiers and other gadiform fishes known to date. *FAO Fish. Synop.*, 125(10): 442 pp.
- Coll, M., Palomera, I., Tudela, S. & Sarda, F.** 2006. Trophic flows, ecosystem structure and impacts in the South Catalan Sea, Northwestern Mediterranean. *J. Mar. Syst.*, 59: 63–96.
- Collette, B.B.** 1970. *Rastrelliger kanagurta*, another Red Sea immigrant into the Mediterranean Sea, with a key to the Mediterranean species of Scombridae. *Bull. Sea Fish. Res. St. Haifa*, 53: 3–6.
- Collette, B.B.** 1995a. Coryphaenidae. Dorados. In W. Fischer, F. Krupp, W. Schneider, C. Sommer, K.E. Carpenter & V. Niem, eds. *Guía FAO para Identificación de Especies para lo Fines de la Pesca. Pacífico Centro–Oriental*. 3 Vols. FAO, Rome, p. 1036–1038.
- Collette, B.B.** 1995b. Scombridae. Atunes, bacoretas, bonitos, caballas, estorninos, melva, etc. In W. Fischer, F. Krupp, W. Schneider, C. Sommer, K.E. Carpenter & V. Niem, eds. *Guía FAO para Identificación de Especies para lo Fines de la Pesca. Pacífico Centro–Oriental*. 3 Vols. FAO, Rome, p. 1521–1543.
- Collette, B.B.** 1999. Pomatomidae. Bluefishes. In K.E. Carpenter & V. Niem, eds. *FAO species identification guide for fishery purposes. Vol. 4. Bony fishes part 2 (Mugilidae to Carangidae)*, FAO, Rome, p. 2650.
- Collette, B.B.** 2000a. Echeneidae (remoras and sharksuckers). In J.E. Randall & K.K.P. Lim, eds. *A checklist of the fishes of the South China Sea. Raffles Bull. Zool.*, (8): 615.
- Collette, B.B.** 2000b. Scombridae (mackerels and tunas). In J.E. Randall & K.K.P. Lim, eds. *A checklist of the fishes of the South China Sea. Raffles Bull. Zool.*, (8): 643–644.
- Collette, B.B.** 2001. Scombridae. Tunas (also, albacore, bonitos, mackerels, seerfishes, and wahoo). In K.E. Carpenter & V. Niem, eds. *FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Vol. 6. Bony fishes part 4 (Labridae to Latimeriidae), estuarine crocodiles*. FAO, Rome. pp. 3721–3756.
- Collette, B.B.** 2003a. Family Belonidae Bonaparte 1832 – needlefishes. *Calif. Acad. Sci. Annotated Checklists of Fishes*, 16: 1–22.
- Collette, B.B.** 2003b. Family Scombridae Rafinesque 1815 – mackerels, tunas, and bonitos. *Calif. Acad. Sci. Annotated Checklists of Fishes*, 19: 1–28.
- Collette, B.B. & Nauen, C.E.** 1983. FAO species catalogue. Vol. 2. Scombrids of the world. An annotated and illustrated catalogue of tunas, mackerels, bonitos and related species known to date. *FAO Fish. Synop.*, 125(2): 137 pp.
- Colloca, F., Ardizzone, G.D. & Gravina, M.F.** 1994. Trophic ecology of gurnards (Pisces: Trigidae) in the Central Mediterranean Sea. *Mar. Life*, 4: 45–57.



- Colloca, F., Cardinale, M., Belluscio, A. & Ardizzone G.D.** 2003. Pattern of distribution and diversity of demersal assemblages in the central Mediterranean sea, *Estuar. Coast. Shelf Sci.*, 56: 469–480.
- Colloca, F., Carpentieri, P., Balestri, E. & Ardizzone, G.D.** 2004. A critical habitat for Mediterranean fish resources: shelf–break areas with *Leptometra phalangium* (Echinodermata: Crinoidea), *Mar. Biol.*, 145: 1129–1142.
- Compagno, L.J.V.** 1984a. FAO species catalogue. Vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Part 1–Hexanchiformes to Lamniformes. *FAO Fish. Synop.*, 125(4/1): 1–249.
- Compagno, L.J.V.** 1984b. FAO species catalogue. Vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Part 2–Carcharhiniformes. *FAO Fish. Synop.*, 125(4/2): 251–655.
- Compagno, L.J.V. & Niem, V.H.** 1998. Odontaspidae. Sand tiger sharks. In K.E. Carpenter & V.H. Niem, eds. *FAO identification guide for fishery purposes. The Living Marine Resources of the Western Central Pacific*. FAO, Rome. p. 1264–1267.
- Compagno, L.J.V., Ebert, D.A. & Smale, M.J.** 1989. Guide to the sharks and rays of southern Africa. New Holland (Publ.) Ltd., London. 158 pp.
- Corriero, A., Karakulak, S., Santamaria, S., Deflorio, M., Spedicato, D., Addis, P., Desantis, S., Cirillo, F., Fenech-Farrugia, A., Vassallo-Agius, R., de la Serna, J.M., Oray, Y., Cau, A., Magalofonou, P. & De Metrio, G.** 2005. Size and age at sexual maturity of female bluefin tuna (*Thunnus thynnus* L., 1758) from the Mediterranean Sea. *J. Appl. Ichthyol.*, 21: 483–486.
- Costa, F.** 1991. *Atlante dei pesci dei mari italiani*. Gruppo Ugo Mursia Editore S.p.A. Milano, Italy. 438 pp.
- Costa, F.** 1999. I pesci del Mediterraneo—stadi larvali e giovanili. Grafo Editor Edizioni.
- Cox, G. & Francis, M.** 1997. Sharks and rays of New Zealand. Canterbury Univ. Press, Univ. of Canterbury. 68 pp.
- Crespo, J., Rey, J.C. & Garcia, A.** 1987. Primera cita de *Acanthurus monroviae* Steindachner, 1876 y de *Diodon eydouxi* Brissout de Barneville, 1846 para la ictiofauna europea. *Miscel. Zool.*, 11: 271–275.
- Criscoli, A., Colloca, F., Carpentier, P., Belluscio, A. & Ardizzonz, G.** 2006. Observations on the reproductive cycle, age and growth of the salema *Sarpa salpa* along the western Central coast of Italy. *Sci. Mar.*, 1: 131–138.
- Cruz, A. & Lombarte, A.** 2004. Otolith size and its relationship with colour patterns and sound production. *J. Fish Biol.*, 65: 1512–1525.
- Curtis, J.M.R.** 2006. A case of mistaken identify: skin filament are unreliable for identifying *Hippocampus guttulatus* and *Hippocampus hippocampus*. *J. Fish Biol.*, 69: 1855–1859.
- Curtis J.M.R. & Vincent A.C.J.** 2006. Life history of an unusual marine fish: survival, growth and movement patterns of *Hippocampus guttulatus* Cuvier 1829. *J. Fish Biol.*, 68: 707–733.
- D’Onghia, G., Maiorano, P., Capezuto, F., Carlucci, R., Battista, D., Giove, A., Sion, L. & Tursi, A.** 2009. Further evidences of deep-sea recruitment of *Aristeus antennatus* (Crustacea: Decapoda) and its role in the population renewal on the exploited bottoms of the Mediterranean. *Fish. Res.*, 95(2–3): 236–245.
- Daget, J. & Smith-Vaniz, W.F.** 1986. Carangidae. In J. Daget, J.-P. Gosse & D.F.E. Thys van den Audenaerde, eds. *Check-list of the freshwater fishes of Africa (CLOFFA)*. ISNB, Brussels; MRAC, Tervuren; and ORSTOM, Paris. Vol. 2., p. 308–322.

- Darnaude, A.M., Salen-Picard, C., Polunin, N.V.C. & Harmelin-Viven, M.L.** 2004. Trophodynamic linkage between river runoff and coastal fishery yield elucidated by stable isotope data in the Gulf of Lions (NW Mediterranean). *Oecologia*, 138: 325–332.
- Davies, P., Folkard, A. & Chabert d’Hières, G.** 1993. Remote sensing observation of filament formation along the Almeria–Oran front. *Ann. Geophysicae*, 11: 419–430.
- De Morais, L.T. & Bodiou, J.Y.** 1984. Predation on meiofauna by juvenile fish in a Western Mediterranean flatfish nursery ground. *Mar. Biol.*, 2: 209–215.
- Deelder, C.L.** 1984. Synopsis of biological data on the eel, *Anguilla anguilla* (Linnaeus, 1758). *FAO Fish. Synop.*, (80, Rev. 1): 73 pp.
- Della Santina, P., Sonni, C., Sartoni, G. & Chelazzi G.** 1993. Food availability and diet composition of three coexisting Mediterranean limpets (*Patella* spp.) *Mar. Biol.*, 116(1): 87–95.
- Demir, M.** 2003. Shells of mollusca collected from the seas of Turkey. *Turk. J. Zool.*, 27: 101–140.
- Demirayak, F., Sadek, R., Hraoui, S., Venizelos, L. & Khalil, M.** 2002. Marine turtle conservation in the Mediterranean–Lebanon: a first survey for *Chelonia mydas* and *Caretta caretta* nesting in Lebanon. 22<sup>nd</sup> Annual Symposium on Sea Turtle Biology and Conservation (4–7 April 2002, Miami, Florida USA), 5 pp.
- Dempster, T., Sanchez-Jerez, P., Bayle-Sempere, J.T., Gimenez-Casaulduero, F. & Valle C.** 2002. Attraction of wild fish to sea-cage fish farms in the south-western Mediterranean Sea: spatial and short-term temporal variability. *Mar. Ecol. Prog. Ser.*, 242: 237–252.
- Derbal, F. & Kara, M. H.** 2006. Régime alimentaire du sar tambour, *Diplodus cervinus cervinus* (Sparidae) des côtes de l’est algérien. *Cybium*, 2: 61–70.
- Derbal, F., Nouacer, S. & Kara, M. H.** 2007. Composition et variations du régime alimentaire du sparailon *Diplodus annularis* (Sparidae) du golfe d’Annaba (Est de l’Algérie), *Cybium*, 31(4): 443–450.
- Deudero, S.** 2001. Interspecific trophic relationships among pelagic fish species underneath FADs., *J. Fish Biol.*, 58(1): 53–67.
- Deudero S. & Morales-Nin B.** 2001. Prey selectivity in planktivorous juvenile fishes associated with floating objects in the western Mediterranean. *Aquacult. Res.*, 32: 481–490.
- Deudero, S., Morey, G., Frau, A., Moranta, J. & Moreno, I.** 2007. Temporal trends of littoral fishes at deep *Posidonia oceanica* seagrass meadows in a temperate coastal zone. *J. Marine Syst.*, 70: 182–195.
- Dieuzeide, R. & Roland, J.** 1958. Deuxième complément au catalogue des poissons des côtes algériennes. *Bulletin des travaux publiés par la station d’aquaculture et de pêche de Castiglione*, 9: 103–132.
- Dremiere, P.-Y., Fiorentini, L., Cosimi, G., Leonori, I., Sala, A. & Spagnolo, A.** 1999. Escapement from the main body of the bottom trawl used for the Mediterranean international trawl survey (MEDITS), *Aquat. Living Resour.*, 3: 207–217.
- Dufour, F., Guidetti, P., & Francour, P.** 2007. Comparaison des inventaires de poissons dans les aires marines protégées de Méditerranée: influence de la surface et de l’ancienneté, *Cybium*, 1: 19–31.
- Dulčić, J. & Glamuzina B.** 2006. Length-weight relationships for selected fish species from three Eastern Adriatic estuarine systems (Croatia), *J. Appl. Ichthyol.*, 22(4): 254–256.

- Dulčić, J., Skakelja, N., Kraljevic, M., Cetinic, P.** 1998. On the fecundity of the black seabream *Spondyliosoma cantharus* (L.) from the Adriatic Sea (Croatian coast), *Sci. Mar.*, 3: 289–294.
- Dulvy, N.K. & Reynolds, J.D.** 1997. Evolutionary transitions among egg-laying, live-bearing and maternal inputs in sharks and rays. *Proc. R. Soc. Lond., Ser. B: Biol. Sci.*, 264: 1309–1315.
- Edwards, A.** 1990. *Fish and fisheries of Saint Helena Island*. Centre for Tropical Coastal Management Studies, 152 pp.
- Efthimiou, S.** 1996. *Performance of juvenile and ongrowing common dentex (Dentex dentex), L. 1758, Sparidae in relation to nutrition under culture*. Kiel University, Germany. (Ph.D. Thesis).
- Ekman, S.** 1953. *Zoogeography of the Sea*. London, Sidgwick and Jackson, 417 pp.
- El Agamy, A., Zaki, M.I., Awad, G.S. & Negm, R.K.** 2004. Reproductive biology of *Boops boops* in the Mediterranean environment. *Egyptian Journal of Aquatic Research B*, 30: 241–254.
- El Baraasi, H., Elmariami, M., Elmaghrabi, M. & Omar, S.** 2007. First record of oil fish *Ruvettus pretiosus* (Actinopterygii, Gempylidae) off the coast of Benghazi, Libya (Southern Mediterranean). *Acta ichthyol. Pisca.*, 1: 67–69.
- El-Sayed, R.S.** 1994. *Check-list of Egyptian Mediterranean fishes*. National Institute of Oceanography and Fisheries, Alexandria, Egypt. 77 + IX pp.
- Ernst, C.H. & Barbour, R.W.** 1989. *Turtles of the World*. Smithsonian Institution Press, Washington, DC, 313 pp.
- Eschmeyer, W.N.** 1969. A systematic review of the scorpionfishes of the Atlantic Ocean (Pisces, Scorpaenidae). *Occ. Pap. Calif. Acad. Sci.*, (79): 130 pp., 13 figs.
- Eschmeyer, W.N., Herald E.S. & Hammann, H.** 1983. *A field guide to Pacific coast fishes of North America*. Houghton Mifflin Company, Boston, USA. 336 pp.
- Escoubet, P., Muriga, P. & Pras, A.** 1981. Note sur la présence de *Pisodonophis semicinctus* (Richardson, 1848) sur les côtes françaises (Anguilliformes, Ophichthidae). *Cybium*, 5: 101–102.
- Fanelli, E. & Cartes, J.E.** 2004. Feeding habits of pandalid shrimps in the Alboran Sea (SW Mediterranean): influence of biological and environmental factors. *Mar. Ecol. Prog. Ser.*, 280: 227–238.
- FAO.** 1987. Fishery statistics-catches and landings., *FAO Year.*, 64: 490 pp.
- FAO Fisheries and Aquaculture Information and Statistics Service.** 2009. Capture production 1950–2007. FISHSTAT Plus-Universal software for fishery statistical time series [online or CD-ROM]. Food and Agriculture Organization of the United Nations. Available at: <http://www.fao.org/fi/statist/FISOFT/FISHPLUS.asp>
- FAO Fisheries Department.** 1994. World review of highly migratory species and straddling stocks., *FAO Fish. Tech. Pap.*, No. 337. Rome, FAO. 70 pp.
- FAO General Fisheries Commission for the Mediterranean (GFCM).** 2007. SCSA/SCSI/SCESS Transversal workshop on methodology to analyse disaggregated fishery data, Sète, France.
- Fedoryako, B.I.** 1980. The Ichthyofauna of the surface waters of Sargasso sea south-west of Bermuda. *J. Ichthyol.*, 20(4) :1–9.
- Fernandez, T.V., Milazzo, M., Badalamenti, F. & D'Anna, G.** 2005. Comparison of the fish assemblages associated with *Posidonia oceanica* after the partial loss and consequent fragmentation of the meadow. *Estuar. Coast. Shelf Sci.*, 65: 645–653.

- Figueiredo, J.L. & Menezes, N.A.** 1980. Manual de peixes marinhos do sudeste do Brasil. III. Teleostei (2). Museu de Zoologia, Universidade de São Paulo. Brasil. 90 pp.
- Figueiredo, J.L. & Menezes, N.A.** 2000. Manual de peixes marinhos do sudeste do Brasil. VI. Teleostei (5). Museu de Zoologia, Universidade de São Paulo. Brazil. 116 pp.
- Figueiredo, J.L. de, Santos, A.P. dos, Yamaguti, N., Bernardes, R.A. & Del Bianco Rossi-Wongtschowski, C.L.** 2002. Peixes da zona econômica exclusiva da Região Sudeste–Sul do Brasil: Levantamento com Rede de Meia-Água. São-Paulo: Editora da Universidade de São Paulo; Imprensa Oficial do Estado, 242 pp.
- Filiz, H. & Bilge, G.** 2004. Length-weight relationships of 24 fish species from the North Aegean Sea, Turkey. *J. Appl. Ichthyol.*, 20: 431–432.
- Fiorentino, F., Garofalo, G., De Santi, A., Bono, G., Giusto, G.B. & Norrito G.** 2003. Spatio-temporal distribution of recruits (0 groups) of *Merluccius merluccius* and *Phycis blennoides* (Pisces, Gadiformes) in the Strait of Sicily (Central Mediterranean). *Hydrobiologia*, 503: 223–236.
- Fischer, W., Bianchi, G. & Scott, W.B.** 1981a. FAO Species Identification Guide for Fishery Purposes. Eastern Central Pacific (Fishing Area 34 and Part of 47), Vol. I–VI, FAO, Rome.
- Fischer, W., Bianchi, G. & Scott, W.B. (eds)** 1981b. Bivalves. 6: pag.var. *In*: FAO species identification sheets for fishery purposes. Eastern Central Atlantic (fishing areas 34, 47; in part). Canada Funds-in-Trust. Ottawa, Department of Fisheries and Oceans Canada, by arrangement with the Food and Agriculture Organization of the United Nations, 1–7: pag.var.
- Fischer, W., Bauchot, M.-L. & Schneider, M. (eds)** 1987. *Fiches FAO d'identification des espèces pour les besoins de la pêche. (Révision 1). Méditerranée et mer Noire. Zone de Pêche 37.* FAO, Rome. 1529 p.
- Fischer, W., Sousa, I., Silva, C., Freitas, A. de, Poutiers, J.M., Schneider, W., Borges, T.C., Feral J.P. & Massinga, A.** 1990. *Fichas FAO de identificação de espécies para actividades de pesca. Guia de campo das espécies comerciais marinhas e de águas salobras de Moçambique.* Publicação preparada em colaboração com o Instituto de Investigação Pesqueira de Moçambique, com financiamento do Projecto PNUD/FAO MOZ/86/030 e de NORAD. Roma, FAO. 1990. 424 pp.
- Fishelson L.** 2000. Marine animal assemblages along the littoral of the Israeli Mediterranean seashore: the Red–Mediterranean Seas communities of species. *Italian J. Zool.*, 67(3): 393–415.
- Flintegård, H.** 1987. Fishes in the North Sea Museum's aquaria., North Sea Museum, North Sea Centre, DK–9850 Hirtsh.
- Foster, S.J. & Vincent., A.C.J.** 2004. Life history and ecology of seahorses: implications for conservation and management., *J. Fish Biol.*, 65: 1–61.
- Fouda M.M.** 1995. Life history strategies of four small-size fishes in the Suez Canal, Egypt. *J. Fish Biol.*, 46: 687–702.
- Fouda, M.M., Hanna, M.Y. & Fouda, F.M.** 1993. Reproductive biology of a Red Sea goby, *Silhouetta aegyptia*, and a Mediterranean goby, *Pomatoschistus marmoratus*, in Lake Timsah, Suez Canal. *J. Fish Biol.*, 43: 139–151.
- Francour, P.** 1994. Pluriannual analysis of the reserve effect on ichthyofauna in the Scandola natural reserve (Corsica, northwestern Mediterranean). *Oceanol. Acta*, 17(3): 309–317.

- Francour, P., Boudouresque, C.F., Harmelin, J.G., Harmelin-Vivien, M.L. & Quignard, J.P.** 1994. Are the Mediterranean waters becoming warmer? Information from biological indicators. *Marine Pollut. Bull.*, 28(9): 523–526.
- Fredj, G., Bellan-Santin, D. & Meinardi, M.** 1992. Etat des connaissances sur la faune marine méditerranéenne. *Bull. Inst. Oceanogr.*, NS9: 133–145.
- Fricke, R.** 1999. Fishes of the Mascarene Islands (Réunion, Mauritius, Rodriguez): an annotated checklist, with descriptions of new species. Theses Zoologicae, Vol. 31. Koenigstein, Koeltz Scientific Books.
- Fricke, R., Bilecenoglu, M. & Sari, H.M.** 2007. Annotated checklist of fish and lamprey species (*Gnathostoma* and *Petromyzontomorphi*) of Turkey, including a Red List of threatened and declining species, *Stuttgarter Beitr. Naturk. Sea*, A,(706): 1–172.
- Frimodt, C.** 1995. *Multilingual illustrated guide to the world's commercial warmwater fish*. Fishing News Books, Osney Mead, Oxford, England.
- Froese, R. & Pauly, D.** (eds). 2008. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), version (11/2008).
- Frogliola C. & Manning, R.B.** 1989. Checklist and key to adult Mediterranean stomatopod Crustacea. In E.A. Ferrero, ed. *Biology of Stomatopods*, U.Z.I. selected Symposia and Monographs, Modena., pp. 265–273.
- Fromentin, J.M. & Powers, J.E.** 2005. Atlantic bluefin tuna: population dynamics, ecology, fisheries and management. *Fish Fish.*, 6(4): 281–306.
- Fyler, C.A., Reeder, T.W., Berta, A., Antonelis, G., Aguilar, A. & Androukaki, E.** 2005. Historical biogeography and phylogeny of monachine seals (Pinnipedia: Phocidae) based on mitochondrial and nuclear DNA data. *J. Biogeogr.*, 32: 1267–1279.
- Gaertner, J.-C., Chessel, D. & Bertrand, J.** 1998. Stability of spatial structures of demersal assemblages: a multitable approach. *Aquat. Living Resour.*, 2: 75–85.
- GAFRD.** 2003. Annual Fishery statistics report. General authority for fish resources development. Cairo.
- Galil, B.S.** 2006. The Marine Caravan—The Suez Canal and the Erythrean Invasion. In: S. Gollasch BSGaANC, ed. *Bridging Divides: Maritime Canals as Invasion Corridors*: Monographiae Biologicae: Springer. 207–300.
- Galil, B.S.** 2008. Alien species in the Mediterranean Sea—which, when, where, why? *Hydrobiologia*, 606: 105–116.
- Galil, B.S. & Lewinsohn, C.** 1981. Macrobenthic communities of the Eastern Mediterranean continental shelf. *Mar. Ecol.*, 2(4): 343–352.
- Galil, B.S., Frogliola, C. & Noel, P.** 2002. CIESM Atlas of Exotic Species in the Mediterranean—Vol. 2: Crustaceans: decapods and stomatopods. F. Briand (Ed.), CIESM Publishers, Monaco, 192p. (<http://www.ciesm.org/atlas/appendix2.html>, version 12/2008).
- Gallant, J., Harvey-Clark, C. Myers, R.A. & Stokesbury, M.J.W.** 2006. Sea lamprey attached to a Greenland shark in the St. Lawrence estuary, Canada. *Northeastern Naturalist*, 13(1): 35–38
- Garcia-Charton, J.A. & Perez-Ruzafa, A.** 1999. Ecological heterogeneity and the evaluation of the effects of marine reserve. *Fish. Res.*, 42(2): 1–20.
- Garcia-Rodriguez, M., Fernandez, A.M. & Esteban, A.** 2006. Characterisation, analysis and catch rates of the small-scale fisheries of the Alicante Gulf (SE Spain) over a 10 years time series. *Fish. Res.*, 77(2): 226–238.
- Garibaldi, L. & Caddy, J.F.** 1998. Biogeographic characterisation of Mediterranean and Black Seas faunal provinces using GIS procedures. *Ocean Coast. Manag.*, 39: 211–227.

- Gaspar, M.B., Santos, M.N. & Vasconcelos, P.** 2001. Weight-length relationships of 25 bivalve species (Mollusca: Bivalvia) from the Algarve coast (southern Portugal). *J. Mar. Biol. Ass. UK*, 81: 805–807.
- George, C. J. & Athanassiou, V.A.** 1965 On the occurrence of *Scomberomorus commerson* (Lacépède) in St George Bay, Lebanon. *Doriana*, 4(157): 1–4.
- George, C.J. & Athanassiou, V.A.** 1967. A two year study of the fishes appearing in the seine fishery of St.George Bay, Lebanon. *Ann. Mus. Stor. Nat. Genova*, 76: 237–294.
- Giannoulaki, M., Machias, A., Somarakis, S. & Tsimenides N.** 2005. The spatial distribution of anchovy and sardine in the northern Aegean Sea in relation to hydrographic regimes, *Belg. J. Zool.*, 2: 151–156.
- Gil, J. & Sobrino, I.** 2001. Studies on reproductive biology of the red sea bream *Pagellus bogaraveo* from Strait of Gibraltar, Deep sea fisheries Symposium. NAFO SCR Doc. 01/86 N°N4473.
- Girardin, M.** 1978. Les Sparidae du Golfe du Lion. Ecologie et biogéographie., DEA. USTL. Montpellier. 140 pp. (DEA thesis).
- Gokce, G. & Metin, C.** 2007. Landed and discarded catches from commercial prawn trammel net fishery. *J. Appl. Ichthyol.*, 23(5): 1–4.
- Gokoglu, M., Bodur T. & Kaya, Y.** 2004. First records of *Hippocampus fuscus* and *Syngnathus rostellatus* (Osteichthyes: Syngnathidae) from the Anatolian coast (Mediterranean Sea). *J. Mar. Biol. Assoc. UK*, 84: 1093–1094.
- Golani, D.** 1992. *Rhabdosargus haffara* (Forsskål, 1775) and *Sphyaena flavicauda* Rüppell, 1833–new Red Sea immigrants in the Mediterranean. *J. Fish Biol.*, 40: 139–140.
- Golani, D.** 1993. The biology of the Red Sea migrant, *Saurida undosquamis*, in the Mediterranean and comparison with the indigenous confamilial *Synodus saurus* (Teleostei: Synodontidae). *Hydrobiologia*, 271: 109–117.
- Golani, D.** 1994. Niche separation between colonizing and indigenous goatfishes (Mullidae) of the Mediterranean coast of Israel. *J. Fish Biol.*, 45: 503–513.
- Golani, D.** 1996. The marine ichthyofauna of the eastern Levant–history, inventory and characterization. *Isr. J. Zool.*, 42: 15–55.
- Golani, D.** 1998. Distribution of lessepsian migrants fish in the Mediterranean. *Ital. J. Zool.*, 65 suppl.: 95–99.
- Golani, D.** 1998 Impact of Red Sea Migrants through the Suez Canal on the aquatic environment of the Eastern Mediterranean. *Bull. Yale School Forest. Environ. Stud.*, 103: 375–387
- Golani, D.** 2000. The Lessepsian migrant, the red-eye round herring *Etrumeus teres* (DeKay, 1842), a new record from Cyprus. *Zool. Middle East*, 20: 61–64.
- Golani, D.** 2005. Checklist of the Mediterranean Fishes of Israel. *Zootaxa*, 947(947): 1–90.
- Golani, D.** 2006 The Indian scad (*Decapterus russelli*), (Osteichthyes: Carangidae), a new Indo-Pacific fish invader of the eastern Mediterranean. *Sci. Mar.*, 70(4): 603–605
- Golani, D. & Ben-Tuvia, A.** 1985. The biology of the Indo-Pacific squirrelfish, *Sargocentron rubrum* (Forsskål), a Suez Canal migrant to the eastern Mediterranean. *J. Fish Biol.*, 27: 249–258.

- Golani, D. & Diamant, A.** 1991. Biology of the sweeper, *Pempheris vanicolensis* Cuvier and Valenciennes, a Lessepsian migrant in the eastern Mediterranean, with comparison to the original Red Sea population. *J. Fish Biol.*, 38: 819–827.
- Golani, D. & Galil, B.** 1991. Trophic relationships of colonizing and indigenous goatfishes (Mullidae) in the eastern Mediterranean with special emphasis on decapod crustaceans. *Hydrobiologia*, 218: 27–33.
- Golani, D. & Sonin, O.** 1992. New records of the Red Sea fishes, *Pterois miles* (Scorpaenidae) and *Pteragogus pelycus* (Labridae) from the eastern Mediterranean Sea. *Jpn. J. Ichthyol.*, 39(2): 167–169.
- Golani, D. & Ben-Tuvia, A.** 1995. Lessepsian migration and the Mediterranean fisheries of Israel. In N.B. Armantrout, ed. Conditions of the world's aquatic habitats. Proceedings of the World Fisheries Congress, Theme 1. Oxford and IBH Pub. Co. Pvt. Ltd., New Delhi. pp. 279–289.
- Golani, D. & Sonin, O.** 1996. The occurrence of the tropical west African marine fishes *Acanthurus monroviae* (Acanthuridae) and *Arius parkii* (Ariidae) in the Levant. *Aqua. International Journal of Ichthyology*, 2: 1–3.
- Golani, D. & Fine, M.** 2002. On the occurrence of *Hippocampus fuscus* in the eastern Mediterranean. *J. Fish Biol.*, 60(3): 764–766.
- Golani, D. & Levy, Y.** 2005. New records and rare occurrences of fish species from the Mediterranean coast of Israel. *Zool. Middle East*, 36: 27–32.
- Golani, D., Orsi-Relini, L., Massutí, E. & Quignard, J.P.** 2002. *CIESM Atlas of Exotic Species in the Mediterranean*. Vol. 1: Fishes. F. Briand, ed. CIESM Publishers, Monaco, 256 pp. (<http://www.ciesm.org/atlas/appendix1.html>, version 12/2008).
- Golani, D., Ozturk, B. & Basusta N.** 2006. Fishes of the Eastern Mediterranean. Turkish marine research foundation, Istanbul. 259 pp.
- Gomon, M.F.** 1978. Labridae. In W. Fischer, ed. FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3.
- Gomon, M.F., Glover, C.J.M. & Kuiter, R.H.** (eds), 1994. *The fishes of Australia's south coast*. State Print, Adelaide. 992 pp.
- Gon, O. & Ben-Tuvia, A.** 1983. The biology of Boyer's sand smelt, *Atherina boyery* Risso in the Bardawil Lagoon on the Mediterranean coast of Sinai, *J. Fish Biol.*, 5: 537–547.
- Gon, O. & Randall, J.E.** 2003. A Review of the Cardinalfishes (Perciformes: Apogonidae) of the Red Sea. *Smithiana. Bull.*, 1(1): 1–46.
- Goñi, R., Quetglas, A. & Reñones, O.** 2001. Diet of the spiny lobster *Palinurus elephas* (Decapoda: Palinuridea) from the Columbretes Islands Marine Reserve (north–western Mediterranean). *J. Mar. Biol. Ass. UK*, 81: 347–348.
- Gonzalez, L.M., Aguilar, A., López-Jurado, L.F. & Grau, E.** 1997. Status and distribution of the Mediterranean monk seal *Monachus monachus* on the Cabo Blanco Peninsula (Western Sahara–Mauritania) in 1993–1994. *Biol. Conservat.*, 80: 225–233.
- Gordoa, A. & Molí, B.** 1997. Age and growth of the sparids *Diplodus vulgaris*, *D. sargus* and *D. annularis* in adult populations and the differences in their juvenile growth patterns in the north-western Mediterranean Sea. *Fish. Res.*, 33:123–129.
- Goren, M. & Aronov, A.** 2002. First record of the Indo-Pacific parrotfish *Scarus ghobban* Forsskål, 1775, in the eastern Mediterranean. *Cybium*, 27(3): 239–240.
- Goren, M. & Galil, B.S.** 2005. A review of changes in the fish assemblages of Levantine inland and marine ecosystems following the introduction of non-native fishes. *J. Appl. Ichthyol.*, 21: 364–370.

- Göthel, H.** 1992. *Fauna marina del Mediterráneo*. Ediciones Omega, S.A., Barcelona. 319 pp.
- Grant, E.M.** 1982. *Guide to fishes*. 5<sup>th</sup> edition. Dep. Harbours Mar., Brisbane, Queensland, Australia, 896 pp.
- Gristina, M., Bahri, T., Fiorentino, F. & Garofalo, G.** 2006. Comparison of demersal fish assemblages in three areas of the Strait of Sicily under different trawling pressure. *Fish. Res.*, 81(1): 60–71.
- Groombridge, B.** 1990. *Marine turtles in the Mediterranean: distribution, population status, and conservation*. Report to the Council of Europe, Environmental Conservation and Management Division. Nature and Environment No. 48. 98 pp.
- Grubisic, L., Mrcelic, G.J., Skakelja, N., Katavic, I., Ticina, V. & Sliskovic, M.** 2007. Reproductive biology of pink Dentex *Dentex gibbosus* (Rafinesque) from the Adriatic Sea, Croatia. *Aquacult. Res.*, 38(9): 991–1001.
- Gruvel A.** 1931. *Les Etats de Syrie. Richesses marines et fluviales, Exploitation actuelle, Avenir*. Société des Editions Géographiques, Maritimes et Coloniales. Paris. 72–134 pp.
- Gucu, A.C., Gucu, G. & Orek, H.** 2004. Habitat use and preliminary demographic evaluation of the critically endangered Mediterranean monk seal (*Monachus monachus*) in the Cilician Basin (Eastern Mediterranean). *Biol. Conservat.*, 116(3): 417–431.
- Gucu, A.C., Bingel, F., Avsar, D. & Uysal, N.** 1994 Distribution and Occurrence of Red Sea fish at the Turkish Mediterranean coast-northern Silician basin. *Acta Adriat.*, 34(1/2): 103–113.
- Guerao, G. & Ribera, C.** 1996. Locomotor activity patterns and feeding habits in the prawn *Palaemon serratus* (Pennant, 1777) (Decapoda, Palaemonidae) in the Alfacs Bay, Ebro Delta, Spain. *Crustaceana*, 69(1): 101–112.
- Gusso, C.C., Gravina, M.F. & Maggiore, F.R.** 2001. Temporal variations in soft bottom benthic communities in central Tyrrhenian Sea (Italy). *Archo. Oceanogr. Limnol.*, 22: 175–182.
- Haas, G. & Steinitz, H.** 1947. Erythrean fishes on the Mediterranean coast of Palestine. *Nature*, 160: 28.
- Halstead, B.W., Auerbach, P.S. & Campbell, D.R.** 1990. *A colour atlas of dangerous marine animals*. Wolfe Medical Publications Ltd, W.S. Cowell Ltd, Ipswich, England. 192 pp.
- Hamida, F., Diatta, Y., Golani, D., Ben Souissi, J., Guélorget, O. & Capapé, C.** 2004. On the occurrence of the Monrovia surgeonfish, *Acanthurus monroviae* Steindachner, 1876 (Osteichthyes: Acanthuridae) off the coast of Algeria (southern Mediterranean). *Acta Adriatica*, 42: 181–185.
- Hamza, A., Mo, G. & Tayeb, K.** 2003. Results of a preliminary mission carried out in Cyrenaica, Libya, to assess monk seal presence and potential coastal habitat. *The Monachus Guardian*, 6(1): 3 pp.
- Harmelin–Vivien, M.L., Bitar, G., Harmelin, J.-G. & Monestiez, P.** 2005. The littoral fish community of the Lebanese rocky coast (eastern Mediterranean Sea) with emphasis on Red Sea immigrants. *Biol. Invasion*, 7(4): 625–637.
- Hart, J.L.** 1973. Pacific fishes of Canada. *Bull. Fish. Res. Board Can.*, 180: 740 pp.
- Heburn, G.W.** 1992. The NRL Mediterranean Sea Model. *Rapp. Comm. Int. Mer Médit.*, 33: 217.



- Heburn, G.W. & La Violette, P.E.** 1990. Variation in the structure of the anticyclonic gyres found in the Alboran Sea. *J. Geophys. Res.*, 95(C2): 1599–1613.
- Heemstra, P.C.** 1991. A taxonomic revision of the eastern Atlantic groupers (Pisces: Serranidae). *Bol. Mus. Mun. Funchal.*, 43(226): 5–71.
- Heemstra, P.C. & Randall, J.E.** 1993. FAO species catalogue. Vol. 16. Groupers of the world (family Serranidae, subfamily Epinephelinae). An annotated and illustrated catalogue of the grouper, rockcod, hind, coral grouper and lyretail species known to date. *FAO Fish. Synop.*, 125(16): 382 p.
- Hemida, F., Golani, D., Youssouf, D. & Capap, C.** 2003. On the occurrence of the triple tail, *Lobotes surinamensis* (Bloch, 1790) (Osteichthyes, Lobotidae) off the coast of Algeria (Southern Mediterranean). *Ann. Ser. Hist. Nat.*, 2: 145–148.
- Herler, J., Patzner, R.A., Ahnelt, H. & Hilgers, H.** 1999. Habitat selection and ecology of two speleophilic gobiid fishes (Pisces: Gobiidae) from the western Mediterranean sea. *P.S.Z.N.: Mar. Ecol.*, 20(1): 49–62.
- Herzberg A.** 1973. A case of toxicity in the rabbit fish of the Mediterranean coast of Israel. *Fisheries and Fish Breeding in Israel*, 8(2–3): 57–59 (in Hebrew).
- Holthuis L.B.** 1961. Report on a collection of crustacea Decapoda and Stomatopoda from Turkey and the Balkans. *Zoologische Verhandelingen, Leiden*, 47: 1–67.
- Holthuis, L.B.** 1980. Shrimps and prawns of the world. An annotated catalogue of species of interest to fisheries. *FAO Fisheries Synopsis*, 1(125): 271 pp.
- Holthuis, L.B.** 1991. Marine lobsters of the world. An annotated and illustrated catalogue of species of interest to fisheries known to date. *FAO Fisheries Synopsis*, 13(125): 292 pp.
- Hornell J.** 1935. Report on the Fisheries of Palestine. Government of Palestine. Crown Agent for the Colonies, London. 106 pp.
- Hsü, K.J., Montadert, L., Bernoulli, D., Cita, M.B., Erikson, A., Garrison, R.E., Kidd, R.B., Melieres, F., Muller, C. & Write, R.** 1978. History of the Mediterranean salinity crisis. *Initial Report of DSDP*, 42(1): 1053–1078.
- Huntsman, G.R., Vaughan, D.S. & Potts, J.** 1994. Trends in population status of the red porgy (*Pagrus pagrus*) in the Atlantic ocean off North Carolina and South Carolina, USA, 1972–1992. Beaufort Lab. Southeast Fisheries Science Center.
- Ibáñez A.L., Gallardo-Cabello, M & Chiappa-Carrara, X.** 1999. Growth analysis of striped mullet, *Mugil cephalus*, and white mullet, *M. curema* (Pisces: Mugilidae), in the Gulf of Mexico, *Fish. Bull.*, 97(4): 861–872.
- ICCAT**, 2007. ICCAT report 2006–2007, SMT–Small Tunas, 98–105.
- Iglesias, M., Carrera, P. & Muino, R.** 2003. Spatio-temporal patterns and morphological characterisation of multispecies pelagic fish schools in the North-Western Mediterranean Sea. *Aquat. Living Resour.*, 16(6): 541–548.
- Imsiridou, A., Minos, G., Gakopoulou, A., Katsares, V., Karidas, T. & Katselis, G.** 2010. Discrimination of two picarel species *Spicara flexuosa* and *Spicara maena* (Pisces: Centranchidae) based on mitochondrial DNA sequences. *J. Fish Biol.*, 78: 373–377.
- Infante, C., Blanco, E., Zuasti, E., Crespo, A., Machado, M.** 2007. Phylogenetic differentiation between Atlantic *Scomber colias* and Pacific *Scomber japonicus* based on nuclear DNA sequences. *Genetica*, 130: 1–8.
- Insacco, G. & Zava, B.** 1999. First record of the saddled snake eel *Pisodonophis semicinctus* (Richardson, 1848) in Italian waters (Osteichthyes, Ophichthidae). *Atti della Società Italiana di Scienze naturali e del Museo Civico di Storia Naturale in Milano*, 140: 283–286.

- IREPA.** 2003. PECHDEV Case study presentation No.6: Salerno ecological presentation. The Fifth framework Programme 1998–2002: Quality of life and management of living resources.
- IUCN.** 2008. IUCN Red List of Threatened Species. <www.iucnredlist.org>. Downloaded on 08 October 2008.
- James, G.D.** 1978. Trevally and koheru-biology and fisheries. *In* Proceedings of the pelagic fisheries conference, July 1977. New Zealand Ministry of Agriculture and Fisheries, Fisheries and Research Division, Occasional Publication 15: 50–54 p.
- Jardas, I.** 1984. Horizontal and vertical distribution of benthos Selachians (Pleurotremata, Hypotremata) in the Adriatic. *FAO Fish. Rep.*, (290): 95–108.
- Jardas, I. & Pallaoro, A.** 1987. A contribution to the knowledge of the ichthyofauna of the Adriatic Sea: *Arnoglossus imperialis* (Rafinesque, 1810) (Heterosomata, Bothidae) a new species in the Adriatic Sea. *Institut za Oceanografiju i Ribarstvo–Split, Biljeske*, 69: 1–8.
- Jardas, I., Santic, M. & Pallaoro, A.** 2004. Diet composition and feeding intensity of horse mackerel, *Trachurus trachurus* (Osteichthyes: Carangidae) in the eastern Adriatic. *Mar. Biol.*, 144 (6):1051–1056.
- Jennings, G.** 2000. Mediterranean Fishes 2000, Calypso Publications.London. Calypso Publications, London.
- Jereb, P. & Roper, C.F.E.** (eds) 2005. Cephalopods of the world. An annotated and illustrated catalogue of cephalopod species known to date. Volume 1. Chambered nautilus and sepioids (Nautilidae, Sepiidae, Sepiolidae, Sepiadariidae, Idiosepiidae and Spirulidae). *FAO Species Catalogue for Fishery Purposes*. No. 4, Vol. 1. Rome, FAO. 262 p.
- Joiris, C.R., Holsbeek, L. & Moatemri, N.L.** 1999. Total and methylmercury in sardines *Sardinella aurita* and *Sardina pilchardus* from Tunisia. *Mar. Pollut. Bull.*, 3: 188–192.
- Jones, E.G., Tselepidis, A., Bagley, P.M., Collins, M.A. & Priede, I.G.** 2003. Bathymetric distribution of some benthic and benthopelagic species attracted to baited cameras and traps in the deep eastern Mediterranean. *Mar. Ecol. Prog. Ser.*, 251: 75–80.
- Jonker, F.C. & Bester, M.N.** 1994. The diving behaviour of adult southern elephant seal, *Mirounga leonina*, cows from Marion island. *S. Afr. J. Antarct. Res.*, 24(1&2): 75–93.
- Kailola, P.J., Williams, M.J., Stewart, P.C., Reichelt, R.E., McNee, A. & Grieve, C.** 1993. Australian fisheries resources., Bureau of Resource Sciences, Canberra, Australia.
- Kallianiotis, A., Vidoris, P. & Sylaios, G.** 2004. Fish species assemblages and geographical sub-areas in the North Aegean Sea, Greece. *Fish. Res.*, 171–187.
- Kallianiotis, A., Torre, M. & Argyri, A.** 2005. Age, growth, mortality, reproduction, and feeding habits of the striped seabream, *Lithognathus mormyrus* (Pisces: Sparidae), in the coastal waters of the Thracian Sea, Greece. *Sci. Mar.*, 69(3): 391–404.
- Kallianiotis, A., Sophronidis, K., Vidoris P. & Tselepidis A.** 2000. Demersal fish and megafaunal assemblages on the Cretan continental shelf and slope (NE Mediterranean): seasonal variation in species, density, biomass and diversity. *Progr. Oceanogr.*, 46(2–4): 429–255.
- Kapiris, K.** 2004. Feeding ecology of *Parapenaeus longirostris* (Lucas, 1846) (Decapoda: Penaeidae) from the Ionian Sea (Central and Eastern Mediterranean Sea). *Sci. Mar.*, 68(2): 247–256.
- Karakulak, F.S., Erk, H. & Bilgin, B.** 2006. Length-weight relationships for 47 coastal fish species from the northern Aegean Sea, Turkey. *J. Appl. Ichthyol.*, 22(3): 274–278.

- Karani, I., Kitsos, M.S., Chartosia, N. & Koukouras, A.** 2005. Diet composition of the penaeid shrimp, *Melicertus kerathurus* (Forskål, 1775) (Decapoda, Penaeidae) in the Aegean Sea. *Crustaceana*, 78(4): 385–396.
- Karlou-Riga, C.** 2000. Otolith morphology and age and growth of *Trachurus mediterraneus* (Steindachner) in the eastern Mediterranean, *Fish. Res.*, 46: 69–82.
- Karlou-Riga, C. & Sinis, A.** 1997. Age and growth of horse mackerel, *Trachurus trachurus* (L.), in the Gulf of Saronikos (Greece). *Fish. Res.*, 32: 157–171.
- Karpouzi, V.S. & Stergiou, K.I.** 2003. The relationships between mouth size and shape and body length for 18 species of marine fishes and their trophic implications. *J. Fish Biol.*, 62: 1353–1365.
- Kasperek, M.** 2001. Priorities for the conservation of the Nile soft-shelled turtle, *Trionyx triunguis* in the Mediterranean. *Testudo*, 5(3): 49–59.
- Kasperek, M.** 2001b. Toward an action plan for the conservation of the Nile soft-shelled turtle, *Trionyx triunguis* in the Mediterranean. Report of the 23rd meeting of the Standing Committee of the Bern Convention. T–PVS/Files (2003). 10 pp.
- Kasperek, M. & Kinzelbach, R.** 1991. Distribution and bionomics of the Nile soft-shelled turtle, *Trionyx triunguis*, in the eastern Mediterranean. *Zeitschrift für angewandte Zoologie*, 78(2): 137–159.
- Kasperek, M., Godley, B.J. & Broderick, A.C.** 2001. Nesting of green turtle, *Chelonia mydas*, in the Mediterranean: a review of status and conservation needs. *Zool. Middle East*, 24: 45–74.
- Katharios, P., Papandroulakis, N. & Divanach, P.** 2006. Treatment of *Microcotyle* sp. (Monogenea) on the gills of cage-cultured red porgy, *Pagrus pagrus* following baths with formalin and mebendazole, *Aquaculture*, 2–4: 167–171.
- Kaya, M. & Bilecenoglu, M.** 1999. *Ruvettus pretiosus* Cocco, 1829 (Teleostei: Gempylidae)—a new fish record for the Mediterranean coast of Turkey., *J. Fish. Aquat. Sci.*, 16(3/4): 433–435.
- Kaya, M., Mater, S. & Benli, H.A.** 1992. A new Indo-Pacific Gobiid Fish *Oxyurichthys papuensis* (Val., 1837) for Eastern Mediterranean Coasts of Turkey. Commission Internationale pour l'Exploration Scientifique de la mer Méditerranée. *Rapp. Comm. Int. Mer. Medit.*, 33: 298.
- Kaya, M., Benli, H.A., Katagan, T. & Ozaydin, O.** 1999. Age, growth, sex–ratio, spawning season and food of golden bend goatfish, *Upeneus moluccensis* Bleeker (1855) from the Mediterranean and south Aegean Sea coast of Turkey. *Fish. Res.*, 41: 317–828.
- Keith, P., Allardi, A. & Moutou, B.** 1992. *Livre rouge des espèces menacées de poissons d'eau douce de France et bilan des introductions*. Muséum national d'Histoire naturelle, Paris, 111 pp.
- Kelly, C.J., Connolly, P.L. & Bracken, J.J.** 1999. Age estimation, growth, maturity and distribution of the bluemouth rockfish *Helicolenus d. dactylopterus* (Delaroché 1809) from the Rockall Trough. *ICES J. Mar. Sci.*, 56(1): 61–74.
- Kentouri, M., Pavlidis, M., Papandroulakis, N. & Divanach, P.** 1995. Culture of red porgy *Pagrus pagrus* in Crete. Present knowledge, problems and perspectives, Mediterranean marine Aquaculture finfish species diversification, Valls, M., Akrou, H.. CIHEAM, Zaragoza.
- Khemiri, S., Gaamour, A., Zylberberg, L., Meunier, F. & Romdhane, M.S.** 2005. Age and growth of bogue *Boops boops* in Tunisian waters. *Acta adriatica*, 2: 159–175.

- Kimura, S., Motomura, H. & Iwatsuki, Y.** 2008. Equilites Fowler 1904, a senior synonym of Photoplagios Sparks, Dunlap, and Smith 2005 (Perciformes: Leiognathidae). *Ichthyological Research*, 55: 204–205.
- Kimura, S., Golani, D., Iwatsuki, Y., Tabuchi, M. & Yoshino, T.** 2007. Redescription of the Indo-Pacific atherinid fishes *Atherinomorus forskalli*, *Atherinomorus lacunosus* & *Atherinomorus pinguis*. *Ichthyological Research*, 54: 145–159.
- Kitsos, M.-S., Tzomos, T.h., Anagnostopoulou, L., Koukouras, A.** 2008. Diet composition of the pandalid shrimp, *Plesionika narval* (Fabricius, 1787) (Decapoda, Pandalidae) in the Aegean Sea. *Crustaceana*, 81(1): 23–33.
- Kokokiris, L., Bruslé, S., Kentouri M. & Fostier, A.** 1999. Sexual maturity and hermaphroditism of the red porgy *Pagrus pagrus* (Teleostei: Sparidae)., *Mar. Biol.*, 134(4): 621–629.
- Kokokiris, L., Mourot, B., Le Menu, F.M.K. & Fostier, A.** 2000. Endocrine changes during the annual reproductive cycle of the red porgy *P. pagrus*. *Fish. Physiol. Bioch.*, 23(1): 1–11.
- Koranteng, K.A.** 1993. Size at first maturity of the anchovy (*Engraulis encrasicolus*) in Ghanaian waters and suggestions for appropriate mesh size in its fishery. *Naga ICLARM Q.*, 16(1): 29–30.
- Korotaev, G., Oguz, T., Nikiforov, A. & Koblinsky, C.** 2003. Seasonal, interannual and mesoscale variability of the Black Sea upper layer circulation derived from altimeter data. *J. Geophys. Research*, 108: 3122, doi: 10.1029/2002JC001508.
- Kotoulas, G., Magoulas, A., Tsimenides N. & Zouros, E.** 1995. Marked mitochondrial DNA differences between Mediterranean and Atlantic populations of the swordfish, *Xiphias gladius*. *Mol. Ecol.*, 4(4): 473–481.
- Koutrakis, E.T. & Tsikliras, A.C.** 2003. Length-weight relationships of fishes from three northern Aegean estuarine systems (Greece). *J. Appl. Ichthyol.*, 19: 258–260.
- Kožul, V., Skaramuca, B., Kraljević, M., Dulčić, J. & Glamuzina, B.** 2001. Age, growth and mortality of the Mediterranean amberjack *Seriola dumerili* (Risso 1810) from the south-eastern Adriatic Sea. *J. Appl. Ichthyol.*, 17: 134–141.
- Kraljević, M. & Dulčić, J.** 1997. Age and growth of gilthead seabream *Sparus aurata* in the Mirna Estuary, Northern Adriatic. *Fish. Res.*, 31(3): 249–255.
- Kraljević, M., Dulčić, J., Cetinic P. & Palaoro, A.** 1996. Age, growth and mortality of the striped sea bream, *Lithognathus mormyrus* L., in the northern Adriatic., *Fish. Res.*, 28(4): 361–370.
- Ktari, F. & Ktari, M.H.** 1974. Présence dans le Golfe de Gabès de *Siganus luridus* (Rüppell, 1829) et de *Siganus rivulatus* (Forsskal, 1775) (Poissons, Siganidae) parasites par *Pseudohaliotremitoides polymorphus*. *Bull. Inst. Natn. Tech. Mer. Salammbô*, 3(1–4): 95–98.
- Ktari-Chakroun, F. & Boualal M.** 1971. Capture de *Siganus luridus* (Rüppell) dans le golfe de Tunis. *Bull. Inst. Natn. Tech. Mer Salammbô*, 2(1): 49–52.
- Kuiter, R.H.** 2000. Seahorses, pipefishes and their relatives: a comprehensive guide to Syngnathiformes. TMC Publishing, Chorleywood, England.
- Kuiter, R.H. & Tonzuka, T.** 2001a. Pictorial guide to Indonesian reef fishes. Part 1. Eels–Snappers, Muraenidae–Lutjanidae. *Zoonetics, Australia*. 302 pp.
- Kuiter, R.H. & Tonzuka, T.** 2001b. Pictorial guide to Indonesian reef fishes. Part 2. Fusiliers–Dragonets, Caesionidae–Callionymidae. *Zoonetics, Australia*. 304–622 pp.
- La Mesa, G. & Vacchi, M.** 1999. An analysis of the coastal fish assemblage of the Ustica Island Marine reserve (Mediterranean Sea). *Mar. Ecol.*, 2: 147–165.

- La Mesa, G., La Mesa, M. & Tomassetti P.** 2007. Feeding habits of the Madeira rockfish *Scorpaena maderensis* from central Mediterranean Sea. *Mar. Biol.*, 150(6): 1313–1320.
- La Mesa, M., La Mesa, G. & Micalizzi, M.** 2005. Age and growth of madeira scorpionfish, *Scorpaena madurensis* Valenciennes, 1833. in the central Mediterranean., *Fish. Res.*, 74: 265–272.
- Labropoulou, M. & Eleftheriou, A.** 1997. The foraging ecology of two pairs of congeneric demersal fish species: importance of morphological characteristics in prey selection. *J. Fish Biol.*, 50: 324–340.
- Labropoulou, M. & Machias, A.** 1998. Effect of habitat selection on the dietary patterns of two triglid species. *Mar. Ecol. Prog. Ser.*, 173: 275–288.
- Labropoulou, M. & Papadopoulou-Smith, K.-N.** 1999. Foraging behaviour patterns of four sympatric demersal fishes., *Estuar. Coast. Shelf Sci.*, 49(Suppl. A): 99–108.
- Labropoulou, M. & Papaconstantinou, C.** 2005. Effect of fishing on community structure of demersal fish assemblages. *Belg. J. Zool.*, 135(2):191–197.
- Labropoulou, M., Machias, A. & Tsimenides, N.** 1999. Habitat selection and diet of juvenile red porgy, *Pagrus pagrus* (Linnaeus, 1758). *Fish. Bull.*, 97: 495–507.
- Lagardere, J. & Mariani, A.** 2006. Spawning sounds in meagre *Argyrosomus regius* recorded in the Gironde estuary, France, *J. Fish Biol.*, 69(6): 1697–1708.
- Lamprakis, M.K., Kallianiotis, A.A., Moutopoulos, D.K. & Stergiou, K.I.** 2003. Weight-length relationships of fishes discarded by trawlers in the North Aegean Sea., *Acta Ichthyol. Pisca.*, 33(2):145–152.
- Lamprell, K.L.** 1998. Recent *Spondylus* species from the Middle East and adjacent regions, with the description of two new species. *Vita Marina*, 45(1–2): 41–60.
- Lanfranco, G.G.** 1993. The fish around Malta (Central Mediterranean). Progress Press Co., Malta. 132 p.,
- Lanoix, F.** 1974. Project Alboran. Etude hydrologique et dynamique de la mer d'Alboran. Rapport Technique OTAN, No. 66, 39 pp. + 31 figs.
- Lascarotes, A., Tragou, E. & Williams, R.** 1992. Study of Levantine Intermediate Water formation processes, production rates and sensitivity to interannual variability with a 1–D mixed layer model. *Rapp. Comm. Int. Mer Médit.*, 33: 220 pp.
- Lassèrre, G. & Labourg, P.J.** 1974. Etude comparée de la croissance de la daurade *Sparus aurata* L. des régions d'Arcachon et de Sète. *Vie et Milieu*, 11: 155–170.
- Last, P.R. & Stevens, J.D.** 1994. *Sharks and rays of Australia*. CSIRO, Australia. 513 pp.
- Laurent, L., Bradai, M.N., Hadoud, D.H., El Gomati, H.M. & Hamza, A.A.** 1999. Marine turtle nesting activity assessment on Libyan coasts. Phase 3: survey of the coasts between the Tunisian border and Misratah. Tunis, RAC/SPA.
- Le Gall, J.** 1974. Exposé synoptique des données biologiques sur le germon *Thunnus alalunga* de l'océan Atlantique. *FAO Fish. Synop.*, (109): 70 pp.
- Letourneur, Y., Darnaude, A., Salen-Picard, C. & Harmelin-Vivien, M.** 2001. Spatial and temporal variations of fish assemblages in a shallow Mediterranean soft bottom area (Gulf of Fos, France), *Oceanol. Acta*, 3: 273–285.
- Leviton, A.E., Anderson, S.C. & Adler, K.** 1992. *Handbook to Middle East Amphibians and Reptiles: Contributions to Herpetology 8*. Society for the Study of Amphibians and Reptiles, Oxford, Ohio. 252 pp.

- Lewinsohn, C. & Manning, R.B.** 1980. Stomatopod Crustacea from the Eastern Mediterranean. *Smithsonian Contributions to Zoology*, 305: 1–22.
- Lieske, E. & Myers, R.** 1994. *Collins Pocket Guide. Coral reef fishes. Indo-Pacific and Caribbean including the Red Sea*. Haper Collins Publishers, 400 pp.
- Lipej, L., Bonaca, M.O. & Sisko, M.** 2003. Coastal fish diversity in three marine protected areas and one unprotected area in the Gulf of Trieste (Northern Adriatic). *Mar. Ecol.*, 24(4): 259–273.
- Lissner, H.** 1949. Sardine fishing in Israel. Sea Fish. Res. Station. *Scientific Technical Information*, 2: 1–25.
- Lleonart, J. & Maynou, F.** 2003. Fish stock assessments in the Mediterranean: state of the art. *Sci. Mar.*, 67: 37–49.
- Lloret, J., Lleonart, J., Sole, I. & Fromentin, J-M.** 2001. Fluctuations of landings and environmental conditions in the north-western Mediterranean-Sea. *Fish. Oceanogr.*, 1: 33–50.
- Lloret, J., Palomera, I., Salat, J. & Sole I.** 2004. Impact of freshwater input and wind on landings of anchovy (*Engraulis encrasicolus*) and sardine (*Sardina pilchardus*) in shelf waters surrounding the Ebre (Ebro) River delta (north-western Mediterranean). *Fish. Oceanogr.*, 2: 102–110,
- Loir, M., Le Gac, F., Somarakis, S. & Pavlidis, M.** 2001. Sexuality and gonadal cycle of the common dentex (*Dentex dentex*) in intensive culture. *Aquaculture*, 194(3–4): 363–381.
- Long, D.J.** 1991. Apparent predation by a white shark *Carcharodon carcharias* on a pygmy sperm whale *Kogia breviceps*. *Fish. Bull.*, 89: 538–540.
- Louisy, P.** 2002. *Guide d'Identification des Poissons Marins Europe et Méditerranée*. Editions Eugen Ulmer, 430 pp.
- Lourie, A. & Ben-Tuvia, A.** 1970. Two Red Sea fishes, *Pelates quadrilineatus* (Bloch) and *Crenidens crenidens* (Forsskål) in the eastern Mediterranean. *Isr. J. Zool.*, 19: 203–207.
- Lourie, S.A., Vincent, A.C.J. & Hall, H.J.** 1999. Seahorses: an identification guide to the world's species and their conservation. Project Seahorse, London. 214 pp.
- Lundberg, B. & Golani, D.** 1995. Diet adaptation of Lessepsian migrant Rabbitfishes, *Siganus luridus* and *S. rivulatus*, to the algal resources of the Mediterranean coast of Israel. *Mar. Ecol.*, 16(1): 73–89.
- Lundberg, B. & Lipkin, Y.** 1993. Seasonal grazing site and fish size effects on pattern of algal consumption by the herbivorous fish, *Siganus rivulatus*, at Mikhmoret (Mediterranean, Israel). *Nat. Sci. Tech.*, 27: 413–419.
- Ly, B., Diop, M. & Girardin, M.** 1996. Guide et nomenclature nationale commerciale des especes marines (poissons, crustacés et mollusques) pêchées en Mauritanie. Centre National de Recherches Océanographiques et des pêches. 189 pp.
- Machias, A., Karakassis, I., Labropoulou, M., Somarakis, S., Papadopoulou, K.N. & Papaconstantinou, C.** 2004. Changes in wild fish assemblages after the establishment of a fish farming zone in an oligotrophic marine ecosystem. *Estuar. Coast. Shelf Sci.*, 60(4): 771–779.
- Macpherson, E. & Roel, B.A.** 1987. Trophic relationships in the demersal fish community off Namibia. *S. Afr. J. Mar. Sci.*, 5: 585–596.
- Macpherson, E., Gordo, A. & Garcia-Rubies, A.** 2002. Biomass size spectra in littoral fishes in protected and unprotected areas in the NW Mediterranean. *Estuar. Coast. Shelf Sci.*, 55(5): 777–788.

- Madurell, T., Cartes, J.E. & Labropoulou, M.** 2004. Changes in the structure of fish assemblages in a bathyal site of the Ionian Sea (eastern Mediterranean). *Fish. Res.*, 66(2–3): 245–260.
- Maggenti, A.R., Gardner, S.** 2005. Online dictionary of invertebrate zoology: Complete Work. Available at <http://digitalcommons.unl.edu/onlinedictinvertzoology/2>.
- Maigret J.** 1978. Contribution à l'étude des langoustes de la côte occidentale d'Afrique. Université d'Aix-Marseille, 264 pp. (PhD thesis).
- Maigret, J. & Ly, B.** 1986. Les poissons de mer de Mauritanie. *Sci. Nat., Compiègne*, 213 pp.
- Man-Wai, R. & Quignard, J.P.** 1984. Les sars *Diplodus sargus* (Linnaeus 1758) du golfe du Lion: croissance et caractéristiques des débarquements aux criées de Sète et du Grau-du-Roi. *Rev. Trav. Inst. Pêches Marit.*, 46(3): 173–194.
- Maravelias, C.D. & Papaconstantinou, C.** 2006. Geographic, seasonal and bathymetric distribution of demersal fish species in the eastern Mediterranean, *J. Appl. Ichthyol.*, 22(1): 35–42.
- Maravelias, C.D., Tsitsika, E.V. & Papaconstantinou, C.** 2007. Seasonal dynamics, environmental preferences and habitat selection of John Dory (*Zeus faber*). *Estuar. Coast. Shelf Sci.*, 72(4): 703–710.
- Margalef, R.** 1985. Introduction to the Mediterranean. In R. Margalef, ed. *Key Environments: Western Mediterranean*. Oxford: Pergamon Press. 1–16 (363 pp.).
- Massutí, E. & Stefanescu, C.** 1993. First record of *Seriola fasciata* (Bloch, 1793) (Osteichthyes: Carangidae) in the Mediterranean. *J. Fish Biol.*, 42: 143–144.
- Massutí, E. & Morales-Nin, B.** 1997. Reproductive biology of dolphin-fish (*Coryphaena hippurus* L.) off the island of Majorca (western Mediterranean). *Fish. Res.*, 30: 37–65.
- Massutí, E., Deudero, S., Sánchez, P. & Morales-Nin, B.** 1998. Diet and feeding of dolphin (*Coryphaena hippurus*) in western Mediterranean waters. *Bull. Mar. Sci.*, 63(2): 329–341.
- Matic-Skoko, S., Antolic, B. & Kraljevic, M.** 2004. Ontogenic and seasonal feeding habits of the annular seabream (*Diplodus annularis*) in *Zostera* sp beds, eastern Adriatic Sea. *J. Appl. Ichthyol.*, 20(5): 376–381.
- Matic-Skoko, S., Kraljevic, M., Dulčić, J. & Jardas, J.** 2006. Age, growth, maturity, mortality and yield-per-recruit for annular sea bream (*Diplodus annularis* L.) from the eastern middle Adriatic Sea. *J. Appl. Ichthyol.*, 23(2): 1–6.
- May, J.L. & Maxwell, J.G.H.** 1986. Trawl fish from temperate waters of Australia., CSIRO Division of Fisheries Research, Tasmania. 49 pp.
- Maynou F. & Cartes, J.E.** 2000. Community structure of bathyal decapods crustacean assemblages off the Balearic islands (south-western Mediterranean). *J. Mar. Biol. Assoc. UK*, 80: 789–798.
- McDonough, C.J. & Wenner, C.A.** 2003. Growth, recruitment, and abundance of juvenile striped mullet (*Mugil cephalus*) in South Carolina estuaries. *Fish. Bull.*, 101(2): 343–357.
- McDonough, C.J., Roumillat, W.A. & Wenner, C.A.** 2003. Fecundity and spawning season of striped mullet (*Mugil cephalus* L.) in South Carolina estuaries. *Fish. Bull.*, 101: 822–834.

- McEachran, J.D. & Capapé, C.** 1984. Gymnuridae. In P.J.P. Whitehead, M.-L. Bauchot, J.-C. Hureau, J. Nielsen & E. Tortonese, eds. *Fishes of the North-Eastern Atlantic and Mediterranean (FNAM)*, UNESCO, 1: 510 pp.
- McEachran, J.D. & Capapé, C.** 1984. Mobulidae. In P.J.P. Whitehead, M.-L. Bauchot, J.-C. Hureau, J. Nielsen & E. Tortonese, eds. *Fishes of the north-eastern Atlantic and the Mediterranean*. UNESCO, Paris. Vol. 1., 210–211 p.
- Mehanna, S.F.** 2007. Stock assessment and management of the Egyptian sole, *Solea aegyptiaca* Chabanaud, 1927 (Osteichthyes: Soleidae), in the southeastern Mediterranean, Egypt, *Turk. J. Zool.*, 31: 379–388.
- Merriam-Webster Online Dictionary. 2009. Merriam-Webster Online. 30 September 2009 <<http://www.merriam-webster.com/dictionary>
- Micale, V., Maricchiolo, G. & Genovese, L.** 2002. The reproductive biology of blackspot sea bream *Pagellus bogaraveo* in captivity. I. Gonadal development, maturation and hermaphroditism., *J. Appl. Ichtyol.*, 18(3): 172–176.
- Mienis, H.K.** 1999a. On the date of arrival of the Lessepsian migrant *Spondylus spinosus* in the Mediterranean Sea. *Of Sea and Shore*, 22(2): 71.
- Mienis, H.K.** 1999b. On the presence of the Indo-Pacific bivalve *Gafrarium pectinatum* (Linnaeus, 1758) along the Mediterranean coast of Israel. *Club Conchylia Informationen*, 31(1/2): 37.
- Mienis, H.K., Galili, E. & Rapoport, J.** 1993. The spiny oyster, *Spondylus spinosus*, a well established Indo-Pacific bivalve in the eastern Mediterranean off Israel (Mollusca, Bivalvia, Spondyliidae). *Zool. Middle East*, 9: 83–91.
- Miller, P.J. & Fouda, M.M.** 1986. Notes on the biology of a Red Sea goby *Silhouettea aegyptia* (Chabanaud, 1933) (Teleostei: Gobiidae). *Cybiurn*, 10: 395–409.
- Millot, C.** 1999. Circulation in the Western Mediterranean Sea. *J. Mar. Sys.*, 20: 423–442.
- Minganti, V., Capelli, R., De Pellegrini, R., Orsi Relini, L. & Relini, G.** 1996. Total and organic mercury concentrations in offshore crustaceans of the Ligurian Sea and their relations to the trophic levels. *Sci. Total Environ.*, 184(3): 149–162.
- Miniconi, R.** 1994. *Les poissons et la pêche en Méditerranée: la Corse*. Lain Piazzila and La Mage, Ajaccio, Corsica. 505 pp.
- Molinari, A.** 2005. Fish community associated with shallow beachrock rocky reef of Ligurian Sea (NW Mediterranean), *Cybiurn*, 4: 419–422.
- Molinari, A. & Tunesi, L.** 2003a. Characterization of the artisanal fishery activities in the Bergeggi island's waters (Ligurian Sea), *Biol. Mar. Medit.*, 2: 706–709.
- Molinari, A. & Tunesi, L.** 2003b. Observations on fish assemblages of the coastal area of Bergeggi (Western Ligurian Sea). *Atti Associ. Italiana Oceanol. Limnol.*, 16: 155–161.
- Molinari, A., Salvati, E. & Tunesi, L.** 2004. Fish assemblage of the Moroccan coastal area of Al Hoceima (Mediterranean Sea). *Rapp. Comm. Int. Mer. Medit.*, 539 pp.
- Møller, P.R.** 1995. *Electric fishes: history and behavior*. Chapman and Hall, London. 584 pp.
- Monod, T., Hureau, J.C. & Bullock, A.E.** 1994. Ostéologie céphalique de deux poissons perroquets (Scaridae: Teleostei). *Cybiurn*, 18(2):135–168.
- Moolenbeek, R.G. & Dekker, H.** 1993. On the identity of *Strombus decorus* and *Strombus persicus*, with the description of *Strombus decorus masirensis* n. ssp. and a note on *Strombus fasciatus*. *Vita Marina*, 42(1): 3–10.



- Morales-Nin, B. & Moranta, J.** 1997. Life history and fishery of the common dentex (*Dentex dentex*) in Mallorca (Balearic Islands, western Mediterranean)., *Fish. Res.*, 30:67–76.
- Moranta, J., Massuti, E. & Morales-Nin, B.** 2000. Fish catch composition of the deep-sea decapod crustacean fisheries in the Balearic islands (western Mediterranean). *Fish. Res.*, 45: 253–264.
- Moranta, J., Palmer, M., Morey G., Ruiz, A. & Morales-Nin, B.** 2006. Multi-scale variability in fish assemblages associated with *Posidonia oceanica* meadows in the Western Mediterranean Sea. *Estuar. Coast. Shelf Sci.*, 68(3–4): 579–592.
- Moranta, J., Stefanescu, C., Massuti, E., Morales-Nin, B. & Lloris, D.** 1998. Fish community structure and depth-related trends on the continental slope of the Balearic islands (Algerian Basin, Western Mediterranean). *Mar. Ecol. Prog. Ser.*, 171: 247–259.
- Moreira, F., Assis, C.A., Almeida, P.R., Costa, J.L. & Costa, M.J.** 1992. Trophic relationships in the community of the Upper Tagus Estuary (Portugal: a preliminary approach. *Estuar. Coast. Shelf Sci.*, 34: 617–623.
- Mouillot, D., Dumay, O. & Tomasini, J.A.** 2007. Limiting similarity, niche filtering and functional diversity in coastal lagoon fish communities. *Estuar. Coast. Shelf Sci.*, 71(3–4): 443–456.
- Mouine, N., Francour, P., Ktari, M.M. & Chakroun-Marzouk, N.** 2007. The reproductive biology of *Diplodus sargus* in the gulf of Tunis (Central Mediterranean). *Sci. Mar.*, 3: 461–469.
- Mouneimné, N.** 1977. Liste des poissons de la côte du Liban (Méditerranée orientale). *Cybium*, 1: 37–66.
- Mouneimné, N.** 1979. Poissons nouveaux pour les côtes libanaises. *Cybium*, 6: 105–110.
- Moutopoulos, D.K. & Stergiou, K.I.** 2002. Length-weight and length-length relationships of fish species of the Aegean Sea (Greece). *J. Appl. Ichthyol.*, 18(3): 200–203.
- Muus, B.J. & Nielsen, J.G.** 1999. *Sea fish*. Scandinavian Fishing Year Book, Hedeusene, Denmark. 340 pp.
- Myers, R.F.** 1999. Micronesian reef fishes: a comprehensive guide to the coral reef fishes of Micronesia, 3<sup>rd</sup> revised and expanded edition. Coral Graphics, Barrigada, Guam. 330 pp.
- Mytilineou, C., Politou, C.-Y., Papaconstantinou, C., Kavadas, S., D'Onghia, G. & Sion, L.** 2005. Deep-water fish fauna in the Eastern Ionian Sea. *Belg. J. Zool.*, 135(2): 229–233.
- Nakamura, I.** 1985. FAO species catalogue. Vol. 5. Billfishes of the world. An annotated and illustrated catalogue of marlins, sailfishes, spearfishes and swordfishes known to date., *FAO Fish. Synop.*, 125(5): 65 pp.
- Nakamura, I. & Parin, N.V.** 1993. FAO species catalogue. Vol. 15. Snake mackerels and cutlassfishes of the world (families Gempylidae and Trichiuridae). An annotated and illustrated catalogue of the snake mackerels, snoeks, escolars, gemfishes, sackfishes, domine, oilfish, cutlassfishes, scabbardfishes, hairtails, and frostfishes known to date. *FAO Fish. Synop.*, 125(15): 136 pp.
- Nakano, T. & Ozawa, T.** 2006. Worldwide phylogeography of limpets of the order Patellogastropoda: molecular, morphological and paleontological evidence. *J. Mollus. Stud.*, 73(1): 1–21.

- Nelson, J.S.** 1994. *Fishes of the world*. Third edition. John Wiley & Sons, Inc. New York. 600 pp.
- Nelson, J.S.** 2006. *Fishes of the world*. Fourth edition. John Wiley & Sons, Inc., Hoboken, New Jersey. 601 pp.
- Nicolay, K.** 1986. Nonstop spreading of Mediterranean *Strombus*. *La Conchiglia*, 18(202–203): 29.
- Notarbartolo di Sciara, G.** 1990. A note on the cetaceans incidental catch in the Italian driftnet swordfish fishery, 1986–1988. *Rep. Int. Whal. Commn.*, 40: 459–460.
- Notarbartolo di Sciara, G. & Demma, M.** 2004. Guida dei mammiferi marini del Mediterraneo. Franco Muzzio Editore, Padova. Terza edizione aggiornata. 264 pp.
- Nouacer, S. & Kara, M.H.** 2003. Biologie du sparailon *Diplodus annularis* (L., 1758) des côtes d'Annaba (Algérie Nord–Est). Deuxièmes rencontres de l'Ichtyologie en France, SFI. RIF, Paris.
- Nouacer, S. & Kara, M.H.** 2003. Biologie du sparailon *Diplodus annularis* (L., 1758) des côtes d'Annaba (Algérie Nord–Est). Deuxièmes rencontres de l'Ichtyologie en France, SFI. RIF, Paris.
- Occhipinti-Ambrogi, A. & Galil, B.S.** 2004. A uniform terminology on bioinvasions: a chimera or an operative tool? *Mar. Pollut. Bull.*, 49: 688–694.
- Oliver, P.G.** 1992. *Bivalved seashells of the Red Sea*. Christa Hemmen, Wiesbaden and National Museum of Wales, Cardiff, 330 pp.
- Oliverio, M.** 1995. The status of the living Mediterranean *Strombus*, or: What is a lessepsian migrant? *Notiziario del CISMA*, 16: 35–40.
- Ondrias, L.C.** 1971. A list of the fresh and sea water fishes of Greece. *Hellenic oceanology and Limnology*, 10: 23–96.
- Oray, I.K. & Karakulak, F.S.** 2005. Further evidence of spawning of bluefin tuna (*Thunnus thynnus* L., 1758) and the tuna species (*Auxis rochei* Ris., 1810, *Euthynnus alletteratus* Raf., 1810) in the eastern Mediterranean Sea: preliminary results of TUNALEV larval survey in 2004. *J. Appl. Ichthyol.*, 21(3): 236–240.
- Ordines, F., Moranta, J., Palmer, M., Lerycke, A., Suau, A., Morales-Nin, B. & Grau, A.** 2005. Variations in a shallow rocky reef fish community at different spatial scales in the western Mediterranean Sea. *Mar. Ecol. Prog. Ser.*, 304: 221–233.
- Oren, O.H.** 1957. Changes in the temperature of the eastern Mediterranean Sea in relation to the catch of the Israel trawl fishery during the years 1954–55 and 1955–56. *Bull l'Institut. Océanogr.*, 1102: 1–13.
- Oruc, A.** 2001. Trawl fisheries in the eastern Mediterranean and their impact on marine turtles. *Zool. Middle East*, 24: 119–125
- Overko, S.M.** 1979. Morpho-biological characteristics of *Caranx rhonchus* in the Eastern Central Atlantic. In Report of the Ad Hoc Working Group on West African Coastal Pelagic Fish from Mauritania to Liberia (26°N to 5°N). Project for Development of Fisheries in the Eastern Central Atlantic. FAO. CECAF/ECAF Series/78/10. Annex 14.
- Ozaydin, O., Uckun, D., Akalin, S., Leblebici, S. & Tosunoglu, Z.** 2007. Length-weight relationships of fishes captured from Izmir Bay, Central Aegean Sea. *J. Appl. Ichthyol.*, 23(6): 695–696.
- Palko, B.J., Beardsley, G.L. & Richards, W.J.** 1982. Synopsis of the biological data on dolphin-fishes, *Coryphaena hippurus* Linnaeus and *Coryphaena equiselis* Linnaeus. *FAO Fish. Synop.* 28 pp.
- Pallaoro, A. & Dulčić, J.** 2001. First record of *Sphyaena chrystaenia* (Klunzinger, 1884) (Pisces, Sphyaenidae) from the Adriatic Sea. *J. Fish Biol.*, 59: 179–182.

- Pallaoro, A., Santec, M. & Jardas, I.** 2004. Diet composition of young-of-the-year saddled bream, *Oblada melanura* (Linnaeus, 1758) from the eastern central Adriatic Sea. *J. Appl. Ichthyol.*, 20(4): 228–230.
- Pallaoro, A., Cetinic, P., Dulčić, J., Jardas, I. & Kraljevic, M.** 1998. Biological parameters of the saddlehead bream *Oblada melanura* in the eastern Adriatic. *Fish. Res.*, 38(2):199–205.
- Pallary, P.** 1912. Catalogue des mollusques du littoral méditerranéen de l’Egypte. *Mém. l’Institut. d’Egypte*, 7: 69–207, pl. 15–18.
- Pallary, P.** 1938. Les mollusques marins de la Syrie. *J. Conchyliol.*, 82: 5–57.
- Papaconstantinou, C.** 1988. Check-list of marine fishes of Greece. *Fauna Graeciae IV*, 257 p.
- Parenzan, P.** 1970. Esplorazione Bentonica Batiale e Abissale Dello Jonio. *Thalassia Salentina*, 7–39.
- Parin, N.V.** 1979. Exocoetidae. In J.C. Hureau & Th. Monod, eds. *Check-list of the fishes of the north-eastern Atlantic and of the Mediterranean* (CLOFNAM). UNESCO, Paris. Vol. 1: 263–267.
- Paulin, C., Stewart, A., Roberts, C. & McMillan, P.** 1989. *New Zealand fish: a complete guide*. National Museum of New Zealand Miscellaneous Serie.
- Pavlidis, M., Fostier, A., Divanach, P. & Kentouri, M.** 2002. Biology and rearing technology of the red porgy *Pagrus pagrus*. A review., Proceedings of the Aquaculture Europe 2002., EAS, Trieste (Italy)
- Peres, M.B. & Klippel, S.** 2003. Reproductive biology of southwestern Atlantic wreckfish, *Polyprion americanus* (Teleostei: Polyprionidae). *Environ. Biol. Fish.*, 68: 163–173.
- Pérez Farfante, I. & Kensley, B.** 1997. Penaeoid and sergestoid shrimps and prawns of the world: keys and diagnoses for the families and genera. *Mém. Mus. Natl Hist. Nat.*, 175: 1–233.
- Peristeraki, P., Tserpes, G. & Lefkaditou, E.** 2005. What cephalopod remains from *Xiphias gladius* stomachs can imply about predator-prey interactions in the Mediterranean Sea? *J. Fish Biol.*, 2: 549–554.
- Perugini, M., Visciano, P., Giammarino, A., Manera, M., Si Nardo, W. & Amorena, M.** 2007. Polycyclic aromatic hydrocarbons in marine organisms from the Adriatic Sea, Italy, *Chemosphere*, 66(10): 1904–1910.
- Petchey, O.L., McPhearson, P.T., Casey, T.M. & Morin, P.J.** 1999. Environmental warming alters food-web structure and ecosystem function. *Nature*, 402: 69–72.
- Petrakis, G. & Stergiou, K.I.** 1995. Weight-length relationships for 33 fish species in Greek waters. *Fish. Res.*, 21: 465–469.
- Piatkowski, U.** 2006a. *Illex coindetii*. Broadtail shortfin squid. Life history species review. CEPHSTOCK: Cephalopod Stocks in European Waters. Review, Analysis, Assessment and Sustainable Management, 20 pp.
- Piatkowski, U.** 2006b. *Loligo vulgaris*. European squid. Life history species review. CEPHSTOCK: Cephalopod Stocks in European Waters. Review, Analysis, Assessment and Sustainable Management, 25 pp.

- Piccione, M.E., Agnesi, S., Molinari, A. & Tunesi, L.** 2004. cartographic representation of fishing sites of the artisanal fishery target species around the Gallinaria island (Ligurian sea-Western Mediterranean)., GIS/Spatial Analyses in Fishery and Aquatic Sciences, 649–658.
- Plounevez, S. & Champalbert, G.** 2000. Diet, feeding behaviour and trophic activity of the anchovy (*Engraulis encrasicolus* L.) in the Gulf of Lions (Mediterranean Sea). *Oceanol. Acta*, 23: 175–191.
- Podestà, M. & Magnaghi, L.** 1989. Unusual number of cetacean bycatches in the Ligurian Sea. *European Research on Cetaceans*, 3: 67–70.
- Ponder, W.F. & Vokes, E.H.** 1988. A revision of the Indo-West Pacific fossil and Recent species of *Murex* s.s. and *Haustellum* (Mollusca, Gastropoda, Muricidae). *Rec. Aust. Mus.*, suppl. 8: 1–160.
- Popper, D. & Gundermann, N.** 1975. Some ecological and behavioral aspects of siganid populations in the Red Sea and Mediterranean coast of Israel in relation to their suitability for aquaculture. *Aquaculture*, 6: 127–141.
- Por, F.D. & Dimentman, C.** 1985. The Continuity of the Messinian biota in the Mediterranean basin: 545–557. In D.J. Stanley & F.C. Wezel, eds. *Geological Evolution of the Mediterranean Basin*, Springer, Berlin, 589 p.
- Poutiers, J.M.** 1998. Bivalves. Acephala, Lamellibranchia, Pelecypoda. In K.E. Carpenter & V.H. Niem, eds. *FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 1. Seaweeds, corals, bivalves, and gastropods*. Rome, FAO.123–362 p.
- Prieur, L. & Sournia, A.** 1994. “Almofront-1” (April–May 1991): An interdisciplinary study of the Almeria–Oran geostrophic front, SW Mediterranean Sea. *J. Mar. Syst.*, 5: 187–203.
- Pujolar, J.M., Roldan, M.I. & Pla, C.** 2003. Genetic analysis of tuna populations, *Thunnus thynnus thynnus* and *T. alalunga*. *Mar. Biol.*, 143(3): 613–621.
- Quéro, J.-C., Hureau, J.-C., Karrer, C., Post, A. & Saldanha, L.** (eds.) 1990. *Check-list of the fishes of the eastern tropical Atlantic* (CLOFETA). JNICT (Lisbon), EIU (Paris) and UNESCO (Paris).
- Quetglas, A., Gonzales, M., Carbonell, A. & Sánchez, P.** 2001. Biology of the deep-sea octopus *Bathypolypus sponsalis* (Cephalopoda: Octopodidae) from the western Mediterranean Sea. *Mar. Biol.*, 138: 785–792.
- Quignard, J.P. & Tomasini, J.A.** 2000. Mediterranean fish biodiversity. *Biol. Mar. Medit.*, 7(3):1–66.
- Radwin, G.E. & D’Attilio, A.** 1986. *Murex shells of the world*. An illustrated guide to the Muricidae, p. 93, Stanford University Press, Stanford, California, USA, 284 pp.
- Ragonese, S. & Giusto, G.B.** 2000. On a saddled snake eel *Pisodonopus semicinctus* (Osteichthyes: Ophichthidae) trawled in the Strait of Sicily (Mediterranean Sea). *J. Mar. Biol. Assoc. UK*, 80: 951–952.
- Ragonese, S., Zagra, M., Di Stefano, L. & Bianchini, M.L.** 2001. Effect of codend mesh size on the performance of the deep-water bottom trawl used in the red shrimp fishery in the Strait of Sicily (Mediterranean Sea). *Hydrobiologia*, 449: 279–291.
- Randall, J.E.** 1995. *Coastal fishes of Oman*. University of Hawaii Press, Honolulu, Hawaii. 439 pp.
- Randall, J.E.** 1996. *Shore fishes of Hawai’i*. Natural World Press, Vida, Oregon. 216 pp.
- Redon M.J., Morte, M.S. & Sanz-Brau, A.** 1994. Feeding habits of the spotted flounder *Citharus linguatula* off the eastern coast of Spain. *Mar. Biol.*, 2: 197–201.

- Reeves, R. & Notarbartolo di Sciara, G.** (compilers and editors). 2006. *The status and distribution of cetaceans in the Black Sea and Mediterranean Sea*. IUCN Centre for Mediterranean Cooperation, Malaga, Spain. 137 pp.
- Reiner, F.** 1996. Catálogo dos peixes do Arquipélago de Cabo Verde. Publicações avulsas do IPIMAR No. 2: 339 pp.
- Relini, M. & Orsi Relini, L.** 1995. Pesci palla in Mediterraneo, presenze antiche e recenti. *Biol. Mar. Medit.*, 2(2): 509–511.
- Riera, F., Grau, A.M. & Pou, S.** 1980. Ictologia de s'Albufera. In B. Barcelo & J. Mayol, eds. Estudio Ecologico de s'Albufera de Mallorca. Dept. Geografia, Ubiversitat de Palma de Mallorca.
- Riera, F., Grau, A.M., Pastor, E. & Pou, S.** 1995. Faunistical and demographical observations in Balearic ichthyofauna. In: La Méditerranée: variabilité climatique, environnement et biodiversité. Actes Colloque Scientifique OKEANOS, Montpellier: 213–220.
- Riera, F., Grau, A., Grau, A.M., Pastor, E., Quetglas, A. & Pou, S.** 1999. Ichthyofauna associated with drifting floating objects in the Balearic Islands (Western Mediterranean), *Sci. Mar.*, 63(3–4): 229–235.
- Robins, C.R. & Ray, G.C.** 1986. A field guide to Atlantic coast fishes of North America., Houghton Mifflin Company, Boston, USA. 354 pp.
- Robins, C.R., Bailey, R.M., Bond, C.E., Brooker, J.R., Lachner, E.A., Lea, R.N. & Scott, W.B.** 1991. Common and scientific names of fishes from the United States and Canada. *Am. Fish. Soc. Spec. Pub.*, 20: 183 pp.
- Rochard, E. & Elie, P.** 1994. La macrofaune aquatique de l'estuaire de la Gironde. Contribution au livre blanc de l'Agence de l'Eau Adour Garonne. In J.-L. Mauvais & J.-F. Guillaud, eds. *État des connaissances sur l'estuaire de la Gironde*. Agence de l'Eau Adour-Garonne, Éditions Bergeret, Bordeaux, France. p. 1–56.
- Rodriguez, B.** 1992. Fichas FAO de identificación de especies para los fines de la pesca. Guía de campo de las especies comerciales marinas y de aguas salobres de la costa septentrional de Sur América., FAO, Rome. 513 pp.
- Romanelli, M., Colloca, F. & Giovanardi, O.** 2002. Growth and mortality of exploited *Sardina pilchardus* (Walbaum) larvae along the western coast of Italy. *Fish. Res.*, 55(1–3): 205–218.
- Roper, C.F.E., Sweeney, M.J. & Nauen, C.** 1984. Cephalopods of the world, Vol. 3. An annotated and illustrated catalogue of species of interest to fisheries. *FAO Fish. Synop.*, 125: 277 pp.
- Roux, C.** 1984. Squatinidae. In P.J.P. Whitehead, M.-L. Bauchot, J.C. Hureau, J. Nielsen & E. Tortonese, eds. *Fishes of the North-Eastern Atlantic and Mediterranean* (FNAM), UNESCO, 1: 510 pp.
- Ruitton, S., Francour, P. & Boudouresque, C.F.** 2000. Relationships between algae, benthic herbivorous invertebrates and fishes in rocky sublittoral communities of a temperate sea (Mediterranean). *Estuar. Coast. Shelf Sci.*, 50: 217–230,
- Saad, S. & Sbaihi, M.** 1992. Etude préliminaire sur un Gobiidae signalé pour la première fois sur la côte de Syrie (Méditerranée Orientale). *Rapp. Comm. Int. Mer Médit.*, 33: 310.
- Sabates A. & Martin P.** 1993. Spawning and distribution of bluefish *Pomatomus saltatrix* (L.) in the northwestern Mediterranean. *J. Fish Biol.*, 1: 109–118.
- Sabates, A., Martin, P., Lloret, J. & Raya, V.** 2006. Sea warming and fish distribution: the case of the small pelagic fish, *Sardinella aurita*, in the western Mediterranean. *Global Change Biol.*, 12: 2209–2219.

- Salman, A., Katagan, T. & Boletzky, S.V.** 1999. New cephalopod molluscs in the eastern Mediterranean: Previously unnoted species or Lessepsian migrants? *Vie et Milieu*, 49(1): 11–17.
- Salman, A., Katağan, T. & Benli, H.A.** 2002. Cephalopod fauna of the eastern Mediterranean. *Turk. J. Zool.*, 26: 47–52.
- Salome Morte, M., Redon, M.J. & Sanz-Brau, A.** 2002. Diet of *Phycis blennoides* (Gadidae) in relation to fish size and season in the Western Mediterranean, *Mar. Ecol.*, 2: 141–155.
- Sanches, J.G.** 1992. Guia para a identificação do pescado de Portugal, submetido a tamanho mínimo de captura., INIP, Publicações Avulsas, 272. Lisboa.
- Sanford, E.** 1999. Regulation of keystone predation by small changes in ocean temperature. *Science*, 283: 2095–2097.
- Sara, G. & Sara, R.** 2007. Feeding habits and trophic levels of bluefin tuna *Thunnus thynnus* of different size classes in the Mediterranean Sea. *J. Appl. Ichthyol.*, 23(2): 122–127.
- Sazima, I.** 1998. Field evidence for suspension feeding in *Pseudocaranx dentex*, with comments on ram filtering in other jacks (Carangidae). *Environ. Biol. Fish.*, 53(2): 225–229.
- Sazima, I., Moura, R.L. & Rodrigues, M.C.M.** 1999. Juvenile sharksucker, *Echeneis naucrates* (Echeneidae), acting as a stationbased cleaner fish. *Cybiurn*, 23(4): 377–380.
- Sbrana, M., Sartor, P. & Belcari, P.** 2003. Analysis of the factor affecting crustacean trawl fishery catch rates in the northern Tyrrhenian Sea (western Mediterranean), *Fish. Res.*, 65(1–3): 271–284.
- Sbrana, M., Belcari, P., De Ranieri, S., Sartor, P. & Viva, C.** 2007. Comparison of the catches of European hake (*Merluccius merluccius*, L., 1758) taken with experimental gillnets of different mesh sizes in the northern Tyrrhenian Sea (western Mediterranean). *Sci. Mar.*, 1: 47–57.
- Schleich, H.H., Kästle, W. & Kabisch, K.** 1996. *Amphibians and Reptiles of North Africa: Biology, Systematics, Field Guide*. Koeitz Scientific Books, Germany, 630 pp.
- Schmitt, E.F., Sluka, R.D. & Sullivan-Sealey, K.** 2002. Evaluating the use of roving diver and transect surveys to assess the coral reef fish assemblage off southeastern Hispaniola. *Coral Reefs*, 21(2): 216–223.
- Schneider, W.** 1990. FAO species identification sheets for fishery purposes. *Field guide to the commercial marine resources of the Gulf of Guinea*. FAO Regional Office for Africa. Rome, FAO. 268 pp.
- Scott, W.B. & Scott, M.G.** 1988. Atlantic fishes of Canada. *Can. Bull. Fish. Aquat. Sci.*, 219: 731 pp.
- Send, U. & Shott, F.** 1992. Observation of deep water formation in the Gulf of Lion during Thetis. *Rapp. Comm. Int. Mer Médit.*, 33: 233.
- Serena, F.** 2001. Ritrovamento di *Pisodonophis semicinctus* (Anguilliformes, Ophichthidae) nell'Alto tirreno. *Biol. Mar. Médit.*, 8(1): 784–786.
- Sever, T.M., Bayhan, B. & Taskavak, E.** 2005. A preliminary study on the feeding regime of european pilchardus (*Sardina pilchardus* Walbaum 1792) in Izmir Bay, Turkey, Eastern Aegean Sea, NAGA. *WorldFish Center Quarterly*, 3 & 4: 42–49.
- Shen, S.C.** (ed.). 1993. Fishes of Taiwan., Department of Zoology, National Taiwan University.

- Singer, B.S. & Mienis, H.K.** 1991. Conchiglie del Mar Rosso. La Famiglia Thaididae (I). *La Conchiglia*, 260: 16–19.
- Sinopoli, M., D'Anna, G., Badalamenti, F. & Andaloro, F.** 2007. FADs influence on settlement and dispersal of the young-of-the-year greater amberjack (*Seriola dumerili*). *Mar. Biol.*, 150(5): 985–991.
- Sinovčić, G. & Zorica, B.** 2006. Reproductive cycle and minimal length at sexual maturity of *Engraulis encrasicolus* (L.) in the Zrmanja River estuary (Adriatic Sea, Croatia). *Estuar. Coast. Shelf Sci.*, 69(3–4): 439–448.
- Sinovčić, G., Franičević, M. & Čikeš-Keč, V.** 2004. Unusual occurrence and some aspects of biology of juvenile gilt sardine (*Sardinella aurita* Valenciennes, 1847) in the Zrmanja River estuary. *J. Appl. Ichthyol.*, 20(1): 53–57.
- Smaldon, G.** 1979. *British coastal shrimps and prawns*. Academic press, London.
- Smith, C.L.** 1997. National Audubon Society field guide to tropical marine fishes of the Caribbean, the Gulf of Mexico, Florida, the Bahamas, and Bermuda. Alfred A. Knopf, Inc., New York. 720 pp.
- Smith, M.M. & Heemstra, P.C.** (eds). 1986. *Smiths' sea fishes*. Springer-Verlag, Berlin.
- Somarakis S.** 2005. Marked interannual differences in reproductive parameters and daily egg production of anchovy in the northern Aegean Sea, *Belg. J. Zool.*, 2: 247–252.
- Sommer, C., Schneider, W. & Poutiers, J.-M.** 1996. FAO species identification field guide for fishery purposes. *The living marine resources of Somalia*. FAO, Rome. 376 pp.
- Somot, S., Sevault, F. & Déqué, M.** 2006. Transient climate change scenario simulation of the Mediterranean Sea for the twenty-first century using a high-resolution ocean circulation model. *Clim. Dynam.*, 27: 851–879.
- Soria, M., Bahri, T. & Gerlotto, F.** 2003. Effect of external factors (environmental and survey vessel) on fish school characteristics observed by echosounder and multibeam sonar in the Mediterranean Sea. *Aquat. Living Resour.*, 16(3): 145–157.
- Spicer I.J.** 1931. Fisheries. In Report of the Department of Agriculture and Forests for the years 1927–30. Printing Office, Russian Building, Jerusalem, pp. 159–160.
- Stehmann, M. & Bürkel, D.L.** 1984. Rajidae. In P.J.P. Whitehead, M.-L. Bauchot, J.-C. Hureau, J. Nielsen & E. Tortonese, eds. *Fishes of the north-eastern Atlantic and Mediterranean*. UNESCO, Paris. 1: 163–196.
- Steinitz, W.** 1927. Beiträge zur Kenntnis der Küstenfauna Palästinas. I. *Pubblicazioni della Stazione Zoologica di Napoli*, 8(3–4): 311–353.
- Stephenson, W.** 1972. An annotated check list and key to the Indo-West-Pacific swimming crabs (Crustacea: Decapoda: Portunidae). *Bull. Royal Society of New Zealand*, 10: 1–64.
- Stergiou, K.I.** 1988. Feeding habits of the Lessepsian migrant *Siganus luridus* in the eastern Mediterranean, its new environment. *J. Fish Biol.*, 33: 531–543.
- Stergiou, K.I., Moutopoulos, D.K. & Krassas, G.** 2004. Body size overlap in industrial and artisanal fisheries for five commercial fish species in the Mediterranean Sea. *Sci. Mar.*, 68(1): 179–188.

- Stirn, J.** 1970. Some note on western trends of Lessepsian migration. Journées ichthyologiques, Rome, 30 nov–1 déc., pp. 187–190, CIESM, Monaco.
- Suau, P.** 1970. Contribucion al estudio de la biologia *Lithognathus* (= *Pagellus*) *mormyrus* L. (peces esparidos). *Invest. Pesq.*, 34: 237–265.
- Tauchi, M.** 1940. On the stock of *Germo germo* (Lacépède). *Bull. Japan. Soc. Sci. Fish.*, 9: 139–141.
- Thomson, J.M.** 1986. Mugilidae. In J. Daget, J.-P. Gosse & D.F.E. Thys van den Audenaerde, eds. *Check-list of the freshwater fishes of Africa* (CLOFFA). ISNB, Brussels, MRAC; Tervuren; and ORSTOM, Paris. 2: 344–349.
- Thorson, G.** 1971. Animal migrations through the Suez Canal in the past, recent years and the future (a preliminary report). 3<sup>rd</sup> European Symposium of Mar. Biol. *Vie et Milieu*, 22: 841–846.
- Tillier, J.B.** 1902. Le canal de Suez et sa faune ichthyologique. *Mém. Soc. Zool. France*, 15(3–4): 270–318.
- Tillier, L. & Bavay, A.** 1905. Les mollusques testacés du Canal de Suez. *Bull. Soc. Zool. France*, 30: 170–181.
- Tortonese, E.** 1937. Sugli Exocediti viventi nel Mediterraneo. *Boll. Zool. Italiana*, 8(5–6): 229–241.
- Tortonese, E.** 1938. L'ittiofauna mediterranea in rapport alla zoogeografia. *Bollettino dei Musei di zoologia ed anatomia comparata della Real Università di Torino*, (3)46(84): 35.
- Tortonese, E.** 1969. La fauna del Mediterraneo e i suoi rapporti con quelle dei mari vicini. *Pubbl. Staz. Zool. Napoli*, 37 suppl.: 369–384.
- Tortonese, E.** 1975. Osteichthyes, (Pesci ossei). Parte Seconda. Edizioni Calderini, Bologna. *Fauna Italia*, (11): 1–636.
- Tortonese, T.** 1989. Osservazioni comparative intorno alla ittiofauna del Mediterraneo e dell'Atlantico occidentale (Florida e isole Bahamas). *Natura*, 1: 1–20.
- Trewavas, E.** 1979. Mugilidae. In J.C. Hureau & Th. Monod, eds. *Check-list of the fishes of the north-eastern Atlantic and of the Mediterranean* (CLOFNAM). UNESCO, Paris. Vol. 1: 200 p.
- Tsikliras, A.C. & Antonopoulou, E.** 2006. Reproductive biology of round sardinella (*Sardinella aurita*) in the northeastern Mediterranean. *Sci. Mar.*, 70(2): 281–290.
- Tsikliras, A.C., Koutrakis, E.T. & Stergiou, K.I.** 2005. Age and growth of round sardinella (*Sardinella aurita*) in the northeastern Mediterranean. *Sci. Mar.*, 69(2): 231–240.
- Tsimenides, N., Machias, A. & Kallianiotis, A.** 1992. Distribution patterns of triglids (Pisces: Triglidae) on the Cretan shelf (Greece), and their interspecific associations. *Fish. Res.*, 15: 83–103.
- Tsimenides, N., Tserpes, G. Machias, A. & Kallianiotis, A.** 1991. Distribution of fishes on the Cretan shelf. *J. Fish Biol.*, 39: 661–672.
- Tudela, S., Garcia-Marin, J.L. & Pla, C.** 1999. Genetic structure of the European anchovy, *Engraulis encrasicolus* L., in the northwest Mediterranean. *J. Exp. Mar. Biol. Ecol.*, 234(1): 95–109.
- Tudela, S., Kai Kai, A., Maynon, F., El Andalossi, M. & Guglielmi, P.** 2005. Driftnet fishing and biodiversity conservation: the case study of the large-scale Moroccan driftnet fleet operating in the Alboran Sea (SW Mediterranean). *Biol. Conserv.*, 121: 65–78.
- Tunesi, L. & Molinari, A.** 2005. Species richness and biogeographic outlines of the fish assemblage of the Portofino Marine Protected Area (Ligurian Sea). *Biol. Mar., Medit.*, 1; 116–123.



- Tunesi, L., Molinari, A. & Salvati, E.** 2006. Fish assemblage of the marine protected area of Cinque Terre (NW Mediterranean Sea): First characterization and assessment by visual census. *Chem. Ecol.*, supplement 1: S245–S253.
- Tunesi, L., Ferretti M., Molinari A. & Palladino S.** 2002. Catch composition of the artisanal fisheries in the Gallinaria Island's waters (Ligurian Sea), *Biol. Mar. Medit.*, 1: 706–709.
- Tunesi, L., Molinari, A., Agnesi, S., Di Nora, T. & Mo, G.** 2005. Presence of fish juveniles in the Ligurian coastal waters: synthesis of available knowledge *Biol. Mar., Medit.* 12(1): 455–459.
- Turkmen, M. & Akyurt, I.** 2003. Growth characteristics, sex inversion and mortality rates of striped sea bream *Lithognathus mormyrus* L. in Iskenderun Bay. *Turk. J. Zool.*, 323–329.
- Tzikas, Z., Ambrosiadis, I., Soultos, N. & Georgakis, S.** 2007. Seasonal size distribution, condition status and muscle yield of Mediterranean horse mackerel *Trachurus mediterraneus* from the North Aegean Sea, Greece. *Fish. Sci.*, 453–462.
- Udekem d'Acoz, C.** 1999. *Inventaire et distribution des crustacés décapodes de l'Atlantique nord-oriental, de la Méditerranée et des eaux continentales adjacentes au nord de 25°N*. Patrimoines naturels (M.N.H.N./S.P.N.) 40: i–x, 1–383.
- UNEP/FAO.** 1995. Final Reports On Research Projects Dealing With The Effects of Pollutants on Marine Organisms and Communities, UNEP, 200, UNEP/FAO, Athens.
- Ungaro, N., Marano, G., Auteri, R., Voliani, A., Massuti, E., Garcia-Rodriguez, M. & Osmani, K.** 2002. Distribution, abundance, and biological features of anglerfish (*Lophius piscatorius* and *L. budegassa*) in the Mediterranean Sea. *Sci. Mar.*, 66: 55–63.
- Valle, C., Bayle-Sempere, J.T., Dempster, T., Sanchez-Jerez, P. & Gimenez-Casalduero, F.** 2007. Temporal variability of wild fish assemblages associated with a sea-cage fish farm in the south-western Mediterranean Sea. *Estuar. Coast. Shelf Sci.*, 752: 299–307.
- Vassilopoulou, V. & Papaconstantinou, C.** 1992. Age, growth and mortality of the red porgy, *Pagrus pagrus*, in the eastern Mediterranean Sea (Dodecanese, Greece). *Vie et Milieu*, 42(1): 51–55.
- Vidthayanon, C.** 2005. Thailand red data: fishes. Office of Natural Resources and Environmental Policy and Planning, Bangkok, Thailand. 108 pp.
- Viudez, A., Tintoré, J. & Haney, R.** 1996. Circulation in the Alboran Sea as determined by quasi-synoptic hydrographic observation: Part I. Three-dimensional structure of the two anticyclonic gyres. *J. Phys. Oceanogr.*, 26(5): 684–705.
- Vizzini, S. & Mazzola, A.** 2005. Feeding ecology of the sand smelt *Atherina boyeri* (Risso, 1810) (Osteichthyes, Atherinidae) in the western Mediterranean: evidence for spatial variability based on stable carbon and nitrogen isotopes. *Environ. Biol. Fish.*, 72(3): 259–266.
- Wantiez, L.** 1993. *Les poissons des fonds meubles du lagon Nord et de la Baie de Saint-Vincent de Nouvelle-Calédonie: Description des peuplements, structure et fonctionnement des communautés*. Université d' Aix-Marseille II, France. (Ph.D. Thesis).
- Wheeler, A.** 1979. Callionymidae. In J.C. Hureau & Th. Monod, eds. *Check-list of the fishes of the north-eastern Atlantic and of the Mediterranean* (CLOFNAM). UNESCO, Paris. Vol. 1: 516–518.
- White, W.T., Last, P.R., Stevens, J.D., Yearsley, G.K. Fahmi & Dharmadi.** 2006. *Economically important sharks and rays of Indonesia*. Australian Centre for International Agricultural Research, Canberra, Australia.

- Whitehead, P.J.P.** 1963. A revision of the recent round herrings (Pisces: Dussumieriidae). *Bull. British Mus. Natl Hist. (Zool.)*, 10: 305–380.
- Whitehead, P.J.P.** 1985. FAO species catalogue. Vol. 7. Clupeoid fishes of the world (suborder Clupeoidei). An annotated and illustrated catalogue of the herrings, sardine, pilchards, sprats, anchovies and wolf-herrings. Part 1 – Chirocentridae, Clupeidae and Pristigasteridae. *FAO Fish. Synop.*, 125(7/1): 303 pp.
- Whitehead, P.J.P., Nelson, G.J. & Wongratana, T.** 1988. FAO species catalogue. Vol. 7. Clupeoid fishes of the world (Suborder Clupeoidei). An annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, shads, anchovies and wolf-herrings. Part 2 – Engraulididae. *FAO Fish. Synop.*, 125(7/2): 305–579.
- Whitehead, P.J.P., Bauchot, M.-L., Hureau, J.-C., Nielsen, J. & Tortonese, E.** (eds). 1986. *Fishes of the North-eastern Atlantic and the Mediterranean*. UNESCO, Paris. Vols. I–III: 1473 pp.
- Wilson, C.A. III.** 1984. *Age and growth aspects of the life history of billfishes*. University of South Carolina. 180 pp. (Ph.D. thesis).
- Yamada, U., Shirai, S., Irie, T., Tokimura, M., Deng, S., Zheng, Y., Li, C., Kim, Y.U. & Kim, Y.S.** 1995. Names and Illustrations of fishes from the East China Sea and the Yellow Sea. Overseas Fishery Cooperation Foundation, Tokyo, Japan.
- Yokes, B., Dervisoglu, R. & Karacilk, B.** 2002. *An investigation of the marine biological diversity along Likya shores*. Sualti Bilim ve Teknoloji Toplantisi Bildiriler Kitabi Istanbul, 2000: 166–181. (in Turkish).
- Yukse, A., Okus, E., Yilmaz, I.N., Aslan-Yilmaz, A. & Tas S.** 2006. Changes in biodiversity of the extremely polluted Golden Horn Estuary following the improvements in water quality. *Mar. Pollut. Bull.*, 52(10): 1209–1218.
- Zaouali, T. & Zaouali, J.** 1994. Reproduction de *Pinctada radiata* (Leach, 1814, Mollusque, Bivalve) dans les îles Kerkennah (Tunisie). *Vie Marine, Marseille*, 4(1): 41–45.
- Zenetos, A.; Gofas, S.; Russo, G. & Templado, J.** 2003. *CIESM Atlas of Exotic Species in the Mediterranean–Vol. 3: Molluscs*. F. Briand (ed.), CIESM Publishers, Monaco, 376 pp. (<http://www.ciesm.org/atlas/appendix3.html>, version 12/2008).
- Zupanovic, S. & El-Buni, A.A.** 1982. A contribution to demersal fish studies off the Libyan coast. *Bull. Mar. Res. Centre, Tripoli, Libya*, 3: 77–122.