

# **Expert Consultation on Nutrition Indicators for Biodiversity**

## **1. Food composition**

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

ISBN 978-92-5-105924-1

All rights reserved. Reproduction and dissemination of material in this information product for educational or other non-commercial purposes are authorized without any prior written permission from the copyright holders provided the source is fully acknowledged. Reproduction of material in this information product for resale or other commercial purposes is prohibited without written permission of the copyright holders. Applications for such permission should be addressed to:

Chief  
Electronic Publishing Policy and Support Branch  
Communication Division  
FAO  
Viale delle Terme di Caracalla, 00153 Rome, Italy  
or by e-mail to:  
[copyright@fao.org](mailto:copyright@fao.org)

© FAO 2008

## TABLE OF CONTENTS

FOREWORD	V
ACKNOWLEDGEMENTS	VII
ACRONYMS AND ABBREVIATIONS	IX
SUMMARY	XI
1 OBJECTIVES	1
2 BACKGROUND	1
3 DEVELOPMENT OF A FOOD COMPOSITION INDICATOR FOR BIODIVERSITY	2
4 DECLARATION OF INTEREST	3
5 THE INDICATOR	3
5.1 Definition of the Indicator	3
5.2 Food Level	3
5.3 Food Component Level	4
5.4 Publication Level	5
5.5 Reporting	5
6 RECOMMENDATIONS	6
 <b>ANNEXES</b>	
1. <i>List of Participants (Participants, Observers, Liaison Officer and Secretariat)</i>	9
2. <i>Draft Agenda</i>	13
3. <i>Main Components for Reporting</i>	14
4. <i>Template for Reporting on the Nutrition Indicators of Biodiversity in the Food Composition Literature</i>	15
A. <i>National Level</i>	15
B. <i>Regional Level</i>	16
C. <i>International Level</i>	17
5. <i>Glossary</i>	19
6. <i>Resources</i>	23
7. <i>References</i>	25
8. <i>Support for Countries to Generate, Compile and Disseminate Cultivar-specific Nutrient Composition Data, and the Relative Priority of Obtaining Cultivar-specific Dietary Consumption Data and Extract of the Report CGRFA-11/07/10</i>	27



## FOREWORD

Assessing nutrition and biodiversity together, using a suite of indicators, is at the heart of the new *Cross-cutting Initiative on Biodiversity for Food and Nutrition*, led by FAO in collaboration with Bioersivity International and other partners.

Biodiversity and nutrition play their parts at three levels – ecosystems, the species they contain, and the genetic diversity within species. The aim of the initiative is to develop measurement tools and indicators at these levels, addressing nutrient **composition** and **consumption** of underutilized, uncultivated, indigenous foods of plant and animal origin.

Further research is needed to increase the evidence base to fill knowledge gaps with better inventories and information on nutrient composition and consumption of foods at the species and intra-species level, and within specific agro-ecological zones. For nutrition, this means introducing more nutrient composition data on biodiversity in food composition databases and tables; developing and using dietary assessment instruments that capture food intake at the species and variety/breed level; and allowing food labelling that encourages awareness of the often unique composition of these neglected, nutritionally-rich foods.

Nutrition and biodiversity feature directly the Millennium Development Goals: halve the proportion of people who suffer from hunger; and ensure environmental sustainability. In combination, a nutrition and biodiversity initiative provides the very foundation for achieving these MDGs.

This document presents a food composition indicator for biodiversity and nutrition. The indicator will contribute to monitoring and achieving the MDGs and many other important goals. The ultimate goal, however, is to bring awareness of biodiversity to the nutrition sector, and thus help us value, sustainably promote and preserve our planet's biodiversity for food and nutrition security for all.

*Ezzeddine Boutrif*  
*Director, Nutrition and Consumer Protection Division*  
*FAO, Rome*



## ACKNOWLEDGEMENTS

FAO is grateful for the very valuable contribution of the experts to the development of the nutrition indicator for biodiversity related to food composition, all of whom have collaborated in efforts toward the sustainable development and use of biodiversity for nutritional security. Special appreciation is due to Suzanne Murphy, who served as Chairperson of the Consultation, and to Harriet Kuhnlein and I. Francisca Smith, who served as rapporteurs. The Government of Brazil deserves a special note of thanks for its agreement to host the Consultation, and for providing the able assistance of a liaison officer from the Ministry of External Relations.

FAO and INFOODS express gratitude to Professors Elizabete Wenzel de Menezes and Franco Lajolo for their leadership as co-convenors of the 7<sup>th</sup> International Food Data Conference, which had the theme *Food Composition and Biodiversity*, and to which this Expert Consultation was a satellite meeting, and also to the members of LATINFOODS and all the INFOODS Regional Data Centres, who played dynamic roles in both the Consultation and the Conference.

The Consultation expresses its appreciation for the overall leadership, preparation and execution of the meeting to Barbara Burlingame and Ute Ruth Charrondière, AGNA, FAO; to Pablo Eyzaguirre, Bioversity International; and to Professor Elizabete Wenzel de Menezes, University of São Paulo. It also expressed its gratitude to U. Ruth Charrondière, Barbara Burlingame, Harriet Kuhnlein, I. Francisca Smith and Suzanne Murphy for preparation of the report. The Consultation is grateful to Giuseppina Di Felice for the layout of the report.



## **ACRONYMS AND ABBREVIATIONS**

AOAC	Association of Official Analytical Chemists
CBD	Convention on Biological Diversity
CBD-CoP	Conference of the Parties to the Convention on Biological Diversity
CGRFA	Commission on Genetic Resources for Food and Agriculture
cv.	Cultivar (from cultivated + variety)
EuroFIR	European Food Information Resource Network
FAO	Food and Agriculture Organization of the United Nations
FCDB	Food Composition Databases
ICNCP	International Code of Nomenclature for Cultivated Plants
ICZN	International Commission on Zoological Nomenclature
INFOODS	International Network of Food Data Systems
MDG	Millennium Development Goal
UPOV	International Union for the Protection of New Varieties of Plants



## SUMMARY

The development of nutrition indicators for biodiversity is a collaborative international process, led by the Food and Agriculture Organization of the United Nations (FAO), together with Bioversity International and other partners. The task is part of the work of the Initiative on Biodiversity for Food and Nutrition, which was formally established in 2006 by Decision VIII/23 A of the Conference of the Parties to the Convention on Biological Diversity (CBD-CoP).

The initiative was launched on the basis of a recognized linkage between biodiversity, food and nutrition, the need to enhance sustainable use of biodiversity to combat hunger and malnutrition, its contribution to the MDGs (CBD-CoP, Decision VII/32) and the request of the Commission on Genetic Resources for Food and Agriculture (CGRFA, 10<sup>th</sup> session) to the Intergovernmental Technical Working Group on Plant Genetic Resources for Food and Agriculture to “provide guidance to FAO on how it could best support countries, on request, to generate, compile and disseminate cultivar-specific nutrient composition data, as well as indicate the relative priority of obtaining cultivar-specific dietary consumption data, in order to demonstrate the role of biodiversity in nutrition and food security.”

The Expert Consultation on Nutrition Indicators for Biodiversity was held on 21 October 2007 in São Paulo, Brazil, and assembled 16 experts on biodiversity and food composition from 13 countries. The aim of the Consultation was to develop a food composition indicator for biodiversity and nutrition. Such an indicator is needed with a view to reporting on progress made in biodiversity and the generation, compilation and dissemination of food composition data below the species level, i.e. at variety level for plants and breed level for animals.

The experts agreed on a set of indicators on food composition to measure progress on biodiversity by counting the number of foods with a sufficiently detailed description to identify genus, species, subspecies and variety/cultivar/breed, and with at least one value for a nutrient or other bioactive component. The indicator will be based on well-documented literature, including national, regional or international food composition databases and scientific literature. Reporting will be carried out through the INFOODS Regional Data Centre Coordinators, FAO or others.

It is hoped that this indicator will stimulate the collection and dissemination of food composition data on foods at subspecies level in general and specifically on indigenous and traditional foods. These data will be useful in demonstrating the importance of cultivar-specific composition data, their impact on nutrient intakes and the link between biodiversity, nutrition and food security.



## 1 OBJECTIVES

- to **identify** existing data and data sources needed to develop a nutrition indicator for biodiversity related to food composition;
- to **propose** a nutrition indicator for biodiversity related to food composition;
- to **identify** data gaps and research needs (e.g. sampling, reporting) in order to improve the indicator;
- to **develop** a mechanism for reporting, which will allow FAO to monitor the indicator over time;
- to **identify** agencies and institutes that will report to FAO on the indicator on a yearly basis.

## 2 BACKGROUND

The development of nutrition indicators for biodiversity is an international collaborative process, led by the Food and Agriculture Organization of the United Nations (FAO), together with Bioversity International and other partners. This initiative responds to an emerging global consensus that the simplification of diets, the growing incidence of chronic diseases related to nutrition-poor, energy-rich diets, and the neglect and decline in the use of locally available nutritionally rich foods are linked; and that biodiversity is the source of many foods and dietary components that can contribute to reversing this unhealthy trend (Johns and Sthapit, 2004). Although biodiversity is considered essential for food security and nutrition, and can contribute to achievement of the MDGs through improved dietary choices and positive health impacts, it is seldom included in nutrition programmes and interventions. This is mostly due to the lack of sufficient data on the nutritional value of local foods sourced from biodiversity and also the lack of methods for obtaining, analysing and using data on biodiversity in food consumption studies and nutritional programmes.

In 2004, the Conference of the Parties to the Convention on Biological Diversity (CBD-CoP) recognized the linkage between biodiversity, food and nutrition and the need to enhance sustainable use of biodiversity to combat hunger and malnutrition, and thereby contribute to Target 2 of Goal 1 of the MDGs (Decision VII/32). The Cross-cutting Initiative on Biodiversity for Food and Nutrition was formally established by Decision VIII/23 A of the Conference of the Parties in March 2006. During this same period, the Commission on Genetic Resources for Food and Agriculture (CGRFA, 10<sup>th</sup> session) requested the Intergovernmental Technical Working Group on Plant Genetic Resources for Food and Agriculture to “provide guidance to FAO on how it could best support countries, on request, to generate, compile and disseminate cultivar-specific nutrient composition data, as well as indicate the relative priority of obtaining cultivar-specific dietary

consumption data, in order to demonstrate the role of biodiversity in nutrition and food security.”

Existing food composition databases vary across regions and countries, but all include a range of foods and nutrients, and some include subsets of bioactive non-nutrients (including those with medicinal properties), antinutrients and contaminants. Historically, the main purpose of a food composition database was to provide representative, year-round, nation-wide mean values for foods. These average measures can disguise large differences.

Similarly, dietary assessment instruments have been developed to capture the usual or habitual intakes of foods as reported by subjects in a study. Until recently there was little demand to provide compositional data at the subspecies level and below, because the traditional users of the data – those conducting dietary assessments – recorded intake data only at a more generic level. Conversely, diet surveys did not attempt to collect intake information below the level of species, because compositional data were not available for evaluation and because it was widely believed that survey participants were not able to recognize foods at subspecies level and below. However, recent research suggests that this is not the case. A survey in Bangladesh (Kennedy *et al.*, 2005) has shown that over 80 percent of households were able to identify rice by cultivar and 38 different cultivars were named.

If in the future food composition data generators and compilers publish data at subspecies level and below, and food consumption surveys report at this level, then the contribution of biodiversity to a vast range of nutrition initiatives could be determined and evaluated.

Thus, in order to monitor biodiversity and nutrition, at least two indicators will be needed, one on food composition and one on food consumption. The present Consultation will concentrate only on the food composition indicator for biodiversity and nutrition.

### **3 DEVELOPMENT OF A FOOD COMPOSITION INDICATOR FOR BIODIVERSITY**

Many factors are known to affect the nutrient content of foods, including climate, geography and geochemistry, agricultural practices such as fertilization, and the genetic makeup of the species and subspecies. The extent of the influence of genetics is only recently becoming apparent. In rice, for example, it is known that some varieties of *O. sativa* contain 2.5 times more protein and iron than others (Kennedy and Burlingame, 2003). For other crops and nutrients, there can be

hundred-fold and thousand-fold differences between varieties of the same species (Englberger *et al.*, 2003a, 2003b, 2003c; Huang *et al.*, 1999).

Nutrition data on indigenous and traditional fruits, vegetables, condiments and spices are limited and fragmented. As the importance of within-species composition data is increasingly being acknowledged, more research is being undertaken to study these differences and their impact on nutrient intakes (Freiberger *et al.*, 1998; Hagenimana *et al.*, 1999; Hagg *et al.*, 1995; Herzog *et al.*, 1994; Huang *et al.*, 1999; Nordeide *et al.*, 1996; Rajyalakshmi and Geervani, 1994; Simonne *et al.*, 1997; Toledo and Burlingame, 2006).

In spite of all this research, few national or regional compositional databases provide data at the cultivar/variety/breed level, although most, if not all, are capable of accommodating such data.

## **4 DECLARATION OF INTEREST**

All experts submitted declarations of interest; none was considered to have a conflict.

## **5 THE INDICATOR**

### **5.1 Definition of the Indicator**

The indicator is a count of the number of foods with a sufficiently detailed description to identify genus, species, subspecies and variety/cultivar/breed, and with at least one value for a nutrient or other bioactive component. More details on the identification of foods and food components contributing to the indicator are given below.

### **5.2 Food Level**

At the food level, the food composition indicator for biodiversity and nutrition (in this and subsequent documents to be referred to as “the indicator”) should include genus, species and subspecies level and below. It may be important to gather additional information on identity, for example local names, specimens, photographs, accurate descriptions.

In cases where information on subspecies level and below is not provided, the food item will not be included as part of the biodiversity indicator, so that foods described simply as “wild green leaves”, “reef fish”, “bush meat” etc. will be excluded.

Exceptions to this general directive are wild or underutilized foods identified by local name with country/region/culture of origin, as well as by a photograph or voucher sample.

The various consumed parts or forms of the same food resource should be counted separately; for example, the root and leaf; larva and adult animal; egg and bird; muscle meat and organ meat.

Foods should be considered in a single state; for example, if raw and cooked forms are both presented, only the raw food should be counted. Cooked-state foods should be counted only when no raw-state data are available.

Although it is recognized that food composition is influenced by factors other than genetics (environment, region, season, processing, feed, production system etc.), it was agreed that such factors would not be taken into account in the indicator, because this would make it too complex and impractical at this time.

It was recognized that in some cases identification with scientific names at subspecies level and below and sometimes even at species level is difficult. For many wild or underutilized foods, taxonomic names do not yet exist, and in other cases, different taxonomy resources may provide different scientific names for the same food. Examples are certain fruits, vegetables, fish, snails and insects. Taxonomy is fluid and there is disagreement among taxonomic authorities at all levels of classification, while non-taxonomists often use taxonomic terms inappropriately. Collaboration with botanists and zoologists will, therefore, be needed for better food identification. In addition, genetic identification techniques or gene banks can be useful as they provide a more standardized identification of the genetic resource.

### **5.3 Food Component Level**

All food components – nutrients and bioactive compounds – need to be considered for the indicator. The minimum requirement for a food to be considered for the indicator is one component. The component(s) can be determined analytically, borrowed or imputed from the same species in another database. In order to assess progress in the availability of component data for a given food, it was decided to report the indicator in the following categories:

- number of foods at subspecies level and below with 1 component;
- number of foods at subspecies level and below with 2 to 9 components;
- number of foods at subspecies level and below with 10 to 30 components;
- number of foods at subspecies level and below with more than 30 components.

It was recognized that the quality of the data should be assessed using standardized criteria, but development and use of quality criteria is beyond the scope of this meeting.

#### **5.4 Publication Level**

All published and unpublished data, as long as they are well documented, will be used for the indicator. This includes, but is not limited to, food composition tables and databases, peer-reviewed articles, laboratory reports, reports from research institutes, conference proceedings and poster presentations, and theses.

#### **5.5 Reporting**

Reporting on the indicator will be undertaken at three levels:

1. national and regional food composition databases – number of foods meeting the criteria; analytical and non-analytical<sup>1</sup> data for components are acceptable;
2. specialist databases – number of foods meeting the criteria; analytical and non-analytical data<sup>1</sup> for components are acceptable;
3. other published and unpublished literature – number of foods meeting the criteria; only analytical data for components are acceptable.

Reporting on national and regional food composition databases will be undertaken through the INFOODS Regional Data Centre Coordinators.

Reporting on non-nutritive bioactive food components will be undertaken through agreement with the EuroFIR/BASIS database, based on a collection of international scientific articles on bioactive compounds.

Reporting on English-language international scientific literature and databases will be undertaken through the FAO Virtual Library's scientific, health and agriculture abstracting databases and other relevant data resources.

Reporting on non-English-language published and unpublished sources of data will be undertaken through agreements with the relevant INFOODS Regional Data Centre Coordinators.

The reporting will be carried out through a template (see *Annex 4*).

---

<sup>1</sup> Non-analytical data include data that are borrowed, calculated, imputed or estimated.

## 6 RECOMMENDATIONS

### 1. General recommendations:

- Funding is required for the adequate generation, compilation and dissemination of food composition data that capture elements of biodiversity. Resources should be sought at both national and international levels.
- The vital role of food composition needs to be stressed in the health, nutrition, agricultural, trade and environmental sectors at both national and international levels.
- Taxonomic databases need to include more entries on wild foods and foods at the level of subspecies, varieties, cultivars and breeds, so that this information can be used to identify foods for biodiversity.

### 2. Recommendations to FAO, in cooperation with Bioversity International where relevant:

- prepare a request for institutional agreements with national and regional compilers;
- report on the indicator in international fora to raise awareness of the link between biodiversity, nutrition and health;
- take steps to increase funding for food composition data generation, compilation and dissemination for biodiversity;
- continue to play a vital role in the generation and dissemination of food composition data globally;
- facilitate collaboration between food composition data compilers and genetic resource specialists in order to ensure proper identification of plant and animal genetic resources for food;
- advocate for recognition of the importance of biodiversity at the international level and advise ministers/secretaries of agriculture and other high-level government officials on the need to generate food composition data for this purpose;
- encourage countries to increase efforts at the national level on biodiversity;
- assist countries to develop multisectoral policies to encourage the sustainable use of biodiversity for food and agriculture;
- ensure better quality of published data by disseminating the FAO/INFOODS guidelines on food composition databases to scientific journals, thereby increasing the minimum standards for publication of compositional data, including scientific food identification;

- develop data quality criteria by which future compositional data on biodiversity should be scrutinized;
  - disseminate the recommendations of the Expert Consultation widely as advocacy for biodiversity and to increase funding for data generation, compilation and dissemination for biodiversity;
  - draw up sampling guidelines for biodiversity.
3. Recommendations to national and regional data generators and compilers:
- generate more and better data on foods at subspecies and variety/cultivar/breed levels; scientific names, i.e. genus, species, variety, should be used, authenticated or documented with digital images, DNA fingerprinting and/or vouchers;
  - develop and encourage the use of scientific names for wild and underutilized species, and at subspecies level and below, to enable reporting of the indicator not only with local names but also with scientific names;
  - increase collaboration among INFOODS Regional Data Centres in this regard;
  - increase use of compositional data at the subspecies level and below and include more wild and underutilized foods in food consumption surveys;
  - encourage the inclusion of moisture data together with any food compositional data;
  - increase the link with agricultural marketing institutions and departments as well as with research facilities to identify foods consumed at the subspecies level and below and to obtain existing compositional data on them;
  - in addition to counting the number of food components available for each indicator food, consider recording the presence or absence of a specified subset of food components for each food item (see *Annex 3*).



## ANNEX 1

### LIST OF PARTICIPANTS

#### PARTICIPANTS

Torsten BOHN  
Project Leader Nutrition &  
Toxicology  
Department of Environment &  
Agro-biotechnologies (EVA)  
Centre for Public Research –  
Gabriel Lippmann  
41, rue du Brill  
L-4422 Belvaux  
Luxembourg

Roger DJOULDE DARMAN  
Chercheur  
Coordination des cultures perennes  
Institut de recherché agronomique  
pour le développement (IRAD)  
Boîte Postale 2067  
Nkolbisson laboratoire de chimie  
technologie café-cacao  
Yaoundé  
Cameroon

Paul FINGLAS  
Head, Food Databanks Platform &  
EuroFIR Coordinator  
Department Food Databanks  
Platform  
Institute of Food Research  
Norwich Research Park Colney  
Lane, Colney  
Norwich NR4 7UA  
United Kingdom

Heather GREENFIELD  
Adjunct Professor  
University of Sydney/University of  
New South Wales  
16 Farnham Avenue  
Randwick NSW 2031  
Australia

Joanne HOLDEN  
Research Leader  
Nutrient Data Laboratory  
United States Department of  
Agriculture  
Beltsville Human Nutrition  
Research Center  
10300 Baltimore Boulevard  
Beltsville, Maryland 20705  
U.S.A.

Harriet KUHNLEIN (Rapporteur)  
Professor of Human Nutrition  
Founding Director  
Centre for Indigenous Peoples'  
Nutrition and Environment (CINE)  
Macdonald Campus,  
McGill University  
21,111 Lakeshore Road  
Ste. Anne de Bellevue  
Quebec H9X3V9  
Canada

Heli KUUSIPALO  
Researcher in Nutrition  
University of Tampere Medical  
School  
Department of International Health  
Finn-Medi 3 Building  
33014 University of Tampere  
Tampere  
Finland

Thing-nga-ning LONGVAH  
Deputy Director & Head  
Food Chemistry Division  
National Institute of Nutrition  
Jamai Osmania P.O.  
Hyderabad – 500 007  
India

Lilia MASSON  
Directora Centro de I&D Grasas y  
Aceites  
Jefa de Proyecto Composición de  
Alimentos Chilenos, Especies  
Nativas  
Departamento de Ciencia de  
Alimentos y Tecnología Química  
Facultad de Ciencias Químicas y  
Farmacéuticas  
Universidad de Chile  
Casilla 233, Correo 1  
Av. Vicuña Mackenna 20,  
Providencia  
Santiago  
Chile

Virginia MELO RUIZ  
Investigadora  
División Ciencias Biológicas y de la  
Salud  
Departamento de Sistemas  
Biológicos

Universidad Autónoma  
Metropolitana – X  
Calzada del Hueso 1100  
CP 04960 México D.F.  
Mexico

Suzanne MURPHY (Chairman)  
Nutrition Researcher  
Cancer Research Center of Hawaii  
University of Hawaii  
1236 Lauhala St., Suite 407  
Honolulu, HI 96813  
U.S.A.

Prapasri PUWASTIEN  
Associate Professor  
Technical Team and Consultant  
Institute of Nutrition  
Mahidol University  
Putthamonthon 4 Road, Salaya  
Nakorn Pathom 73170  
Thailand

Delia RODRIGUEZ-AMAYA  
Full Professor  
Department of Food Science  
Faculty of Food Engineering  
State of University of Campinas  
P.O. Box 6121  
13083-862 Campinas  
São Paulo  
Brazil

Hettie SCHÖNFELDT  
Professor  
School of Agricultural and Food  
Sciences  
University of Pretoria  
Lynnwood Road  
0002 Pretoria  
South Africa

Ifeyironwa Francisca SMITH  
(Rapporteur)  
Honorary Research Fellow  
(Nutrition)  
Diversity for Livelihoods Programme  
Bioersivity International  
Via dei Tre Denari 472/a  
00057 Maccarese (Rome)  
Italy

Elizabete WENZEL de MENEZES  
Professor  
Department of Food and  
Experimental Nutrition  
College of Pharmaceutical Science  
University of São Paulo (USP)  
Av. Prof. Lineu Prestes 580, Cj.  
Químicas BL. 14  
CEP 05508-900  
São Paulo  
Brazil

## OBSERVERS

Amin ISMAIL  
Department of Nutrition and  
Dietetics  
Faculty of Medicine and Health  
Sciences  
University of Putra Malaysia  
43400 Serdang Selangor  
Malaysia

Kunchit JUDPRASONG  
Institute of Nutrition  
Mahidol University  
Putthamonthon 4 Road, Salaya  
Nakorn Pathom 73170  
Thailand

Jehangir KHAN KHALIL  
NWFP Agricultural University  
25120 Peshawar  
Pakistan

## LIAISON OFFICER

Vera NISHIMURA  
Brazilian Ministry of External  
Relations  
São Paulo  
Brazil

**SECRETARIAT**

Barbara BURLINGAME  
Senior Nutrition Officer and Group  
Leader  
Nutrition and Consumer Protection  
Division  
Food and Agriculture Organization  
Rome  
Italy

U. Ruth CHARRONDIÈRE  
Nutrition Officer  
Nutrition and Consumer Protection  
Division  
Food and Agriculture Organization  
Rome  
Italy

Pablo EYZAGUIRRE  
Senior Scientist, Anthropology and  
Socioeconomics  
Bioersity International  
Diversity for Livelihoods Programme  
Via dei Tre Denari 472/a  
00057 Maccarese (Rome)  
Italy

Maria Teresa OYARZÚN  
Food and Nutrition Consultant  
FAO Regional Office for Latin  
America and the Caribbean  
Santiago  
Chile

## ANNEX 2

### DRAFT AGENDA

09.00 - 09.15	<b>Welcome of Participants</b>  Election of chairman and rapporteurs Adoption of agenda	<i>B. Burlingame P. Eyzaguirre</i>
09.15 - 09.30	Background and objectives of the Expert Consultation	<i>B. Burlingame</i>
09.30 -11.00	Discussions of issues connected with the nutrition indicator for biodiversity related to food composition including identification of existing data, data sources, data gaps and research needs	
11.00 -11.30	<i>Coffee break</i>	
11.30 -13.00	Discussions of issues connected with the nutrition indicator for biodiversity related to food composition including identification of existing data, data sources, data gaps and research needs	
13.00 -14.00	<i>Lunch</i>	
14.00 -16.00	Summary of discussion on the various issues  Discussion on development of indicators on food composition  Agreement on indicators  Discussion of the reporting mechanism	
16.00 -16.30	<i>Coffee break</i>	
16.30 -17.30	Recommendations and conclusions Next steps and wrap-up	
	<b>Close of the Expert Consultation</b>	

**ANNEX 3****MAIN COMPONENTS FOR REPORTING**

<b>Macronutrients</b>	<b>Vitamins</b>	<b>Minerals</b>	<b>Others</b>
Water	<b>Thiamin</b>	<b>Calcium</b>	Edible part coefficient
Energy in kJ	<b>Riboflavin</b>	<b>Iron</b>	Cholesterol
Protein	<b>Folate</b>	<b>Iron, haem</b>	Zeaxanthin
Total nitrogen	<b>Niacin</b>	<b>Iron, non-haem</b>	Lutein
Available carbohydrates (by weight or by difference) preferred; if not, total carbohydrates (by difference) acceptable	<b>Vitamin B12</b>	<b>Potassium</b>	Lycopene
Sugars, total; individual sugars	<b>Vitamin C</b>	<b>Magnesium</b>	Individual amino acids
Starch	<b>Vitamin A equivalent</b>	<b>Manganese</b>	Individual fatty acids
Dietary fibre (AOAC/Prosky method preferred)	<b>Retinol</b>	<b>Iodine</b>	Other bioactive compounds
Fat	<b>Beta carotene</b>	<b>Selenium</b>	
Saturated fatty acids, total	<b>Alpha carotene</b>	<b>Zinc</b>	
Monounsaturated fatty acids, total	<b>Beta cryptoxanthin</b>	<b>Others</b>	
Polyunsaturated fatty acids, total	<b>Vitamin D</b>		
Trans fatty acids, total	<b>Vitamin E (TE)</b>		
Ash	<b>Alpha tocopherol</b>		
Alcohol	<b>Vitamin K</b>		
Others	<b>Others</b>		

**ANNEX 4**

**TEMPLATE FOR REPORTING ON THE NUTRITION INDICATOR OF BIODIVERSITY IN THE FOOD COMPOSITION LITERATURE**

**A. NATIONAL LEVEL**

**Name of country:**

**Sender (name and contact details):**

**Date:**

Publication	Material examined	References	Number of foods at subspecies level and below with following number of components			
			1	2 – 9	10 – 30	> 30
<b>1. Food composition databases (FCDB)</b>						
Reference database of national FCDB						
User database of national FCDB						
Other national FCDB						
<b>2. Literature</b>						
National peer-reviewed journals	Indicate journals and years					
National laboratory reports	Indicate laboratories and years					
Reports from national research institutes	Indicate research institutes and years					
National conference presentations (incl. posters)	Indicate conferences and years					
Theses	Indicate universities and years					
Other (specify)	Indicate publication and years					

**B. REGIONAL LEVEL****Name of region:****Countries covered:****Sender (name and contact details):****Date:**

Publication	Material examined	References	Number of foods at subspecies level and below with following number of components			
			1	2 – 9	10 – 30	> 30
<b>1. Food composition databases (FCDB)</b>						
Reference database of regional FCDB						
User database of regional FCDB						
Other regional FCDB						
<b>2. Literature</b>						
Regional peer-reviewed journals	Indicate journals and years					
Regional laboratory reports	Indicate laboratories and years					
Reports from regional research institutes	Indicate research institutes and years					
Regional conference presentations (incl. posters)	Indicate conferences and years					
Other (specify)	Indicate publication and years					

**C. INTERNATIONAL LEVEL**

**Regions and countries covered:**

**Sender (name and contact details):**

**Date:**

Publication	Material examined	References	Number of foods at subspecies level and below with following number of components			
			1	2 – 9	10 – 30	> 30
<b>1. Food composition databases (FCDB)</b>						
Reference database of international FCDB						
User database of international FCDB						
Other food international FCDB						
<b>2. Literature</b>						
International peer-reviewed journals	Indicate journals and years					
Laboratory reports from international institutes	Indicate laboratories and years					
Reports from international research institutes	Indicate research institutes and years					
International conference presentations (incl. posters)	Indicate conferences and years					
Other (specify)	Indicate publication and years					
<b>3. BASIS database</b>						

**ADDITIONAL FILES TO BE PROVIDED TOGETHER  
WITH THE TEMPLATE****Material examined**

<b>Letter</b>	<b>Material examined</b>
a	
b	

**References**

<b>Number</b>	<b>Full reference</b>	<b>DOI, CiteXplore ID<sup>1</sup>, other international publication code</b>
1		
2		

<sup>1</sup> CiteXplore <http://www.ebi.ac.uk/citexplore/>.

## ANNEX 5

### GLOSSARY<sup>2</sup>

**Biodiversity:** the variability among living organisms from all sources, including terrestrial, marine and other ecosystems and the ecological complexes of which they are part; it covers diversity within species, between species and of ecosystems; *synonyms:* biological diversity, ecological diversity.

**Breed:** (1) a subspecific group of animal species, within a single zoological taxon of the lowest known rank, with definable and identifiable external characteristics that enable it to be separated by visual appraisal from other similarly defined groups within the same species; (2) a group of domestic livestock for which geographical and/or cultural separation from similar groups has led to acceptance of its separate identity.

**Cultivar** (from cultivated + variety) (abbr: cv.): a category of plants that is below the level of a subspecies taxonomically and equivalent taxonomically to variety, and is found only in cultivation; it is an international term denoting certain cultivated plants that are clearly distinguishable from others by stated characteristics and that retain their distinguishing characteristics when reproduced under specific conditions; the naming of a cultivar should conform to the *International Code of Nomenclature for Cultivated Plants* (the *ICNCP*, commonly known as the “Cultivated Plant Code”); a cultivar is named with a cultivar (or fancy) epithet, a word or words in a vernacular language (unless published prior to 1959), or a botanical (Latin) epithet already established for a taxon now deemed to be a cultivar, formed according to the precepts of the code; the epithet is printed in roman characters, not italic, takes a capital first letter and is enclosed in single quotation marks, for example, *Hosta kikutii* ‘Green Fountain’; cultivar names, unlike varieties, have generally been registered with an appropriate body in order to associate that name with a particular population and, usually, to claim rights over the population.

**Ecosystem:** a dynamic complex of plant, animal and micro-organism communities and their non-living environment interacting as a functional unit (CBD, 1993).

**Species:** below the level of genus, species is a class of potentially interbreeding individuals that are reproductively isolated from other such groups having many characteristics in common; species classifications are subject to review and

---

<sup>2</sup> Definitions are adapted from FAO, 1999 and FAO, 2001.

change as new genomic and other scientific evidence is considered; by convention, a species is assigned a two-part italicized name in Latin, the genus being listed first (with its leading letter capitalized) and the species second; the name of the species is the whole binomial, not just the second term, for example, apple belongs to the species *Malus domestica*.

**Subspecies:** population(s) of organisms sharing certain characteristics that are not present in other populations of the same species; the taxonomic naming convention is to append “ssp.” or “subspec.” and the Latin name in italic to the species name, for example *Prunus domestica* L. subsp. *domestica*.

**Underutilized species:** for the purpose of this publication underutilized species are defined as species with underexploited potential for contributing to food security, health and nutrition, income generation and environmental services (GFU, 2007). However, ‘underutilized species’ is not well a well defined term and it depends on the geographical, social, economic and temporal aspects and includes a wide range of wild, traditional, indigenous and local foods. Often, their taxonomic identification is not complete, especially below species level.

**Variety:** a naturally occurring subdivision of a plant species, within a single botanical taxon of the lowest known rank, with distinct morphological characteristics and given a Latin name according to the rules of the International Code of Nomenclature; a taxonomic variety is known by the first validly published name applied to it, so that nomenclature tends to be stable (cf. cultivar; pathovar); the taxonomic naming convention is to append “var.” and the Latin name in italic to the species name, for example *Malus angustifolia* (Ait.) Michx. var. *angustifolia* – southern crabapple; a variety will have an appearance distinct from other varieties, but will hybridize freely with other varieties, if brought into contact; varieties are usually geographically separate from each other; to plant breeders, at least in countries that are signatories to the UPOV Convention, “variety” or “plant variety” is a legal term; in zoological nomenclature, the only officially-regulated rank below that of species is subspecies; forms and morphs are used instead of varieties if needed, but are unregulated by the International Commission on Zoological Nomenclature (ICZN). In bacteriological nomenclature “variety” and “subspecies” are used interchangeably.

## SCHEMA OF TAXONOMIC NAMES

Schema	Plant – example	Plant – example	Fish – example	Animal – example
Family	<i>Rosaceae</i> – Rose family	<i>Poaceae</i> – Grass family	<i>Pleuronectidae</i>	<i>Bovidae</i> <i>Caprinae</i>
Genus	<i>Prunus</i> L. – plum	<i>Triticum</i> L. – wheat	<i>Platichthys</i>	<i>Ovis</i>
Species	<i>Prunus domestica</i> L. – European plum	<i>Triticum aestivum</i> L. – common wheat	<i>Platichthys flesus</i> (Linnaeus, 1758)	<i>Ovis aries</i> – sheep
Subspecies	<i>Prunus domestica</i> L. subsp. <i>domestica</i>			(rarely used)
Variety	<i>Prunus domestica</i> L. var. <i>domestica</i> – European plum		<i>Platichthys flesus</i> var. <i>marmorata</i> Nordmann, 1840 – European flounder	
Cultivar	<i>Prunus domestica</i> ‘Cacak’s Beauty’	<i>Triticum aestivum</i> ‘Pioneer 2163’		
Breed				Suffolk

### Note:

Cultivar names should always be enclosed in single quotation marks ‘ ’ even though it is not always done. The cultivar name should not be confused with the authors’ name of the taxonomic name, e.g. L. or Linn. (for Linnaeus), Roem, (L.) Roem, Bosc, Roxb., Swartz, Mill., Muell., Nordmann etc., which can be followed by a year. It is possible to check the author names through the ‘International Plant Names Index – author queries’ found at <http://www.ipni.org/ipni/authorssearchpage.do>.



## ANNEX 6

### RESOURCES

- Taxonomic websites
  - Plants
    - <http://www.ars-grin.gov/cgi-bin/npgs/html/index.pl>
    - <http://mansfeld.ipk-gatersleben.de/>
    - <http://www.plantnames.unimelb.edu.au/Sorting/Frontpage.html>
    - <http://www.seedtest.org/en/home.html>
    - <http://plants.usda.gov/>
  - Fish
    - [http://www.fao.org/figis/servlet/static?dom=org&xml=sidp.xml&xp\\_language=en&xp\\_banner=fi](http://www.fao.org/figis/servlet/static?dom=org&xml=sidp.xml&xp_language=en&xp_banner=fi)
    - <http://www.fao.org/fi/website/FISearch.do?dom=species>
    - <http://www.fishbase.org/home.htm>
    - <http://vm.cfsan.fda.gov/%7Efrf/rfe0.html>
    - <http://www.nativefish.asn.au/taxonomy.html>
    - <http://www.nativefish.asn.au/fish.html>
  - Plants, animals, fish
    - <http://www.ncbi.nlm.nih.gov/sites/entrez?db=Taxonomy>
    - <http://www.cbif.gc.ca>
    - <http://www.sp2000.org/>
  - Gene bank databases
    - <http://www.informatik.uni-leipzig.de/~tkirsten/GenBankManagement.html>
    - [http://www.biodiversityinternational.org/Information\\_Sources/Species\\_Databases/Species\\_Compendium/default.asp](http://www.biodiversityinternational.org/Information_Sources/Species_Databases/Species_Compendium/default.asp)



## ANNEX 7

### REFERENCES

**CBD**, 1993. *Convention on biological diversity (with Annexes)*. Concluded at Rio de Janeiro on 5 June 1992. No. 30619. Available at the CBD website: <http://www.cbd.int/convention/articles.shtml?a=cbd-02>

**Englberger, L., Schierle, J., Marks, G. & Fitzgerald, M.** 2003a. Micronesian banana, taro and other foods: newly recognized sources of provitamin and other carotenoids. *Journal of Food Composition and Analysis*, 16: 3–19.

**Englberger, L., Aalbersberg, W., Ravi, P., Bonnin, E., Marks, G., Fitzgerald, M. & Elymore, J.** 2003b. Further analysis on Micronesian banana, taro, breadfruit and other foods for provitamin carotenoids and minerals. *Journal of Food Composition and Analysis*, 16: 219–236.

**Englberger, L., Aalbersberg, W., Fitzgerald, M., Marks, G. & Chand, K.** 2003c. Provitamin carotenoid content of different cultivars of edible pandanus fruit. *Journal of Food Composition and Analysis*, 16: 237–247.

**FAO**, 1999. *Glossary of biotechnology and genetic engineering*, by A. Zaid, H.G. Hughes, E. Porceddu & F. Nicholas. FAO Research and Technology Papers No. 7. Available at the FAO website: <http://www.fao.org/DOCREP/003/X3910E/X3910E00.htm>

**FAO**, 2001. *Glossary of biotechnology for food and agriculture – a revised and augmented edition of the glossary of biotechnology and genetic engineering*, by A. Zaid, H.G. Hughes, E. Porceddu & F. Nicholas. FAO Research and Technology Papers No. 9. Available at the FAO website: <http://www.fao.org/DOCREP/004/Y2775E/Y2775E00.HTM>

**Freiberger, C., Vanderhagt, D., Pastuszyn, A., Glew, R., Mounkaila, G. & Millson, M.** 1998. Nutrient content of the edible leaves of seven wild plants from Niger. *Plant Foods in Human Nutrition*, 53: 57–69.

**GFU**, 2007. *Inviting all the world's crops to the table*. Global Facilitation Unit for Underutilized Species (GFU) in cooperation with Bioversity International. Available at the website: [http://www.underutilized-species.org/Documents/PUBLICATIONS/Inviting\\_all\\_the\\_worlds\\_crops\\_to\\_the\\_table.pdf](http://www.underutilized-species.org/Documents/PUBLICATIONS/Inviting_all_the_worlds_crops_to_the_table.pdf)

- Hagenimana, V.M., Oyunga, J., Low, S., Njoroge, M., Gichuki, J. & Kabira, P.** 1999. The effects of women farmers' adoption of orange-fleshed sweet potatoes: raising vitamin intake in Kenya. *ICRW/OMNI Research Report Series*, 3: 1–24.
- Hagg, M., Ylikoski, S. & Kumpulainen, J.** 1995. Vitamin content in fruits and berries consumed in Finland. *Journal of Food Composition and Analysis*, 8: 12–20.
- Herzog, F., Farah, Z. & Amado, R.** 1994. Composition and consumption of gathered wild fruits in the V-Baoule, Côte d'Ivoire. *Ecology of Food and Nutrition*, 32: 181–196.
- Huang, A., Tanudjaja, L. & Lum, T.** 1999. Content of alpha, beta-carotene and dietary fibre in 18 sweet potato varieties grown in Hawaii. *Journal of Food Composition and Analysis*, 12: 147–151.
- Johns, T. & Sthapit, B.R.** 2004. Biocultural diversity in the sustainability of developing country food systems. *Food and Nutrition Bulletin*, 25(2): 143-155.
- Kennedy, G. & Burlingame, B.** 2003. Analysis of food composition data on rice from plant genetic resources perspective. *Food Chemistry*, 80: 589–596.
- Kennedy, G., Islam, O., Eyzaguirre, P. & Kennedy, S.** 2005. Field testing of plant genetic diversity indicators for nutrition surveys: rice-based diet of rural Bangladesh as a model. *Journal of Food Composition and Analysis*, 18(4): 255-268.
- Nordeide, M., Hatloy, A., Folling, M., Lied, E. & Oshaug, A.** 1996. Nutrient composition and nutritional importance of green leaves and wild food resources in an agricultural district, Koutiala, in Southern Mali. *International Journal of Food Sciences and Nutrition*, 47: 455–468.
- Rajyalakshmi, P. & Geervani, P.** 1994. Nutritive value of the foods cultivated and consumed by the tribals of South India. *Plant Foods for Human Nutrition*, 46(1): 53–61.
- Simonne, A., Simonne, E., Eitenmiller, R., Mills, H. & Green, N.** 1997. Ascorbic acid and provitamin contents in unusually colored bell peppers (*Capsicum annum* L.). *Journal of Food Composition and Analysis*, 10: 299–311.
- Toledo, A. & Burlingame, B.** 2006. Special issue on Biodiversity and Nutrition: a common pathway. *Journal of Food Composition and Analysis*, 19(6-7): 294 pp.