

**PROPOSED DRAFT AND PROPOSED DRAFT REVISED MAXIMUM RESIDUE LIMITS
FOR VETERINARY DRUGS**

(Advanced to Step 5 of the Codex Procedure)

Clenbuterol

ADI: 0-0.004 µg/kg body weight (1996)

Residue Definition: Clenbuterol.

Species	Tissue	MRL (µg/kg)	Step	JECFA	CCRVDF
Cattle	Milk	0.05	5	47	10VI, 11VI

Neomycin

ADI: 0-60 µg/kg body weight (1996)

Residue Definition: Neomycin.

Species	Tissue	MRL (µg/kg)	Step	JECFA	CCRVDF
Cattle	Liver	15000	5(r)	52	
Cattle	Kidney	20000	5(r)	52	
Cattle	Milk	500	5(a)	52	

Phoxim

ADI: 0-4 µg/kg body weight (1999)

Residue Definition: Phoxim

Species	Tissue	MRL (µg/kg)	Step	JECFA	CCRVDF
Cattle	Muscle	50 T	5	52	
Pig	Muscle	50 T	5	52	
Sheep	Muscle	50 T	5	52	
Goat	Muscle	50 T	5	52	
Cattle	Liver	50 T	5	52	
Pig	Liver	50 T	5	52	
Sheep	Liver	50 T	5	52	
Goat	Liver	50 T	5	52	
Cattle	Kidney	50 T	5	52	
Pig	Kidney	50 T	5	52	
Sheep	Kidney	50 T	5	52	
Goat	Kidney	50 T	5	52	
Cattle	Fat	400 T	5	52	
Pig	Fat	400 T	5	52	
Sheep	Fat	400 T	5	52	
Goat	Fat	400 T	5	52	
Cattle	Milk	10 T	5	52	

Porcine somatotropin

ADI: Not Specified (1999)

Residue Definition: Not applicable

Species	Tissue	MRL (µg/kg)	Step	JECFA	CCRVDF
Pig	Muscle	not specified	5	52	
Pig	Liver	not specified	5	52	
Pig	Kidney	not specified	5	52	
Pig	Fat	not specified	5	52	

Thiamphenicol

ADI: 0-5 µg/kg body weight (1999)

Residue Definition: Sum of thiamphenicol and thiamphenicol conjugates, measured as thiamphenicol.

Species	Tissue	MRL (µg/kg)	Step	JECFA	CCRVDF
Pig	Muscle	50 T	5	52	
Fish	Muscle	50 T	5	52	
Pig	Liver	100 T	5	52	
Pig	Kidney	500 T	5	52	
Pig	Fat	50 T	5	52	