

CODEX ALIMENTARIUS COMMISSION



Food and Agriculture
Organization of the
United Nations



World Health
Organization

Viale delle Terme di Caracalla, 00153 Rome, Italy - Tel: (+39) 06 57051 - E-mail: codex@fao.org - www.codexalimentarius.org

Agenda Item 8g

CRD26

JOINT FAO/WHO FOOD STANDARDS PROGRAMME

CODEX COMMITTEE ON PESTICIDE RESIDUES

48th Session

Chongqing, P.R. China, 25-30 April 2016

Changes on Agenda Item 8(g) by Chair and Co-Chair of the EWG of the Codex Classification taking into account the reaction of several countries

Changed items were shaded

The correct names for the legume vegetables are depending on the outcome of the discussion on item 7.

Table 2. Examples of the Selection of Representative Commodities – Vegetables

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 009 Bulb vegetables	Bulb onion and Spring onion or leek	<u>Bulb vegetables (VA 0035)</u> : Chives; Chives, Chinese; Daylilly; Elegans hosta; Fritillaria (bulb); Fritillaria (green); Garlic; Garlic chives; Garlic, Great-headed; Garlic, Serpent; Kurrat; Lady's leek; Leek; Lily; Onion, Beltsville bunching; Onion, Bulb; Onion, Chinese; Onion, fresh; Onion macrostem; Onion, Pearl; Onion, potato; Onion, Welsh; Shallot; Silverskin onion; Spring onion; Tree onion; Wild leek
Subgroup 009A, Bulb Onions	Bulb onion	<u>Bulb Onions (VA 2031)</u> : Daylilly; Fritillaria (bulb); Garlic; Garlic, Great-headed; Garlic, Serpent; Lily; Onion, Bulb; Onion, Chinese; Shallot; Silverskin onion
Subgroup 009B, Green Onions	Spring onion or leek	<u>Green Onions (VA 2032)</u> : Chives; Chives, Chinese; Elegans hosta; Fritillaria (green); Garlic chives; Kurrat; Lady's leek; Leek; Onion, Beltsville bunching; Onion, fresh; Onion macrostem; Onion, Pearl; Onion, potato; Onion, Welsh; Spring onion; Tree onion; Wild leek
Group 010 Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead cabbages	Broccoli (Could be partly replaced by Cauliflower) and Cabbage, Head or Chinese cabbage (type Pe-tsai) and Brussels sprouts and Kohlrabi	<u>Brassica (cole or cabbage) vegetables, Flowerhead cabbages (VB0040)</u> : Broccoli; Brussels sprouts; Cabbage, Head; Cabbage, Chinese (napa); Cabbage Savoy; Cauliflower; Kohlrabi; Stem mustard
Group 010A, Flowerhead Brassicas	Broccoli (Could be partly replaced by Cauliflower)	<u>Flowerhead Brassicas (VB 0042)</u> : Broccoli; Cauliflower
Group 010B, Head Brassicas	Cabbage, Head or Chinese cabbage (type Pe-tsai) and Brussels sprouts	<u>Head Brassicas (VB 2036)</u> : Cabbages, head; Brussels sprouts; Cabbage Savoy; Chinese cabbage (napa)

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 010C, Stem Brassicas	Kohlrabi	<u>Stem Brassicas (VB 2016)</u> : Kohlrabi; Stem mustard
Group 11 Fruiting vegetables, Cucurbits	Cucumber and Squash, Summer and Melon (<i>Cucumis melo</i>)	<u>Fruiting vegetables, Cucurbits (VC 0045)</u> : African horned melon; Balsam apple; Bitter melon; Bottle gourd; Casabanana; Chayote; Chieh-qua; Chinese cucumber; Cucumber; Cucumber, exploding; Cucumber, stuffing; Gac; Gherkin; Gherkin, West Indian; Gourd, bitter snake; Gourd, buffalo; Gourd, fluted; Gourd, Malabar; Gourd, pointed; Gourd, round; Indian spine gourd; Ivy gourd; Japanese snake gourd; Korean Melon; Loofah, angled; Loofah, Smooth; Melons, except watermelon; Melon, nara; Pumpkins; Snake gourd; Squash, Summer; Tacaco; Watermelon; Wax gourd; Winter squash
Subgroup 11A Fruiting vegetables, Cucurbits such as cucumber and summer squashes	Cucumber and Squash, Summer	<u>Fruiting vegetables, Cucurbits such as cucumber and summer squashes (VC2039)</u> : Balsam apple; Bitter melon; Bottle gourd; Chayote; Chieh-qua; Chinese cucumber; Cucumber; Cucumber, exploding; Cucumber, stuffing; Gac; Gherkin; Gherkin, West Indian; Gourd, bitter snake; Gourd, buffalo; Gourd fluted; Gourd, Malabar; Gourd, pointed; Gourd, round; Indian spine gourd; Ivy gourd; Japanese snake gourd; Loofah, angled; Loofah, Smooth; Snake gourd; Squash, Summer; Tacaco
Subgroup 11B Fruiting vegetable, Cucurbits such as melons, pumpkins and winter squashes	Melon (<i>Cucumis melo</i>)	<u>Fruiting vegetables, Cucurbits Cucurbits such as melons, pumpkins and winter squashes (VC2040)</u> : African horned melon; Casababana; Korean Melon; Melons, except watermelon; Melon, nara; Pumpkins; Watermelon; Wax gourd; Winter squash
Group 012 Fruiting vegetables, other than Cucurbits	One cultivar of large variety Tomato and one cultivar of small variety Tomato and Sweet Pepper and Chili pepper and One cultivar of large variety eggplant and/or tomato and one cultivar of small variety eggplant and/or tomato	<u>Fruiting vegetables, other than Cucurbits (VO 0050)</u> : African eggplant; Bush tomato; Cherry tomato; Cocona; Currant tomato; Eggplant; Garden huckleberry; Goji berry; Ground cherries, Martynia; Okra; Pea eggplant; Pepino; Peppers, Chili; Peppers, sweet; Roselle; Scarlet eggplant; Sunberry; Tomatillo; Tomato; Thai eggplant
Group 12A, Tomatoes	One cultivar of large variety Tomato and one cultivar of small variety Tomato	<u>Tomatoes (VO 2045)</u> : Bush tomato; Cherry tomato; Cocona; Currant tomato; Garden huckleberry; Goji berry; Ground cherries; Sunberry; Tomatillo; Tomato
Group 12B, Peppers	Sweet Pepper and Chili pepper	<u>Peppers (VO 0051)</u> : Martynia; Okra; Peppers, Chili; Peppers, sweet; Roselle;
Group 12C, Eggplants	One cultivar of large variety eggplant and/or tomato and one cultivar of small variety eggplant and/or tomato	<u>Eggplants (VO 2046)</u> : African eggplant; Eggplant; Pea eggplant; Pepino; Scarlet eggplant; Thai eggplant

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
<p>Group 013 Leafy vegetables (including Brassica leafy vegetables)</p>	<p>Head lettuce and/or Leaf lettuce and Spinach and Mustard greens or Kale or Broccoli, Chinese or radish leaves and Beet, garden leaves and Sweet potato leaves or Arrowroot leaves and Grape leaves and Kangkung or Water mimosa or Watercress and Witloof chicory (sprouts) and Chayote leaves or Pumpkin leaves and Leaf lettuce or any crop intended to use as baby leaves (harvested up to 8 true leaf stage) and Mungbean sprouts</p>	<p><u>Leafy vegetables (including Brassica leafy vegetables) (VL 0053)</u>:Acacia shoots; African Eggplant leaves; African nightshade; Agretti; Alexanders leaves; Alfalfa sprouts; Amaranth leaves; Arrowroot leaves; Aster, Indian; Ayoyo; Baby leaves; Balsam pear leaves; Bambara groundnut leaves; Barley shoots; Bell flower, Chinese leaves; Ben moringa leaves; Bitawiri; Bitter leaf; Blackjack; Boxtorn; Broccoli, Chinese; Broccoli raab; Cabbage, Abyssinian; Cabbage. Seakale; Cassava leaves; Cat's Wiskers; Chamchwi; Chamnamul; Chamssuk; Chard; Chayote leaves; Chervil; Chicory leaves; Chili pepper leaves; Chinese cabbage (type Pak-choi); Chinese flat cabbage; Chipilin; Cress, Garden; Cress, Upland; Chrysanthum, Edible leaved; Common bean leaves; Corn salad; Cos lettuce; Cosmos; Cowpea leaves; Dandelion; Danggwí; Daylily leaves; Dock; Dolnamul; Ebolo; Endive; Fame flower; Feather cockscomb; Flowering white cabbage; Glasswort, common; Godeulppaegi; Gomchwi; Goosefoot; Grape leaves; Hanover salad; Iceplant; ; Ivy gourd leaves; Japanese honewort; Jute; Kahurura; Kangkung; Kale; Kohlrabi leaves; Komatsuna; Lettuce, bitter; Lettuce, head; Lettuce; leaf; Maca leaves; Mallow leaves; Melientha; Mizuna; Monkey-bread tree leaves; Mungbean sprouts; Mustard, greens; Mustard, tuberous rooted, Chinese; New Zealand spinach; Okazi leaves; Orach; Papaya leaves; Peanut leaves; Perilla leaves; Plantain leaves; Polygonatum leaves; Pumpkin leaves; Purple-stem mustard; Purslane; Purslane, Winter; Radish leaves; Radish sprouts; Rampion leaves; Rape greens; Roselle leaves; Rucola; Rutabage greens; Salsify leaves; Sanmaneul leaves; Shepherd's purse; Sichuan pepper sprouts; Sowthistle; Soya bean leaves; Soya bean sprouts; Spider plant; Spinach; Spinach. Indian; Ssam cabbage; Seumbagwi; Sweet potato leaves; Tanier spinach; Tannia leaves; Taro leaves; Toona sinensis; Turnip greens; Ullucu leaves; Velvet plant leaves; Violet, Chinese; Wasabi leaves; Water clover; Watercress; Water mimosa; Water shield; White led tree; Wild Rocket; Witloof chicory (sprouts); Yam leaves</p>
<p>Group 013A, Leafy greens</p>	<p>Head lettuce and/or Leaf lettuce and Spinach</p>	<p><u>Leafy greens (VL 2050)</u>:African Eggplant leaves; African nightshade; Agretti; Amaranth leaves; Aster, Indian; Ayoyo; Bambara groundnut leaves; Barley shoots; Bitawiri; Bitter leaf; Blackjack; Boxtorn; Cat's Wiskers;Chamchwi; Chamnamul; Chamssuk; Chard; Chervil; Chicory leaves; Chili pepper leaves; Chipilin; Chrysanthum, Edible leaved; Common bean leaves; Corn salad; Cos lettuce; Cosmos; Cowpea leaves; Dandelion; Danggwí; Daylily leaves; Dock; Dolnamul; Ebolo; Endive; Fame flower; Feather cockscomb; Glasswort, common; Godeulppaegi; Gomchwi; Goosefoot; Iceplant; Japanese honewort; Jute; Lettuce, bitter; Lettuce, head; Lettuce; leaf; Mallow leaves; New Zealand spinach; Orach; Peanut leaves; Perilla leaves; Plantain leaves; Polygonatum leaves; Purslane; Purslane, Winter; Sanmaneul leaves; Sowthistle; Soya bean leaves; Spider plant; Spinach; Spinach. Indian; Seumbagwi; Tanier spinach; Violet, Chinese</p>

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 013B, Brassica leafy vegetables	Mustard greens or Kale or Broccoli, Chinese, or radish leaves	<u>Brassica leafy vegetables (VL 0054):</u> Broccoli, Chinese; Broccoli raab; Cabbage, Abyssinian; Cabbage. Seakale; Chinese cabbage (type Pak-choi); Chinese flat cabbage; Cress, Garden; Cress, Upland; Flowering white cabbage; Hanover salad; Kale; Kohlrabi leaves; Komatsuna; Maca leaves; Mizuna; Mustard, greens; Mustard, tuberous rooted, Chinese; Purple-stem mustard; Radish leaves; Rape greens; Rucola; Rutabage greens; Shepherd's purse; Ssam cabbage; Turnip greens; Wasabi leaves; Wild Rocket
Group 013C, Leaves of root and tuber vegetables	Beet, garden leaves and Sweet potato leaves or Arrowroot leaves	<u>Leaves of root and tuber vegetables (VL 2052):</u> Alexanders leaves; Arrowroot leaves; Bell flower, Chinese leaves; Cassava leaves; Rampion leaves; Salsify leaves; Sweet potato leaves; Tannia leaves; Taro leaves; Ullucu leaves; Velvet plant leaves; Yam leaves
Group 013D, Leaves of trees, shrubs and vines	Grape leaves	<u>Leaves of trees, shrubs and vines (VL 2053):</u> Acacia shoots; Ben moringa leaves; Grape leaves; Melientha; Monkey-bread tree leaves; Okazi leaves; Papaya leaves; Roselle leaves; Sichuan pepper sprouts; Toona sinensis; White led tree
Group 013E, Leafy aquatic vegetables	Kangkung or Water mimosa or Watercress	<u>Leafy aquatic vegetables (VL 2054):</u> Kangkung; Water clover; Watercress; Water mimosa; Water shield
Group 13 F, Witloof	Witloof chicory (sprouts)	Witloof chicory (sprouts)
Group 13 G, Leaves of Cucurbitaceae	Chayote leaves or Pumpkin leaves	<u>Leaves of Cucurbitaceae (VL 2056):</u> Balsam pear leaves; Chayote leaves; Ivy gourd leaves; Kahurura; Pumpkin leaves
Group 13 H, Baby leaves	Leaf lettuce or any crop intended to use as baby leaves (harvested up to 8 true leaf stage)	<u>Baby leaves (VL 2057)</u>
Group 13 I, Sprouts	Mungbean sprouts	<u>Sprouts (VL 2057):</u> Alfalfa sprouts; Mungbean sprouts; Radish sprouts; Soya bean sprouts
Group 14 Legume vegetables	Beans with pods (<i>Phaseolus</i> spp.) and/or Peas with pods (<i>Pisum</i> sp.) and Succulent beans without pods (<i>Phaseolus</i> spp.) and Garden pea without pods and Bambara groundnuts	<u>Legume vegetables (VP 0060):</u> Beans (<i>Phaseolus</i> spp.); Beans (<i>Vigna</i> spp.); Beans, shelled (<i>Phaseolus</i> spp.); Beans, shelled (<i>Vigna</i> spp.); Bambara groundnut; Ben Moringa; Broad bean; Catjang; Chick-pea; Common bean; Cowpea; Garden pea; Goa bean; Grass pea; Guar; Jack bean; Lablab bean; Lentil; Lima bean; Lupin; Moth bean; Mung bean; Peanut (immature); Peas; Peas, shelled; Pigeon pea; Podded pea; Rice bean; Scarlet runner bean; Soya bean; Stink bean; Sword bean; Urd bean; Velvet bean; Winged pea; Yard-long bean;

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Subgroup 14A Beans with pods	Beans with pods (<i>Phaseolus</i> spp.)	Beans with pods (VP2060): Beans(<i>Phaseolus</i> spp.); Beans (<i>Vigna</i> spp.); Broad bean; Catjang; Common bean; Cowpea; Goa bean; Guar; Jack bean; Lablab bean; Moth bean; Mung bean; Rice bean; Scarlet runner bean; Soya bean; Stink bean; Sword bean; Urd bean; Yard-long bean
Subgroup 14B Peas with pods	Peas with pods (<i>Pisum</i> sp.) and/or Beans with pods (<i>Phaseolus</i> spp.)	Peas with pods (VP2061):Peas; Ben Moringa; Chick-pea; Garden pea; Grass pea; Lentil; Pigeon pea; Podded pea; Winged pea
Subgroup 14C Succulent beans without pods	Succulent beans without pods (<i>Phaseolus</i> spp.)	Succulent beans without pods (VP 2062): Beans, shelled (<i>Phaseolus</i> spp.); Beans, shelled (<i>Vigna</i> spp.); Broad bean, shelled; Catjang; Common bean; Cowpea; Goa bean; Jack bean; Lablab bean; Lima bean; Lupin; Moth bean; Scarlet runner bean; Soya bean; Stink bean; Velvet bean
Subgroup 14D Succulent peas without pods	Garden pea without pods	Succulent peas without pods(VP 2063): Peas, shelled; Chick-pea; Garden pea; Lentil; Pigeon pea
Subgroup 14E Underground beans and peas	Bambara groundnut	Underground beans and peas (VC 2064):Bambara groundnut; Peanut (immature)
Group 15 Pulses	Beans, dry (<i>Phaseolus</i> spp.)and/or Peas, dry (<i>Pisum</i> spp.) and Soya bean, dry and Bambara groundnut	Pulses (VD 0070): Beans (<i>Phaseolus</i> spp.); Beans (<i>Vigna</i> spp.); Adzuki bean; African yam bean; Bambara groundnut; Broad bean; Chick-pea; Common bean; Cowpea; Field pea; Goa bean; Grass-pea; Guar; Horse gram; Jack bean; Kersting's groundnut; Lablab bean; Lentil; Lima bean; Lupin; Morama bean; Moth bean; Mung bean; Peas; Pigeon pea; Rice bean; Scarlet runner bean; Soya bean; Tepary bean; Urd bean; Velvet bean; Winged pea
Subgroup 15A Dry beans	Beans, dry (<i>Phaseolus</i> spp.) and/or Peas, dry (<i>Pisum</i> spp.) and Soya bean, dry	Dry beans (VD 2065): Beans (<i>Phaseolus</i> spp.); Beans (<i>Vigna</i> spp.); Adzuki bean; African yam bean; Broad bean; Common bean; Cowpea; Goa bean; Guar; Horse gram; Jack bean; Lablab bean; Lima bean; Lupin; Morama bean; Moth bean; Mung bean; Rice bean; Scarlet runner bean; Soya bean; Tepary bean; Urd bean; Velvet bean; Winged pea
Subgroup 15B Dry peas	Peas, dry (<i>Pisum</i> spp.) and/or Beans, dry (<i>Phaseolus</i> spp.)	Drypeas (VD 2066): Peas; Chick-pea; Field pea; Grass-pea; Lentil; Pigeon pea
Subgroup 15C Dry underground pulses	Bambara groundnut	Dry underground pulses (VD 2067): Bambara groundnut; Kersting's groundnut

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 16 Root and tuber vegetables	Carrot and Radish and Sugar Beet or Beetroot and Potato or Sweet potato	<u>Root and tuber vegetables (VR 0075):</u> Alocasia; American potato bean; Arracacha; Arrowhead;Arrowroot; Arrowroot, Guinea; Arrowroot, Polynesian; Banana, Abyssinian;Beetroot; Bellflower, Chinese; Burdock, greater or edible; Canna, edible; Caraway, Black root; Carrot; Cassava; Cattail;Celeriac;Chayote root; Chervil, Turnip-rooted; Chicory roots;Chinese artichoke; Chinese potato; Chinese water chestnut; Cowpea, wild; Dandelion root; Deodeok; Earthnut pea; Elephant foot yam; Gastrodia tuber; Ginseng; Goa bean root; Horseradish; Jerusalem artichoke;Kaffir-potato; Konjac; Kudzu; Ladybell root; Lotus tuber; Maca; Madeira vine; Mashua;Mauka; Membranous milk-vetch root; Murnong, Mustard, tuberous rooted Chinese; Oca; Olbanga; Parsley, Turnip-rooted; Parsnip; Pencil yam;Pignut; Polygonatum tuber; Potato; Radish; Radish, Black; Radish, Japanese; Rampion roots; Salsify; Salsify, Spanish; Scorzonera; Skirret; Sugar beet; Swede; Sweet potato; Tannia; Taro; Tiger nut; Ti palm; Turnip, Garden; Ullucu; Water chestnut; Yacon; Yams,Yam bean
Group 16A Root vegetables	Carrot and Radish and Sugar beet or Beetroot	<u>Root vegetables (VR 2070)</u> Beetroot; Bellflower, Chinese; Burdock, greater or edible; Caraway, Black root; Carrot; Celeriac; Chervil, Turnip-rooted; Chicory roots; Dandelion root; Deodeok; Ginseng; Horseradish; Kudzu; Ladybell root; Maca; Madeira vine; Mauka; Murnong, Mustard, tuberous rooted Chinese; Parsley, Turnip-rooted; Parsnip; Pencil yam; Radish; Radish, Black; Radish, Japanese; Rampion roots; Salsify; Salsify, Spanish; Scorzonera; Skirret; Sugar beet; Swede; Ti palm; Turnip, Garden
Group 16B Tuberous and corm vegetables	Potato or Sweet potato	<u>Tuberous and corm vegetables (VR 2071):</u> Alocasia; American potato bean; Arracacha; Arrowroot; Arrowroot, Guinea; Arrowroot, Polynesian; Banana, Abyssinian; Canna, edible; Cassava; Chayote root; Chinese artichoke; Chinese potato; Cowpea, wild; Earthnut pea; Elephant foot yam; Gastrodia tuber; Goa bean root; Jerusalem artichoke; Kaffir-potato; Konjac; Mashua; Oca; Pignut; Potato; Sweet potato; Tannia; Taro; Tiger nut; Ullucu; Yacon; Yams; Yam bean
Group 16C Aquatic root and tuber vegetables	Arrowhead	<u>Aquatic root and tuber vegetables (VR 2072):</u> Arrowhead; Cattail; Chinese water chestnut; Lotus tuber; Olbanga
Group 17 Stalk and stem vegetables	Celery and Asparagus and/or Artichoke, globe	<u>Stalk and stem vegetables (VS 0078):</u> Acacia shoots; Agave; Artichoke, globe; Asparagus; Bamboo shoots; Burdock, edible, tops; Cardoon; Celery; Celtuce; Dokhwal shoot; Dureup young shoot; Eumnamu shoot; Fennel, Bulb, Ferns, edible; Giant butterbur; Palm hearts; Prickly pear pads; Rhubarb; Kale, sea; Sweet potato stems; Taro stems; Udo; Water celery; Zuiki
Group 17A, Stems and petioles	Celery	<u>Stems and petioles (VS 2081):</u> Burdock, edible, tops; Cardoon; Celery; Celtuce; Fennel, Bulb; Giant butterbur; Rhubarb; Sweet potato stems; Taro stems; Zuiki

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 17B, Young shoots	Asparagus	<u>Young shoots (VS 2081)</u> : Agave; Asparagus; Bamboo shoots; Dokhwal shoot; Dureup young shoot; Eumnamu shoot; Ferns, edible; Kale, sea; Udo
Group 17C, Others	Artichoke, globe	Artichoke, globe; Palm hearts; Prickly pear pads, Water celery
Group 18 Edible fungi	Mushrooms	<u>Edible fungi (VF 2084)</u> : Mushrooms; Black poplar mushroom; Blewitt; Bunashimeji; Cauliflower mushroom; Cep; Chanterelle; Enoke; Hirmeola; Ink mushroom; Maitake; Morel; Nameko; Net bearing Dictyophora; Oyster mushroom; Pine mushroom; Pom pom; Reishi mushroom; Shiitake mushroom; Shimeji; Straw mushroom; Stropharia; Truffle; Wangsongi; White jelly mushroom; Wood ears mushroom

- ¹⁾ Alternative representative commodities may be selected based on documented regional/country differences in dietary consumption and/or areas of production