

CODEX ALIMENTARIUS COMMISSION



Food and Agriculture
Organization of the
United Nations



World Health
Organization

E

Viale delle Terme di Caracalla, 00153 Rome, Italy - Tel: (+39) 06 57051 - E-mail: codex@fao.org - www.codexalimentarius.org

Agenda Item 8(g)

CX/PR 16/48/12
March 2016

JOINT FAO/WHO FOOD STANDARDS PROGRAMME

CODEX COMMITTEE ON PESTICIDE RESIDUES

48th Session

Chongqing, P.R. China, 25 - 30 April 2016

PROPOSED DRAFT TABLES 2 AND 3 - EXAMPLES OF SELECTION OF REPRESENTATIVE COMMODITIES (VEGETABLE AND OTHER COMMODITY GROUPS) (FOR INCLUSION IN THE PRINCIPLES AND GUIDANCE FOR THE SELECTION OF REPRESENTATIVE COMMODITIES FOR THE EXTRAPOLATION OF MAXIMUM RESIDUE LIMITS FOR PESTICIDES TO COMMODITY GROUPS)

(AT STEP 4)

(Prepared by the Electronic Working Group chaired by the United States of America and co-chaired by the Netherlands)

Codex Members and Observers wishing to submit comments at **Step 3** on this document (see **Appendix I**), including possible implications for their economic interests, should do so in conformity with the *Uniform Procedure for the Elaboration of Codex Standards and Related Texts* (Codex Alimentarius Commission Procedural Manual) before **11 April 2016**. Comments should be directed:

to:

CCPR Secretariat
Institute for the Control of Agrochemicals
Ministry of Agriculture
Room 906, No. 18 building
Maizidian Street, Chaoyang District,
Beijing, 100125, P.R. China
Email: ccpr@agri.gov.cn

with a copy to:

Secretariat, Codex Alimentarius Commission,
Joint FAO/WHO Food Standards Programme,
Viale delle Terme di Caracalla,
00153 Rome, Italy
Email: codex@fao.org

BACKGROUND

1. Background on the discussion of the revision of the Classification of Food and Feed (CAC/MISC 4-1993) can be found in the reports of the 36th – 47th sessions of the Committee on Pesticide Residues (CCPR) including relevant sessions of the Codex Alimentarius (CAC) held from 2004 to 2015. Reports of Codex committee meetings are available at: <http://www.fao.org/fao-who-codexalimentarius/meetings-reports/en/>.

2. The 47th Session of CCPR (May 2015) agreed to re-establish¹ the Electronic Working Group on the revision of the Classification of Food and Feed (EWG) by the United States of America and co-chaired by the Netherlands to continue with the revision of the Classification. The list of participants is presented in Appendix III. The representative commodity tables were not discussed at the 47th session of the CCPR because legumes, pulses, cucurbits and cereal grains were not completed.

3. Table 2 has been updated to reflect additions to Groups 011 Fruiting vegetables, Cucurbits, 014 Legume vegetables and 015 Pulses. Table 3 is presented for the first time for Type 03 Grasses.

¹ REP15/PR, paras 136 - 138

RECOMMENDATION

4. Codex members and observers wishing to submit comments on the commodity groups as presented in Appendix I (Table 2 – Vegetable commodity groups) and Appendix II (Table 3 – Grasses) are kindly reminded of the following:

- (i) Proposals for Table 2 for Group 011. Fruiting vegetables, cucurbits, 014. Legume vegetables and 015. Pulses, should take due account of the discussion held at the 47th Session of CCPR including comments submitted at Step 3 in relation to the revision of the Classification.²
- (ii) Proposals for Table 2 for remaining vegetable commodity groups should take due account of the decisions taken at previous sessions of CCPR in relation to those vegetable groups retained at Step 7 awaiting the finalization of the vegetable commodity groups and describe any possible impact on the classification of these groups.³
- (iii) Proposals for Table 3 should take due account of the discussion held at the 47th Session of CCPR as well as proposals contained in working documents submitted for consideration by CCPR48 including comments submitted at Step 3 in regard to the revision of the Classification.⁴

5. The Committee is invited to consider Tables 2 and 3 and to advance these proposals for adoption at Step 5 by the 39th Session of the Commission.

6. The Committee is also invited to allocate further work on examples of representative committees to the Electronic Working Group on the revision of the Classification vis-à-vis progress made in the revision of the Classification (see Agenda Item 8a, b, c, d, e and f).

² See CX/PR 16/48/7 and CX/PR 16/48/8

³ ALINORM 10/33/24, Appendix IX (42/2010 CCPR) – Group 009. Bulb vegetables / Group 012. Fruiting vegetables, other than cucurbits / Group 18. Edible fungi; REP13/PR, Appendix X (45/2013 CCPR) Group 010. Brassica vegetables (except Brassica leafy vegetables) / Group 013 Leafy vegetables (including Brassica leafy vegetables) / Group 017 Stalk and stem vegetables; and REP14/PR, Appendix IX (46/2014 CCPR) – Group 016. Roots and Tubers.

⁴ See CX/PR 16/48/9 and CX/PR 16/48/10

APPENDIX I**Table 2. Examples of the Selection of Representative Commodities – Vegetables**

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 009 Bulb vegetables	Bulb onion and Spring onion or leek	<u>Bulb vegetables (VA 0035)</u> : Chives; Chives, Chinese; Daylilly; Elegans hosta; Fritillaria (bulb); Fritillaria (green); Garlic; Garlic chives; Garlic, Great-headed; Garlic, Serpent; Kurrat; Lady's leek; Leek; Lily; Onion, Beltsville bunching; Onion, Bulb; Onion, Chinese; Onion, fresh; Onion macrostem; Onion, Pearl; Onion, potato; Onion, Welsh; Shallot; Silverskin onion; Spring onion; Tree onion; Wild leek
Subgroup 009A, Bulb Onions	Bulb onion	<u>Bulb Onions (VA 2031)</u> : Daylilly; Fritillaria (bulb); Garlic; Garlic, Great-headed; Garlic, Serpent; Lily; Onion, Bulb; Onion, Chinese; Shallot; Silverskin onion
Subgroup 009B, Green Onions	Spring onion or leek	<u>Green Onions (VA 2032)</u> : Chives; Chives, Chinese; Elegans hosta; Fritillaria (green); Garlic chives; Kurrat; Lady's leek; Leek; Onion, Beltsville bunching; Onion, fresh; Onion macrostem; Onion, Pearl; Onion, potato; Onion, Welsh; Spring onion; Tree onion; Wild leek
Group 010 Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead cabbages	Broccoli (Could be partly replaced by Cauliflower) and Cabbage, Head or Chinese cabbage (type Pe-tsai) and Brussels sprouts and Kohlrabi	<u>Brassica (cole or cabbage) vegetables, Flowerhead cabbages (VB0040)</u> : Broccoli; Brussels sprouts; Cabbage, Head; Cabbage, Chinese (napa); Cabbage Savoy; Cauliflower; Kohlrabi; Stem mustard
Group 010A, Flowerhead Brassicas	Broccoli (Could be partly replaced by Cauliflower)	<u>Flowerhead Brassicas (VB 0042)</u> : Broccoli; Cauliflower
Group 010B, Head Brassicas	Cabbage, Head or Chinese cabbage (type Pe-tsai) and Brussels sprouts	<u>Head Brassicas (VB 2036)</u> : Cabbages, head; Brussels sprouts; Cabbage Savoy; Chinese cabbage (napa)
Group 010C, Stem Brassicas	Kohlrabi	<u>Stem Brassicas (VB 2016)</u> : Kohlrabi; Stem mustard

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 11 Fruiting vegetables, Cucurbits	Cucumber and Squash, Summer and Melon (<i>Cucumis melo</i>) and/or Watermelon and Pumpkins or Winter squash	<u>Fruiting vegetables, Cucurbits (VC 0045)</u> : African horned melon; Balsam apple; Bitter melon; Bottle gourd; Casabanana; Chayote; Chieh-qua; Chinese cucumber; Cucumber; Cucumber, exploding; Cucumber, stuffing; Gac; Gherkin; Gherkin, West Indian; Gourd, bitter snake; Gourd, buffalo; Gourd, fluted; Gourd, Malabar; Gourd, pointed; Gourd, round; Indian spine gourd; Ivy gourd; Japanese snake gourd; Korean Melon; Loofah, angled; Loofah, Smooth; Melons, except watermelon; Melon, nara; Pumpkins; Snake gourd; Squash, Summer; Tacaco; Watermelon; Wax gourd; Winter squash
Subgroup 11A Fruiting vegetables, Cucurbits such as cucumber and summer squashes	Cucumber and Squash, Summer	<u>Fruiting vegetables, Cucurbits such as cucumber and summer squashes (VC 2039)</u> : Balsam apple; Bitter melon; Bottle gourd; Chayote; Chieh-qua; Chinese cucumber; Cucumber; Cucumber, exploding; Cucumber, stuffing; Gac; Gherkin; Gherkin, West Indian; Gourd, bitter snake; Gourd, buffalo: Gourd fluted; Gourd, Malabar; Gourd, pointed; Gourd, round; Indian spine gourd; Ivy gourd; Japanese snake gourd; Loofah, angled; Loofah, Smooth; Snake gourd; Squash, Summer; Tacaco
Subgroup 11B Fruiting vegetable, Cucurbits such as melons, pumpkins and winter squashes	Melon (<i>Cucumis melo</i>) and/or Watermelon and Pumpkin or Winter Squash	<u>Fruiting vegetables, Cucurbits Cucurbits such as melons, pumpkins and winter squashes (VC 2040)</u> : African horned melon; Casababana; Korean Melon; Melons, except watermelon; Melon, nara; Pumpkins; Watermelon; Wax gourd; Winter squash
Group 012 Fruiting vegetables, other than Cucurbits	One cultivar of large variety Tomato and one cultivar of small variety Tomato and Sweet Pepper and Chili pepper and One cultivar of large variety eggplant and/or tomato and one cultivar of small variety eggplant and/or tomato	<u>Fruiting vegetables, other than Cucurbits (VO 0050)</u> : African eggplant; Bush tomato; Cherry tomato; Cocona; Currant tomato; Eggplant; Garden huckleberry; Goji berry; Ground cherries, Martynia; Okra; Pea eggplant; Pepino; Peppers, Chili; Peppers, sweet; Roselle; Scarlet eggplant; Sunberry; Tomatillo; Tomato; Thai eggplant
Group 12A, Tomatoes	One cultivar of large variety Tomato and one cultivar of small variety Tomato	<u>Tomatoes (VO 2045)</u> : Bush tomato; Cherry tomato; Cocona; Currant tomato; Garden huckleberry; Goji berry; Ground cherries; Sunberry; Tomatillo; Tomato
Group 12B, Peppers	Sweet Pepper and Chili pepper	<u>Peppers (VO 0051)</u> : Martynia; Okra; Peppers, Chili; Peppers, sweet; Roselle;

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 12C, Eggplants	One cultivar of large variety eggplant and/or tomato and one cultivar of small variety eggplant and/or tomato	<u>Eggplants (VO 2046)</u> : African eggplant; Eggplant; Pea eggplant; Pepino; Scarlet eggplant; Thai eggplant
Group 013 Leafy vegetables (including Brassica leafy vegetables)	<p>Head lettuce and/or Leaf lettuce and Spinach</p> <p>and</p> <p>Mustard greens or Kale or Broccoli, Chinese or radish leaves</p> <p>and</p> <p>Beet, garden leaves and</p> <p>Sweet potato leaves or Arrowroot leaves</p> <p>and</p> <p>Grape leaves</p> <p>and</p> <p>Kangkung or Water mimosa or Watercress</p> <p>and</p> <p>Witloof chicory (sprouts)</p> <p>and</p> <p>Chayote leaves or Pumpkin leaves</p> <p>and</p> <p>Leaf lettuce or any crop intended to use as baby leaves (harvested up to 8 true leaf stage)</p> <p>and</p> <p>Mungbean sprouts</p>	<p><u>Leafy vegetables (including Brassica leafy vegetables) (VL 0053)</u>: Acacia shoots; African Eggplant leaves; African nightshade; Agretti; Alexanders leaves; Alfalfa sprouts; Amaranth leaves; Arrowroot leaves; Aster, Indian; Ayoyo; Baby leaves; Balsam pear leaves; Bambara groundnut leaves; Barley shoots; Bell flower, Chinese leaves; Ben moringa leaves; Bitawiri; Bitter leaf; Blackjack; Boxtorn; Broccoli, Chinese; Broccoli raab; Cabbage, Abyssinian; Cabbage, Seakale; Cassava leaves; Cat's Wiskers; Chamchwi; Chamnamul; Chamssuk; Chard; Chayote leaves; Chervil; Chicory leaves; Chili pepper leaves; Chinese cabbage (type Pak-choi); Chinese flat cabbage; Chipilin; Cress, Garden; Cress, Upland; Chrysanthum, Edible leaved; Common bean leaves; Corn salad; Cos lettuce; Cosmos; Cowpea leaves; Dandelion; Dangawi; Daylily leaves; Dock; Dolnamul; Ebolo; Endive; Fame flower; Feather cockscomb; Flowering white cabbage; Glasswort, common; Godeulppaegi; Gomchwi; Goosefoot; Grape leaves; Hanover salad; Iceplant;; Ivy gourd leaves; Japanese honewort; Jute; Kahurura; Kangkung; Kale; Kohlrabi leaves; Komatsuna; Lettuce, bitter; Lettuce, head; Lettuce; leaf; Maca leaves; Mallow leaves; Melientha; Mizuna; Monkey-bread tree leaves; Mungbean sprouts; Mustard, greens; Mustard, tuberous rooted, Chinese; New Zealand spinach; Okazi leaves; Orach; Papaya leaves; Peanut leaves; Perilla leaves; Plantain leaves; Polygonatum leaves; Pumpkin leaves; Purple-stem mustard; Purslane; Purslane, Winter; Radish leaves; Radish sprouts; Rampion leaves; Rape greens; Roselle leaves; Rucola; Rutabage greens; Salsify leaves; Sanmaneul leaves; Shepherd's purse; Sichuan pepper sprouts; Sowthistle; Soya bean leaves; Soya bean sprouts; Spider plant; Spinach; Spinach, Indian; Ssam cabbage; Seumbagwi; Sweet potato leaves; Tanier spinach; Tannia leaves; Taro leaves; Toona sinensis; Turnip greens; Ullucu leaves; Velvet plant leaves; Violet, Chinese; Wasabi leaves; Water clover; Watercress; Water mimosa; Water shield; White led tree; Wild Rocket; Witloof chicory (sprouts); Yam leaves</p>

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 013A, Leafy greens	Head lettuce and/or Leaf lettuce and Spinach	<u>Leafy greens (VL 2050)</u> : African Eggplant leaves; African nightshade; Agretti; Amaranth leaves; Aster, Indian; Ayoyo; Bambara groundnut leaves; Barley shoots; Bitawiri; Bitter leaf; Blackjack; Boxtorn; Cat's Wiskers; Chamchwi; Chamnamul; Chamssuk; Chard; Chervil; Chicory leaves; Chili pepper leaves; Chipilin; Chrysanthum, Edible leaved; Common bean leaves; Corn salad; Cos lettuce; Cosmos; Cowpea leaves; Dandelion; Danggwii; Daylily leaves; Dock; Dolnamul; Ebolo; Endive; Fame flower; Feather cockscomb; Glasswort, common; Godeulppaegi; Gomchwi; Goosefoot; Iceplant; Japanese honewort; Jute; Lettuce, bitter; Lettuce, head; Lettuce, leaf; Mallow leaves; New Zealand spinach; Orach; Peanut leaves; Perilla leaves; Plantain leaves; Polygonatum leaves; Purslane; Purslane, Winter; Sanmaneul leaves; Sowthistle; Soya bean leaves; Spider plant; Spinach; Spinach, Indian; Seumbagwi; Tanier spinach; Violet, Chinese
Group 013B, Brassica leafy vegetables	Mustard greens or Kale or Broccoli, Chinese, or radish leaves	<u>Brassica leafy vegetables (VL 0054)</u> : Broccoli, Chinese; Broccoli raab; Cabbage, Abyssinian; Cabbage, Seakale; Chinese cabbage (type Pak-choi); Chinese flat cabbage; Cress, Garden; Cress, Upland; Flowering white cabbage; Hanover salad; Kale; Kohlrabi leaves; Komatsuna; Maca leaves; Mizuna; Mustard, greens; Mustard, tuberous rooted, Chinese; Purple-stem mustard; Radish leaves; Rape greens; Rucola; Rutabage greens; Shepherd's purse; Ssam cabbage; Turnip greens; Wasabi leaves; Wild Rocket
Group 013C, Leaves of root and tuber vegetables	Beet, garden leaves and Sweet potato leaves or Arrowroot leaves	<u>Leaves of root and tuber vegetables (VL 2052)</u> : Alexanders leaves; Arrowroot leaves; Bell flower, Chinese leaves; Cassava leaves; Rampion leaves; Salsify leaves; Sweet potato leaves; Tannia leaves; Taro leaves; Ullucu leaves; Velvet plant leaves; Yam leaves
Group 013D, Leaves of trees, shrubs and vines	Grape leaves	<u>Leaves of trees, shrubs and vines (VL 2053)</u> : Acacia shoots; Ben moringa leaves; Grape leaves; Melientha; Monkey-bread tree leaves; Okazi leaves; Papaya leaves; Roselle leaves; Sichuan pepper sprouts; Toona sinensis; White led tree
Group 013E, Leafy aquatic vegetables	Kangkung or Water mimosa or Watercress	<u>Leafy aquatic vegetables (VL 2054)</u> : Kangkung; Water clover; Watercress; Water mimosa; Water shield
Group 13 F, Witloof	Witloof chicory (sprouts)	Witloof chicory (sprouts)

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 13 G, Leaves of Cucurbitaceae	Chayote leaves or Pumpkin leaves	<u>Leaves of Cucurbitaceae (VL 2056):</u> Balsam pear leaves; Chayote leaves; Ivy gourd leaves; Kahurura; Pumpkin leaves
Group 13 H, Baby leaves	Leaf lettuce or any crop intended to use as baby leaves (harvested up to 8 true leaf stage)	<u>Baby leaves (VL 2057)</u>
Group 13 I, Sprouts	Mungbean sprouts	<u>Sprouts (VL 2057):</u> Alfalfa sprouts; Mungbean sprouts; Radish sprouts; Soya bean sprouts
Group 14 Legume vegetables	Beans with pods (<i>Phaseolus</i> spp.) and/or Peas with pods (Garden pea or podded pea) and Succulent beans without pods (<i>Phaseolus</i> spp.) and Garden pea	<u>Legume vegetables (VP 0060):</u> Beans (<i>Phaseolus</i> spp.); Beans (<i>Vigna</i> spp.); Beans, shelled (<i>Phaseolus</i> spp.); Beans, shelled (<i>Vigna</i> spp.); Bambara groundnut; Broad bean; Catjang; Chick-pea; Common bean; Cowpea; Garden pea; Goa bean; Grass pea; Guar; Jack bean; Lablab bean; Lentil; Lima bean; Lupin; Moth bean; Mung bean; Peas; Peas, shelled; Pigeon pea; Podded pea; Rice bean; Scarlet runner bean; Soya bean; Stink bean; Sword bean; Urd bean; Velvet bean; Winged pea; Yard-long bean;
Subgroup 14A Beans with pods	Beans with pods (<i>Phaseolus</i> spp.)	<u>Beans with pods (VP 2060):</u> Beans (<i>Phaseolus</i> spp.); Beans (<i>Vigna</i> spp.); Broad bean; Catjang; Common bean; Cowpea; Goa bean; Guar; Jack bean; Lablab bean; Moth bean; Mung bean; Rice bean; Scarlet runner bean; Soya bean; Stink bean; Sword bean; Urd bean; Yard-long bean
Subgroup 14B Peas with pods	Peas with pods (Garden pea or podded pea) and/or Beans with pods (<i>Phaseolus</i> spp.)	<u>Peas with pods (VP2061):</u> Peas; Ben Moringa; Chi-pea; Garden pea; Grass pea; Lentil; Pigeon pea; Podded pea; Winged pea
Subgroup 14C Succulent beans without pods	Succulent beans without pods (<i>Phaseolus</i> spp.)	<u>Succulent beans without pods (VP 2062):</u> Beans, shelled (<i>Phaseolus</i> spp.); Beans, shelled (<i>Vigna</i> spp.); Broad bean, shelled; Catjang; Common bean; Cowpea; Goa bean; Jack bean; Lablab bean; Lima bean; Lupin; Moth bean; Scarlet runner bean; Soya bean; Stink bean; Velvet bean
Subgroup 14D Succulent peas without pods	Garden pea	<u>Succulent peas without pods (VP 2063):</u> Peas, shelled; Chick-pea; Garden pea; Lentil; Pigeon pea
Subgroup 14E Underground beans and peas	Bambara groundnut?	<u>Underground beans and peas (VC 2064):</u> Bambara groundnut; Peanut (immature)

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 15 Pulses	Beans, dry (<i>Phaseolus</i> spp.) and/or Peas, dry (<i>Pisum</i> spp.) and Soya bean, dry and ?	<u>Pulses (VD 0070)</u> : Beans (<i>Phaseolus</i> spp.); Beans (<i>Vigna</i> spp.); Adzuki bean; African yam bean; Bambara groundnut; Broad bean; Chick-pea; Common bean; Cowpea; Field pea; Goa bean; Grass-pea; Guar; Horse gram; Jack bean; Kersting's groundnut; Lablab bean; Lentil; Lima bean; Lupin; Morama bean; Moth bean; Mung bean; Peas; Pigeon pea; Rice bean; Scarlet runner bean; Soya bean; Tepary bean; Urd bean; Velvet bean; Winged pea
Subgroup 15A Dry beans	Beans, dry (<i>Phaseolus</i> spp.) and/or Peas, dry (<i>Pisum</i> spp.) and Soya bean, dry	<u>Dry beans (VD 2065)</u> : Beans (<i>Phaseolus</i> spp.); Beans (<i>Vigna</i> spp.); Adzuki bean; African yam bean; Broad bean; Common bean; Cowpea; Goa bean; Guar; Horse gram; Jack bean; Lablab bean; Lima bean; Lupin; Morama bean; Moth bean; Mung bean; Rice bean; Scarlet runner bean; Soya bean; Tepary bean; Urd bean; Velvet bean; Winged pea
Subgroup 15B Dry peas	Peas, dry (<i>Pisum</i> spp.) and/or Beans, dry (<i>Phaseolus</i> spp.)	<u>Dry peas (VD 2066)</u> : Peas; Chick-pea; Field pea; Grass-pea; Lentil; Pigeon pea
Subgroup 15C Dry underground legumes	?	<u>Dry underground legumes (VD 2067)</u> : Bambara groundnut; Kersting's groundnut
Group 16 Root and tuber vegetables	Carrot and Radish and Sugar Beet or Beetroot and Potato or Sweet potato	<u>Root and tuber vegetables (VR 0075)</u> : Alocasia; American potato bean; Arracacha; Arrowhead; Arrowroot; Arrowroot, Guinea; Arrowroot, Polynesian; Banana, Abyssinian; Beetroot; Bellflower, Chinese; Burdock, greater or edible; Canna, edible; Caraway, Black root; Carrot; Cassava; Cattail; Celeriac; Chayote root; Chervil, Turnip-rooted; Chicory roots; Chinese artichoke; Chinese potato; Chinese water chestnut; Cowpea, wild; Dandelion root; Deodeok; Earthnut pea; Elephant foot yam; Gastrodia tuber; Ginseng; Goa bean root; Horseradish; Jerusalem artichoke; Kaffir-potato; Konjac; Kudzu; Ladybell root; Lotus tuber; Maca; Madeira vine; Mashua; Mauka; Membranous milk-vetch root; Murnong, Mustard, tuberous rooted Chinese; Oca; Olbanga; Parsley, Turnip-rooted; Parsnip; Pencil yam; Pignut; Polygonatum tuber; Potato; Radish; Radish, Black; Radish, Japanese; Rampion roots; Salsify; Salsify, Spanish; Scorzonera; Skirret; Sugar beet; Swede; Sweet potato; Tannia; Taro; Tiger nut; Ti palm; Turnip, Garden; Ullucu; Water chestnut; Yacon; Yams, Yam bean

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 16A Root vegetables	Carrot and Radish and Sugar beet or Beetroot	<u>Root vegetables (VR 2070)</u> Beetroot; Bellflower, Chinese; Burdock, greater or edible; Caraway, Black root; Carrot; Celeriac; Chervil, Turnip-rooted; Chicory roots; Dandelion root; Deodeok; Ginseng; Horseradish; Kudzu; Ladybell root; Maca; Madeira vine; Mauka; Murnong, Mustard, tuberous rooted Chinese; Parsley, Turnip-rooted; Parsnip; Pencil yam; Radish; Radish, Black; Radish, Japanese; Rampion roots; Salsify; Salsify, Spanish; Scorzonera; Skirret; Sugar beet; Swede; Ti palm; Turnip, Garden
Group 16B Tuberous and corm vegetables	Potato or Sweet potato	<u>Tuberous and corm vegetables (VR 2071):</u> Alocasia; American potato bean; Arracacha; Arrowroot; Arrowroot, Guinea; Arrowroot, Polynesian; Banana, Abyssinian; Canna, edible; Cassava; Chayote root; Chinese artichoke; Chinese potato; Cowpea, wild; Earthnut pea; Elephant foot yam; Gastrodia tuber; Goa bean root; Jerusalem artichoke; Kaffir-potato; Konjac; Mashua; Oca; Pignut; Potato; Sweet potato; Tannia; Taro; Tiger nut; Ullucu; Yacon; Yams; Yam bean
Group 16C Aquatic root and tuber vegetables	Arrowhead	<u>Aquatic root and tuber vegetables (VR 2072):</u> Arrowhead; Cattail; Chinese water chestnut; Lotus tuber; Olbanga
Group 17 Stalk and stem vegetables	Celery and Asparagus and/or Artichoke, globe	<u>Stalk and stem vegetables (VS 0078):</u> Acacia shoots; Agave; Artichoke, globe; Asparagus; Bamboo shoots; Burdock, edible, tops; Cardoon; Celery; Celtuce; Dokhwal shoot; Dureup young shoot; Eumnamu shoot; Fennel, Bulb, Ferns, edible; Giant butterbur; Palm hearts; Prickly pear pads; Rhubarb; Kale, sea; Sweet potato stems; Taro stems; Udo; Water celery; Zuiki
Group 17A, Stems and petioles	Celery	<u>Stems and petioles (VS 2081):</u> Burdock, edible, tops; Cardoon; Celery; Celtuce; Fennel, Bulb; Giant butterbur; Rhubarb; Sweet potato stems; Taro stems; Zuiki
Group 17B, Young shoots	Asparagus	<u>Young shoots (VS 2081):</u> Agave; Asparagus; Bamboo shoots; Dokhwal shoot; Dureup young shoot; Eumnamu shoot; Ferns, edible; Kale, sea; Udo
Group 17C, Others	Artichoke, globe	Artichoke, globe; Palm hearts; Prickly pear pads, Water celery

Codex Group / Subgroup	Examples of Representative Commodities ¹⁾	Extrapolation to the following commodities
Group 18 Edible fungi	Mushrooms	<u>Edible fungi (VF 2084)</u> : Mushrooms; Black poplar mushroom; Blewitt; Bunashimeji; Cauliflower mushroom; Cep; Chanterelle; Enoke; Hirmeola; Ink mushroom; Maitake; Morel; Nameko; Net bearing Dictyophora; Oyster mushroom; Pine mushroom; Pom pom; Reishi mushroom; Shiitake mushroom; Shimeji; Straw mushroom; Stropharia; Truffle; Wangsongi; White jelly mushroom; Wood ears mushroom

¹⁾ Alternative representative commodities may be selected based on documented regional/country differences in dietary consumption and/or areas of production

APPENDIX II**Table 3. Examples of the Selection of Representative Commodities – Grasses**

Codex Group / Subgroup	Examples of Representative Commodities	Extrapolation to the following commodities
Group 020 Cereal Grains	Wheat and Barley and Rice and Maize and Sweet corn	<u>Cereal grains (GC 0080)</u> : Amaranth, grain; Barley; Buckwheat; Buckwheat, tartary; Canarygrass, annual; Cañihua; Chia; Cram-cam; Hungry rice; Huauzontle; Job's tears; Maize; Millet; Oats; Popcorn; Psyllium sp., Quinoa; Rice; Rice, African; Rye; Sorghum; Sweet corn; Teff; Teosinte; Triticale; Wheat; Wild rice
Subgroup 020A, Wheat, similar grains and pseudocereals (Canadian proposal) or Subgroup 020A, Wheat, similar grains and pseudocereals without husks (Japanese proposal)	Wheat	<u>Wheat, similar grains, and pseudocereals without husks (GC 2086)</u> : Amaranth, grain; Buckwheat (Canadian proposal) ; Buckwheat, tartary (Canadian proposal) ; Cañihua; Chia; Cram-cam; Huauzontle, Psyllium sp., Quinoa, Rye; Triticale; Wheat
Subgroup 020B, Barley, similar grains (Canadian proposal) or Subgroup 020B, Barley, similar grains and pseudocereals with husks (Japanese proposal)	Barley	<u>Barley, similar grains, and pseudocereals with husks (GC 2087)</u> : Barley; Buckwheat(Japanese proposal) ; Buckwheat, tartary(Japanese proposal) ; Oats
Subgroup 020C Rice cereals	Rice	<u>Rice Cereals (GC 2088)</u> : Rice; Rice, African; Wild rice
Subgroup 020D Maize, Grain Sorghum and Millet	Maize	<u>Maize, Grain Sorghum and Millet (GC 2089)</u> : Canarygrass, annual; Hungry rice; Job's tears; Maize; Millet; Popcorn; Sorghum; Teff; Teosinte
Subgroup 020E Sweet corn cereals	Sweet corn	<u>Sweet corn cereals (GC 2090)</u> : Sweet corn
Group 021 Grasses for sugar production and grasses and other plants for syrup production	Sugar cane and Any crop belonging to GC	<u>Grasses for sugar production and grasses and other plants for syrup production (GS.....)</u> : Birches, Manna ashes, Maples, Palms Sorgo or Sorghum, Sweet; Sugar cane
Subgroup 021A Grasses for sugar or syrup production	Sugar cane	<u>Grasses for sugar or syrup production (GS.....)</u> : Sorgo or Sorghum, Sweet; Sugar cane
Subgroup 021B Other plants for syrup production	Any crop belonging to GC	<u>Other plants for syrup production (GS.....)</u> : Birches, Manna ashes, Maples, Palms

APPENDIX III**LIST OF PARTICIPANTS**

Name	Country / organization	E-mail address
Bill Barney (Chair)	USA	barney@easop.rutgers.edu
Erica Muller (Co-Chair)	Netherlands	e.muller@nvwa.nl
Almut Bitterhof	European Union / European Commission	almut.bitterhof@ec.europa.eu
Amanda Lasso Cruz	Costa Rica / Ministry of Economy, Trade and Industry	alasso@meic.go.cr
Angela Goebel	Germany / Federal Ministry of Food and Agriculture	313@bmel.bund.de
Barbara Madden	USA / US Environmental Protection Agency	Madden.barbara@epa.gov
Carlos Venancio	Brazil / Ministry of Agriculture	Carlos.venancio@agricultura.gov.br
Chang Moon-Ik	Republic of Korea / Ministry of Food and Drug Safety	1004@korea.kr
Codex Contact, Australia	Australia	Codex.contact@agriculture.gov.au
Codex Contact, Chile	Chile	codex@achipia.gob.cl
Codex Contact, EU	European Union	sante-codex@ec.europa.eu
Codex Contact, Ghana	Ghana	codex@gsa.gov.gh ; codexghana@gmail.com
Codex Contact, India	India	Codex-india@nic.in
Codex Contact Point, Indonesia	Indonesia	Codex_kementan@yahoo.com ; codex_indonesia@bsn.go.id
Codex Contact Point, Korea	Republic of Korea	codexkorea@korea.kr
Dan Kunkel	United States / IR-4	kunkel@aesop.rutgers.edu
David Lunn	New Zealand / Plant Exports	dave.lunn@mpi.govt.nz
David Miller	United States / US Environmental Protection Agency	Miller.David@epa.gov
Deby Arifiani	Indonesia Institute of Sciences	debyarifiani@yahoo.com
Dorin Poelmans	Netherlands / Dutch Food and Consumer Product Safety Authority	d.a.m.poelmans@nvwa.nl
Dr. Rugayah	Indonesia Institute of Sciences	titikrugayah@yahoo.com
Elizabeth A. Widjaja	Indonesia Institute of Sciences	ewidjaja@indo.net.id

Name	Country / organization	E-mail address
Emanuel Hänggi	Switzerland / Federal Food Safety and Veterinary Office	Emanuel.Haenggi@blv.admin.ch
Ethel Humberto reyes Cervantes	Peru / Servicio Nacional de Seguridad Alimentaria – SENASA	ereyesc@senasa.gob.pe
Eureka Emeffa Ahadjie Adomako	Ghana / University of Ghana, Department of Botany	eadomako@ug.edu.gh
Florence Gerault	France / National Expert	Florence.gerault@agriculture.gouv.fr
Jakeline Fernanda Arias Méndez	Ecuador / Coordinator of Subcommittee of Pesticide Residues	Jakeline.arias@agrocalidad.gob.ec
Jennifer Selwyn	Canada / Health Canada	Jennifer.Selwyn@hc-sc.gc.ca
Karsten Hohgardt	Germany / Federal Office of Consumer Protection and Food Safety	Karsten.hohgardt@bvl.bund.de
Kim Hee-Jung	Republic of Korea / Ministry of Food and Drug Safety	Heejung731@korea.kr
Kim Hyo-Chin	Republic of Korea / Ministry of Food and Drug Safety	Hckim77@korea.kr
K. K. Sharma	India / Indian Council of Agricultural Research	kksaicrp@yahoo.co.in
Kwon Chan-Hyeok	Republic of Korea / Ministry of Food and Drug Safety	chkwon@korea.kr
Laura Nollen	United States / US Environmental Protection Agency	Nollen.Laura@epa.gov
Martijn Martena	Netherlands / Department for Nutrition, Health Protection and Prevention	mj.martena@minvws.nl
Miki Matsui	Japan / Food Safety and Consumer Affairs Bureau Ministry of Agriculture, Forestry and Fisheries	miki_matsui@nm.maff.go.jp
Patrick Fox	Belgium / Food Policy, Science and R&D	p.fox@fooddrinkeurope.eu
Paulina Chávez	Chile / Ministry of Health	pchavez@minsal.cl
Paul Osei-Fosu	Ghana / Ghana Standards Authority, Pesticide Residue Laboratory	posei-fosu@yahoo.co.uk
Peter Chan	Canada / Health Canada	Peter.Chan@hc-sc.gc.ca
P. K. Chakrabarty	India / Indian Council of Agricultural Research	Adgpp.icar@nic.in ; pranijbc@hotmail.com
Raj Bhula	Australia / Australian Pesticides and Veterinary Medicines Authority	raj.bhula@apvma.gov.au

Name	Country / organization	E-mail address
Roberto Manos	European Union / European Commission	roberto.manos@ec.europa.eu
Rogério Silva	Brazil / Ministry of Agriculture	Rogerio.silva@agricultura.gov.br
Roxana Ines Vera Muñoz	Chile / Ministry of Agriculture	Roxana.vera@sag.gob.cl
Segundo Israel Vaca Jimenez	Ecuador / Director of Food Safety	Israel.vaca@agrocalidad.gob.ec
Sohn Yong-Wook	Republic of Korea / Ministry of Food and Drug Safety	S9918@korea.kr
Verónica Picado Pomar	Costa Rica / Laboratorio de Análisis de Residuos de Plaguicidas	vpicado@sfe.go.cr
Yoshiyuki Takagishi	Japan / Food Safety and Consumer Policy Division Food Safety and Consumer Affairs Bureau Ministry of Agriculture, Forestry and Fisheries	yoshiyuki_takagis500@maff.go.jp; codex_maff@nm.maff.go.jp
Yuji Matsukura	Japan / Standards and Evaluation Division Ministry of Health, Labour and Welfare	codexj@mhlw.go.jp