

# CODEX ALIMENTARIUS COMMISSION



Food and Agriculture  
Organization of the  
United Nations



World Health  
Organization

Viale delle Terme di Caracalla, 00153 Rome, Italy - Tel: (+39) 06 57051 - E-mail: codex@fao.org - www.codexalimentarius.org  
**Agenda Item 5.2** CRD32

## JOINT FAO/WHO FOOD STANDARDS PROGRAMME CODEX COMMITTEE ON SPICES AND CULINARY HERBS

Seventh Session

Kochi, Kerala India

29 January – 2 February 2024

### IN-SESSION WORKING GROUP REPORT

#### Agenda item 5.2

Codex members and Observers wishing to submit comments on this updated template for the Spices and Culinary Herbs Standards (Appendix I) should do so as instructed in CL 2023/81/OCS-SCH available on the Codex webpage/Circular Letters: <http://www.fao.org/faowho-codexalimentarius/circular-letters/en/>

### UPDATE TO THE TEMPLATE FOR THE SPICES AND CULINARY HERBS STANDARDS

#### Background

1. CCSCH6<sup>1</sup> (2022) considered the revised template, noted the CCSCH Chairperson's explanation that template served as a basis for developing SCH standards that have a uniform layout and that the main reason for regularly updating the template was to ensure that it continued to meet the technical needs of CCSCH.
2. CCSCH6 agreed to continue with the careful review of the updated SCH template (Appendix I) and that concerns should be submitted for consideration at CCSCH7

#### TEMPLATE FOR SCH STANDARD

#### STANDARD FOR [INSERT EITHER THE GROUP NAME OR NAME OF A SCH AS APPROPRIATE]

#### INTRODUCTION

- This Layout is for use by the Codex Committee on Spices and Culinary Herbs (CCSCH).
- The Standard Layout must be followed when developing new or revising existing Codex/SCH Standards. However, it is permissible to use other appropriate texts in individual SCH standards to better reflect individual SCH characteristics and current trade practices.

In the text the following conventions are used:

- {name of SCH} must be replaced by the common name of the SCH to be covered by the standard.
- {text}: For text which explains the use of the Standard Layout. This text does not appear in the standards.

<text>: For optional text for which several alternatives exist, depending on the products. Depending on the nature of SCH the provision(s) in brackets may be removed as not applicable/necessary.

**Remarks on Sections 1. Scope and 2. Product definition:** - *The specific names of the products being standardized are not indicated in the Scope, instead a reference is made to Section 2.1. "Product Definition" where they will be listed in a table by their common, trade and scientific names.*

#### 1. SCOPE

This standard applies to all plants products commonly sold in commerce as dried and dehydrated spices and culinary herbs as defined in Section 2.1 below offered for direct human consumption, commercial food processing and for repackaging if required. The exact species bought/sold may be defined by contractual specifications. This

standard does not apply to these products when intended for industrial processing.

## 2. DESCRIPTION

### 2.1 Product definition

2.1.1 {Name of Individual SCH in the group<sup>2</sup>} belonging to the dried and dehydrated spices and culinary herbs listed in Table 1:

**Table 1: {SCH group name} covered by this standard**

	Common name name by which the product is popularly known	Trade name/s (Non-exhaustive list of name/s under which the product/s as traded)	Scientific name
1			
2			
3			
4			
5			
6			
7			
8			
9			

**Remarks on Section 2.2 Styles:** - This section is written in a broad manner that applies to all the products within the group; however, if needed, it can be amended to reflect unique style/form characteristics of a specific SCH.

### 2.2 Styles

{SCH group name} may be:

- whole;
- pieces, or
- ground/powdered. ( Particle size to be determined by contractual agreement between buyer and seller).
- Other styles distinctly different from those three are allowed, provided they are labeled accordingly.

### 2.3 Sizing (optional)

Whole {and/or cut} (SCH) may be sized by count per weight, weight, diameter, or in accordance with pre-existing trade practice. When sized, the methods used should be labelled on the package.

---

<sup>2</sup> The name of the group that is being standardized will be inserted.

## 3. ESSENTIAL COMPOSITION AND QUALITY FACTORS

### 3.1 Composition

Product as defined in Section 2.

### 3.2 Quality factors/ General

When there are no physical characteristics limits in any styles in Annex 1, Table 2 on physical characteristics the following 3.2.1 text shall be inserted

**3.2.1** {SCH group or individual SCH named in Section 2.1.1 } shall be safe and suitable for human consumption. {It/they, } shall be free from live insects and practically free from extraneous and foreign matter.

#### 3.2.2 Odour, flavour, and colour:

{Each herb/spice indicated in Section 2.1.1 } shall be free from any foreign odour or flavor, especially from mustiness. They shall have their individual characteristic odour and flavor considering the geo-climatic factor/conditions, varieties and the main chemical components of the volatile oil indicated in Annex I, Table 1 – Chemical characteristics.

**Remarks to Section 3.2.2 Classification:** - The quality classes (extra, class I & class II) are omitted because (i) there are no uniform international acceptance, (ii) the increasing belief that classes should be left to contractual arrangements between traders, (iii) the premise that CCSCH standards should establish the absolute minimum requirements for trade and consumer safety.

#### 3.2.3 Classification (optional)

In accordance with the chemical and physical characteristics in Section 3.2.4, where appropriate, whole, pieces, or ground/powdered SCH may be classified into the following grades: When {SCH group name} are traded as classified/graded, the chemical and physical requirements in Annex I apply as the minimum requirements for the lowest class/grade.

#### 3.2.4 Chemical and physical characteristics

{SCH group or individual SCH} shall comply with the chemical and physical properties in Annex I, Table 1 - Chemical characteristics and Table 2 - Physical characteristics.

The defects allowed must not affect the general appearance of the product as regards to its quality, keeping quality and presentation in the package.

**Introductory remarks to Sections 4 to 9:** These sections reference existing Codex Alimentarius guidelines and general standards on food additives, contaminants in food, food hygiene and labelling. These criteria can be amended if needed to reflect a commodity unique properties, requirements or trade practices.

## 4. FOOD ADDITIVES

Anticaking agents listed in Table 3 of the General Standard for Food Additives (CXS 192-1995) are acceptable for use in ground/powdered form of {SCH group or individual SCH}.

## 5. CONTAMINANTS

The products covered by this standard shall comply with the maximum levels of the General Standard for Contaminants and Toxins in Food and Feed (CXS 193-1995) and the Code of Practice for Weed Control to Prevent and Reduce Pyrrolizidine Alkaloid Contamination in Food and Feed (CXC 74-2014) and other relevant Codex Alimentarius texts.

The products covered by this standard shall comply with the maximum residue limits for pesticides established by the Codex Alimentarius Commission.

## 6. FOOD HYGIENE

It is recommended that the products covered by the provisions of this standard be prepared and handled in accordance with the appropriate sections of the General Principles of Food Hygiene (CXC 1-1969), the Code of Hygienic Practice for Low-Moisture Foods (CXC 75-2015) and other relevant Codex Alimentarius texts.

The products should comply with any microbiological criteria established in accordance with the Principles and Guidelines for the Establishment and Application of Microbiological Criteria Related to Foods (CXG 21- 1997).

## 7. WEIGHTS AND MEASURES

Containers shall be as full as practicable without impairment of quality and shall be consistent with a proper declaration of contents for the product.

## 8. LABELLING

The products covered by the provisions of this standard shall be labelled in accordance with the *General Standard for the Labelling of Pre-packaged Foods* (CXS 1-1985). In addition, the following specific provisions apply:

### **8.1 Name of the product**

**8.1.1.** The name of the product shall be the individual {"Dried [SCH name]" or "[ SCH trade name]"} as described in Section 2.1 if the omission of the word dried would not mislead or confuse the consumer.

**8.1.2** The common name and style of the product shall be as described in Table 1 and Section 2.2 (styles).

**8.1.3** The scientific name of the product is optional.

**8.1.4** Trade name, variety, or cultivar may be listed on the label.

### **8.2 Country of origin and country of harvest**

**8.2.1** Country of origin shall be declared.

**8.2.2** Country of harvest (optional).

**8.2.3** Region of harvest and year of harvest (optional).

### **8.3 Commercial identification**

- Style
- class/grade, if applicable;
- particle size (optional).

### **8.4 Labelling of non-retail containers**

The labelling of non-retail containers should be in accordance with the *General Standard for the Labelling of Non-Retail Containers of Foods* (CXS 346-2021).

## **9. METHODS OF ANALYSIS AND SAMPLING**

**Remark to Section 9.1:** After the final adoption of the standard by the Commission, the identified methods will be transferred to the standard for *Recommended methods of analysis and sampling* (CXS 234-1999) and the text in the Procedural Manual<sup>3</sup> will be inserted.

---

<sup>3</sup> For checking the compliance with this standard, the methods of analysis and sampling contained in the *Recommended Methods of Analysis and Sampling* (CXS 234-1999) relevant to the provisions in this standard, shall be used.

### **9.1 Methods of analysis**

**Table 2. Methods of analysis (non-exhaustive list of provisions)**

Provision	Method	Principle	Type
Moisture			
Volatile oil			
Total ash (dry weight basis)			
Acid insoluble ash			
Extraneous matter			
Foreign matter			
Insect fragments, whole dead insects			
Insect damage			
Live insects			

Mammalian and/or other excreta			
Visible mould			
Rodent filth			

## 9.2 Sampling plan

To be developed.

Pest contamination in spices will always be identified by the importing country and can lead to consignment rejection or reduced prices because of extra processing. The FDA Technical Bulletin Number 5 on macro-analytical methods for spices, condiments, flavours, and crude drugs details the procedures to quantify the contamination (<http://www.cfsan.fda.gov/~dms/mpm-5.html>)

**Annex I – Table 1: Chemical characteristics for {SCH group name}<sup>4</sup>**

	Pieces/cut-cracked/broken								
	Ground/powdered								

\* volatile oils values are related to natural SCH. It does not apply to SCH that are heat treated or subjected to other processes which may reduce the natural content of volatile oil.

---

<sup>4</sup> Other parameters may be added or some exclude based on the product trade practices.

#### **Annex I - Table [2]: Physical characteristics for {SCH group name}**

	Pieces/cut-cracked/broken										
	Ground/powdered										
	Whole										
	Pieces/cut-cracked/broken										
	Ground/powdered										

**Notes:**

- 1: **Mammalian excreta**- If the average of the total number of sub-samples exceeds the listed milligram per kg and/or lb.
- 2: **Whole dead insects**- If the total number of whole dead insects found in the total number of the sub samples exceeds the specified value in the table.
- 3: **NA** - Not applicable, does not refer to zero. It means that the style of the above product has not been evaluated for this provision, and currently do not have values.
4. Broken can be applied to whole seeds when the pod and seeds are independently traded as whole. e.g., cardamom pods and whole cardamom seeds, inshell nutmegs and nutmeg seeds.

<b>Parameters</b>	<b>STYLES</b>		
	Whole	Cut/Broken/Pieces	Powdered
Extraneous matter % w/w (max)			
Foreign matter % w/w (max)			
Live insect by count/100g (max)			
Dead whole insects, count/100g (max)			
Insect defiled (frass, web feeding, eggs, larvae) % w/w (max)			
Mould visible,) % w/w			
Shriveled /immature % w/w			
Size Tolerance (off-size when sized) % w/w			
Cut/ Broken/Pieces among whole		----	---
Others/comments :			

Delegations should check with their industry to confirm if :

- Defects present in whole styles are transferred to other styles deriving from it.
- The same MAS for defects in whole style are used for cut broken styles.
- The same defect values can be used as the sample size remains the same.

Having N/A or NA for physical characteristics for any style in the standard does not facilitate trade. The CCSCH should seek to end this practice or limit the standard to the styles with Chemical and Physical characteristics values.

## APPENDIX II

## SCH Groups

<b>Part 1 – Spices and Culinary Herbs</b> <b>1.1 Grouping by Plant Parts<sup>1</sup></b>			
<b>Sl. No</b>	<b>Name of Spice</b>	<b>Scientific Name</b>	<b>HS Code</b>
<b>Dried Fruits and Berries</b>			
1.	Allspice	<i>Pimenta dioica</i> (L.) Merr.	
2.	Star Anise	<i>Illicium verum</i> Hook.f.	HS 090910
3.	Bengal cardamom	<i>Amomum aromaticum</i> Roxb.	
4.	Cardamom (Large)/ Black cardamom	<i>Amomum subulatum</i> Roxb.	HS 09083110
5.	Cardamom (Small)	<i>Elettaria cardamomum</i> Maton	HS 09083120
6.	Cameroon cardamom	<i>Aframomum hanburyi</i> K.Schum.	
7.	Cambodian cardamom	<i>Amomum krervanh</i> Pierre ex Gagnep.	
8.	Korarima cardamom	<i>Aframomum corrorima</i> (Braun) P.C.M.Jansen	
9.	Madagascar cardamom	<i>Aframomum angustifolium</i> K.Schum.	
10.	Round cardamom/Chester cardamom/Siamese cardamom/ Indonesian cardamom	<i>Amomum kepulaga</i> Sprague & Burkill	
11.	Sri Lankan Cardamom	<i>Elettaria cardamomum</i> Maton	
12.	Tsao-ko Cardamom	<i>Amomum tsao-ko</i> Crevost & Lemarié	
13.	Chilli	<i>Capsicum annuum</i> L.	HS 090420
14.	Paprika	<i>Capsicum annuum</i> L.	
15.	Chinese pepper	<i>Zanthoxylum acanthopodium</i> DC.	
16.	Chinese prickly ash pepper/ Sechuang pepper	<i>Zanthoxylum bungei</i> Hance	
17.	Cubeb	<i>Piper cubeba</i> Bojer	
18.	Grain of paradise (Guinea grains, Melegueta pepper, Alligator pepper)	<i>Aframomum melegueta</i> K.Schum.	
19.	Negro pepper / Guinean pepper pods	<i>Xylopia aethiopica</i> A.Rich.	
20.	Pepper (Black, White, Green)	<i>Piper nigrum</i> Beyr. ex Kunth	HS 090411
21.	Pepper Long	<i>Piper longum</i> Blume	HS 09041110
22.	Pink pepper Brazilian pepper	<i>Schinus molle</i> hort. ex Engl. <i>Schinus terebinthifolius</i> Raddi	
23.	Sichuan pepper /Japanese pepper	<i>Zanthoxylum piperitum</i> Benn.	

<sup>1</sup> Source: REP 17/SCH Appendix XII

24.	West African / Benin pepper	<i>Piper guineense</i> Thonn.	
25.	Dried Mango	<i>Mangifera indica</i> Thwaites	
26.	Camboge	<i>Garcinia cambogia</i> hort. ex Boerl.	
27.	Kokam	<i>Garcinia indica</i> (Thouars) Choisy	HS 12079940
28.	Juniper berry	<i>Juniperus communis</i> Thunb.	HS 09095021
29.	Tamarind fruit	<i>Tamarindus indica</i> L.	HS 08134010
30.	Vanilla	<i>Vanilla planifolia</i> Andrews	HS 090500
31.	Pompon vanilla	<i>Vanilla pompona</i> Schiede	
32.	Tahitian Vanilla	<i>Vanilla tahitensis</i> J.W.Moore	

**Dried Roots, Rhizomes, Bulbs**

33.	Dried Garlic	<i>Allium sativum</i> L.	HS 07129040
34.	Shallot	<i>Allium ascalonicum</i> L.	
35.	Galanga	<i>Kaempferia galanga</i> L.	HS 12119042
36.	Greater galangal	<i>Alpinia galanga</i> Willd.	
37.	Lesser galangal	<i>Alpinia officinarum</i> Hance	
38.	Ginger	<i>Zingiber officinale</i> Roscoe	HS 091010
39.	Horse Radish root	<i>Armoracia rusticana</i> G.Gaertn., B.Mey. & Scherb.	HS 07069010
40.	Sweet flag	<i>Acorus calamus</i> L.	HS 12119048
41.	Turmeric	<i>Curcuma longa</i> L.	HS 091030

**Dried Seeds**

42.	Aniseed	<i>Pimpinella anisum</i> L.	
43.	Ajowan/ Ajwain	<i>Trachyspermum ammi</i> Sprague	HS 09109914
44.	Black caraway	<i>Bunium persicum</i> B.Fedtsch.	
45.	Black caraway	<i>Carum bulbocastanum</i> W.D.J.Koch	
46.	Caraway	<i>Carum carvi</i> L.	HS 090940
47.	Black cumin	<i>Nigella sativa</i> L.	
48.	Cumin (Green /White Cumin)	<i>Cuminum cyminum</i> Wall.	HS 090930
49.	Damas black cumin	<i>Nigella damascena</i> L.	
50.	Black mustard	<i>Brassica nigra</i> (L.) Andrz.	
51.	Mustard	<i>Brassica juncea</i> (L.) Hook.f. & Thomson	HS 120750
52.	White/yellow mustard	<i>Sinapis alba</i> L	
53.	Celery	<i>Apium graveolens</i> L.	HS 09109911
54.	Garden Celery	<i>Apium graveolens</i> L.	
55.	Coriander	<i>Coriandrum sativum</i> L.	HS 090921
56.	Dill	<i>Anethum graveolens</i> L.	HS 09109913
57.	Indian Dill	<i>Anethum sowa</i> Roxb.	

58.	Fennel	<i>Foeniculum vulgare</i> Mill.	HS 090950
59.	Sweet fennel	<i>Foeniculum vulgare</i> Hill	
60.	Fenugreek	<i>Trigonella foenum-graecum</i> Sm.	HS 09109912
61.	Nutmeg	<i>Myristica fragrans</i> Houtt.	HS 090810
62.	Papuan nutmeg	<i>Myristica argentea</i> Warb.	
63.	Poppy seed	<i>Papaver somniferum</i> L.	HS 120791
64.	Sesame/ Gingelly	<i>Sesamum indicum</i> L.	
65.	Pomegranate seed	<i>Punica granatum</i> L.	
<b>Dried Floral parts</b>			
66.	Clove	<i>Syzygium aromaticum</i> (L.) Merr. & L.M.Perry	HS 090700
67.	Saffron	<i>Crocus sativus</i> Biv. ex Steud.	HS 091020
68.	Caper	<i>Capparis spinosa</i> L.	HS 071130
<b>Dried leaves</b>			
69.	Bay Leaf	<i>Laurus nobilis</i> Cav.	HS 09104030
70.	Leek / Winter leek	<i>Allium porrum</i> L. <i>Allium ampeloprasum</i> Boiss.	
71.	Curry leaf	<i>Murraya koenigii</i> Spreng.	HS 091050
72.	Pandan wangi	<i>Pandanus amaryllifolius</i> Roxb.	
73.	Tejpat (Indian Bay)	<i>Cinnamomum tamala</i> (Buch.-Ham.) T.Nees & C.H.Eberm.	HS 09104010
<b>Dried Bark</b>			
74.	Cassia	<i>Cinnamomum cassia</i> Siebold	HS 09061910
75.	Indonesian cassia	<i>Cinnamomum burmannii</i> (Nees & T.Nees) Blume	
76.	Vietnamese cassia	<i>Cinnamomum loureirii</i> Nees	
77.	Cinnamon	<i>Cinnamomum zeylanicum</i> Blume	HS 090611
<b>Others</b>			
78.	Asafoetida	<i>Ferula assa-foetida</i> L. <i>Ferula foetida</i> (Binge) Regel <i>Ferula narthex</i> Boiss	HS 13019013
79.	Carambola	<i>Averrhoa carambola</i> L.	
80.	Mace	<i>Myristica fragrans</i> Houtt.	HS 090820
81.	Papuan mace	<i>Myristica argentea</i> Warb.	
<b><u>1.2 Culinary Herbs Grouping</u></b>			
Sl. No	Name of Culinary Herb	Scientific Name	HS Code
<b>Dried Herb</b>			

82.	Basil	<i>Ocimum basilicum</i> L.	
83.	Hyssop	<i>Hyssopus officinalis</i> L.	
84.	Lovage	<i>Levisticum officinale</i> W.D.J.Koch	HS 12119095
85.	Peppermint	<i>Mentha x piperita</i> L., pro spec. & Hylander	HS 12119070
86.	Spearmint	<i>Mentha spicata</i> L.	
87.	Japanese mint / field mint / corn mint	<i>Mentha arvensis</i> L.	
88.	Balm/ Lemon balm/ Melissa	<i>Melissa officinalis</i> L.	
89.	Bergamot	<i>Mentha citrata</i> Ehrh.	
90.	Marjoram	<i>Majorana hortensis</i> Moench	
91.	Sweet marjoram	<i>Origanum majorana</i> L.	
92.	Oregano	<i>Origanum vulgare</i> L.	
93.	Mexican oregano	<i>Lippia graveolens</i> Kunth	
94.	Parsley(curly)	<i>Petroselinum crispum</i> (Mill.) A.W.Hill	
95.	Parsley (flat)	<i>Petroselinum sativum</i> Hook. & Gillies	
96.	Rosemary	<i>Rosmarinus officinalis</i> L.	
97.	Sage	<i>Salvia officinalis</i> Pall.	
98.	Thyme	<i>Thymus vulgaris</i> L.	HS 09104020
99.	Creeping thyme / Wild thyme / Mother of thyme	<i>Thymus serpyllum</i> L.	
100.	Tarragon	<i>Artemisia dracunculus</i> L.	HS 07108010
101.	Summer Savory	<i>Satureja hortensis</i> L.	
102.	Winter Savory	<i>Satureja montana</i> L.	
103.	Sri Lankan Citronella	<i>Cymbopogon nardus</i> (L.) Rendle	
104.	West Indian Lemon grass	<i>Cymbopogon citratus</i> Stapf	

### **1.3 Ungrouped Spices & Culinary Herbs**

Sl. No.	Name of Spice/ Culinary Herbs	Scientific Name	HS Code
105.	Belimbing / Bilimbi / Cucumber tree	<i>Averrhoa bilimbi</i> L.	
106.	Chervil	<i>Anthriscus cerefolium</i> Hoffm.	
107.	Chive	<i>Allium schoenoprasum</i> Regel & Tiling	
108.	Indian leek/ Chinese chive	<i>Allium tuberosome</i> Rottler ex. Sprengel	
109.	Garden angelica	<i>Angelica archangelica</i> L.	
110.	Stony leek/ Welsh onion/ Japanese bunching onion	<i>Allium fistulosum</i> L.	
111.	Potato onion	<i>Allium cepa</i> L.	
112.	West Indian bay	<i>Pimenta racemosa</i> (Mill.) J.W. Moore	

**PART 2 – Non exhaustive list of Spices and Culinary Herbs,  
Arranged by Generic Names**

<b>Sl. No.</b>	<b>Generic Product</b>	<b>Other Product Forms</b>	<b>Scientific Name</b>	<b>Plant Part Used</b>
11	Angostura (Cusparia bark)	Sweet Basil  Bush Basil	<i>Ferula narthex</i> Boiss  <i>Ferula assa-foetida</i> L.  <i>Ferula foetida</i> (Binge) Regel  <i>Ocimumbasilicum</i> L.  <i>Ocimum minimum</i> L.  <i>Galipeaofficinalis</i> Hancock.	Bark
6	Ambrette		<i>Hibiscus abelmoschus</i>	Fruit
12	Anise (AniSeed)		<i>Pimpinellaanisum</i> L.	Fruit
3	Allspice (Leaf)		<i>Pimentadioica</i> (L) Merr.	Leaf
9	Angelica Leaf		<i>Angelica archangelica</i> L. or <i>Angelica</i> spp.	Leaf
14	Basil		<b>Any of the below species</b>	Leaf
15	Bay Leaves (Laurel Leaves)		<i>Laurusnobilis</i> L.	Leaf
16	Bergamot		<i>Menthacitrata</i> Ehrh.	Leaf/Stem
8	Angelica Root		<i>Angelica archangelica</i> L. or <i>Angelica</i> spp.	Root
13	Asafoetida		<b>Any of the below species</b>	Roots, Rhizomes, Bulbs
1	Ajowan/ Ajwain		<i>Trachyspermumammi</i> Sprague	Seed
2	Alfalfa Seed		<i>Medicago sativa</i> L.	Seed
4	Allspice (Pimento)		<i>Pimentadioica</i> (L) Merr.	Seed
5	Ambrette		<i>Abelmoschusmoschatus</i> Medik.	Seed
7	Anatto		<i>Bixaorellana</i>	Seed
10	Angelica Seed		<i>Angelica archangelica</i> L. or <i>Angelica</i> spp.	Seed
17	Black caraway		<i>Buniumpersicum</i> B.Fedtsch.	Seed
18	Black cumin	Russian Caraway  Black Caraway  Damas black cumin	<b>Any of the below species</b>  <i>Nigella sativa</i> L.  <i>Nigella sativa</i> L.  <i>Nigella damascena</i> L.	Seed

19	Borage Leaf		<i>Borago officinalis</i>	Leaf
20	Calendula, Pot marigold		<i>Calendula officinalis</i> L.	Flower

**PART 2 – Non exhaustive list of Spices and Culinary Herbs,  
Arranged by Generic Names**

<b>Sl. No.</b>	<b>Generic Product</b>	<b>Other Product Forms</b>	<b>Scientific Name</b>	<b>Plant Part Used</b>
21	Camboge		<i>Garcinia cambogia</i> (Gaertn.) Desr. <i>Garcinia atroviridis</i>	Fruit
22	Camomile, English or Roman		<i>Anthemis nobilis</i> L.	Flower
23	Camomile, German or Hungarian		<i>Matricaria chamomilla</i> L.	Flower
24	Canelo pepper		<i>Drimys winteri</i> J.R. Forst. & G. Forst.	Bark
25	Caper		<i>Capparis spinosa</i> L.	Floral Parts
26	Caraway		<i>Carum carvi</i> L.	Seed
27	Cardamon		<b>Any of the below species</b>	Fruit/berry
	Bengal cardamom		<i>Amomum aromaticum</i> Roxb.	
	Cambodian cardamom		<i>Amomum krervanh</i> Pierre ex Gagnep.	
	Cameroon cardamom		<i>Aframomum hanburyi</i> K. Schum.	
	Cardamom (Large)/ Black cardamom		<i>Amomum subulatum</i> Roxb.	
	Cardamom (Small)		<i>Elettaria cardamomum</i> Maton	
	Grain of paradise (Guinea grains, Melegueta pepper, Alligator pepper)		<i>Aframomum melegueta</i> (Roscoe) K. Schum.	
	Korarima cardamom		<i>Aframomum korarima</i> (Pereira) Engl.	
	Madagascar cardamom		<i>Aframomum angustifolium</i> K. Schum.	
	Round cardamom /Chester cardamom/ Siamese cardamom/ Indonesian cardamom		<i>Amomum kepulaga</i> Sprague & Burkhill	

		Sri Lankan Cardamom	<i>Elettariacardamomumvar.major</i> (Sm.) Thwaites	
		Tsao-ko Cardamom	<i>Amomumtsao-ko</i> Crevost&Lemarié	
28	Celery leaves		<i>Apiumgraveolens Dulce</i>	Leaf

**PART 2 – Non exhaustive list of Spices and Culinary Herbs,  
Arranged by Generic Names**

<b>Sl. No.</b>	<b>Generic Product</b>	<b>Other Product Forms</b>	<b>Scientific Name</b>	<b>Plant Part Used</b>
29	Celery Seed		<i>Apiumgraveolens Dulce</i>	Seed
30	Chervil		<i>AnthriscuscerefoliumHoffm.</i>	Leav
31	Chilli (equal or greater than 900 Scoville units)		<i>Capsicum spp.</i>	Fruit with or without Seeds
32	Chilli Paprika (less than 900 Scoville units)		<i>Capsicum spp.</i>	Fruit with or without Seeds
33	Chive		<i>Allium schoenoprasum Regel &amp; Tiling</i>	Leaf
34	Cinnamon	Indonesian, Padang, Batavia Cassia/Cinnamon  Chinese Cassia/Cinnamon  Vietnamese, Saigon Cassia/Cinnamon  Ceylong Cinnamon	<b>Any of the below species</b>  <i>Cinnamomumburmanii</i> (Nees& T. Nees) Blume  <i>Cinnamomumcassia</i> Blume.  <i>Cinnamomumloureirii</i> Nees  <i>Cinnamomumzeylanicum</i> Blume	Bark
35	Clove		<i>Syzygiumaromaticum</i> (L) Merr.& Perry	Floral Bud
36	Clover		<i>Trifolium spp.</i>	Leaf
37	Coriander Leaf		<i>Coriandrumsativum L.</i>	Leaf
38	Coriander Seed		<i>Coriandrumsativum L.</i>	Seeds
39	Cumin, Brown (Jerra, cumin)		<i>Cuminumcuminum L.</i>	Seed
40	Curry Leaf		<i>Murrayakoenigii</i> Spreng.	Leaf/Stem
	Dill Seed	Dill Indian Dill	<b>Any of the below species</b>  <i>Anethumgraveolens L.</i>  <i>AnethumsowaRoxb. ex Fleming</i>	Seeds
	Dill, Leaf	Dill Indian Dill	<b>Any of the below species</b>  <i>Anethumgraveolens L.</i>  <i>AnethumsowaRoxb. ex Fleming</i>	Leaf
	Elder flowers	Winter savory  Summer Savory	<b>Any of the below species</b>  <i>Saturejamontana L.</i>  <i>SaturejaThymbraL.</i> <i>SaturejaSpinosaL</i>  <i>Saturejahortensis L.</i>	Leaf/Stem

44	Fennel Seed		<i>Foeniculumvulgare</i> Mill.	Seeds
45	Fennel Leaf		<i>Foeniculumvulgare</i> Mill.	Leaf
46	Fenugreek		<i>Trigonellafoenum-graecum</i> L.	Seeds

**PART 2 – Non exhaustive list of Spices and Culinary Herbs,  
Arranged by Generic Names**

Sl. No.	Generic Product	Other Product Forms	Scientific Name	Plant Part Used
47	Galangal	Greater Galangal	<b>Any of the below species</b> <i>Alpinia galanga</i> Willd.	Roots, Rhizomes, Bulbs
		Galangal	<i>Alpinia officinarum</i> Hance	
48	Garden Celery		<i>Apium graveolens</i> L.	Seeds
49	Garlic		<i>Allium sativum</i> L. <i>Allium ampeloprasum</i> L.	Roots, Rhizomes, Bulbs
50	Geranium		<i>Pelargonium</i> spp.	Leaf
51	Ginger		<i>Zingiber officinale</i> Roscoe	Roots, Rhizomes, Bulbs
52	Horehound (hoarhound)		<i>Marrubium vulgare</i> L.	Leaf
53	Horseradish		<i>Armoracia lapathifolia</i> Gilib.	Roots, Rhizomes, Bulbs
54	Horseradish root		<i>Armoracia rusticana</i> G.Gaertn., B.Mey. & Scherb.	Roots, Rhizomes, Bulbs
55	Hyssop		<i>Hyssopus officinalis</i> L.	Leaf/Stem
56	Japanese mint / field mint / corn mint		<i>Mentha arvensis</i> L.	Leaf/Stem
57	Juniper berry		<i>Juniperus communis</i> L.	Fruit/berry
58	Kaffir Lime		<i>Citrus hystrix</i> DC.	Fruit
59	Kokam		<i>Garcinia indica</i> (Thouars) Choisy	Fruit/berry
60	Lavender		<i>Lavandula officinalis</i> Chaix.	Leaf/Flower
61	Leek	Stony leek/ Welsh onion/ Japanese bunching onion	<b>Any of the below species</b> <i>Allium fistulosum</i> L.	Entire plant
		Leek / Winter leek	<i>Allium porrum</i> L.	
		Indian leek/ Chinese chive	<i>Allium ramosum</i> L  <i>Allium ampeloprasum</i> L.	
62	Lemon balm		<i>Melissa officinalis</i> L.	Leaf

63	Lemon Grass		<i>Cymbopogoncitratus</i> (DC.) Stapf	Leaf
64	Linden Flowers		<i>Tilia</i> spp.	Flower
65	Lovage Root		<i>Levisticumofficinale</i> W.D.J.Koch	Rhizome
66	Lovage Leaf		<i>Levisticumofficinale</i> W.D.J.Koch	Leaf/Stem

<b>PART 2 – Non exhaustive list of Spices and Culinary Herbs, Arranged by Generic Names</b>				
<b>Sl. No.</b>	<b>Generic Product</b>	<b>Other Product Forms</b>	<b>Scientific Name</b>	<b>Plant Part Used</b>
67	Mace		<i>Myristicafragrans</i> Houtt.	Aril
68	Mango Dried		<i>Mangiferaindica</i>	Seed
69	Marjoram		<b>Any of the below species</b>	Leaf/Stem
		Marjoram	<i>Majoranahortensis</i> , Syn. <i>Origanummajorana</i>	
		Marjoram, sweet	<i>Majoranahortensis</i> Moench.	
		Pot marjoram	<i>Origanumonites</i> (L.) Benth.	
70	Mustard		<b>Any of the below species</b>	Seed
		Mustard, white or yellow	<i>Brassica hirta</i> Moench.	
		Mustard, brown	<i>Brassica juncea</i> (L.) Czern.	
		Mustard, black or brown	<i>Brassica nigra</i> (L.) Koch.	
			<i>Sinapis alba</i> L.	
			<i>Sinapisnigra</i> L.	
71	Nutmeg		<b>Any of the below species</b>	Seed
		Papuan nutmeg	<i>Myristicafragrans</i> Houtt.	
			<i>Myristicaargentea</i> Warb.	
72	Onion	Potato onion	<i>Allium cepa</i> L.	Roots, Rhizomes, Bulbs
			<i>Allium cepa</i> Aggregatum Group	
73	Oregano		<b>Any of the below species</b>	Leaf/stem
		Mexican oregano	<i>Lippiaberlandieri</i> Schauer	
		Mexican oregano	<i>Lippiagraveolens</i> H.B.K.	
			<i>Lippiamicromera</i> Schauer	
	Oregano	Oregano Oreganum, Mexican Oregano, Mexican Sage, Origan)	<i>Lippia</i> spp.	
		Mt. Pima oregano	<i>Monardacitriodora</i> Cerv. ex Lag.	
		oregano de la sierra	<i>Monardafistulosa</i> L.	

<b>PART 2 – Non exhaustive list of Spices and Culinary Herbs, Arranged by Generic Names</b>				
<b>Sl. No.</b>	<b>Generic Product</b>	<b>Other Product Forms</b>	<b>Scientific Name</b>	<b>Plant Part Used</b>
	Oregano	Italian oregano	<i>Origanum x majoricum</i> Cambess.	
		Turkish oregano	<i>Origanum onites</i> L.	
		Cretan oregano	<i>Origanum onites</i> L.	
		Oikea oregano	<i>Origanum onites</i> L.	
		Syrian oregano	<i>Origanum syriacum</i> L.	
		Oregano	<i>Origanum vulgare</i> L.	
		Greek oregano	<i>Origanum vulgare</i> subsp. <i>viride</i> (Boiss.) Hayek	
		Turkestan oregano	<i>Origanum vulgare</i> subsp. <i>viride</i> (Boiss.) Hayek	
		Cuban oregano	<i>Plectranthus amboinicus</i> (Lour.) Spreng.	
		Spanish oregano	<i>Thymus capitatus</i> (L.) Hoffmanns. & Link	
74	Pandanwangi		<i>Pandanus amaryllifolius</i> Roxb.	Leaf/Stem
75	Parsley		<i>Petroselinum crispum</i> (Mill.) Nym.	Leaf
76	Pepper		<b>Any of the below species</b>	Seed
		Black, White, Green Pepper	<i>Piper nigrum</i> L.	
		Brazilian pepper	<i>Schinus terebinthifolius</i> Raddi	
		Chinese pepper	<i>Zanthoxylum acanthopodium</i> DC.	
		Chinese prickly ash pepper/ Sechuang pepper	<i>Zanthoxylum bungei</i> Planch.	
		Cubebs	<i>Piper cubeba</i> L.	
	Pepper	Grain of paradise (Guinea grains, Melegueta pepper, Alligator pepper)	<i>Aframomum melegueta</i> (Roscoe) K. Schum.	
		Negro pepper / Guinean pepper pods	<i>Xylopia aethiopica</i> A. Rich.	

	Pepper (Black, White, Green)	<i>Piper nigrum</i> L.	
	Pepper Long	<i>Piper longum</i> L.	

**PART 2 – Non exhaustive list of Spices and Culinary Herbs,  
Arranged by Generic Names**

<b>Sl. No.</b>	<b>Generic Product</b>	<b>Other Product Forms</b>	<b>Scientific Name</b>	<b>Plant Part Used</b>
76	Pepper	Pink pepper Sichuan pepper / Japanese pepper Negro pepper / Guinean pepper pods Canelo pepper West African / Benin pepper	<i>Schinus molle</i> L.  <i>Zanthoxylum piperitum</i> (L.) DC. <i>Xylopia aethiopica</i> A. Rich.  <i>Drimys winteri</i>  <i>Piper guineense</i> Schumach. & Thonn.	
77	Peppermint		<i>Mentha piperita</i> L.	Leaf/Stem
78	Pomegranate Seed		<i>Punica granatum</i> L.	Seeds
79	Poppy Seed		<i>Papaver somniferum</i> L.	Seed
80	Rosemary		<i>Rosmarinus officinalis</i> L.	Leaf
81	Saffron		<i>Crocus sativus</i> L.	Floral Parts
82	Sage	Sage Clary (Clary Sage) Sage, Greek	<b>Any of the below species</b> <i>Salvia officinalis</i> L. <i>Salvia sclarea</i> L. <i>Salvia triloba</i> L.	Lea f Lea f
83	Sesame/ Gingelly		<i>Sesamum indicum</i> L.	Seeds
84	Shallot		<i>Allium ascalonicum</i> L.	Roots, Rhizomes, Bulbs
85	Spearmint		<i>Mentha spicata</i> L.	Leaf/Stem
86	Sri Lankan Citronella		<i>Cymbopogon nardus</i> (L.) Rendle	Leaf/Stem
87	Star Anise		<i>Illicium verum</i> Hook. f.	Seed
88	Sumac/Sumach		<i>Rhus coriaria</i> L.	Fruit
89	Sweet flag		<i>Acorus calamus</i> L.	Roots, Rhizomes, Bulbs
90	Tarragon		<i>Artemisia dracunculus</i> L.	Leaf/Stem
91	Tejpat (Indian Bay)		<i>Cinnamomum tamala</i> (Buch. –Ham.) C. H. Nees&Eberm.	Leaf
92	Thyme	Creeping thyme / Wild thyme / Mother of thyme	<b>Any of the below species</b> <i>Thymus vulgaris</i> L. <i>Thymus serpyllum</i> L. <i>Thymus capitatus</i> L.  <i>Thymus zygis</i> L.  <i>Thymus saturejoides</i> Coss.	Leaf

93	Turmeric		<i>Curcuma longa</i> L.	Roots, Rhizomes, Bulbs
94	Vanilla		<b>Any of the below species</b>	
		Pompon vanilla Tahitian Vanilla	<i>Vanilla pompona</i> Schiede <i>Vanilla tahitensis</i> J.W.Moore	Pods

**PART 2 – Non exhaustive list of Spices and Culinary Herbs,  
Arranged by Generic Names**

Sl. No.	Generic Product	Other Product Forms	Scientific Name	Plant Part Used
95	West Indian bay		<i>Pimentaracemosa</i> (Mill.) J.W. Moore	Leaf
96	Zedoary		<i>Curcuma zedoaria</i> (Bergius) Rosc.	Roots, Rhizomes, Bulbs