
## codex alimentarius commission





JOINT OFFICE: Viale delle Terme di Caracalla 00100 ROME Tel: 39 06 57051 www.codexalimentarius.net Email: codex@fao.org Facsimile: 39 06 5705 4593

Agenda Item 13

CX/FAC 05/37/17 March 2005

# JOINT FAO/WHO FOOD STANDARDS PROGRAMME CODEX COMMITTEE ON FOOD ADDITIVES AND CONTAMINANTS

**Thirty-seventh Session** 

The Hague, the Netherlands, 25 – 29 April 2005

### SPECIFICATIONS FOR THE IDENTITY AND PURITY OF FOOD ADDITIVES ARISING FROM THE 63<sup>rd</sup> JECFA MEETING

Governments and international organizations in Observer status with the Codex Alimentarius Commission wishing to submit comments on the following subject matter are invited to do so **no later than 4 April 2005** as follows: Netherlands Codex Contact Point, Ministry of Agriculture, Nature and Food Quality, P.O. Box 20401, 2500 E.K., The Hague, The Netherlands (Telefax: +31.70.378.6141; E-mail: <a href="mailto:info@codexalimentarius.nl">info@codexalimentarius.nl</a> - <a href="mailto:preferably">preferably</a>), with a copy to the Secretary, Codex Alimentarius Commission, Joint FAO/WHO Food Standards Programme, FAO, Viale delle Terme di Caracalla, 00100 Rome, Italy (Telefax: +39.06.5705.4593; E-mail: <a href="mailto:Codex@fao.org">Codex@fao.org</a> - <a href="mailto:preferably">preferably</a>).

#### BACKGROUND

1. Specifications for 217 food additives and flavouring agents were discussed and prepared at the 63<sup>rd</sup> JECFA meeting (Geneva, June 2004) and are published in Addendum 12 to the "Compendium of Food Additive Specifications" (FAO Food and Nutrition Paper 52-Add. 12 – distributed under separate cover). The Compendium is also available on the JECFA website: <a href="http://www.fao.org/es/ESN/jecfa/whatisnew\_en.stm">http://www.fao.org/es/ESN/jecfa/whatisnew\_en.stm</a>. These specifications cover:

|                | Food additives | Flavouring agents |
|----------------|----------------|-------------------|
| Total:         | 20             | 197               |
| New (Revised): | 10 (9)         | 176 (18)          |
| Full:          | 16             | 192               |
| Tentative:     | 3              | 5 (3 maintained)  |

- 2. Limits for arsenic, lead, cadmium, and mercury for 83 additives were revised or established, as necessary, and published in Addendum 12. The Commission has previously adopted the complete specifications of 71 of these 83 additives as Codex Advisory Specifications. The Committee is being asked to review the revised or newly established limits for arsenic, lead, cadmium, and mercury for the 71 additives in order to recommend their adoption by the Commission as revised Codex Specifications, taking into account comments received.
- 3. Comments are also invited on the Principles Governing the Establishment and Revision of Specifications, which are elaborated in Section A of Food and Nutrition Paper 52 Add. 12.

#### AD HOC WORKING GROUP

#### **Consideration of Specifications**

4. Comments will be considered at a meeting of the *ad hoc* Working Group on Specifications, which was established at the 36th Session of the Committee. The Provisional Agenda is included in the Annex (below). The specifications will be classified into Categories I, II, III, IV, or V, according to the established procedures. An explanation of the five categories is provided in the Annex.

- 5. The 17 additives given full specifications at the 63<sup>rd</sup> JECFA are listed in the Annex. A separate list of the additives for which specifications were designated tentative is also given in the Annex.
- 6. Limits for arsenic, lead, cadmium, and mercury for 83 additives were revised or established, as necessary, at the 63<sup>rd</sup> JECFA, in accordance with the procedure and principles elaborated at the 53<sup>rd</sup> JECFA (Rome, June 1999) and stated in FAO Food and Nutrition Paper 52 Add. 7. Only the limits for those additives (71, see the Annex) whose complete specifications are already adopted as Codex Advisory Specifications will be open for discussion and classified as either Category I or III. Those placed in Category I will be recommended for endorsement by the Committee as revisions to their existing Codex Specifications.
- 7. Of the 197 flavouring agent specifications reviewed during the 63<sup>rd</sup> JECFA, 5 are designated as tentative (see Annex) and will be assigned to Category IV or V. This leaves 192 for consideration during the session. To avoid protracted discussions, the Working Group will be asked to identify only those specifications that it considers unsuitable for recommendation as Codex Specifications (i.e., Category I). The JECFA numbers for all 197 substances are included in the Annex.

#### **Consideration of Principles**

8. The Working Group will also have the opportunity to comment on the Principles Governing the Establishment and Revision of Specifications. See item VI of the Provisional Agenda in the Annex.

Annex

#### AD HOC WORKING GROUP ON SPECIFICATIONS

#### Saturday 23 April 2005, 10:30-12:30 hours

#### PROVISIONAL AGENDA

- I. Introductions
- II. Approval of the Agenda
- III. Comments from the Codex and JECFA Secretariats
- IV. Comments by the Working Group Chairman
- V. Review of Category Definitions (see below)
- VI. Review of Comments Submitted on the <u>Specifications for the Identity and Purity of Food Additives</u> (FAO FNP 52 Add. 12) arising from the 63<sup>rd</sup> JECFA Meeting
  - A. Additives (uses other than as flavouring agents)
  - B. Revision of limits for heavy metals and arsenic for certain additives
  - C. Specifications for certain flavouring agents
  - D. Principles governing the establishment and revision of specifications (see also Annex 3 of "Summary and Conclusions" of the 63<sup>rd</sup> JECFA, Geneva, June 2004)
    - i. Flavour complexes derived from natural sources
    - ii. Determination of carotenoids
    - iii. Revision of heavy metals and arsenic specifications
- VII. Other Business
- VIII. Reestablishment of the Working Group

#### SPECIFICATIONS CATEGORIES

- I. Specifications that are suitable for submission to the Commission for final adoption as Codex Specifications;
- II. Specifications that will be suitable for submission to the Commission for final adoption as Codex Specifications after editorial changes have been made;
- III. Specifications that require substantive changes before they are considered suitable as Codex Specifications and which should be held at Step 2 of the Specifications Procedures pending further advice from JECFA;
- IV. Specifications that have been revised by recent sessions of JECFA or that may be revised at the forthcoming session;
- V. Specifications that are incomplete and have been designated by JECFA as tentative (and, therefore, are not to be considered for adoption as Codex Specifications).

## SPECIFICATIONS DESIGNATED AS $\underline{FULL}$ AT THE $63^{\rm rd}$ JECFA (FNP 52 - ADD. 12, Geneva, 2004) FOR THE FOLLOWING ADDITIVES:

| Acetic acid                                    |
|--|
| Aluminium lakes of colouring matters – General |
| specifications                                 |
| Aluminium powder                               |
| Benzoyl peroxide                               |
| Hexose oxidase from Chondrus crispus           |
| expressed in Hansenula polymorpha              |
| Hydrogen peroxide                              |
| 1-Hydroxyethylidene-1,1-diphosphonic acid      |
| (HEDP)   |
| Hydroxypropyl cellulose                        |
| Hydroxypropylmethyl cellulose                  |

| Iron oxides                                     |
|---|
| Lutein from Tagetes erecta                      |
| Octanoic acid                                   |
| Polyvinyl alcohol                               |
| Titanium dioxide                                |
| Xylanase (resistant to xylanase inhibitor) from |
| Bacillus subtilis containing a modified         |
| xylanase gene from Bacillus subtilis            |
| Xylanase from Bacillus subtilis expressed in    |
| Bacillus subtilis                               |
| Zeaxanthin (Synthetic)                          |

# SPECIFICATIONS DESIGNATED AS $\underline{TENTATIVE}$ AT THE 63<sup>rd</sup> JECFA (FNP 52 - ADD. 12, Geneva, 2004) FOR THE FOLLOWING ADDITIVES:

| Magnesium sulfate  | Zeaxanthin-rich extract from Tagetes erecta |
|--------------------|---|
| Steviol glycosides |   |

# REVISION OF <u>ARSENIC and HEAVY METALS LIMITS (mg/kg)</u> FOR CERTAIN ADDITIVES (THE $63^{\rm rd}$ JECFA; SEE FNP 52 - ADD. 12):

| Additive name        | INS      | As | Pb | Cd | Hg |  |
|----------------------|----------|----|----|----|----|--|
| Aluminium ammonium   |          |    |    |    |    |  |
| sulfate              | 523      | -  | 3  | -  | -  |  |
| Ammonium chloride    | 510      | -  | 2  | -  | -  |  |
| Ammonium hydroge     | n        |    |    |    |    |  |
| carbonate            | 503 (ii) | -  | 2  | -  | -  |  |
| Azodicarbonamide     | 927 a    | -  | 2  | -  | -  |  |
| Bees wax             | 901      | -  | 2  | -  | -  |  |
| Benzoic acid         | 210      | -  | 2  | -  | -  |  |
| Benzyl alcohol       |          | -  | 2  | -  | -  |  |
| Butan-1,3-diol       |          | -  | 2  | -  | -  |  |
| Butan-1-ol           |          | -  | 2  | -  | -  |  |
| Butan-2-ol           |          | -  | 2  | -  | -  |  |
| Butyl p-hydroxybenze | oate     | -  | 2  | -  | -  |  |
| Calcium acetate      | 263      | -  | 2  | -  | -  |  |
| Calcium benzoate     | 213      | -  | 2  | -  | -  |  |
| Calcium carbonate    | 170      | 3  | 3  | -  | -  |  |
| Calcium chloride     | 509      | -  | 2  | -  | -  |  |
| Calcium cyclamate    | 952      | -  | 1  | -  | -  |  |
| Calcium hydrogen     |          |    |    |    |    |  |
| phosphate            | 341 (ii) | 3  | 4  | -  | -  |  |
| Calcium sulfate      | 516      | -  | 2  | _  | -  |  |
| Candelilla wax       | 902      | -  | 2  | _  | -  |  |
| Castor oil           | 1503     | -  | 2  | -  | -  |  |
| Chlorine             | 925      | -  | 2  | -  | 1  |  |

| Additive name         | INS      | As | Pb | Cd | Hg |
|-----------------------|----------|----|----|----|----|
| Citranaxanthin        |          | -  | 2  | -  | -  |
| Cyclodextrin, beta-   | 459      | -  | 1  | -  | -  |
| Cyclohexane           |          | -  | 2  | -  | -  |
| Dammar gum            |          | -  | 2  | -  | -  |
| Diethyl tartrate      |          | -  | 2  | -  | -  |
| Diethylene glycol     |          |    |    |    |    |
| monoethyl ether       |          | -  | 2  | -  | -  |
| Dimethyl dicarbonate  | 242      | -  | 2  | -  | -  |
| Ferric ammonium citra | ate      | -  | 2  | -  | -  |
| Glycerol              | 422      | -  | 2  | -  | -  |
| Glycerol diacetate    |          | -  | 2  | -  | -  |
| Heptanes              |          | -  | 2  | -  | -  |
| Hexamethylene         |          |    |    |    |    |
| tetramine             | 239      | -  | 2  | -  | -  |
| Isoamyl acetate       |          | -  | 2  | -  | -  |
| Isobutanol            |          | -  | 2  | -  | -  |
| Isopropyl acetate     |          | -  | 2  | -  | -  |
| Lactic acid           | 270      | -  | 2  | -  | -  |
| Light petroleum       |          | -  | 2  | -  | -  |
| Lysozyme hydrochlori  | de 1105  | -  | 2  | -  | -  |
| Magnesium chloride    | 511      | -  | 2  | -  | -  |
| Magnesium hydrogen    |          |    |    |    |    |
| phosphate             | 343 (ii) | 3  | 4  | -  | -  |
| Magnesium lactate     | 329      | -  | 2  | -  | -  |

| Methanol  |                          | -                     | 2     | -                     | -                     |
|---|--------------------------|-----------------------|-------|-----------------------|-----------------------|
| Mineral oil (high   |                          |                       |       |                       |                       |
| viscosity)  | 905d                     | -                     | 1     | -                     | -                     |
| Monoglyceride citrate   |                          | -                     | 2     | -                     | -                     |
| Potassium acetate   | 261                      | -                     | 2     | -                     | -                     |
| Potassium benzoate  | 212                      | -                     | 2     | -                     | -                     |
| Potassium bromate   | 924 a                    | -                     | 2     | -                     | -                     |
| Potassium chloride  | 508                      | -                     | 2     | -                     | -                     |
| Potassium dihydrogen  |                          |                       |       |                       |                       |
|   |                          |                       |       |                       |                       |
| phosphate   | 340 (i)                  | 3                     | 4     | -                     | -                     |
| phosphate Potassium iodate  | 340 (i)<br>917           | 3                     | 2     | -                     | -                     |
|   |                          | 3<br>-                |       | -<br>-<br>-           | -<br>-<br>-           |
| Potassium iodate  | 917                      | -<br>-                | 2     | -<br>-<br>-           | -<br>-<br>-           |
| Potassium iodate Potassium nitrate  | 917<br>252               | <u>-</u>              | 2     | -<br>-<br>-           | -<br>-<br>-           |
| Potassium iodate Potassium nitrate Potassium nitrite                                | 917<br>252               | 3<br>-<br>-           | 2     | -<br>-<br>-<br>-      | -<br>-<br>-<br>-      |
| Potassium iodate Potassium nitrate Potassium nitrite Potassium sodium               | 917<br>252<br>249        | 3                     | 2 2 2 | -<br>-<br>-<br>-      | -<br>-<br>-<br>-      |
| Potassium iodate Potassium nitrate Potassium nitrite Potassium sodium L(+) tartrate | 917<br>252<br>249<br>337 | 3<br>-<br>-<br>-<br>- | 2 2 2 | -<br>-<br>-<br>-<br>- | -<br>-<br>-<br>-<br>- |

| Sodium carboxymethyl |          |   |   |   |   |
|----------------------|----------|---|---|---|---|
| cellulose            | 466      | - | 2 | - | - |
| Sodium cyclamate     | 952      | - | 1 | - | - |
| Sodium diacetate     | 262 (ii) | - | 2 | - | - |
| Sodium nitrate       | 251      | - | 2 | - | - |
| Sodium nitrite       | 250      | - | 2 | - | - |
| Sodium percarbonate  |          | - | 2 | - | - |
| Sodium thiocyanate   |          | - | 2 | - | - |
| Sorbic acid          | 200      | - | 2 | - | - |
| Sucralose            | 955      | - | 1 | - | - |
| Tannic acid          | 181      | - | 2 | - | - |
| Toluene              |          | - | 2 | - | - |
| Triacetin            | 1518     | - | 2 | - | - |
| Trichlorotrifluoro-  |          |   |   |   |   |
| ethane, 1,1,2-       |          | - | 2 | - | - |
| Urea                 | 927 b    | - | 2 | - | - |

JECFA NUMBERS FOR FLAVOURING AGENTS GIVEN <u>FULL</u> SPECIFICATIONS (including those for which an existing specification was maintained or a tentative designation removed) BY THE 63<sup>rd</sup> JECFA (SEE FNP 52 - ADD. 12):

53, 55, 68, 399, 471, 504, 557, 570, 605, 615, 628, 919, 1203, 1218, 1263, 1273, 1291, 1296, 1301 – 1325, 1327 – 1416, 1418 – 1432, 1434, 1435, 1437 – 1478 (**Total 192**).

JECFA NUMBERS FOR FLAVOURING AGENTS GIVEN  $\underline{TENTATIVE}$  SPECIFICATIONS (including those for which an existing tentative designation was maintained) BY THE  $63^{rd}$  JECFA (SEE FNP 52 - ADD. 12):

631.2, 632.2, 633.2, 1326, 1479 (Total 5).

**SPECIFICATIONS** *WITHDRAWN* BY THE 63<sup>rd</sup> JECFA:

None.