

APPENDIX II**MAXIMUM RESIDUE LIMITS FOR PESTICIDES**

(At Step 5 /8)
(for adoption by CAC)

	Commodity	MRL (mg/kg)	Step	Note
65	Thiabendazole			
	VP 2060 Beans with pods (subgroup)	0.01 (*)	5/8	
	VD 2065 Dry beans (subgroup)	0.01 (*)	5/8	
	VD 2066 Dry peas (subgroup)	0.01 (*)	5/8	
	FI 0345 Mango	7 Po	5/8	
	VP 2061 Peas with pods (subgroup)	0.01 (*)	5/8	
	VP 2062 Succulent beans without pods (subgroup)	0.01 (*)	5/8	
	VP 2063 Succulent peas without pods (subgroup)	0.01 (*)	5/8	
	VR 0508 Sweet potato	9 Po	5/8	
72	Carbendazim			
	HS 0190 Spices, seeds (subgroup)	5	5/8	
118	Cypermethrins (including alpha- and zeta- cypermethrin)			
	VR 0604 Ginseng	0.03 (*)	5/8	
	DV 0604 Ginseng, dried including red ginseng	0.15	5/8	
	DM 0604 Ginseng, extracts	0.06 (*)	5/8	
147	Methoprene			
	SO 0703 Peanut, whole	5 Po	5/8	
158	Glyphosate			
	VD 2065 Dry beans (subgroup)	15	5/8	(except soya beans)
	VD 2066 Dry peas (subgroup)	10	5/8	
160	Propiconazole			
	FS 2001 Peaches (including apricots and nectarine) (subgroup)	4 Po	5/8	
173	Buprofezin			
	AM 0660 Almond hulls	3	5/8	
	OR 0001 Citrus oil, edible	6	5/8	
	AB 0001 Citrus pulp, dry	5	5/8	
	PE 0112 Eggs	0.01 (*)	5/8	
	MF 0100 Mammalian fats (except milk fats)	0.01 (*)	5/8	
	OC 0305 Olive oil, virgin	20	5/8	
	PF 0111 Poultry fats	0.01 (*)	5/8	

	Commodity	MRL (mg/kg)	Step	Note
	PM 0110 Poultry meat	0.01 (*)	5/8	
	PO 0111 Poultry, edible offal of	0.01	5/8	
	TN 0085 Tree nuts (group)	0.05 (*)	5/8	
178	Bifenthrin			
	AS 0081 Straw and fodder (dry) of cereal grains	1 (dw)	5/8	except barley straw and fodder, dry
189	Tebuconazole			
	AB 0001 Citrus pulp, dry	3 (dw)	5/8	
	FC 0003 Mandarins (including mandarin-like hybrids) (subgroup)	0.7 Po	5/8	
	OR 0004 Orange oil, edible	10	5/8	
	FC 0004 Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.4 Po	5/8	
191	Tolclofos-Methyl			
	MO 0105 Edible offal (mammalian)	0.01 (*)	5/8	
	PE 0112 Eggs	0.01 (*)	5/8	
	VL 2050 Leafy greens (subgroup)	0.7	5/8	(except spinach, purslane and chard)
	MF 0100 Mammalian fats (except milk fats)	0.01 (*)	5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.01 (*)	5/8	
	ML 0106 Milks	0.01 (*)	5/8	
	VR 0589 Potato	0.3	5/8	
	PF 0111 Poultry fats	0.01 (*)	5/8	
	PM 0110 Poultry meat	0.01 (*)	5/8	
	PO 0111 Poultry, edible offal of	0.01 (*)	5/8	
199	Kresoxim-Methyl			
	FP 0009 Pome fruits (group)	0.15	5/8	(except Japanese persimmon)
200	Pyriproxyfen			
	FI 0345 Mango	0.02 (*)	5/8	
207	Cyprodinil			
	VD 0541 Soya bean (dry)	0.3	5/8	
210	Pyraclostrobin			
	VR 2070 Root vegetables (subgroup)	0.5	5/8	(except sugar beet)
	VL 0502 Spinach	0.6	5/8	
221	Boscalid			
	FS 0013 Cherries (subgroup)	5	5/8	
	FI 0345 Mango	2	5/8	
	FS 2001 Peaches (including apricots and nectarine) (subgroup)	4	5/8	

	Commodity	MRL (mg/kg)	Step	Note
	FS 0014 Plums (including fresh prunes) (subgroup)	1.5	5/8	
	FP 0009 Pome fruits (group)	2	5/8	
	DF 0014 Prunes,dried	5	5/8	
	DT 1114 Tea, green, black (black, fermented and dried)	40	5/8	
229	Azoxystrobin			
	FT 336 Guava	0.2	5/8	
230	Chlorantraniliprole			
	VD 2065 Dry beans (subgroup)	0.3	5/8	(except soya beans)
	VD 2066 Dry peas (subgroup)	0.3	5/8	
	SO 3160 Palm fruit (African oil palm)	0.8	5/8	
	OC 1240 Palm kernel oil, crude	2	5/8	
234	Spirotetramat			
	VR 0577 Carrot	0.04	5/8	
	FB 0275 Strawberry	0.3	5/8	
	VR 0596 Sugar beet	0.06	5/8	
	AV 0596 Sugar beet leaves or tops (dry)	8 (dw)	5/8	
	DM 0596 Sugar beet molasses	0.3	5/8	
236	Metaflumizone			
	FP 0226 Apple	0.9	5/8	
	SB 0716 Coffee beans	0.15	5/8	
	DF 0269 Dried grapes (=currants, raisins and sultanas)	13	5/8	
	MO 0105 Edible offal (mammalian)	0.02 (*)	5/8	
	PE 0112 Eggs	0.02	5/8	
	FB 0269 Grapes	5	5/8	
	FC 0002 Lemons and limes (including citron) (subgroup)	2	5/8	
	GC 0645 Maize	0.04	5/8	
	MF 0100 Mammalian fats (except milk fats)	0.6	5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.02 (*) (fat)	5/8	
	VC 0046 Melons, except watermelon	1	5/8	
	FM 0183 Milk fats	0.7	5/8	
	ML 0106 Milks	0.02	5/8	
	OR 0004 Orange oil, edible	100	5/8	
	FC 0004 Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	3	5/8	

	Commodity	MRL (mg/kg)	Step	Note
	PF 0111 Poultry fats	0.08	5/8	
	PM 0110 Poultry meat	0.02 (*) (fat)	5/8	
	PO 0111 Poultry, edible offal of	0.02 (*)	5/8	
	VD 0541 Soya bean (dry)	0.2	5/8	
	GS 0659 Sugar cane	0.02 (*)	5/8	
240	Dicamba			
	SO 0691 Cotton seed	3	5/8	
	GC 0645 Maize	0.01 (*)	5/8	
	AS 0645 Maize fodder (dry)	0.6 (*)	5/8	
	VD 0541 Soya bean (dry)	10	5/8	
	AL 0541 Soya bean fodder	150 (dw)	5/8	
	AB 0541 Soya bean hulls	15	5/8	
	AB 1265 Soya bean meal	15	5/8	
246	Acetamiprid			
	HS 0190 Spices, seeds (subgroup)	2	5/8	
253	Penthiopyrad			
	FB 2006 Bush berries (subgroup)	7	5/8	
	FB 2005 Cane berries (subgroup)	10	5/8	
	FB 0267 Elderberries	7	5/8	
	FB 2254 Guelder rose	7	5/8	
256	Fluxapyroxad			
	OR 0001 Citrus oil, edible	90	5/8	
	AB 0001 Citrus pulp, dry	8	5/8	
	FC 0002 Lemons and limes (including citron) (subgroup)	1	5/8	
	FC 0003 Mandarins (including mandarin- like hybrids) (subgroup)	1	5/8	
	FC 0004 Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	1.5	5/8	
	FC 0005 Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.6	5/8	
258	Picoxystrobin			
	AL 1020 Alfalfa fodder	10 (dw)	5/8	
	SB 0716 Coffee beans	0.04	5/8	
	SO 0691 Cotton seed	2	5/8	
	MO 0105 Edible offal (mammalian)	0.02	5/8	
	MF 0100 Mammalian fats (except milk fats)	0.02	5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.02 (fat)	5/8	

	Commodity	MRL (mg/kg)	Step	Note
	ML 0106 Milks	0.01 (*)	5/8	
	GC 0651 Sorghum	0.02	5/8	
	AS 0651 Sorghum straw and fodder, dry	1 (dw)	5/8	
	DT 1114 Tea, green, black (black, fermented and dried)	15	5/8	
261	Benzovindiflupyr			
	VA 2031 Bulb onions	0.02	5/8	
	GS 0659 Sugar cane	0.4	5/8	
265	Fluensulfone			
	AM 0660 Almond hulls	7 (dw)	5/8	
	GC 2087 Barley, similar grains, and pseudocereals with husks (subgroup)	0.08	5/8	
	FC 0001 Citrus fruits (group)	0.2	5/8	
	OR 0001 Citrus oil, edible	1.5	5/8	
	AB 0001 Citrus pulp, dry	1.5	5/8	
	SB 0716 Coffee beans	0.05	5/8	
	DF 0269 Dried grapes (=currants, raisins and sultanas)	2	5/8	
	AS 0162 Hay or fodder (dry) of grasses	15	5/8	(except maize fodder and rice straw and fodder, dry)
	GC 2091 Maize cereals (subgroup)	0.15	5/8	
	AS 0645 Maize fodder (dry)	0.6 (dw)	5/8	
	DF 0014 Prunes,dried	0.3	5/8	
	GC 2088 Rice cereals (subgroup)	0.04	5/8	
	AS 0649 Rice straw and fodder, dry	0.06 (dw)	5/8	
	FB 2008 Small fruit vine climbing (subgroup)	0.7	5/8	
	GC 2089 Sorghum grain and millet (subgroup)	0.04	5/8	
	FS 0012 Stone fruits (group)	0.09	5/8	
	AS 0081 Straw and fodder (dry) of cereal grains	6 (dw)	5/8	(except maize fodder and rice straw and fodder dry)
	GS 0659 Sugar cane	0.06	5/8	
	DM 0659 Sugar cane molasses	0.5	5/8	
	GC 2090 Sweet corns (subgroup)	0.15	5/8	
	TN 0085 Tree nuts (group)	0.025 (*)	5/8	
	GC 2086 Wheat, similar grains, and pseudocereals without husks (subgroup)	0.08	5/8	

	Commodity	MRL (mg/kg)	Step	Note
269	Tolfenpyrad			
	VA 2031 Bulb onions	0.09	5/8	
	OR 0001 Citrus oil, edible	80	5/8	
	AB 0001 Citrus pulp, dry	6	5/8	
	MO 0105 Edible offal (mammalian)	0.4	5/8	
	PE 0112 Eggs	0.01 (*)	5/8	
	FC 0002 Lemons and limes (including citron) (subgroup)	0.9	5/8	
	MF 0100 Mammalian fats (except milk fats)	0.01 (*)	5/8	
	FC 0003 Mandarins (including mandarin- like hybrids) (subgroup)	0.9	5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.01 (*)	5/8	
	ML 0106 Milks	0.01 (*)	5/8	
	FC 0004 Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.6	5/8	
	VO 0051 Peppers (subgroup)	0.5	5/8	(except martynia, okra and roselle)
	HS 0444 Peppers chili, dried	5	5/8	
	PF 0111 Poultry fats	0.01 (*)	5/8	
	PM 0110 Poultry meat	0.01 (*)	5/8	
	PO 0111 Poultry, edible offal of	0.01 (*)	5/8	
	FC 0005 Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.6	5/8	
277	Mesotrione			
	AM 0660 Almond hulls	0.04 (dw)	5/8	
	FC 0001 Citrus fruits (group)	0.01 (*)	5/8	
	FP 0009 Pome fruits (group)	0.01 (*)	5/8	
	FS 0012 Stone fruits (group)	0.01 (*)	5/8	
	TN 0085 Tree nuts (group)	0.01 (*)	5/8	
280	Acetochlor			
	AL 3350 Alfalfa hay	30 (dw)	5/8	
	MO 0105 Edible offal (mammalian)	0.05	5/8	
	AL 0157 Legume animal feeds	3 (dw)	5/8	(except alfalfa hay)
	VD 0541 Soya bean (dry)	1.5	5/8	
282	Flonicamid			
	AB 0001 Citrus pulp, dry	3 (dw)	5/8	
	FC 0002 Lemons and limes (including citron) (subgroup)	1.5	5/8	

	Commodity	MRL (mg/kg)	Step	Note
	FC 0004 Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.4	5/8	
	FC 0005 Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.3	5/8	
283	Fluazifop-p-butyl			
	FB 2006 Bush berries (subgroup)	0.3	5/8	
	FB 2005 Cane berries (subgroup)	0.08	5/8	
	FB 0267 Elderberries	0.3	5/8	
	FB 2254 Guelder rose	0.3	5/8	
	FB 0275 Strawberry	3	5/8	
285	Flupyradifurone			
	FI 0326 Avocado	0.6	5/8	
	SB 0715 Cacao beans	0.01 (*)	5/8	
	FB 2005 Cane berries (subgroup)	6	5/8	
	SB 0716 Coffee beans	0.9	5/8	
	DH 1100 Hops, dry	10	5/8	
290	Isofetamid			
	FB 2006 Bush berries (subgroup)	4	5/8	
	VD 2065 Dry beans (subgroup)	0.09	5/8	(except soya beans)
	VD 2066 Dry peas (subgroup)	0.09	5/8	
292	Pendimethalin			
	FB 2006 Bush berries (subgroup)	0.05 (*)	5/8	
	FB 2005 Cane berries (subgroup)	0.05 (*)	5/8	
	HH 0738 Mints	0.2	5/8	
	OR 0738 Peppermint oil, edible	6	5/8	
	FB 0275 Strawberry	0.05 (*)	5/8	
296	Cyclaniliprole			
	AM 0660 Almond hulls	6	5/8	
	AS 0081 Straw and fodder (dry) of cereal grains	0.45 (dw)	5/8	
	TN 0660 Almonds	0.03	5/8	
	FB 2006 Bush berries (subgroup)	1.5	5/8	
	VB 0041 Cabbages, head	0.7	5/8	
	FB 2005 Cane berries (subgroup)	0.8	5/8	
	FS 0013 Cherries (subgroup)	0.7	5/8	
	FC 0001 Citrus fruits (group)	0.4	5/8	
	OR 0001 Citrus oil, edible	50	5/8	
	MO 0105 Edible offal (mammalian)	0.2	5/8	
	VO 2046 Eggplants (subgroup)	0.15	5/8	

Commodity	MRL (mg/kg)	Step	Note
PE 0112 Eggs	0.01 (*)	5/8	
FB 0267 Elderberries	1.5	5/8	
VB 0042 Flowerhead brassicas (subgroup)	0.8	5/8	
VC 2039 Fruiting vegetables, cucurbits - cucumbers and summer squashes (subgroup)	0.05	5/8	
VC 2040 Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes (subgroup)	0.1	5/8	
FB 0269 Grapes	0.6	5/8	
FB 2254 Guelder rose	1.5	5/8	
VL 2050 Leafy greens (subgroup)	7	5/8	
VL 0054 Leaves of Brassicaceae	10	5/8	
FB 2009 Low growing berries (subgroup)	0.4	5/8	(except cranberries)
MF 0100 Mammalian fats (except milk fats)	0.25	5/8	
MM 0095 Meat (from mammals other than marine mammals)	0.25 (fat)	5/8	
FM 0183 Milk fats	0.2	5/8	
ML 0106 Milks	0.01	5/8	
FS 2001 Peaches (including apricots and nectarine) (subgroup)	0.3	5/8	
VO 0051 Peppers (subgroup)	0.15	5/8	(except martynia, okra and
HS 0444 Peppers chili, dried	1.5	5/8	
FS 0014 Plums (including fresh prunes) (subgroup)	0.15	5/8	
FP 0009 Pome fruits (group)	0.2	5/8	(excluding Japanese
PF 0111 Poultry fats	0.01 (*)	5/8	
PM 0110 Poultry meat	0.01 (*)	5/8	
PO 0111 Poultry, edible offal of	0.01 (*)	5/8	
DF 0014 Prunes, dried	0.6	5/8	
DT 1114 Tea, green, black (black, fermented and dried)	50	5/8	
DV 0448 Tomato, dried	0.35	5/8	
VO 2045 Tomatoes (subgroup)	0.08	5/8	
VR 2071 Tuberous and corm vegetables (subgroup)	0.01 (*)	5/8	

297 Fenazaquin

AM 0660 Almond hulls	4 (dw)	5/8
MO 0105 Edible offal (mammalian)	0.02 (*)	5/8

	Commodity	MRL (mg/kg)	Step	Note
	MF 0100 Mammalian fats (except milk fats)	0.02 (*)	5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.02 (*) (fat)	5/8	
	FM 0183 Milk fats	0.02 (*)	5/8	
	ML 0106 Milks	0.02 (*)	5/8	
	TN 0085 Tree nuts (group)	0.02	5/8	
302	Fosetyl AI			
	FB 0264 Blackberries	70	5/8	(Based on Fosetyl-AI use)
	SB 0716 Coffee beans	30	5/8	(Based on Fosetyl-AI use)
	PE 0112 Eggs	0.05 (*)	5/8	
	VB 0042 Flowerhead brassicas	0.2 (*)	5/8	(Based on Fosetyl use)
	VB 2036 Head brassicas (subgroup)	0.2 (*)	5/8	(Based on Fosetyl use)
	VL 0480 Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kele)	0.2 (*)	5/8	(Based on Fosetyl use)
	FI 0341 Kiwifruit	150	5/8	(Based on Fosetyl-AI use)
	MF 0100 Mammalian fats (except milk fats)	0.3	5/8	
	FI 0353 Pineapple	15	5/8	(Based on Fosetyl-AI use)
	PF 0111 Poultry fats	0.05 (*)	5/8	
	PM 0110 Poultry meat	0.05 (*)	5/8	
	PO 0111 Poultry, edible offal of	0.05 (*)	5/8	
307	Mandestrobin			
	DF 0269 Dried grapes (=currants, raisins and sultanas)	10	5/8	
	MO 0105 Edible offal (mammalian)	0.01 (*)	5/8	
	PE 0112 Eggs	0.01 (*)	5/8	
	FB 0269 Grapes	5	5/8	
	MF 0100 Mammalian fats (except milk fats)	0.01 (*)	5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.01 (*)	5/8	
	ML 0106 Milks	0.01 (*)	5/8	
	PF 0111 Poultry fats	0.01 (*)	5/8	
	PM 0110 Poultry meat	0.01 (*)	5/8	
	PO 0111 Poultry, edible offal of	0.01 (*)	5/8	
	SO 0495 Rape seed	0.2	5/8	
	FB 0275 Strawberry	3	5/8	

	Commodity	MRL (mg/kg)		Step	Note
309	Pydiflumetofen				
	AS 0640 Barley straw and fodder, dry	50 (dw)		5/8	
	GC 2087 Barley, similar grains, and pseudocereals with husks (subgroup)	3		5/8	
	VB 0040 Brassica vegetables (except Brassica leafy vegetables) (group)	0.1		5/8	(except Brassica leafy vegetables)
	SO 0691 Cotton seed	0.3		5/8	
	VD 2065 Dry beans (subgroup)	0.4		5/8	
	VD 2066 Dry peas (subgroup)	0.4		5/8	
	MO 0105 Edible offal (mammalian)	0.1		5/8	
	PE 0112 Eggs	0.02		5/8	
	VC 0045 Fruiting vegetables, cucurbits (group)	0.4		5/8	
	VO 0050 Fruiting vegetables, other than cucurbits (group)	0.5		5/8	(except martynia, okra and roselle)
	VL 0054 Leaves of Brassicaceae	0.1		5/8	
	VL 2052 Leaves of root and tuber vegetables (subgroup)	0.07		5/8	(except leaves of tuber vegetables)
	AL 0157 Legume animal feeds	30 (dw)		5/8	
	VP 0060 Legume vegetables (group)	0.02		5/8	
	GC 2091 Maize cereals (subgroup)	0.04		5/8	
	CF 1255 Maize flour	0.07		5/8	
	AS 0645 Maize fodder (dry)	18 (dw)		5/8	
	OR 0645 Maize oil, edible	0.08		5/8	
	MF 0100 Mammalian fats (except milk fats)	0.1		5/8	
	VO 2709 Martynia	0.02		5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.1 (fat)		5/8	
	ML 0106 Milks	0.01 (*)		5/8	
	AS 0646 Millet fodder, dry	0.3 (dw)		5/8	
	AS 0647 Oat straw and fodder, dry	50 (dw)		5/8	
	VO 0442 Okra	0.02		5/8	
	SO 0697 Peanut	0.05		5/8	
	OR 0697 Peanut oil, edible	0.15		5/8	
	HS 0444 Peppers chili, dried	5		5/8	
	DV 589 Potato, dried	0.5		5/8	
	PF 0111 Poultry fats	0.01 (*)		5/8	
	PM 0110 Poultry meat	0.01 (*)		5/8	
	PO 0111 Poultry, edible offal of	0.01 (*)		5/8	

	Commodity	MRL (mg/kg)	Step	Note
	GC 2088 Rice cereals (subgroup)	0.03	5/8	
	AS 0649 Rice straw and fodder, dry	0.3 (dw)	5/8	
	VR 2070 Root vegetables (subgroup)	0.1	5/8	
	VO 0446 Roselle	0.02	5/8	
	AS 0650 Rye straw and fodder, dry	50 (dw)	5/8	
	SO 2090 Small seed oilseeds (subgroup)	0.9	5/8	
	GC 2089 Sorghum grain and millet (subgroup)	0.03	5/8	
	AS 0651 Sorghum straw and fodder, dry	0.3 (dw)	5/8	
	VS 2080 Stems and petioles (subgroup)	15	5/8	
	SO 2091 Sunflower seeds (subgroup)	0.3	5/8	
	GC 2090 Sweet corns (subgroup)	0.03	5/8	
	DV 0448 Tomato, dried	7	5/8	
	AS 0653 Triticale straw and fodder, dry	50 (dw)	5/8	
	VR 2071 Tuberous and corm vegetables (subgroup)	0.1	5/8	
	CF 0654 Wheat bran, processed	1	5/8	
	CF 1210 Wheat germ	0.6	5/8	
	AS 0654 Wheat straw and fodder, dry	50 (dw)	5/8	
	GC 2086 Wheat, similar grains, and pseudocereals without husks (subgroup)	0.4	5/8	
310	Pyriofenone			
	MO 0105 Edible offal (mammalian)	0.01 (*)	5/8	
	PE 0112 Eggs	0.01 (*)	5/8	
	MF 0100 Mammalian fats (except milk fats)	0.01 (*)	5/8	
	ML 0106 Milks	0.01 (*)	5/8	
	PF 0111 Poultry fats	0.01 (*)	5/8	
	PM 0110 Poultry meat	0.01 (*)	5/8	
	PO 0111 Poultry, edible offal of	0.01 (*)	5/8	
312	Afidopyropen			
	AM 0660 Almond hulls	0.6 (dw)	5/8	
	DF 0226 Apples, dried	0.02	5/8	(peeled)
	VB 0041 Cabbages, head	0.5	5/8	
	FS 0013 Cherries (subgroup)	0.03	5/8	
	FC 0001 Citrus fruits (group)	0.15	5/8	
	AB 0001 Citrus pulp, dry	0.4	5/8	(Based on processing studies on oranges)
	HH 3209 Coriander, leaves	5	5/8	

Commodity	MRL (mg/kg)	Step	Note
AB 1204 Cotton gin trash	1.5	5/8	
SO 0691 Cotton seed	0.08	5/8	
VC 0424 Cucumber	0.7	5/8	
HH 0730 Dill, leaves	5	5/8	
MO 0105 Edible offal (mammalian)	0.2	5/8	
VO 2046 Eggplants (subgroup)	0.15	5/8	
PE 0112 Eggs	0.01 (*)	5/8	
VB 0042 Flowerhead brassicas	0.4	5/8	
VC 2040 Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes (subgroup)	0.05	5/8	
HS 0784 Ginger, rhizomes	0.01 (*)	5/8	(fresh)
VL 2050 Leafy greens (subgroup)	2	5/8	
VL 0054 Leaves of Brassicaceae	5	5/8	
MF 0100 Mammalian fats (except milk fats)	0.01 (*)	5/8	
MM 0095 Meat (from mammals other than marine mammals)	0.01 (*)	5/8	
ML 0106 Milks	0.001 (*)	5/8	
OR 0004 Orange oil, edible	0.7	5/8	(Based on processing studies on oranges)
HH 0740 Parsley	5	5/8	(leaves)
FS 2001 Peaches (including apricots and nectarine) (subgroup)	0.015	5/8	
VO 0051 Peppers (subgroup)	0.1	5/8	(excluding martynia, okra and roselle)
HS 0444 Peppers chili, dried	1	5/8	
FS 0014 Plums (including fresh prunes) (subgroup)	0.01 (*)	5/8	
FP 0009 Pome fruits (group)	0.03	5/8	(excluding persimmon)
PF 0111 Poultry fats	0.01 (*)	5/8	
PM 0110 Poultry meat	0.01 (*)	5/8	
PO 0111 Poultry, edible offal of	0.01 (*)	5/8	
VD 0541 Soya bean (dry)	0.01 (*)	5/8	
VC 0431 Squash, summer	0.07	5/8	
VS 2080 Stems and petioles (subgroup)	3	5/8	
DV 0448 Tomato, dried	0.7	5/8	
VO 2045 Tomatoes (subgroup)	0.15	5/8	
TN 0085 Tree nuts (group)	0.01 (*)	5/8	
VR 2071 Tuberous and corm vegetables (subgroup)	0.01 (*)	5/8	
HS 0794 Turmeric, root	0.01 (*)	5/8	(fresh)

	Commodity	MRL (mg/kg)	Step	Note
313	Metconazole			
	FI 0327 Banana	0.1 (*)	5/8	
	AS 0640 Barley straw and fodder, dry	25 (dw)	5/8	
	VP 0061 Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.05 (*)	5/8	
	FB 0020 Blueberries	0.5	5/8	
	FS 0013 Cherries (subgroup)	0.3	5/8	
	AB 1204 Cotton gin trash	10 (dw)	5/8	
	SO 0691 Cotton seed	0.3	5/8	
	VD 2065 Dry beans (subgroup)	0.04 (*)	5/8	(except soya beans)
	VD 2066 Dry peas (subgroup)	0.15	5/8	
	MO 0105 Edible offal (mammalian)	0.04 (*)	5/8	
	PE 0112 Eggs	0.04 (*)	5/8	
	VA 0381 Garlic	0.05 (*)	5/8	
	GC 0645 Maize	0.015	5/8	
	AS 0645 Maize fodder (dry)	7 (dw)	5/8	
	MF 0100 Mammalian fats (except milk fats)	0.04 (*)	5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.04 (*)	5/8	
	ML 0106 Milks	0.04 (*)	5/8	
	AS 0647 Oat straw and fodder, dry	25 (dw)	5/8	
	VA 0385 Onion, bulb	0.05 (*)	5/8	
	FS 2001 Peaches (including apricots and nectarine) (subgroup)	0.2	5/8	
	SO 0697 Peanut	0.04 (*)	5/8	
	OR 0697 Peanut oil, edible	0.06	5/8	
	FS 0014 Plums (including fresh prunes) (subgroup)	0.1	5/8	
	PF 0111 Poultry fats	0.04 (*)	5/8	
	PM 0110 Poultry meat	0.04 (*)	5/8	
	PO 0111 Poultry, edible offal of	0.04 (*)	5/8	
	DF 0014 Prunes,dried	0.5	5/8	
	SO 0495 Rape seed	0.15	5/8	
	OR 0495 Rape seed oil, edible	0.5	5/8	
	AS 0650 Rye straw and fodder, dry	25 (dw)	5/8	
	VD 0541 Soya bean (dry)	0.04	5/8	
	AL 3354 Soya bean hay	8 (dw)	5/8	
	VR 0596 Sugar beet	0.07	5/8	
	GS 0659 Sugar cane	0.06	5/8	

	Commodity	MRL (mg/kg)	Step	Note
	SO 2091 Sunflower seeds (subgroup)	1.5	5/8	
	GC 0447 Sweet corn (corn on the cob) (kernels plus cob with husk removed)	0.015	5/8	
	TN 0085 Tree nuts (group)	0.04 (*)	5/8	
	AS 0653 Triticale straw and fodder, dry	25 (dw)	5/8	
	VR 2071 Tuberous and corm vegetables (subgroup)	0.04 (*)	5/8	
	AS 0654 Wheat straw and fodder, dry	25 (dw)	5/8	
318	Valifenalate			
	MO 0105 Edible offal (mammalian)	0.01 (*)	5/8	
	VO 0440 Eggplant	0.4	5/8	
	PE 0112 Eggs	0.01 (*)	5/8	
	FB 0269 Grapes	0.3	5/8	
	MF 0100 Mammalian fats (except milk fats)	0.01 (*)	5/8	
	MM 0095 Meat (from mammals other than marine mammals)	0.01 (*)	5/8	
	ML 0106 Milks	0.01 (*)	5/8	
	VA 0385 Onion, bulb	0.5	5/8	
	PF 0111 Poultry fats	0.01 (*)	5/8	
	PM 0110 Poultry meat	0.01 (*)	5/8	
	PO 0111 Poultry, edible offal of	0.01 (*)	5/8	
	VA 0388 Shallot	0.5	5/8	
	VO 0448 Tomato	0.4	5/8	

APPENDIX III**MAXIMUM RESIDUE LIMITS FOR PESTICIDES****RECOMMENDED FOR REVOCATION
(for approval by CAC)**

	Commodity	MRL (mg/kg)	Step	Note
47	Bromide Ion			
	FI 0326 Avocado	75	CXL-D	
	VP 0522 Broad bean (green pods and immature seeds)	500	CXL-D MO 0105	
	VB 0400 Broccoli	30	CXL-D	
	VB 0041 Cabbages, head	100	CXL-D	
	VS 0624 Celery	300	CXL-D	
	GC 0080 Cereal grains	50	CXL-D	
	FC 0001 Citrus fruits (group)	30	CXL-D	
	VC 0424 Cucumber	100	CXL-D	
	DF 0295 Dates, dried or dried and candied	100	CXL-D	
	DF 0167 Dried fruits	30	CXL-D	Except as otherwise listed.
	DF 0269 Dried grapes (=currants, raisins and sultanas)	100	CXL-D	
	DH 0170 Dried herbs	400	CXL-D	
	DF 0297 Figs, dried or dried and candied	250	CXL-D	
	AO 0002 Fruits (except as otherwise listed)	20	CXL-D	
	VP 0528 Garden pea (young pods (=succulent, immature seeds)	500	CXL-D	
	VL 0482 Lettuce, head	100	CXL-D	
	VO 0442 Okra	200	CXL-D	
	DF 0247 Peach, dried	50	CXL-D	
	HS 0444 Peppers chili, dried	200	CXL-D	
	VO 0445 Peppers, sweet (including pimento or pimienta)	20	CXL-D	
	FS 4072 Prunes (see plums)	20	CXL-D	
	VR 0494 Radish	200	CXL-D	
	HS 0093 Spices	400	CXL-D	
	VC 0431 Squash, summer	200	CXL-D	
	FB 0275 Strawberry	30	CXL-D	
	VO 0448 Tomato	75	CXL-D	
	VL 0506 Turnip greens	100	CXL-D	
	VR 0506 Turnip, Garden	200	CXL-D	
	CF 1212 Wheat wholemeal	50	CXL-D	

	Commodity	MRL (mg/kg)	StepNote
65	Thiabendazole		
	FI 0345 Mango	5 Po	CXL-D
70	Bromopropylate		
	FC 0001 Citrus fruits (group)	2	CXL-D
	VP 0526 Common bean (pods and/or immature seeds)	3	CXL-D
	VC 0424 Cucumber	0.5	CXL-D
	FB 0269 Grapes	2	CXL-D
	VC 0046 Melons, except watermelon	0.5	CXL-D
	FS 0014 Plums (including fresh prunes) (subgroup)	2	CXL-D
	FP 0009 Pome fruits (group)	2	CXL-D
	VC 0431 Squash, summer	0.5	CXL-D
	FB 0275 Strawberry	2	CXL-D
83	Dichloran		
	VR 0577 Carrot	15 Po	CXL-D
	FB 0269 Grapes	7	CXL-D
	FS 0245 Nectarine	7 Po	CXL-D
	VA 0385 Onion, bulb	0.2	CXL-D
	FS 0247 Peach	7 Po	CXL-D
158	Glyphosate		
	VD 0071 Beans (dry)	2	CXL-D
	VD 0533 Lentil (dry)	5	CXL-D
	VD 0072 Peas (dry)	5	CXL-D
160	Propiconazole		
	FS 0247 Peach	5 Po	CXL-D
173	Buprofezin		
	AM 0660 Almond hulls	2	CXL-D
	TN 0660 Almonds	0.05 (*)	CXL-D
	AB 0001 Citrus pulp, dry	2	CXL-D
178	Bifenthrin		
	GC 0640 Barley	0.05 (*)	CXL-D
	AS 0640 Barley straw and fodder, dry	0.5	CXL-D
	FB 0275 Strawberry	1	CXL-D
191	Tolclofos-Methyl		
	VL 0482 Lettuce, head	2	CXL-D
	VL 0483 Lettuce, leaf	2	CXL-D
	VR 0589 Potato	0.2	CXL-D
	VR 0494 Radish	0.1	CXL-D

	Commodity	MRL (mg/kg)	StepNote
192	Fenarimol		
	VS 0620 Artichoke, globe	0.1	CXL-D
	FI 0327 Banana	0.2	CXL-D
	MO 1280 Cattle kidney	0.02 (*)	CXL-D
	MO 1281 Cattle liver	0.05	CXL-D
	MM 0812 Cattle meat	0.02 (*)	CXL-D
	FS 0013 Cherries	1	CXL-D
	DF 0269 Dried grapes (=currants, raising and sultanas)	0.2	CXL-D
	FB 0269 Grapes	0.3	CXL-D
	DH 1100 Hops, Dry	5	CXL-D
	VC 0046 Melons, except watermelon	0.05	CXL-D
	FS 0247 Peach	0.5	CXL-D
	TN 0672 Pecan	0.02 (*)	CXL-D
	HS 0444 Peppers Chili, dried	5	CXL-D
	VO 0445 Peppers, sweet (including pimento or pimienta)	0.5	CXL-D
	FP 0009 Pome fruits	0.3	CXL-D
	FB 0275 Strawberry	1 T	CXL-D
	AS 0447 Sweet corn fodder	5	CXL-D
199	Kresoxim-Methyl		
	FP 0009 Pome fruits (group)	0.2	CXL-D
210	Pyraclostrobin		
	VR 0577 Carrot	0.5	CXL-D
	VR 0494 Radish	0.5	CXL-D
	VR 0596 Sugar beet	0.2	CXL-D
221	Boscalid		
	FP 0226 Apple	2	CXL-D
	DF 0014 Prunes, dried	10	CXL-D
	FS 0012 Stone fruits (group)	3	CXL-D
236	Metaflumizone		
	MO 0105 Edible offal (mammalian)	0.02 (*)	CXL-D
	MO 0105 Meat (from mammals Other than marine mammals)	0.02 (*) (fat)	CXL-D
	FM 0183 Milk fats	0.02	CXL-D
	ML 0106 Milks	0.01 (*)	CXL-D

	Commodity	MRL (mg/kg)	StepNote
240	Dicamba		
	SO 0691 Cotton seed	0.04 (*)	CXL-D
	GC 0645 Maize	0.01 (*)	CXL-D
	AS 0645 Maize fodder (dry)	0.6	CXL-D
	VD 0541 Soya bean (dry)	10	CXL-D
246	Acetamiprid		
	HS 0775 Cardamom	0.1	CXL-D
256	Fluxapyroxad		
	FC 0004 Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.3	CXL-D
258	Picoxystrobin		
	MO 0105 Edible offal (mammalian)	0.02	CXL-D
	MF 0100 Mammalian fats (except milk fats)	0.02	CXL-D
	MO 0105 Meat (from mammals other than marine mammals)	0.02	CXL-D
	ML 0106 Milks	0.01 (*)	CXL-D
261	Benzovindiflupyr		
	GS 0659 Sugar cane	0.04	CXL-D
280	Acetochlor		
	MO 0105 Edible offal (mammalian)	0.02 (*)	CXL-D
	AL 0157 Legume animal feeds	3	CXL-D
283	Fluazifop-p-butyl		
	FB 2005 Cane berries (subgroup)	0.01 (*)	CXL-D
	FB 0021 Currants, black, red, white	0.01 (*)	CXL-D
	FB 0268 Gooseberry	0.01 (*)	CXL-D
	FB 0275 Strawberry	0.3	CXL-D
302	Fosetyl AI		
	MF 0100 Mammalian fats (except milk fats)	0.3	CXL-D

APPENDIX IV**DRAFT MAXIMUM RESIDUE LIMITS FOR PESTICIDES****(Retained at Step 7)**

	Commodity	MRL (mg/kg)	Source	Step	Note
212	Metalaxyl-M				
	FP 0226 Apple	0.02 (*)		7	
	SB 0715 Cacao beans	0.02		7	
	FB 0269 Grapes	1		7	
	VL 0482 Lettuce, head	0.5		7	
	VA 0385 Onion, bulb	0.03		7	
	VO 0445 Peppers, sweet (including pimento or pimienta)	0.5		7	
	VR 0589 Potato	0.02 (*)		7	
	VL 0502 Spinach	0.1		7	
	SO 0702 Sunflower seed	0.02 (*)		7	
	VO 0448 Tomato	0.2		7	

APPENDIX V**PROPOSED DRAFT MAXIMUM RESIDUE LIMITS FOR PESTICIDES****(Retained at Step 4)**

	Commodity	MRL (mg/kg)	Source	Step	Note
81	Chlorothalonil				
	FB 0265 Cranberry	15		4	
178	Bifenthrin				
	VS 0624 Celery	3		4	
	VL 0482 Lettuce, head	4		4	
	FB 0275 Strawberry	3		4	
193	Fenpyroximate				
	FS 0240 Apricot	0.4		4	
	FS 0013 Cherries (subgroup)	2		4	
	FS 0247 Peach	0.8		4	
	FS 0014 Plums (including fresh prunes) (subgroup)	0.8		4	
	VC 0432 Watermelon	0.05		4	
265	Fluensulfone				
	JF 0226 Apple juice	0.4		4	
	DF 0226 Apples, dried	1		4	
	FP 0009 Pome fruits (group)	0.2		4	(excluding Japanese persimmon)
314	Pyflubumide				
	FP 0226 Apple	1		4	
	DT 1114 Tea, green, black (black, fermented and dried)	80		4	

APPENDIX VI**PROPOSED DRAFT MAXIMUM RESIDUE LIMITS FOR PESTICIDES***(Withdrawn by CCPR)*

	Commodity	MRL (mg/kg)	Step	Note
178	Bifenthrin			
	FB 0275 Strawberry	3	MRL-W	
	VO 0442 Okra	0.2	MRL-W	
296	Cyclaniliprole			
	MF 0100 Mammalian fats (except milk fats)	0.01 (*)	MRL-W	
	VO 2046 Eggplants (subgroup)	0.1	MRL-W	
	VC 2039 Fruiting vegetables, cucurbits - cucumbers and summer squashes (subgroup)	0.06	MRL-W	
	AS 0081 Straw and fodder (dry) of cereal grains	0.45 (dw)	MRL-W	
	VO 0448 Tomato	0.1	MRL-W	
	FB 0269 Grapes	0.8	MRL-W	
	DF 0014 Prunes	0.8	MRL-W	
	HS 0444 Peppers chili, dried	2	MRL-W	
	ML 0106 Milks	0.01 (*)	MRL-W	
	VL 0054 Leaves of Brassicaceae (subgroup)	15	MRL-W	
	MM 0095 Meat (from mammals other than marine mammals)	0.01 (*) (fat)	MRL-W	
	MO 0105 Edible offal (mammalian)	0.01 (*)	MRL-W	
	DV 0448 Tomato, dried	0.4	MRL-W	
	VO 2700 Cherry tomato	0.1	MRL-W	
	FS 0013 Cherries (subgroup)	0.9	MRL-W	
	FM 0183 Milk fats	0.01 (*)	MRL-W	
	VB 2036 Head brassicas (subgroup)	0.7	MRL-W	
	VC 2040 Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes (subgroup)	0.15	MRL-W	
	FS 2001 Peaches (including apricots and nectarine) (subgroup)	0.3	MRL-W	
	VO 0051 Peppers (subgroup)	0.2	MRL-W	(except martynia, okra and
	FP 0009 Pome fruits (group)	0.3	MRL-W	
	FS 0014 Plums (including fresh prunes) (subgroup)	0.2	MRL-W	
	VB 0042 Flowerhead brassicas (subgroup)	1	MRL-W	

	Commodity	MRL (mg/kg)	Step	Note
256	Fluxapyroxad			
	FC 0001 Citrus fruits (group)	1	MRL-W	
	OR 0001 Citrus oil, edible	60	MRL-W	
290	Isofetamid			
	VD 2065 Dry beans (subgroup)	0.05	MRL-W	(except soya beans (dry))
	VD 2066 Dry peas (subgroup)	0.05	MRL-W	
	FB 2006 Bush berries (subgroup)	5	MRL-W	
160	Propiconazole			
	FS 0247 Peach	1.5 Po	MRL-W	
	FS 0247 Peach	0.7 Po	MRL-W	
309	Pydiflumetofen			
	VL 2050 Leafy greens (subgroup)	40	MRL-W	
210	Pyraclostrobin			
	VL 0502 Spinach	1.5	MRL-W	
	VR 2070 Root vegetables (subgroup)	0.5	MRL-W	
269	Tolfenpyrad			
	VO 2045 Tomatoes (subgroup)	0.7	MRL-W	
	VO 2046 Eggplants (subgroup)	0.7	MRL-W	