

ANNEXES

Annex 1. ITPGRFA Annex 1 Priority crops¹⁹⁹

FOOD CROPS		
Crop	Genus	Observations
Breadfruit	<i>Artocarpus</i>	Breadfruit only
Asparagus	<i>Asparagus</i>	
Oat	<i>Avena</i>	
Beet	<i>Beta</i>	
Brassica complex	<i>Brassica</i> et al.	Genera included are: <i>Brassica</i> , <i>Armoracia</i> , <i>Barbarea</i> , <i>Camelina</i> , <i>Crambe</i> , <i>Diplotaxis</i> , <i>Eruca</i> , <i>Isatis</i> , <i>Lepidium</i> , <i>Raphanobrassica</i> , <i>Raphanus</i> , <i>Rorippa</i> , and <i>Sinapis</i> ; this comprises oilseed and vegetable crops such as cabbage, rapeseed, mustard, cress, rocket, radish, and turnip; the species <i>Lepidium meyenii</i> (maca) is excluded
Pigeon Pea	<i>Cajanus</i>	
Chickpea	<i>Cicer</i>	
Citrus	<i>Citrus</i>	Genera <i>Poncirus</i> and <i>Fortunella</i> are included as root stock
Coconut	<i>Cocos</i>	
Major aroids	<i>Colocasia</i> , <i>Xanthosoma</i>	Major aroids include taro, cocoyam, dasheen and tannia
Carrot	<i>Daucus</i>	
Yams	<i>Dioscorea</i>	
Finger Millet	<i>Eleusine</i>	
Strawberry	<i>Fragaria</i>	
Sunflower	<i>Helianthus</i>	
Barley	<i>Hordeum</i>	
Sweet Potato	<i>Ipomoea</i>	
Grass pea	<i>Lathyrus</i>	
Lentil	<i>Lens</i>	
Apple	<i>Malus</i>	
Cassava	<i>Manihot</i>	<i>Manihot esculenta</i> only
Banana / Plantain	<i>Musa</i>	Except <i>Musa textilis</i>
Rice	<i>Oryza</i>	
Pearl Millet	<i>Pennisetum</i>	

¹⁹⁹ FAO (2001)

FOOD CROPS		
Crop	Genus	Observations
Beans	<i>Phaseolus</i>	Except <i>Phaseolus polyanthus</i>
Pea	<i>Pisum</i>	
Rye	<i>Secale</i>	
Potato	<i>Solanum</i>	Section <i>tuberosa</i> included, except <i>Solanum phureja</i>
Eggplant	<i>Solanum</i>	Section <i>melongena</i> included
Sorghum	<i>Sorghum</i>	
Triticale	<i>Triticosecale</i>	
Wheat	<i>Triticum</i> et al.	Including <i>Agropyron</i> , <i>Elymus</i> , and <i>Secale</i>
Faba Bean / Vetch	<i>Vicia</i>	
Cowpea et al.	<i>Vigna</i>	
Maize	<i>Zea</i>	Excluding <i>Zea perennis</i> , <i>Zea diploperennis</i> , and <i>Zea luxurians</i>

FORAGE CROPS	
Genera	Species
LEGUME FORAGES	
<i>Astragalus</i>	<i>chinensis</i> , <i>cicer</i> , <i>arenarius</i>
<i>Canavalia</i>	<i>ensifomis</i>
<i>Coronilla</i>	<i>varia</i>
<i>Hedysarum</i>	<i>coronarium</i>
<i>Lathyrus</i>	<i>cicera</i> , <i>ciliolatus</i> , <i>hirsutus</i> , <i>ochrus</i> , <i>odoratus</i> , <i>sativus</i>
<i>Lespedeza</i>	<i>cuneata</i> , <i>striata</i> , <i>stipulacea</i>
<i>Lotus</i>	<i>corniculatus</i> , <i>subbiflorus</i> , <i>uliginosus</i>
<i>Lupinus</i>	<i>albus</i> , <i>angustifolius</i> , <i>luteus</i>
<i>Medicago</i>	<i>arborea</i> , <i>falcata</i> , <i>sativa</i> , <i>scutellata</i> , <i>rigidula</i> , <i>truncatula</i>
<i>Melilotus</i>	<i>albus</i> , <i>officinalis</i>
<i>Onobrychis</i>	<i>viciifolia</i>
<i>Ornithopus</i>	<i>sativus</i>
<i>Prosopis</i>	<i>affinis</i> , <i>alba</i> , <i>chilensis</i> , <i>nigra</i> , <i>pallida</i>
<i>Pueraria</i>	<i>phaseoloides</i>
<i>Trifolium</i>	<i>alexandrinum</i> , <i>alpestre</i> , <i>ambiguum</i> , <i>angustifolium</i> , <i>arvense</i> , <i>agrocicerum</i> , <i>hybridum</i> , <i>incarnatum</i> , <i>pratense</i> , <i>repens</i> , <i>resupinatum</i> , <i>rueppellianum</i> , <i>semipilosum</i> , <i>subterraneum</i> , <i>vesiculosum</i>
GRASS FORAGES	
<i>Andropogon</i>	<i>gayanus</i>

FORAGE CROPS	
Genera	Species
<i>Agropyron</i>	<i>cristatum, desertorum</i>
<i>Agrostis</i>	<i>stolonifera, tenuis</i>
<i>Alopecurus</i>	<i>pratensis</i>
<i>Arrhenatherum</i>	<i>elatius</i>
<i>Dactylis</i>	<i>glomerata</i>
<i>Festuca</i>	<i>arundinacea, gigantea, heterophylla, ovina, pratensis, rubra</i>
<i>Lolium</i>	<i>hybridum, multiflorum, perenne, rigidum, temulentum</i>
<i>Phalaris</i>	<i>aquatica, arundinacea</i>
<i>Phleum</i>	<i>pratense</i>
<i>Poa</i>	<i>alpina, annua, pratensis</i>
<i>Tripsacum</i>	<i>laxum</i>
OTHER FORAGES	
<i>Atriplex</i>	<i>halimus, nummularia</i>
<i>Salsola</i>	<i>vermiculata</i>