CONTENTS

PARTICIPANTS	v
ABBREVIATIONS	xi
USE OF JMPR REPORTS AND EVALUATIONS BY REGISTRATION AUTHORITIES	XV
INTRODUCTION	xvii

The monographs

Abamectin	1
Bifenthrin	
Captan	
Carbofuran**	85
Carbosulfan**	
Chlorothalonil	
Clethodim	
Fenbuconazole*	349
Folpet	
Glyphosate	
Guazatine**	535
Methamidiphos	577
Mevinphos**	585
Myclobutanil	647
Parathion	683
Phosmet**	687
Tebuconazole	
Tebufenozide	769
Thiabendazole**	775
ANNEX I: ADIs, acute RfDs, MRLs, STMR levels, GLs	829
· · · · · · · · · · · · · · · · · · ·	
ANNEX II: Previous FAO and WHO documents.	841

* First evaluation** Evaluation in CCPR periodic review programme

1997 JOINT MEETING OF THE FAO PANEL OF EXPERTS ON PESTICIDE RESIDUES IN FOOD AND THE ENVIRONMENT AND THE WHO CORE ASSESSMENT GROUP

Lyon (IARC), 22 September - 1 October 1997

PARTICIPANTS

WHO Members

Professor Joseph F. Borzelleca(Unable to attend) Pharmacology, Toxicology Medical College of Virginia Virginia Commonwealth University Richmond, Virginia USA

Dr Penelope Fenner-Crisp *Chairman* Acting Director Office of Science Coordinator and Policy (7101) US Environmental Protection Agency Washington, D.C. USA

Dr Donald L. Grant Rapporteur Director Health Evaluation Division Pest Management Regulatory Agency Ottawa, Ontario Canada

Dr Angelo Moretto Istituto di Medicina del Lavoro Università degli Studi di Padova Padova Italy

Dr Olavi Pelkonen Professor of Pharmacology Department of Pharmacology and Toxicology University of Oulu Oulu Finland

Dr Brian G. Priestly Scientific Director Chemicals & Non-Prescription Drug Branch Therapeutic Goods Administration Commonwealth Department of Health and Family Services Woden Australia Dr Peipei Yao Professor of Toxicology Consultant of ICAMA Institute of Occupational Medicine, CAPM Ministry of Health Beijing China

FAO Members

Dr Arpad Ambrus Budapest Plant Health and Soil Conservation Station Budapest Hungary

Dr Ursula Banasiak Federal Biological Research Centre for Agriculture and Forestry Kleinmachnow Germany

Mr Stephen Crossley Pesticide Safety Directorate York UK

Mr Denis J. Hamilton Rapporteur Principal Scientific Officer Animal and Plant Health Service Department of Primary Industries Brisbane, Queensland Australia

Mr N.Fred Ives Vice-Chairman Health Effects Division (H7509C) US Environmental Protection Agency Washington, D.C. USA

Ms. E. Masoller Servicios de Laboratorios Ministerio de Ganadería, Agricultura y Pesca Montevideo Uruguay

Mr T. Sakamoto Head of Technical Research Section Agricultural Chemicals Inspection Station (ACIS) Ministry of Agriculture, Forestry and Fisheries Tokyo Japan

Secretariat

Dr Eloisa Dutra Caldas *(FAO Consultant)* Instituto de Saúde do DF/Gerência de Bromatologia e Química Brasília Brazil

Dr Peter J. Campbell (WHO Temporary Adviser) Pesticides Safety Directorate Ministry of Agriculture, Fisheries and Food York UK

Mr David J. Clegg (WHO Temporary Adviser) Ontario Canada

Dr I.C. Dewhurst (WHO Temporary Adviser) Pesticides Safety Directorate Ministry of Agriculture, Fisheries and Food York UK

Dr Stuart Dobson (WHO Temporary Adviser) Institute of Terrestrial Ecology Huntingdon UK

Dr W.H. van Eck (WHO Temporary Adviser) Chairman, Codex Committee on Pesticide Residues Division of Public Health Ministry of Health Welfare and Sport Rijswijk The Netherlands

Dr Kannosuke Fujimori *(WHO Temporary Adviser)* Division of Pharmacology Biological Safety Research Center National Institute of Health Sciences Tokyo Japan

Dr Steve Funk (FAO Consultant) Health Effects Division (7509C) US Environmental Protection Agency Washington, D.C USA Dr Susanne Geertsen *(WHO Temporary Adviser)* Insecticide Toxicological Evaluation Section Health Evaluation Division Pest Management Regulatory Agency Ottawa, Ontario Canada

Professor Jana Hajslova (WHO Temporary Adviser) Institute of Chemical Technology Department of Food Chemistry and Analysis Prague Czech Republic

Dr Karen L. Hamernik *(WHO Temporary Adviser)* Toxicology Branch II Health Effects Division Office of Pesticide Programs US Environmental Protection Agency Washington, D.C USA

Dr John L. Herrman (WHO Joint Secretary) Assessment of Risk and Methodologies International Programme on Chemical Safety World Health Organization Geneva Switzerland

Mrs Elisabeth Heseltine Communication in Science Lajarthe France

Mrs Paula H. van Hoeven-Arentzen (WHO Temporary Adviser) Centre for Substances and Risk Assessment National Institute of Public Health and the Environment Bilthoven The Netherlands

Dr F.- W. Kopisch-Obuch *(FAO Joint Secretary)* Senior Officer Pesticide Group Plant Protection Service Food and Agriculture Organization of the United Nations Rome Italy

Dr Douglas McGregor Unit of Carcinogen Identification and Evaluation International Agency for Research on Cancer Lyon France Dr Jens-J. Larsen (WHO Temporary Adviser) Head, Department of General Toxicology Institute of Toxicology Danish Veterinary and Food Administration Søborg Denmark

Mr A.F. Machin (FAO Consultant) London UK

Dr Timothy C. Marrs *(WHO Temporary Adviser)* Medical Toxicology and Environmental Health Department of Health London UK

Dr Gerry Moy Programme of Food Safety and Food Aid World Health Organization Geneva Switzerland

Dr Edward Smith International Programme on Chemical Safety World Health Organization Geneva Switzerland

Dr G. Vettorazzi (WHO Temporary Adviser) International Toxicology Information Centre (ITIC) San Sebastian Spain

Mr Mike Watson (WHO Temporary Adviser) Ricerca Inc. Painesville USA

Dr Yukiko Yamada Food Standards Officer Joint FAO/WHO Food Standards Programme Food and Nutrition Division Food and Agriculture Organization of the United Nations Rome Italy

ABBREVIATIONS WHICH MAY BE USED

(Well-known abbreviations in general use are not included)

Ache	acetylcholinesterase
ADI	acceptable daily intake
AFI(D)	alkali flame-ionization (detector)
Ai	active ingredient
ALAT	alanine aminotransferase
AR	applied radioactivity
ASAT	aspartate aminotransferase
	1
	BBABiologische Bundesanstalt für Land- und Forstwirtschaft
Bw	body weight
BOD	biological oxygen demand
CA	Chemical Abstracts
CAS	Chemical Abstracts Services
CCN	Codex Classification Number (this may refer to classification numbers for compounds or for commodities).
CCPR	Codex Committee on Pesticide Residues
CCRVDF	Codex Committee on Residue of Veterinary Drugs in Food
ChE	cholinesterase
CI	chemical ionization
CNS	central nervous system
Cv	coefficient of variation
CXL	Codex Maximum Residue Limit (Codex MRL). See MRL.
	· · · · · · · · · · · · · · · · · · ·
DFG	Deutsche Forschungsgemeinschaft
DL	racemic (optical configuration, a mixture of dextro- and laevo-)
DP	dustable powder
DS	powder for dry seed treatment
DT-50	time for 50% decomposition (i.e. half-life)
DT-90	time for 90% decomposition
	1
EBDC	ethylenebis(dithiocarbamate)
EC	(1) emulsifiable concentrate
	(2) electron-capture [chromatographic detector]
ECD	electron-capture detector
EI	electron-impact
EMDI	estimated maximum daily intake
EPA	Environmental Protection Agency
ERL	extraneous residue limit
ETU	ethylenethiourea
	· · · · · · · · · · · · · · · · · · ·
F_1	filial generation, first
F_2	filial generation, second
f.p.	freezing point
FAO	Food and Agriculture Organization of the United Nations
FDA	Food and Drug Administration
FID	flame-ionization detector
FP(D)	flame-photometric (detector)
× /	

g (not gm) µg GAP GC-MS GC-MSD G.I. GL GLC GLP GPC GSH	gram microgram good agricultural practice(s) gas chromatography - mass spectrometry gas chromatography with mass-selective detection gastrointestinal guideline level gas-liquid chromatography Good Laboratory Practice gel-permeation chromatograph or chromatography glutathione	
h (not hr)	hour(s)	
ha	hectare	
Hb	haemoglobin	
HI HPLC	hectolitre high-performance liquid chromatography	
HPLC-MS	high-performance liquid chromatography - mass spectrometry	
IIF LC-MS	ingn-performance inquid chromatography - mass spectrometry	
i.d.	internal diameter	
i.m.	intramuscular	
i.p.	intraperitoneal	
IPCS	International Programme on Chemical Safety	
IR	infrared	
IRDC	International Research and Development Corporation (Mattawan, Michigan, USA)	
i.v.	intravenous	
JMPR	Joint FAO/WHO Meeting on Pesticide Residues (Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group	
LC	liquid chromatography	
LC ₅₀ LC-MS	lethal concentration, 50% liquid chromatography - mass spectrometry	
LC-IVIS LD ₅₀	lethal dose, median	
LOAEL	lowest observed adverse effect level	
LOD	limit of determination (see also "*" at the end of the Table)	
LSC	liquid scintillation counting or counter	
MFO	mixed function oxidase	
μm	micrometre (micron)	
min (no stop)	minute(s)	
MLD	minimum lethal dose	
M	molar	
mo (not mth.)	month(s) Maximum Basidua Limit MBLs include draft MBLs and Coder MBLs (CVLs). The	
MRL	Maximum Residue Limit. MRLs include <u>draft</u> MRLs and <u>Codex</u> MRLs (CXLs). The MRLs recommended by the JMPR on the basis of its estimates of maximum residue levels enter the Codex procedure as draft MRLs.	
	They become Codex MRLs when they have passed through the	
	procedure and have been adopted by the Codex Alimentarius Commission.	
MS	mass spectrometry	
MSD	mass-selective detection	

MTD	maximum tolerated dose
n (not <i>n</i>)	normal (defining isomeric configuration)
NCI	National Cancer Institute (USA)
NMR	nuclear magnetic resonance
NOAEL	no-observed-adverse-effect level
NOEL	no-observed-effect level
NP(D)	nitrogen-phosphorus (detector)
NTE	neuropathy target esterase
OECD	Organization for Economic Co-operation and Development
OP	organophosphorus pesticide
PHI Ppm PT PTDI PTT PTU	pre-harvest interval parts per million. (Used only with reference to the concentration of a pesticide in an experimental diet. In all other contexts the terms mg/kg or mg/l are used). prothrombin time provisional tolerable daily intake. (See 1994 report, Section 2.3, for explanation) partial thromboplastin time propylenethiourea
RBC	red blood cell
r.d.	relative density. (Formerly called specific gravity)
s.c.	subcutaneous
SC	suspension concentrate (= flowable concentrate)
SD	standard deviation
SE	standard error
SG	water-soluble granule
SL	soluble concentrate
SP	water-soluble powder
sp./spp.	species (only after a generic name)
SPE	solid-phase extraction
STMR	supervised trials median residue
t	tonne (metric ton)
T ₃	tri-iodothyronine
T ₄	thyroxine
TADI	Temporary Acceptable Daily Intake
<i>Tert</i>	tertiary (in a chemical name)
TLC	thin-layer chromatography
TMDI	theoretical maximum daily intake
TMRL	Temporary Maximum Residue Limit
TPTA	triphenyltin acetate
TPTH	triphenyltin hydroxide
TSH	thyroid-stimulating hormone (thyrotropin)
UDMH	1,1-dimethylhydrazine (unsymmetrical dimethylhydrazine)
USEPA	United States Environmental Protection Agency
USFDA	United States Food and Drug Administration
UV	ultraviolet
WG	water-dispersible granule

WHO WP	World Health Organization wettable powder
< < > 2	less than less than or equal to greater than greater than or equal to

USE OF JMPR REPORTS AND EVALUATIONS BY REGISTRATION AUTHORITIES

The summaries and evaluations contained in this book are, in most cases, based on unpublished proprietary data submitted for the purpose of the JMPR assessment. A registration authority should not grant a registration on the basis of an evaluation unless it has first received authorization for such use from the owner who submitted the data for JMPR review or has received the data on which the summaries are based, either from the owner of the data or from a second party that has obtained permission from the owner of the data for this purpose.

INTRODUCTION

The report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group (JMPR), held in Lyon, 22 September-1 October 1997, contains a summary of the evaluations of residues in foods of the various pesticides considered as well as information on the general principles followed by the Meeting. The present document containes summaries of the residues data considered, together with the recommendations made.

The Evaluations are issued in two parts:

Part I: Residues (by FAO) Part II: Toxicology (by WHO)

For those interested in both aspects of pesticide evaluation, not only both parts but also the reports containing summaries of reisude and toxicological considerations will be available. Speciail attention is drawn to Annex I containing updated ADIs, MRLs, and STMR levels which also appears in full as part of the report of the Meeting.

Some of the compounds considered at the Meeting have been previously evaluated and reported on in earlier publications. In general only new information is summarized in the relevant monographs and reference is made to previously published evaluations, which should also be consulted. In the case of older compounds which are re-evaluated as part of the periodic review programme of the CCPR a review of all available data, including data which may have previously been submitted, is carried out. Compounds evaluated for the first time are indicated by a single asterisk and those evaluated in the CCPR periodic review programme by double asterisks in the Table of Contents.

The name of the compound appearing as the title of each monograph is followed by its Codex Classification Number in parentheses.

References to previous Reports and Evaluations of Joint Meetings are listed in Annex II.

Acknowledgements

The monographs in these Evaluations were prepared by the following participants in the 1997 JMPR for the FAO Panel of Experts on Pesticide Residues in Food and the Environment: Dr. A. Ambrus, Dr. U. Banasiak, Mr. S. Crossley, Dr. E. Dutra Caldas, Mr D.J. Hamilton, Mr. N.F. Ives, Mr. A.F. Machin, Ms. E. Masoller and Mr. T. Sakamoto.

Note: Any comment on residues in food and their evaluation should be addressed to the:

Plant Protection Service Plant Production and Protection Division Food and Agricultural Organization Viale delle Terme di Caracalla 00100 Rome, Italy