

References

- Abreu, C.G., Carvalho, L., Gaspar, M.J., Gomes, A.L., Colaço, J. & Cardoso, A.O.** 1999. Assessment of resistance to chestnut ink disease. *Acta Hort. (ISHS)*, 494: 363-368. Available at: www.actahort.org/books/494/494_55.htm
- Ahmad, M.** 1987. Relative resistance of different clones of *Tectona grandis* to teak defoliator, *Hyblaea puera* Cram (Lepidoptera: Hyblaeidae) in south India. *Indian Forester*, 113(4): 281-286.
- Alfaro, R., John, I., King, N., El-Kassaby, Y.A., Brown, G. & Lewis, K.** 2000. Use of artificial infestations in the selection of Sitka spruce genotypes for resistance to the white pine weevil in British Columbia. In: Alfaro, R. *et al.*, eds., *Protection of World Forests from Insect Pests: Advances in Research*. Papers presented at the XXI IUFRO World Congress (7-12 August 2000, Kuala Lumpur, Malaysia), IUFRO World Series Vol. 11.
- Andrew, R.L., Wallis, I.R., Harwood, C.E., Henson, M. & Foley, W.J.** 2007. Heritable variation in the foliar secondary metabolite sideroxylonal in Eucalyptus confers cross-resistance to herbivores. *Oecologia*, 153(4): 891-901.
- Arregui, A., Espinel, S., Aragones, A. & Sierra, R.** 1999. Estimate of genetic parameters in a progeny test of *Pinus radiata* in the Basque Country. *Investigacion Agraria Sistemas y Recursos Forestales*, 8(1): 119-128.
- Augustin, S., Courtin, C., Rejasse, A., Lorme, P., Genissel, A. & Bourguet, D.** 2004. Genetics of resistance to transgenic *Bacillus thuringiensis* poplars in *Chrysomela tremulae* (Coleoptera: Chrysomelidae). *Journal of Economic Entomology*, 97(3): 1058-64.
- Augustin, S., Wagner, M R. & Clancy K.M.** 1994. *Chrysolema scripta* performance on five poplar clones. *Norv. J. Agri. Sci.*, 18: 111-117.
- Bastain, R.A. & Hart, E.R.** 1990. Honeylocust clonal effects on developmental biology of mimosa webworm (Lepidoptera: Plutellidae). *Journal of Economic Entomology*, 83, 533-538.
- Beier-Petersen, B., Esbjerg, P. & Soeegaard, B.** 1974. The response of *Dreyfusia (Adelges) nordmanniana* Eckst. (Hom., Adelgidae) and of *Oligonychus ununguis* Jac. (Acarina, tetranychidae) to individual clones of *Abies alba* (Mill.) and to light and water. *Forest Tree Improvement, Arboretet-Hoersholm*, 8: 33-52.
- Bentz, J. & Townsend, A.M.** 1997. Variation in adult populations of the potato leafhopper (Homoptera: Cicadellidae) and feeding injury among clones of red maple. *Environmental Entomology*, 26: 1091-1095.
- Bentz, J. & Townsend, A.M.** 1999. Feeding injury, oviposition, and nymphal survivorship of the potato leafhopper on red maple and Freeman maple clones. *Environmental Entomology*, 28: 456-460.
- Bingham, R.T.** 1983. Blister rust resistant western white pine for the Inland Empire: the story of the first 25 years of the research and development program. USDA Forest Service General Technical Report INT-146.
- Bingham, R.T., Olson, R.J., Backer, W.A. & Marsden, M.A.** 1969. Breeding blister rust resistant white pine. V. Estimates of heritability, combining ability, and genetic advance based on tester matings. *Silvae Genetica*, 18: 23-38.
- Blada, I.** 2000. Genetic variation in blister rust resistance and growth traits in *Pinus strobus* x *P. peuce* hybrid at age 17 (experiment 1). *Forest Genetics*, 7(2): 109-120.
- Bonello, P., Gordon, T.R. & Storer, A.J.** 2001. Systemic induced resistance in Monterey pine. *Forest Pathology*, 31: 99-106.
- Braman, S.K. & Ruter, J.M.** 1997. Preference of twolined spittlebug for *Ilex* species, hybrids, and cultivars. *Journal of Environmental Horticulture*, 15: 211-214.

- Bridgwater, F.E., Nelson, C.D., Byram, T.D., Kubisiak, T.L., Young, C.H. & Doudrick, R.L.** 2003. Development of differential screening panels for slash pine-fusiform rust reaction types. In: McKinley, C.R. ed., *Proceedings 27th Southern Forest Tree Improvement Conference*, Stillwater, Oklahoma, USA, June 24-27, 2003, 214 pp.
- Burdon, R.D. & Bannister, M.H.** 1973. Provenances of *Pinus radiata*: their early performance and silvicultural potential. *New Zealand Journal of Forestry*, 18(2): 217-232.
- Burdon, R.D. Firth, A., Low, C.B. & Miller, M.A.** 1997. Native provenances of *Pinus radiata* in New Zealand: performance and potential. *New Zealand Journal of Forestry*, 41: 32-36.
- Burdon, R.D. & Low, C.B.** 1991. Performance of *Pinus ponderosa* and *Pinus jeffreyi* provenances in New Zealand. *Canadian Journal of Forest Research*, 21: 1401-1414.
- Burdon, R.D.** 1998. Multi-site provenance trials of *Pinus radiata*. *Forest Genetic Resources*, 26: 3-8.
- Butcher, P.** 2003. Molecular breeding of tropical trees. In: Rimbawanto, A. & Susanto, M. (eds), *Advances in genetic-improvement of tropical tree species*, Yogyakarta, Indonesia, 1-3 October, 2002, pp. 59-66.
- Carlson, J.E. & Steiner, K.C., eds.** 2005. *Proceedings of a Workshop: Restoration of American Chestnut to Forest Lands*. North Carolina Arboretum, Asheville, NC, May 4-6, 2004. Available at: <http://chestnut.cas.psu.edu/nps.htm>.
- Carneiro, S.S.** 1997. Resistance evaluation of chestnut tree genotypes to *Phytophthora cinnamomi* Rand. Universidade de Trás-os Montes e Alto Douro.
- Carson, S.D.** 1990. A breed of radiata pine resistant to *Dothistroma* needle blight - methods used for development and expected gains. *Phytopath.*, 80: 1007 (abstr).
- Carson, S.D. and Carson, M.J.** 1991. Realising gains in resistance to *Dothistroma*. In Dean, C. & Hanel, C. *Proceedings of the 11th Research Working Group 1 (Forest Genetics)*, Australian Forestry Council, 11-15 March, 1991, Coonawarra, South Australia, pp 71-75.
- Cervera, M.T., Gusmao, J., Steenackers, M., Peleman, J., Storme, V., Vanden Broeck, A., Van Montagu, M. & Boerjan, W.** 1996. Identification of AFLP molecular markers for resistance against *Melampsora larici-populina* in Populus. *Theoretical and Applied Genetics*, 93: 733-737.
- Chao, C.T., Parfitt, D.E. & Michailides, T.J.** 2001. Alternaria late blight (*Alternaria alternata*) resistance in pistachio (*Pistacia vera*) and selection of resistant genotypes. *J. Amer. Soc. Hort. Sci.*, 126: 481-485.
- Chen, J., Dai, L.Y., Wang, X.P., Tian, Y.C. & Lu, M.Z.** 2005. The cry3Aa gene of *Bacillus thuringiensis* Bt886 encodes a toxin against long-horned beetles. *Applied Microbiology and Biotechnology*, 67(3): 351-356.
- Chiba, S.** 1961. *Studies on the breeding of poplar species 1. Leaf rust resistance in hybrids between white poplar and aspens*. Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 9, Reprinted from Trans. Mtg. Jpn. For. Soc 70th 1960.
- Chiba, S.** 1963. *Studies on the breeding of Larix species 1. Variation between species on the gnawing by the mountain hares and the wild mice*. Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 29, Reprinted from Trans. Mtg. Hokkaido Br. Jpn. For. Soc. 12th 1963.
- Chiba, S. & Nagata, Y.** 1963. *Studies on the breeding of Larix species 2. Variation between species in susceptibility by Mycosphaerella larici-leptolepis and Pysalospora larcina*. Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 30, Reprinted from Trans. Mtg. Hokkaido Br. Jpn. For. Soc. 12th 1963.

- Chiba, S. & Nagata, Y.** 1972. *Studies on the breeding of Larix species 4. Selection of resistant trees for needle cast and shoot blight in Japanese larch, and observation on its growth.* Technical note, Institute for Forest Tree Improvement, Oji Paper Co. Ltd., No. 116, Reprinted from Forest Tree Breeding of Hokkaido 15(1) 1972.
- Chiba, S. & Nagata, Y.** 1973a. *Studies on the breeding of Populus species 3. Rust resistance and growth of Populus maximowiczii clones selected from the progenies of intraspecific hybridization.* Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 124, Reprinted from Forest Tree Breeding of Hokkaido 15(2) 1973.
- Chiba, S. & Nagata, Y.** 1973b. *Studies of the breeding of Populus species 4. Estimates of heritability and parent-progeny correlation on the leaf rust resistance in Populus maximowiczii.* Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 129, Reprinted from Trans. Mtg. Jpn. For. Soc. 84th 1973.
- Chiba, S. & Nagata, Y.** 1978. *Clonal testing of selected trees, resistant for needle cast and shoot blight in Larix species.* Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd. No. 174, Reprinted from Forest Tree Breeding of Hokkaido 21 1978.
- Chiba, S., Nagata, Y. & Tomaki, K.** 1982. *Variation of vole resistance in Larix leptolepis, and comparison with the hybrid of L. gmelini and L. leptolepis.* Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 209, Reprinted from Forest Tree Breeding of Hokkaido 25(2) 1982.
- Chiba, S., Nagata, Y. & Koizumi, O.** 1985. *Clonal variation and herability of foliage infestation by Clostera anastomosis tristis in Populus maximowiczii.* Technical note, Institute for Forest Tree Improvement. No. 231, i+2 pp; Reprinted from Trans. 96th Mtg. Jap. For. Soc 305-306
- Chiba, S., Nagata, Y. & Tomaki, K.** 1989. Palatability test of vole from several localities using same clonal materials in Larix species. Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 268, Reprinted from Forest Tree Breeding of Hokkaido 32(2) 1989.
- Coffelt, M.A. & Schultz, P.B.** 1993. Host plant suitability of the orangestriped oakworm (Lepidoptera: Saturniidae). *Journal of Environmental Horticulture*, 11, 182-186.
- Cortizo, S.** 2005a. Alamos en el Delta. Capítulo III del libro Mejores árboles para más forestadores: el programa de producción de material de propagación mejorado y el mejoramiento genético en el Proyecto Forestal de Desarrollo. Buenos Aires. *SAGPYA*, 137-160.
- Cortizo, S.** 2005b. Roya del álamo en el Delta del Paraná. IDIA XXI. Forestales. Revista de información sobre investigación y desarrollo agropecuario. Año V- N° 8: 139-142.
- Cortizo, S. & Romero, S.** 2000. An overview of *Melampsora* attack in Argentina. IPC. FAO.
- Cortizo, S.** 2003. *Royas en álamos. Alternativas de control a mediano y largo plazo.* Actas de las XVIII Jornadas Forestales de Entre Ríos. E.E.A. Concordia, 7 pp.
- Cortizo, S., Mema, V., Graciano, C., Abiatti, N. & Guiamet, J.** 2006. Efecto de la roya del álamo sobre el follaje y el crecimiento. *Actas Jornadas de Salicáceas*, 207-214.
- Coyle, D.R.** 2000. Cottonwood leaf beetle larval performance and effect on leaf surface chemicals on eight *Populus* clones. M.S. Thesis, Iowa State University, Ames.
- Coyle, D.R., McMillin, J.D., Hall, R.B. & Hart, E.R.** 2001. Cottonwood leaf beetle larval performance on eight *Populus* clones. *Environmental Entomology*, 30(4): 748-756.
- Cruickshank, M.G. & Jaquish, B.C.** 2007. Screening a population of half-sib interior Douglas-fir seedlings for resistance to *Armillaria ostoyae*. In preparation.

- Cruickshank, M.G., Lejour, D. & Morrison, D.J.** 2006. Traumatic resin canals as markers of infection events in Douglas-fir roots infected with *Armillaria* root disease. *Forest Pathology*, 36(5): 372-384.
- Czesak, M.E., Knee, M.J., Gale, R.G., Bodach, S.D. & Fritz, R.S.** 2004. Genetic architecture of resistance to aphids and mites in a willow hybrid system. *Heredity*, 93(6): 619-26.
- Dawson, W.M., McCracken, A.R. & Carlisle, D.** 2005. Short-rotation coppice willow mixtures and yield. In: Pei, M.H. & McCracken, A.R., eds., *Rust disease of willow and poplar*, pp. 195-208, CABI Publishing, Wallingford, UK, 288 pp.
- Delledonne, M., Allegro, G., Belenghi, B., Balestrazzi, A., Picco, F., Levine, A., Zelasco, S., Calligari, P. & Confalonieri, M.** 2001. Transformation of white poplar (*Populus alba* L.) with a novel *Arabidopsis thaliana* cysteine proteinase inhibitor and analysis of insect pest resistance. *Molecular Breeding*, 7(1): 35-42.
- Devey, M.E., Delfino-Mix, A., Kinloch, B.B. Jr, & Neale, D.B.** 1995. Random amplified polymorphic DNA markers tightly linked to a gene for resistance to white pine blister rust in sugar pine. *Proc Natl Acad Sci USA*, 92(6): 2066-70.
- Devey, M.E., Groom, K.A., Nolan, M.F., Bell, J.C., Dudzinski, M.J., Old, K.M., Matheson, A.C. & Moran, G.F.** 2004. Detection and verification of quantitative trait loci for resistance to *Dothistroma* needle blight in *Pinus radiata*. *Theor Appl Genet.*, 108(6): 1056-63.
- Devey, M.E., Matheson, A.C. & Carson, M.** 2001, An international project to study pitch canker in radiata pine. *New Zealand Journal of Forestry*, 46(2): 38-41.
- Díaz, R., Zas, R. & Fernández-López, J.** 2007. Genetic variation of *Prunus avium* in susceptibility to cherry leaf spot (*Blumeriella jaapii*) in spatially heterogeneous infected seed orchards. *Annals of Forest Science*, 64(1): 21-30.
- Dowkiw, A. & Bastien, C.** 2004. Characterization of two major genetic factors controlling quantitative resistance to *Melampsora larici-populina* leaf rust in hybrid poplars: strain specificity, field expression, combined effects and relationship with a defeated qualitative resistance gene. *Phytopathology*, 94: 1358-67.
- Dowkiw, A.** 2002. Analyse génétique de la résistance et de la tolérance de peupliers hybrides *Populus deltoides* X *Populus trichocarpa* à la rouille foliaire à *Melampsora larici-populina*. Thèse de Docteur de l'Université d'Orléans, Sciences Agronomiques, 207 pp. (C Bastien)
- Dowkiw, A., Husson, C., Frey, P., Pinon, J. & Bastien, C.** 2003. Partial resistance to *Melampsora larici-populina* leaf rust in hybrid poplars: genetic variability in inoculated excised leaf disk bioassay and relationship with complete resistance. *Phytopathology*, 93: 421-427.
- Driver, C.H., Morse, D.R. & Edmonds, R.L.** 1982. Detection of disease resistance in Douglas-fir seedlings and variation in pathogenicity in *Phellinus weirii* by monitoring water stress after inoculation. In *Resistance to diseases and pests in forest trees*, Proceedings of the Third International Workshop on the Genetics of Host-Parasite Interactions in Forestry, Wageningen, the Netherlands, 14-21 September 1980, pp 275-282
- Ekramoddoullah, A.K.M., Yu, X., Sturrock, R., Zamani, A. & Taylor, D.** 2000. Detection and seasonal expression pattern of a pathogenesis-related protein (PR-10) in Douglas-fir (*Pseudotsuga menziesii*) tissues. *Physiologia Plantarum*, 110(2): 240-247.
- Enebak, S.A., Ostry, M.E. & Anderson, N.A.** 1999. Inoculation methods for selecting *Populus tremuloides* resistant to hypoxylon canker. *Can. J. For. Research*, 29(8): 1192-96.
- Entry, J.A., Vance, N.C. & Copes, D.L.** 1994. Resistance of graft-compatible and graft-incompatible *Pseudotsuga menziesii* rooted cuttings to *Phellinus weirii*. *Can. J. For. Res.*, 24: 878-881.

European Commission (EC). Biotechnology and GMOs Web site – Deliberate field trials. Available at: <http://biotech.jrc.it/deliberate/FR.asp>

Ewald, D. & Han, Y.F. 2000. Field trials with transgenic poplar in China. In: *Release of transgenic trees – present achievements, problems, future prospects workshop*, Berlin, Humboldt-University, 20, Und 21., September 1999, Umweltbundesamt (ed.), pp 52-57.

Fins, L., Byler, J., Ferguson, D., Harvey, A., Mahalovich, M.F., McDonald, G., Miller, D., Schwandt, J. & Zack, A. 2002. Return of the giants: restoring western white pine to the inland Northwest. *Journal of Forestry*, 100 (4): 20-26.

Fins, L., Rust, M., Moore, J., Myszewski, J. & Mika, P. 1996. Genetic variation in Douglas-fir root bark chemistry in northern Idaho. In: *The Inland Empire Tree Improvement Cooperative - Twentieth Progress Report*, University of Idaho, pp 27-31.

Fladung, M. & Ewald, D., eds. 2007. *Tree Transgenesis*. Berlin, Heidelberg, New York.

Floyd, R. & Goldie, J. 1997. Breeding resistance in eucalyptus to insect attack. *Trees and Natural Resources*, 39(1): 16-19.

Fujimoto, Y., Maeta, T. & Tajima, M. 1983. Studies on resistant tree breeding to sugi bark midges (*Resseliella odai* Inouye). Bulletin of the Forest Tree Breeding Institute, No. 1, 109-123.

Garland, K. & Gartland, J. 2002. Genetic modification of elm. *Quarterly Journal of Forestry*, 96(2): 138-142.

Gea, L.D. & Low, C.B. 1997. Genetic parameters and growth, form and canker resistance of *Cupressus macrocarpa* in New Zealand. *New Zealand Journal of Forest Science*, 27: 245-254.

Goddard, R.E., McDonald, G.I. & Steinhoff, R.J. 1985. Measurement of field resistance, rust hazard, and deployment of blister rust-resistant western white pine. USDA Forest Service Res. Pap. INT-358.

Grace, L.J., Charity, J.A., Gresham, B., Kay, N. & Walter, C. 2005. Insect-resistant transgenic *Pinus radiata*. Plant Cell Rep., 2005 Jan 25.

Griffin, G.J., Hebard, F.V., Wendt, R.W. & Elkins, J.R. 1983. Survival of American chestnut trees: evaluation of blight resistance and virulence in *Endothia parasitica*. *Phytopathology*, 73: 1084-92.

Guo, T.B., Ji, B.Z., Zhuge, Q., Jiang, J.H., Bai, Y.M., Wu, W. & Huang, M.R. 2004. Determination and analysis of insect-resistant character in transgenic poplar NL-80106. *Molecular Plant Breeding*, 2(2): 187-191.

Guries, R.P. & Smalley, E.B. 2000. Once and future elms: classical and molecular approaches to Dutch elm disease resistance. Pp. 231-248. In: *The Elms: Breeding, conservation and disease management*. Kluwer Academic Publ. C.P. Dunn (ed).

Gwaze, D.P., Lott, L.H. & Nelson, D.C. 2003. The efficacy of breeding for brown spot disease resistance in longleaf pine. In: McKinley, C.R. ed., *Proceedings 27th Southern Forest Tree Improvement Conference*, Stillwater, Oklahoma, USA, June 24-27, 2003, pp. 63-71.

Hao, G.X., Zhu, Z. & Zhu, Z.T. 1999. Transformation of *Populus tomentosa* with insecticidal Cowpea proteinase inhibitor gene. *Acta Botanica Sinica*, 41(12): 1276-1282.

Harcourt, R.L., Kyojuka, J., Floyd, R.B., Bateman, K.S., Tanaka, H., Decroocq, V., Llewellyn, D.J., Zhu, X., Peacock, W.J. & Dennis, E.S. 2000. Insect and herbicide resistant transgenic eucalypts. *Molecular Breeding*, 6(3): 307-315.

- Harding, S., Rouland, H. & Wellendorf, H.** 2003. Consistency of resistance by the spruce green aphid in different ontogenetic stages of Sitka spruce. *Ag. and For. Ent.*, 5(2): 107.
- Harju, A.M., Venäläinen, M., Beuker, E., Velling, P. & Viitanen H.** 2001. Genetic variation in the decay resistance of Scots pine wood against brown rot fungus. *Canadian Journal of Forest Research*, 31(7): 1244-1249.
- Harkins, D.M., Johnson, G.N., Skaggs, P.A., Mix, A.D., Dupper, G.E., Devey, M.E., Kinloch, Jr., B.B. & Neale, D.B.** 1998. Saturation mapping of a major gene for resistance to white pine blister rust in sugar pine. *Theor Appl. Genet.*, 97: 1355-60.
- Hayashi, E., Kondo, T., Terada, K., Kuramoto, N. & Kawasaki, S.** 2004. Identification of AFLP markers linked to a resistance gene against pine needle gall midge in Japanese black pine. *Theor Appl Genet.*, 108(6): 1177-81.
- Hayden, K. & Garbelotto, M.** 2005. Variation in susceptibility of tanoak to sudden oak death at the population and species levels. *Phytopathology*, 95: S41.
- Hebard, F.V.** 2004. Research objectives for The American Chestnut Foundation 2004–2014. Summary of TACFs 10-year plan. *J. Am. Chestnut Found.*, 18(2): 13-19.
- Henery, M.** 2006. *Foliar secondary metabolites in Eucalyptus and their role in resistance to defoliating insects*. Canberra, Australia, The Australian National University.
- Hermes, D.A.** 2002. Strategies for deployment of insect resistant ornamental plants. In: Wagner, M.R., Clancy, K.M., Lieutier, F. & Paine, T.D., eds. *Mechanisms and deployment of resistance in trees to insects*, pp. 217-235, Kluwer Academic Publishing, Dordrecht, The Netherlands, 332 pp.
- Hermes, D.A., Nielsen, D.G. & Syndor, T.D.** 1987. Impact of honeylocust plant bug (Heteroptera: Miridae) on ornamental honeylocust and associated adult buprestids. *Environmental Entomology*, 16: 996-1000.
- Hietala, A.M., Eikenes, M., Kvaalen, H., Solheim, H. & Fossdal, C.G.** 2003. Multiplex real-time PCR for monitoring *Heterobasidion annosum* colonization in Norway spruce clones that differ in disease resistance. *Appl Environ Microbiol.*, 69(8): 4413-20.
- Highsmith, M.T., Lott, L.H., Gwaze, D.P. Lominy, D. & Nelson, C.D.** 2003. Evaluation of the inheritance of tip moth susceptibility using pine hybrids planted in southeast Mississippi. In: McKinley, C.R. ed., *Proceedings 27th Southern Forest Tree Improvement Conference*, Stillwater, Oklahoma, USA, June 24-27, 2003.
- Hoff, R.J.** 1985. Susceptibility of lodgepole pine to the needle cast fungus, *Lophodermella concolor*. USDA Forest Service, Res. Note INT-349.5.
- Hoff, R.J.** 1986. Inheritance of the bark reaction resistance mechanism in *Pinus monticola* infected by *Cronartium ribicola*. USDA For. Serv. Res. Note INT-361.
- Hoff, R.J.** 1987. Susceptibility of Inland Douglas-fir to Rhabdochline needle cast. USDA Forest Service, Res. Note INT-375.
- Hoff, R.J.** 1988a. Resistance of ponderosa pine to the gouty pitch midge (*Cecidomyia piniinopis*). Forest Service. Res. Paper INT-387.
- Hoff, R.J.** 1988b. Susceptibility of Ponderosa pine to the needle cast fungus *Lophodermium baculiferum*. USDA Forest Service. Res. Paper INT-386. 6p.
- Hoff, R.J.** 1989. Differential susceptibility of ponderosa pine to the gouty pitch midge (*Cecidomyia piniillopis*). USDA Forest Service. Res. Paper INT-q99.

- Hoff, R.J. & McDonald, G.I.** 1978. Genetic variation in susceptibility of western white pine to needle blight. USDA Forest Service Res. Not INT-249.
- Hoff, R.J. & McDonald, G.I.** 1994. Disease and insect resistance in conifers associated with the cedar/hemlock ecosystem. In: Baumgartner, D.M., Lotan, J.E. & Tonn, J.R., eds., *Interior cedar-hemlock-white pine forests: Ecology and management*. March 24, 1994, Spokane, WA, p 151-155.
- Hoff, R.J. & Hagle, S.** 1990. Diseases of white bark pine with special emphasis on white pine blister rust. In: *Proceedings of the Symposium on whitebark pine ecosystems: Ecology and management of a high-mountain resource*, 29-31 March 1989, Bozeman, MT, USDA Forest Service Intermountain Research Station Gen. Tech. Report INT-270, p 179-190.
- Hoff, R.J. & McDonald, G.I.** 1971. Resistance of *Pinus monticola* to *Cronartium ribicola*: short shoot fungicidal reaction. *Can. J. Bot.*, 49: 1235-39.
- Hoff, R.J. & McDonald, G.I.** 1993. Variation of virulence of white pine blister rust. *Eur. J. For. Pathol.*, 23: 103-109.
- Houston, D.B. & McClenahan, J.R.** 2005. Evaluation of *Sphaeropsis* blight impact on geographic seed sources of *Pinus nigra* in Ohio. In: Ohio Dept. of Natural Resources Web page: *Diplodia* resistant Austrian pine.
- Hu, J.J., Liu, Q.Y. & Wang K.S. et al.** 1999. Field test on insect resistance of transgenic plants (*Populus nigra*) transformed with Bt toxin gene. *Forest Research*, 12: 2, 202-205.
- Hu, J.J., Liu, Q.Y., Wang K.S., Zhang, B.E., Tian, Y.C. & Han, Y.F.** 1999. Field test on insect-resistance of transgenic plants (*Populus nigra*) transformed with Bt toxin gene. *Forest Res.*, 12: 202-205.
- Hu, J.J., Tian, Y.C., Han, Y.F., Li, L. & Zhang, B.E.** 2001. Field evaluation of insect-resistant transgenic *Populus nigra* trees. *Euphytica*, 121(2): 123-127.
- Hu, J.J., Han, Y.F., Yin, W.L., Augustin, S. & Villar, M.** 2002. On resistance of progenies of *Populus deltoides* to a Cerambycidae borer: *Apriona germarii* Hope under artificial inoculation and natural infestation. *Scientia Silvae Sinicae*, 38(1): 164-167.
- Hu, J.J., Zhang, Y.Z., Lu, M.Z., Zhang, J.G. & Zhang, S.G.** 2004. Transgene stability of transgenic *Populus nigra* and its effects on soil microorganism. *Scientia Silvae Genetica*, 40(5): 105-109.
- Huang, L.J. & Su, X.H.** 2003. The advance of canker disease-resistance breeding in poplar. *World Forestry Research*, 16(4): 49-53.
- Hunt, R.S.** 2004. Blister-rust-resistant western white pines for British Columbia, Information report BC-X-397, Natural Resources Canada, Victoria.
- Hunt, R.S.** 1981. Pine needle casts and blights in the Pacific Region. Can. For. Serv. Pac. For. Res. Cent., For. Pest Leaf. No. 43.
- Hunt, R.S. & Jensen, G.D.** 2001. Frequency of resistant western white pine seedlings from parents of different phenotypes. *Western J. Applied Forestry*, 16:(4): 149-152.
- Hunt, R.S., Ying, C.C. & Ashbee, D.** 1987. Variation in damage among *Pinus contorta* provenances caused by the needle cast fungus *Lophoderrnelia concolor*. *Can. J. For. Res.*, 17: 359-.
- Hunt, R.S.** 2004. White pine blister rust. *Rec. Res. Dev. Mycol.*, 1: 73-85.

Information Systems for Biotechnology (ISB). ISB Web site - Field Test Release Applications in the US. ISB, Virginia Tech, US. Available at: www.isb.vt.edu/cfdocs/fieldtests1.cfm

Isik, F., Li, B. & Frampton, J. 2003. Estimates of additive, dominance and epistatic genetic variances from a replicated test of loblolly pine. *Forest Science*, 49(1): 77-88.

James, R., Croft, B. & Strauss, S. 1999. Susceptibility of the cottonwood leaf beetle (Coleoptera: Chrysomelidae) to different strains and transgenic toxins of *Bacillus thuringiensis*. *Environmental Entomology*, 28(1): 108-115.

James, R.R. & Newcombe, G. 2000. Defoliation patterns and genetics of insect resistance in cottonwoods. *Canadian Journal of Forest Research*, 30(1): 85-90.

Jermstad, K.D., Sheppard, L.A., Kinloch, B.B., Delfino-Mix, A., Ersoz, E.S., Krutovsky, K.V. & Neale, D.B. 2006. Isolation of a full-length CC-NBS-LRR resistance gene analog candidate from sugar pine showing low nucleotide diversity. *Tree Genetics and Genomes*, 2: 76-85.

Jha, K.K. & Kumar, Y. 2000. Interspecific hybridization in poplars and initial performance of hybrids in Tarai of Uttar Pradesh. *Indian J. Forestry*, 23(1): 1-11.

Jia, J., Niemelä, P., Rousi, M. & Härkönen, S. 1997. Selective browsing of moose (*Alces alces*) on birch (*Betula pendula*) clones. *Scandinavian Journal of Forest Research*, 12: 33-40.

Johnson, G.R. 2002. Genetic variation in tolerance of Douglas-fir to Swiss needle cast as assessed by symptom expression. *Silvae Genetica*, 51(2-3): 80-88.

Johnson, J.D. & Johnson, K.R. 2003. Hybrid poplar genotype affects attack incidence by the poplar willow borer (*Cryptorhynchus lapathi*). *West. J. Appl. Forestry*, 18: 276-280.

Johnson, M.P., Hartman, J.R., McNeil, R.E. & Fountain, W.M. 2001. Evaluation of dogwood and birch species and cultivars for resistance to key insect pests and diseases. *Journal of Environmental Horticulture*, 19: 73-78.

Johnson, M.P., Potter, D.A. & Gilmore, G.S. 1993. Suitability of juniper cultivars for survival and growth of bagworm. *Journal of Environmental Horticulture*, 11: 167-170.

Jones, T. & Potts, B.M. 2000. Genetic variation in susceptibility of Eucalyptus globulus coppice regrowth to shoot-feeding weevils (*Myllobius* spp.). *Tasforests*, 12: 147-153.

Jones, T.H., Potts, B.M., Vaillancourt, R.E. & Davies, N.W. 2002. Genetic resistance of *Eucalyptus globulus* to autumn gum moth defoliation and the role of cuticular waxes. *Canadian Journal of Forest Research*, 32(11): 1961-1969.

Jorge, V., Dowkiw, A., Faivre-Rampant, P. & Bastien, C. 2005. Genetic architecture of qualitative and quantitative *Melampsora larici-populina* leaf rust resistance in hybrid poplar: genetic mapping and QTL detection. *New Phytologist*, 167(1): 113-127.

Juang, Y., Jin, N., Diner, A., Tauer, C., Zhang, Y. & Damicone, J. 2003. Genetic analysis of a disease resistance gene from loblolly pine. In: McKinley, C.R. ed., *Proceedings 27th Southern Forest Tree Improvement Conference*, Stillwater, Oklahoma, USA, June 24-27, 2003, 214 pp.

Junghans, D.T., Gomes, E.A., Guimarães, W.V., Barros, E.G. & Araújo, E.F. 1998. Genetic diversity of the ectomycorrhizal fungus *Pisolithus tinctorius* based on RAPD-PCR analysis. *Mycorrhiza*, 7(5): 243-248.

Junghans, D.T., Alfenas, A.C., Brommonschenkel, S.H., Oda, S., Mello, E.J. & Grattapaglia, D. 2003. Resistance to rust (*Puccinia psidii* Winter) in Eucalyptus: mode of inheritance and mapping of a major gene with RAPD markers. *Theoretical and Applied Genetics*, 108(1): 175-180.

- Jurgens, J.A., Blanchette, R.A., Zambino, P.J. & David, A.J.** 2003. Histology of resistance mechanisms to white pine blister rust in needles of eastern white pine. *Plant Disease*, 87(9): 1026-1030.
- Kalil Filho, A.N., Del Lama, M.A. & Mestriner, M.A.** 1995. Association between isoenzymatic phenotypes and resistance to the fungus *Microcyclus ulei* P. Henn. (v.Ar.x.) in rubber tree clones. *Braz. J. Genet.*, 511-516.
- Kamunya, S.M., Olng'otie, P.S., Chagala, E., Day, R.K. & Kipkore, W.K.** 1999. Genetic variation and heritability of resistance to *Cinara cupressi* in *Cupressus lusitanica*. *J Tropical Forest Science*, 11(3): 587-598.
- Kato, K. & Kawamura, K.** 1993. Clonal variation in Sugi [*Cryptomeria japonica*] on the resistance to cryptomeria bark borer (*Semanotus japonicus* Lacordaire) and the population dynamics by setting the bark borer free in a cage. *Bulletin of the National Forest Tree Breeding Center*, 11: 1-15.
- Kato, K. & Taniguchi, T.** 2003. Ten years examination in the primary screening test in a project for selecting Japanese cedar resistant to *Semanotus japonicus* (Coleoptera: Cerambycidae) conducted in Kanto Breeding Region. *Bulletin of the National Forest Tree Breeding Center*, 19: 13-24.
- Kato, K.** 1996. Comparison of resistance in elite hinoki trees (*Chamaecyparis obtusa* (Sieb. et Zucc.) Endl) to *Seiridium unicorne* (Cooke et Ellis) Sutto. *Bulletin of the National Forest Tree Breeding Center*, 14: 145-157.
- Kayihan, G.C., Huber, D.A., Morse, A.M., White, T.L. & Davis J.M.** 2005. Genetic dissection of fusiform rust and pitch canker disease traits in loblolly pine. *Theor Appl Genet.*, 110(5): 948-58.
- Kegley, A.J. & Sniezko, R.A.** 2004. Variation in blister rust resistance among 226 *Pinus monticola* and 217 *P. lambertiana* seedling families in the Pacific Northwest. In Sniezko, R.A., Samman, S., Schlarbaum, S.E. & Kriebel, H.B., eds., *Breeding and genetic resources of five-needle pines: genetics, breeding, and adaptability*, Proceedings of the IUFRO 2.02.15 Working Party Conference, July 23-27, 2001, Medford, OR, Proceedings RMRS-P-32, USDA Forest Service Rocky Mountain Research Station, Ft. Collins, CO, pp. 209-225.
- Kegley, S., Stipe, L. & Hepner, C.** 1994. Tip moth control at the Lenore Tree Improvement Area 1993. USDA Forest Service, Northern Region, FPM Report 94-4 (3450), 7 pp.
- Kim, C.S., Hong, S.H., Ryu, J.B., Choi, C. & Kim, J.S.** 1978. Breeding of varieties of pines resistant to pine gall midge (*Thecodiplosis japonensis* Uchida et Inouye). 2. Seasonal variation of needle monoterpene composition in resistant *Pinus thunbergii*. In: Third World Consultation on Forest Tree Breeding, Canberra (Australia), 21 Mar 1977, Session 4 - Constraints on progress, pp. 948-958.
- Kimberley, M.O. & Hood, I.A.** 2005. Douglas-fir provenance susceptibility to Swiss needle cast in New Zealand. *Australasian Plant Pathology*, 34(1): 57-62.
- King, J.N., Yanchuk, A.D., Kiss, G.K. & Alfaro, R.I.** 1997. Genetic and phenotypic relationships between weevil (*Pissodes strobi*) resistance and height growth in spruce populations of British Columbia. *Can. J. For. Res.*, 27: 732-739.
- King, J.N. & Alfaro, R.I.** 2004. Breeding for resistance to a shoot weevil of Sitka spruce in British Columbia, Canada. In: Wlater C. & Carson, M. (eds). *Proc. of Conference Plantation forest biotechnology for the 21st century*.
- Kinloch, B.B., Jr., Sniezko, R.A. & Dupper, G.E.** 2003. Origin and distribution of Cr2, a gene for resistance to white pine blister rust in natural populations of western white pine. *Phytopathology*, 93(6): 691-694.
- Kinloch, B.B., Jr.** 1982. Resistance to white pine blister rust in sugar pine: research at the Pacific Southwest Forest and Range Experiment Station. In Breeding insect and disease resistant forest trees workshop, 19-23 July 1982, Eugene, Ore. pp. 86-91.
- Kinloch, B.B., Jr.** 2003. White pine blister rust in North America: past and prognosis. *Phytopathology*, 93: 1044-47.

- Kinloch, B.B., Jr., & Dupper, G.E.** 2002. Genetic specificity in the white pine-blister rust pathosystem. *Phytopathology*, 92: 278-280.
- Kinloch, B.B., Jr., Davis, D.A. & Burton, D.C.** 2004. Resistance and virulence interactions between two white pine species and blister rust in a 30-year field trial . In Li, B. & McKeand, S., eds., Forest genetics and tree breeding in the age of genomics: Progress and future, Proceedings of 2004 IUFRO Joint Conference of Division 2, 1-5 November 2004, Charleston, S.C.
- Kinloch, B.B., Jr., Sniezko, R.A., Barnes, G.D. & Greathouse, T.E.** 1999. A major gene for resistance to white pine blister rust in western white pine from the western Cascade Range. *Phytopathology*, 89: 861-867.
- Kitzmler, J.H. & Sniezko, R.A.** 2000. Range-wide genetic variation in Port-Orford-cedar (*Chamaecyparis lawsoniana* (A. Murr.) Parl.). I. Early height growth at coastal and inland nurseries. *J. Sustain. For.*, 10: 57-67.
- Kitzmler, J.H.** 1976. Tree improvement master plan for the California region. USDA For. Serv. Region 5. Appendix C: Breeding for white pine blister rust resistance in sugar pine: An operational plan for Region 5. pp. 97-123
- Kleiner, K.W., Ellis, D.D., McCown, B.H. et al.** 1995. Field evaluation of transgenic poplar expressing a *Bacillus thuringiensis* cry1A(a) d-endotoxin gene against forest tent caterpillar (Lepidoptera: Lasiocampidae) and gypsy moth (Lepidoptera: Lymantriidae) following winter dormancy. *Environmental Entomology*, 24(5): 1358-1364.
- Kleinhentz, M., Raffin, A. & Jactel, H.** 1998. Genetic parameters and gain expected from direct selection for resistance to *Dioryctria sylvestrella* Ratz. (Lepidoptera: Pyralidae) in *Pinus pinaster* Ait., using a full diallel mating design. *Forest Genetics*, 5(3): 147-154.
- Koch, J.L., Carey, D.W. & Larson, R.** 2006. Host resistance to emerald ash borer: Development of novel ash hybrids. In: Gottschalk, K. ed., *Proceedings of the 16th USDA Interagency Research Forum on Gypsy Moth and other Invasive Species*. Jan. 10-13. Annapolis, MD.
- Koch, J.L. & Carey, D.W.** 2004. Controlled cross-pollinations with American beech trees that are resistant to beech bark disease. In: Proceedings of the 14th Central Hardwood Forest Conference, 2004 March 16-19; Wooster, OH, Gen. Tech. Rep. NE-316. Newtown Square, PA: US Department of Agriculture Forest Service, Northeastern Research Station: 358-364. [CD ROM].
- Koch, J.L. & Carey, D.W.** 2005. The genetics of resistance of American beech to beech bark disease: Knowledge through 2004. In: Beech Bark Disease: Proceedings of the Beech Bark Disease Symposium; 2004 June 16-18; Saranac Lake, NY. Gen. Tech. Rep. NE-331, Newtown.
- Kohda, H. & Chiba, S.** 1985. Influence of leaf rust infection of photosynthetic activity in *Populus maximowiczii* A. HENRRY. Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 237, Reprinted from Trans. Mtg. Hokkaido Br. Jpn. For. Soc. 34th 1985.
- Kohda, H., Chiba, S. & Nagata, Y.** 1981. Studies on the breeding of *Larix* species 9. Resistance of selected trees to Needle cast disease and genetic analysis by crossed families of Japanese larch. Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 196, Reprinted from Trans. Mtg. Hokkaido Br. Jpn. For. Soc. No. 30.
- Koono, K. & Tando, O.** 2000. Progress of the Second Cross Breeding Project in Hokkaido breeding region. *Bulletin of the National Forest Tree Breeding Center*, 17: 41-47.
- Koski, V. & Rousi, M.** 2005. A review of the promises and constraints of breeding silver birch in Finland. *Forestry*, 78(2): 187-198.
- Koski, V. & Rousi, M.** 2005. Breeding of silver birch; its promises and constraints. *Forestry*, 78: 199-208.

- Kraus, J.F.** 1986. Breeding shortleaf X loblolly pine hybrids for the development of fusiform rust resistant loblolly pine. *Southern Journal of Applied Forestry*, 10: 195-197.
- Kuhlman, E.G.** 1997. Inoculum density and expression of major gene resistance to fusiform rust disease in loblolly pine. *Plant Disease*, 81: 597-600.
- Dahkal, L.P., Aryal, H.L., Kjær, E.D. & Lillesøe, J.P.B.** 2004. Breeding for die-back resistant *Dalbergia sissoo* in Nepal - Generation turnover plan for *Dalbergia sissoo* BSOs with infusion of die-back disease resistant families. Forest & Landscape Working Paper No. 4-2004.
- Laitinen J., Rousi, M. & Tahvanainen J.** 2002. Growth and hare (*Lepus timidus*) resistance of white birch (*Betula pendula* Roth) clones grown on different soil types. *Oikos*, 99: 37-46.
- Laitinen, M.-L., Julkunen-Tiitto, R., Yamaji, K., Heinonen, J. & Rousi, M.** 2004. Variation in birch bark secondary compounds among clones and within a clone: implications to herbivory. *Oikos*, 104: 316-326.
- Lambeth, C.** 2000. Realized genetic gains for first generation improved loblolly pine in 45 tests in coastal North Carolina. *S. J Applied Forestry*, 24(3): 140-144.
- Lapointe, G., Luckevich, M.D., Cloutier, M. & Séguin, A.** 2001. 14-3-3 gene family in hybrid poplar and its possible implication in tree defense against pathogens. *Journal of Experimental Botany*, 52: 1331-1338.
- Larochelle, F., Lavallée, R., Plourde, A., Daoust, G. & Bauce, E.** 1993. Sélection d'épinettes de Norvège résistantes au charançon du pin blanc (résumé) Page 285 (Vol. 61) dans Association canadienne-française pour l'avancement des sciences (ACFAS), Compte rendu : 61e congrès de l'ACFAS. May 17-21, 1993, Université du Québec à Rimouski, Rimouski (Québec). ACFAS, Montréal (Québec).
- Larsson, S.** 2001a. Breeding of *Salix*. *Sveriges Utsadesforenings Tidskrift*, 111(2): 91-97.
- Larsson, S.** 2001b. Commercial varieties from the Swedish willow breeding programme. In: Proc. Biomass and Energy Crops II, Univ. of York, Dec. 2001. *Aspects of applied biology*, 65: 193-198.
- Lascoux, M., Ramstedt, M., Åström, B. & (Gullberg), U.** 1996. Components of resistance to leaf rust (*Melampsora larici- epitea* Kleb/ *Melampsora ribesii-viminalis* Kleb.) in *Salix viminalis* L. *Theoretical and Applied Genetics*, 93: 1310-1318.
- Le Guen, V., Lespinasse, D., Oliver, G., Rodier-Goud, M., Pinard, F. & Seguin, M.** 2003. Molecular mapping of genes conferring field resistance to South American Leaf Blight (*Microcyclus ulei*) in rubber tree. *Theoretical and Applied Genetics*, (1): 160-7.
- Lefèvre, F., Faivre Rampant, P. & Villar, M.** 1993. Genetic study of poplar resistance to rusts: first results from an intra and interspecific mating design.
- Leplé, J.C., Bonadebottino, M., Augustin, S., Pilate, G., Letan, V.D., Delplanque, A., Cornu, D. & Jouanin, L.** 1995. Toxicity to *Chrysomela tremulae* (Coleoptera: Chrysomelidae) of transgenic poplars expressing a cysteine proteinase inhibitor. *Molecular Breeding*, 1: 319-328.
- Lescot, M., Rombauts, S., Zhang, J., Aubourg, S., Mathe, C., Jansson, S., Rouze, P. & Boerjan, W.** 2004. Annotation of a 95-kb *Populus deltoides* genomic sequence reveals a disease resistance gene cluster and novel class I and class II transposable elements. *Theoretical and Applied Genetics*, 109(1): 10-22.
- Li, M.L., Zhang, H., Hu, J.J. & Han, Y.F. 2000. Study on insect-resistant transgenic poplar plants containing both Bt and PI gene. *Scientia Silvae Sinica*, 36(2): 93-97.

- Li, Y., Chen, Y., Tian, Y.C., Li, L. & Han, Y.F.** 1996. Transformation of antibacterial gene LcI into poplar species. *Forest Research*, 9(6): 646-649.
- Li, J.H., Jiang, Y.S., Song, H.Z., Wang, C.C. & Zhang, Q.W.** 2004. Genetic variation and initial selection of clones from hybrid between *P. deltoides* and *P. cathayana*. *Forest Research Beijing*, 17(3): 368-373.
- Li, X.G., Zhang, J.H. et al.** 1999. Selection and breeding of male allee-tree - new varieties of *Populus tomentosa* in Beijing. *J. Beijing Forestry University*, 21(6): 1-5.
- Liang, H., Maynard, C.A., Allen, R.D. & Powell, W.A.** 2001. Increased *Septoria musiva* resistance in transgenic hybrid poplar leaves expressing a wheat oxalate oxidase gene. *Plant Mol Biol.*, 45(6): 619-29.
- Lieseback, M. & Zaspel, I.** 2005. Genetic diversity of *Melampsora* willow rusts in Germany. In: Pei & McCracken, eds., *Rust diseases of willow and poplar*, pp. 73-89.
- Lin, S.Z., Xiao, J.H. & Zhang, Z.Y.** 2000. Development in resistance gene engineering researches of poplars. *J Beijing Forestry University*, 22(6): 85-88.
- Liu, J.X., Gao, B.J., Zhang, J.H., Wang, J.M., Jiang, W.H., Li, Y.H. & Zhou, C.** 2004. Sustainability of insect resistance of transgenic hybrid poplar 741. *Journal of Beijing Forestry University*, 26(6): 76-79.
- Liu, J.X., Gao, B.J., Zhang, J.H., Wang, Y.F. & Wang, J.M.** 2004. Influence of temperature on insect resistance of transgenic hybrid poplar 741. *Chin. J. Appl. Ecol.*, 15(5): 853-855
- Lopez-Upton, J., White, T.L. & Huber, D.A.** 2000. Species differences in early growth and rust incidence of loblolly and slash pine. *Forest Ecology and Management*, 132(2/3): 211-222.
- Lu, P., Sinclair, R.W. & Boulton, T.J.** 2004. Blister rust resistance of *Pinus strobus* and its interspecific hybrids with *Pinus wallichiana* [online]. In Li, B. & McKeand, S., eds., *Forest Genetics and Tree Breeding in the Age of Genomics: Progress and Future*, Proceedings of 2004 IUFRO Joint Conference of Division 2, 1-5 November 2004, Charleston, SC.
- Lu, P., Sinclair, R.W., Boulton, T.J. & Blake, S.G.** 2005. Seedling survival of *Pinus strobus* and its interspecific hybrids after artificial inoculation of *Cronartium ribicola*. *For. Ecol. Mgmt.*, 214: 344-357.
- Maertens, I., Breyne, P., Steenackers, M. & Gheysen, G.** Identification of genes involved in vertical rust resistance in poplar. *Commun Agric Appl Biol Sci.*, 69(2): 171-3.
- Mahalovich, M.F.** 1995. The role of genetics in improving forest health. In: Proc. National Silviculture Workshop, May 8-11, 1995, Mescalero, NM, USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO, General Technical Report 267, p 200-207. Available at: www.treearchive.fs.fed.us/pubs/23502
- Mahalovich, M.F.** 2003. The ponderosa pine breeding, seed orchard and restoration program for the Northern Rockies. USDA Forest Service, Northern Region and Inland Empire Tree Improvement Cooperative.
- Mahalovich, M.F.** 2004. Early survival, height and blister rust performance of *Pinus albicaulis* (whitebark pine) seed sources from the Inland Empire. Proc. Can. Tree Improv. Assoc., IUFRO 7.01.04 meeting. Kelowna, B.C. July 26-29.
- Mahalovich, M.F., Burr, K.E. & Foushee, D.L.** 2006. Whitebark pine germination, rust resistance and cold hardiness among seed sources in the Inland Northwest: Planting Strategies for Restoration. In: National Proceedings: Forest and Conservation Nursery Association, 2005 July 18-20, Park City, UT, USA, Proceedings RMRS-P-43, Fort Collins, CO, USDA Forest Service, Rocky Mountain Research Station: 91-101.

- Mahalovich, M.F. & Dickerson, G.A.** 2004. Whitebark pine genetic restoration program for the Intermountain West (United States). In: Sniezko RA, Samman S, Schlarbaum SE, Kriebel, HB, eds. Breeding and genetic resources of five-needle pines: growth, adaptability and pest resistance; 2001 July 23-27; Medford, OR, USA. IUFRO Working Party 2.02.15. Proceedings RMRS-P-32. Fort Collins, CO: US Department of Agriculture, Forest Service, Rocky Mountain Research Station: 181-187.
- Mahalovich, M.F., Burr, K.E. & Foushee, D.L.** 2006. Whitebark pine germination, rust resistance, and cold hardiness among seed sources in the Inland Northwest: Planting strategies for restoration. In: Riley, L.E., Dumrosese, R.K. & Landis, T.D., tech. cords., National Proc. For. and Conservation Nursery Assoc. – 2005. USDA For. Service Proc. RMRS-P-43. Available at: www.rngr.net/nurseries/publications/proceedings
- Marquetti, J.R.** 1990. Cedrela hybrids resistant to *Hypsipyla grandella*. Revista Forestal Baracoa. 20: 1, 97-101; 12 ref.
- Matras, J.** 2001. Provenance studies of the Forest Research Institute on the European larch in 1948-2000. *Prace Instytutu Badawczego Leśnictwa, Seria A.* (908/912): 41-63.
- McDonald, G.I.** 1985. Heritability of resistance in Douglas-fir to western spruce budworm. In: The role of the host in the population dynamics of forest insects. Victoria, BC, Canadian Forestry Service, Pacific Forest Res. Centre: 96-107.
- McDonald, G.I. & Hoff, R.J.** 1970. Resistance of *Pinus monticola* to *Cronartium ribicola*. early shedding of infected needles. USDA For. Serv. Res. Note INT-124.
- Meilan, R., Ma, C., Cheng, S., Eaton, J.A., Miller, L.K., Crockett, R.P., DiFazio, S.P. & Strauss, S.H.** 2000. High levels of Roundup® and leaf-beetle resistance in genetically engineered hybrid cottonwoods. In: Blatner, K.A., Johnson, J.D. & Baumgartner, D.M., eds., *Hybrid Poplars in the Pacific Northwest: Culture, Commerce and Capability*. Washington State University Cooperative Extension Bulletin MISC0272, Pullman, WA, pp 29-38.
- Mentag, R., Luckevich, M., Morency, M-J. & Séguin, A.** 2003. Bacterial disease resistance of transgenic hybrid poplar expressing a synthetic antimicrobial peptide D4E1. *Tree Physiology*, 23: 405-408.
- Miller, R.O., Bloese, P.D., Hanover, J.W. & Haack, R.A.** 1991. Paper birch and European white birch vary in growth and resistance to bronze birch borer. *Journal of the American Society of Horticultural Science*, 116: 580-584.
- Miller, J.T. & Ecroyd, C.E.** 1987. Introduced forest trees in New Zealand: Recognition, role and see source. 2. *Pinus contorta*. FRI Bulletin 124/2.
- Mmbaga, M.T. & Sauve, R.J.** 2004. Multiple disease resistance in dogwoods (*Cornus* spp) to foliar pathogens. *J Arboriculture*, 30(2): 101-107.
- Morse, A.M., Nelson, C.D., Covert, S.F., Holliday, A.G., Smith, K.E. & Davis, J.M. 2004. Pine genes regulated by the necrotrophic pathogen *Fusarium circinatum*. *Theor Appl Genet.*, 109(5): 922-32.
- Muranty, H, Schermann, N. Santi, F. & Dufour, J.** 1998. Genetic parameters estimated from a wild cherry diallel: consequences for breeding. *Silvae Genetica*, 47(5/6): 249-257.
- Nagata Y. & Chiba S.** 1981. Studies on the breeding of *Populus maximowiczii* 8. Correlation of growth and leaf rust resistance between one-year-old and nine-year-old cuttings in *Populus maximowiczii*. Possibility of early selection-. Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No. 195, Reprinted from Trans. Mtg. Hokkaido Br. Jpn. For. Soc. 30th 1981.
- Nagata, Y., Tomaki, K. & Chiba, S.** 1989. Variation and selection of vole resistance in *Larix gmelini* var. *japonica* and its hybrid. Technical note, Institute for Forest Tree Improvement, Oji Paper Co., Ltd., No.261, Reprinted from Trans. Mtg. Hokkaido Br. Jpn. For. Soc. 37th 1989.

- Narayanan, C.** 2000. Studies on wilt disease of *Casuarina equisetifolia* Forst. caused by *Trichosporium vesiculosum* Butler. Ph.D. Thesis. Forest Research Institute (Deemed University), Dehra Dun, India.
- Narayanan, C., Sharma, J.K. & Minter, D.W.** 2003. *Subramaniospora vesiculosa* - a hyphomycete causing wilt disease of *Casuarina equisetifolia*. *Indian Phytopathology*, 56(2): 159-163.
- Narayanan, C., Sasidharan, K.R. & SampathKumar, A.S.** 1998. Occurrence of blister-bark disease in Casuarina hybrid (*C. equisetifolia* × *C. junghubniana*). *Indian Forester*, 124: 167-168.
- Nesme, X., Beneddra, T. & Collin, E.** 1990. Importance of crown gall hybrids of *Populus tremula* L. X *P. Alba* in forest tree nursery. *Agronomie*, 10: 7, 581-588.
- Newcombe, G., Bradshaw, H.D. Jr., Chastagner, G.A. & Stettler, R.F.** 1996. A major gene for resistance to *Melampsora medusae* f.sp. *deltoidae* in a hybrid poplar pedigree. *Phytopathology*, 86:87-94.
- Newcombe, G. & van Oosten, C.** 1997. Variation in resistance to *Venturia populina*, the cause of poplar leaf and shoot blight in the Pacific Northwest. *Can. J. For. Res.*, 27: 883-889.
- Newcombe, G., Chastagner, G.A., Schuette, W. & Stanton, B.J.** 1994. Mortality among hybrid poplar clones in a stool bed following leaf rust caused by *Melampsora medusae* f. sp. *deltoidae*. *Can. J. For. Res.*, 24: 1984-1987.
- Newcombe, G. & Bradshaw, Jr, H.D.** 1996. Quantitative trait loci conferring resistance in hybrid poplar to *Septoria populicola*, the cause of leaf spot. *Canadian Journal of Forest Research* 26: 1943-1950.
- Newhouse, A.E., Schrodt, F., Liang, H., Maynard, C.A. & Powell, W.A.** 2007. Transgenic American elm shows reduced Dutch elm disease symptoms and normal mycorrhizal colonization. *Plant Cell Reports*, 26(7): 977-987.
- Newhouse, A., Schrodt, F., Maynard, C. & Powell, W.** 2006. *Agrobacterium* transformation of American elm (*Ulmus americana*) leaf pieces. In: Wang, K. (ed) *Agrobacterium Protocols*, 2nd Edition, Volume 2, Methods in molecular biology book series, Humana, Totowa, NJ.
- Nicolescu, C., Sandré, C., Jouanin, L. & Chriqui, D.** 1996. Modification de l'expression du métabolisme phenolique chez le peuplier en relation avec la resistance aux agents pathogenes. *Acta Botanica Gallica*, 143(6): 539-46.
- Nielsen, U.B., Kirkeby-Thomsen, A. & Roulund, H.** 2002. Genetic variation in resistance to *Dreyfusia nordmanniana* Eckst. infestation in *Abies nordmanniana* (Stev.). *For. Ecol. Management*, 165: 271-283.
- Nishiyama, K., Watanabe, A. & Kubota, M.** 2002. Discrimination of bark borer-resistant clones of *Cryptomeria japonica* using RAPD markers. *Journal of the Japanese Forestry Society*, 84(4): 262-266.
- Ofori, D.A., Cobbinah, J.R., Appiah-Kwarteng, J., Wagner, M.R. & Lin, Y.** 2001. Cloning of Phytozyma resistant lines of *Milicia* species (Odum/Iroko) for plantation establishment. pp. 103-112. In: *Research Advances in Restoration of Iroko as a Commercial Species in West Africa*. Cobbinah, J.R. and M.R. Wagner (Editors). International Tropical Timber Organization. Odum Workshop. Nov 2000. Kumasi, Ghana, 134 pp.
- Oh, E., Hansen, E. & Sniezko, R.A.** 2006. Port-Orford-cedar resistant to *Phytophthora lateralis*. *Forest Pathology*, 36(6): 385-394.
- Oh, E.** 2004. Resistance mechanisms of Port-Orford-cedar to *Phytophthora lateralis*. Ph.D. Thesis, Oregon State University, Corvallis, Ore.
- Old, K.M., Libby, W.J., Russell, J.H. & Eldridge, K.G.** 1986. Genetic variability in susceptibility of *Pinus radiata* to western gall rust. *Silvae Genet.*, 35:145-149

- Oliveria, F.L. & Cooper, D.T.** 1977. Tolerance of cottonwood (*Populus deltoides*) to damage by cottonwood leaf beetle (*Crysmela scripta*). Improvement conference. Gainesville, Florida, June 14-16, 1977, recd. 1979, 213-217:
- O'Reilly-Wapstra, J.M., McArthur, C. & Potts, B.M.** 2002. Genetic variation in resistance of *Eucalyptus globulus* to marsupial browsers. *Oecologia*, 130(2): 289-296.
- Ostry, M.E., McRoberts, R.E., Ward, K.T. & Resendez, R.** 1988. Screening hybrid poplars in vitro for resistance to leaf spot caused by *Septoria musiva*. *Plant Dis.*, 72: 497-499.
- Ostry, M.E. & Woeste, K.** 2004. Spread of butternut canker in North America, host range, evidence of resistance within butternut populations and conservation genetics. In: Michler, C.H. *et al.*, eds. Black walnut in a new century, proceedings of the 6th Walnut Council research symposium; 2004 July 25-28, Lafayette, IN. Gen. Tech. Rep. NC-243. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 114-120.
- Pajares, JA.** 2004. Elm breeding for resistance against bark beetles. In: Proc. New approaches to elm conservation, 2nd Intern. Elm conf, Valsain, Spain. *Investigacion Agraria Sistemas y Recursos Forestales*, 13: 207-215.
- Pâques, L.E., Sylvestre-Guinot, G. & Delatour, C.** 1999. Variabilité clonale de la race polonica du meleze d'Europe pour la resistance a *Lachnellula willkommii*. *Ann. For. Sci.*, 56: 155-166.
- Pasonen, H.L., Seppanen, S.K., Degefu, Y., Ryttonen, A., von Weissenberg, K. & Pappinen, A.** 2004. Field performance of chitinase transgenic silver birches (*Betula pendula*): resistance to fungal diseases. *Theor Appl Genet.*, 109(3): 562-70.
- Poteri, M & Rousi, M.** 1996. Variation in *Melampsorium* resistance among European white birch clones grown in different environments. *European Journal of Forest Pathology*, 26: 171-181.
- Potter, K.M. & Frampton, J.** 2003. Genetic variation in Fraser Fir mortality due to *Phytophthora* root rot. In: McKinley, C.R. ed., *Proceedings 27th Southern Forest Tree Improvement Conference*, Stillwater, Oklahoma, USA, June 24-27, 2003, pp. 72-74.
- Prakash, C.S. & Thielges, B.A.** 1986. Genetics and breeding for durable resistance to leaf rust in poplars. Proceedings of a joint meeting of IUFRO WPs on Breeding Theory, Progeny Testing and Seed Orchards. Williamsburg, Virginia, October 13-17. 1986, pp. 342-350.
- Prittinen, K., Pusenius, J., Koivunoro, K., Rousi, M. & Roininen, H.** 2003. Mortality in seedling populations of silver birch: genotypic variation and herbivore effects. *Functional Ecology*, 17: 658-663.
- Prittinen, K., Pusenius, J., Tahvanainen, J., Rousi, M., Heinonen, J. & Roininen, H.** 2006. Herbivory modifies the genetic structure of birch populations. *Oikos*, 114(3): 465-470.
- Pusenius, J., Prittinen, K., Heinonen, J., Koivunoro, K., Rousi, M. & Roininen, H.** 2002. Choice of voles among genotypes of birch seedlings: its relationship with seedling quality and former feeding by insects. *Oecologia*, 130: 426-432.
- Pusenius, J., Prittinen, K., Koivunoro, K., Rousi, M. & Roininen, H.** 2006. Multiple herbivory on birch seedling families: effects of competition and the pattern of selection on resistance and height growth. Submitted.
- Quencez, C. & Bastien, C.** 2001. Genetic variation within and between populations of *Pinus sylvestris* L. (Scots pine) for susceptibility to *Melampsora pinitorqua* Rostr. (pine twist rust). *Heredity*, 86: 36-44.
- Ramirez, C.C., Zamudio, F., Verdugo, J.V. & Nunez, M.E.** 2004. Differential susceptibility of poplar hybrids to the aphid *Chaitophorus leucomelas* (Homoptera: Aphididae). *J Econ Entomol.*, 97(6): 1965-71.

- Ranney, T.G. & Walgenbach, J.F.** 1992. Feeding preference of Japanese beetles for taxa of birch, cherry, and crabapple. *Journal of Environmental Horticulture*, 10: 177-180.
- Rehfeldt, G.E.** 1987. Components of adaptive variation in *Pinus contorta* from the Inland Northwest. USDA For. Serv. Inter-mountain Research Station Research Paper INT-375, 11 pp.
- Rehfeldt, G.E.** 1992. Breeding strategies for *Larix occidentalis*: adaptations to the biotic and abiotic environment in relation to improving growth. *Can. J. For. Res.*, 22: 5-13.
- Riemenschneider, D.E., Stanton, B.J., Vallee, G. & Perinet, P.** 2001. Poplar breeding strategies. Part A. Chapter 2. In: Dickman, D.I., Isebrands, J.G., Eckenwalder, J.E. & Richardson, J., eds., *Poplar Culture in North America*. NRC Research Press, National Research Council of Canada, Ottawa, ON, pp 43-76.
- Riemenschneider, D.E., Berguson, W.E., Dickmann, D.I., Hall, R.B., Isebrands, J.G., Mohn, C.A., Stanosz, G.R. & Tuskan, G.A.** 2001. Poplar breeding and testing strategies in the north-central U.S.: demonstration of potential yield and consideration of future research needs. *Forestry Chronicle*, 77(2): 245-253.
- Rinaldi, C., Kohler, A., Duplessis, S., Frey, P. & Martin, F.** 2004. Isolation and expression of a host response gene family encoding thaumatin-like proteins in incompatible poplar-rust fungus interactions. 12th New Phytologist symposium, 10-13 October 2004.
- Robinson, R.M. & Morrison, D.J.** 1994. Resistance mechanisms of *Larix occidentalis* (western larch) to *Armillaria ostoyae* in the southern interior of British Columbia. Pages 26-33 in Proceedings of the Eighth International Conference on Root and Butt Rots, August 9-16, 1993, Wik, Sweden and Haikko, Finland. Swedish University of Agricultural Sciences, Uppsala, Sweden.
- Robinson, R.M., Sturrock, R.N., Davidson, J.J., Ekramoddoullah, A.K.M. & Morrison, D.J.** 2000. Detection of a chitinase-like protein in the roots of Douglas-fir trees infected with *Armillaria ostoyae* and *Phellinus weirii*. *Tree Physiology*, 20: 493-502.
- Robison, D.J. & Raffa, K.F.** 1994. Characterization of hybrid poplar clones for resistance to the forest tent caterpillar. *Forest Science*, 40(4): 686-714.
- Roth, L.F.** 1974. Resistance of ponderosa pine to dwarf mistletoe. *Silvae Genetica*, 23(4): 116-120.
- Rousi, M.** 1997. Variation in resistance of forest trees to hare browsing. *Gibier Faune Sauvage, Game Wildlife*, 14(3): 281-293.
- Rousi, M., Tahvanainen, J., Henttonen, H., Herms, D.A. & Uotila, I.** 1997. Clonal variation in susceptibility of European white birch (*Betula pendula*) to mammalian and insect herbivores. *Forest Science*, 43(3): 396-402.
- Roychoudhury, N.** 2002. Relative resistance in teak clones to leaf skeletonizer, *Eutectona machaeralis* (Walker) (Lepidoptera: Pyralidae) and role of leaf moisture. *Entomon.*, 27(2): 211-214.
- Roychoudhury, N., Bhowmik, A.K., Avinash, J., Joshi, K.C. & Banerjee, S.K.** 1999. Relative resistance in teak clones to *Spodoptera litura* (Fabricius) Boursin (Lepidoptera: Noctuidae), in relation to certain leaf nutrients. *Indian Journal of Forestry*, 21(4): 321-326.
- Roychoudhury, N. & Joshi, K.C.** 2000. Natural resistance in teak to *Spodoptera litura*. *Indian Forester*, 126(7): 792-796.
- Russell, J.** 2004. Breeding western redcedar for herbivore resistance. Proc. Can. Tree Improv. Assoc., IUFRO 7.01.04 meeting. Kelowna, BC, July 26-29.

- Saikkonen, K., Helander, M.L. & Rousi, M.** 2003. Endophytic foliar fungi in *Betula* spp. and their F1 hybrids. *Forest Pathology*, 33: 215-222.
- Sala, F., Castiglione, S., Jianjun, H., Zheng, Y. & Han, Y.** 2000. Field and molecular evaluation of insect-resistant transgenic poplar (*Populus nigra* L.) trees. In: Arencibia, A.D., ed. *Plant Genetic Engineering: Towards the Third Millennium*, Elsevier Science, B.V.
- Santamour, F.S.** 1999. Progress in the development of borer-resistant white-barked birches. *J. Arboriculture*, 25(3): 151-162.
- Santi, F., Muranty, H., Dufour, J. & Paques, L.E.** 1998. Genetic parameters and selection in a multisite wild cherry clonal test. *Silvae Genet.*, 47: 61-67.
- Santi, F., Russell, K., Menard, M. & Dufour, J.** 2004. Screening wild cherry (*Prunus avium*) for resistance to bacterial canker by laboratory and field tests. *Forest Pathol.*, 34: 349-362.
- Santini, A., Camussi, A. & Raddi, P.** 1997. Genetic variability of canker resistance trait in *Cupressus sempervirens* L. progenies. *Journal of Applied Genetics*, 38(4): 453-461.
- Santini, A., Fagnani, A., Ferrini, F., Mittempergher, L., Brunetti, M., Crivellaro A. & Macchioni, N.** 2004. Elm breeding for DED resistance, the Italian clones and their wood properties. In: Proceedings New approaches to elm conservation, 2nd International Elm Conference, Valsain, Spain. *Investigacion Agraria Sistemas y Recursos Forestales*, 13(1): 179-184.
- Sartor, C.F. & Neel, W.W.** 1971. Variable susceptibility to *Dioryctria amatella* (Hulst) (Lepidoptera: Phycitidae) among pines in clonal seed orchards. Proceeding, 11th Conference on Southern Forest Tree Improvement, pp 91-94.
- Sasaki, M., Okanura, M., Fujisawa, Y. & Nishimura, K.** 2003. Progress of the breeding project on resistance to sugi bark midges. *Bulletin of the Forest Tree Breeding Institute*, 19: 1-12.
- Scharpf, R.F. & Roth, L.F.** 1992. Resistance of ponderosa pine to western dwarf mistletoe in central Oregon. USDA Forest Service Res. Paper PSW-RP-208.
- Schneck, V.** 1992. Scots pine breeding at Waldsiedersdorf and its impact on management in the Northeastern German lowland. *Silvae Genet.*, 41(3): 174-180.
- Schroeder, H. & F. Scholz. 2005. Identification of PCR-RFLP haplotypes for assessing genetic variation in the green oak leaf roller *Tortrix viridana* L. (Lepidoptera, Tortricidae). *Silvae Genet.* 54: 17-24.
- Seppänen, S.K., Syrjälä, L., Von Weissenberg, K., Teeri, T.H., Paajanen, L. & Pappinen, A.** 2004. Antifungal activity of stilbenes in in vitro bioassays and in transgenic *Populus* expressing a gene encoding pinosylvin synthase. (2004) *Plant Cell Rep.* 22, pp. 584-593
- Shao, Z.F., Chen, W.Y., Luo, H.L., Ye, X.F. & Zhang, J.N.** 2002. Studies on the introduction of the cecropin D gene into *Eucalyptus urophylla* to breed the resistant varieties to *Pseudomonas solanacearum*. *Scientia Silvae Sinicae*, 38(2): 92-97
- Shepherd, M.** 1998. Genetic determination of insect resistance and foliar oil composition in a *Eucalyptus* hybrid. University of Queensland, Australia. Ph.d. Dissertation, University of Queensland.
- Sheperd, M., Chaparro, J.X. & Teasdale, R.** 2000. Variation and inheritance of resistance to defoliation by Christmas beetles, *Anoplognathus* spp. in eucalypts. *Forest Genetics*, 7(1): 57-64.

- Shi, X. & Brewbaker, J.L.** 2004. Genetic improvement of Hawaii's premier hardwood, *Acacia koa*. *Forest Genetic Resources*, (31): 36-40.
- Shin, D.I., Podila, G.K., Huang, Y. & Karnosky, D.F.** 1994. Transgenic larch expressing genes for herbicides and insect resistance. *Canadian Journal of Forest Research*, 24: 2059-67.
- Sierra-Lucero, V., McKeand, S.E., Huber, D.A., Rockwood, D.L. & White, T.L.** 2002. Performance differences and genetic parameters for four coastal provenances of loblolly pine in the Southeastern United States. *Forest Science*, 48(4): 732-742.
- Simpson, J.A. & Ades, P.K.** 1990. Screening *Pinus radiata* families and clones for diseases and pest insect resistance (review). *Australian Forestry*, 53(3): 194-199.
- Singh, A.P. & Pandey, R.** 2002. Natural resistance of *Populus deltoides* clones selection to defoliator *Clostera cupreata* in northern India: Relative pupal weight as an easier criteria for accurate evaluation. *Journal of Applied Entomology*, 129(9): 475-480.
- Sisco, P.H.** 2004. Breeding blight-resistant American chestnut trees. *J. Am. Chestnut Found.*, 18(2): 12-16.
- Sisco, P.H., Kubisiak, T.L., Casasoli, M., Barreneche, T., Kremer, A., Clark, C., Sederoff, R.R., Hebard, F.V. & Villani, F.** 2005. An improved genetic map for *Castanea mollissima*/*Castanea dentata* and its relationship to the genetic map of *Castanea sativa*. In Abreu, C.G. Rosa, E. & Monteiro, A.A. (eds). Proc. 3rd Intl. Chestnut Congress, Chaves, Portugal, Acta Hort. 693, pp. 491-495.
- Smalley, E.B. & Guries, R.P.** 2000. Asian elm genetic resources as a source of disease and pest resistance. In *The Elms: Breeding, conservation and disease management*, pp. 215-230.
- Smalley, E.B. & Guries, R.P.** 1993. Breeding elms for resistance to dutch elm disease. *Annu. Rev. Phytopathology*, 31: 325-352.
- Smith, J.A., Blanchette, R.A., Burnes, T.A., Jacobs, J.J., Higgins, L., Witthuhn, B.A., David, A.J. & Gillman, J.H.** 2005. Proteomic comparison of needles from blister rust-resistant and susceptible *Pinus strobus* seedlings reveals up-regulation of putative disease resistance proteins. *Molecular Plant Microbe Interactions*, 19(2): 150-60.
- Smith, K.E., Morse, A.M., Kayihan, G., Huber, D.A., White, T.L., Nelson, C.D. & Davis, J.M.** 2003. Molecular pathology of pitch canker disease. In: McKinley, C.R. ed., *Proceedings 27th Southern Forest Tree Improvement Conference*, Stillwater, Oklahoma, USA, June 24-27, 2003, 214 pp.
- Smitley, D.R. & Peterson, N.C.** 1997. Honeylocust plant bug and leafhopper: Response to water stress and cultivar. *Journal of Environmental Horticulture*, 15, 146-148.
- Snieszko, R.A.** 2003. Some considerations for using major gene resistance to *Cronartium ribicola* in *Pinus monticola* in Oregon and Washington. In Proceedings of the 50th Western International Forest Disease Work Conference. October 7-11, 2002, Powell River, BC, Canada, pp. 54-55.
- Snieszko, R.A.** 2004. Genetic resistance in Port-Orford-cedar to the non-native root rot pathogen *Phytophthora lateralis*—2003 update. In Geils, B.W., eds., Proceedings of the 51st Western International Forest Disease Work Conference. August 18-22, 2003, Grants Pass, OR. USDA Forest Service, Rocky Mountain Research Station, Flagstaff, AZ, pp. 127-131.
- Snieszko R.A.** 2006. Resistance breeding against nonnative pathogens in forest trees - current successes in North America. *Can J. Plant Path.*, 28: S270-S279.

Sniezko, R.A., Bower, A. & Danielson, J. 2000. A comparison of early field results of white pine blister rust resistance of sugar pine and western white pine. *Hort Technology*, 10: 519–522.

Sniezko, R.A., Bower, A. & Kegley, A. 2004. Variation in *Cronartium ribicola* field resistance among 13 *Pinus monticola* and 12 *P. lambertiana* families: early results from Happy Camp. In Sniezko, R.A., Samman, S., Schlarbaum, S.E. & Kriebel, H.B., eds., Breeding and genetic resources of five-needle pines: genetics, breeding, and adaptability, Proceedings of the IUFRO 2.02.15 Working Party Conference. July 23-27, 2001, Medford, OR. Proceedings RMRS-P-32. USDA Forest Service Rocky Mountain Research Station, Ft. Collins, CO, pp. 203–208.

Sniezko, R.A., Elliott, L., Goheen, D.G., Casavan, K., Hansen, E., Frank, C. & Angwin, P. 2003. Development of *Phytophthora lateralis* resistant Port-Orford-cedar for restoration in the Pacific Northwest. Poster Presentation, In 2002 North American Forest Biology Workshop, Pullman, Washington.

Sniezko, R.A., Elliott, L., Linn, J., Goheen, D.G., Hansen, E., Casavan, K., Kitzmiller, J. & Rose, D.L. 2000. Operational Breeding Program for Resistance to an Exotic Root Disease in Port-Orford-Cedar. Poster Presentation. Society of American Foresters National Convention, Washington, DC.

Sniezko, R.A. & Hansen, E.M. 2001. Breeding Port-Orford cedar for resistance to *Phytophthora lateralis*. Proc. IUFRO 7.02.09 Albany, Australia, 30 Sept-5 Oct.

Sniezko, R.A. & Hansen, E. 2003. Breeding Port-Orford-cedar for resistance to *Phytophthora lateralis*: current status & considerations for developing durable resistance. In 2nd International IUFRO Working Party 7.02.09 Meeting. Sept. 30-Oct. 5, 2001, Albany, W. Australia. Murdoch University Print, Murdoch, WA, Australia. pp. 197–201.

Sniezko, R.A. & Kegley, A. 2003a. Blister rust resistance experiences in Oregon and Washington: evolving perspectives. In Proceedings of the 50th Western International Forest Disease Work Conference. October 7-11, 2002, Powell River, BC, Canada. pp. 111–117.

Sniezko, R.A. & Kegley, A. 2003b. Blister rust resistance of five-needle pines in Oregon and Washington. In Proceedings of the Second IUFRO Rusts of Forest Trees Working Party Conference, Aug. 19 - 23, 2002, Yangling, China. Forest Research. 16 (Suppl.): 1–228.p. 101-112.

Sniezko, R.A. & Kegley, A. 2005. White pine blister rust resistance in *Pinus monticola* and *P. lambertiana* seedling families following artificial inoculation with two sources of blister rust. Poster Presentation. In Forest Genetics and Tree Breeding in the Age of Genomics: Progress and Future, IUFRO Joint Conference of Division 2, Conference Proceedings. November 1-5, 2005, Charleston, SC. North Carolina State University, p. 420.

Sniezko, R.A., Kegley, A., Danchok, B. & Conklin, D. 2006. Variation in white pine blister rust resistance among nine seedling families of southwestern white pine – early results. Poster Presentation. Third Rusts of Forest Trees Conference, IUFRO Unit 7.02.05.

Sniezko, R.A., Kegley, A., Danchok, B. & Long, S. 2007. Variation in resistance to white pine blister rust among whitebark pine families from Oregon and Washington – early results and implications for conservation. In Proceedings of Whitebark pine: a Pacific Coast Perspective Conference. August 27-31, 2006, Ashland, OR. In press.

Sniezko, R.A., Kitzmiller, J., Elliott, L. & Hamlin, J.E. 2003. Breeding for resistance to *Phytophthora lateralis*. In: A range-wide assessment of Port-Orford-Cedar (*Chamaecyparis lawsoniana*) on Federal lands. U.S. Department of Agriculture, Forest Service, and U.S. Department of the Interior, Bureau of Land Management, pp. 77–89.

Sniezko, R.A., Kolpak, S.E., Hansen, E.B., Goheen, D.J., Elliott, L.J. & Angwind, P.A. 2006. Field survival of *Phytophthora lateralis* resistant and susceptible Port-Orford-cedar families after 53 months. In Advances in Research on Phytophthora Diseases of Forest Trees, Proceedings of the Third IUFRO Workshop on Phytophthoras in Forests and Natural Ecosystems, 11–17 September 2004, Freising, Germany. Edited by C.M. Brasier & T. Jung. Forestry Commission Bulletin, Her Majesty's Stationary Office, London. Pp. 104-108.

- Snieszko, R.A., Mylecraine, K., Elliott, L., Kolpak, S., Reeser, P. & Hansen, E.** 2005. Genetic resistance in Port-Orford-cedar to *Phytophthora lateralis* – survival of seedlings from first orchard seed in short-term testing. Oral Presentation. 2005 Western Forest Genetics Association Meeting, Corvallis, OR.
- Snieszko, R.A., Mylecraine, K., Elliott, L., Kolpak, S., Reeser, P. & Hansen, E.** 2005. Genetic resistance in Port-Orford-cedar to *Phytophthora lateralis*: survival of seedlings from first orchard seed in greenhouse testing. Poster Presentation, 53rd WIFDWC 2005.
- Snieszko, R.A., Samman, S., Schlarbaum, S.E. & Kriebel, H.B., eds.** 2004. Breeding and Genetic Resources of Five-needle Pines: Genetics, Breeding, and Adaptability, Proceedings of the IUFRO 2.02.15 Working Party Conference, 23–27 July 2001, Medford, OR, USDA Forest Service Rocky Mountain Research Station, Fort Collins, Colorado.
- Snieszko, R.A. & Zambino, P.** 2005. White pine blister rust resistance in North America white pines: current status and research needs. In *Forest Genetics and Tree Breeding in the Age of Genomics: Progress and Future*, IUFRO Joint Conference of Division 2, Conference Proceedings. November 1-5, 2005, Charleston, SC. North Carolina State University. pp. 285–286.
- Son, D.S., Eom, T.J., Choi, C.O. & Zhang, R.M.** 1999. Effects of controlling the pine needle gall midge by salicylic acid content in needles of some *Pinus* spp. *J. Korean For Soc.*, 88:31-37. (english summary)
- Stephan, B.R.** 1973. Über Anfalligkeit und Resistenz von Douglasien-Herkufthen gegenüber *Rhabdocline Pseudotsugae*. *Silvae Genetica*, 33: 149-153
- Stukely, M.J.C, McComb, J.A., Colquhoun, I.J. & Bennett, I.J.** 2001. Progress in selection and production of jarrah (*Eucalyptus marginata*) resistant to *Phytophthora cinnamomi* for use in progress in selection and production of jarrah (eucalyptus rehabilitation plantings). In 2nd International IUFRO Working Party 7.02.09 meeting, Albany, W. Australia 30 Sept.- 5 Oct. 2001. Murdoch university print, Murdoch, WA, Australia. Pp. 197–201.
- Sturrock, R.N., Islam, M.A. & Ekramoddoullah, A.K.M.** 2007. Host-pathogen interactions in Douglas-fir seedlings infected by *Phellinus sulphurascens*. *Phytopathology*, 97: 1406-1414.
- Sturrock, R.** 2005. Investigations of Douglas-fir resistance to *Phellinus weirii*. *TICtalk*, a publication of the Forest Genetics Council of British Columbia, 6(1): 3-7. Available at : www.fgcouncil.bc.ca/tictalk-jun05-web.pdf
- Su, X.H., Huang, Q.J., Zhang, X.H. & Zhang, Q.W.** 2001. Study on gene resources in *Populus ussuriensis*. *Forest Research, Beijing*, 14(5): 472-478.
- Sudarmonowati, E.** 2003. The use of isozyme marker for identifying desired traits related to growth and insect resistance in several tropical forest tree species. In: *Advances in genetic-improvement of tropical tree species*. Yogyakarta, Indonesia; Pp. 71-75 Rimbawanto, A; Susanto, M. (eds). 1-3 October, 2002.
- Swedjemark G., Stenlid J. & Karlsson B.** 1997. Genetic variation among clones of *Picea abies* in resistance to growth of *Heterobasidium annosum*. *Silvae Genet.*, 46: 369-374
- Tang, W. & Tian, Y.** 2003. Transgenic loblolly pine (*Pinus taeda* L.) plants expressing a modified delta-endotoxin gene of *Bacillus thuringiensis* with enhanced resistance to *Dendrolimus punctatus* Walker and *Crypytothelea formosicola* Staud. *J Exp Bot.*, 54: 835-44.
- Temel, F., Johnson, G.R. & Stone, J.K.** 2004. The relationship between Swiss needle cast symptom severity and level of *Phaeocryptopus gaeumannii* colonization in coastal Douglas-fir (*Pseudotsuga menziesii* var. *menziesii*). *Forest Pathology*, 34: 383-394.
- Temel, F., Johnson, G.R. & Adams, W.T.** 2005. Early genetic testing of coastal Douglas-fir for Swiss needle cast tolerance. *Can. J. For Res.*, 35(3): 521-529.

- Terada, K.** 1992. Developing strains resistance to the pine needle gall midge (*Thecodiplosis japonensis* Uchida et Inouye) in *Pinus thunbergii* Parl. *Bulletin of the Forest Tree Breeding Institute*, 10: 1-32.
- Thielges, B.A., Land, S.B. Jr, & Thielges, B.A, eds.** 1977. Selection and breeding of cottonwood for resistance to diseases and insects. Proceedings: symposium on eastern cottonwood and related species. Greenville, Mississippi Sept. 28 - Oct. 2, 317-327; Louisiana State University Division of Continuing Education.
- Tian, Y.C., Mang, K.Q., Han, Y.F., Li, L., Wang, X.P., Lu, M.Z., Dai, L.Y., Han, Y.N., Yan, J.J. & Gabriel, D.** 1993. Insect tolerance of transgenic *Populus nigra* plants transformed with *Bacillus thuringiensis* toxin gene. *Chinese Journal of Biotechnology*, 9(4): 291-298
- Tian, Y.C., Li, T.Y., Mang, K.Q., Han, Y.F., Li, L., Wang, X.P., Lu, M.Z., Dai, L.Y., Han, Y.N., Yan, J.J. & Gabriel, D.W.** 1995. Insect tolerance of transgenic *Populus nigra* plants transformed with *Bacillus thuringiensis* toxin gene. In: Advances in poplar research (1991-1995) Wang, S.J. ed., Chinese Forest Press, pp 67-73
- Tian, Y.C., Zheng, J.B., Yu, H.M., Liang, H.Y., Li, C.Q. & Wang, J.M.** 2000. Studies of transgenic hybrid poplar 741 carrying two insect-resistant genes. *Acta Botanica Sinica*, 42(3): 263-268.
- Toda, T., Kurinobu, S. & Sasaki, M.** 2002. Growth and survival rate at the seventh year after selecting the progenies of pine trees for resistance to pine wood nematodes by inoculation test. *Journal of the Japanese Forestry Society*, 84(3): 188-192.
- Townsend, A.M.** 1989. Evaluation of potato leafhopper injury among *Acer rubrum* progenies. *Journal of Environmental Horticulture*, 7: 50-52.
- Townsend, A.M.** 2000. USDA genetic research on elms. In *The elms: breeding, conservation, and disease management*. Edited by C.P. Dunn. Kluwer Academic Publishers, Norwell, Mass. pp. 271-278.
- Townsend, A.M. & McIntosh, M.S.** 1993. Variation among full-sib progenies of red maple in growth, autumn leaf color, and leafhopper injury. *Journal of Environmental Horticulture*, 11: 72-75.
- Townsend, A.M. & Douglass, L.W.** 1998. Evaluation of various traits of 40 selections and cultivars of red maple and Freeman maple growing in Maryland. *Journal of Environmental Horticulture*, 16.
- Townsend, A.M. & Douglass, L.W.** 2001. Variation among American elm clones in long-term dieback, survival, and growth response to *Ophiostoma* inoculation. *J. Environ. Hort.*, 19: 100-103.
- Townsend, A.M. & Santamour, F.S., Jr.** 1993. Progress in the development of disease-resistant elms. In *Dutch elm disease research: cellular and molecular approaches*. Edited by M.B. Sticklen & J.L. Sherald. Springer-Verlag, New York. pp. 46-50.
- Townsend, A.M., Bentz, S.E. & Douglass, L.W.** 2005. Evaluation of 19 American elm clones for tolerance to Dutch elm disease. *J. Environ. Hort.*, 23: 21-24.
- Townsend, A.M. & Douglass, L.W.** 2004. Evaluation of elm clones for tolerance to dutch elm disease. *J Arboriculture*, 30: 179-184.
- Ueki, C.** 2004. Studies on selection of sugi resistant to the sugi bark borer in the Kansai breeding region. *Bulletin of the Forest Tree Breeding Institute*, 20: 219-292.
- van Slycken, J., Michiels, B. & Steenackers, M.** 2002. New poplar clones developed at IBW: Muur, Vesten, Oudenberg and Grimminge. *Bulletin Trimestriel Centre de Populiculture du Hainaut*, (4): 67-83.

- Vigouroux, A. & Oliver, R.** 2004. First hybrid plane trees to show resistance against canker stain (*Ceratocystis fimbriata* f. sp. *platanii*). *Forest Pathology*, 34(5): 307-319.
- Wang, G.J., Castiglione, S., Chen, Y., Li, L., Han, Y.F., Tian, Y.C., Gabriel, D.W., Han, Y.N., Mang, K.Q. & Sala, F.** 1996. Poplar (*Populus nigra* L.) plants transformed with a *Bacillus thuringiensis* toxin gene: Insecticidal activity and genomic analysis. *Transgenic Res.*, 5: 289-301.
- Wang, H.R.** 2004. The state of genetically modified forest trees in China. In: FAO: Preliminary review of biotechnology in forestry, including genetic modification. Forest Genetic Resources Working Paper FGR/59E. Forest Resources Development Service, Forest Resources Division, Rome, Italy.
- Wang, J. & Constabel, C.P.** 2004. Polyphenol oxidase overexpression in transgenic *Populus* enhances resistance to herbivory by forest tent caterpillar (*Malacosoma disstria*). *Planta.*, 220(1): 87-96.
- Wang, L.D., Han, Y.F. & Hu, J.J.** 2004. Transgenic forest trees for insect resistance. In: *Molecular Genetics and Breeding of Forest Trees*. Kumar S. & Fladung, M (eds). New York, NY: Food Products Press, pp 243 – 261
- Wang, X.P., Han, Y.F., Dai, L.Y., Li, L. & Tian, Y.C.** 1997. Studies on insect-resistant transgenic (*P. ×euramericana*) plants. *Scientia Silvae Sinicae*, 33(1): 69-74.
- Wang, Y.F., Gao, B.J., Zeng, J.B. & Zhang, J.H.** 2002. The test on the resistance of transgenic clones of hybrid poplar 741 on *Apriona germari* (Hope). *Journal of Agricultural University of Hebei*, 25(2): 53-56.
- Wang, Q.M. et al.** 1998. Selecting provenances and individuals for resistance to die-back and brown-spot needle blight disease and growth in loblolly and slash pine in Hanjing, Jiangsu. *J of Jiansu Forestry Science and Technology*, 25(4): 1-7.
- Wilcox, M.D. & Miller, J.T.** 1975. *Pinus nigra* Provenance Variation and Selection in New Zealand. *Silvae Genetica*, 24(5/6): 132-140.
- Wilkinson, R.C.** 1983. Seed source variation in susceptibility of eastern white pine to white pine weevil attack. Proceedings, Twenty-eighth Northeastern Forest Tree Improvement Conference; July 7-9, 1983; Durham, NH. Radnor, PA: USDA Forest Service, Northeastern Forest Experiment Station; and Durham, NH: University of New Hampshire, Institute of Natural and Environmental Resources: 134-139.
- Wilkinson, A.G.** 2000. Introduced forest trees in New Zealand: Recognition, role and seed source. 17. The Poplars. FRI Bulletin 124/17.
- Wu, N.F., Sun, Q., Yao, B., Fan, Y.L., Rao, H.Y., Huang, M.R. & Wang, M.X.** 2000. Insect-resistant transgenic poplar expressing AaIT gene. *Chinese Journal Biotechnology*, 16: 129-133.
- Wu, H., Chen, S.L., Deng, X.M. & Huang, J.C.** 2003. Studies on the relation between current-grew top and resistance of breeding of *Castane henryi* against *Dryocosmus kuriphilus* Yasumatus. *J Fujian College of Forestry*, 23(3): 198-201.
- Wu, H.X. & Ying, C.C.** 1997. Genetic parameters and selection efficiencies in resistance to western Gall Rust, Stalactiform Blister Rust, Needle Cast, and Sequoia Pitch Moth in Lodgepole Pine. *For. Sci.*, 43: 571-581
- Yanchuk, A.D., Wallin, K. & Murphy, J.C.** 2007. Evaluation of genetic variation and resistance in lodgepole pine in the early stages of a mountain pine beetle outbreak. *Tree Genetics and Genomics*, (in print).
- Yang, M.S., Lang, H.Y., Gao, B.J., Wang, J.M. & Zheng, J.B.** 2003. Insecticidal activity and transgene expression stability of transgenic hybrid poplar clone 741 carrying two insect-resistant genes. *Silvae Genetica*, 52(5/6): 197-201.

- Yi, N.J., Hang, Z.M. et al.** 2000. Genetic variation of RAPD markers in a disease resistant seed orchard of *Pinus elliottii*. *Scientia Silvae Sinicae*, 36(sp. 1): 51-55.
- Weilun, Y. & Wen, L.** 2005. Review of tree selection and afforestation for control of Asian longhorned beetle in north China. FAO Working Paper FBS/7E, 38 pp.
- Yin, T.M., DiFazio, S.P., Gunter, L.E., Jawdy, S.S., Boerjan, W. & Tuskan, G.A.** 2004. Genetic and physical mapping of Melampsora rust resistance genes in Populus and characterization of linkage disequilibrium and flanking genomic sequence. *New Phytologist*, 164: 95-105.
- Ylioja, T., Schulman, E. & Rousi, M.** 1996. Susceptibility of white birch (*Betula* spp.) hybrids to *Phytobia* fly. Ninth Annual meeting of the Nordic group for Forest Genetics and Tree breeding, June 12-16, No. 9, 125-133
- Ylioja, T., Hinkkanen, S., Roininen, H. & Rousi, M.** 2002. Oviposition and mining by *Phytobia betulae* (Diptera: Agromyzidae) in genotypes of European white birch (*Betula pendula*). *Agricultural and Forest Entomology*, 4(1): 11-20.
- Ylioja, T., Roininen, H., Heinonen, J., & Rousi, M.** 2000. Susceptibility of *Betula pendula* clones to *Phytobia betulae*, a dipteran miner of birch stems. *Can. J. For. Res.*, 30(11): 1609-1622.
- Young, C.H.** 2003. USDA Forest Service forest health protection resistance screening center. In: Proc. 27th South For Tree Improv Conf. Stillwater, OK. CR McKinley (ed), 201 pp.
- Yu, Q. & Yang, D.-Q.** 2003. Genetic variation in decay resistance and its correlation to wood density and growth in white spruce. *Canadian Journal of Forest Research*, 33(11): 2177-2183.
- Yu, X., Sturrock, R.N. Ekramoddoullah, A.K.M. & Pellow, K.** 2004. Western analyses of clonal coastal Douglas-fir seedlings infected with *Phellinus weirii*. *Can. J. Plant Path.*, 26: 126.
- Yu, X.T.** 2000. A summary of the studies on Chinese fir in the 1990s. II. Summary of research and development on disease and insect control, wood properties and future research directions. *J. Fujian College of Forestry*, 20(2): 283-288.
- Zamani, A., Sturrock, R.N. Ekramoddoullah, A.K.M. Liu, J.J. & Yu, X.** 2004. Gene cloning and tissue expression analysis of a PR-5 thaumatin-like protein in *Phellinus weirii*-infected Douglas-fir. *Phytopathology*, 94: 1235-1243.
- Zas, R., Sampedro, L., Moreira, X. & Martins, P.** 2007. Effect of fertilization and genetic variation on susceptibility of *Pinus radiata* seedlings to *Hylobius abietis* damage. *Can. J. For. Res.*, submitted.
- Zas, R., Sampedro, L., Prada, E., Lombardero, M.J. & Fernández-López, J.** 2006. Fertilization increases *Hylobius abietis* L. damage in *Pinus pinaster* Ait. seedlings. *For. Ecol. Management*, 222(1-3): 137-144.
- Zas, R., Solla, A. & Sampedro, L.** 2007. Variography and kriging allow screening *Pinus pinaster* resistant to *Armillaria ostoyae* in field conditions. *Forestry*.
- Zeng, W., Sun, S., Li, H., O'Malley, D., Amerson, H. & Li, B.** 2004. Search for major genes to improve productivity and rust resistance of loblolly pine. 2004 TAPPI Paper Summit - Spring Technical and International Environmental Conference. 2004, pp 661-668.
- Yaguang, Z., Zhihua, L. & Yucheng, W. et al.** 2001. Transformation of insect resistant gene into birch. *Journal of Northeast Forestry University*, 6: 4-6.
- Zhan, Y.G., Liu, Z.H., Wang, Y.C., Wang, Z.Y., Yang, C.P. & Liu, G.F.** 2003. Genetic transformation of *Betula platyphylla* and insect resistance of the transgenic plants. *Journal of Plant Physiology and Molecular Biology*, 29(5): 380-386.

- Zhang, J.W., Klopfenstein, N.B. & Peterson, G.W.** 1997. Genetic variation in disease resistance of *Juniperus virginiana* and *J. scopulorum* grown in eastern Nebraska. *Silvae Genetica*, 46(1): 11-16.
- Zhang, Q., Lin, S., Zhang, Z. & Lin, Y.** 2002. Test of insect-resistance of transgenic poplar with CpTI gene. *Forestry Studies in China*, 4(2): 27-32.
- Zhang, Q., Lin, S.Z., Zhang, Z.Y. & Lin, Y.Z.** 2002. Test of insect-resistance of transgenic poplar with CpTI gene. *Forestry Studies in China*, 4(2): 27-32.
- Zhang, X.Y., Zheng, Y.R., Guan, Y.L., Zhang, B.O. & Wang, M.X.** 2004. Construction of cDNA libraries with Leaves of Clones Susceptible and Resistant to Black Spot Disease in Poplar and Relevant Analysis of Expressed Sequence Tags. 12th New Phytologist Symposium, 10-13 October 2004.
- Zhang, Z., Wang, J.H., Zhang, J.G. & Zhang, S.G.** 2004. Effects of transgenic poplars to the structures of insect community. *Scientia Silvae Genetica*, 40 (2): 84-89.
- Zhang, Z., Wang, J.H., Zhang, J.G., Han, Y.F. & Zhang, S.G.** 2002. Effects of transgenic poplars to the structures of insect community. Poster 55. The 7th International Symposium on the biosafety of genetically modified organisms, Book of abstracts, p 277.
- Zhao, H.B. & Li, S.J.** 1989. The selection of plus trees among *Pinus tabulaeformis* with resistance to *Matsucoccus matsumurae*. *Scientia Silvae Sinicae*, 25(1): 7-13.
- Zhao, Y.J.** 2000. Genetic test for introduced loblolly pine family. *J of Fujian College of Forestry*, 20(3): 276-279.
- Zhao, X., Zhan, L. & Liu, G.F.** 2004. Development in gene engineering of poplar resistant breeding. *Journal of Northeast Forestry University*, 32(6):76-78, 102.
- Zheng, JB, Lian, H.Y., Gao, B.J., Wang, Y.F. & Tian, Y.C.** 2000. Selection and insect resistance of transgenic hybrid poplar 741 carrying two insect-resistant genes. *Scientia Silvae Sinicae*, 36 (2): 13-20.
- Zheng, J.B., Wang, F. & Liu, Q.L.** 1995. Studies on the clones of gene-transformed *Populus tomentosa*. *Scientia Silvae Sinicae*, 31:179-184.
- Zhou, T.X. & Ma, C.G.** 2000. The clonal selection and breeding of Chinese fir: Kaitian series. *Scientia Silvae Sinicae*, 36(3): 40-45.
- Zhu, G.Q., Wang, J.C., Chen, Y., Wu, N.F., Huang, M.R., Fan, Y.L. & Wang, M.X.** 2003. Transgenic plantlets of *Populus alba var.pyramidalis* by transformation with CpTI gene. *Molecular Plant Breeding*, 1(4): 491-496.