



**Food and Agriculture
Organization of the
United Nations**



**World Health
Organization**

**Joint FAO/WHO Expert Consultation
on the Risks and Benefits of Fish Consumption**

Executive Summary

25-29 January 2010, Rome, Italy

Background

The 38th meeting of the Codex Committee on Food Additives and Contaminants (CCFAC) requested the Codex Alimentarius Commission (CAC), at its 29th session in 2006, to seek scientific advice from FAO and WHO on the health benefits of fish consumption comparing those to the health risks associated with the contaminants methylmercury (MeHg) and dioxins and dioxin-like PCBs (DLCs) that may be present in fish. The health risks associated with dietary intake of these compounds have previously been assessed by the Joint FAO/WHO Expert Committee on Food Additives (JECFA).

The CAC request was driven by growing public concern regarding the presence of chemical contaminants in fish. This concern has become more apparent in recent years, while during the same period the multiple nutritional benefits of including fish in the diet have become increasingly clear.

The evolving science in this field has led to questions about how much fish should be eaten, and by whom, in order to minimize the risks of chemical exposures and maximize the health benefits. National authorities have been faced with the challenge of communicating complicated and nuanced messages to consumers and also with questions on regulating maximum levels of these chemical contaminants in fish and other foods.

FAO and WHO held an Expert Consultation on the Risks and Benefits of Fish Consumption 25 to 29 January 2010 at FAO Headquarters, Rome, Italy. Seventeen experts in nutrition, toxicology, epidemiology, dietary exposure and risk-benefit assessments discussed the risks and the benefits of fish consumption. Their task was to review data on nutrient and specific chemical (MeHg and DLCs) contaminant levels in a range of fish species, as well as recent scientific literature covering the risks and benefits of fish consumption. The review was used to consider risk-benefit assessments for specific end-points of benefits and risks, including for sensitive groups of the population. The output is intended to provide guidance to national food safety authorities and the Codex Alimentarius Commission in their work on managing risks taking into account the existing data on the benefits of eating fish.

Scope

- The purpose of the Expert Consultation was to provide a framework for assessing the net health benefits or risks of fish consumption that would assist governments to prepare advice for their own populations.
- Fish was defined as finfish and shellfish, whether of marine or freshwater origin, farmed or wild. Marine mammals and algae, as well as sustainability issues and environmental impacts, although important, were considered to be outside the scope of the Consultation.
- Based on the strength of the evidence, the Consultation examined the benefits of fish consumption on neurodevelopment and prevention of cardiovascular disease. Multiple other possible benefits were reviewed in background papers but not focused upon by the Consultation in their consideration of relative risks and benefits. The Consultation also examined the risks from fish consumption of MeHg and DLCs, including dioxins, furans and dioxin-like PCBs.

- The group was also requested to conduct an analysis of these benefits and associated risks and make a series of recommendations for target populations: including fetuses, infants/young children, women of reproductive age and high fish consumers as well as the general population.

Conclusions

- Consumption of fish provides energy, protein, and a range of other important nutrients, including the long-chain n-3 poly unsaturated fatty acids (LC n-3 PUFA).
- Eating fish is part of the cultural traditions of many peoples and in some populations is a major source of food and essential nutrients.
- Among the general adult population, consumption of fish, particularly oily fish, lowers the risk of coronary heart disease (CHD) mortality. There is absence of probable or convincing evidence of CHD risks of MeHg. Potential cancer risks of DLCs are well below established CHD benefits.
- When considering benefits of LC n-3 PUFA vs. risks of MeHg among women of childbearing age: maternal fish consumption lowers the risk of suboptimal neurodevelopment in their offspring compared to women not eating fish in most circumstances evaluated.
- At levels of maternal DLC intake (from fish and other dietary sources) that do not exceed the provisional tolerable monthly intake (PTMI) of 70 picograms/kg bodyweight/month established by JECFA, neurodevelopmental risk is negligible. At levels of maternal DLC intake (from fish and other dietary sources) that exceed the PTMI, neurodevelopmental risk may no longer be negligible.
- Among infants, young children, and adolescents, the available data are currently insufficient to derive a quantitative framework of health risks and benefits of eating fish. However, healthy dietary patterns that include fish and are established early in life influence dietary habits and health during adult life.

Recommendations

- To minimize risks in target populations, the Consultation recommended a series of steps that member states should take to better assess and manage the risks and benefits of fish consumption and more effectively communicate with their citizens:
 - Acknowledge fish consumption as an important food source of energy, protein, and a range of essential nutrients and part of the cultural traditions of many peoples.
 - Emphasize the benefits of fish consumption on reducing CHD mortality (and CHD mortality risks of not eating fish) for the general adult population.

- Emphasize the neurodevelopment benefits to offspring of fish consumption by women of childbearing age, particularly pregnant women and nursing mothers, and the neurodevelopment risks to offspring of such women not consuming fish
- Develop, maintain, and improve existing databases on specific nutrients and contaminants, particularly MeHg and DLCs, in fish consumed in their region.
- Develop and evaluate risk management and communication strategies that both minimize risks and maximize benefits from eating fish.

LIST OF PARTICIPANTS

INVITED EXPERTS

Dr Michael Bolger,
Center for Food Safety and Applied Nutrition
Food and Drug Administration
College Park MD, United States of America

Prof. Laurie Chan
Professor in Public Health/Nutrition
University of Northern British Columbia
Prince George, BC, Canada

Prof. Lucio Guido Costa
School of Public Health and
Community Medicine
University of Washington
Seattle, Washington, United States of America

Dr Judy Cunningham
Food Composition, Evaluation and
Modelling Section
Food Standards Australia New Zealand
Canberra BC ACT, Australia

Prof. Elaine Faustman
School of Public Health and Community
Medicine, University of Washington
Seattle, Washington

Dr Mark Feeley
Chemical Health Hazard Assessment Division
Bureau of Chemical Safety, Health Canada
Ottawa, Ontario, Canada

Dr Anne-Katrine Lundebye Haldorsen
National Institute of Nutrition and
Seafood Research (NIFES)
Bergen, Norway

Dr Jeljer Hoekstra
Centre for Nutrition and Health,
National Institute for Public Health
and Environment (RIVM)
Bilthoven, The Netherlands

Dr Jean-Charles Leblanc
French Food Safety Agency (AFSSA)
Maisons-Alfort Cédex
France

Dr Dariush Mozaffarian
Harvard Medical School and Harvard School
of Public Health
Boston, MA, United States of America

Prof. Rachel Novotny
College of Tropical Agriculture and
Human Resources
University of Hawaii at Manoa
Honolulu, HI, United States of America

Prof. Andrew J. Sinclair
School of Exercise and
Nutrition Sciences
Deakin University
Melbourne, VIC, Australia

Dr Isabelle Sioen
Ghent University
Ghent, Belgium

Prof. Sean Strain
Director, Northern Ireland Centre for Food
and Health, Centre for Molecular Biosciences
University of Ulster
Coleraine, United Kingdom

Prof. Ricardo Uauy
London School of Hygiene and Tropical
Medicine, University of London
and INTA University of Chile
Santiago, Chile

Prof. Yongning Wu
National Institute of Nutrition and Food Safety
Chinese Center for Disease Control and
Prevention
Beijing, China

Dr Michiaki Yamashita
National Research Institute of Fisheries
Science
Yokohama, Japan

RESOURCE PERSONS

Prof. Piotr Bykowski
Gdynia Maritime Academy
Gdynia, Poland

Dr Clark D. Carrington
Food and Drug Administration
Office of Plants and Dairy Foods
College Park, MD
United States of America

Prof. Edel Oddny Elvevoll
Faculty of Biosciences, Fisheries and
Economics, University of Tromsø
Tromsø, Norway

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS (FAO)

Ichiro Nomura
Assistant Director-General
Fisheries and Aquaculture Department
FAO
Rome, Italy

Jean-Francois Pulvenis de Séligny
Fisheries and Aquaculture
Policy and Economics Division
FAO
Rome, Italy

Lahsen Ababouch
Fisheries and Aquaculture Products
Trade and Marketing Service
Fisheries and Aquaculture
FAO
Rome, Italy

Lourdes Costarrica
Nutrition and Consumer Protection Division
FAO
Rome, Italy

Ruth Charrondiere
Nutrition and Consumer Protection Division
FAO
Rome, Italy

WORLD HEALTH ORGANIZATION (WHO)

Hilde Kruse
WHO Regional Office for Europe
Rome, Italy

FAO/WHO SECRETARIAT

Grimur Valdimarsson
Fisheries and Aquaculture Department
FAO
Rome, Italy

Jogeir Toppe
Fisheries and Aquaculture Products
Trade and Marketing Service
FAO
Rome, Italy

David James
Fisheries and Aquaculture Products
Trade and Marketing Service
FAO,
Rome, Italy

Annika Wennberg
FAO JECFA Secretary
Nutrition and Consumer Protection Division
FAO
Rome, Italy

Vittorio Fattori
Nutrition and Consumer Protection Division
FAO
Rome, Italy

Kazuko Fukushima
Department of Food Safety and Zoonoses
(FOS)
WHO
Geneva, Switzerland