

TSETSE AND TRYPANOSOMIASIS INFORMATION QUARTERLY

Index
Volume 22
Part 1–4, 1999
Numbers 10713–11198



DFID



Cirad-emvt

SUBJECT INDEX

Numbers refer to the abstract and bibliographic reference numbers appearing in the *Tsetse and Trypanosomiasis Information Quarterly*, volume 22 (1999). For organisations, see page 254.

Africa

Central

trypanosomiasis in humans, 10994

East

trypanosomiasis control, 10883

trypanosomiasis in cattle, 10766

relationship with tick-borne disease,
10766

trypanotolerant cattle in, 11020

tsetse control, 10976

tsetse distribution, remote sensing, 11106

southern

impact of tsetse control, 10833

tsetse control, 10976

sub-Saharan

trypanosomiasis

control, 10957

in humans, 10719

in livestock, 10886

tsetse control, 10957

trypanosomiasis

in cattle, 11090

in livestock, 10768, 10966

West

trypanosomiasis

in animals, 10988

in humans, 10714

agricultural production constraints

animal trypanosomiasis, 10966

Angola

T. b. gambiense epidemics, 10719

trypanosomiasis in humans, 10719

antibodies

see also immune response

anti-immunoglobulin, in cattle, 10770

anti-trypanosome, in humans, 10857

anti-tsetse saliva, 11118

detection assays, 11030

monoclonal

in diagnostic tests, 10875, 10878, 10879

species-specific

in diagnostic testing, 10753

to trypanosome tyrosine amino transferase

activity

in camels, 11145

in mice, 11145

antigen/s

see also variant surface glycoproteins

trypanosome

components, 10780

detection, 10749, 10756, 10879

immunogenicity, 10781

in diagnosis, 10870, 10871, 10875, 10878,

10996, 11030, 11127

invariant, 10878

recognition, 10720

repertoire, 10886

T. b. gambiense, 11127

T. congolense, for ELISA, 11007

variable surface, 11127

antigenaemia

in trypanosome-infected cattle, 11021

antigenic variation

 10948, 11088

antigenicity

of tsetse saliva, 11118

arsenicals

resistance, in *T. brucei* spp., 11166

attractants/attractiveness for tsetse

baits, 10844

human sweat, 10725, 10731

traps, coloured, 10842

uric acid, 10731

bait/s

see also odour attractants

catch, 10844, 10845

mobile, 10844

ox, 10844

sampling, 10845

siting, 10845

Berenil *see* diminazene aceturate

biting flies

horse flies, 10754

in Ethiopia, 10968

in Mauritania, 10754

in Nigeria, 10868, 10869

stable flies, 10754

transmission of *T. evansi*, 10916

Botswana

dourine in equines, prevalence, 11134

Okavango Delta

G. m. centralis in, 10959

Botswana (cont.)

Okavango Delta (cont.)

tsetse control, 10959, 10976, 11107
trapping, 11107

buffalo

reservoir host, role, 10854
T. b. brucei infection (exp.), 10854
T. congolense infection, 10854
T. vivax infection (exp.), 10854
trypanotolerance, 10854

Burkina Faso

Bobo-Dioulasso
trypanosomiasis in animals, 10850
tsetse distribution, 10850
G. m. submorsitans in, 10851, 10979
G. p. gambiensis in, 10728, 10738
G. tachinoides in, 10738, 10851, 10979
Sideradougou
tsetse distribution, 10738
trypanosomiasis
in cattle, 11132
prevalence, 11005
risk, 10851
tsetse control
SIT, 10972
trapping, 10979

camels

treatment
melarsomine, 10835
T. evansi infection, 10835
diagnosis, 10756
immune response, 11145
in Kenya, 10756, 10769
in Mauritania, 10737
in Sudan, 10769
prevalence
in Nigeria, 10880
T. evansi infection (exp.)
C₃ level changes, 11017
immune response, 10760
polymorphonuclear cell changes, 11016
treatment, 10760
melarsomine, 11016
trypanosomiasis
diagnosis, 11011
in Egypt, 11139
in Kenya, 11011
in Mauritania, epidemiological survey,
10754
in Nigeria, 10880

prevalence, 11011
in Mauritania, 10754
screening, 11011
T. evansi infection, 11011, 11139

Cameroon

diagnostic testing in pigs, 11001
G. p. palpalis in, 10740, 10991
trypanosomiasis in cattle, prevalence, 11010
trypanosomiasis in humans, 10857
foci, 10740, 10991
Bipindi, 11128
Campo, 11127, 11128
Fontem, 10862, 11117, 11128
gambiense, 10862, 11001

cattle

Adamawa
trypanosome infection, Nigeria, 10874
Ankole longhorn
T. brucei infection (exp.)
CNS involvement, 11142
treatment, efficacy assessment, 11142
as tsetse hosts, Uganda, 10992
Boran
role as reservoir host, 10854
T. b. brucei infection (exp.), 10854
T. congolense infection (exp.), 10854,
10990
diminazene aceturate multiple treatment,
11143
T. vivax infection (exp.), 10854, 10990
effects, 11027
treatment, 11027
trypanosomiasis
effect on bone marrow functions, 11014
trypanosusceptibility, 10854, 10889
Bunaji
trypanosome infection, Nigeria, 10869
crossbred
trypanosome infection
effect on tick susceptibility, 10755
in Nigeria, 10869
infection rate, 10755
treatment, 10755
trypanosusceptibility, 10755
Friesian
susceptibility to ticks, 11020
trypanosome infection, Nigeria, 10869
trypanosusceptibility, 10766, 11020
Fulani
trypanosome infection, Nigeria, 10876
Galana Boran
trypanosusceptibility, 10766, 10883, 11020

Gobra Zebu
treatment, 10764
trypanosome infection
effect on tick susceptibility, 10755
rate, 10755

- treatment, 10764
 - trypanosusceptibility, 10755
 - Maasai Zebu
 - trypanosusceptibility studies, 10883
 - trypanotolerance, 10766, 11020
 - mixed infections, 11008
 - N'Dama
 - role as reservoir host, 10854
 - treatment, 10764
 - T. b. brucei* infection (exp.), 10854
 - T. congolense* infection, 11022
 - effects on IL-10 transcription, 10889
 - effects on nitric oxide secretion, 10889
 - T. congolense* infection (exp.), 10854
 - effect of nutrition, 10758, 10759
 - effect on grazing behaviour, 10759
 - effect on work, 10758
 - T. vivax* infection, 11022
 - T. vivax* infection (exp.), 10854
 - trypanosome infection
 - effect on tick susceptibility, 10755
 - rate, 10755
 - treatment, 10755
 - trypanosomiasis
 - effect on bone marrow functions, 11020
 - trypanosusceptibility, 10755
 - trypanotolerance, 10854, 10889, 11019, 11021, 11022
 - heritability, 10763
 - Ngoni
 - deltamethrin pour-on trials, 11110
 - Orma Boran
 - trypanosusceptibility studies, 10883
 - trypanotolerance, 10766, 11020
 - Red Bororo
 - trypanosome infection, Nigeria, 10874
 - Sokoto Gandali
 - trypanosome infection, Nigeria, 10869
 - treatment
 - diminazene aceturate, 11024, 11115
 - homidium bromide, 11024
 - insecticide, 10976, 10978, 10987
 - cypermethrin pour-on, 10967, 10968, 11029
 - deltamethrin pour-on, 11018, 11110, 11115
 - dips, pyrethroid, 11105
 - pour-on, 10736, 11135
 - isometamidium chloride, 11024
 - T. brucei* infection, 10739, 10751, 10881, 11025, 11132, 11133
 - T. brucei* infection (exp.)
 - in diagnostic testing, 11012, 11013
 - T. b. brucei* infection, 11026
 - T. b. rhodesiense* infection, 11026
 - T. congolense* infection, 10734, 10739, 10881, 11025, 11091, 11132, 11133
 - T. congolense* infection (exp.), 10875, 11006
 - drug testing, 11024
 - drug treatment, 10890
 - T. evansi* infection, 11091
 - T. evansi* infection (exp.), 10770
 - T. theileri* infection, 10881
 - T. vivax* infection, 10734, 10739, 10751, 10757, 10881, 11006, 11025, 11132, 11133
 - T. vivax* infection (exp.), 10875
 - trypanosome infection
 - diagnosis, 11132, 11133, 11135
 - mixed, 11132
 - prevalence, 10968
 - Burkina Faso, 11132
 - rate, Kenya, 10881
 - trypanosomiasis
 - chemotherapy, 11135
 - control, 11090, 11115
 - strategies, 10766
 - diagnosis, 10751, 10850, 10867, 10868, 10873, 10874, 10875, 10877, 10879, 11005, 11007, 11008, 11010
 - distribution, Nigeria, 10867
 - effect on work capacity, 11091
 - immune response, 10877, 10886
 - impact of tsetse control, 10734, 10755
 - in Burkina Faso, 10739, 10850, 11132
 - in Kenya, 10734, 10878
 - in Mali, 10878
 - in Nigeria, 10867, 10868, 10873
 - in South Africa, 11105
 - in Togo, 10978
 - in Uganda, 10751, 11135
 - in Zambia, 11007
 - incidence, Kenya, 11018
 - infection rate, Congo D.R., 10877
 - on Uganda/Kenya border, 11115
 - pathology, 11014
 - prevalence
 - in Burkina Faso, 11005
 - in Cameroon, 11010
 - in Congo D.R., 10877
- cattle** (cont.)
- trypanosomiasis (cont.)
 - prevalence (cont.)
 - in Mozambique, 11025
 - in Nigeria, 10867, 10868, 10873, 10874
 - in Uganda, 11008, 11135
 - in Zambia, 11133
 - relationship with tick-borne disease, 10766
 - self-cure, 11133

- treatment, 10883, 11018, 11133
T. brucei infection, 10868, 10874, 10878, 11005, 11008, 11010, 11115
T. congolense infection, 10868, 10874, 10878, 11005, 11008, 11010, 11014, 11105, 11115
T. vivax infection, 10868, 10873, 10874, 11005, 11008, 11010, 11014, 11018, 11105, 11115, 11135
trypanosome infection, 10873, 10879
trypanosusceptibility, 10755, 10763
 effect on production, 10966
trypanotolerance, 10763, 10766
 genetics, 10888
trypanotolerant, 10720, 10755
Wadara
 trypanosome infection, Nigeria, 10869
White Fulani Zebu
 T. vivax infection (exp.)
 acquired resistance, 10887
 self-cure, 10887
Zebu
 treatment with pour-on, 10968
 T. congolense infection, 11029
 T. vivax infection, 11029, 11147
 trypanosomiasis
 incidence, Ethiopia, 11029
 prevalence, Ethiopia, 11029
 trypanosomiasis (exp.)
 effect of lactose on drug treatment, 11144
- Central African Republic**
G. f. fuscipes in, 11113
T. b. gambiense epidemics, 10719
trypanosomiasis in humans, 10719
tsetse control, trapping, 11113
- central nervous system (CNS)**
involvement in trypanosomiasis
 bovine, 11142
 human, 10747, 10859
 diagnosis, 10742
- cerebrospinal fluid (CSF)**
in human trypanosomiasis, 11002
 cell numbers, 11000
 IgM concentration, 11000, 11126
 melarsoprol in, 10865
 parasite DNA in, 10859
 proteins in, 10863, 11000, 11126
 trypanosomes in, 10742, 10747, 11000, 11003, 11126
 white cell count, 10742, 10747
- challenge**
 tick, natural
 to cattle, 11020
- trypanosome
 in acquired resistance studies, 10887
 to cattle, 10758
 in Burkina Faso, 10739
 on Uganda/Kenya border, 11115
- tsetse
 experimental, in diagnosis, 10875
 incidence, Nigeria, 10871
 monitoring, Nigeria, 10871
 to cattle, 10755
 in Ethiopia, 11029
 in Mali, 10890, 11024
 in Kenya, 10883
 in Zambia, 10890, 11110
 in Zimbabwe, 10750
 to livestock, Kenya, 11009
- characterisation**
see also identification, detection
 of *T. brucei* spp. stocks
 isoenzyme, 11164
 of trypanosomes, 10794, 10850
 by PCR, 10850, 10851, 10988
- chemosterilants**
 on traps, 11114
- chemotherapy** 10963, 10978
 of trypanosomiasis
 animal, 11115
 bovine, 11135
 human, 10864, 10866, 11088
- chitin synthesis inhibitors**
 on traps/targets, 11114
 triflumuron, 10979, 10981
- Congo, Democratic Republic**
G. f. fuscipes in, 10877
G. pallidipes in, 10877
Northern Kivu
 trypanosomiasis
 in cattle, 10877
 in goats, 10877
T. b. gambiense epidemics, 10719
trypanosomiasis in humans, 10719
 gambiense, 11000
 surveillance, 10997
tsetse distribution, 10877
- Congo, People's Republic**
Bouenza focus, 10848
G. p. palpalis in, 10848
trypanosomiasis in humans, 10848, 11129
tsetse trapping, 10848
- contaminating devices (CDs)**
 entomopathogenic fungi, 10983
 on traps and targets, 10981
- control, trypanosomiasis** 10828, 10963, 11088, 11089, 11155

- clearing, 10826
- community participation, 10834, 10986
- cost, 10829, 10956, 10957, 11092
- cost-benefit, 10834, 11090
- cost-effectiveness, 10986
- depopulation, forced, 10826
- drug treatment, 10717, 10719, 10768, 10829, 11023
- GIS in, 10955, 10962, 11090, 11092, 11093
- impact, 10963
- in Africa
 - central, 10994
 - East, 10883
 - sub-Saharan, 10886
- in Congo D.R., 10877, 10997
- in Kenya, 10960, 10986
- in Nigeria, 10825, 10832, 10868, 10870, 10871, 10876
- in Togo, 10955, 10978
- in Uganda, 10826, 10985, 11008
- in Zambia, 10834
- integrated, 10766, 10768, 10829, 10883
- management, 10956, 10957, 10986, 11092
- models, 11090, 11111
- monitoring, Nigeria, 10869, 10870, 10871
- multi-disciplinary, 11094
- on Uganda/Kenya border, 11115
- options, 10763
- planning, 11092
- programmes, 10988, 10994
- prophylaxis, 10752
- research, 11088
- selective breeding, 10763
- socioeconomics, 10827, 10832, 10886
- strategy, 10877, 10955, 10957, 10997
- surveillance, 10717, 11086
- sustainability, 10986
- therapeutic, 10752, 10768
- vaccines, research, 11090
- vector control, 10719, 10734, 10763, 10768, 10828, 10829, 10868, 10876, 10955, 11023, 11094, 11111, 11115
- control, tsetse** 10713, 10718, 10719, 10828, 10829, 10963, 10965, 11023
 - community-based, 10984
 - community participation, 10733, 10834, 10849, 10956, 10963, 10977, 10985, 10986, 11087
 - cost, 10955, 10956, 10957, 10959, 10968, 10976, 11092, 11112
 - cost-benefit, 10834
 - cost-effectiveness, 10986
 - GIS in, 11092, 11093, 11107
 - impact, 10954, 10968
 - in Africa, 10736
 - eastern, 10976
 - southern, 10976
 - sub-Saharan, 10957
 - in Botswana, 10959, 10976, 11107
 - in Burkina Faso, 10972, 10979
 - in Central African Republic, 11113
 - in Congo P.R., 10848
 - in Côte d'Ivoire, 10975, 10981
 - in Ethiopia, 10736, 10967, 10968, 11029
 - in Kenya, 10716, 10734, 10883, 10960, 10974, 10981, 10983, 10986, 10990, 11108, 11109, 11115
 - in Mali, 11112
 - in Nigeria, 10827, 10868, 10869, 10870, 10871, 10879, 10972
 - in Tanzania, 10969, 10972, 10987, 11095
 - in Togo, 10955, 10978
 - in Uganda, 10981, 10985, 10992, 11008, 11115, 11135
 - in Zambia, 10834, 10980, 10982, 11087
 - in Zanzibar, 10736
 - in Zimbabwe, 10833, 10954, 10980, 10981, 10982, 11116
- insect growth regulators, 10981
- insecticide, 10713
 - cypermethrin, 11107
 - deltamethrin, 10734, 11107, 11112, 11115, 11116
 - dips, 11105
 - livestock treatment, 10828, 10978, 10987, 11029
 - on traps/screens/targets, 11107, 11112, 11115, 11116, 11135
 - pour-on, 10734, 10736, 10963, 10967, 10968, 10978, 11029, 11135
 - spraying, 10828, 10847, 10849, 10976
- integrated, 10736
- lethal insect technique, 10970, 10983
- control, tsetse** (cont.)
 - management, 10956, 10957, 10974, 10986, 11092
 - monitoring, 10879
 - in Nigeria, 10869, 10870, 10871
 - planning, 10963, 10977, 11008, 11092
 - remote sensing, 11106, 11107
 - research, 1071611
 - screens, 10736, 10876, 10982, 10987, 11112
 - SIT, 10713, 10736, 10847, 10969, 10972, 10976, 10981, 10987, 11008
 - socioeconomics, 10736, 10827, 10833, 10977, 10978, 11087
 - spraying
 - aerial, 10849, 11107
 - ground, 10849

- strategies, 10733, 10957, 10970, 10977, 10992
surveillance, 10716
sustainability, 10986
targets, 10733, 10828, 10847, 10959, 10977,
10980, 10981, 10982, 10984, 10990, 11107,
11114, 11116
theatre in, 10985
traps/trapping, 10733, 10736, 10828, 10842,
10848, 10849, 10868, 10869, 10871, 10876,
10883, 10970, 10975, 10977, 10981-10983,
10985, 10990, 11112-11115, 11135
- Côte d'Ivoire**
Glossina guild, 11104
G. fusca in, 11104
G. longipalpis in, 10975, 11104
G. nigrofusca in, 11104
G. pallicera in, 11104
G. palpalis in, 11104
G. tachinoides in, 10981
trypanosomiasis
 in humans, 10742, 10857, 11125
 Aboisso focus, 10861
 Bouaflé focus, 10745
 gambiense, 10865, 11000, 11002
 survey, 10860
 tsetse control, 10975, 10981
 tsetse hosts, 10995
 tsetse monitoring, 10975
- crocodiles**
 as host for tsetse, Burkina Faso, 10738
- cryopreservation**
 of trypanosomes, 10727
- Cymelarsan** *see* melarsomine
- cypermethrin**
 cattle treatment, 10967, 10968, 11029
 impregnated targets, 11107
- deltamethrin**
 impregnated screens/targets/traps, 11107,
 11112, 11115, 11116
 odour-baited, 10981, 10984
 pour-on, 10734, 11018, 11110, 11115
 tsetse susceptibility to, 10735
- detection**
 of trypanosomes, 10749, 10770, 10835, 10858,
 10870
 by blood examination, 10757
 by PCR, 10740, 10748, 10751, 10991,
 10993, 11001, 11031
 comparison of techniques, 10993, 11001
 dot-ELISA, 10993
 field, 10757
 in diagnosis, 10870
 in tsetse, 10993
 microscopical examination, 10988
 molecular probes, 10988
 xenodiagnosis, 10854
- DFMO** *see* difluoromethylornithine
- diagnosis** 10963
 comparison of techniques, 10744, 10745,
 10748, 10749, 10751, 10753, 10756, 10757,
 10857, 10867, 10870-10872, 10875, 10879,
 10891, 11010-11012, 11126-11128
 costs, 10835, 11125
 evaluation of techniques, 10748, 10749, 10753,
 10857, 10872, 10879, 10998, 11000, 11006,
 11007, 11011, 11012, 11030, 11126, 11133
 field, 10835, 10860, 11000, 11001, 11011,
 11094
 of animal trypanosomiasis, 10750, 10751,
 10753, 10754, 10756, 10827, 10835, 10850,
 10867-10875, 10878-10880, 11001, 11005-
 11008, 11010-11013, 11025, 11030, 11094,
 11132-11135, 11138, 11139, 11145
 of human trypanosomiasis, 10717, 10719,
 10742-10745, 10825, 10857-10864, 10996-
 11000, 11002, 11088, 11125-11128, 11130,
 11131
 parasitological, 10744, 10745, 10748-10751,
 10753, 10754, 10756, 10757, 10825, 10857,
 10858, 10860, 10863, 10867-10871, 10874,
 10878-10880, 10891, 10998-11001, 11006-
 11008, 11010, 11011, 11013, 11021, 11024,
 11030, 11126, 11128, 11130, 11131, 11133,
 11135, 11138
 sensitivity, 10878, 10996, 11001, 11006,
 11007, 11010, 11030, 11127, 11133
 serological, 10749, 10751, 10754, 10756,
 10757, 10825, 10858, 10863, 10869, 10870,
 10871, 10878, 10879, 10996, 10998, 10999,
 11006, 11007, 11010-11013, 11021, 11030,
 11128, 11131, 11133, 11134, 11145
 specificity, 11006, 11007, 11010, 11133
- diagnostic techniques**
 antigen detection, 11019
 blood film
 thick, 10871
 thin, 10867, 10871, 10877, 10880
 wet, 10748, 10749, 10880
 blood smear, 10752, 10753, 10754, 10873,
 10880, 11130, 11132, 11133
 stained, 11005, 11007, 11010
 buffy coat, 10744, 10745, 10752, 10753,
 10875, 10987, 11005-11008, 11010, 11011,
 11019, 11021, 11024, 11025, 11132, 11135
 dark ground, 10871, 10872, 10873, 10879
 microhaematocrit, 10748
 phase contrast, 11133
 card agglutination (CATT), 10743, 10745,

- 10754, 10858, 10860-10862, 10998, 11011, 11030, 11118, 11128
1.3, 11127
card latex agglutination, monoclonal-dependent (Suratex), 10756
CIATT, 10857
 TrypTect, 10857
complement fixation, 11134
CSF examination, 11000, 11126
dip-stick assay, 10879
double immunodiffusion, 10749
ELISA, 10857, 11021, 11030, 11117, 11118
 Ag-, 10749, 10753, 10754, 10770, 10869-10871, 10875
 antigen-capture sandwich, 10869, 11006, 11007, 11012
 competitive drug, 10890
 direct sandwich, 10870, 10871, 10878, 10879, 11010
 indirect, 10879, 11007, 11133
enzyme assay, direct, 11145
haematocrit centrifugation (HCT), 10751, 10756, 10867, 10880, 11013, 11025
IFAT, 10754, 10996
immunoblot, 11118
immunodiffusion, radial, 11126
KIVI, 11128, 11164
latex agglutination, 11000, 11030, 11126
latex CATT, 11127
LATEX/IgM, 11000, 11126
mAECT, 10745, 10751, 10860, 10861, 11013

mHCT, 11010
microscopic examination, 10744, 10750
mouse subinoculation, 10749, 10756, 11011
nephelometry, 11126
neutralisation assay, indirect, 11145
PCR, 10748, 10751, 10757, 10850, 10857, 10859, 10872, 10879, 11012, 11128, 11142
Western blot, 11030
Woo test, 10744
- diamidines**
effectiveness, 10830
resistance, in *T. brucei* spp., 11166
- difluoromethylornithine (DFMO, eflornithine)**
side effects, 10767
treatment
 of *T. brucei*-infected dogs, 10767
 of *T. b. brucei*-infected mice, 10783
 of *T. b. rhodesiense*-infected monkeys, 11057
 of trypanosomiasis, in humans, 10747, 11051, 11086, 11131
- Diminaphen**
effects in *T. b. brucei*-infected mice, 10913
- diminazene aceturate**
effects
 in *T. b. brucei*-infected mice, 10913
resistance, 11029
sensitivity testing, 10908, 10909, 10910
susceptibility testing
 in *T. b. brucei*, 11026
 in *T. b. rhodesiense*, 11026
target, in *T. brucei*, 10784
treatment
 of cattle, 11115
 of *T. brucei*-infected cattle, 11012, 11013
 assessment of efficacy, 11142
 of *T. brucei*-infected dogs, 10767, 11025
 of *T. congolense*-infected cattle, 11143
 of *T. evansi*-infected dog, 11140
 of trypanosome-infected cattle, 11018, 11024, 11029
 of trypanosome-infected sheep, 10884
- DNA**
trypanosome
 amplification
 by PCR, 10989
 in diagnostic testing, 10861
 base, biosynthesis and function, 10937
 c, *T. brucei*, cloning, 11072
 in blood and CSF, human, 10859
 in diagnostic testing, 10867
- DNA (cont.)**
trypanosome (cont.)
 k
 maxicircles, 10916
 minicircles, 10924
 T. brucei, 11071
 microsatellite, 10989
 polymerase activities, 10932
 T. brucei, 10807, 10989
 T. b. gambiense, 10998
 T. evansi, fingerprinting, PCR, 10772
tsetse
 microsatellite, polymorphism, 10850, 10855
- dogs**
anti-tsetse saliva antibodies in, 11118
T. brucei infection (exp.)
 treatment, 10767
T. b. brucei infection (exp.)
 transmission, 10892
T. b. rhodesiense infection, 11026
trypanosomiasis
 clinical signs, 11025
 diagnosis, 11008, 11025
 in Mozambique, 11025

prevalence, Uganda, 11008
treatment, 11025, 11140
T. brucei infection, 11008, 11025
T. evansi infection, 11140

domestic animals

T. brucei infection
prevalence, Uganda, 11008
reservoirs, Uganda, 11026

donkeys

T. equiperdum infection, Botswana, 11134
T. evansi infection
transplacental transmission, 11138
T. evansi infection (exp.)
diagnostic testing, 10749

dourine

equine, in Botswana, 11134

drugs

administration, 11051
assays, 10769
availability, 11051
combinations, 10864, 11051
DFMO and diminazene aceturate, 10767
DFMO and suramin, 10747
melarsoprol and nitrofuranes, 11051
melarsoprol and nitroimidazoles, 11051
suramin and megalol, 10782
controlled release, 11157
cost, 11051, 11086
delivery systems, 10866, 10890
dosage regimens, 11051
under-dosing, 11023
pharmacokinetics
homidium bromide, 11027
pharmacology, 10866
research, 10835, 10864, 11086
resistance, 10829, 10835, 11013, 11023, 11051
arsenical-diamidine, 11166
diminazene aceturate, 11026, 11029
impact, 10768
isometamidium, 11018
melarsomine, 11177
prevalence, 10768
suramin, 10769
T. brucei
inheritance of, 11177
T. b. brucei, 11166
T. b. gambiense, 11003, 11166
T. b. rhodesiense, 11026, 11166
T. congolense, 10908, 11143
T. evansi, 10769, 10911
T. vivax, 11018
trypanosome, 11029
sensitivity
testing, 11024, 11026

T. evansi, 10769
side effects, 11051
DFMO, 10767
pentamidine, 11004
sustained release devices, 11024
evaluation, 10890
synthesis, 11051
targets, 10866, 10890
trypanocidal, 10755, 10968
arsenicals, 10927, 11166
Cymelarsan *see* melarsomine
DFMO, 10747, 10767, 10783, 11051,
11057, 11086, 11131
diamidines, 10830, 11166
Diminaphen, 10913
diminazene aceturate, 10767, 10784, 10884,
10908-10910, 10913, 11012, 11013,
11018, 11024-11026, 11029, 11115,
11140, 11142, 11143
fexinidazole, 11051
homidium bromide, 10890, 11024, 11027,
11157
homidium chloride, 10884
isometamidium chloride, 10884, 10890,
10908-10910, 10969, 11015, 11018,
11024, 11025, 11028, 11053, 11157
megalol, 10782, 11051
melarsomine, 10756, 10760, 10769, 10835,
10927, 11016, 11168, 11177
melarsoprol, 10747, 10837, 10862, 10865,
11003, 11004, 11051, 11057, 11086,
11129, 11131
Mk-436, 11051
nifurtimox, 11051
nitrofurazone, 11051
nitroimidazoles, 11051, 11088
pentamidine, 10784, 10830, 10861, 10862,
11004, 11086
pentamidine isethionate, 11130
quinapyramine, 10756, 10768, 10769,
10911, 11023
suramin, 10747, 10769, 10782, 10784,
10830, 10911, 11086, 11160

Duttonella 10757

detection, 10851

eflornithine *see* difluoromethylornithine

Egypt

trypanosomiasis in camels, 11139

eland

role as reservoir host, 10854
T. b. brucei infection (exp.), 10854
T. congolense infection (exp.), 10854
T. vivax infection (exp.), 10854

trypanotolerance, 10854
endosymbionts of tsetse 10722, 10724
 genetic manipulation, 10722
 isolation and culture, 10729, 11099
 primary (P)
 Wigglesworthia glossinidia, 11099, 11101
 secondary (S), 11097, 11099
 Sodalis glossinidius, 10837
 Wolbachia (Rickettsiaceae), 11099, 11100

environment

 change, impact on tsetse distribution, 10738
 impact of trypanosomiasis control, 10964
 impact of tsetse control, 10736, 10986
 in southern Africa, 10833

epidemics

 of human trypanosomiasis, 10717, 11086
 Angola, 10719
 Central Africa, 10994
 Central African Republic, 10719
 Congo D.R., 10719, 10997
 Nigeria, 10825
 Sudan, 10719
 Uganda, 10985
 historic, 10830
 south-eastern, 10719

T. b. gambiense, 10719

T. b. rhodesiense, 10719

epidemiology 10713, 10716

 of *T. evansi*, 10835
 of trypanosomiasis, 11089
 in animals, 11001, 11007
 in West Africa, 10988
 in humans, 10828, 10864, 10989, 10997,
 11001
 environmental factors, 10961
 in livestock, 10828, 10850, 10855

ethidium *see* homidium bromide

Ethiopia

 trypanosomiasis in cattle
 incidence, 11029
 prevalence, 11029
 risk, 10967
 tsetse control, 10736, 10967, 10968, 11029

fly rounds

 mobile vehicle, for tsetse sampling, 10990

French Guiana

T. vivax from, 10753

fungi, entomopathogenic

Beauveria bassiana, 10983
 Metarhizium anisopliae, 10983
 on contaminating devices, 10983
 on traps/targets, 11114

Gambia, The

 cattle feeding experiments, 10759
 livestock production under trypanosomiasis
 risk, 10958
 trypanosomiasis in draught cattle, studies,
 11091
 trypanosomiasis in goats, 10872
 trypanosomiasis in livestock, risk, 10958

genetics

 of trypanotolerance
 genes, 10888
 markers, 10720
 trypanosome, 11072
 chromosome, diploid megabase, 11185
 cis-splicing systems, 10940
 clade taxon composition, 10793
 DNA
 k, maxicircles, 10916
 k, minicircles, 10924
 sequences, microsatellite, 10989
 epidemiology, 10794
 evolution, 10793

genetics (cont.)

 trypanosome (cont.)
 evolutionary relationships, 10917
 gene/s, 10835
 conserved organisation, 10800
 expression, 10858, 11081, 11198
 hsp 70, 10936
 LiTat 1.3, 10858, 10998
 mini-exon, 10918
 organisation, 11070
 transcription, 10809, 10941, 10952
 trees, 10787, 10790, 10791, 10792
 VSG, 10949, 10953, 10858, 10998
 genome, 10809, 10989
 markers, 10928
 organisation, 11169
 project, 10788, 10789
 mapping, 11181
 markers, 10989
 phylogenetic relationships, 10916
 RNA
 binding activity, 11173
 binding proteins, 10940
 degradation, 10943
 double-stranded, 10943
 editing, 10919, 10938, 11068, 11181,
 11186
 g, 11173, 11181
 k, 10938, 11186
 levels, 11180
 ligands, combinatorial selection, 11176
 m, 10943, 11181

- polymerases, 10952
- r, 18S sequences, 10917
- tsetse
 - enzyme loci, 10838
 - gene expression, 10836
 - gene flow, 10728
 - genome, 10836
 - intraspecific variability, 10728, 10850, 10855
 - isoenzyme comparisons, 10838
 - microsatellite DNA polymorphism, 10850, 10855
 - microsatellite markers, 10728
- geographical information systems (GIS)** 10713, 10716, 10738, 10833, 10967
 - database, 10974
 - disease and vector integrated (DAVID), 11092, 11093
 - in epidemiological studies, 10850
 - in trypanosomiasis control strategies, 10955, 10963, 11090, 11092, 11093
 - in trypanosomiasis surveillance, 10961, 10997
 - in tsetse control, 10834, 11092, 11093, 11107
 - in tsetse surveys, 10843
- global positioning systems (GPS)** 10716
- Glossina**
 - behaviour, 10713
 - activation, 11103
 - activity, circadian, 11104
 - colour choice, 10842
 - feeding, 11104
 - flying, heights, 11104
 - host preference, 10855
 - odour attractants, 10828, 10842
 - olfactory response, 11103, 11114
 - ranging, 11103
 - response to host stimuli, 11103
 - response to treated livestock, 10855
 - spatial preference, 10855
 - temporal preference, 10855
 - trap/screen-related, 10855
 - visual response, 11114, 11103
- biology, 10713, 10963
 - age, 10727
 - anatomy, 10828
 - anti-trypanosomal factors, 10839
 - blood diet, 11104
 - blood meals, 10995, 11117
 - classification, 10828
 - endosymbionts, 10722, 10724, 10729
 - feeding *in vitro*, 10727
 - food, 10849
 - infective feed, 10727
 - larviparity, 11104
 - life cycle, 10849
 - molecular, 10713
 - physiology, 10828
 - reproduction, 11104
 - RLO culture, 10729
 - saliva, antigenicity, 11118
 - salivary gland, trypanosome infection, 11124
 - symbionts
 - P, *Wigglesworthia glossinidia*, 11099
 - S, 11097, 11099
 - Wolbachia* (Rickettsiaceae), 11099
 - T. brucei* infection, 11124
 - T. b. gambiense* infection, 10724, 10727
 - T. b. rhodesiense* infection, 10724, 10727
 - T. vivax* infection
 - mouthparts, 10757
 - proboscis, 10757
- trypanosome infection
 - development, 10839
 - maturation, 10727, 10839, 10855
 - midgut, 10727
 - rates, 10727, 10831, 10873
 - salivary gland, 10727, 11124
 - susceptibility, 10855
 - transmission, 11097
 - vectorial capacity, 10988
 - vectorial competence, 10855
- control, 10713, 10718, 10733, 10763, 10828, 10829, 10956, 10963, 10964, 10965, 10977, 11092, 11093
 - in Africa
 - East, 11106
 - eastern, 10976
 - southern, 10833, 10976
 - sub-Saharan, 10957
 - in Botswana, 10959, 11107
 - in Burkina Faso, 10972
 - in Côte d'Ivoire, 10981
 - in Ethiopia, 10967, 10968, 11029
 - in Kenya, 10716, 10883, 10960, 10981, 10983, 10984, 10986, 10990, 11108, 11109, 11115
 - in Mali, 11112
 - in Nigeria, 10868, 10870, 10871, 10972
 - in South Africa, 11105
 - in Tanzania, 10969, 10972, 10987, 11095
 - in Togo, 10955, 10978
 - in Uganda, 10981, 10985, 11008, 11115
 - in Zambia, 10834, 10980, 10982, 11087, 11110
 - in Zimbabwe, 10833, 10954, 10980, 10981, 10982, 11116

- monitoring, 10879
 - in Nigeria, 10869, 10870, 10871
- SIT, 10969, 10972, 10976, 10981, 10987
- spraying, 10849
- trapping, 10842, 10849, 10868, 10871, 10883, 10970, 10977, 10980, 10981, 10983, 10987, 10990, 11104, 11114
- ecology, 10713
 - abundance, 11092, 11106
 - in Togo, 10843
 - densities, Nigeria, 10881
 - distribution, 10717, 10828, 11092, 11093, 11104, 11106
 - in Burkina Faso, 10850
 - in Congo, 10877
 - in Togo, 10843
- dynamics
 - natural, 11106
 - seasonal, 11104
- guilds, 11104
- habitats, 10828, 10960, 10965, 11107
- hosts, 10965, 10995, 11104, 11117
- populations, 11104, 11106
 - decline, 10965
 - dynamics, 10828
 - sampling, 10828
- resting places, 10849, 11104
- genetics, 10724, 10828
 - intraspecific variation, 10850
 - microsatellite DNA polymorphism, 10850
- host-parasite interactions, 10828
- rearing, 10724, 10727, 10972
- Glossina austeni***
 - behaviour
 - landing bias, 10846
 - blood meals, 10969
 - control, 10969, 10970, 10973, 10987
 - SIT, 10736
 - trapping, 10736
 - dimethylalkanes, 11098
 - fat body, 11099
 - haemolymph, 11099
 - in East Africa, distribution, 11106
 - in Kenya, 10974
 - in South Africa, 10973, 11105
 - in Tanzania, 10736, 10846, 10969, 10987
 - mating age, 11095
 - midgut, 11099
 - milk gland, 11099
 - muscle, 11099
 - pupae, 10969, 11095
 - rearing, 10969, 10970, 11095
 - S-symbionts, 11099
 - susceptibility to deltamethrin, 10735
 - testes, 11099
 - trapping, 10846
 - T. b. brucei* infection, 10854
 - T. congolense* infection, 10854
 - T. vivax* infection, 10854
 - trypanosome infection
 - rates, 10854
 - susceptibility, 10854
 - vectorial capacity, 10969
- Glossina brevipalpis***
 - control, 10973, 10990, 11105
 - dimethylalkanes, 11098
 - fat body, 11099
 - haemolymph, 11099
- Glossina brevipalpis* (cont.)**
 - in Kenya, 10974, 10990
 - in South Africa, 10973, 11105
 - landing response, 10990
 - midgut, 11099
 - milk gland, 11099
 - muscles, 11099
 - S-symbionts, 11099
 - testes, 11099
 - trapping, 10990
 - T. b. brucei* infection, 10854
 - T. congolense* infection, 10854
 - T. vivax* infection, 10854
 - trypanosome infection, 10990
 - midgut, 10990
 - proboscis, 10990
 - rates, 10854, 10990
 - susceptibility, 10854
- Glossina fusca***
 - in Côte d'Ivoire, 11104
- Glossina fuscipes***
 - control, 10983
 - effects of entomopathogenic fungi, 10983
 - in Kenya, 10983
 - rearing, 10970
- Glossina fuscipes fuscipes***
 - behaviour
 - biting, 10731
 - feeding, 10992
 - flight, 10731
 - peridomestic, 10992
 - probing, 10731
 - blood meals, 10992
 - control, 10981, 10992
 - feeding sites, 10725
 - habitats, 10992
 - host discrimination, 10725
 - hosts, 10992
 - in Central African Republic, 11113

in Congo D.R., 10877
in East Africa, distribution, 11106
in Kenya, 10974
in Uganda, 10981, 10992, 11008, 11135
mechanoreceptors, 10731
on Uganda/Kenya border, 11115
response
 to odour, 10731
 to surface heat, 10731
 to taste, 10725, 10731
taste cells, 10725, 10731
trapping, 11113, 11115, 11135

Glossina fuscipleuris

in Kenya, 10974

Glossina longipalpis

in Côte d'Ivoire, 10975, 11104
in Nigeria, 10869
trapping, 10975

Glossina longipennis

activity patterns, 10844
age, effects, 10844
ageing, 10984
blood meals, 10734
control, 10734, 10984
fat reserves, 10844
haematin reserves, 10844
in East Africa, distribution, 11106
in Kenya, 10734, 10844, 10974, 10984, 11018
ovary, 10984
T. b. brucei infection, 10854
T. congolense infection, 10854
T. vivax infection, 10854
trypanosome infection
 rates, 10854
 susceptibility, 10854
wing fray, 10844, 10984

Glossina morsitans

in East Africa, distribution, 11106

Glossina morsitans centralis

blood diets, 11096
DNA virus infection, 10841
midgut infection, 10853
in Botswana, 10959
pregnancy cycle, 10841
pupae, 10841
rearing, 11096
salivary gland, hypertrophy, 10841
transmission of trypanosome infections (exp.),
 10854
trapping, 10959
trimethylalkanes, 11098
T. b. brucei infection, 10853, 10854
T. congolense infection, 10853, 10854

T. congolense infection, drug resistant (exp.)
 infectivity, 11143
 transmissibility, 11143
T. vivax infection, 10853, 10854
trypanosome infection
 experimental
 detection, 10993
 identification, 10993
 rates, 10854
 refractoriness, 10853

 susceptibility, 10853, 10854
 effect of blood diet, 11096

Glossina morsitans morsitans

abdomen, 11100
abundance, Zimbabwe, 10845
adult mortality, 10732
antennae, olfactory response, 11102
blood meals, 10836, 11122
development, 10732
control, 10980, 10981, 10982
dimethylalkanes, 11098
distribution, Zimbabwe, 10845
DNA library, 10836
DNA virus infection, 10841
fat body, 11099
feeding response
 effect of deltamethrin pour-on treatment,
 11110
genetics
 genes, 10836
 genome, 10836
 X chromosome-linked enzymes, 10839
haemolymph, 10837, 11099
head, 11100
in South Africa, 11105
in Zambia, 10980, 10982, 11110
in Zimbabwe, 10732, 10845, 10980, 10981,
 10982, 11116
isoenzymes, 10839
metacyclic index, 11122
metacyclic infection rate, 11123
midgut, 10836, 11099
 infection, 11123
milk gland, 11099
movement, modelling, 10845
muscle, 11099
ovaries, 11100
populations
 modelling, 10732
 survival, 10732
pregnancy cycle, 10841
procylic index, 11122, 11123
procylic infection, 11122

- pupae, 10841
- pupal mortality, 10732
- reproduction, 10732
- response to odour, 11102
- response to vegetation, 10845
- symbionts
 - S, 11099
 - Wolbachia*, 11000
- salivary gland, 10836
 - hypertrophy, 10841
 - infection, 10852
- secondary endosymbionts, 10837
- strains, Mall, 11119, 11123
- susceptibility to deltamethrin, 10735
- testes, 11099
- thorax, 11100
- thrombin inhibitor, 10836
- trapping, 10732, 10845, 11116
- T. b. brucei* infection, 11119
 - transmissibility, 10852
- T. b. gambiense* infection, 11119
- T. congolense* infection, 11119, 11122, 11123
 - experimental, 11024
- trypanosome infection, 10839
 - intestinal, 11122
 - mature, 11122
 - rate, 10852
- vectorial competence, 11123
 - effect of host parasitaemia, 11122
- Glossina morsitans submorsitans***
 - in Burkina Faso, 10851, 10979
 - infection rates, 10979
 - trapping, 10979
 - trimethylalkanes, 11098
 - T. brucei* infection, 10851
 - T. congolense* infection,
 - drugs testing, 10908
 - T. vivax* infection, 10851
 - trypanosome infection rates, 10851
- Glossina nigrofusca***
 - in Côte d'Ivoire, 11104
- Glossina pallicera***
 - in Côte d'Ivoire, 11104
- Glossina pallidipes***
 - abundance, Zimbabwe, 10845
 - antennae, olfactory cells, 11102
 - blood meals, 10734
 - control, 10734, 10980, 10981, 10982
 - dimethylalkanes, 11098
 - distribution, Zimbabwe, 10845
 - in Congo D.R., 10877
 - in East Africa, distribution, 11106
 - in Kenya, 10734, 10971, 10974, 10981, 11018, 11028
 - in South Africa, 11105
 - in Tanzania, 10741
 - in Uganda, 11135
 - in Zambia, 10980, 10982
 - in Zimbabwe, 10845, 10980, 10981, 10982, 11116
- Glossina pallidipes*** (cont.)
 - longevity, 10971
 - mortality, 10971
 - movement, modelling, 10845
 - pupae, 10971
 - rearing, 10971
 - response to odour, 11102
 - response to vegetation, 10845
 - susceptibility to deltamethrin, 10735
 - trapping, 10845, 11116, 11135
 - T. brucei* infection, 10741
 - T. b. brucei* infection, 10854
 - T. congolense* infection, 10741, 10854
 - T. vivax* infection, 10741, 10854
 - trypanosome infection
 - effect of age on, 10741
 - prevalence, 10741
 - rate, 10741, 10854
 - susceptibility, 10854
- Glossina palpalis***
 - age, effects, 10735
 - blood meals, 10730
 - effect of juvenile hormone analogue (labelled), 10730
 - in Côte d'Ivoire, 11104
 - in Nigeria, 10868, 10869
 - riverine, 10717
 - trapping, 11104
- Glossina palpalis gambiensis***
 - age, effects, 10735
 - blood meals, 10738, 10739
 - control, 11112
 - genetic/s, 10838
 - gene flow, 10728
 - microsatellite markers, 10728
 - polymorphisms, 10728
 - population, 10838
 - variability, 10728
 - host preference, 10738, 10739
 - in Burkina Faso, 10728, 10738, 10739
 - in Mali, 11112
 - isoenzymes, 10838
 - metacyclic index, 11120, 11121
 - midgut, infection rates, 10739, 11120
 - populations, 10728
 - procyclic index, 11120, 11121
 - salivary gland infection, 10852, 11120

- strains
 Bobo-Dioulasso, 11120, 11121
 Maison-Alfort, 11119, 11121
- susceptibility to deltamethrin, 10735
- trapping, 10738, 11112
- T. brucei* infection, 10739, 11119, 11120, 11121
- T. b. brucei* infection
 transmissibility, 10852
- T. b. gambiense* infection, 11119
- T. congolense* infection, 10739, 11119
- T. vivax* infection, 10739
- trypanosome infection rate, 10852
- vectorial competence, 11119, 11120, 11121
- wing asymmetry, 10726, 10840
- Glossina palpalis palpalis***
age, effects, 10735
behaviour, landing, 10848
fat body, 11099
genetics, 10838
 population, 10838
 X chromosome-linked enzymes, 10839
haemolymph, 11099
in Cameroon, 10740, 10991
in Congo P.R., 10848
isoenzymes, 10838, 10839
midgut, 11099
milk gland, 11099
muscle, 11099
S-symbionts, 11099
salivary gland, 11099
 infection, 10852
strains, Mongo-Bemba, 11119
susceptibility to deltamethrin, 10735
testes, 11099
trapping, 10848
T. brucei infection, 10740, 10991
T. b. brucei infection, 11119
 transmissibility, 10852
T. b. gambiense infection, 11119
T. congolense infection, 10740, 10991, 11119
T. simiae infection, 10740, 10991
T. vivax infection, 10740, 10991
trypanosome infection, 10839
 mixed, 10991
 prevalence, 10740
 proboscis, 10991
 rate, 10740, 10852, 10991
vectorial competence, 11119
- Glossina swynnertoni***
in Kenya, 10974
- Glossina tachinoides***
behaviour, sexual, 10723
blood meals, 10738, 10739
- cuticular hydrocarbons, 10723
dimethylalkanes, 11098
- endosymbionts, *Wigglesworthia glossinidia*, 11101
- host preference, 10738, 10739
in Burkina Faso, 10738, 10739, 10851, 10979
in Côte d'Ivoire, 10981
in Nigeria, 10868, 10869, 10873
metacyclic index, 11120
midgut infection rates, 10739, 11120
nutritional status, 10735
procyclic index, 11120
salivary gland, infection, 11120
sex pheromone, 10723
strains, N'Djamena, 11120
susceptibility to deltamethrin, 10735
trapping, 10738, 10979, 10981
trimethylalkanes, 11098
T. brucei infection, 10738, 10739, 10851
T. b. brucei infection, 11120
T. congolense infection, 10738, 10739
T. vivax infection, 10738, 10739, 10851
trypanosome infection rate, 10851, 10873, 10979
vectorial competence, 11120
- goats**
anti-tsetse saliva antibodies in, 11118
as hosts for tsetse, Cameroon, 11117
as laboratory hosts for tsetse, 11096
East African
 trypanosomiasis
 impact on performance, 11028
 prevalence, Kenya, 11028
 prophylaxis, 11028
Sahelian
 T. congolense infection (exp.)
 drugs testing, 10908
Red Sokoto
 T. congolense infection, 10752
 T. vivax infection, 10752
 trypanosomiasis
 diagnosis, 10752
 prevalence, Nigeria, 10752
T. brucei infection, 11008
T. b. brucei infection (exp.)
 diagnostic testing, 10749
T. congolense infection, 10872, 11009, 11137
T. vivax infection, 10872, 11008, 11009
trypanosome infection, Gambia, 10872
trypanosomiasis
 diagnosis, 11008
 effect on productivity, 10966
 immune response, 10877

- infection rate, Kenya, 11009
- prevalence
 - in Congo D.R., 10877
 - in Uganda, 11008
- West African Dwarf
 - T. congolense* infection (exp.)
 - haematological response, 10882
 - immune response, 10882
 - trypanotolerance, 10882
- Guinea**
 - trypanosomiasis in humans, survey, 10860
- guinea pigs**
 - T. b. brucei* infection (exp.), 11120, 11121
- homidium bromide**
 - controlled release studies, 11157
 - in sustained release devices, 10890, 11024
 - pharmacokinetics in cattle, 11027
 - prophylaxis in cattle, 10890, 11024
 - treatment of *T. congolense*-infected cattle, 10890, 11027
- homidium chloride**
 - treatment of trypanosome-infected sheep, 10884
- horses**
 - T. equiperdum* infection, Botswana, 11134
 - trypanosomiasis
 - in Gambia, 10958
 - risk, Gambia, 10958
 - susceptibility, 10958
- host-vector relationship** 10739
- human serum resistance**
 - in *T. brucei*, 11182
 - in *T. b. rhodesiense*, 10953, 11026
- identification**
 - see also* characterisation, detection
 - of trypanosomes, 11088
 - by DNA probes
 - hybridisation, 11142
 - microsatellite, 11124
 - by dot-ELISA, 10993
 - by ELISA, 11117, 11124
 - by PCR, 10738-10740, 10757, 10855, 10989, 10991, 10993, 11124, 11142
 - comparison of techniques, 10993
 - xenodiagnosis, 11124
- immune response**
 - in camels
 - antibody production, 11145
 - changes in C₃ levels, 11017
 - polymorphonuclear cells, 10760
 - immune response** (cont.)
 - in cattle, 11029
 - antibody production, 10886
 - humoral, 10763
 - in goats
 - antibody production, 10882
 - blood cell changes, 10882
 - in humans
 - antibodies
 - anti-tsetse saliva, 11118
 - IgE, 11118
 - IgG, 11118
 - IgM, 11118, 11151
 - IL-10, 11088
 - TNF- α , 11088
 - trypanolytic factors, 10778, 11151
 - in mice
 - antibody production, 11145, 11152
 - anti-IL-10, 10779
 - autoantibodies, anti-cytokine, 11034
 - CD3⁺ cells, role, 11153
 - CD4⁺8⁻ cells, role, 11153
 - effect of anti-IFN- γ antibodies, 10905
 - IFN- γ production, 11153
 - IL-4 production, 11153
 - IL-10 synthesis, 11149, 11153
 - lymphocyte proliferation, 10779
 - macrophage/monocyte response, 10886
 - role of IFN- γ , 10897
 - T-cell response, 10774, 10886
 - tumor necrosis factor α , 10775
 - in rabbits
 - haematological responses, 10898
 - humoral, 11036
 - in rats
 - antibody, 11035
 - bone marrow responses, 10894
 - chemokines, upregulation of, 11150
 - in sheep
 - antibody production, 10886
 - B-cell population changes
 - CD5⁺, 10762
 - blood cell changes, 10882, 10884
 - bone marrow reaction, 10884
 - PBL, 10761
 - T-cells
 - CD4⁺, 10762
 - CD5⁺, 10762
 - CD8⁺, 10762
 - CD4⁺CD8⁺, 10762
- immunisation**
 - tubulin from *T. brucei*, 11042
- immunity**

- natural, human, 10778
- immunology** 10963, 11088
 - of trypanotolerance, 10888
- immunosuppression**
 - in *T. congolense*-infected mice, 11153
 - in *T. evansi*-infected camels, 10760, 11016, 11017
 - in *T. evansi*-infected sheep, 10760
 - in trypanosome-infected hosts, 10762
 - cattle, 10886
- Indonesia**
 - trypanosomiasis in draught animals, study, 11091
- insect growth inhibitors**
 - on traps and targets, 11114
- insect growth regulators (IGRs)**
 - chitin synthesis inhibitors, 10979, 10981, 11114
 - juvenile hormone analogues, 10730, 10981, 11114
 - on traps/targets, 10979, 10981, 11114
- insecticides**
 - cattle dips
 - pyrethroids, 11105
 - cypermethrin, 10967, 10968, 11029, 11107
 - deltamethrin, 10734, 10735, 10981, 10984, 11018, 11107, 11110, 11112, 11115, 11116
 - impregnated traps/screens/targets, 10847, 11107
 - livestock treatment, 10828, 10855, 10967, 10968, 10976, 10987
 - persistent, on cattle, 10987
 - pour-on, 10713, 10734, 10736, 10967, 10968, 10978, 11018, 11029, 11110, 11115
 - pyrethroids, 10713, 11105
 - synthetic, 10981
 - Spot-on, 10734
 - spraying, 10828, 10847
 - aerial, 10849, 10976
 - ground, 10849, 10976
- in vitro studies**
 - cultivation of trypanosomes, 10727, 10915
 - T. b. brucei*, 11064
 - in drugs testing, 10785
 - on immune response, 10761
 - to *T. brucei* in mice, 10775
 - to *T. b. rhodesiense* in mice, 10774
 - to *T. congolense* in mice, 10779
- irradiation**
 - of bovine serum, effect on ELISA, 10878
- isometamidium chloride** 10969
 - in controlled release studies, 11157
 - in sustained release devices, 10890, 11024
 - pharmacokinetics in sheep, 11015
- prophylaxis
 - in cattle, 10890, 11024
 - in goats, 11028
 - in mice, *T. evansi*-infected, 11053
 - in sheep, 11028
 - T. congolense*-infected, 11015
 - resistance, in *T. vivax*, 11018
 - sensitivity testing, 10908, 10909, 10910
 - treatment
 - of trypanosome-infected dogs, 11025
 - of trypanosome-infected sheep, 10884
- juvenile hormone analogues/mimics (JHA)**
 - degradation in tsetse, 10730
 - on traps and targets, 10981, 11114
 - pyriproxyphen, 10981
- Kenya**
 - fly belts, 10974
 - Galana Ranch
 - G. longipennis*, trapping studies, 10844
 - tsetse control, 11108, 11109
 - G. austeni* in, 10974
 - G. brevipalpis* in, 10974, 10990
 - G. f. fuscipes* in, 10974
 - G. fuscipleuris* in, 10974
 - G. longipennis* in, 10974, 10984, 11018
 - G. pallidipes* in, 10971, 10974, 10981, 11018, 11028
 - G. swynnertoni* in, 10974
 - Lake Victoria
 - T. brucei* infection in monitor lizards, 11124
 - Lambwe Valley
 - trypanosomiasis control, 10960
 - tsetse control, 10716, 10960
 - Nguruman
 - trypanosome infection rates in cattle, 10881
 - trypanosusceptibility studies in cattle, 10883
 - tsetse challenge, 10883
 - tsetse densities, 10881
 - tsetse trapping, 10842, 10883
 - Transmara District
 - trypanosomiasis in livestock, 10986, 10990
 - tsetse control, 10986
 - trypanosomiasis in camels, 10756, 10769, 11011
 - trypanosomiasis in cattle, 10878, 10990
 - incidence, 11018
 - trypanosomiasis in goats
 - incidence, 11009
 - prevalence, 11028
 - trypanosomiasis in humans, *rhodesiense*, 11124
 - trypanosomiasis in sheep
 - incidence, 11009

prevalence, 11028
tsetse control, 10734
trapping, 10981, 10984, 10990
tsetse distribution, 10974
tsetse monitoring, 10984
/Uganda border
G. f. fuscipes on, 11115
trypanosomiasis control, 11115
tsetse control, 11115

Kwazulu-Natal *see* South Africa

land use

association with human trypanosomiasis, 10961
impact of trypanosomiasis control, 10964
impact of tsetse control, 10954, 10955, 10964
effect on biological diversity, 10954, 10964
effect on vegetative structure, 10964
in Kenya, 10960
impact on tsetse distribution, 10974
impact on tsetse populations, 10965
in Burkina Faso
effect on tsetse distribution, 10738
in epidemiological studies, 10850
in Zambia, planning, 11087
in Zimbabwe
impact of tsetse control, 10833

lethal insect technique 10970

use of entomopathogenic fungi, 10983

livestock

baits, in tsetse control, 10978
production
constraints, 10755, 10868, 11090
in sub-Saharan Africa, 10886
impact of trypanosomiasis risk, 10958, 10966
impact of tsetse control, 10955
under trypanosomiasis risk, 10763
trypanosomiasis
constraint to productivity
in Kenya, 10986
effect on production, 10966
in Kenya, 10990
in sub-Saharan Africa, 10886
in Tanzania, 10987
in Togo, 10955, 10978
monitoring, 10987
prevalence, Nigeria, 10876
T. vivax infection, 10987

livestock (cont.)

trypanosusceptibility, 10763
trypanotolerance, 10763

Lot Quality Assurance Sampling (LQAS)

estimation of human trypanosomiasis
prevalence, Uganda, 10999

Malawi

trypanosomiasis in humans, 10857

Mali

drug trials, 10890, 11024
G. p. gambiensis in, 11112
trypanosomiasis in cattle, 10878
tsetse challenge to cattle, 10890, 11024
tsetse control trials, 11112

mammals

non-primate sera, trypanotolerance studies, 11141

man

as host for tsetse, Uganda, 10992

man-fly contact

in Cameroon, 11117

Mauritania

T. evansi infection in camels, 10737
trypanosomiasis in camels, 10754

megazol

combined with suramin
effects in *T. b. brucei*-infected mice, 10782

melarsomine (Cymelarsan)

interaction with *T. brucei*, 10927, 11168
resistance, in *T. brucei*, 11177
sensitivity, in *T. evansi*, 10769
treatment of *T. evansi*-infected camels, 10756, 10760, 10835, 11016

melarsoprol

in CSF, 10865
in plasma, 10865
in urine, 10865
metabolism, 10865
treatment
of human trypanosomiasis, 10747, 10857, 10862, 11003, 11004, 11051, 11086, 11129, 11131
combined with nitrofuranes, 11051
combined with nitroimidazoles, 11051
of *T. b. rhodesiense*-infected monkeys, 11057

mice in laboratory studies

immunisation studies, 11042
modelling animal trypanosomiasis, 10886
transmissibility of *T. congolense*, 11143

T. brucei infection

drug effects, 11055, 11159
immune response, 10775

T. b. brucei infection, 10852, 10854

biochemical effects, 11032
CNS pathology, 10782
drug effects, 10782, 10906, 10912, 10913, 11026, 11062

- immune response, 11034
- in vitro* studies, 10773
- modelling trypanosomiasis, 10783
 - human, 10782
 - neuronal activity, 11032
 - transmission, 10892
- T. b. gambiense* infection
 - drug effects, 10912
- T. b. rhodesiense* infection
 - drug effects, 10906, 10912, 11026
 - immune response, 10774, 10897
 - nitric oxide production, IFN- γ dependent, 11148
- T. congolense* infection, 10854, 10856
 - antibody responses, 11152
 - concurrent with *Plasmodium*, 10904
 - drug effects, 10912, 10914
 - IL-10 synthesis, 11149
 - immune response, 10779, 10905, 11153
 - immunosuppression, 11153
 - resistance, 11149
 - trypanosomiasis resistance QTLs, 11038
- T. equiperdum* infection
 - drug effects, 10912
- T. evansi* infection, 10804, 10856
 - detection by PCR, 11031
 - drug effects, 10912, 11053, 11054
 - immune response, 11047, 11145
 - immunogenicity, 10776, 10781
 - pathology, 11040
 - transplacental transmission, 11045
- T. vivax* infection, 10887
 - transmitted from cattle, 11147
- trypanosusceptibility studies, 10888
- trypanotolerance
 - genetics, 10888
 - modelling, 10888
- models/modelling**
 - discriminant analysis
 - tsetse distribution and abundance, 10843
 - in trypanosomiasis control strategies
 - economic surplus, 11090
 - herd simulation, 11090
 - multivariate, statistical, 11092
 - populations, tsetse, 10732
 - trypanosomiasis
 - animal, 10886
 - human, 11088, 11111
 - in mice, 10782
 - rhodesiense* in monkeys, 11043, 11057
 - transmission, 10828, 10856
 - trypanotolerance, 10888
 - tsetse movements, 10845
- monitor lizards**
 - as host for tsetse, Burkina Faso, 10738
 - T. brucei* infection, Kenya, 11124
- monkeys, vervet**
 - T. brucei* infection
 - nitric oxide production, 10777
 - T. b. rhodesiense* infection (exp.)
 - nitric oxide production, 11043
 - pathology, 11057
 - treatment, 11057
- Mozambique**
 - trypanosomiasis in cattle, prevalence, 11025
 - trypanosomiasis in dogs, 11025
- mules**
 - T. equiperdum* infection, Botswana, 11134
- nagana**
 - in South Africa, review, 11105
- Nannomonas**
 - infections in tsetse, 10851
- nets/netting**
 - hand, 10737
- Nigeria**
 - Bauchi State
 - trypanosomiasis
 - control, monitoring, 10870, 10871
 - in cattle, prevalence, 10869
 - tsetse control, monitoring, 10870, 10871
 - biting flies in, 10868, 10869, 10876
 - Delta State
 - trypanosomiasis in humans, 10825
 - G. longipalpis* in, 10869
 - G. palpalis* in, 10868, 10869
 - G. tachinoides* in, 10868, 10869, 10873
 - Jos Plateau
 - trypanosomiasis in cattle, 10867
 - Kaduna State
 - trypanosomiasis
 - in cattle, prevalence, 10874
 - in livestock, 10827
 - Northern
 - trypanosomiasis in cattle, prevalence, 10873
 - Plateau State
 - trypanosomiasis
 - control, monitoring, 10870, 10871
 - in cattle, prevalence, 10869
 - tsetse control, monitoring, 10870, 10871
 - Taraba State
 - trypanosomiasis in humans, 10831, 10832
 - trypanosomiasis
 - in camels, 10880
 - in goats, prevalence, 10752
 - in humans, 10868
 - in livestock, 10868, 10876

- in sheep, prevalence, 10752
- tsetse control
 - SIT, 10972
 - trapping, 10868, 10869, 10871, 10876
- nitrofuranes**
 - nifurtimox, 11051
 - nitrofurazone, 11051
 - treatment of human trypanosomiasis
 - combined with melarsoprol, 11051
- nitroimidazoles**
 - fexinidazole, 11051
 - megazol, 11051
 - MK-436, 11051
 - treatment of human trypanosomiasis, 11051, 11088
 - combined with melarsoprol, 11051
- non-tsetse-transmitted animal trypanosomiasis (NTTAT)**
 - diagnosis, 10835
 - differentiation, 10835
 - economic impact, 10835
 - relationship with other diseases, 10835
- Novidium** *see* homidium chloride
- odour attractants/baits/stimuli** 10976
 - acetone, 10973, 10975, 11116
 - ketones, 10845
 - 3-methylphenol, 10975
 - 4-methylphenol, 10973, 10975, 11116
 - 1-octen-3-ol, 10845, 10973, 10975, 11102, 11116
 - on traps/screens/targets, 10973
 - phenols, 10845
 - 3-*n*-propylphenol, 10973, 11116
- ox**
 - as bait for tsetse, 10844
 - trypanosomiasis
 - effect on production, 10966
- packed cell volume (PCV)** 11094
 - as indicator of trypanotolerance, 10763
 - as selection criterion for trypanotolerance, 10765
 - effect of trypanosomiasis, 11009
 - in camels, *T. evansi*-infected, 10756, 10880
 - in cattle
 - control, 11019, 11021
 - monitoring, 11110
 - T. brucei*-infected, 11013
 - T. congolense*-infected, 10758, 11027, 11029, 11143
 - T. vivax*-infected, 11018, 11029, 11135
 - trypanosome-infected, 10750, 10755, 10873
 - in goats, *T. congolense*-infected, 10882
 - in monkeys, *T. b. rhodesiense*-infected, 11043, 11057
 - in sheep, *T. congolense*-infected, 10882, 10884
- parasitaemia**
 - as indicator of trypanotolerance, 10763
 - host, effect on vectorial competence in tsetse, 11122
 - in bovids
 - T. b. brucei*-infected, 10854
 - T. congolense*-infected, 10854
 - T. vivax*-infected, 10854
 - in camels, *T. evansi*-infected, 11017, 11145
 - in cattle
 - control, 11019, 11021, 11022
 - T. brucei*-infected, 11013
 - T. congolense*-infected, 10758, 10759, 11027, 11029, 11143
 - T. vivax*-infected, 10887, 11029
 - trypanosome-infected, 11029
 - in goats, *T. congolense*-infected, 10748, 10882
 - in mice, *T. evansi*-infected, 11145
 - in monitor lizards, *T. brucei*-infected, 11124
 - in monkeys, *T. b. rhodesiense*-infected, 11043
 - in rabbits
 - T. b. brucei*-infected, 10902
 - T. congolense*-infected, 10903
 - in sheep, *T. congolense*-infected, 10883, 10884, 11015
- pentamidine**
 - effectiveness, 10830, 10862
 - target, in *T. b. brucei*, 10784
 - treatment
 - of human trypanosomiasis, 10861, 11086
 - side effects, 11004
- pentamidine isethionate**
 - treatment of human trypanosomiasis, 11130
- pigs**
 - anti-tsetse saliva antibodies in, 11118
 - as reservoirs of human trypanosomiasis, 11127
 - as source of tsetse blood meals, 11117
 - role in transmission of human trypanosomiasis, 11117
 - T. b. gambiense* infection, 11164
 - T. b. rhodesiense* infection, 11026
 - trypanosomiasis
 - diagnosis, 11008
 - mixed infections, 11008
 - prevalence
 - in Nigeria, 10868
 - in Uganda, 11008
 - role in epizootiology, 10868
 - T. brucei* infection, 10868, 11008

T. congolense infection, 10868

prophylaxis

- homidium bromide in cattle, 11024
- in human trypanosomiasis, 11088
- isometamidium chloride
 - in cattle, 11024
 - in goats, 11028
 - in sheep, 11015, 11028

pyrethroids 10713

- cattle dips, 11105
- synthetic, on traps/targets, 10981

quinapyramine

- contra-indications in cattle, 11023
- resistance in *T. evansi*, 10911
- sensitivity in *T. evansi*, 10769
- treatment of trypanosomiasis in camels, 10756

rabbits in laboratory studies 10971

- as hosts for tsetse, 11096
- T. b. brucei* infection
 - effects
 - on inflammatory cytokine, 10900
 - on lipoproteins, 10900
 - on serum fatty acids, 10902
 - on serum lipids, 10903
 - haematological responses, 10898
 - pathogenicity, 10893
- T. congolense* infection
 - effects
 - on serum fatty acids, 10902
 - on serum lipids, 10903
- T. evansi* infection
 - diagnostic testing, 11030
 - immune response, humoral, 11036
 - infectivity of different strains, 11039

rats in laboratory studies

- T. brucei* infection, 11124
 - drug effects, 10909, 10910
 - effects
 - on blood sugar, 10896
 - on serum protein profile, 10896
 - immune response, suppression, 11035
 - neurodegeneration patterns, 11044
- T. b. brucei* infection, 11119, 11122
 - biochemical effects, 11041
 - bone marrow response, 10894
 - diagnosis, 10891
 - effect of diabetes on severity, 11037
 - effect on *Brucella* vaccine, 10901
 - immune response, 11150
 - pathogenic effects, 10895
 - transmission, 10892
- T. b. gambiense* infection, 11119

- T. congolense* infection, 11119
 - bone marrow response, 10894
 - immune response, suppression, 11035
 - pathogenic effects, 10895, 10899

T. evansi infection, 10771, 10804

- pathology, 11040

re-invasion, tsetse 10984

remote sensing 10716

- in analysis of land use change, 10833
- in tsetse abundance studies, 11106
- in tsetse control, 11107
- in tsetse distribution studies, East Africa, 11106
- in tsetse surveys, 10843

reptiles

- as tsetse hosts, Uganda, 10992

reservoir hosts

- animal, 11001
 - in Uganda, 11008, 11026
- human, 10858, 10998, 11001
- of trypanosomes, for tsetse, 10854

RNA

- T. brucei*
 - binding protein, 10919, 10940
 - double-stranded, 10943
 - editing, 10816, 10919, 10938, 11068, 11181, 11186
 - g, 11181
 - binding activities, 11173
 - k, 11186
 - levels, 11180
 - ligands, combinatorial selection, 11176
 - m, 10936, 11181
 - cleavage, 11068
 - degradation, 10943
 - polymerase II-transcribed genes, 10808
 - polymerase III-transcribed genes, 10808
 - T7, polymerase, 10952
- trypanosome
 - polymerase II transcription, 10809
- r
 - 18S, 10793, 10917
 - small subunit, 10790

ruminants

- trypanosome infection, Burkina Faso, 10738

Rwanda

- trypanosomiasis in humans, *rhodesiense*, 10747

Samorin *see* isometamidium chloride

satellite imagery

- identifying tsetse habitat, 11107
- predicting tsetse distribution, 11106

screening

- for human trypanosomiasis, 10743, 10744,

- 11127
in Congo D.R., 10997
for *T. evansi* in camels, Kenya, 11011
for trypanosomiasis in cattle, 11115
for trypanosomiasis in livestock
incidence, Tanzania, 10987
- screens** 10855
black/blue/black, 11112
blue, 10736
cloth, 10736
coloured, 10987
insecticide-impregnated, 10736, 10849, 10876,
10982, 10987
deltamethrin, 11112
odour-baited, 10982
stationary electrified, 10990
- sentinel herds**
for monitoring disease incidence, 10987
- serum**
cattle
effect of irradiation on diagnosis, 10878
human
HDL, 10778
protein complex, 10778
resistance
in *T. brucei*, 11182
in *T. b. rhodesiense*, 10953, 11026
trypanolytic factors, 10778
- sheep**
anti-tsetse saliva antibodies in, 11118
as hosts for tsetse, Cameroon, 11117
- sheep (cont.)**
Djallonké
T. congolense infection (exp.)
effect of diet, 10885, 11136
effect on lambing, 10885
effect on offspring performance, 11136
effect on weight during pregnancy,
11136
haematological response, 10882, 11136
haematopoietic response, 10885
immune response, 10882
trypanotolerance, 10765, 10882
Dorper
trypanosomiasis
impact on performance, 11028
prevalence, Kenya, 11028
prophylaxis, 11028
T. congolense infection (exp.)
effect of diet, 11015
isometamidium prophylaxis, 11015
pathophysiology, 11015
T. evansi infection (exp.)
biochemical estimations, 11046
immune response, 10761, 10762
treatment, 10761
- trypanosomiasis
effect on production, 10966
in Kenya, 11009
infection rate, Kenya, 11009
T. congolense infection, 11009
T. vivax infection, 11009
- Yankassa
T. brucei infection (exp.)
immune response, 10884
treatment, 10884
T. congolense infection, 10752
T. congolense infection (exp.)
immune response, 10884
treatment, 10884
T. vivax infection, 10752
T. vivax infection (exp.)
immune response, 10884
treatment, 10884
trypanosomiasis
diagnosis, 10752
prevalence, Nigeria, 10752
- South Africa**
nagana in, review, 11105
tsetse distribution, review, 11105
G. m. morsitans in, 11105
Kwazulu-Natal
G. austeni in, 10973, 11105
G. brevipalpis in, 10973, 11105
G. pallidipes in, 11105
nagana, review, 11105
tsetse control, 10973, 11105
tsetse eradication, 11105
- Spot-on** *see* deltamethrin
- spraying**
insecticide, 10828, 10847
aerial, 10849, 10976
in Botswana, 11107
ground, 10849, 10976
- sterile insect technique (SIT)** 10713, 10847,
10981, 11008, 11114
in Africa, eastern and southern, 10976
in Burkina Faso, 10972
in Ethiopia, 10726
in Nigeria, 10972
in Zanzibar, 10736, 10969, 10972, 10987
- sticky panels**
for tsetse monitoring, 10987
- Stomoxysinae**
in Mauritania, 10737
trapping, 10737
- Stomoxys**

mechanical transmission of trypanosomes,
10734, 10856, 10876
trapping, Nigeria, 10869

Sudan

T. b. gambiense epidemics, 10719
trypanosomiasis
in camels, 10769
in humans, 10719

suids

trypanosome infection, Burkina Faso, 10738

suramin

effectiveness, 10830
resistance in *T. evansi*, 10769, 10911
sensitivity in *T. evansi*, 10769
target, in *T. b. brucei*, 10783
treatment
of human trypanosomiasis, 10747, 11086
combined with DFMO, 10747
of *T. b. brucei*-infected mice
combined with meglumine, 10782

surra *see* trypanosomiasis in camels

surveys

biting flies, Nigeria, 10869
entomological, in Burkina Faso, 10738
epidemiological
trypanosomiasis in animals, Burkina Faso,
10850
trypanosomiasis in camels, Mauritania,
10754
parasitological, in Burkina Faso, 10738
prevalence of trypanosomiasis, Zimbabwe,
10750
trypanosomiasis in animals
on Buvuma Island, Uganda, 11008
trypanosomiasis in cattle
by ELISA, 11007
in Nigeria, 10867, 10874
trypanosomiasis in humans
in Côte d'Ivoire, 10860
in Guinea, 10860
in Uganda, 10999
tsetse
costs, 10843
GIS in, 10843, 10850
in Nigeria, 10869

tabanids

in Mauritania, 10737
mechanical transmission of trypanosomes,
10734, 10876
trapping, 10737, 10754
in Nigeria, 10869

Tanzania

G. pallidipes in, 10741

trypanosomiasis in humans, 10857
Zanzibar (Unguja Island)
G. austeni in, 10736, 10846, 10969, 10987
tsetse control, 10736
SIT, 10969, 10972, 10987
tsetse eradication programme, 10987, 11095
tsetse trapping studies, 10846

targets 10733, 10828, 10976, 10977, 11105

as baits, 10844
as invasion barriers, 11116
black, 10844
blue-black, 10845
catch, 10973, 11116
chitin-synthesis inhibitor-impregnated, 10979,
10981, 11114
cloth, 10990
coloured, 10973
contaminating devices on, 10981
effectiveness, 10973
electrocuting, 10844
entomopathogenic fungi on, 11114
in tsetse monitoring, 11114, 11116
insect growth regulators on, 11114
insecticide-treated, 10847, 10973, 10981,
10982, 10984, 10990
cypermethrin, 11107
deltamethrin, 10984, 11107, 11116
juvenile hormone analogue-treated, 10981,
11114
odour-baited, 10844, 10845, 10973, 10959,
10980, 10981, 10982, 10984, 11107, 11116
visual stimuli, 10981

Togo

trypanosomiasis in livestock, 10955, 10978
tsetse
control, 10978
distribution and abundance studies, 10843

transmission

cycle, 10825
mechanical
by biting flies, 10916
by stomoxys, 10856
by *Stomoxys*, 10734, 10876
by tabanids, 10734, 10876
of trypanosomiasis in animals, 10876
models, 10828
of trypanosomes by tsetse, 11097
of trypanosomiasis, 10738, 11089
bovine
effect of cattle treatments, 11110
human, 10849
role of pigs, 11117
trypanosome, risk, 10850

traps/trapping 10733, 10855, 10977

biconical, 10848, 10849, 10868, 10869, 10871, 10876, 10975, 11112
bipyramidal, 10737
biting flies, 10754
blue/white, 10736
catch, 10845, 10846, 10848, 10975, 11113, 11114
chemosterilants on, 11114
chitin synthesis inhibitor-treated, 10981, 11114
cloth, 10842
coloured, 10842, 10846
comparison, 10975
contaminating devices on, 10981, 10983
cost, 11112
cost-effectiveness, 10848
cross-shaped, 10846
double, 11113
efficiency, 10842, 10846, 10975, 11112
entomopathogenic fungi on, 11114
Epsilon, 10845, 10975, 10984
F3, 10844, 10984
in lethal insect technique, 10970
in tsetse monitoring, 10975, 10984, 11114
insect growth inhibitors on, 11114

traps/trapping (cont.)

insecticide-treated, 10981, 11135
 deltamethrin, 11112, 11115
juvenile hormone analogue-treated, 10981, 11114
Lancien, 10848
Latin squares, 11113
legpanel, 10846
Mérot, 10975
monoconical, 10975
N'Gu (NG2G), 10975
NITSE, 10868, 10869, 10871, 10876
odour-baited, 10842, 10845, 10849, 10883
olfactory stimuli, 10981
pyramidal, 10848, 10849, 10975, 10981, 11115
sticky, 10736, 10846
stomoxys, 10737
tabanids, 10737, 10754
Vavoua, 10848, 10849, 10975
visual stimuli, 10981

trypanocides

ascofuranone plus glycerol, 11062
7-deaza analogues, 10786
gallic acid, 10813
megalomicin, 10907
(+)-5'-noraristeromycin, 10786
natural
 Chinese herbal, 11063
 curcumin, 10785

cyanobacterial ambigol C, 11061
Kigelia pinnata root bark, 11060
multi-herbal, 10914
Unonopsis buchtienii aporphine alkaloids, 11162
nitrosylated compounds, 11055
oligodeoxyribonucleotide phosphorothioates, 11052
poly(ϵ -caprolactone)-based, 11059
poly(D,L-lactide)-based, 11059
rimantadine, 11156
salicylhydroxamic acid, 11054
SIPI 1029, 10906
(2,2':6',2''-terpyridine)platinum(II) complexes, 11158
trybazine hydrochloride, 10912

Trypanosoma

genetic nomenclature, 11163

Trypanosoma brucei

acid phosphatase, 10930
adenosine transport, 11082
antigen detection, 10870, 10871
antigenic variation, 10948
apoptosis, 11066
arachidonic acid, 10929
asparagine-glycosylation pathway, 11178
biochemical effects, 10945, 10946
bloodstream form, 10811, 10820, 10942, 11159
calcium entry, 10929
cell growth inhibition, 10821
clones, S 427, 11141
cystamine inactivation
 role of Cys-319, 10799
cysteine proteinase inhibition, 11159
development, 10923
diamine auxotrophy, 11048
differentiation, 11183
dihydrofolate reductase, 11085
DNA, 10807
 c, cloning, 11072
 kinetoplast, 11071
 sequences, microsatellite, 10959
drug effects, 10907, 10909, 10910, 10927, 11052, 11058, 11156, 11158, 11162, 11168
drug resistance, 11177
drug targets, 11085
endocytosis, pathways, 10931
endoplasmic reticulum, marker, 11170
energy metabolism, 10797, 10815
evolution, 10793
 α -galactosyltransferase, 11192
genetic/s, 11072
 chromatin, processive transcription, 10952
 chromosomes, diploid megabase, 11185

- cis*-splicing systems, 10940
- DNA
 - β -D-glucosyl-hydroxymethyluracil, 10937
 - minicircles, 10924
 - polymerase activities, 10932
- dominant-negative, 11198
- exchange, 11171
- gene/s, 10933
 - conserved organisation, 10800
 - expression, 11081
 - expression sites, 10798, 10801, 10812, 10949, 11189
 - hsp 70, 10936
 - hsp 100, 10814
 - organisation, 11070
 - RNA polymerase II, 10808
 - RNA polymerase III, 10808
 - transcription, 10808, 10952
 - VSG, 10798, 10801, 10812, 10949, 11189
- genome, 10989
 - expressed sequence tags, 10928
 - organisation, 11169
 - physical analysis, 10808
 - transcriptional analysis, 10808
- linkages, conservation, 10814
- megabase chromosomes, molecular karyotype, 10810
- minichromosome segregation, 10805
- minicircles, random segregation, 11194
- RNA
 - double-stranded, 10943
 - editing, 10816, 10919, 10938, 11068, 11181, 11186
 - g, 11181
 - g, binding activity, 11173
 - k, 11186
 - levels, 11180
 - ligands, combinatorial selection, 11176
 - m, 11181
 - m, cleavage, 11068
 - m, degradation, 10943
 - m, steady state, 10936
 - polymerase, 10952
- U deletion, 10802
- U insertion, 10802
- variability, 10989
- glucose-6-phosphate dehydrogenase, 11174
- β -D-glucosyl-hydroxymethyluracil, 10807, 11074
- γ -glutamylcysteine synthesis, 10799
- glyceraldehyde-3-phosphate dehydrogenase, 11168
 - inhibition, 11049, 11050, 11154
- glycerol-3-phosphate dehydrogenase, 10927
- glycerol uptake, 10820
- glycosomal malate dehydrogenase, molecular cloning, 10920
- glycosylation mutants, ConA-resistance, 10795
- GPEET-PARP, phosphorylation, 11184
- GPI, 11187
- GPI anchor
 - side chain α -galactosyltransferases, 11067
 - synthesis, 11065
- GPI-dependent secretory transport, 10939
- GPI membrane anchor, biosynthesis
 - GlcNAc-PI de-*N*-acetylases, 11195
- GPI-specific phospholipase C
 - S-myristolation, 11165
- GPI-specific phospholipid C, 10814
- GTP-binding protein, 11196
- human serum resistance, 11026, 11182
- human serum sensitivity, 11026
- identification, 10991, 10993
- infecting animals, 10746
- infecting cattle, 10739, 10750, 10751, 10868, 10869, 10874, 10878, 10881, 11005, 11008, 11010, 11012, 11013, 11025, 11026, 11115, 11132, 11133
 - Ankole longhorn, 11142
- infecting dogs, 10767, 11008, 11025, 11026
- infecting goats, 11008
- infecting livestock, 10870, 10871, 10876
- infecting mice, 10775, 11026, 11159
- infecting monitor lizards, 11124
- infecting monkeys, 10777
- infecting pigs, 10868, 11008, 11026
- infecting rats, 10896, 11035, 11044
- infecting sheep, Yankassa, 10884
- infecting tsetse, 10738, 10739, 10740, 10741, 10851, 10991, 10993
- infectivity, 11124
- in vitro* cultivation, 10915
- isolates, 11026
- life cycle, 11124
- lysosomal membrane glycoprotein, p67, molecular cloning, 11073
- metabolic enzyme activity, core, 11180
- microtubules, cytoskeleton, 10944
- mitochondria, 10932
 - polyadenylation, 11186
- mitochondrial acetate:succinate coenzyme A-transferase, acetate production, 11175
- mitochondrial Y-box family protein, RBP16, gRNA binding activity, 11173
- nuclear organisation, 11169
- ornithine decarboxylase, 10942, 10950

- oxidase, alternative, 10926
- PARP expression, regulation, 11197
- PCR detection, 10751, 10872
- pH homeostasis, 10819
- 6-phosphogluconate dehydrogenase, 11076
- phosphoglycerate kinase, 10797
 - inhibition, 11077
- phosphoglycerate kinase isoenzymes
 - expression in *E. coli*, 10823
- phospholipase A₂, 10929
- phospholipid C, GPI-specific, 10814
- polysome profiles, 10923
- procyclic form, 10811, 10820, 11052, 11178
- procyclin, 11079
- protease, extracellularly released, 11190
- proteases, 10947, 11193
- protein farnesylation inhibition, 10821
- Trypanosoma brucei* (cont.)**
- protein glycosylation mutants, 11178
- proteins, 10930, 10945, 10946
 - DEAD-box, HEL64
 - gene knockout analysis, 11188
 - farnesyltransferase, 10822
 - GTP-binding, 11196
 - guide RNA binding, gBP21, 10919
 - heat shock, 10814, 10936
 - inhibitors, 10818, 10821
 - kRNA-editing associated (REAP-1), 10938
 - mitochondrial oligo (U)-binding, 10816
 - mitochondrial Y-box family, RBP16, 11173
 - nuclear, 10940
 - poly (A) binding, I, 11072
 - RNA-binding, 10940
 - TBRGG1, 10816
- Rab4 and Rab5 isoforms, 10931
- ribonucleotide reductase, allosteric regulation, 10935
- surface coat, 10796
- surface receptors, 10922
- surface transporters, 10922
- telomerase, 11167
- transformation, 10811
- triosephosphate isomerase, 11075
 - interface cysteine, 11191
- trypanothione reductase inhibition, 11058
- tubulin, 11042
- VCP homologue, 11078
- volume homeostasis, 10819
- VSG, 10798, 10812, 10934, 10949
- Trypanosoma brucei* spp.**
- Central African stocks
 - isoenzyme characterisation, 11164
 - zymodemes, 11164
- characterisation, 10794
- genetic epidemiology, 10794
- infecting humans, 10746, 10861
- Trypanosoma brucei brucei***
- S*-adenosylmethionine cellular transport, 11172
- biochemical effects, 10921
- bloodstream form, 10786, 11064, 11161
- characterisation, isoenzyme, 11164
- Congolese stock, 10852
- cyclical development, 11096
- cyclophilin A, 11069
- cysteine proteinase inhibition, 11161
- culture, 11064
- drug effects, 10784, 10785, 10787, 10813, 10912, 10913, 11060, 11062
- drug resistance, 11166
- EATRO 1125, 11119, 11120, 11121
- GUTat 3.1, 10786
- human serum sensitivity, 11026
- identification, 10989
- infecting buffalo, 10854
- infecting cattle, 11026
 - Boran, 10854
 - N'Dama, 10854
- infecting dogs, 10892
- infecting domestic animals, 11026
- infecting eland, 10854
- infecting goats, 10748
- infecting livestock, 11089
- infecting mice, 10773, 10782, 10783, 10852, 10854, 10892, 10906, 10912, 10913, 11026, 11032, 11034
- infecting rabbits, 10893, 10898, 10900, 10902, 10903
- infecting rats, 10891, 10892, 10894, 10895, 10901, 11037, 11041, 11150
- infecting tsetse, 10852, 10853, 10854, 11096, 11119, 11120, 11121
- infecting waterbuck, 10854
- lysis by human serum factors, 10778
- metacyclic form, 10852, 11120, 11121
- oligopeptidase, 10784
- phylogenetic relationships, 10916
- pleomorphic clone, 10748
- procyclic form, 10785, 10852, 11120, 11121
- protein methylation, 11172
- STIB 247-L, 10853
- transmissibility, 10852
- trypomastigotes, 11060
- uracil, transporter, 11179
- Trypanosoma brucei gambiense***
- aspartate aminotransferase, 11164
- bloodstream form, 11127
- characterisation of stocks, isoenzyme, 11164
- drug effects, 10912

drug resistance, 11003, 11166
identification, 10989
infecting humans, 10719, 10742-10745, 10857-10859, 10862, 10863, 10865, 10996, 10998-11000, 11002-11004, 11111, 11126, 11127, 11129-11131, 11164
infecting mice, 10912
infecting pigs, 11164
infecting tsetse, 10724, 10727, 11119
isolates, 10996
LiTat 1.3, 10817, 11127
 gene, 10858, 10998
LiTat 1.5, 11127
LiTat 1.6, 11127
lysis by human serum factors
 resistance mechanisms, 10778
Mba strain, 11119
Phanzu strain, 11119
superoxide dismutase phenotype, 11164
variable surface antigens, 11127
VSG, 10817
 genes, 10858, 10998
 regulation, 11189

Trypanosoma brucei rhodesiense

S-adenosylmethionine cellular transport, 11172
apoptosis, 11083
biochemical effects, 10921
bloodstream form, 10941, 11063
cell death, Con A-induced, 10951
drug effects, 10912, 11061, 11063
drug resistance, 11166
epidemics, 10719
gene expression, 10951, 10953
genome, 10928
human serum resistance, 10953, 11026
identification, 10989
infecting cattle, 11026
infecting dogs, 11026
infecting domestic animals, 11026
infecting humans, 10719, 10747, 10857, 11026, 11124
infecting mice, 10774, 10897, 10906, 10912, 11026, 11148
infecting monkeys, 11043, 11057
infecting pigs, 11026
infecting tsetse, 10724, 10727
KETRI 2537, 11043, 11057
KETRI 2772, 11057
lysis by human serum factors
 resistance mechanisms, 10778
procyclic form, 10941, 10951
prohibitin, 11083
protein methylation, 11172
RACK homologues, 11083

transcripts, 10941
transformation, 10941
Utat 4.1, 10996
VSG, gene expression site, 10953
zoonosis, 10830

Trypanosoma congolense

Agriumbe stock, 11119
antigen detection, 10870, 10871
antigen for ELISA, 11007
bloodstream form, 10908
cyclical development, 10854, 11096
cysteine proteinase inhibition, 10806
drug effects, 10908, 10910, 10912, 10914
drug resistance, 10908, 11027, 11029, 11143
drug sensitivity, 11024, 11027
epimastigotes, 11123
evolutionary relationships, 10917
forest type, 10738, 10739, 10740, 10991
genes, conserved organisation, 10800
glutamic acid/alanine-rich protein, 11079
identification, 10991, 10993
IL 13-E3, 10853
IL 1180, 10853, 10908, 11024, 11027, 11119, 11122, 11123
IL 3330, 11027
IL 3338, 11143
infecting buffalo, 10854
infecting cattle, 10734, 10739, 10750, 10868, 10869, 10875, 10878, 10881, 10890, 11005, 11006, 11008, 11010, 11014, 11024, 11025, 11091, 11105, 11115, 11132, 11133
 Adamawa, 10874
 Boran, 10854, 10990, 11027, 11143
 N'Dama, 10758, 10759, 10854, 10889, 11022
 Red Bororo, 10874
 Zebu, 11029
infecting eland, 10854
infecting goats, 11009, 11137
 Red Sokoto, 10752
 Sahelian, 10908
 West African Dwarf, 10882
infecting humans, 10861
infecting livestock, 10870, 10871, 10876
infecting mice, 10779, 10854, 10855, 10904, 10905, 10912, 10914, 11038, 11149, 11152, 11153
infecting pigs, 10868
infecting rabbits, 10902, 10903
infecting rats, 10894, 10895, 10899, 11035
infecting sheep, 11009, 11015
 Djallonké, 10882, 10885, 11136
 Yankassa, 10752, 10884
infecting stomoxys, 10856

- infecting tsetse, 10738-10741, 10853, 10854, 10890, 10991, 10993, 11096, 11119, 11122, 11123
- infecting waterbuck, 10854
- ITC 84, 10759
- K60/1, 10853
- Kilifi type, 10740, 10856, 10991
- mechanical transmission, 10856
- mesocyclic form, 11123
- Trypanosoma congolense*** (cont.)
- metacyclic form, 11122, 11123
- PCR detection, 10748, 10872
- procyclic form, 11122, 11123
- propeptides, 10806
- Samorogouan/89/CRTA/267, 10908
- savanna type, 10738-10740, 10861, 10991
- transferrin, 11056
- variability, 10988
- VSG disulphide bonds, 10925
- Trypanosoma cruzi***
- diamine auxotrophy, 11048
- drug effects, 11158
- evolution, 10793
- evolutionary relationships, 10917
- genetic linkages, conservation, 10814
- GPI-specific phospholipid C, 10814
- heat shock protein 100, 10814
- lysis by human serum factors
- resistance mechanisms, 10778
- phospholipid C, GPI-specific, 10814
- triosephosphate isomerase, 11075
- interface cysteine, 11191
- Trypanosoma cyclops***
- evolution, 10793
- Trypanosoma equiperdum***
- biochemistry, 10916
- detection, 10916
- distinguishing from *T. evansi*, 10835, 10916
- DNA, k, maxicircles, 10916
- drug effects, 10912
- flagellar pocket, 10916
- infecting donkeys, 11134
- infecting horses, 11134
- infecting mice, 10912
- infecting mules, 11134
- in vitro* cultivation, 10916
- molecular characteristics, 10916
- morphology, 10916
- pathogenicity, 10916
- phylogenetic relationships, 10916
- transmission, 10916
- Trypanosoma evansi***
- antigens, excreted/secreted, 10780, 11084
- biochemistry, 10916
- biometrical alterations, 10804
- clones, 11047
- detection, 10835, 10916
- PCR, 10872
- differentiation, intra-species, 10772
- distinguishing from *T. equiperdum*, 10835, 10916
- distribution, 10835
- drug effects, 10912, 11053, 11054
- drug resistance, 10911
- drug sensitivity, 10769
- genetics, 10835
- infecting camels, 10737, 10756, 10760, 10769, 10880, 11011, 11016, 11017, 11139, 11145
- infecting cattle, 10770, 11091
- infecting dogs, 11140
- infecting donkeys, 10749, 11138
- infecting mice, 10776, 10781, 10804, 10856, 10912, 11031, 11040, 11045, 11047, 11053, 11145
- infecting rabbits, 11030, 11036, 11039
- infecting rats, 10771, 10804, 11040
- infecting sheep, 10761, 10762, 11046
- infecting stomoxys, 10856
- in vitro* cultivation, 10916
- irradiation, effects, 10776
- KETRI 3136, 10769
- molecular studies, 10835, 10916
- morphology, 10916
- strains, infectivity, 11039
- survival after death of host, 10771
- pathogenicity, 10916
- phylogenetic relationships, 10916
- strains, 10835
- transmission, 10856, 10916
- TREU 2143, 10761
- tyrosine aminotransferase, 11145
- Trypanosoma grayi***
- evolutionary relationships, 10917
- Trypanosoma rangeli***
- evolution, 10792
- evolutionary relationships, 10917
- Trypanosoma simiae***
- genetics
- mini-exon gene, 10918
- identification, 10991
- infecting tsetse, 10851, 10991
- Trypanosoma theileri***
- infecting cattle, 10881
- Trypanosoma vivax***
- antigen detection, 10870, 10871
- cyclical development, 11096
- detection, PCR, 10748, 10751, 10872
- drug resistance, 11018

- drug sensitivity, 11029
- genes, conserved organisation, 10800
- haemorrhagic form, 11018
- identification, 10991
- IL 4007, 10703
- in tsetse-free areas, 10835
- infecting buffalo, 10854
- infecting cattle, 10734, 10739, 10750, 10751, 10753, 10757, 10868, 10869, 10873, 10875, 10878, 10881, 11005, 11006, 11008, 11010, 11014, 11018, 11025, 11105, 11115, 11132, 11133, 11135
 - Adamawa, 10874
 - Boran, 10854, 10990
 - N'Dama, 10854, 11022
 - Red Bororo, 10874
 - White Fulani Zebu, 10887
 - Zebu, 11029, 11147
- infecting eland, 10854
- infecting goats, 11008, 11009
 - Red Sokoto, 10752
- infecting livestock, 10870, 10871, 10876, 10987
- infecting mice, 10887
- infecting pigs, 11008
- infecting sheep, 11009
 - Yankassa, 10752, 10884
- infecting tsetse, 10738, 10739, 10741, 10757, 10851, 10853, 10854, 10991, 11096
- infecting waterbuck, 10854
- Trypanosomatidae**
 - genetic exchange, 11171
- trypanosome/s**
 - S-adenosylmethionine decarboxylase, 10866
 - antigenic variation, 11088
 - antigens, 10720, 10749
 - bloodstream form, 10727
 - characterisation, 10988
 - by PCR, 10850, 10851
 - cryopreservation, 10727
 - cysteine proteases, 10866
 - distribution, 11094
 - drug targets, 11080
 - epidemiology, 11094
 - evolution, 10793
 - genetics, 10787, 10790, 10791, 10792, 10793
 - genome, 10809
 - genome project, 10788, 10789
 - glycoprotein surface coat, 10778
 - glycosomal enzymes, 10866
 - identification, 11088
 - by PCR, 10738, 10751
 - infecting cattle, 10755, 10886
 - Fulani, 10876
 - Galana Boran, 10883
 - Maasai Zebu, 10883
 - Orma Boran, 10883
 - infection rate in cattle, Nigeria, 10881
 - invariant components, 10886
 - infecting humans, 10793
 - infecting primates, 10793
 - in vitro* cultivation, 10727
 - life cycles, 11094
 - morphology, 11094
 - nomenclature, 11094
 - non-tsetse transmitted, 10835
 - ornithine decarboxylase, 10866
 - prevalence
 - in cattle, 10867
 - in tsetse, 10991
 - purine, biosynthetic pathway, 10866
 - procyclic form, 10727
 - promoter activity, 10809
 - RNA
 - polymerase II transcription, 10809
 - r, small subunit, 10790
 - r, 18S, 10793
 - Salivarian
 - evolutionary relationships, 10917
 - ribosomal RNA 18S sequences, 10917
 - sterol, biosynthetic pathway, 10866
 - taxonomy, 11094
 - thiol metabolism, 11080
 - transmission, risk, 10850
 - trypanothione reductase, 10866
 - variability, 10988
 - VSG, 10886
- trypanosomiasis general**
 - constraint to agricultural development, 10834
 - control, 10752, 10956, 10962, 10963, 10964, 11092, 11155
 - in Africa, sub-Saharan, 10957
 - in Kenya, 10960
 - in Nigeria, 10868, 10871
 - in Togo, 10955
 - in Zambia, 10834
 - integrated, 10829
 - diagnosis, 11089
 - distribution, 11092
 - epidemics, 11089
 - epidemiology, 10829, 10850, 11089
 - history, 11089
 - in African livestock, 10768
 - incidence, 11089
 - in Nigeria, 10871
 - in Zambia, 10982
 - modelling, 10782, 10783, 11092
 - monitoring, 10869, 10871

- pathogenesis, 11033, 11089
- trypanosomiasis general** (cont.)
 - pathology, 11089
 - prevalence, 11089
 - prognosis, 11089
 - risk, 10828, 11089
 - in Burkina Faso, 10851
 - symptoms, 11089
 - transmission, 11089
 - treatment, 11089
- trypanosomiasis in animals** 11089
 - as constraint to agricultural production, 10966
 - chemoprophylaxis, 11094
 - chemotherapy, 11094
 - clinical symptoms/pathological effects, 10763
 - abortion, 10968
 - anaemia, 10758, 10763, 10854, 10882-10884, 10895, 10902, 11014, 11015, 11019, 11025, 11028, 11135, 11136
 - bleeding through skin and ears, 11135
 - CNS disturbances, 11025
 - corneal opacity, 11025
 - depressed growth rate, 10885
 - depression, 11028
 - dilated abdomen, 11025
 - dullness, 10755
 - emaciation, 10827, 10874
 - endocrinological changes, 11140
 - enlarged lymph nodes, 11057
 - enlarged spleen, 11135
 - fever, 11025
 - hypoalbuminaemia, 11025
 - hypocomplementaemia, 11017
 - hypothyroidism, 11140
 - inflammation of lymph nodes, 11025
 - inspiratory dyspnoea, 11025
 - leucopenia, 11014
 - loss of appetite, 10827, 11091
 - loss of vision, 11025, 11140
 - ocular discharge, 10874
 - ocular lesions, 11025
 - offspring mortality, 10884
 - petechial haemorrhage, 11135
 - polyglandular endocrine failure, 10746
 - poor hair coat, 10827
 - proteinaemia, 11025
 - reduced appetite, 11057
 - retarded growth, 11015, 11021
 - splenomegaly, 11057
 - stiffness, 11057
 - vomiting, 11025
 - weight loss, 10755, 11028
 - control, 10827, 10828, 10870, 10876, 10886, 11023, 11090, 11094
 - cost, 11090
 - diagnosis, 10827, 10870, 10879, 11001, 11008, 11094
 - drug resistance, 11023
 - epidemiology, 10828
 - in Burkina Faso, 10850
 - in West Africa, 10988
 - in Nigeria, 10827, 10870, 10876
 - in sub-Saharan Africa, 10886
 - incidence, 11093
 - modelling, 10886
 - monitoring, Nigeria, 10970
 - pathogenesis, 11094
 - prevalence, 11093
 - in Nigeria, 10876
 - in Uganda, 11008
 - prevention, 11094
 - resistance, 11094
 - treatment, 11094
 - diminazene aceturate, 11140
 - T. brucei* infection, 10876
 - T. b. brucei* infection, 11089
 - T. congolense* infection, 10876
 - T. vivax* infection, 10876
- trypanosomiasis in camels (surra)**
 - control, 10756
 - diagnosis, 10756, 11011, 11145
 - in Egypt, 11139
 - in Kenya, 10756, 11011
 - in Mauritania, 10754
 - prevalence, Mauritania, 10754
 - treatment, 10756
 - T. evansi* infection, 10756, 11011, 11139, 11145
 - prevalence, Nigeria, 10880
- trypanosomiasis in cattle** 10720
 - control, 10766, 10883
 - diagnosis, 10751, 10850, 10867, 10868, 10873, 10874, 10875, 11005, 11010
 - distribution, Nigeria, 10867
 - drug therapy, 11012, 11013
 - haemorrhagic, in Uganda, 11135
 - immune response, 10886
 - in East Africa, 10766
 - in Kenya, 10734
 - in Nigeria, 10867, 10868, 10873, 10874
 - in South Africa, 11105
 - in sub-Saharan Africa, 10886
 - in Uganda, 10751
 - incidence
 - in Ethiopia, 11029
 - in Kenya, 10734, 10883, 11018

- in Zambia, 11110
- on Uganda/Kenya border, 11115
- pathology, 11014
- prevalence
 - in Burkina Faso, 11005
 - in Cameroon, 11010
 - in Congo D.R., 10877
 - in Nigeria, 10867, 10868, 10873, 10874, 10876
 - in Uganda, 11008, 11135
 - in Zambia, 11110
 - in Zimbabwe, 10750
 - on Uganda/Kenya border, 11115
 - trypanosomal, 10968
- relationship to tick-borne disease, 10766
- risk, Nigeria, 10874
- threat, 10833
- treatment, 11105
 - diminazene aceturate, 11115
- T. brucei* infection, 10739, 10750, 10751, 10868, 10874, 11005, 11008, 11010, 11115
- T. congolense* infection, 10734, 10739, 10750, 10868, 10874, 11005, 11008, 11010, 11029, 11105, 11115
- T. vivax* infection, 10734, 10739, 10750, 10751, 10868, 10873, 10874, 11005, 11008, 11010, 11029, 11105, 11115, 11135
- trypanosome infection, 10734, 10873
- trypanosomiasis in dogs**
 - chemoprophylaxis, 11025
 - in Mozambique, 11025
 - prevalence, Uganda, 11008
 - T. brucei* infection, 11008, 11025
- trypanosomiasis in goats**
 - diagnosis, 10752
 - incidence, Kenya, 11009
 - prevalence
 - in Congo D.R., 10877
 - in Kenya, 11028
 - in Nigeria, 10752
 - in Uganda, 11008
 - T. brucei* infection, 11008
 - T. congolense* infection, 11009
 - T. vivax* infection, 11008, 11009
- trypanosomiasis in humans** 10721, 10963, 11089
 - blood-brain barrier
 - role of cytokines, 11088
 - carbohydrate metabolism, 11088
 - chemotherapy, 11088
 - clinical aspects, 11088
 - clinical symptoms/pathological effects, 10849
 - adenopathy, 11131
 - adynamia, 10746
 - anaemia, 10831
 - anorexia, 10746
 - cervical gland enlargement, 10831
 - chancre, 11130
 - CNS involvement, 10742, 10747, 10859
 - CSF abnormalities, 11002
 - emaciation, 10831
 - fever, 10831, 11131
 - headache, 10831
 - infertility, 10746
 - itching, 10831
 - joint pains, 10831
 - lethargy, 10746
 - low weight, 10862
 - meningoencephalitis, 11002, 11131
 - neuroendocrine dysfunction, 10746, 11002
 - neurological, 10859, 11131
 - neuronal damage, 10863
 - oedema, 10831
 - sleep-wake cycle disturbances, 11129, 11131
 - trypanosomes in CSF, 10747
 - weakness, 10831
 - control, 10717, 10719, 10825, 10826, 10828, 10832, 10849, 10985, 10994, 10997
 - diagnosis, 10717, 10719, 10742-10745, 10825, 10857-10861, 10863, 10864, 10996-11001, 11088, 11125-11128, 11130, 11131
 - electroencephalographic features, 11088
 - endemicity, 11127
 - epidemics, 10717, 10825, 10830, 10985, 10994, 10997, 11986
 - in Uganda, 10992
 - epidemiology, 10828, 10830, 10864, 10961, 10989, 10997
 - foci, 10745, 10848, 10857, 10861, 10862, 10989, 10991, 10994, 10997
 - in Cameroon, 10991
 - Bipindi, 11128
 - Campo, 11127, 11128, 11164
 - Fontem, 11117, 11128
 - historical aspects, 10830
 - hormones in, 11088
 - immunology, 11088
 - in Africa
 - sub-Saharan, 10719
 - West, 10714
 - in Angola, 10719
- trypanosomiasis in humans (cont.)**
 - in Cameroon, 10857, 10862, 11001, 11117, 11127
 - in Central African Republic, 10719
 - in Congo D.R., 10719, 10997, 11000
 - in Congo P.R., 10848, 11129

- in Côte d'Ivoire, 10742, 10745, 10857, 10860, 10861, 10865, 11000, 11002, 11125
- in Guinea, 10860
- in Kenya, 11124
- in Malawi, 10857
- in Nigeria, 10825, 10830, 10831, 10832, 10868
- in Rwanda, 10747
- in Sudan, 10719, 11086
- in Tanzania, 10857
- in Uganda, 10719, 10740, 10826, 10830, 10858, 10961, 10985, 10992, 10996, 10998, 11003, 11004, 11026
- incidence
- in central Africa, 10994
 - in Uganda, 10961
- modelling, 10782, 11088, 11111
- nitric oxide involvement, 11088
- pathogenesis, 10746
- role of cytokines, 11088
- pathology, 11088
- polyamine metabolism, 11088
- prevalence, 10857
- in Cameroon, 11127
 - in Nigeria, 10825
 - in Uganda, 10999
- prevention, 10849
- prophylaxis, 11088
- reservoirs, 11127
- resurgence, 10825
- risk, Nigeria, 10825, 10832
- screening, 10743, 10744, 10997, 11127
- socioeconomics, 10832, 10862
- surveillance, 10717, 10961, 10997, 11086, 11125
- surveys, 10743
- transmission, 10999, 11117
- treatment, 10717, 10719, 10746, 10747, 10849, 10857, 10861, 10862, 10864-10866, 10997, 11000, 11002, 11086, 11088
- combination therapy, 10747, 10864, 11051
 - DFMO, 10747, 11051, 11086, 11131
 - melarsoprol, 10747, 10857, 10862, 10865, 11003, 11004, 11051, 11086, 11129, 11131
 - nitrofuranes, 11051
 - nitroimidazoles, 11051, 11086
 - pentamidine, 10861, 10862, 11004, 11086
 - pentamidine isethionate, 11130
 - relapse, 11003
 - review, 10864
 - suramin, 10747, 11086
- T. brucei* spp. infection, 10746, 10861
- T. b. gambiense* infection, 10719, 10742-10745, 10857-10859, 10862, 10863, 10865, 10996, 10998-11000, 11002-11004, 11111, 11126, 11127, 11129-11131
- T. b. rhodesiense* infection, 10719, 10747, 10857, 11026, 11124
- T. congolense* infection, 10861
- trypanosomiasis in livestock**
- control, 10986
 - diagnosis, 10987
 - effect on productivity, 10966, 10986
 - incidence
 - in Africa, 10966
 - in Tanzania, 10987
 - in Kenya, 10986, 10990
 - in Togo, 10955, 10978
 - prevalence, Togo, 10955
 - risk
 - in Africa, 10966
 - in Ethiopia, 10967
 - in Gambia, 10958
 - T. vivax* infection, 10987
- trypanosomiasis in pigs**
- in Nigeria, 10868
 - mixed infections, 11008
 - prevalence, Uganda, 11008
 - T. brucei* infection, 10868, 11008
 - T. congolense* infection, 10868
- trypanosomiasis in sheep**
- diagnosis, 10752
 - incidence, Kenya, 11009
 - prevalence
 - in Kenya, 11028
 - in Nigeria, 10752
 - T. congolense* infection, 11009
 - T. vivax* infection, 11009
- trypanosusceptibility**
- in cattle
 - Boran, 10854, 10889
 - crossbred, 10755
 - Friesian, 10766, 11020
 - Galana Boran, 10766, 10883, 11020
 - genetics, 10888
 - Gobra Zebu, 10755
 - immune responses, 10886
 - Maasai Zebu, 10883
 - N'Dama, 10755
 - Orma Boran, 10883
 - in horses, 10958
 - in livestock, 10958
 - impact on production, 10966
- trypanotolerance**
- anti-*T. brucei* activity in non-primate mammal sera, 11141
 - assessment, 11019, 11021
 - control of anaemia, 11019, 11021

- control of parasitaemia, 11019, 11021, 11022
criteria, 11019, 11021
genetic parameters, 10763
in buffalo, 10854
in cattle, 10720, 10755
 antigen recognition, 10720
 effect on production, 10966
 genes, 10888
 genetic markers, 10720, 10763
 genetics, 10888, 10889
 immune response, 10886
 humoral, 10763
 immunology, 10888, 10889
 Maasai Zebu, 10766, 11020
 N'Dama, 10758, 10763, 10854, 10889,
 11019, 11021, 11022
 infection status, 11019, 11021
 Orma Boran, 10766, 11020
 susceptibility to ticks, 11020
in eland, 10854
in goats, West African Dwarf, 10882
in humans, 11001
in mice
 genetics, 10888
 immunology, 10905
in sheep, 10765
 Djallonké, 10882
in waterbuck, 10854
indicators
 anaemia control, 10854
 parasitaemia control, 10763, 10854
 PCV, 10763
selection criteria, 10765
selective breeding, 10763
variance, 10763
- Trypanozoon**
detection by PCR, 10748
maturation in tsetse, 10839
- tsetse eradication** 10977, 11106
in Kwazulu-Natal, 11105
in Nigeria, 10870, 10871
in Tanzania, 10987, 11095
in Zambia, 10982
monitoring, 10879
- tsetse/fly front** 10750
- tsetse/fly belts**
in Kenya, 10974, 11028
- Uganda**
Busoga
 trypanosomiasis in humans, 10985
Buvuma Island
 G. f. fuscipes in, 11008
 trypanosomiasis in animals, survey, 11008
- G. f. fuscipes* in, 10981, 10992, 11135
G. pallidipes in, 11135
/Kenya border
 G. f. fuscipes on, 11115
 trypanosomiasis control, 11115
 tsetse control, 11115
- Mbale District
 trypanosomiasis in cattle, 11135
- north-western
 trypanosomiasis in humans, 10858
 gambiense, 10996, 10998, 10999, 11003,
 11004
- southern
 trypanosomiasis in humans, 10826
- south-eastern
 trypanosomiasis in humans, 10992
 rhodesiense, 11026
 T. b. rhodesiense epidemics, 10719
- Tororo District
 trypanosomiasis
 in cattle, 11135
 in humans, 10961
- trypanosomiasis
 in cattle, 10751
 in humans, 10719, 10742
 control (historic), 10830
 T. b. gambiense epidemics, 10719
tsetse control, trapping, 10981
- vaccines** 10720, 11090
development studies, 11042
- variant surface glycoproteins (VSG)** 10886
T. brucei
 antisera, 10934
 expression site, 10801, 10812, 10949
 chromatin remodelling, 11189
 gene, expression site promoter, 10798
 regulation, 11189
T. b. gambiense, 10817
 genes, 10858, 10998
- variant surface glycoproteins (cont.)**
T. b. rhodesiense
 gene expression site, 10953
T. congolense
 disulphide bonds, 10925
trypanosome
 promoter, 10809
- vectorial competence**
G. m. morsitans, 11119, 11122, 11123
G. p. gambiensis, 11119, 11120, 11121
G. p. palpalis, 11119
G. tachinoides, 11120
- waterbuck**

role as reservoir host, 10854
T. b. brucei infection (exp.), 10854
T. congolense infection (exp.), 10854
T. vivax infection (exp.), 10854
trypanotolerance, 10854

Zambia

field drug trials, 10890
G. m. morsitans in, 10980, 10982, 11110
G. pallidipes in, 10980, 10982
land use planning, 11087
trypanosomiasis
 control, 10834
 incidence, 10982
 in cattle, 11007
 control trials, 11110
 incidence, 11110
 prevalence, 11110, 11133
tsetse challenge, 10890
tsetse control, 10834, 11087
 trapping, 10980, 10982
tsetse eradication, 10982

Zanzibar *see* Tanzania

Zimbabwe

eastern/north-eastern
 trypanosomiasis in cattle, 10750
 tsetse challenge to cattle, 10750
G. m. morsitans in, 10845, 10980, 10981,
 10982, 11116
G. pallidipes in, 10845, 10980, 10981, 10982,
 11116
Lake Kariba
 G. m. morsitans in, 10732
tsetse control, 10833, 10973, 10982
 impact, 10954
 trapping, 10980, 10981, 11116
 trials, 11116
tsetse trapping studies, 10845

Zululand

nagana, review, 11105
tsetse control, 11105
tsetse eradication, 11105

