

TSETSE AND TRYPANOSOMIASIS INFORMATION QUARTERLY

Index
Volume 20
Part 1–4, 1997
Numbers 9783–10254



DFID



Africa

Central

trypanosomiasis control, 9783
trypanosomiasis in humans

model, 9887

Niari focus, 9887

treatment, 9929

tsetse control, 9783

East

G. pallidipes, gene diversity and gene flow, 10027
trypanosomiasis in humans, *rhodesiense*, 9807

French Equatorial Africa

trypanosomiasis in humans

history of screening, 9890

vector control, history, 9890

southern

common fly belt

mapping tsetse habitat suitability, 10155

tsetse distribution, 10154

G. pallidipes, gene diversity and gene flow, 10027

tsetse control

ecological side effects, 10036

sub-Saharan

tsetse control, 9788

tsetse distribution studies

effect of global warming, 10034

multivariate analysis of climate and vegetation, 10155

NDVI analysis, 10154

univariate analysis of habitat, 10154

West

livestock development potential, 9786

T. brucei stocks, genotype, 10099

T. vivax, diagnosis, 10073

trypanosomiasis in humans

treatment, 9929

trypanosomiasis in livestock, 9786

trypanotolerance in livestock, 9785

tsetse control, 9786

ecological side effects, 10036

antibodies

see also immune response

anti-peptide, against trypanopain-Tb, 10248

auto-antibodies

to neurofilament proteins, 10164

to DNA and collagen, 10077

endotoxin antibodies in human trypano-somiasis, 10045

maternal transmission, cattle, 9827

monoclonal

in diagnostic testing, 9935, 10073, 10175, 10178

native VSG-specific, in cattle, humans and mice, 9840

polyclonal

in diagnostic testing, 10073

response to invariant antigens, modelling, 10055

seroprevalence, cattle, Kenya, 10015

antigenic variation

in trypanosomes, 10209

and problem of vaccines, 10001

T. brucei, 9978, 9995, 10211, 10250

T. congolense

interaction with host immune system
modelling, 10055

antigens

see also variant surface glycoprotein

trypanosome

autoantigen I/6, 10105

crude, extraction for diagnosis, 10072

soluble, electrophoretic study, 10254

attractants/attractiveness for tsetse *see* odour attractants

Bacillus thuringiensis

gene cloning and expression, 9916, 9917

toxicity against *G. m. morsitans*, 9916, 9917

baits *see* odour attractants

barriers

to reinvasion in tsetse-free areas

targets, 9803

Benin

T. b. brucei infection (exp.) in cattle, 10170, 10182

Berenil *see* diminazene aceturate

biting flies

in Nigeria, 10052, 10054

blood

cattle

haematology of *T. congolense* infection, 10056, 10057

trace element levels, role in trypano-tolerance, 10062

in pharmacokinetic studies, 10047

role in transformation of trypanosomes to procyclic forms, 9921

blood meals

corresponding to biomass, 9938

identification in tsetse, 10037, 10038, 10039, 10041

methods, 10039

buffalo

serum trypanocidal protein, 10196

Burkina Faso

entomological survey, 9800, 9922

G. p. gambiensis, 9798, 9800, 9922

G. tachinoides, 9800, 9922

trypanosome isolates from domestic animals

molecular characterisation, 10179

trypanosomiasis in cattle, 9800

trypanosomiasis in donkeys, 9800

tsetse control

eradication campaign, 9800

trapping, 9800

camels

T. evansi infection, 10184, 10187

diagnosis, 10175, 10177, 10178, 10181

in Kenya, 10175

pathology, 10181

treatment

Cymelarsan, 10190

melarsomine, 10187

T. evansi infection (exp.)

chemotherapeutic response, 10187, 10190
effect on haemolytic complement activity, 10187

trypanosomiasis
concentration of serum micro- and macro-elements, 10061
in Sudan, 10181

Cameroon

trypanosome infections in pigs
T. brucei, 9937
T. congolense, 9937
T. simiae, 9937
T. vivax, 9937

trypanosomiasis in humans, *gambiense*, 9810
epidemiological surveillance, 10163
Fontem focus, 9810, 9924
history and evolution, 9897
Mbam focus, 9810

cattle

as host for tsetse, 9919, 10038

Baoulé
breed status, Côte d'Ivoire, 10144

Boran
Galana
T. vivax infection (exp.)
effect on ovarian activity, 9822
effect on pregnancy, 9822
trypanosusceptibility, 9822

Orma
T. vivax infection (exp.)
effect on ovarian activity, 9822
effect on pregnancy, 9822
trypanotolerance, 9822

T. congolense infection
drug resistance, Ethiopia, 10071

T. congolense infection (exp.), 10069
haematology
cytomorphological changes in blood and bone marrow, 10056

macrophage structure and function in bone marrow, 10057
immune response, 10056, 10057
T-cell mediated, 9821
infectivity and transmissibility of drug-resistant strains, 10188
pharmacokinetics of isometamidium, 9830
serum concentration of isometamidium, 10069
trypanosusceptibility, 9821

Borgou
detection of blood antigens, 10170
T. b. brucei infection (exp.), 10182
trypanotolerance, 10182

bovine analogues of human trypanolytic factors, 10066

breed composition and relationships, investigation, 10065

Bunaji
productivity, Nigeria, 10067

crosses
N'Dama ♂ Boran
genetic mapping of trypano-susceptibility, 10063
N'Dama ♂ Gobra
T. congolense infection (exp.), 9936

Drakensberger

genetic studies, 10064
Fogera
genetic studies, 10064
Friesian
genetic studies, 10064
treatment, drug, 9819
T. brucei infection, 10172
T. congolense infection, 10172
T. vivax infection, 9819, 10172
trypanosomiasis prevalence, Nigeria, 10172
genetic diversity and breed relationships
microsatellite analysis, 10064
Gobra
T. congolense infection (exp.), 9936
Keteku
trypanotolerance
role of trace elements, 10062
Lagune
breed status, Côte d'Ivoire, 10144
detection of blood antigens, 10170
T. b. brucei infection (exp.), 10182
trypanotolerance, 10182
Muturu
genetic studies, 10064
productivity, Nigeria, 10067
T. brucei infection, 10172, 10173
T. congolense infection, 10172, 10173
T. vivax infection, 10172, 10173
trypanosomiasis prevalence, Nigeria, 10172, 10173
native VSG-specific antibodies, 9840
N'Dama
breed status, Côte d'Ivoire, 10144
genetic studies, 10064
in Gambia, 9938
parasitaemia profiles, 10055
T. brucei infection, 10172, 10173
T. congolense infection, 10172, 10173
T. congolense infection (exp.), 9936
antibody response to invariant antigens, 10055
immune response
modelling, 10055
T-cell mediated, 9821
T. vivax infection, 10172, 10173
trypanosome infection, Gambia, 9938
trypanosomiasis prevalence, Nigeria, 10172, 10173
trypanotolerance, 9821
pharmacokinetics
isometamidium chloride, 9944
serum, drug concentrations in, 9829, 10069, 10070
treatment
chemoprophylaxis
isometamidium chloride, 9829
drug accumulation, 10189
weight loss, 10189
combination, isometamidium and diminazene
hepatic damage, 10189
mortality, 10189

weight loss, 10189
diminazene aceturate, 9802
insecticide
 deltamethrin, 9800
 pour-on, 9784, 9793
resistance
 T. congolense, Nigeria, 10191
 T. vivax, Nigeria, 10191
sustained release devices
 homidium, 10070
 isometamidium, 10070
T. brucei infection, 9932, 9935, 10053
T. brucei stocks from, Uganda, 10206
T. b. brucei stocks from, East Africa, 9807
T. congolense infection, 9932, 9934, 9935, 10037, 10052, 10053
T. congolense infection (exp.)
 haematological effects, 10056, 10057
 immune response, 9825
 macrophage structure and function, 10057
 infectivity and transmissibility of drug-resistant strains to tsetse, drug treatment effects, 10188
T. evansi infection (exp.)
 trypanocide testing, 10096
T. vivax infection, 9932, 9935, 10037, 10052
 isolates from West Africa, Kenya, South America, diagnosis, 10073
T. vivax infection (exp.), 10051
 immune response, 9825
trypanosome prevalence
 in Ethiopia, 9932
 in Nigeria, 10174
trypanosomiasis
 diagnosis, 9932, 9935, 10051, 10053, 10073, 10171
 in Burkina Faso, 9800
 in Ethiopia, 9802, 9932
 in Gambia, 9938
 in Ghana, 9935
 in Nigeria, 9934, 10052
 in sub-Saharan Africa, 9788
 in Zambia, 10053
 mixed trypanosome infection, 9800, 9935
serological status
 impact of biological factors on interpretation, 10171
T. brucei infection, 9800, 10053, 10173
T. congolense infection, 9800, 9802, 9934, 10052, 10053, 10173
T. vivax infection, 9800, 10052, 10173, 10174
trypanosusceptibility
 genetics, 10063
 phenotype and microsatellite allele frequency data, 10065

cattle (cont.)

trypanotolerance, 9786, 9793, 10182
 bovine analogues of human trypanolytic factors, 10066
 genetics, 10063, 10066
 phenotype and microsatellite allele frequency data, 10065
 role of trace elements, 10062
trypanotolerant

T. congolense infection
maternal transmission of antibody, 9827
tsetse challenge to, Gambia, 9938
White Bororo
detection of blood antigens, 10170
White Fulani
trace element levels, 10062
T. congolense infection, Nigeria, 9934
Zebu
Highland, genetic studies, 10064
T. brucei infection, 10172, 10173
T. congolense infection, 10172, 10173
T. vivax infection, 10172, 10173
trypanosomiasis
prevalence, Nigeria, 10172, 10173
treatment, side effects, 10189
trypanosusceptibility, 9786

Central African Republic

G. f. fuscipes, 9801, 9806
trypanosomiasis in humans
epidemiological surveillance, 10163
history and evolution, 9888
tsetse control, 9806
trapping, 9801

central nervous system (CNS)

in trypanosomiasis
in humans, 9811, 9812
model, mice, 10078
neurofilament proteins in, 10164
trypanosomes in, 9814
in mice
RP-67,580 effect, 10079

cerebrospinal fluid (CSF)

in human trypanosomiasis, 9811
auto-antibodies in, 10164
cell count, 9817, 9930
DFMO in, 9816, 10049
melarsoprol in, 9813, 10047
protein in, 9930
trypanosomes in, 9817, 9930
white blood cells in, 9930

Chad

trypanosomiasis in humans
epidemiological surveillance, 10163
history and evolution, 9889

challenge

tsetse
to cattle
in Gambia, 9938
in Zimbabwe, 9829
to equines, Gambia, 9938
to goats, Zambia, 9939
to small ruminants, Gambia, 9938

characterisation

see also identification/detection
of trypanosomes
by hybridisation, 9918

by isoenzyme electrophoresis, 9976, 10099, 10180, 10206
by PCR, 9918, 9922, 10179
molecular, 9918, 10179

chemoprophylaxis

in cattle, 9829
hepatic damage, 10189
in goats, 9939
in horses, 10059
sustained release devices, 10070, 10089

chemosterilants

on tsetse traps, 9793

chemotherapeutics

sterol metabolism, potential for chemo-therapeutic exploitation, 9982

chemotherapy
causing reduced transmissibility/infectivity of drug-resistant *T. congolense*, 10188
combination, causing hepatic damage in cattle, 10189
in *T. congolense*-infected goats, 10068
effect on haematological and serum biochemical parameters, 10068
of trypanosomiasis
in goats, 9939
in horses, 10059
in humans, 9929, 9931
toxicity, 9931

Congo (People's Republic)

trypanosomiasis in humans
epidemiological surveillance, 10163
history and evolution, 9898
tsetse trapping campaign, 9784

control, trypanosomiasis

case-finding surveys
low participation rate, 10043
community participation, 9800, 9896
cost, 9785, 9791, 9793, 9800
cost-effectiveness, 9793
detection of infected individuals, 10014
drug use, 10016
fear of drug-induced mortality, 10043
historical aspects, 9888, 9889, 9890, 9891, 9897, 9898, 9899, 9900
in Africa
Central, 9783
sub-Saharan, 9788
in Burkina Faso, 9800
in Ethiopia, 9802
in tsetse-free zones, 9932, 9933
in Zaire, 9785
integrated, 9793, 10140
modelling, 9783, 9887, 9892, 10014, 10015
review, 10016
strategies, 9783, 9914, 9972, 10014, 10016, 10138
sustainability, 9914, 10140
treatment, 10014
trypanotolerant livestock, 9793
vaccine research, problems, 10001
vector control, 9783, 9784, 9786, 9788, 9790, 9800, 9802, 9890, 9895, 10014, 10016, 10174

control, tsetse

biological, potential

Bacillus thuringiensis, 9916, 9917

Metarhizium anisopliae, 10035

bush clearance, 9786, 9790

chemosterilants, 9793

community participation, 9800, 9896, 9901, 9915, 10019, 10139

control herds, 9791

cost, 9791, 9793, 9800, 9914

ecological implications, 10018

eradication, 9800

growth regulators, 9793

historical aspects, 9890

impact

on bird species richness, 10021

on environment, 10021, 10036

on land use, 10036, 10143

on non-target species, 10018, 10036

on tree species composition, 10143

in Africa

Central, 9783

sub-Saharan, 9788

West, 9786

in Burkina Faso, 9800

in Congo, 9784

in Côte d'Ivoire, 9784, 9791, 10036

in Ethiopia, 9791, 9802, 10021

in Kenya, 9789, 10019, 10139

in Tanzania, 9790, 9896, 9915

in Uganda, 9784

in Zimbabwe, 9799, 9914, 10156

insecticide

cattle treatment, 9800, 9914

pour-on, 9784, 9793

cypermethrin, 9901, 9915

DDT, 9914

deltamethrin, 9800, 9802, 10036

endosulfan, 10036

impregnated traps/targets/screens, 9914

spraying

aerial, 9914, 10036

ground, 9914, 10036

integrated pest management, 10019, 10020, 10140

land use associations, 10018

models/modelling, 9791, 9892

odour attractants, 10156

questionnaire, 9896

rural development associations, 10018, 10140

screens, 9784, 9793

socio-economic planning, 9788

socio-economics, 10020

sterile insect technique, 9793

strategies, 9887, 9892, 9914, 10138

sustainability, 9895, 9914, 10140

targets, 9802, 9901, 9914

insecticide-treated, 9914, 9915, 10036

odour-baited, 10036
training, 10019
traps/trapping, 9784, 9789, 9793, 9799, 9800, 9801, 9892, 9901

Côte d'Ivoire

blood meal identification, 10039
cattle, status, 10144
domestic animals, breed status, 10144
G. nigrofusca, 10030, 10151
G. pallicera, 10030, 10151
G. palpalis, 10030, 10039, 10151
goats, status, 10144
pigs, status, 10144
plants, trypanocidal activity, 9968
poultry, status, 10144
sheep, status, 10144
T. brucei s.l. populations from
characterisation, 10099
epidemiological considerations, 10099
taxonomical considerations, 10099
trypanosome infections in tsetse, 10158
trypanosome isolates from wild animals
epidemiological considerations, 10180
identification, 10180
trypanosomiasis in humans, 9831
transmission dynamics
role of human behaviour, 10157
trypanotolerant livestock, 10144
tsetse control
trapping campaign, 9784, 9791

culture

see also *in vitro* studies

T. brucei bloodstream form, 9852, 10097
T. b. brucei, 9975
T. b. gambiense, 9975
T. congolense, effect of cytokines, 10194
T. evansi bloodstream form, 10097
T. vivax, 9975

Cymelarsan

evaluation, in *T. evansi*-infected camels, 10190
resistance, in *T. brucei*, 10204
treatment of trypanosomiasis in camels, 10190

cypermethrin

-impregnated
targets, 9915
traps, 9800

DDT

in tsetse control
Zimbabwe, 9804, 9914
residues, 9804

deltamethrin

cattle treatment, 9800
-impregnated targets, 9802
in tsetse control
environmental impact, 10036
Zimbabwe, 9804

detection

see also characterisation/identification
of infected individuals, 10014
of *T. vivax* using single DNA probe, 10073
of trypanosomes
 by bDNA-based assay, 9831
 by mouse infectivity, 9809
 by PCR, amplification, 9809, 9810
 comparison of techniques, 9809, 9810
 in blood, 9925, 9926
 in tsetse saliva, 9809
 in tsetse midgut, 9925, 9926

DFMO *see* difluoromethylornithine

diagnosis

comparison of techniques, 9810, 9935, 9936, 10051, 10053, 10170, 10173, 10175
difficulty, 9895, 10078
evaluation of techniques, 9924, 9935, 9937, 10072, 10169, 10177
of animal trypanosomiasis, 9925, 9932, 9935, 10051, 10053, 10054, 10168, 10169
of human trypanosomiasis, 9831, 9925
parasitological, 9785, 9810, 9811, 9812, 10054, 10180
serological, 9785, 9810, 9811, 9924, 10044, 10072, 10180

diagnostic techniques

anion-exchange centrifugation technique, 9945
mini-anion exchange, 9810
 bDNA-based assay, 9831
 blood smear, 10180
 buffy coat examination, 9808, 9831, 9932, 9935, 9936, 10051, 10053, 10073, 10169, 10170

CATT, 9810, 9924, 10044, 10177, 10180
 micro-, 10163
 on whole blood, 9924
DNA probes, 10073
double immunodiffusion test (DID), 10177
ELISA
 Ab-, 10072, 10168, 10171
 Ag-, 9935, 9936, 10051, 10168, 10170, 10175, 10177, 10180
 dot-, 10192
haematocrit centrifugation technique, 9810, 10051
 microhaematocrit, 10053
indirect immunofluorescence, 10044
KIVI, 9810, 10180
latex agglutination, 9935, 10072
lymph gland aspiration, 9810
mercuric chloride, 10177
mouse infectivity, 9809
mouse inoculation, 10177
PCR, 9809, 9810, 9925, 9926, 9937, 10051, 10073, 10169, 10179
 on filter paper, 10053
rat inoculation, 9811
thick blood film, 9810, 9812, 10177
thin blood smear, 10053
wet blood film, 10169, 10177

difluoromethylornithine (DFMO, eflornithine)

pharmacokinetics

in humans, 10049
in *T. b. brucei*-infected mice, 10090
role in neuropathogenesis, mice, 10201
treatment
 of *T. brucei*-infected rats
 combined with isometamidium, 9967
 of *T. congolense*-infected rats, 10085
 combined with levamisole, 10085
 of trypanosomiasis
 in humans, 9784, 9929, 10044
 combined with suramin, 9817
 gambiense, 9816
 relapse, 9816, 10167
 rhodesiense, 9817
 treatment failure, 10167
diminazene aceturate, 9872, 9873
causing paralysis in mice, 10084
effect on infectivity and transmissibility of drug-resistant *T. congolense* in *G. m. centralis*, 10188
mode of action, 10048
residues in animals and foods, 10013, 10023, 10024
resistance
 in *T. brucei* stocks from man and domestic animals, Uganda, 9972
 in *T. congolense*, 10071, 10188, 10191, 10203
 in *T. vivax*, 9819, 10191
sensitisation study, guinea pigs, 9966
toxicity, 10189
treatment
 of *T. congolense* infection in goats, 10060, 10068
 of *T. evansi* infection in goats, 9823
 of *T. vivax* infection in horses, 10059
 of trypanosomiasis in cattle
 relapse, 9802
 of trypanosomiasis in goats, 9939
DNA
amplification by PCR, 10073
auto-antibodies to, in *T. equiperdum* infection, 10077
branched, assay
 for detection of *T. brucei* in human blood, 9831
content in *T. brucei* ssp., wide variation, 10119
human, for PCR analysis, 9810
oligonucleotide primers, 10073
probes
 for trypanosome identification, 9806, 10073
 T. grayi, 9806
trypanosome
 amplification for detection
 T. vivax, 10073
 kinetoplast, minicircles
 inheritance in genetic crosses, 10221
 kinetoplast, replication, 9880
 electrophoretic comparison, 10137
 T. brucei, 9831
virus, in *G. m. centralis*, 10147
dogs
T. brucei stocks from, Uganda, 10206
T. brucei infection (exp.)

immune response, 9826
T. congolense infection (exp.)
 immune response, 9826
 maternal transmission of antibodies, 9827

domestic animals

 status of breeds, Côte d'Ivoire, 10144
T. brucei isolates from, Uganda
 drug sensitivity testing, 9972

domestic ruminants

T. congolense infections, 9940
trypanosomiasis
 effect on reproductive performance, 9940

donkeys

T. congolense infection, 9800
trypanosome prevalence, Gambia, 9938
trypanosomiasis, Burkina Faso, 9800
tsetse challenge to, Gambia, 9938

drug/s

 combinations, 9929
 DFMO and isometamidium, in rats, 9967
 DFMO and levamisole, in rats, 10085
 diminazene and isometamidium
 sensitisation study, guinea pigs, 9966
 isometamidium and diminazene
 hepatic damage, 10189
 weight loss, 10189
melarsoprol and suramin, 10166
 costs, 9895
 design, 10100
 development, 9848, 9927, 10017
orphan drug status, 10017
 mode of action, 10016, 10048
pharmacokinetics
 DFMO, 10049, 10090
 isometamidium chloride, 9830, 9944
 melarsoprol, 10047, 10166
 pentamidine, 9815
prescribing information, 9818
relapse rates, 9929
residues in animal products, 9793
residues in food, 10013, 10022, 10023, 10024
resistance, 9793
 Cymelarsan, 10204
 diminazene aceturate, 9819, 9972, 10173, 10188, 10191, 10203
 homidium, 10203
 in *T. b. rhodesiense*, 9929
 in *T. congolense*, 9802, 10069, 10071, 10188, 10191
 in *T. vivax*, 10191
 isometamidium, 9972, 10069, 10173, 10191, 10203
 mechanisms, 9973
 pentamidine, 9929
 quinapyramine, 10203
side effects
 diminazene, 10189
 isometamidium, 10189
 melarsoprol, 9929
sustained release devices

homidium, 10070, 10089
isometamidium, 10070, 10089
preparation and evaluation, 10089
targets, 9867, 9871, 9929
tissue residues
 isometamidium, 9830
toxicity, 9785, 9793, 9895
 evaluation of cytotoxicity, 10087
 isometamidium and diminazene, 10189
melarsoprol, 9814
 suramin, 9814
trypanocidal, 9799, 9847
 Cymelarsan, 10190, 10204

drug/s (cont.)

trypanocidal (cont.)

 DFMO, 9784, 9793, 9816, 9817, 9929, 10016, 10044, 10085, 10090,
 10201
 diminazene, 9802, 9819, 9823, 9966, 10013, 10016, 10023, 10024,
 10048, 10059, 10060, 10071, 10084, 10173, 10186, 10188, 10191
 ethidium *see* homidium
 fexinidazole, 9846
 homidium, 10016, 10070, 10071, 10203
 isometamidium, 9793, 9819, 9829, 9830, 9966, 10016, 10022,
 10059, 10069, 10070, 10071, 10173, 10191
 levamisole, 10085
 melarsomine, 10187
 melarsoprol, 9811, 9813, 9814, 9816, 9846, 9927, 9929, 10016,
 10044, 10048, 10204
 MelCy, 9793
 Mk-436, 9846
 nifurtimox, 9929
 nitroimidazoles, 9846, 9927
 pentamidine, 9811, 9815, 9927, 9929, 9930, 10016, 10048, 10050
 quinapyramine, 10175, 10203
 suramin, 9811, 9814, 9817, 9927, 9929, 10016, 10202
 T-46, 10205
 tryparsamide, 10016, 10048

eflornithine *see* difluoromethylornithine

endosulfan

tsetse control, environmental impact, 10036

endosymbionts in tsetse

P- (*Wigglesworthia glossinidia*), 10145
phylogeny, 10145
S- (*Enterobacteriaceae*), 10145
transmission routes, 10145
Wolbachia pipiensis, 10145

environment

see also non-target organisms
 ecological side-effects of tsetse control, 10018, 10036

epidemics

 of human trypanosomiasis, 9787
 in East Africa, 9807
 in Uganda, 9918
 origins, 9784
 T. b. rhodesiense, 9807

epidemiology

epidemiological risk
index of, calculation, 10039
indicator, 10157
epidemiological surveillance
in OCEAC countries, 10163
 in Côte d'Ivoire, 10157, 10180
 in Uganda, 10206
 in Zaire, 9785
models, 9892
of trypanosomiasis
 in humans, 9787, 9918, 10157
revival of foci
causes, 9900
risk, 9888, 9891, 9897, 9900
 in ruminants, Nigeria, 10173, 10174
risk of spread of human-infective *T. brucei* by rhinoceros
translocation, 9920
 role of animal reservoir, 9784
unresolved problems, 9892

Equatorial Guinea

trypanosomiasis in humans, *gambiense*
 epidemiological surveillance, 10163
history and evolution, 9899

Ethiopia

Ghible Valley
G. pallidipes, 9802
model of vegetative change, 10143
trypanosomiasis in cattle, 9802
control, 9802
 T. congolense, drug resistant isolates, chromosome profiles, 10071
 T. congolense, multiple drug resistance, 10071
 tsetse control, 9802
 campaign, 9791
 effect on bird species richness, 10021
 effect on tree species composition, 10143
 trapping, 9802
highlands (Arsi and Bale Provinces)
T. equiperdum prevalence in horses, 10168
livestock diseases, control, 10141
T. evansi infection (exp.) in camels
treatment, 10190
trypanosome infections in tsetse, 10158
trypanosomiasis in cattle, prevalence, 9932

fexinidazole

treatment of *T. b. brucei*-infected mice
 combined with melarsoprol, 9846

fly belt

common, southern Africa, 10154, 10155

Gabon

trypanosome infections in tsetse, 10158
trypanosomiasis in humans
 epidemiological surveillance, 10163
 history and evolution, 9891
 in children, 10044

treatment, 10044

Gambia, The

trypanosomiasis prevalence

in Djallonké sheep, 9938

 in N'Dama cattle, 9938

 in West African Dwarf goats, 9938

tsetse challenge

 and grazing ranges, 9938

 in relation to trypanosomiasis prevalence, 9938

to cattle, 9938

to equines, 9938

to small ruminants, 9938

gene/s

see also RNA

 in cattle

BoLA-DRB3, 10063

bovine analogue of *PONA*, 10066

 in trypanosomes

 encoding mitochondrial DEAD-box protein, 10237

 for T lymphocyte triggering factor, 10251

 gene-1, expression site-associated, 9857

 PRP8-homologous, 10235

rab, 9990, 10109

 rRNA, analysis, 10098

 SLA RNA, 10004

 spliced leader RNA, 10114

 U6 snRNA, 10238

vsg, expression site switching, 10116, 10216

genetic/s

of cattle breeds, 10064, 10065

of resistance

 in livestock, 10081

 in mice, 9951, 10074, 10081, 10195

of trypanosusceptibility

 genetic mapping, 10063

of trypanotolerance

 bovine analogues of human trypanolytic factors, 10066

 markers, 9828

 segregation analysis, mice, 10083

 selection, marker-assisted, 9828

 variation, 9828

trypanosome

 chromosomes

 large and mini, partitioning, 10108

 size polymorphism, 10236

 clonality, 9807

 developmental regulation, mechanisms, 10229

 diversity, 9976, 10206

 DNA, β -D-glucosylated, 10110

 kDNA, electrophoretic comparison, 10137

 kDNA minicircles, inheritance, 10221

 endonuclease, 10126

 evolutionary, 9976

 exchange, 9807

 expression of toxic gene products, 10103

 gene expression, 9857, 9923

gene sequences, single copy, 10120
genome
research, 10236
and evolution, 9986
 segregation, mechanism, 10107
 sequencing and mapping, 9987
heterogeneity, 10180
karyotype nomenclature, 10009
markers, 9976
minisatellite sequence, single locus
 distinguishing between *T. brucei* isolates, 10102
phylogeny, 10098
population, 9807
procyclin, regulation and expression, 10243
RNA
 editing, 9865, 9881, 10126, 10231
 g
database, 10129
model, 10226
-pre-m, chimaeric molecules, 9877
-specified uridylate insertion into pre-m, 9865
 m
expression regulation in insect forms of *T. brucei*, 10219
histone levels, regulation, 9859
polysomal procyclin, 9863
precursor, 9865
procyclin, 3' untranslated region, 10219
 r, pseudouridine residues, mapping, 10123
telomere/subtelomere duplex, ST-2, 10217
trans-splicing, 9996, 10235
U6 snRNA gene promoter, 10238
variability, 9784
tsetse
 gene diversity and gene flow, *G. pallidipes*, 10027
hybrid sterility, *G. p. palpalis* × *G. p. gambiensis*, 10146
 in control, 9793
 marker genes, *G. palpalis*, 10146
microsatellite markers in population studies, *G. p. gambiensis*, 10028
 white eye colour mutant, *G. m. submorsitans*, 10025
geographical information systems (GIS)
 in analysis of vegetation cover, 10143
 in assessment of impact of tsetse control, 10143
 in epidemiological surveillance, 10163
Ghana
 T. brucei infection, cattle and sheep, 9935
 T. congolense infection, cattle and sheep, 9935
 T. vivax infection, cattle, goats and sheep, 9935
Glossina
 behaviour
 flight response to odours, 10031
 flying height, 10153
host location strategy, 9908, 9913
 biology, 9892
 ageing techniques
 ovarian, 9798, 10158
 wing fray, 10158
 anticoagulants, 10029

cuticular hydrocarbons, 10148
endosymbionts
 phylogeny, 10145
 transmission routes, 10145
lectins, 9784
olfactory attractants, 9892
phenoloxidase activity, 10159
pupal period, 9798
rearing, 9903
 materials and methods, 9903
refractoriness, 10159
reproduction, 9798
RLOs, 9784
survival of *T. brucei*, 10241
susceptibility, 10159
T. brucei infection, 10158
T. congolense infection, 10158
 susceptibility, 10160
T. vivax infection, 10158
trypanosome cycle, 9784
trypanosome infection
 dynamics, 10158
 establishment, 9923
 experimental
 detection, 10073
 maturation, 9923, 10159
 rate, 9799, 10160
viviparity, 9798
control, 9799, 9892
 biological, potential, 9916, 9917, 10035
 in Africa
 Central, 9783
 sub-Saharan, 9788
 West, 9786
 in Congo, 9784
 in Côte d'Ivoire, 9784, 9791
 in Ethiopia, 9791
 in Kenya, 9789
 in Tanzania, 9790
 in Uganda, 9784
 in Zimbabwe, 9914
methods for dispensing attractants, 10156
trapping, 9784, 9789
ecology
distribution
 analysis, in southern Africa, 10154
 multivariate, 10155
 univariate, 10154
 effect of global warming, 10034
 in Côte d'Ivoire, 10030
 prediction, using temperature, 10154
 spatio-temporal patterns, 10151
habitat
 environmental variables, 10155
 suitability, mapping, 10155
population/s
 adult survival rate, 9798

- dynamics, 9798, 9909
- growth rate, 9798
- ovarian age structure, 9798
- pupal survival rate, 9798
- retreat, unfavourable climatic conditions, 9889
- sampling, 9901
- genetics
 - eye colour mutants, 10025
 - gene diversity and gene flow, 10027
 - hybrid sterility, 10146
 - in control, 9793
 - in population studies, 10028
 - marker genes, 10146
- G. austeni***
 - endosymbionts, S-, 10145
 - in Kenya, 10149
 - larvae, polypneustic lobes, 9797
 - response to odour, 10149
 - wing, chemoreceptors, 9795
- G. brevipalpis***
 - endosymbionts, S-, 10145
 - in Kenya, 10149
 - larvae, polypneustic lobes, 9797
 - response to odour, 10149
- G. caliginea***
 - cuticular hydrocarbons, 10148
- G. fuscipes***
 - endosymbionts, S-, 10145
 - larvae, polypneustic lobes, 9797
- G. fuscipes fuscipes***
 - blood meals, 9806
 - control, trials, 9806
 - diel activity patterns, 10041
 - hosts, 9806
 - preferences, 10041
 - in Central African Republic, 9801, 9806
 - in Kenya, 10041
 - in Uganda, 10206
 - midgut infection, 9806
 - Nannomonas* infection, 9806
 - proboscis infection, 9806
 - salivary gland infection, 9806
 - trapping, 9801
 - efficiency of biconical trap, 10153
 - T. brucei* ssp. infection, 9806, 10206
 - T. grayi* infection, 9806
 - trypanosome infection, 9806
- G. fuscipes martinii***
 - cuticular hydrocarbons, 10148
- G. longipalpis***
 - cuticular hydrocarbons, 10148
- G. longipennis***
 - distribution
 - movement between populations, 10150
 - feeding, 9919
 - feeding rate, 10037
 - host preference, 9919

in Kenya, 9919, 10150
larvae, polypneustic lobes, 9797
transmission
 T. congolense, 10037
 T. vivax, 10037
trapping pressure and population changes, 10150

G. morsitans

- distribution
- effect of global warming, 10034
- larvae, polypneustic lobes, 9797
- parturition hormone, 9905
- T. b. brucei* infection
 - regulation of parasite population, 10161
- trypanosome infection, 9805

G. morsitans centralis

- biological control, technique
 - Metarhizium anisopliae*, 10035
- cuticular hydrocarbons, 10148
- development of drug-resistant *T. congolense*, 10203
- distribution, southern Africa, 10154, 10155
- DNA virus infection (exp.), 9796
 - effect on feeding behaviour, 10147
 - effect on longevity, 10147
 - histological studies on midgut, 10147
- in Tanzania, 9901
- milk gland, 9796
- population sampling
 - flyround patrol techniques, 9910
- pregnancy cycle, 9796
- response to odour, 9911
- trapping, 9911, 9912
- T. congolense* infection
 - drug-resistant, infectivity and transmissibility, 10188

G. morsitans morsitans

- biological control, potential
 - Bacillus thuringiensis*, 9916, 9917
- cibarium infection, 9808
- crop duct infection, 9808
- distribution, southern Africa, 10154, 10155
- DNA virus infection of salivary glands
 - effect on *T. brucei* infectivity and virulence, 10040
- endosymbionts, S-, 10145
 - feeding preferences, 10038
 - host location, 9913
- Malpighian tubules, temperature-induced changes in fluid secretion, 9906
 - midgut infection, 9808
 - role of host blood in transformation of trypanosomes to procyclic forms, 9921
 - oesophagus infection, 9808
 - proboscis infection, 9808
 - proventriculus infection, 9808
 - response to odour, 9913
 - trapping, 9803
- T. brucei* infection
 - role of host blood in transformation to procyclic forms, 9921
- T. b. rhodesiense* infection

susceptibility, 10159
T. congolense infection, 9805, 9808
 in saliva, 9805
 life cycle, 9808
 maturation, 9805
 susceptibility, 10160
vectorial competence, 9808, 10160
wing, chemoreceptors, 9795

G. morsitans submorsitans

cuticular hydrocarbons, 10148
in Gambia, 9938
in Nigeria, 10033, 10173
trapping, 10033
T. congolense infection
 susceptibility, 10160
vectorial competence, 10160
white eye colour mutant, 10025
wing, chemoreceptors, 9795

G. nigrofusca

distribution and abundance
 in Côte d'Ivoire, 10030, 10151
population dynamics, 10151

G. pallicera

distribution and abundance
 in Côte d'Ivoire, 10030, 10151
population dynamics, 10151

G. pallicera newsteadi

cuticular hydrocarbons, 10148

G. pallicera pallicera

cuticular hydrocarbons, 10148

G. pallidipes

breeding structure, 10027
 gene diversity and gene flow, 10027

control, insecticide, 9915

***G. pallidipes* (cont.)**

distribution
 effect of global warming, 10034
 in southern Africa, 10154, 10155
 movement between populations, 10150

DNA virus infection, salivary gland, 9796

feeding

 rate, 10037
 response, 9799

flight

 direction, 10031
 video study, 10031

host location, 9908, 9911

in Ethiopia, 9802

in Kenya, 10149, 10150

in Tanzania, 9896, 9901, 9915

in Zimbabwe, 9799, 10031

larvae, polypneustic lobes, 9797

olfactory receptors

 electrical response to host odours, 9907

population sampling

 flyround patrol techniques, 9910

 in Kenya, 9915, 10150

response to odour, 9799, 9907, 9908, 9911, 10031, 10149
response to repellents, 9799
salivary gland, hypertrophied, 9796
transmission
 cyclical, of trypanosomes, 9795
 of *T. congolense*, 10037
 of *T. vivax*, 10037
trapping, 9799, 9802, 9803, 9911, 9912
 pressure, and population changes, 10150
wing, chemoreceptors, 9795

G. palpalis

distribution and abundance
 in Côte d'Ivoire, 10030, 10151
 in Nigeria, 10033
insemination time, Côte d'Ivoire, 10026
larvae, polypneustic lobes, 9797
population dynamics, 10151

G. palpalis gambiensis

genetics
 hybrid sterility, 10146
 marker genes, 10146
 population studies
 microsatellite markers, 10028
habitat, 9798
in Burkina Faso, 9798, 9800, 9922
in Gambia, 9938
in Senegal, 10059
life span of female
 effect on weight and size of progeny, 9904
population dynamics, 9798
trapping, 9800

***T. congolense* infection, susceptibility, 10160**

T. simiae infection, 9922
T. vivax infection, 9922
vectorial competence, 10160

G. palpalis palpalis

blood meals, identification, 10039
ecology, 10052
endosymbionts, S-, 10145
genetics
 hybrid sterility, 10146
 marker genes, 10146
 in Nigeria, 10052, 10173
 rearing, 9819
 T. b. rhodesiense infection
refractoriness, 10159
 T. vivax infection, 10052

G. swynnertoni

control, 9915
cuticular hydrocarbons, 10148
host location, 9911
in Kenya, 10149
in Tanzania, 9896, 9901, 9915
population sampling
 flyround patrol techniques, 9910
response to odour, 9910, 9911, 10149
trapping, 9911, 9912

G. tachinoides

- in Burkina Faso, 9800, 9922
- in Nigeria, 10033, 10173, 10174
- larvae, polypneustic lobes, 9797
- proboscis, 9809
- rearing, 9819
- trapping, 9800, 10033
- T. congolense* infection
 - in saliva, 9805, 9809
 - maturity, 9805
 - rates, 9809
 - susceptibility, 10160
- T. simiae* infection, 9922
- T. vivax* infection, 9922
- vectorial competence, 9809, 10160

goats

- Borno White, 9933, 10054
- drug resistance studies, 10191
- Kigezi
 - susceptibility to *T. congolense* infection, 10060
- Mashona
 - T. congolense* infection (exp.), 10068
 - haematological parameters, 10068
 - serum biochemical parameters, 10068
- Mubende
 - susceptibility to *T. congolense* infection, 10060
- Red Sokoto, 9933, 10054, 10173
- Small East African
 - influence of diet supplementation
 - on resistance to *T. congolense* infection, 10183
 - on response to diminazene treatment, 10183
 - susceptibility to *T. congolense* infection, 10060

treatment

- chemoprophylactic
 - isometamidium, 9939
- curative
 - diminazene, 9939, 10060, 10068
- T. congolense* infection, Nigeria, 10173
- T. evansi* infection (exp.)
 - immune response, 9823
 - treatment, 9823
- T. vivax* infection
 - in Ghana, 9935
 - in Nigeria, 9933, 10054, 10173
- T. vivax* infection (exp.)
 - diagnosis, evaluation of PCR, 10169
 - drug sensitivity testing, 9819
- trypanosome prevalence, Nigeria, 10054
- trypanosomiasis prevalence, Nigeria, 10054, 10174
- trypanosomiasis, Zambia, 9939
 - effect on health and productivity, 9939
 - protective immunity, 9939
 - seasonal prevalence, 9939
 - susceptibility, effect of age, 9939
- trypanotolerance, 9786
- tsetse challenge to, 9939
- West African Dwarf, 10173

breed status, Côte d'Ivoire, 10144
T. vivax infection (exp.)
 effect of previous growth retardation
 on energy, 10058
 on nitrogen metabolism, 10058
 effect on body temperature and posture, 9820
trypanosome prevalence, 9938
 tsetse challenge to, 9938

growth regulators

 on tsetse traps, 9793

guinea pigs in laboratory studies

 sensitisation in combined drug treatment, 9966
 serum trypanocidal effect, 9955, 10197

high density lipoproteins (HDL)

 in human serum

trypanolytic role

 trypanosome resistance to, mechanism, 9991

hippopotamus

 as host for *G. longipennis*, 9919

homidium bromide/chloride

 in sustained release devices, 10070, 10089
 resistance in *T. congolense*, 10071, 10203

horses

T. equiperdum infection, Ethiopia, 10168

T. vivax infection, Senegal, 10059

trypanosomiasis

 diagnosis, 10168

 prevalence, Gambia, 9938

 treatment, 10059

 tsetse challenge, 9938

humans

 as host for tsetse, 10039, 10041

 native VSG-specific antibodies in, 9840

T. brucei stocks from, Uganda, 10206

identification

see also characterisation/detection

of trypanosomes

 by DNA amplification using PCR, 9809

 by DNA probes, 9806

 by DNA sequencing, 9918

 by hybridisation, 9806, 9918

 by *in situ* hybridisation, 9918

 by isoenzyme analysis, 10180

 by PCR, 9809, 9918, 10179

 by PCR-SHELA, 9918

 by RFLP, 9918

 by riboprinting, 9918

 by touch-blot hybridisation, 9808

 species, 9918

T. grayi, 9806

immune complexes

 in trypanosomiasis, 9842

immune response

 in camels

 haemolytic complement, 10187

in cattle
 antibody response
 native VSG-specific, 9840
 to invariant antigens, modelling, 10055
 blood cell changes, 10056, 10057
 bone marrow response, 10056, 10057
 cell population changes
 B-cells, 9821
 lymph node cells, 9821
 T-cells, 9825
 CD2⁺, 9821
 CD4⁺, 9821
 CD8⁺, 9821
 γδ, 9821
IFN-γ production, 9821
 lymphoblast proliferation, 10056
 lymphocyte proliferation, 10056
 macrophage proliferation, 10056
 phagocytosis of blood cells, 10057
 plasma cell proliferation, 10056
 T-cell-mediated, 9821
immune response (cont.)
 in dogs
 antibody production, specific lytic, 9827
 IFN-γ production, 9826
 in goats
 antibody production, class-specific
 IgG, 9823
 IgM, 9823
 reduced haemolytic complement, 9823
 in humans, 9792, 9927
 antibody production,
 IgG, 10164
 IgM, 9817, 10164
 native VSG-specific, 9840
 auto-antibodies
 to neurofilament proteins, 10164
 chancre, 9811
 cytokines, 9928, 10046
 IL-10, 10046
 nitric oxide, 9928
 prostaglandins, 9928
 TNF-α, 10046
 in mice, 9840
 IFN-γ, role in resistance, 9947
 IFN-γ stimulated proliferation of parasites, 9953
 IL-4 production, 9834
 native VSG-specific antibodies, 9840
 suppressive mechanisms, macrophage-elicited, 9946
 T-cell, 9833
 in rabbits
 auto-antibodies to DNA and collagen, 10077
 in rats
 immunomodulatory drugs, effect on *T. evansi* infection, 9954
 leukocyte response, 10080
 in sheep
 haematological changes, peripheral, 9824

immune system

and parasites, 9957

immunity

development of protective immunity, goats, 9939

immunodiagnosis

production and use of crude antigens, 10072

immunology

of human trypanosomiasis, 9787, 9928

immunosuppression, 9823

in camels, 10187

in cattle, 9825

in mice, 9825, 9833

insecticides

cattle treatment

deltamethrin, 9800

pour-on, 9793, 9806

cypermethrin, 9800, 9915

residual effectiveness, 9915

DDT, 9804, 9912

deltamethrin, 9802, 10036

endosulfan, 10036

impregnated traps/screens/targets, 9793, 9800, 9802

in vitro studies

culture of *T. congolense*, effect of cytokines, 10194

growth of *T. b. brucei*, inhibition by ascofuranone, 9998

transformation of bloodstream *T. brucei* into procyclic forms, effect of host blood, 9921

with trypanosomes

T. b. brucei bloodstream form, 9870

irradiation

T. evansi infection (exp.) in mice

effect of γ -irradiation, 9950

isometamidium chloride

bioavailability in cattle, 9830

concentration in cattle sera, 9829, 10069

pharmacokinetics in cattle, 9830, 9944

prophylaxis

in horses, 10059

sustained release devices, 10070, 10089

residues

in cattle, 9830

in food, 10022

resistance

in *T. brucei* stocks from man and domestic animals, Uganda, 9972

in *T. congolense*, 10071, 10190, 10203

in *T. vivax*, 10191

sensitisation study, guinea pigs, 9966

sensitivity, in *T. vivax*, 9819

toxicity, 10189

treatment

combined with DFMO, in rats, 9967

in *T. vivax*-infected cattle, 9819

of trypanosomiasis in animals, 9793

of trypanosomiasis in goats, prophylactic, 9939

uptake kinetics, 10071

Kenya

 Busia District
 survey, community participation potential, 10139
 Garissa District
 odour attractants, effects on tsetse catches, 10149
 G. austeni, 10149
 G. brevipalpis, 10149
 G. f. fuscipes, 10041
 G. longipennis, 9919, 10037, 10150
 G. pallidipes, 10027, 10037, 10149, 10150
 gene diversity and gene flow, 10027
 G. swynnertoni, 10149
 Lambwe Valley
 community-based tsetse control, 10019
 T. b. rhodesiense transmission, 10042
 tsetse trapping, 9789, 10019
 Nannomonas infecting rhinoceros, 9920
Nguruman
 tsetse population changes, 10150
 T. brucei infecting rhinoceros, 9920
 T. congolense infecting rhinoceros, 9920
 T. evansi infecting camels, 10175, 10190
 T. vivax
 diagnosis, 10073
 infecting rhinoceros, 9920
 trypanosome infections in tsetse, 10158
 trypanosomiasis
 in camels, 10175
 in humans, *rhodesiense*, 9811
 incidence in cattle, 10150

land use

 change
 associated with trypanosomiasis control, 10021
 effect on bird species richness, 10021
 effect on tree species composition, 10143
 impact of tsetse control, 10036

 planning

role in tsetse control programmes, 9788

livestock

 as host for tsetse, 10041
 development potential, West Africa, 9786
 resistance to trypanosomiasis, genetics, 10081
 status of breeds, Côte d'Ivoire, 10144
 trypanosomiasis, 9786
 incidence, West Africa, 9786

melarsomine

 treatment in *T. evansi*-infected camels, 10187

melarsoprol

 effect on cytokine levels, 10046
 mode of action, 10048
 pharmacokinetics, 10047, 10166
 susceptibility testing, *T. brucei* stocks, Uganda, 9972
 topical gel
 importance of 2,3-dimercaptopropinol in trypanocidal activity,
 9969

toxicity, 9927, 10166
treatment
 of human trypanosomiasis, 9890, 9929, 10044
 gambiense, 9813, 9816
 rhodesiense, 9811
 toxicity, 9814
 of *T. brucei*-infected mice, 10204
 combined with other drugs, 9846
 relapse, 10166

MelCy

treatment of animal trypanosomiasis, 9793

Metarhizium anisopliae

biological control potential in tsetse, 10035

mice in laboratory studies

genetics of trypanoresistance, 10074, 10081, 10195
native VSG-specific antibodies, 9840
T. brucei infection
 immunosuppression, T-cell, 9833
 suppressive mechanisms, macrophage-elicited, 9946
 transformation, slender to stumpy forms, model, 10245
 trypanocide testing, 9843
 virulence, after development in DNA-virus infected tsetse, 10040
T. b. brucei infection, 9850
 control of parasitaemia, 9834
 drug effects, 9969
combination, 9846
 effect on pharmacokinetics of DFMO, 10090
 hind-leg paralysis, post-treatment, 10084
 IFN- γ stimulated proliferation of parasites, 9953
 immune response, 9834
 meningoencephalitic response, amelioration, 10079
 model of human trypanosomiasis
 neurological effects, 10078
 role of DFMO in neuropathogenesis, 10201
 trypanocide testing, 10088
 trypanolytic activity of schistosomiasis-infected human plasma, 9835
T. b. gambiense infection
 role of DFMO in neuropathogenesis, 10201
 trypanocide testing, 10088
T. b. rhodesiense infection
 resistance, (IFN- γ)-dependent, 9947
 trypanocide testing, 10088
T. congolense infection, 10160
 drug resistance studies, 10191, 10203
resistance, genetic control, 9951
trypanotolerance, case study, using segregation analysis, 10083
T. evansi infection
 effect of dexamethasone, 9950
 effect of γ -irradiation, 9950
 trypanocide testing, 10096

mice in laboratory studies (cont.)

T. vivax infection
 drug resistance studies, 10191
 trypanocide testing, 9958
trypanosome detection, 9809

MK-436

treatment of *T. b. brucei*-infected mice
combined with melarsoprol, 9846

models/modelling

compartmental, human trypanosomiasis, 9887, 10014, 10138
contingent valuation, community participation, 10139
epidemiological models, development, 9892
for gRNA from *T. brucei*, 10226
logistic regression models
 impact of biological factors on bovine trypanosomiasis serology
 interpretation, 10171
mathematical, *T. congolense* in cattle, 10055
matrix, 9798, 9909
multi-level analysis, 10015
patterns of disease clustering, 10015
sheep/T. evansi, for study of immuno-pathology, 9824
transformation, slender to stumpy form, *T. brucei*, 10245
T. congolense parasitaemia patterns in cattle, 10055
trypanosomiasis
 control, 9783
 human, mouse model, neurological effects, 10078
tsetse
 control, 9791
 distribution, 10034
 impact of control strategy, 9887
 population dynamics, 9798, 9909, 10150
 response to trapping pressure, 10150
 vegetative change, Ethiopia, 10143

monitor lizard

as host for tsetse
 Central African Republic, 9806
 Kenya, 10041

Mozambique

G. pallidipes, gene diversity and gene flow, 10027

Naganol *see* suramin**Nannomonas**

infecting rhinoceros, 9920
infecting tsetse, Central African Republic, 9806
parasite-vector interactions, 9923

nets, electric

in tsetse behaviour studies
 flight, 10031, 10153

Niger

T. evansi infection (exp.) in camels
treatment, 10190

Nigeria

Bauchi State
G. m. submorsitans, 10033
G. palpalis, 10033
G. tachinoides, 10033
 Benue State
 cattle breed productivity, 10067
 Borno State
 trypanosomiasis prevalence
in goats, 10054
in sheep, 10054

central
 drug resistant *T. congolense* and *T. vivax* from cattle, 10191

Jos Plateau
 biting flies, 10052
 G. p. palpalis, 10052, 10173
 G. tachinoides, 10173
 trypanosomiasis
 in cattle, 9819, 10052, 10173
 in goats, prevalence, 10173
 in sheep, prevalence, 10173
 tsetse status, 10052

Kaduna State
 G. m submorsitans, 10173
 G. p. palpalis, 10173
 G. tachinoides, 10173
 trypanosomiasis prevalence
 in cattle, 10173
 in goats, 10173
 in sheep, 10173

Kano State
 G. tachinoides, 10174
 trypanosomiasis prevalence
 in cattle, 10174
 in goats, 10174
 in sheep, 10174

Lower Benue
 G. tachinoides, 10173
 trypanosomiasis prevalence
 in cattle, 10173
 in goats, 10173
 in sheep, 10173

north-eastern
 trypanosomiasis in cattle, 9934

northern
 drug resistant *T. congolense* and *T. vivax* from cattle, 10191

south-eastern
trypanosomiasis in cattle, prevalence
in different vegetation zones, 10172

seasonal, 10172
 trypanosomiasis
 chemotherapy of animal trypanosomiasis, 10191
 in tsetse-free zone, 9933, 10054
 T. vivax infection in goats, 9933, 10054
 T. vivax infection in sheep, 9933, 10054

nitroimidazoles
 treatment of human trypanosomiasis, 9927
 treatment of *T. b. brucei*-infected mice
 combined with melarsoprol, 9846

non-target organisms
 effect of tsetse control
 on invertebrates, 10018
 aquatic, 10036
 on vertebrates
 birds, 10018
 fish, 10036
 mammals, 10018
 reptiles, 10018

normalised difference vegetation index (NDVI)

in tsetse distribution studies, 10154

odour attractants/baits/stimuli

acetone, 9799, 9896, 9908, 9910, 9911, 9915, 10031, 10149
butanone, 10156
carbon dioxide, 9908, 9913, 10031
effectiveness studies, 9901
methods for dispensing, 10156
4-methylphenol, 9799, 9911, 10156
octenol, 9799, 9908, 9911, 10031, 10149, 10156
on traps/screens/targets, 9793, 9799, 9901
ox odour, natural, 9799, 9908, 9919, 10031
phenols, 9908, 10031
3-n-propylphenol, 9799, 9911, 10156
urine, cow, 9896, 9911, 10149

odour plumes

tsetse response to, 9913
wind speed effects, 9913

ox

attractiveness for tsetse, 9799, 9908, 9919, 10031

packed cell volume (PCV)

in cattle
trypanosome-infected, 9932
trypanotolerant, control of, 10182
in goats
T. congolense-infected, 10060, 10183
in sheep
T. congolense-infected, 9943
T. evansi-infected, 9824

parasitaemia

in cattle
profiles in N'Dama cattle, 10055
T. congolense-infected
modelling parasitaemia patterns, 10055
trypanotolerant, control of, 10182
in goats
T. congolense-infected, 10183
T. evansi-infected, 9823
in humans
T. b. gambiense-infected, 9810
in sheep
T. congolense-infected, 9942
T. evansi-infected, 9824

pentamidine

cure rate, 9930
dose regimens, 9815
mode of action, 10048
overdose, treatment by charcoal haemo-perfusion, 10050
pharmacokinetics, 9815
treatment of human trypanosomiasis, 9811, 9890, 9898, 9927, 9929, 9930

pharmacokinetics, 9944

drug levels in
blood, 10047
CSF, 10047, 10049

plasma, 10047, 10049
urine, 10047, 10049, 10166

pigs

in Cameroon, 9937
in Côte d'Ivoire, 10144
reservoir of human trypanosomiasis, 10099
T. brucei infection, 9937
T. brucei stocks from, Uganda, 10206
T. congolense infection, 9937
T. simiae infection, 9937
T. vivax infection, 9937

plasma

in pharmacokinetic studies, 10047, 10049
lipid concentrations, *T. congolense* infection, 9941, 9942
trace element levels, role in trypanotolerance, 10062

poultry

in Côte d'Ivoire, 10144

quinapyramine

resistance in *T. congolense*, 10203
treatment of *T. evansi* infection in camels, 10175

rabbits in laboratory studies

T. brucei infection
effect on jejunal segment response to histamine, carbachol and serotonin, 9949
T. b. brucei infection
effect on acetylcholinesterase level in brain, 9832

rabbits in laboratory studies (cont.)

T. congolense infection, 10160
adenosine triphosphatase activity, 9839
response of adrenal gland, plasma cortisol and glucose, 9948
thyroid status, 9839
T. equiperdum infection
auto-antibodies against DNA and collagen, 10077
T. evansi infection
antibody detection, 10192

rats in laboratory studies

as laboratory hosts for tsetse, 9808

Cricetomys gambianus
T. b. gambiense-infected
extraction of crude antigens for diagnostic tests, 10072
immunisation with killed *T. evansi*
haematological changes, 10198

Mastomys natalensis

T. congolense-infected
phagocytosis by blood leukocytes, 10080
pancreatic cells, Ca²⁺ activity, effect of suramin, 10202
T. brucei infection
combination treatment, DFMO and isometamidium, 9967
effect of protein malnutrition on gossypol antifertility action, 10193
effect on Ca²⁺-ATPase activity, 10075
effect on erythrocyte calcium, 10075
T. b. brucei infection
sleep disturbance, actimetric analysis, 10076
sleep-wake cycle, changes, 9952
T. b. rhodesiense infection

trypanocide testing, 9959, 9961, 9962, 9963, 9964
T. congolense infection
 drug effects, 10085
 trypanocide testing, 9959, 9960, 9961, 9962, 9963
T. equiperdum infection
 trypanocide testing, 9959, 9960, 9962, 9963
T. evansi infection
 immunomodulatory drugs, effect, 9954
 trypanocide testing, 9959, 9960, 9961, 9962, 9963
remote sensing
 in tsetse distribution studies, 10034, 10154, 10155
reptiles
 as hosts for tsetse, Central African Republic, 9806
reservoir hosts
 domestic animals, Uganda
 of *rhodesiense* trypanosomiasis, 9972
 potential of cattle
 in human trypanosomiasis, 9807
 role in epidemiology
 of human trypanosomiasis, 9784, 10042
rhinoceros, black
 Nannomonas infection, 9920
 T. brucei infection, 9920
 T. congolense infection, 9920
 T. vivax infection, 9920
rhinoceros, white
 translocated
 risk of spread of human-infective *T. brucei*, 9920
 T. brucei infection, 9920
RNA
 T. brucei
 editing, 9865, 10231
 nucleases, 10126
 g, 9865
 database, 10129
 gBP21 binding to, 9993
 -pre-m, chimaeric molecules, secondary structures, 9877
 requirement for endonucleolytic cleavage of mRNA, 10207
 three dimensional model, 10226
 glutamine tRNAs, import into mitochondria, 9992
 m
 histone levels, regulation, 9859
 polysomal procyclin, 9863
 precursor, 9865
 procyclin, expression regulation in insect forms, 10219
 r, pseudouridine residues, mapping, 10123
 spliced leader RNA gene, transcription, 10114
 trans mRNA splicing, 10235
 U6 snRNA gene promoter, 10238
 trypanosome
 editing, 9881
rodents in laboratory studies
 T. brucei infection, trypanocide testing, 9970
 T. b. gambiense infection, trypanocide testing, 9970
rural development
and tsetse control, 9914

Rwanda

trypanosomiasis in humans, *rhodesiense*, 9817

Samorin *see* isometamidium chloride**screening**

for human trypanosomiasis
history, 9890
immunoparasitological, 9784
in Cameroon, 9810
mass, 9785, 10043
parasitological, 9810
serological, 9810

screens, 9784

insecticide-treated, 9793
odour-baited, 9793

Senegal

G. p. gambiensis, 10059
T. vivax infection in horses, 10059

serum

buffalo
activity of xanthine oxidase, 10196
camel
concentrations of micro- and macro-elements in trypanosome-infected animals, 10061
cattle
foetal bovine, trypanocidal effect, 9955, 10197
native VSG-specific antibodies, 9840
trace element levels, role in trypano-tolerance, 10062
guinea pig
trypanocidal activity in presence of FBS, 9955, 10197
human
DFMO in, 9816
native VSG-specific antibodies, 9840
pentamidine concentration, 10050
trypanocidal factor against *T. evansi*, 9838
trypanolytic factors, components, 10082
trypanolytic role of HDL particles, 9841
mouse
native VSG-specific antibodies, 9840
sheep
pharmacokinetics, 9970

sheep

Djallonké
breed status, Côte d'Ivoire, 10144
T. congolense infection (exp.)
effect on reproductive performance, 10186
effect on semen quality, 10186
trypanosome prevalence, Gambia, 9938
tsetse challenge to, Gambia, 9938
drug resistance studies, 10191
Finn Dorset
T. congolense infection (exp.)
pathophysiology, 9942
plasma lipid concentrations, 9942

Scottish Blackface

- T. congolense* infection (exp.)
 - blood biochemical changes, 9941, 9943
 - influence of dietary protein, 9941
 - influence of dietary roughage, 9943
 - blood haematological changes, 9942
 - influence of dietary roughage, 9943
 - pathophysiology, 9942, 9943
 - effect of diet on, 9943
 - plasma lipid concentrations, 9941, 9942
- serum kinetics of Ir-(COD)-pentamidine tetraphenylborate, 9970
- T. brucei* infection, Ghana, 9935
- T. congolense* infection, Ghana, 9935
- T. congolense* infection (exp.)
 - effect
 - of nutritional level
 - on degree of anaemia, 9942
 - of roughage type, 9943
 - on Leydig cell steroidogenesis, 10185
 - compared to scrotal insulation, 10185
 - on PCV, 9943
 - on plasma lipid concentrations, 9941, 9942
 - on testosterone content, 10185
 - heterophile antibodies to chicken erythrocytes, 9837
- T. evansi* infection (exp.)
 - effect on body temperature, 9824
 - haematological changes, 9824
 - kinetics, 9824
 - self-cure, 9824
- T. vivax* infection
 - in Ghana, 9935
 - in Nigeria, 9933, 10054
- trypanosomiasis prevalence, Nigeria, 10174
- trypanotolerance, 9786
- Uda, 9933, 10054
- Yankassa, 9933, 10054
 - T. brucei* infection, 10173
 - T. congolense* infection, 10173
 - T. vivax* infection, 10173
- small ruminants**
 - trypanotolerance, 9793
 - genetics, 9828
- spraying**
 - aerial, 9914
 - aerosol application
 - environmental impact, 10036
- ground, using DDT, 9914
- sterile insect technique (SIT)**, 9793, 10036
- Stomoxyinae**
 - Stomoxys* spp., Nigeria, 10052
 - S. nigra*, chemoreceptors, 9795
- Sudan**
 - trypanosomiasis in camels, 10181
 - treatment, 10190
- suids**
 - as hosts for *G. longipennis*, 9919
- suramin**
 - effect on rat pancreatic cells, 10202

treatment
of trypanosomiasis in humans, 9927, 9929
combined with DFMO, 9817
gambiense, 9814
rhodesiense, 9811, 9817
toxicity, 9814

survey

cluster sample
intra-cluster correlation coefficient, 10176
community participation potential, 9896, 10139
entomological, Burkina Faso, 9800, 9922
epidemiological, Burkina Faso, 9922
of human trypanosomiasis, Cameroon, 9810
trypanosomiasis
in cattle, Nigeria, 10172
in goats, Nigeria, 9933
in humans, case-finding
low participation rate, 10043
in sheep, Nigeria, 9933
modelling antibody prevalence, 10015

Tabanidae

in Nigeria, 10052, 10174

Tanzania

G. m. centralis, 9910, 9911, 9912
G. pallidipes, 9896, 9910, 9911, 9912
G. swynnertoni, 9896, 9910, 9911, 9912
plants, trypanocidal activity, 9968, 10199, 10200
trypanosomiasis
control, 9790
in humans, 9845
tsetse control, 9790, 9901
forecasting likelihood of community participation, 9896

targets

as barriers to reinvasion, 9803
insecticide-treated, 9802, 9914, 9915
deltamethrin, 9802
odour-baited, 9914
swinger, 9915

Togo

cattle, phenotypic designations, 10065

transmission

cyclical, by *G. pallidipes*, 9795
efficiencies from tsetse to cattle
of *T. congolense*, 10037
of *T. vivax*, 10037
human trypanosomiasis, dynamics, Côte d'Ivoire, 10157
mechanical, 9819, 10052
by *Stomoxys nigra*, 9795
parasite-vector interactions, 9923
transmissibility and infectivity of drug-resistant *T. congolense*, 10188

traps/trapping, 9784, 9789, 9793

biconical, 9911, 9912, 10033, 10150, 10151
bipyramidal, 9801
catch, 9799, 9803
comparisons, 9801, 10033
efficiency, 9799, 9801, 10153

comparison, 9912
electric, 9912
Epsilon, 9799, 9912
F3, 9912, 10033
for tsetse population sampling, 9911, 9912
for tsetse population studies
comparison of Latin square and randomised complete block designs, 10152
growth regulator treated, 9793
insecticide-treated, 9793, 9800
 cypermethrin, 9800
monoconical screen, 9912
monopyramidal
 MP3, 9912
 MP4, 9912
monoscreen, 9801
NG2F, 10149
NGU, 9912, 10033
Nitse, 10032, 10033
odour-baited, 9793, 9799, 9803, 10149, 10150
trypanocides
alkyllysophospholipids, 9965
alkylphosphocholines, 9843, 10088
alkylpolyamine analogues, 10086
anionic ruthenium (III) complexes, 9962
8-aza-7-deaza-5'-noraristeromycin derivatives, 10094
bialamicol analogues, 10091
(+)-7-deaza-5'-noraristeromycin, 10092, 10093
diopyrin, 9851
ionic osmium (IV) complexes, 9961
ionic ruthenium (III) complexes, 9961
Ir-(COD)-pentamidine tetraphenylborate, 9970
natural compounds
 berberine, 9968
 harmane, 9968
neutral and octahedral ruthenium (III) complexes, 9964
neutral iridium (III) complexes, 9960
neutral osmium (III) and (IV) complexes, 9962
organometallic and cationic iridium (I) complexes, 9963
organometallic and cationic rhodium (I) complexes, 9963
organotin compounds, 10095
phenothiazines and related polycyclics, 9971
plants
 Albizia gummifera, 9844, 9845
 Annickia kummeriae, 10199, 10200
 Annona senegalensis, 9844, 9968
 Asteranthe asterias, 10199, 10200
 Bussea occidentalis, 9844, 9968
 Cassytha filiformis, 9958
 Ehretia amoena, 9844, 9845, 9849
 Entada abyssinica, 9844, 9845
 Physalis angulata, 9844, 9968
 Securinega virosa, 9844, 9845
 Vernonia subuligera, 9844, 9845
platinum (II) and (IV) complexes, 9959
purine nucleosides, enhanced, 9974
screening for activity against

T. brucei, 9843, 9965, 9970, 10091, 10092
T. b. brucei, 9851, 9971, 9974, 10086, 10088, 10093, 10094
T. b. gambiense, 9970, 10088
T. b. rhodesiense, 9844, 9845, 9849, 9959, 9961, 9962, 9963, 9964, 9968, 9974, 10086, 10088, 10093, 10094, 10199, 10200
T. congolense, 9959, 9960, 9961, 9962, 9963
T. equiperdum, 9959, 9960, 9962, 9963, 10095
T. evansi, 9959, 9960, 9961, 9962, 9963, 10096
T. vivax, 9958
screening for cytotoxicity, 9844, 9845, 9847, 9849, 9958, 9960, 9964, 9968, 10087, 10099, 10200
 triazine derivatives, 10096
 SIPI-1029, 10096
trypanoresistance
 in livestock, genetics, 10081
 in mice, genetics, 9951, 10074, 10081, 10195
Trypanosoma
 evolutionary genetics, implications, 9976
T. brucei
 antigenic variation, 9855, 9978
 mechanisms, 10211
 mediation, 9995
 rate
 in fly-transmitted infections, 10250
 in syringe-passaged infections, 10250
 autoantigen I/6, 10105
 bloodstream form, 9852, 9857, 9863, 9977, 10097, 10103, 10117, 10118, 10208
 bloodstream trypomastigotes, 9831
 Bouaflé group reference stocks, 10180
 calcium influx, 9874
 cell cycle, 9859
 cell signalling, 10002
 cellulase activity, 10230
 characterisation of isolates, 10099, 10179, 10180
 coenzyme A
 2-enoyl, hydratase activity, 9886
 -3-hydroxyacyl, dehydrogenase activity
 NADP⁺-dependent, 9886
 culture, 9852, 10097
 developmental regulation, mechanisms, 10229
 differentiation
 bloodstream to procyclic form
 expression of cyclin-1, 10117
 role of host blood, 9921
 signalling mechanisms, 10104
 DNA, 9831
 β-D-glucosylated, binding of daunorubicin to, 10110
 kinetoplast
 electrophoretic comparison, 10137
 replication, 9880
 drug effects, 9864
 drug resistance, 10173, 10204
 drug targets, 9867, 9871
 ectophosphatase in procyclics, 10218
 endocytosis, 9868, 10000
 endonucleolytic cleavage, gRNA requirement, 10207
 fructose-1,6-bisphosphate aldolase, 9876, 10127

α -galactosyl-transferases, 10012
genetic/s
 chromosomes
 large and mini, partitioning, 10108
 developmental regulation, mechanisms, 10229
 diversity, 10206
 endonucleases, 10126
 expression of toxic gene products, vectors, 10103
 expression, regulation of, in bloodstream forms, 10243
 gene disruption, PCR-based, 10220
 gene sequences, single copy, 10120
 genes
 encoding mitochondrial DEAD-box protein, 10237
 expression, 9857
 gene-1, expression site-associated, 9857

T. brucei (cont.)
genetics (cont.)
genes (cont.)
 PRP8 homologous, 10235
 rRNA, analysis, 10098
 rab
 duplication, 10109
 sequence divergence, 10109
 Trab 1 and 7, 9990
 SLA RNA, 10004
 spliced leader RNA, transcription, 10114
 U6 snRNA, promoter, 10238

vsg, expression-site switching, 10116, 10216
genome
 mapping and chromosome size polymorphism, 10236
 segregation, mechanism, 10107
 sequencing and mapping, 9987
heterogeneity, 10180
isoenzymes, 10180
karyotype nomenclature, 10009
minisatellite sequence, single locus
 distinguishing between isolates, 10102
populations, 10099
RNA
 editing, 9865, 10126, 10231
 g
 database, 10129
 -directed endonuclease, 10126
 gBP21 binding to, 9993
 model, 10226
 -pre-m chimaeric molecules, secondary structures, 9877
 requirement for endonucleolytic cleavage of mRNA, 10207
 -specified uridylate insertion into precursor m, 9865
 glutamine tRNAs, import into mitochondria, 9992
 m
 polysomal procyclin, 9863
 precursor, 9865
 procyclin, 3' untranslated region, expression regulation in
 insect forms, 10219
 regulation of histone levels, 9859
r, pseudouridine residues, mapping, 10123
trans-mRNA splicing, 10235

U6 snRNA gene, promoter, 10238
telomere/subtelomere duplex, ST-2, 10217
trans-splicing, 9996, 10235
variability, 9784
glycerol uptake, 10135
glycolysis, 9977, 9997
glycolytic enzymes, 9871, 9977
glycoprotein, flagellum-adhesion, characterisation, 9999
glycosomal microbodies, targeting by phosphoglycerate kinase, 10003
glycosomal phosphoglycerate kinase, 9875
glycosomes, 9886
glycosylphosphatidylinositol/s (GPI)
anchor
degrading phospholipases, 10008
nature dictated by cell type, 10239
octyl *O*- and *S*-glycosides, anchor-related
galactosylation, 10012
synthesis, 10012
role in secretion, 10208
structures, 10122
biosynthesis, 9989
host cell regulation, 9956
myristoylation, 10134
signal transduction in macrophages, 10130
structure, 9989
growth
control, TNF- α involvement, 10121
rate and carbon regimen, promastigotes, 10233
hypoxanthine-guanine phosphoribosyl-transferase, 10132
identification, 10179, 10180
infecting cattle, 9800, 9932, 9935, 10053
Friesian, 10172
Muturu, 10172, 10173
N'Dama, 10172, 10173
Zebu, 10172, 10173
infecting dogs, 9826
infecting domestic animals, 9972, 10179
infecting man, 9972
infecting mice, 9833, 9946
infecting pigs, 9937
infecting rabbits, 9949
infecting rats, 9836, 9967, 10075, 10193
infecting rhinoceros, 9920
infecting rodents, 9970
infecting sheep, 9935, 10173
infectivity, 10040
insect forms, 10219
intoxication with ricin, 9879
in vitro studies, 9836
karyotype nomenclature, 10009
lipids, methylation, 10223, 10224
 α -mannosyltransferases, acceptors for, 10212
mating, intraclonal, 10111
metabolic compartmentation, 9858
microtubules
flagellar, 10005

organising centres and γ -tubulin, 10007
subpellicular, 10005

mitochondria
 endonucleases, 10126
 enzymatic editing complex from, 10242

import of glutamine tRNAs, 9992
`multicoloured coats', 10249

NADH fumarate reductase inhibition, 9884

nuclear calcium flux, 10011

ornithine decarboxylase
 pyridoxal 5'-phosphate binding, role of Arg-277, 10124

out-crossing, and mating, 10111

paraflagellar rod, 9853

pentose phosphate pathway, 10101

peptide library screening, 9875, 9876, 10127

6-phosphogluconate dehydrogenase, 9864

phosphoglycerate kinase
 activation, 9979
 internal region, targeting to glycosomal microbodies, 10003

phosphoribosyltransferase, 10132

pleomorphic, 9852, 9863

polyamine metabolism, 9988

procyclic form, 9831, 9861, 9886, 10103, 10117, 10208, 10218, 10247

procyclin, 10241, 10243

profilin homologue, identification, 10136

promastigotes, 10233

proteasome, 20S, 10131

protein/s
 cellular, methylation, 10223, 10224
 cytoskeletal
 autoantigen I/6, 10105
 G-strand binding, 10217
 hydrogenosomal
 targeting sequence function, 10225
 isoprenylation, 9861
 kinases, 9981
 KFR1, IFN- γ activation, 10118
 mitochondrial
 DEAD-box, 10237
 gBP21, binding to gRNA, 9993
 targeting sequence function, 10225
 nucleic acid binding, 10253
 phosphorylation, 9981
 prenylation, 10252
 procyclic acidic repetitive, 10247
 ribosomal L18, cloning and sequencing, 9985
 surface, conserved structural motifs, 9856
 synthesis, inhibition, 9863

protein kinase C, 10130

protein tyrosine kinases, 10130

proteinases, 9984

purines, acquisition, 10215

pyridoxal kinase, 10244

ribonuclease H, molecular cloning and expression, 10115

ribonucleotide reductase, R1 and R2 subunits, 10227

RIME/ingi retroposons, heterogeneous transcripts, 9885

secretion, 10000
sterol metabolism, chemotherapeutic potential, 9982
survival in tsetse, expression of specific procyclin forms, 10241
transferrin receptor, 9868
transformation
 bloodstream to procyclic form, role of host blood, 9921
 long slender to short stumpy, model, 10245
trypanocide testing, 9843, 9965, 9970, 10091, 10092
T-tubulin, 10006
 γ -tubulin
 localisation to microtubule organising centres, 10007
 molecular characterisation, 10007
ultrastructure, changes after storage, 9878
virulence, 10040
VSG
 expression of bloodstream VSGs in procyclics, 10208
 expression of *T. b. gambiense* in procyclics, 10239
 expression site promoter
 binding of trans-acting factors to, 10240
 expression sites, 9980, 9995
 lacking 70bp repeat sequences, 9995
 221, GPI anchor structure, 10122
zymodemes, 10180

***T. brucei* ssp.**

DNA content, wide variation, 10119
genetic crosses
 heritability of human infectivity, 10222
infecting cattle, 10053
infecting humans, 9831
infecting tsetse, 9806

***T. brucei* spp.**

genetic diversity, 10206
infecting cattle, 10206
infecting dogs, 10206
infecting humans, characterisation, 10099, 10206
infecting pigs, characterisation, 10099, 10206
infecting tsetse, 10206

T. brucei brucei

ABC transporters, 9869
S-adenosylmethionine transporter, 10112
alternative oxidase, cloning, sequencing and functional activity, 9983

***T. brucei brucei* (cont.)**

antibodies, antipeptide, against trypanopain-Tb, 10248
bloodstream form, 9854, 9870
 respiration and growth, inhibition by ascofuranone, 9998
culture, 9975
distinguished from *T. b. rhodesiense*, 9807
kDNA minicircles, inheritance in genetic crosses, 10221
drug effects, 9846, 9850, 9969, 10090
genome research, and evolution, 9986
hypoxanthine uptake, procyclics, 10232
infecting cattle, 9807, 10170, 10182
infecting mice, 9834, 9835, 9846, 9850, 9953, 9968, 10078, 10079, 10084, 10088, 10090
infecting rabbits, 9832
infecting rats, 9952, 10076

in vitro studies
 growth inhibition, 9870
 respiratory inhibition, 9870
NADH dehydrogenase, rotenone-sensitive, 9854
nucleoside hydrolases, inhibitors, 10125
phosphohydrolases, Golgi-associated, 10113
procyclic form, 9854, 10213, 10232
proteasome, 20S, 10234
protein isoprenylation, 9860
 self-regulation of population in tsetse, 10161
serum activity against, 10196
slender form, 10245
strain 427, 'GPEET' procyclin in procyclic culture forms, 10213
stumpy form, 10245
transformation, long slender to short stumpy, model, 10245
trypanocide testing, 9851, 9971, 9974, 10086, 10088, 10093, 10094

T. brucei gambiense
antigens, crude, extraction, 10072
characterisation of isolates, 10180
culture, 9975
GPI anchor, nature dictated by cell type, 10239
'Group I', 10099
identification, 10180
infecting humans, 9785, 9810, 9813, 9814, 9816, 9924, 10045,
 10046, 10162, 10167
infecting mice, 10088, 10201
infecting rodents, 9970
infecting wild mammals, 10180
isoenzymes, 10180
resistance to human HDL, mechanism, 9991
serum activity against, 9955, 10197
slender form, 10245
stumpy form, 10245
transformation, long slender to short stumpy, model, 10245
trypanocide testing, 9970, 10088
VSG, expression in procyclic *T. brucei*, 10239

T. brucei rhodesiense
S-adenosylmethionine transporter, 10112
bloodstream form, 9849
clonality, 9807
distinguished from *T. b. brucei*, 9807
kDNA minicircles, inheritance in genetic crosses, 10221
drug effects, 9866
drug resistance, 9929, 9972
gene for T lymphocyte triggering factor, 10251
genetic exchange, 9807
genetic makeup, 9807
genome, survey, 10106
infecting domestic animals, 9972
infecting humans, 9807, 9811, 9817, 9972, 10042, 10166
infecting mice, 9947, 10088, 10201
infecting rats, 9959, 9961, 9962, 9963, 9964
kinetoplastid membrane protein-11, 9882
ornithine decarboxylase, 9866
population genetics, 9807
resistance to human HDL, mechanism, 9991
transformation, long slender to short stumpy, model, 10245

trypanocide testing, 9844, 9845, 9849, 9959, 9961, 9962, 9963,
9964, 9968, 9974, 10086, 10088, 10093, 10094, 10199, 10200

T. congolense

- acid phosphatase activity, 9883
- antigenic variation, 9827, 9855
- bloodstream form, 9883
- characterisation, 10179, 10180
- Con A, 9821
- culture, axenic, effect of cytokines on growth, 10094
- cysteine protease, comparison, 10214
- drug effects, 10085
- drug resistance, 9802, 10069, 10071, 10173, 10188, 10191, 10203
- drug resistant isolates, chromosome profiles, 10071
- drug sensitivity, 10191
- EATRO 325, 9805
- epimastigote form, 9808
 - attachment, 10210
- genetic heterogeneity, 10180
- hsp70/BiP, 9821
- identification, 10179, 10180
- IL 1180
 - resistance to isometamidium, 10203
 - sensitivity to isometamidium, 10069
- IL 13E3, 10056, 10057
- IL 3338, infectivity and transmissibility in *G. m. centralis*, 10188
- IL 3343, resistance to isometamidium, 10069
- infecting cattle, 9800, 9802, 9825, 9827, 9932, 9935, 10037,
10052, 10053, 10070, 10191
 - Boran, 9821, 9830, 10056, 10057, 10069, 10188
 - Friesian, 10172
 - Gobra, 9936
 - Muturu, 10172
 - N'Dama, 9821, 9936, 10172, 10173
 - N'Dama ♂ Gobra, 9936
 - White Fulani, 9934
 - Zebu, 10172, 10173
- infecting dogs, 9826, 9827
- infecting domestic animals, 10179
- infecting domestic ruminants, 9940
- infecting donkeys, 9800
- infecting goats
 - Kigezi, 10060
 - Mashona, 10068
 - Mubende, 10060
 - Red Sokoto, 10173
 - Small East African, 10060, 10183
 - West African Dwarf, 10173
- infecting livestock, 10081
- infecting mice, 9809, 9951, 10081, 10083, 10203
- infecting pigs, 9937
- infecting rabbits, 9839, 9948
- infecting rats, 9808, 9959, 9960, 9961, 9962, 9963, 10080, 10085
- infecting rhinoceros, 9920
- infecting sheep, 9837, 9935, 10185
 - Djallonké, 10186
 - Finn Dorset, 9942
 - Scottish Blackface, 9941, 9942, 9943

Yankassa, 10173
infecting tsetse, 9805, 9808, 9809, 10160, 10181
infecting wild mammals, 10180
Kilifi type, 10180
life cycle, 9808
long form, 9805
mesocyclic form, 9808
metacyclic form, 9805, 9808
procyclic form, 9808
proteinases, 9984
riverine-forest type, 10160, 10179, 10180
gRNA database, 10129
rRNA genes, analysis, 10098
savanna type, 9805, 9809, 10160, 10179, 10180
transmission efficiency from tsetse to cattle, 10037
trypanocide testing, 9959, 9960, 9961, 9962, 9963
ultrastructure, changes after storage, 9878
VSG, 9821, 10133
ZRE/G143/90, 9808

T. cruzi

cysteine protease, comparison, 10214
flagellum-adhesion glycoprotein, homologue in *T. b. brucei*, 9999
genome research, and evolution, 9986
NADH fumarate reductase inhibition, 9884
trypanocide testing, 9851

T. equinum

ultrastructure, changes after storage, 9878

T. equiperdum

antigenic variation, 9855
infecting horses, 10168
infecting rabbits, 10077
infecting rats, 9959, 9960, 9962, 9963

gRNA, database, 10129
trypanocide testing, 9959, 9960, 9962, 9963, 10095

T. evansi

antigen, soluble, electrophoretic study, 10254
antigenic variation, 9855
bloodstream form, 10097
cryopreserved, viability and infectivity, 10128
culture, 10097
kDNA, electrophoretic comparison, 10137
effect of human serum, 9838
immunisation of rats, 10198
infecting camels, 10175, 10177, 10178, 10181, 10184, 10187, 10190
infecting cattle, 10096
infecting goats, 9823
infecting mice, 9950, 10096
infecting rabbits, 10192
infecting rats, 9954, 9959, 9960, 9961, 9962, 9963
infecting sheep, 9824
TREU 2143, 9824
trypanocide testing, 9959, 9960, 9961, 9962, 9963, 10096
ultrastructure, changes after storage, 9878

T. grayi

infecting tsetse, 9806

T. simiae

infecting pigs, 9937

infecting tsetse, 9922
rRNA genes, analysis, 10098

T. vivax

antigenic variation, 9855
culture, 9975
diagnostic antigen, 10073
drug resistance, 9819, 10173, 10191
drug sensitivity, 9819, 10191

T. vivax (cont.)

infecting cattle, 9800, 9825, 9932, 9935, 10051, 10052, 10173,
10174, 10191
Boran, 9822
Friesian, 9819, 10172
Muturu, 10172
N'Dama, 10172, 10173
Zebu, 10172, 10173
infecting domestic animals, 10179
infecting goats, 9819, 9933, 9935, 10054, 10169
Red Sokoto, 10173
West African Dwarf, 9820, 10058, 10173
infecting horses, 10059
infecting livestock, 10081
infecting mice, 9958, 10081
infecting pigs, 9937
infecting rhinoceros, 9920
infecting sheep, 9933, 9935, 10054
Yankassa, 10173
infecting tsetse, 9922, 10052, 10073
KETRI 2501, 9822
rRNA genes, analysis, 10098
transmission efficiency from tsetse to cattle, 10037
trypanocide testing, 9958
VSG, small, 9862

trypanosome/s

S-adenosylmethionine metabolism, inhibition, 9848
antigenic variation, 10209
and vaccines, 10001
bloodstream form, 9840
drug resistance, 9793
drug resistance mechanisms, 9973
use of field isolates, 9973
establishment in tsetse midgut, 9923
glyceraldehyde-3-phosphate dehydrogenase
synthesis of inhibitors, 10100
human infective, identification, 9945
infecting camels, 10061
infecting cattle, 9938, 10171
infecting donkeys, 9938
infecting goats, 9938
infecting horses, 9938
infecting sheep, 9938
infecting tsetse, 9784
infection rates in tsetse, 10158
interaction with tsetse vector, 9923
maturation in tsetse midgut, 9923
phylogeny, 10098
programmed cell death, 10010

research, history, 9902
RNA editing, 9881
surface coat, 9840
transmission efficiency, 10037

trypanothione reductase
change from glutathione reductase, 10246
inhibitors, virtual screening, 10228
substrate specificity, 9994

VSGs, 9840

trypanosomiasis, general

association with glomerulopathy, 9842
biology, 9893
cluster sample surveys
intra-cluster correlation coefficient, 10176
constraint to livestock production, 10141
control, 9893
in Cameroon, 9897
in Central African Republic, 9888
in Chad, 9889
in Congo, 9898
in Equatorial Guinea, 9899
in Gabon, 9891
in Tanzania, 9790
strategies, 9914
effectiveness, 9914
sustainability, 9914
diagnostics, 9794
economic assessment, 9894
evaluation as constraint to land-use, 9894
historical aspects, 9893
public health status, 9895
review, 10016
socio-economic impact, 9894
threat to human health, 10141
treatment, 9794
valuation of human welfare effects, 9894

trypanosomiasis in animals

clinical symptoms/pathological effects
abortion, 9939
anaemia, 9824, 9939, 9942, 9943, 10056, 10058, 10059, 10183
depression, 10059
dyspnoea, 9823
emaciation, 10059
endocrinological disturbances, 9940
hypothalamic-pituitary axis, 9940
enlarged liver, 9823
enlarged lymph nodes, 9823
enlarged spleen, 9823
fever, 9939, 10058, 10059
haematological changes, 10056, 10057
hormonal imbalance, 9940, 10185
hypoalbuminaemia, 9941, 9942
immunosuppression, 10187
lethargy, 9823
leukocytosis, 9824
leukopenia, 10056

low birth weight, 9822
lymphocytosis, 9824
muscle wastage, 9823
oedema, 9823, 10059
premature birth, 9822
pyrexia, 9823
reduced fertility, 9939
reduced libido, 10186
reproductive disorder, 9940
semen abnormalities, 10186
still birth, 9939
thrombocytopenia, 9942, 10056
weight loss, 9939, 10060
control, 9800
diagnosis, 9925, 9926, 10051
pathogenesis, role of nutrition, 9941, 9943, 10183
prevalence, 9791
treatment, 9791

trypanosomiasis in camels

diagnosis, 10177, 10178, 10181, 10184
enzymes, 10181
haematology, 10181
in Kenya, 10175, 10190
in Sudan, 10181, 10190
pathology, 10181, 10184
serum biochemistry, 10061, 10181
treatment, 10184, 10190
T. evansi infection, 10175, 10177, 10178, 10184, 10187

trypanosomiasis in cattle

control, 9788, 9800
diagnosis, 9936, 10170, 10171
immunosuppression, 9825
in Burkina Faso, 9800
in Ethiopia, 9802, 9932
in Ghana, 9935
in Nigeria, 9819, 9934, 10052, 10173, 10174
in sub-Saharan Africa, 9788
in Uganda, 10171
in Zambia, 10053
incidence
 in Kenya, 10150
 in Nigeria, 9934
prevalence
 in Ethiopia, 9802, 9932
 in Gambia, 9938
 in Ghana, 9935
 in Nigeria, 10052, 10172, 10174
risk
 in Ethiopia, 9932
 in Nigeria, 10172
survey, 10172
treatment, 9802, 9819
T. brucei infection, 9800, 9932, 9935, 10053, 10182
T. congolense infection, 9800, 9802, 9932, 9935, 9936, 10052, 10053, 10069, 10172, 10173
T. vivax infection, 9800, 9819, 9932, 9935, 10051, 10052, 10172, 10173, 10174

trypanosomiasis in domestic ruminants

effects on reproduction, 9940

T. congolense infection, 9940**trypanosomiasis in goats**

effect on health and productivity, 9939

prevalence

in Gambia, 9938

in Ghana, 9935

in Nigeria, 9933, 10054, 10173, 10174

in Uganda, 10060

in Zambia, seasonal, 9939

protective immunity, 9939

susceptibility, effect of age, 9939

T. congolense infection, 10060, 10068, 10173, 10183 *T. vivax* infection, 9933, 9935, 10054, 10058, 10169, 10173, 10174**trypanosomiasis in horses**

diagnosis, 10168

in Senegal, 10059

prevalence

in Ethiopia, 10168

in Gambia, 9938

treatment, 10059

T. equiperdum infection, 10168 *T. vivax* infection, 10059**trypanosomiasis in humans**

clinical symptoms/pathological effects, 9787, 10165

asthenia, 10044

cervical lymphadenopathy, 9817

CNS invasion, 9927

demyelination, 9927

encephalopathy, 9785, 9814

fever, 10044

hypergammaglobulinaemia, 10044

intracranial haemorrhage, 9812

local inflammatory reaction, 9927

meningitis, 9812

meningoencephalitis, 10165

neurological disorders, 10044

psychical disorders, 10044

sedimentation rate, increase, 10044

somnolence, 10044, 10165

weight loss, 10044

control, 9783, 9784, 9785, 9793

CSF status, 9930, 10044

detection, 9783, 9810, 9831, 10014

diagnosis, 9785, 9810, 9811, 9812, 9831, 9924, 9925, 9926, 10044, 10162

distribution, 9787

endotoxin antibodies, 10045

epidemics, 9807

epidemiology, 9785, 9787, 10165

etiology, 9787

fear of drug-induced mortality, 10043

foci, 9807, 9810

trypanosomiasis in humans (cont.)

historical aspects, 9785, 9787, 9888, 9889, 9890, 9891, 9897, 9898, 9899, 9900, 10016

immune response, 9927, 10016, 10164
immunology, 9787, 10046
immunopathogenesis, 10046
 immunopathology, 10016
 in Cameroon, 9810, 9897, 9924
 in Central Africa, 9783
 in Central African Republic, 9888
 in Chad, 9889
 in children, 10044, 10167
 in Congo, 9784, 9898
 in Côte d'Ivoire, 9784, 9831
 in East Africa, 9807
 in Equatorial Guinea, 9899
 in French Equatorial Africa, 9890
 in Gabon, 9891, 10044
 in Kenya, 9811, 10042
 in Rwanda, 9817
 in Tanzania, 9845
 in Uganda, 9784, 9807, 9845, 9849, 9918
 in Zaire, 9785, 9812, 10043, 10162
 in Zambia, 9807
 incidence, 9787
 in Zaire, 9785, 10142
modelling, 10014
 neurological effects, in mice, 10078
pathology, and immunological status, 9928
 physiopathology, 9928
prevalence, Zaire, 9785
 public health impact, 10016
 public health status, 9895
 reservoir, 9785, 9807
 screening, 9784, 9785, 9810, 10043
 socio-economic impact, 10016
 surveillance, 10163
 transmission dynamics
 role of human behaviour, 10157
transmission, Lambwe Valley, Kenya, 10042
 treatment, 9783, 9784, 9785, 9793, 9818, 9844, 9845, 9849, 9929, 9930, 9931, 9968, 10014
 combination therapy, 10166
 DFMO, 9816, 9817, 9929, 10044, 10162, 10167
 melarsoprol, 9811, 9813, 9814, 9816, 9927, 9929, 10024, 10046
 nifurtimox, 9929
 nitroimidazole derivatives, 9927
 pentamidine, 9811, 9927, 9929, 9930
 relapse, 9929, 9930, 10167
 suramin, 9811, 9814, 9817, 9927, 9929
 T. b. gambiense infection, 9785, 9810, 9813, 9814, 9816, 9930, 10046, 10162, 10167
 T. b. rhodesiense infection, 9807, 9811, 9817, 10042, 10166
trypanosomiasis in livestock
 incidence, West Africa, effect on distribution, 9786
 risk, Ethiopia, 9932
trypanosomiasis in pigs
 diagnosis, 9937
 T. brucei infection, 9937
 T. congolense infection, 9937

T. simiae infection, 9937
T. vivax infection, 9937

trypanosomiasis in sheep

- prevalence
 - in Gambia, 9938
 - in Ghana, 9935
 - in Nigeria, 9933, 10054, 10173, 10174
- T. brucei* infection, 9935, 10173
- T. congolense* infection, 9935, 9941, 9942, 9943, 10173, 10185, 10186
- T. vivax* infection, 9933, 9935, 10054, 10173, 10174

trypanosusceptibility

- genetic mapping, 10063
- in cattle
 - Boran, 9821
 - Galana Boran, 9822
 - N'Dama ♂ Boran
 - genetic mapping, 10063
 - phenotype and microsatellite allele frequency data, 10065
 - Zebu, 9786
- in goats
 - Kigezi, 10060
 - Mubende, 10060
 - Small East African, 10060

trypanotolerance

- anaemia, control, 10182
- genetic/s
 - imprinted genes, identification, 10074
- mapping, 10063
 - markers, 9828
 - selection, marker assisted, 9828
- haemolytic complement, control, 10182
- in animals, 9784
- in cattle, 9786, 9793
 - Borgou, 10182
 - bovine analogues of human trypanolytic factors, 10066
 - Keteku, 10062
 - Lagune, 10182
 - N'Dama, 9821
 - N'Dama ♂ Boran
 - genetic mapping, 10063
 - Orma Boran, 9821
 - phenotype and microsatellite allele frequency data, 10065
- in goats, 9786
- in humans, 9784
- in mice, 10074, 10083
- in sheep, 9786
 - Djallonké, 10186
 - in small ruminants, 9793, 9828
- parasitaemia, control, 10182
- phenotypic marker, anaemia, 10063
 - role of trace elements in maintenance, 10062
 - trypanolytic antibodies, 10182

trypanotolerant

- cattle, 10141
 - in Nigeria, 10067

Trypanozoon

- drug resistance/sensitivity, 10173

infecting cattle, 10206
infecting dogs, 10206
infecting humans, 10206
infecting pigs, 10206
infecting tsetse, 10206
infectivity to humans, potential, 10173
parasite-vector interactions, 9923
tryparsamide, 10016
mode of action, 10048

Uganda

Busoga
 T. brucei isolates from, 10206
Mukono County
 trypanosomiasis in cattle
 diagnosis, 10171
plants, trypanocidal activity, 9968
south-eastern
 Buvuma Islands
 reservoir of parasite diversity, 10206
 T. brucei isolates, characterisation, 10206
 trypanosomiasis risk, 10206
T. brucei stocks from man and domestic animals, drug sensitivity testing, 9972
T. b. rhodesiense epidemics, 9918
T. congolense infection (exp.) in goats, 10060, 10183
trypanosomiasis in humans, 9845, 9849
 rhodesiense, 9807
 Tororo focus, 9807
tsetse trapping campaign, 9784

variant antigen type (VAT)

LiTat 1.3, *T. b. gambiense*, 9924

variant surface glycoprotein (VSG)

T. brucei
 expression of bloodstream VSGs in procyclics, 10208
 expression site promoter, binding of *trans*-acting factors to, 10240
 expression sites, 9980, 9995
gene, expression site switching, 10116
 GPI anchor, nature dictated by cell type, 10239
 221, GPI anchor structure, 10122
T. b. gambiense
 expression in procyclic *T. brucei*, 10239
 GPI anchor, nature dictated by cell type, 10239
T. congolense, 9821, 10133
T. vivax, small, characterisation, 9862
trypanosome, 9840

Zaire (Democratic Republic of Congo)

plants, trypanocidal activity, 9968
trypanosome infections in tsetse, 10158
trypanosomiasis in humans, 9812, 10043, 10162
case-finding surveys, participation rate, 10043
control, 9785
epidemiology, 9785

gambiense, 9785
history, 9785
plight of 'patients within borders', 10142
screening, 10043

Zambia

Eastern Province
trypanosomiasis in cattle
 T. brucei infection, 10053
 T. congolense infection, 10053
G. m. morsitans, 10038
 cattle as host for, 10038
trypanosome infections in tsetse, 10158
trypanosomiasis in goats, 9939
 effect on health and productivity, 9939
trypanosomiasis in humans, *rhodesiense*, 9807

Zimbabwe

G. pallidipes, gene diversity and gene flow, 10027
odour attractants for tsetse, methods for dispensing, trial, 10156
tsetse behaviour studies, 9908
host location, 9908
tsetse challenge to cattle, 9829
tsetse control
 comparison of costs, 9914
 DDT, 9804, 9914
 deltamethrin, 9804