

TSETSE AND TRYPANOSOMIASIS INFORMATION QUARTERLY

Index

Volume 19

Part 1–4, 1996

Numbers 9263–9782



DFID



Cirad-emvt

Africa

Central

- livestock production, 9530
- trypanotolerant cattle in, 9727
- research, 9723

East

- livestock production, 9530
- tsetse control, 9406

North

- livestock production, 9530

Southern

- livestock production, 9530

sub-Saharan

- trypanosomiasis, 9402
- control, modelling, 9265
- tsetse control, 9266

tropical

- development, role of tsetse in, 9269

trypanosomiasis, distribution

- effect of global warming on, 9662

trypanotolerant livestock in, 9530

tsetse distribution studies

- linear discriminant analysis, 9674
- NDVI analysis, 9674

West

- livestock production, 9530
- productivity of N'Dama cattle, 9463
- trypanosomiasis control, modelling, 9265
- trypanotolerant cattle in, 9727
- research, 9723

aldrin

- spraying, in Zimbabwe, 9557

Angola

- trypanosomiasis in humans, prevalence, 9533

antibodies

see also immune response

anti-galactocerebroside auto

- in human trypanosomiasis, 9436

antigen-specific, 9458, 9462

detection in diagnosis, 9335, 9430, 9436, 9451

isotype-specific, 9458

monoclonal

- characterisation, 9337

- in diagnostic testing, 9338, 9451

- production, 9338

- to isometamidium in mice, 9485

to invariable antigens, 9430

to variable antigens, 9430

trypanosome-specific, 9459

antigenic variation 9685

in trypanosomes, 9570

T. brucei, 9532, 9635, 9761

T. b. gambiense, 9532

T. congolense, 9532

T. evansi, 9532

T. vivax

interaction with host immune system

modelling, 9470

antigens

see also variant surface glycoprotein
circulating, detection, 9451, 9574, 9571
detection in diagnosis, 9454
invariable, 9430
surface expression *in vitro*, 9462
trypanosome, 9458, 9459
 congopain, 9459
 detection tests, 9335
 invariant
 T. congolense, 9325, 9712
 33 kDa cysteine protease, 9459
 70 kDa hsp, 9459
 specific, in diagnosis, 9430, 9451
 VSG, 9459, 9570
 whole lysate, 9459

arsenicals

treatment of human trypanosomiasis, 9535

attractants/attractiveness for tsetse

see also baits, odour attractants
cattle, 9679
humans, 9680
pigs, 9680

baits

see also attractants, odour attractants
human, 9680
pig, 9680
treated cattle, 9554
visual, 9554

barriers

to reinvasion in tsetse-freed areas, 9417

Beauveria bassiana

biocontrol potential in tsetse, 9294

Benin

trypanotolerant livestock in, 9705

Berenil *see* diminazene aceturate

biting flies

in Ethiopia, 9298

blood

cattle
 detection of trypanosomes in, 9319
in human trypanosomiasis
 endotoxin levels, 9315

Botswana

tsetse control
 bush clearing, 9399
 game management, 9399
 spraying, 9399

buffalo

as host for tsetse, Kenya, 9681

Burkina Faso

G. fusca in, 9550
G. longipalpis in, 9550
G. morsitans in, 9550
G. m. submorsitans in, 9279, 9280, 9291

G. nigrofusca in, 9550
G. pallicera in, 9550
G. palpalis in, 9550
G. p. gambiensis in, 9291, 9304
G. tachinoides in, 9279, 9280, 9550
Sideradougou
 trypanosomiasis in cattle
 epidemiological monitoring, 9691
 incidence, 9691
 tsetse eradication programme, 9691
Tabanidae in, 9279
trypanosomiasis in cattle, 9308, 9574
 control, 9291
 monitoring, 9291
tsetse
 challenge to cattle, 9710
 control, 9291, 9308
 distribution studies, 9547, 9550
 trapping studies, 9279, 9280, 9291

bushpig

as host for tsetse, Kenya, 9681

camels

T. evansi infection
 diagnosis, 9454, 9469
 in Kenya, 9454
 pathology, 9692
 prevalence, 9692
 treatment, 9334, 9454, 9469, 9729
T. evansi infection (exp.)
 chemotherapeutic response, 9454
trypanosomiasis, 9469
 in Kenya, 9729
 in Nigeria, 9692
 in Somalia, 9448
 in Sudan, 9334

Cameroon

entomological survey, 9289
G. palpalis in, 9289
G. tabaniformis in, 9289
man-fly contact, 9289
tsetse trapping, 9289

cattle

as host for tsetse, Kenya, 9681
attractiveness for tsetse, 9679, 9710
Baoulé
 productivity, Côte d'Ivoire,
 effect of tsetse control, 9702
 trypanosome prevalence, Côte d'Ivoire, 9575
 trypanotolerance, 9705, 9707, 9710
 genetics of, 9725

Boran

T. congolense infection, 9463
T. congolense infection (exp.)
 antibody response, 9711, 9712
 anti-VSG, 9585
 B lymphocyte response, 9583

- erythropoietic response, 9576
- immune response, 9458, 9712, 9713, 9714
- pharmacokinetics of ¹⁴C homidium chloride, 9587
- T. vivax* infection (exp.)
 - diagnosis, 9461
 - effects on pregnancy, 9461
 - immune response, 9713
- crossbred
 - trypanosomiasis, prevalence, Nigeria, 9449
- crosses
 - N'Dama and Boran
 - in trypanotolerance studies, 9715, 9728
- defensive behaviour against tsetse, 9670
- Fulani Mbororo
 - trypanosomiasis, 9531
- Galana
 - T. vivax* infection (exp.)
 - effect on pregnancy, 9700
 - trypanosusceptibility, 9700, 9716, 9717
- Galana Boran
 - trypanosomiasis challenge, Kenya, 9716
 - tsetse challenge, Kenya, 9716
- Kuri
 - trypanosomiasis, prevalence, Nigeria, 9449
- Mbala
 - trypanosomiasis, prevalence, Nigeria, 9449
- Mbororo Zebu
 - treatment, insecticide, 9553
 - trypanosome infection rates, 9553
 - trypanosomiasis, Central African Republic, 9553
- Muturu
 - trypanosomiasis
 - in calves, 9450
 - in Nigeria, 9450
 - T. brucei* infection, 9450
 - T. congolense* infection, 9450
 - T. vivax* infection, 9450
 - trypanotolerance, 9450
- N'Dama
 - erythrocyte glutathione concentration, 9330
 - growth parameters, 9709
 - in Gambia, 9728
 - productivity
 - in Côte d'Ivoire, 9705
 - effect of tsetse control, 9702
 - in Gambia, 9722, 9726
 - in Ghana, 9705
 - in Mali, 9709, 9719
 - in West Africa, 9463
 - tick resistance, 9465
 - trypanoresistance, 9459
 - T. congolense* infection, 9708
 - T. congolense* infection (exp.)
 - antibody response, 9711, 9712
 - anti-VSG, 9585
 - B lymphocyte response, 9583
 - effect on tick population, 9331

- erythropoietic response, 9576
- immune response, 9458, 9459, 9712, 9713, 9714
- treatment, 9459
- T. vivax* infection, 9708
- T. vivax* infection (exp.)
 - immune response, 9713
- trypanosome infection
 - in Gambia, 9319
 - in Zaire, 9708
- trypanosome prevalence, Côte d'Ivoire, 9575
- trypanosomiasis, 9465
 - effect on semen quality, 9726
 - prevalence, Nigeria, 9450
- trypanotolerance, 9459, 9540, 9705, 9707, 9720
 - genetics of, 9707, 9708, 9709, 9715, 9725, 9728
 - heritability, 9707
 - indicators, 9708
 - links with performance, 9581
- Orma Boran
 - mixed infection, 9699
 - T. congolense* infection, 9699
 - T. vivax* infection, 9699
 - T. vivax* infection (exp.)
 - effect on pregnancy, 9700
 - trypanosome infection
 - effect on pregnancy, 9699
 - trypanosomiasis challenge, Kenya, 9716
 - trypanotolerance, 9699, 9700, 9716, 9717
 - tsetse challenge, Kenya, 9716
- treated, as tsetse baits, 9554
- treatment, 9467, 9716
 - diminazene, plasma concentrations, 9468
 - diminazene aceturate, 9717
 - insecticide, 9298
 - cypermethrin, 9296, 9422
 - deltamethrin, 9291, 9663
 - pour-on, 9291, 9296, 9298, 9422
- trypanoresistance, 9582
- T. brucei* infection, 9574
- T. congolense* infection, 9574
 - immune response, 9462
 - T-cell-mediated, 9325
- T. congolense* infection (exp.)
 - effect on erythropoietin concentrations, 9322
- T. vivax* infection, 9560, 9574
- T. vivax* infection (exp.)
 - effect on erythrocyte glutathione, 9579
 - effect on red blood cell count, 9579
- trypanosome infection, mixed, 9574
- trypanosome prevalence, Ethiopia, 9296
- trypanosomiasis, 9685
 - diagnosis, 9574, 9580
 - effect on antibody response to rinderpest vaccination, 9580
 - in Burkina Faso, 9574
 - in Central African Republic, 9531
 - in Côte d'Ivoire, 9575
 - control, 9467

- treatment, 9467
- in Ethiopia, 9298
- in Gambia, 9540
- in Uganda, 9580
- self-cure, 9717
- trypanosusceptible, 9458
 - in Côte d'Ivoire, 9720
 - in Nigeria, 9721
- trypanotolerance, 9401, 9450, 9458, 9459, 9530, 9540
 - genetics of, 9584, 9726, 9728
 - links with performance traits, 9581
- trypanotolerant, 9705
 - in Nigeria, 9721
 - in trypanosomiasis control, 9663, 9664
 - production, in Côte d'Ivoire, 9267
- Trypanozoon* isolates from, Nigeria, 9333
- tsetse control, impact on, 9268
- Wadara
 - trypanosomiasis, prevalence, Nigeria, 9449

cattle (cont.)

- West African Shorthorn
 - productivity, in Gambia, 9722
- White Fulani
 - T. vivax* infection, 9693
 - trypanosome infection rate, Nigeria, 9693
 - trypanosome prevalence, Nigeria, 9693
 - trypanosomiasis
 - prevalence, in Nigeria, 9449

Zebu

- attractiveness for tsetse, 9710
- crosses
 - productivity, Côte d'Ivoire
 - effect of tsetse control, 9702
 - trypanosome prevalence, Côte d'Ivoire, 9575
 - with trypanotolerant breeds, 9401, 9465
- erythrocyte glutathione concentration, 9330
- productivity, Gambia, 9722
- T. congolense* infection, 9308, 9718
- T. congolense* infection (exp.)
 - effect on tick population, 9331
- trypanosomiasis, 9401, 9465
 - effect on health and productivity, 9718
 - impact of tsetse control, 9324
 - in Central African Republic, 9302, 9324
 - in Ethiopia, 9718
 - incidence, Burkina Faso, 9691
 - treatment, 9324, 9718
- trypanosusceptibility, 9710, 9717, 9725
- trypanotolerance, 9717

Central African Republic

- G. f. fuscipes* in, 9302, 9324, 9552, 9553, 9560
- trypanosomiasis in cattle, 9302, 9324, 9531, 9553
- tsetse control, 9324, 9552, 9553

central nervous system (CNS)

- in trypanosomiasis
 - in humans, 9438, 9566, 9572
 - trypanosomes in, 9445

in mice

drug effects, 9352

cerebrospinal fluid (CSF)

in human trypanosomiasis, 9535

albumin in, 9683

antibodies in, 9436

cells in, 9314, 9441, 9443

drugs in, 9444, 9572

endotoxin levels, 9315

IgG levels, 9683

IgM levels, 9437, 9683

protein in, 9437, 9441, 9683

trypanosomes in, 9314, 9438, 9441, 9573, 9683

white blood cells in, 9572, 9573, 9683

in *T. b. rhodesiense*-infected monkeys

protein changes, 9482

white cell changes, 9482

Chad

T. evansi stocks from, 9342

challenge

needle, to cattle, 9710

trypanosome

homologous, re-challenge in cattle, 9711

in trypanotolerance studies, 9715

to cattle

in Burkina Faso, 9291

trypanotolerant, 9699

trypanosomiasis

in Côte d'Ivoire, 9305

to cattle

in Kenya, 9716

in West Africa, 9584

tsetse

relationship with trypanotolerance, 9706

to cattle

in Burkina Faso, 9710

in Gambia, 9722

in Nigeria, 9401

N'Dama

in West Africa, 9463

trypanotolerant

in Kenya, 9699, 9716

in Mali, 9706

characterisation

see also identification/detection

of trypanosomes

by hybridisation, 9309

by isoenzyme electrophoresis, 9764

by PCR, 9309

molecular, 9359

chemotherapeutics 9402

effects on trypanosomes of

mebazol, 9348

melatonin, 9343

agonist S-20098, 9343

2'-deoxy-2'-(3-methoxybenzamido) adenosine analogues, 9349

chemotherapy

- combination, 9446, 9447
- for trypanosomiasis control, 9663
- in *T. brucei*-infected mice, 9612
- of trypanosomiasis
 - in animals, 9446
 - in humans, 9446

China

- T. evansi* stocks from, 9342

chloroquine phosphate

- combined with DFMO
- treatment of *T. b. brucei*-infected rats, 9483

Congo

- Boko Songho
 - gambiense* trypanosomiasis in humans, 9314
- Bouenza focus, 9314
- Brazzaville
 - trypanosomiasis in humans, 9432, 9433, 9441
- trypanosomiasis in humans, 9436
 - gambiense*, 9567

control, trypanosomiasis

- community participation, 9264, 9583, 9663
- co-ordinated, 9405
- costs, 9267, 9402, 9467, 9533, 9663, 9664, 9723
- ecological impact, 9723
- GIS in, 9265
- historical, 9408
- in Africa, sub-Saharan, 9402
- in Central African Republic, 9324
- in Côte d'Ivoire, 9267, 9467
- in Ethiopia, 9298
- in Mozambique, 9407
- in Togo, 9265, 9266
- in Uganda, 9311, 9442
- in Zaire, 9398
- integrated, 9264, 9324
- land use change, 9723
- modelling, 9561
- planning, 9265
- research, 9400, 9404
- satellite imagery in, 9265
- socio-economic benefits, 9266, 9723
- strategy, 9264, 9533
- sustainability, 9264
- trypanotolerant livestock in, 9267, 9663, 9664, 9704, 9723
- vaccine research, 9400
- vector control, 9263, 9266, 9291, 9297, 9298, 9324, 9398, 9400, 9419, 9533, 9535, 9540, 9556, 9561, 9575, 9663, 9702

control, tsetse 9263, 9297, 9678

- bush clearance, 9399, 9406
- campaigns, 9266, 9324
- chitin synthesis inhibition, 9295
- community participation, 9266, 9533, 9554, 9556, 9663, 9676
- cost, 9422, 9533, 9552, 9554, 9663
- game management, 9399
- geographical information systems (GIS) in, 9403, 9535, 9548
- habitat destruction, 9540

- historical, 9408
- impact, 9268, 9293, 9297, 9324
 - on environment, 9419, 9420, 9423, 9424
 - on land use, 9403
- in Africa, sub-Saharan, 9266
- in Botswana, 9399
- in Burkina Faso, 9291, 9308
- in Central African Republic, 9324, 9552
- in Côte d'Ivoire, 9575, 9663, 9702
- in Ethiopia, 9268, 9296, 9298, 9422, 9663
- in Gambia, 9540, 9663
- in Kenya, 9409, 9556, 9663
- in Nigeria, 9266, 9401
- in Northern Rhodesia (historical), 9408
- in Togo, 9663
- in Uganda, 9672
- in Zaire, 9398, 9663
- in Zimbabwe, 9292, 9293, 9295, 9403, 9420, 9423, 9557
- insecticide
 - aldrin, 9557
 - cattle treatment, 9422, 9553, 9663, 9672
 - cypermethrin, 9296, 9419, 9422, 9575, 9702
 - DDT, 9292, 9293, 9419, 9420, 9423, 9424, 9557
 - deltamethrin, 9291, 9292, 9419, 9420, 9553, 9663
 - dielddrin, 9419, 9557
 - endosulfan, 9292, 9419, 9557
 - endrin, 9557
 - flumethrin, 9553
 - heptachlor, 9557
 - impregnated traps/targets/screens, 9292, 9398, 9533, 9575, 9672, 9702
 - pour-on, 9291, 9296, 9298, 9422, 9553
 - pyrethroid, 9291, 9419
 - spot-on, 9553
 - spraying, 9293, 9399, 9420, 9557
 - aerial, 9292
 - ground, 9292, 9420, 9423, 9424
- integrated, 9264, 9266
- modelling, 9417
- recent developments, 9676
- remote sensing, 9548
- satellite imagery in, 9403
- screens, 9663
 - impregnated, 9533
- socio-economics, 9403
- spraying, 9293, 9297, 9399, 9557, 9561
 - aerial, 9292, 9663
 - ground, 9292, 9420, 9423, 9424, 9663, 9676
- sterile insect technique, 9299, 9300, 9663
- strategy, 9266, 9398
- sustainability, 9264, 9266
- targets, 9297, 9554
 - insecticide-treated, 9292
 - triflumuron-treated, 9292
- traps, 9324, 9409, 9421, 9533, 9535, 9548, 9552, 9561, 9663
- control, tsetse** (cont.)
- traps (cont.)
 - biconical, 9554, 9575

Challier-Laveissière, 9554
insecticide-impregnated, 9533, 9575, 9702
monopyramidal, 9539
odour-baited, 9556

Côte d'Ivoire

Daloa

G. p. palpalis in
trapping experiments, 9680
trypanosomiasis in humans, 9433
G. fusca in, 9550
G. longipalpis in, 9309, 9550
G. medicorum in, 9550
G. morsitans in, 9550
G. nigrofusca in, 9305, 9550
G. pallicera in, 9305, 9550
G. palpalis in, 9305, 9550
G. tachinoides in, 9550
T. brucei populations from, 9744
trypanosome prevalence, 9305
in cattle, 9720
trypanosomiasis
control, 9663, 9664, 9702
in cattle
control, 9467
in humans, 9436, 9684
gambiense, 9313, 9564
in livestock, 9539, 9575
risk to cattle, 9267
trypanotolerant cattle production, 9267
trypanotolerant livestock in, 9663, 9664, 9705, 9720
tsetse control, 9663, 9702
effect on livestock productivity, 9702
trapping
effect on trypanosome prevalence in livestock, 9575
tsetse distribution studies, 9547, 9550

culture

see also in vitro studies

T. brucei, 9532
T. b. gambiense, 9532
T. congolense, 9532
T. evansi, 9532

Cymelarsan

efficacy
in *T. b. brucei*-infected mice, 9489
evaluation
in *T. evansi*-infected camels, 9454, 9469
resistance
in *T. evansi*, 9519
treatment of trypanosomiasis in camels, 9334

cypermethrin

in tsetse control
environmental impact, 9419
impregnated traps, 9702
biconical, 9575
pour-on, 9296
cattle treatment, 9296, 9422

DDT

- dynamics, modelling, 9292
- in tsetse control
 - environmental impact, 9419, 9423
- spraying
 - effect on non-target organisms, 9420, 9423, 9424
 - environmental impact, 9292, 9293
 - ground, 9420, 9423, 9424
 - in Zimbabwe, 9292, 9293, 9420, 9423, 9424, 9557

deltamethrin

- as alternative to DDT, 9420
- cattle treatment, 9663
 - pour-on, 9291
 - spot-on
 - impact on tsetse density, 9553
- impregnated targets, 9292
- in tsetse control
 - environmental impact, 9419

detection techniques

- for trypanosomes
 - branched DNA-based, 9589
 - DNA amplification, 9305, 9308, 9592
 - dot-ELISA, 9336, 9339, 9559
 - microscopic examination, 9303, 9305, 9309
 - PCR, 9305, 9308, 9309
 - amplified mini-exon repeat hybridisation, 9590
 - tsetse salivation, 9303, 9304

DFMO *see* difluoromethylornithine

diagnosis 9688

- comparison of techniques, 9319, 9430, 9454, 9469, 9563, 9564, 9691
- evaluation of techniques, 9319, 9341, 9454, 9469, 9559, 9564, 9574, 9691
- field, 9451, 9454, 9564, 9691
- of animal trypanosomiasis, 9318, 9319, 9320, 9451, 9454, 9469, 9574, 9577, 9580, 9693, 9698, 9703
- of human trypanosomiasis, 9263, 9311, 9312, 9317, 9341, 9398, 9430, 9431, 9437, 9442, 9533, 9535, 9562, 9563, 9564, 9573, 9682, 9683
- parasitological, 9303, 9304, 9311, 9319, 9430, 9437, 9451, 9454, 9469, 9533, 9563, 9577, 9580, 9683, 9691
- serological, 9311, 9318, 9320, 9341, 9430, 9451, 9454, 9469, 9533, 9535, 9574, 9682, 9683, 9688, 9691

diagnostic techniques

- antibody detection, 9430, 9469
- antigen detection, 9469
- blood smear, 9437, 9580
- buffy coat, 9319, 9563, 9574, 9682, 9691, 9729
- CATT, 9311, 9430, 9563, 9564
- CSF examination, 9683
- dark ground/phase contrast, 9711
- direct agglutination, 9430
- ELISA, 9335, 9430
 - Ab-, 9469
 - Ag-, 9469
 - antigen capture, 9451
 - antigen detection, 9318, 9574, 9691, 9707
 - dot-, 9336, 9338, 9559
 - membrane-based, 9339
- haemolytic detergent, 9319

HCT, 9452, 9711
 micro-, 9453, 9454, 9469
immune lysis, 9430
immunofluorescence, 9430
indirect haemagglutination, 9430
KIVI, 9564
 mini-, 9564
m-AECT, 9562, 9563, 9564
microscopic examination, 9303, 9563
mouse inoculation, 9320, 9454, 9469, 9729
sodium dodecylsulphate (SDS) centrifugation, 9319
Suratex, 9454
thin film, stained, 9452
variant specific trypanolysis, 9341
wet film, 9452, 9577

diamidine

resistance
 in *T. equiperdum*, 9367
uptake
 by *T. b. brucei*, 9371

dieldrin

in tsetse control
 environmental impact, 9419
 in Uganda, 9677
 residues in human milk, 9677
 spraying, Zimbabwe, 9557

difluoromethylornithine (DFMO)

cost, 9443, 9447
pharmacokinetics, 9447
resistance, in *T. b. rhodesiense*, 9351
toxicity, 9447
treatment
 of *T. b. brucei*-infected rats
 combined with chloroquine phosphate, 9483
 of trypanosomiasis
 in humans, 9317, 9441, 9443, 9445, 9446, 9447, 9535, 9571, 9573
 combined with melarsoprol, 9573
 efficacy, 9443, 9447
 tolerance, 9443

dimercaprol

treatment of human trypanosomiasis, 9437

diminazene

cost, 9447
liposomal
 efficacy in *T. evansi*-infected mice, 9491
pharmacokinetics, 9447
 in goats, 9586
resistance
 in *T. congolense*-infected mice, 9619
toxicity, 9447
treatment
 of human trypanosomiasis, 9447
 combined with suramin, 9572
 efficacy, 9447
 of *T. evansi*-infected mice, 9739

diminazene aceturate

concentration in rat brain, 9357

- effects in *T. brucei*, 9355
- effects on polyamine metabolism in rat hepatocytes, 9479
- resistance
 - in *T. congolense*, 9353
- sensitivity
 - in *Trypanozoon* stocks, 9333
- toxic effects of multiple doses in rats, 9484
- treatment
 - in cattle, 9717, 9718
 - in *T. brucei*-infected rats, 9487
 - in *T. b. brucei*-infected dogs, 9451, 9696
 - in *T. b. gambiense*-infected mice, 9513
 - of trypanosome-infected pigs, 9629
 - of trypanosomiasis in dogs, 9577

DNA

- amplification by PCR, 9426
- c, products, *T. b. brucei*, 9646
- chromosomal, 9426
- d-nucleoside, modified, *T. brucei*, 9661
- exogenous, targeting into *T. brucei*, 9632
- fingerprinting, 9426
- probes
 - for trypanosome identification, 9426, 9562, 9629
- random amplified polymorphic
 - in trypanosome identification, 9426
- rearrangements, *T. brucei*, 9647
- repetitive sequences
 - for trypanosome identification, 9426
 - specific, for *T. godfreyi*, 9511
- trypanosome
 - amplification for detection
 - T. brucei*, 9592
 - T. equiperdum*, 9592
 - T. evansi*, 9592

DNA (cont.)

- trypanosome (cont.)
 - complementary
 - expressed sequence tags, *T. b. rhodesiense*, 9375
 - kinetoplast maxicircle
 - replication, *T. brucei*, 9370
 - kinetoplast, minicircle
 - T. b. gambiense*, 9562
 - polymorphic, 9743
 - probes
 - hybridisation, 9562, 9629
 - type-specific, 9309
 - sequence homology, *T. equiperdum*, 9759
 - T. brucei*, 9764
 - T. brucei* spp., detection technique, 9589
- tsetse
 - amplification by PCR, 9305

dog

- splenectomised
 - T. b. brucei* infection (exp.)
 - diagnosis, 9451
 - treatment, 9451, 9696
- T. brucei* infection (exp.)

- leucocyte response, 9329
- thrombocyte response, 9329
- T. b. brucei* infection, 9489
 - diagnosis, 9703
 - treatment, 9703
- T. b. brucei* infection (exp.)
 - effect of splenectomy, 9696
 - treatment, 9696
 - trypanosomiasis, 9696
- T. b. gambiense* infection, 9562
- T. evansi* infection, 9577
- trypanosomiasis, 9703
 - diagnosis, 9577
 - in India, 9577
 - treatment, 9577

domestic animals

- trypanosome infections, Zaire
 - T. brucei*, 9562
 - T. b. gambiense*, 9562
 - T. congolense*, 9562

drugs

- combinations, 9483
 - diminazene and suramin, 9572
 - melarsoprol
 - and DFMO, 9573
 - and megalol, 9612
 - and pentamidine, 9573
 - and suramin, 9573
 - pentamidine and suramin, 9572
 - therapy in human trypanosomiasis, 9571, 9572
- costs, 9663
- design, 9350
- pharmacokinetics
 - DFMO, 9447
 - diminazene, 9447, 9586
 - ¹⁴C homidium chloride, 9587
 - melarsoprol, 9443, 9447
 - nifurtimox, 9447
 - pentamidine, 9444, 9447
 - suramin, 9447
- resistance, 9291, 9296, 9532
 - Cymelarsan, 9519
 - DFMO, 9351
 - diamidine, 9367
 - diminazene, 9619
 - diminazene aceturate, 9353, 9357, 9718
 - in humans, 9443
 - in *T. brucei*, 9488
 - in *T. congolense*-infected mice, 9619
 - in *T. evansi*, 9477, 9519, 9741
 - in *Trypanozoon* stocks, 9333
 - melarsen, 9371
 - MelCy, 9488
 - quinapyramine sulphate, 9729
 - suramin, 9356, 9488, 9729, 9741
- screening, 9354, 9617
- side effects

- melarsoprol, 9442, 9445, 9689
- pentamidine, 9444
- slow release devices, 9613
- toxicity
 - quinapyramine sulphate-quinapyramine chloride, 9740
- trypanocidal
 - arsenicals, 9535
 - chloroquine phosphate, 9383
 - Cymelarsan, 9334, 9454, 9469, 9489, 9519
 - DFMO, 9317, 9351, 9441, 9443, 9445, 9446, 9447, 9483, 9535, 9571, 9573
 - diamidine, 9367, 9371
 - dimercaprol, 9437
 - diminazene, 9447, 9468, 9491, 9572, 9586, 9619, 9739
 - diminazene aceturate, 9333, 9353, 9355, 9451, 9479, 9484, 9487, 9513, 9577, 9629, 9696, 9717, 9718
 - homidium bromide, 9613
 - homidium chloride, 9587
 - IMOL 881, 9443
 - isometamidium, 9332, 9485, 9613, 9620, 9703
 - isometamidium chloride, 9333, 9358, 9580
 - megazol, 9609, 9612
 - melarsen, 9371
 - melarsomine, 9729
 - melarsoprol, 9347, 9433, 9434, 9437, 9438, 9442, 9443, 9445, 9447, 9535, 9566, 9573, 9612, 9689
 - MelCy, 9488
 - MLD 73811, 9443
 - nifurtimox, 9447
 - nitroimidazoles, 9535, 9571, 9612, 9690
 - pentamidine, 9355, 9443, 9444, 9447, 9481, 9535, 9572, 9573, 9625
 - quinapyramine chloride, 9740
 - quinapyramine sulphate, 9729, 9740
 - spiroarsoranes, 9615
 - suramin, 9352, 9356, 9437, 9443, 9447, 9488, 9572, 9573, 9690, 9703, 9729, 9739, 9741
 - Trypan, 9454

eflornithine *see* difluoromethylornithine

endosulfan

- aerial spraying, 9292
- in tsetse control
 - environmental impact, 9419
 - spraying, Zimbabwe, 9557

endrin

- spraying, in Zimbabwe, 9557

environment

- effects of insecticides on non-target organisms, 9292, 9293
- factors in trypanosomiasis resurgence, 9405
- factors in tsetse control, 9266
- impact of insecticides
 - residues in human milk, Uganda, 9677
- impact of tsetse control operations, 9293, 9297, 9403, 9419, 9420
- monitoring, 9297

epidemics

- of human trypanosomiasis
 - in Sudan, 9404
 - in Uganda, 9404, 9534, 9536, 9537
 - in Zaire, 9404

origins, 9400

epidemiological monitoring

of bovine trypanosomiasis, 9691

epidemiology

of nagana, in Central African Republic, 9302

of *T. vivax* infection

in Central African Republic, 9560

of trypanosome infections in tsetse, 9400

of trypanosomiasis, 9400

in animals, 9669

in cattle, Kenya, 9717

in humans, 9263, 9398, 9533

Equatorial Guinea

trypanosomiasis in humans, *gambiense*

Luba focus, 9573

Escherichia coli

expression in

of *T. b. brucei* glycerol-3-phosphate dehydrogenase, 9643

of *T. vivax* antigen, 9340

Ethiopia

Gambella

G. fuscipes in, 9285

G. m. ugandensis in, 9285

G. pallidipes in, 9285

G. tachinoides in, 9285

trypanosomiasis in humans, 9285

tsetse survey, 9285

tsetse trapping, 9285

Ghibe Valley

G. fuscipes in, 9422

G. morsitans in, 9422

G. pallidipes in, 9422

trypanosomiasis in cattle, 9718

prevalence, 9422

risk, 9718

tsetse control

by cattle treatment, 9422

south-western

G. f. fuscipes in, 9296

G. m. submorsitans in, 9296

G. pallidipes in, 9296

trypanosome prevalence in cattle, 9296

trypanosomiasis in cattle, 9298

tsetse control, 9296, 9298

tsetse population monitoring, 9296

trypanosomiasis control, 9663

trypanotolerant livestock in, 9663

tsetse control, 9663

western

Didessa Valley

cattle production, 9268

tsetse control, 9268

flumethrin

pour-on cattle treatment

impact on tsetse density, 9553

fly belt

Middle Belt zone, southern Nigeria, 9320
Mumbwa, Zambia, 9307
Singida, Tanzania, 9307

Gambia, The

productivity of N'Dama cattle, 9722, 9726
trypanosomiasis
 control, 9663, 9664
 in N'Dama cattle, 9319
 risk to cattle, 9331
trypanotolerant cattle in, 9581
trypanotolerant livestock in, 9663, 9664, 9720
tsetse
 challenge to cattle, 9722, 9726
 control, 9663
 distribution, 9726
 numbers, 9726

gene/s

see also RNA

in trypanosomes
 adenylate cyclase, 9764
 elongation factor-1 α , 9779
 esag 8, 9768
 glucose transporter, 9630
 glutamic acid/alanine-rich protein, 9360
 hsp60, 9369
 hsp70, 9385
 isolation, 9764
 PARP, 9755
 protein coding, 9626
 thymidine kinase, 9659
 VSG, 9377, 9628, 9637, 9647, 9759, 9780, 9781
in tsetse
 mapping, 9272
 marker, 9272
 X-linked, 9306

genetic/s

of resistance, 9685
 expression, 9710
 in mice, 9344
of trypanotolerance, 9581, 9582, 9584, 9707, 9708, 9715, 9726, 9727
 characterisation, 9710, 9715, 9724, 9725, 9727
 criteria for selection, 9709, 9726, 9727
 expression of resistance, 9710
 gene mapping, 9715
 genes, 9707, 9715, 9725, 9727, 9728
 heritability, 9707
 markers, 9707, 9715
 selection, 9707, 9726, 9727
 variation, 9707
trypanosome
 editing, deletion, 9500
 endonuclease, cleavage, 9756
 exchange, 9503
 exonuclease, terminal U, 9756
 gene expression, 9377, 9512, 9755, 9779, 9781

- gene I family, expression site-associated, 9512
- gene regulation, 9745
- gene transcription, 9385, 9495, 9504, 9755
- gene transcriptional regulation, 9377
- genomes, 9508, 9743
- genomic organisation, 9779
- genotypes, 9744
- heterogeneity, 9743
- mini-chromosomes, artificial, 9386
 - linear, 9516
- mutagenesis, 9659
- phylogeny, 9494
- ribosomal DNA promoter, 9393
- RNA editing, 9517, 9518, 9521
- sequence divergence in VSG genes, 9637
- telomere exchange, 9780
- telomeric GGGTTA repeats, 9766
- telomeric locus, 9379
- transferrin receptor, 9781
- trans*-spliceosomes, 9758
- tsetse
 - allele frequency, 9307
 - autosomes, 9307, 9543
 - chromosomes, X, 9272, 9543
 - eye colour mutants, 9272, 9543
 - gene mapping, 9272
 - genes, marker, 9272
 - genome
 - biochemical markers, 9410
 - molecular markers, 9410
 - hybridisation, 9307
 - linkage groups, designation, 9272
 - loci, 9307
 - of refractoriness, 9542
 - of susceptibility, 9542
 - variation, 9307

geographical information systems (GIS)

- in assessment of impact of tsetse control, 9403
- in trypanosomiasis control, 9265
- in tsetse control, 9535, 9548
- on tsetse and agriculture, 9266

Ghana

- trypanotolerant livestock productivity, 9705

Glossina

- behaviour
 - bait-orientated, 9554
 - biting, 9668
 - feeding preference, 9706
 - flight, upwind, 9675
 - host detection, 9413
 - host discrimination, 9413
 - host location, 9681
 - host searching, 9675
 - landing response, 9413
 - mating, 9668
 - odour source location, 9281
 - response to odour, 9413, 9675

- trap-orientated, 9556
- visual response, 9413
- biology, 9400, 9668
 - age, physiological, 9287
 - fossil, 9666
 - growth rate, 9287
 - hosts, 9668
 - identification, 9668
 - lectin activity, carbohydrate inhibition, 9415
 - life cycle, 9287, 9668
 - pupa, life span, 9287
 - rearing, 9668
 - mass, 9287
 - receptor systems, 9282
 - refractoriness, 9411, 9415
 - RLOs, 9411, 9415
 - structure, 9668
 - symbionts, 9415
 - effect on trypanosome infections, 9411
 - T. brucei* infection, 9339
 - T. congolense* infection, 9339
 - T. simiae* infection, 9339
 - T. vivax* infection, 9339
 - trypanosome infection, 9400, 9415, 9426
 - detection, 9336
 - experimental
 - detection, 9339
 - maturation, 9415, 9411
 - midgut, 9426
 - experimental, 9339
 - mouthpart, 9426
 - experimental, 9339
 - salivary gland, 9339
 - rate, 9706
 - in Gambia, 9726
 - in Senegal, 9726
- control, 9263, 9264, 9297, 9400, 9406, 9419, 9540, 9554, 9668
 - in Botswana, 9399
 - in Burkina Faso, 9291, 9308
 - in Central African Republic, 9323, 9552, 9553
 - in Côte d'Ivoire, 9575, 9663, 9702
 - in Ethiopia, 9268, 9296, 9422, 9663
 - in Gambia, 9663
 - in Kenya, 9409, 9421, 9556, 9663
 - in Nigeria, 9266, 9401
 - in Togo, 9663
 - in Uganda, 9672
 - in Zaire, 9398, 9663
 - in Zimbabwe, 9292, 9293, 9295, 9403, 9420, 9423, 9557
 - modelling, 9417
 - trapping, 9413, 9421, 9673
- ecology
 - abundance
 - in Burkina Faso, 9550
 - in Côte d'Ivoire, 9550
 - adult survival, 9287
 - birth rate, 9417

- contact with cattle, 9726
- death rate, 9417
- dispersal, 9668
- distribution, 9668
 - in Burkina Faso, 9547, 9550
 - in Côte d'Ivoire, 9547, 9550
 - in Gambia, 9726
 - in Senegal, 9726
 - vertical, 9673
- habitats, 9283
- movements, 9668
 - modelling, 9556
- populations
 - dynamics, 9547
 - modelling, 9287, 9556
 - sampling, 9285
 - spatial spread, modelling, 9417
- pupal survival, 9287
- resting sites, 9404
- role in development of tropical Africa, 9269
- genetics
 - genome, 9410
 - biochemical markers, 9410
 - molecular markers, 9410
 - autosomes, 9543
 - chromosomes, X, 9543
 - eye colour mutants, 9543
 - of refractoriness, 9542
 - of susceptibility, 9542
- in Rwanda, 9673
- in Zimbabwe, 9673
- taxonomy, classification, 9668

G. austeni

- endosymbionts
 - 16S ribosomal DNA sequences, 9271
- host location, 9681
- in Kenya, 9681
- in Zanzibar, 9551
- mycetocytes, 9271
- mycetome, 9271
- population monitoring, 9551
- trapping, 9551, 9681

G. brevipalpis

- effects of radiation
 - on fecundity, 9425
 - on life span, 9425
 - on reproduction, 9425
- endosymbionts
 - 16S ribosomal DNA sequences, 9271
- feeding, 9427
- host location, 9681
- in Kenya, 9681
- mycetocytes, 9271
- mycetome, 9271
- response to odour, 9427
- trapping, 9681

- G. fusca***
distribution and abundance
 in Burkina Faso, 9550
 in Côte d'Ivoire, 9550
- G. fuscipes***
control, 9422
in Ethiopia, 9285, 9422
- G. fuscipes fuscipes***
antennae, olfactory cells, 9413
control, 9552, 9553, 9555, 9672
 insecticide, 9296
distribution, in Uganda, 9672
effects of radiation
 on fecundity, 9425
 on life span, 9425
 on reproduction, 9425
emergence, 9555
feeding behaviour, 9412
feeding state, 9672
flight, 9555
habitats, 9672
in Central African Republic, 9302, 9324, 9552, 9553, 9560
in Ethiopia, 9296
in Kenya, 9416
in Uganda, 9672
legs, taste hairs on, 9412
mating scar patterns, 9276
ovaries, 9672
population structure, 9672
probing, 9555
proboscis, 9412
response to neem, 9555
response to odour, 9413, 9416
response to traps, 9416
sense organs, 9412, 9413
taste response, 9412
transmission of *T. vivax*, 9560
trapping, 9324, 9552
 field studies, 9416
uterus, 9672
visual response, 9413
wing fray, 9672
- G. longipalpis***
distribution and abundance
 in Burkina Faso, 9550
 in Côte d'Ivoire, 9550
in Côte d'Ivoire, 9309, 9550
Nannomonas infections, 9309
response to odour, 9288
trapping, 9288
T. congolense infection, 9309
T. simiae infection, 9309
T. vivax infection, 9309
Trypanozoon infections, 9309
- G. longipennis***
feeding, 9427
host location, 9681

in Kenya, 9427, 9559, 9681
midgut infection, 9559
response to odour, 9427
trapping, 9427, 9681
T. congolense infection, 9559

G. medicorum

distribution and abundance
in Burkina Faso, 9550
in Côte d'Ivoire, 9550
response to odour, 9288
trapping, 9288

G. morsitans

control, 9422, 9554
distribution and abundance
in Burkina Faso, 9550
in Côte d'Ivoire, 9550
distribution in Africa, 9674
effect of global warming, 9662
eclosion, 9278
habitats, 9554
hosts, 9549
in Burkina Faso, 9550
in Côte d'Ivoire, 9550
in Ethiopia, 9422
in Kenya, 9674
in Tanzania, 9674
in Uganda, 9549
in Zimbabwe, 9674
pupariation, 9278
spread, Uganda, 9549
visual motion detection, 9665

G. morsitans centralis

feeding, 9427
genetic/s
allele frequency, 9307
autosomes, 9307
enzyme electrophoresis, 9307
hybridisation, 9307
inter-colony fertility, 9307
loci, 9307
variation, 9307
in Tanzania, 9307
in Zambia, 9307
larviposition, 9670
pheromones, larval, 9670
pupae, 9670
response to odour, 9427
susceptibility to infection, 9307
T. b. brucei infection, 9307
T. congolense infection, 9307
T. vivax infection, 9307
vectorial competence, 9307

G. morsitans morsitans

abortion, 9295
age, 9282
behaviour
landing, 9286

- probing, 9292
- bloodmeals, 9306
- breeding sites, 9294
- egg phase, 9273
- endosymbionts
 - 16S ribosomal DNA sequences, 9271
- genetics
 - eye colour mutants, 9543
 - reciprocal crosses, 9543
 - X-linked gene(s), 9306
- glomerular basement membrane, 9414
- head capsule, pteridine content, 9543
- in trypanosome transmission (exp.), 9461
- in Zambia, 9418
- in Zimbabwe, 9273, 9286, 9290, 9546
- larval phase, 9273
- larviposition, 9670
- lectin binding, 9414
- Malpighian tubules, 9667
- midgut infection, 9306
- mycetocytes, 9271
- mycetome, 9271
- pathogenic effects
 - of *Beauveria bassiana*, 9294
 - of *Metarhizium anisopliae*, 9294
- peritrophic matrix, 9414
- pheromones, larval, 9670
- pregnancy, 9273
- proboscis, 9282
- pupae, 9294, 9670
- reproduction
 - effects of triflumuron, 9295
- reproductive cycles, 9295
- response to odour, 9286, 9290, 9546, 9554
- salivary gland extract
 - human coagulation protease thrombin inhibitor, 9541
- salivary gland infection, 9306, 9310
- salivation, 9282, 9303, 9304
- sex, 9282
- starvation, effects, 9282
- transmission, cyclical, of *T. vivax* (exp.), 9700
- trapping, 9286, 9290, 9418, 9546
- T. brucei* infection, 9361
- T. b. rhodesiense* infection, 9310
- T. congolense* infection
 - detection, 9304
 - experimental, 9282
 - trypanosome ejection, 9303
- trypanosome-binding proteins, 9558
- trypanosome infection, 9282
- Trypanozoon* isolates from, 9306, 9310
- vectorial capacity, 9303, 9306
- G. morsitans submorsitans***
 - control, insecticide, 9291, 9296
 - in Burkina Faso, 9279, 9280, 9291
 - in Ethiopia, 9296
 - in Mali, 9719

trapping, 9279, 9280, 9291

G. morsitans ugadensis
population decline, Ethiopia, 9285

G. nigrofusca
distribution and abundance
 in Burkina Faso, 9550
 in Côte d'Ivoire, 9550
in Côte d'Ivoire, 9305
trypanosome infection, 9305

G. pallicera
distribution and abundance
 in Burkina Faso, 9550
 in Côte d'Ivoire, 9550
in Burkina Faso, 9550
in Côte d'Ivoire, 9305, 9550
trypanosome infection, 9305

G. pallidipes
activity peaks, 9273
age, 9540
behaviour, target-orientated, 9546
bloodmeals, 9301, 9428, 9679
 effect of host PCV, 9301
control, 9422
 insecticide, 9296
density, Kenya, 9548
distribution studies, Kenya, 9548
effects of 4-methylene-L-proline, 9275
egg phase, 9273
emergence, 9544
fat content, 9546, 9679
feeding success, 9679
flight, 9546
 direction, 9281
haematin content, 9301
host location, 9681
in Ethiopia, 9285, 9296, 9422
in Kenya, 9281, 9427, 9428, 9548, 9559, 9629, 9679, 9681, 9699
in Zambia, 9418
in Zimbabwe, 9273, 9281, 9284, 9286, 9290, 9429, 9546
larval phase, 9273
midgut infection, 9429, 9559
Nannomonas infection, 9429, 9629
nutritional state, 9679
odour source location, 9284
ovarian development, pupal
 effect of temperature, 9544, 9545
parturition, 9273
populations, allopatric, 9428
pregnancy, 9273, 9546
proline dehydrogenase inhibition, 9275
pupa, 9544, 9545
response to odour, 9281, 9284, 9286, 9290, 9546, 9554
salivary gland infection, 9428
susceptibility to infection, 9428
trapping, 9273, 9281, 9286, 9290, 9418, 8427, 9429, 9546, 9548, 9681

G. pallidipes (cont.)
T. b. brucei infection (exp.)

- infection rate, 9428
- maturation rate, 9428
- T. congolense* infection, 9429, 9559
- T. godfreyi* infection, 9429
- T. simiae* infection, 9429
- G. palpalis**
 - bloodmeals, 9274, 9671
 - control, 9554
 - distribution and abundance
 - in Burkina Faso, 9550
 - in Côte d'Ivoire, 9550
 - fat content, 9274, 9671
 - feeding, 9274
 - cycle, 9671
 - flight, 9274, 9671
 - habitats, 9554
 - in Burkina Faso, 9550
 - in Cameroon, 9289
 - in Côte d'Ivoire, 9305, 9550
 - in Nigeria, 9693
 - larviposition, 9671
 - mate seeking, 9274
 - mortality risk, 9274
 - nutritional status, 9693
 - trapping, 9289
 - trypanosome infection, 9305
- G. palpalis gambiensis**
 - age, 9282
 - bloodmeals, 9291
 - control, insecticide, 9291
 - hosts, monitor lizard, 9291
 - in Burkina Faso, 9291, 9304
 - in Mali, 9719
 - probing behaviour, 9282
 - proboscis, 9282
 - salivation, 9282, 9304
 - starvation effects, 9282
 - trapping, 9291
 - T. congolense* infection
 - detection, 9304
 - experimental, 9282
 - trypanosome-binding proteins, 9558
 - trypanosome infection
 - effect on probing behaviour, 9282
- G. palpalis palpalis**
 - abortion, 9270
 - attractants, 9680
 - endosymbionts, 9277
 - 16S ribosomal DNA sequences, 9271
 - enzymes, 9272
 - fecundity, 9270
 - genetics
 - chromosome, X
 - loci for enzymes, 9272
 - loci for eye colour mutants, 9272
 - eye colour mutants, 9272, 9543
 - gene mapping, 9272

- linkage groups, designation, 9272
- marker genes, 9272
- head capsule, pteridine content, 9543
- in Côte d'Ivoire, 9680
- in Nigeria, 9673
- in Zaire, 9304
- larvae, 9270
- mating scar pattern, 9276
- mycetocytes, 9271
- mycetome, 9271, 9277
- pregnancy, 9270
- pupariation, 9270
- reproductive disorders, 9270
- resting, 9673
- RLOs
 - in midgut, 9277
 - in salivary gland, 9277
 - non-hypertrophied, 9277
- salivation, 9304
- trapping, 9680
- T. congolense* infection
 - detection, 9304
- G. tabaniformis***
 - in Cameroon, 9289
 - trapping, 9289
- G. tachinoides***
 - age, 9282
 - ageing, 9669
 - distribution and abundance
 - in Burkina Faso, 9550
 - in Côte d'Ivoire, 9550
 - eclosion
 - effect of radiation on, 9300
 - effects of radiation
 - on eclosion, 9300
 - on fecundity, 9425
 - on life span, 9425
 - on pupae, 9299, 9300
 - on reproduction, 9300, 9425
 - endosymbionts
 - 16S ribosomal DNA sequences, 9271
 - in Burkina Faso, 9279, 9280, 9550
 - in Côte d'Ivoire, 9550
 - in Ethiopia, 9285
 - in Mali, 9719
 - in Nigeria, 9693
 - mycetocytes, 9271
 - mycetome, 9271
 - nutritional status, 9693
 - probing behaviour, 9282
 - effect of starvation, 9282
 - effect of trypanosome infection, 9282
 - proboscis, 9282
 - pupae
 - effect of radiation on, 9299, 9300
 - reproduction
 - effect of radiation, 9300

- response to odour, 9288
- salivation, 9282
- sex, 9282
- starvation
 - effect on probing behaviour, 9282
- sterilisation, 9299, 9300
- sterility, 9299, 9300
- trapping, 9279, 9280, 9288
- T. congolense* infection
 - experimental, 9282
- trypanosome infection
 - effect on probing behaviour, 9282
- wing, 9669

goats

- aqueous washings as tsetse bait, 9416
- East Africa \exists Galla
 - plasma and lymph
 - pharmacokinetics of diminazene in, 9586
- in tsetse infection studies, 9428
- T. brucei* infection, 9452, 9694
- T. congolense* infection, 9452
- T. vivax* infection, 9452, 9694
- trypanosome infection rate, Uganda, 9694
- trypanosome prevalence, Nigeria, 9452
- trypanosomiasis prevalence, Nigeria, 9452
- trypanotolerance, 9530
- Trypanozoon* infections
 - drug resistance, 9333
- West African Dwarf
 - T. vivax* infection (exp.)
 - effect at different levels of food intake
 - on energy, 9695
 - on hormones, 9695
 - on nitrogen metabolism, 9695
 - on serum metabolites, 9695
 - effect on energy requirement, 9455
 - effect on fat metabolism, 9578

heptachlor

- spraying, in Zimbabwe, 9557

high density lipoproteins (HDL)

- human
 - particle accumulation by trypanosomes, 9387
 - trypanolytic activity, 9736
 - trypanolytic factor, 9316
- independent lysis of *T. b. brucei*, 9599, 9600
- lysis of trypanosomes, 9599

homidium bromide

- prophylaxis
 - in *T. congolense*-infected rabbits, 9613

homidium chloride

- ¹⁴C, in Boran cattle
 - pharmacokinetics, 9587

horse

- T. equiperdum* infection
 - detection, 9335
- T. evansi* infection, 9453

- trypanosomiasis
 - control, 9698
 - diagnosis, 9698
 - distribution, 9698
 - incidence, 9698
 - pathology, 9698
 - prophylaxis, 9698
 - treatment, 9698

human plasma sensitivity

- in *Trypanozoon* stocks, 9333

identification

see also characterisation, detection

of trypanosomes

- by DNA amplification using PCR, 9305, 9309
- by DNA probes, 9426, 9429
 - hybridisation, 9562
 - k, specific, 9562
 - parasite-type specific, 9309
- by DNA sequences, repetitive, 9426
- by dot-blot hybridisation, 9426, 9429
- by electrophoresis, pulsed field gel, 9426
- by immunohistochemical methods, 9588
- by isoenzyme analysis, 9426
- by karyotype analysis, 9426
- by m-AECT, 9562
- by PCR, 9426, 9429
 - amplified mini-exon repeat hybridisation, 9590
- by RAPD analysis, 9426
- by RFLP, 9426

immune complexes

- in cattle, 9712, 9713

immune response 9685

- in cattle, 9710

- antibody response, 9711, 9713
 - antigen-specific, 9458
 - anti-VSG, 9585
 - auto-, 9713
 - IgG, 9583, 9585, 9711, 9712
 - IgM, 9583, 9585, 9711, 9712, 9713
 - isotype-specific, 9458
 - to VSG, 9458, 9462
 - VSG-specific, 9711
- B-cell activation, 9583
- B-cell proliferation, 9458, 9459
 - CD5⁺, 9713
 - peripheral, 9713
- B-cell response *in vitro*, 9462
- blood cell changes, 9714
- bone marrow response, 9714
- hypocomplementaemia, 9712

immune response (cont.)

- in cattle (cont.)

- interferon- γ
 - mRNA expression, 9325
 - production, 9325, 9458, 9459
- interleukin-2

- expression, 9325
- production, 9325, 9458
- interleukin-4 expression, 9325
- lymph node cell proliferation, 9458
- skin reaction, 9710
- spleen cell proliferation, 9713
- T-cell-mediated, 9325
- T-cell proliferation, 9458, 9459
- trypanosusceptible, 9583, 9585
- trypanotolerant, 9583, 9585
- in dogs
 - leucocyte response, 9329
 - thrombocyte response, 9329
- in humans
 - antibody production, 9570
 - IgG, 9570, 9683
 - IgM, 9683
 - elevated, 9437
 - auto-antibodies, 9570
 - anti-galactocerebroside, 9436
 - hypergammaglobulinaemia, 9570
 - interferon- γ production, 9570, 9594
 - elevated levels, 9440
 - interleukin-1 production, 9570
 - MHC polymorphism, 9568
 - TNF- α production, 9314, 9570
- in mice, 9605
 - CD8⁺ cells, 9735
 - immunosuppression, 9686
 - interferon- γ production, 9732
 - interleukin-4, role, 9731, 9732
 - macrophage activation, 9686
 - nitric oxide synthesis, 9686
 - T-cell responses, 9603
- in rabbits
 - antibody production, 9591
- in rodents
 - interferon- γ production, 9594
- in sheep
 - chancre, 9328, 9460
 - humoral
 - antibody production, 9701
 - Ig-bearing cells, surface, proliferation, 9460
 - lymph node enlargement, 9460
 - lymphoblast proliferation, 9460
 - lymphocyte proliferation, 9460
 - T-cell proliferation
 - CD4⁺, 9460
 - CD8⁺, 9460
- immune system** 9685
- immunity**
 - in cattle
 - T-cell-mediated, 9459
 - in humans
 - following *gambiense* trypanosomiasis, 9312
 - natural, to *T. b. brucei*, 9600, 9736
 - innate, 9688

immunodepression

in human trypanosomiasis, 9570

immunodiagnosis 9685**immunological dysfunction** 9712**immunology**

of trypanosomiasis, 9685

immunopathology 9688**immunosuppression** 9686, 9712

caused by *T. brucei*

interferon- γ involvement, 9597

TNF involvement, 9597

effects in *T. evansi*-infected mice, 9739

in human trypanosomiasis, 9533, 9570

in mice

nitric oxide mediated, 9603

IMOL 881

effectiveness

against *T. b. gambiense*, 9443

against *T. b. rhodesiense*, 9443

against *T. equiperdum*, 9443

against *T. evansi*, 9443

India

trypanosomiasis in dogs, 9577

insecticides

aldrin, 9557

cattle treatment, 9422, 9663, 9672

pour-on, 9553

spot-on, 9553

cypermethrin, 9296, 9419, 9422, 9575, 9702

DDT, 9292, 9293, 9419, 9420, 9423, 9424, 9557

deltamethrin, 9291, 9292, 9419, 9553, 9663

dieldrin, 9419, 9557, 9677

endosulfan, 9292, 9419, 9557

endrin, 9557

flumethrin, 9553

heptachlor, 9557

impregnated traps/screens/targets, 9292, 9398, 9575, 9672, 9702

naturally occurring

neem, 9555

organochlorine, 9677

pour-on, 9291, 9296, 9298, 9422, 9553

pyrethroid, 9291, 9419, 9422

residues in human milk, 9677

spot-on, 9553

spraying, 9399, 9420, 9423, 9424, 9663

in vitro studies

cultivation

of *T. equiperdum*, 9492

of *T. evansi*, 9492, 9493

for drug screening, 9354

in *T. evansi*, 9490

for drug testing, 9610, 9611

HL-60 cell-*T. b. rhodesiense* culture system, 9354

in *T. brucei*, 9522

on drug effects

in mice, *T. b. brucei*-infected, 9480

in rats, 9479

- on drug resistance in *T. evansi*, 9477
- on immune response in cattle, 9462
- on immune response to *T. brucei*, 9476, 9597
- on immunosuppression in mice, 9603
- on interaction of *T. brucei* with rats, 9604
- on protein import in *T. brucei* mitochondria, 9506

irradiation

- gamma
 - effect on *G. brevipalpis*, 9425
 - effect on *G. f. fuscipes*, 9425
 - effect on *G. tachinoides*, 9425

- of tsetse pupae
 - effect of nitrogen on, 9299
 - gamma
 - effect of chilling, 9300

isometamidium

- antibodies to, in mice, 9485
- detection in serum, 9332
- interaction with *T. congolense*, 9620
- prophylaxis
 - in *T. congolense*-infected rabbits, 9613
- treatment
 - in *T. b. brucei*-infected dog, 9703

isometamidium chloride

- effect
 - in *T. congolense*, 9358
- sensitivity
 - in *Trypanozoon* stocks, 9333
- treatment
 - of trypanosomiasis in cattle, 9580

Kenya

- biting flies, trapping studies, 9427
- G. austeni* in, 9681
- G. brevipalpis* in, 9427, 9681
- G. f. fuscipes* in, 9416
- G. longipennis* in, 9427, 9559, 9681
- G. morsitans* distribution in, 9674
- G. m. centralis* in, 9427
- G. pallidipes* in, 9281, 9427, 9428, 9559, 9629, 9679, 9681, 9699
- Lambwe Valley
 - G. pallidipes* in, 9548
 - tsetse distribution studies, 9548
 - tsetse trapping, 9548
- Nannomonas*-type trypanosome from, new, 9629
- Nguruman
 - tsetse trapping, 9556
- Stomoxiinae in, 9427
 - trapping studies, 9421
- Stomoxys* in, 9427
- Tabanidae in, 9427
- T. b. brucei* stocks from, 9428
- T. evansi* infection in camels, 9454
- T. evansi* stocks from, 9342
- trypanosomiasis
 - challenge to cattle, 9716
 - control, 9663

- in camels, 9729
- in cattle, 9717
- risk, to cattle, 9699
- trypanotolerant livestock in, 9663
 - cattle, 9716, 9717
- tsetse challenge to cattle, 9717
- tsetse control, 9663
 - field studies, 9416
 - trapping, 9281, 9409, 9421, 9427, 9681

land use

- change associated with trypanosomiasis control, 9723
- effect on trypanosomiasis in cattle, Gambia, 9540
- impact of tsetse control, 9403
- in Nigeria, 9266
- livestock production in Africa, 9530
- patterns
 - in trypanosomiasis control strategy, 9265

lectins

- activity
 - carbohydrate inhibition, 9415
- binding, 9414
- relationship with trypanosome surface molecules, 9415

livestock

- as tsetse bait, 9297
- trypanosomiasis, Côte d'Ivoire, 9539
- trypanosusceptible
 - trypanosome prevalence, 9706
 - tsetse challenge, 9706
- trypanotolerant, 9705
 - genetics, 9727
 - impact of in West and Central Africa, 9723
 - productivity, 9704, 9726, 9727
 - trypanosome prevalence, 9706
 - tsetse challenge, 9706

Mali

- G. m. submorsitans* in, 9719
- G. p. gambiensis* in, 9719
- G. tachinoides* in, 9719
- trypanosomiasis in cattle, prevalence, 9719
- trypanotolerant cattle in, 9709, 9719
- tsetse challenge to cattle, 9709, 9719

man

- attractiveness for tsetse, 9680

man-fly contact 9405

- in Cameroon, 9289
- in Uganda, southeast, 9672

Mauritania

- T. evansi* stocks from, 9342

megazol

- combined with melarsoprol
 - effects in *T. brucei*-infected mice, 9612

melarsen

- resistance
 - in *T. b. brucei*, 9371

sensitivity
in *T. b brucei*, 9371

melarsomine

treatment in *T. evansi*-infected camels, 9729

melarsoprol

cost, 9447

efficacy, 9447

gel

testing in *T. brucei*-infected mice, 9347

pharmacokinetics, 9443, 9447

relapse, 9443

side effects

reactive encephalopathy, 9442, 9445, 9689

toxicity, 9447

treatment

of human trypanosomiasis, 9433, 9434, 9437, 9438, 9443, 9447, 9535, 9566, 9689

combined with DFMO, 9573

combined with pentamidine, 9573

combined with suramin, 9573

of *T. brucei*-infected mice

combined with megazol, 9612

relapse, 9690

MelCy

resistance

in *T. brucei*, 9488

Metarhizium anisopliae

biocontrol potential in tsetse, 9294

metronidazole

treatment of human trypanosomiasis

combined with suramin, 9690

relapse, 9690

mice in laboratory studies

antibody response to isometamidium, 9485

immunosuppression, 9603

T. brucei infection

drug testing, 9347, 9352, 9612

glomerular disease, immunology and pathology, 9605

growth inhibition, parasite, 9345

immunological studies *in vitro*, 9603

interaction with CD8⁺ cells, 9735

susceptibility

effect of dietary magnesium, 9475

trypanothione reductase inhibition, 9748

virulence, 9346

T. b. brucei infection

drug effects, 9348, 9480, 9742

Cymelarsan, 9489

drug testing, 9608, 9609, 9614, 9615, 9616, 9617, 9618, 9625

immune response, 9473, 9731, 9732

T. b. gambiense infection

drug effects

diminazene aceturate, 9513

drug testing, 9608, 9614

immune response, 9473

T. b. rhodesiense infection, 9602

drug testing, 9608, 9614, 9615

T. congolense infection

drug effects, 9742
drug testing, 9608, 9614, 9619
resistance

drug, 9353
genetics of, 9344

T. evansi infection
cloning success, 9356
drug effects
liposomal diminazene, 9491
drug resistance, 9356
drug testing, 9614, 9622
drug treatment, 9739
immunosuppression, 9739
pathogenicity of different stocks, 9342

T. muscui infection
immune response, 9473

T. vivax infection
drug effects, 9742

trypanosomiasis, 9685
immunobiology, 9686

MLD 73811

effectiveness
against *T. b. gambiense*, 9443
against *T. b. rhodesiense*, 9443

models/modelling

DDT dynamics, Zimbabwe, 9292
land use, 9266
mathematical, *gambiense* trypanosomiasis, 9561
matrix, 9287

populations
cattle, 9268
tsetse, dynamics, 9287

stochastic, 9417, 9539
T. vivax antigenic variation
interaction with host immune system, 9470

trypanosomiasis
control, 9265
in livestock, 9539
T. b. brucei-infected sheep, 9436
trypanotolerant herd production, 9267

tsetse
control, 9417
invasion, 9556
movements, 9556
population dynamics, 9287, 9556
spatial spread, 9417
vertical distribution, 9673

monitor lizard

aqueous washings as tsetse bait, 9416
as host for tsetse, Burkina Faso, 9291

monkeys, vervet

T. b. rhodesiense infection
CSF, cell and protein changes, 9482
post-treatment reaction, 9482

Mozambique

trypanosomiasis control, 9407
tsetse surveys, 9407

nagana

epidemiology, Central African Republic, 9302

Naganol *see* suramin**Nannomonas**

characterisation, molecular, 9359

genetics, 9360

infecting tsetse, 9303, 9305, 9309, 9429

-type trypanosome

characterisation, 9629

culture, 9629

DNA hybridisation, 9629

flagellum, 9629

infecting *G. pallidipes*, Kenya, 9629

infecting pig, 9629

isolation, 9629

kinetoplast, marginal, 9629

undulating membrane, 9629

nets, electric 9286, 9554

in tsetse behaviour studies, 9273

flight, 9675

nets, hand 9554

catch, 9546

nifurtimox

cost, 9447

efficacy, 9447

pharmacokinetics, 9447

toxicity, 9447

treatment of human trypanosomiasis, 9447

Niger

T. evansi stocks from, 9342

Nigeria

Borno State

trypanosomiasis in cattle, prevalence, 9449

Jos Plateau

G. palpalis in, 9693

G. tachinoides in, 9693

trypanosomiasis in cattle, 9693

land use, 9266

northeastern

trypanosomiasis in camels, prevalence, 9692

northern

G. p. palpalis in, 9673

southern

trypanosomiasis

in pigs, 9320

risk to cattle, 9721

trypanosusceptible cattle in, 9721

trypanotolerant cattle in, 9721

southwest

trypanosomiasis in Zebu cattle, 9401

trypanosomiasis

in cattle, prevalence, 9450

in goats, prevalence, 9452

in humans

foci, 9333

in sheep, prevalence, 9452

trypanotolerant livestock in, 9705
tsetse control modelling, 9266

nitroimidazoles

treatment of human trypanosomiasis, 9535
 trials, 9571
treatment of *T. brucei*-infected mice, 9612

non-target organisms

effect of tsetse control
 on aquatic invertebrates, 9419
 on fish, 9419
in Zimbabwe
 effects of DDT, 9423, 9424
 on aquatic biota, 9292
 on bats, 9420
 on birds, 8420
 woodland, 9293
 on fish, 9420
 on insects, 9420
 on lizards, 9420

normalised difference vegetation index (NDVI)

in tsetse distribution studies, 9674

odour attractants/baits/stimuli

see also attractants, baits

acetone, 9286, 9288, 9290, 9413, 9416, 9427, 9546, 9673, 9675
butanone, 9286, 9290
captive animals, 9427
carbon dioxide, 9286, 9290, 9675

odour attractants/baits/stimuli (cont.)

4-cresol, 9427, 9681
dung, rhinoceros, 9427
effectiveness studies, 9288
3-ethylphenol, 9290
4-ethylphenol, 9290
goat, aqueous washings, 9416
host, 9416, 9427, 9554
 artificial, 9281, 9284, 9290, 9675
 natural, 9283, 9284, 9286, 9288, 9290, 9675
 cattle, 9286
metacresol, 9280
3-methylphenol, 9288, 9290, 9413, 9416
4-methylphenol, 9288, 9290, 9416, 9675
monitor lizard, aqueous washings, 9416
octenol, 9280, 9286, 9288, 9290, 9413, 9416, 9427, 9546, 9675
ox, 9290
 breath, 9288
 urine, 9288
phenol, 9290, 9546
phenolic residues, 9286, 9288
3-propylphenol, 9290
3-n-propylphenol, 9416, 9427, 9675, 9681
4-n-propylphenol, 9290
urine
 buffalo, 9681
 cattle, 9681
 cow, 9416, 9427, 9673
 human, 9416

- ox, 9288
- rhinoceros, 9427
- waterbuck, 9681

odour plumes

- artificial, 9281, 9284
- host, 9283
- structure, 9283
- tsetse response to, 9284
- turbulence, 9283
- wind speed effects, 9281

ox

- attractiveness for tsetse, 9290
- breath, as tsetse bait, 9288
- odour, attractiveness for tsetse, 9290
- PCV, effect on tsetse bloodmeal size, 9301
- trypanosomiasis, 9290
- urine, as tsetse bait, 9288

packed cell volume (PCV)

- as measure of anaemia control, 9707, 9708, 9714
- control in trypanotolerant cattle, 9710, 9714, 9716
- in cattle, 9330
 - T. congolense*-infected, 9322, 9576, 9718
 - T. vivax*-infected, 9461, 9576
 - trypanosome-infected, 9553, 9575, 9581, 9702, 9711, 9716, 9717
- in goats
 - trypanosome-infected, 9452
- in oxen
 - effect on tsetse bloodmeal size, 9301
- in sheep
 - trypanosome-infected, 9452, 9575

parasitaemia

- in cattle
 - control, 9581
 - T. vivax*-infected, 9708
 - trypanotolerant, 9710, 9714, 9716
 - T. congolense*-infected, 9322, 9714, 9718
 - T. vivax*-infected, 9579
 - trypanosome-infected, 9575, 9717
 - trypanotolerant, 9707, 9711, 9716
- in dogs, *T. b. brucei*-infected, 9696
- in human trypanosomiasis, 9570
- in mice, *T. brucei*-infected, control, 9686
- in pig, trypanosome-infected, 9629
- in sheep
 - T. congolense*-infected, 9323, 9326, 9457
 - trypanosome-infected, 9575
- T. brucei*, 9694
- T. vivax*, 9694

pentamidine

- bis-carba analogue, synthesis, 9625
- cost, 9447
- effects
 - in *T. brucei*, 9355
 - in *T. b. brucei*-infected mice, 9625
 - on rat liver mitochondria, 9480
- efficacy, 9447

- plasma concentration in humans, 9444
- pharmacokinetics, 9444, 9447
- side effects, 9444
- toxicity, 9447
 - nephro-, in humans, 9444
- treatment of human trypanosomiasis, 9443, 9444, 9447, 9535
 - combined with melarsoprol, 9573
 - combined with suramin, 9572

permethrin

- in tsetse control
 - environmental impact, 9419

pig

- attractiveness for tsetse, 9680
- crossbred
 - T. brucei* infection, 9320
 - T. congolense* infection, 9320
- trypanosomiasis
 - diagnosis, 9320
 - infection rate, Nigeria, 9320
 - prevalence, Nigeria, 9320
- Nannomonas*-type infection, 9629
- T. brucei* infection, 9694
- T. b. gambiense* infection, 9562
- T. congolense* infection, 9694
- trypanosome infection rate, Uganda, 9694
- Trypanozoon* isolates from, Nigeria, 9333

prophylaxis

- in *T. congolense*-infected rabbits, 9613
- of trypanosomiasis
 - in cattle, 9580
 - in horses, 9698

pyrethroid

- cattle treatment, 9291
- in tsetse control
 - environmental impact, 9419

quinapyramine chloride

- combined with quinapyramine sulphate
- toxicity in *T. evansi*-infected rats, 9740

quinapyramine sulphate

- treatment of *T. evansi*-infected camels, 9729

rabbits in laboratory studies

- T. congolense* infection
 - drug effects, 9613
- T. equiperdum* infection
 - detection, 9335
- T. evansi* infection
 - antibody detection, 9591

rats in laboratory studies

- diminazene aceturate
 - effects on polyamine metabolism of hepatocytes, 9479
 - toxicity, 9484
- drug treatment, 9357
- model of human trypanosomiasis, 9474
- oxidative phosphorylation in liver mitochondria
 - effect of pentamidine on, 9481
- T. brucei* infection

- diminazene aceturate treatment, 9487
- drug effects, 9343
- effect on action of gossypol, 9730
- effects of interferon- γ , 9595
- effects of melatonin, 9595
- effects of nitric oxide, 9596
- gossypol toxicosis, 9737
- hypothalamus involvement, 9595
- pathogenesis, 9487
- plasma lipid changes, 9734
- T. b. brucei* infection, 9604
 - combination drug treatment, 9483
 - drug testing, 9623, 9624
 - dysregulation of biological clock, 9471
 - pathogenesis, 9474
 - sleep disturbance, 9471
- T. congolense* infection
 - drug testing, 9624
- T. evansi* infection
 - drug toxicity in, 9740
 - immunohistochemical identification, 9588
- trypanosome-infected
 - nitric oxide production, 9733

remote sensing

- in tsetse distribution studies, 9548, 9550
- in tsetse population studies, 9547, 9548

reservoir hosts 9400

- cattle
 - for *T. brucei* spp., 9333
- domestic animals, Zaire
 - of *gambiense* trypanosomiasis, 9562

rhinoceros, black

- attractiveness for tsetse, 9427

RNA

- T. brucei*, 9764
 - binding protein, nucleolar, 9757
 - editing, 9517, 9518, 9521, 9652, 9744, 9765
 - U-deletional, 9756
 - g, 9652, 9756
 - kinetoplastid, 9744
 - ligase, 9517
 - activities, 9756
 - m, 9652, 9765
 - hexose transporter, 9380
 - hsp70, post-transcriptional control, 9639
 - polymerase II promoter, 9509
 - putative, helicase, DEAD box family, 9388
 - U5-like, small, 9758
- T. equiperdum*
 - editing, 9652
 - g, 9652
 - m, 9652
- trypanosome
 - r, large and small subunits, 9494

Rwanda

- trypanosomiasis in humans, 9438
- tsetse trapping, 9673

satellite imagery

- in assessment of tsetse control impact, 9403
- in trypanosomiasis control, 9265

screening

- for trypanosomiasis
- in humans, 9311, 9430, 9682

screens 9412

- cost, 9663
- insecticide-impregnated, 9398, 9533

Senegal

- trypanotolerant livestock in, 9705, 9726
- tsetse
 - cattle contact, 9726
 - challenge to cattle, 9726
 - distribution, 9726
 - numbers, 9726

serum

- animal
 - in diagnosis of trypanosomoses, 9318
- cattle
 - drug detection in, 9332
 - trypanosome-specific antibodies in, 9436
- human
 - albumin in, 9683
 - autoantibodies in
 - anti-galactocerebroside, 9436
 - HDL-independent lysis of *T. b. brucei*, 9599, 9600
 - IgG levels, 9683
 - IgM levels, 9683
 - in diagnostic testing, 9341, 9430
 - nitrate levels, 9686
 - protein in, 9683
 - resistance in *T. b. rhodesiense*, 9387
 - sensitivity in *T. b. brucei*, 9387
 - TNF- α levels, 9314
 - trypanocidal activity, 9736
 - trypanolytic activity, 9316, 9341, 9599, 9600, 9601
 - inhibition, 9316
 - trypanocidal activity, 9685
 - trypanolytic factors in, 9736
 - role in trypanotolerance, 9710

sheep

- Djallonké
 - trypanosome prevalence, Côte d'Ivoire, 9575
 - trypanosomiasis
 - effect on semen quality, 9726
- Djallonké \exists Sahel
 - trypanosome prevalence, Côte d'Ivoire, 9575
- Scottish Blackface
 - T. congolense* infection (exp.)
 - blood biochemical changes, 9323
 - effect of castration
 - on endocrine function, 9327
 - effect on endocrine function
 - of hypothalamo-pituitary-gonadal axis, 9327
 - pathophysiology

- effect of energy intake on, 9323
- T. brucei* infection, 9452
- T. brucei* infection (exp.)
 - growth inhibition, trypanosome, 9345
- T. b. brucei* infection (exp.)
 - in trypanosomiasis modelling, 9436
- T. congolense* infection, 9452, 9694
- T. congolense* infection (exp.)
 - effect
 - of nutritional level
 - on bodyweight, 9457
 - on carcass composition, 9457
 - on degree of anaemia, 9457
 - on pituitary-testicular responsiveness
 - to gonadotrophin-releasing hormone, 9326
 - on plasma luteinising hormone, 9326
 - on testosterone concentration, 9326
 - immune response, 9460
 - local skin reaction, 9328
- T. vivax* infection, 9452, 9694
- trypanosome infection rate, Uganda, 9694
- trypanosome prevalence, Nigeria, 9452
- trypanosomiasis prevalence, Nigeria, 9452
- trypanotolerance, 9530
- Trypanozoon* infection
 - drug resistance, 9333

Somalia

- trypanosomiasis in camels, 9448

spiroarsoranes

- effects in trypanosome-infected mice, 9615

spraying 9561

- aerial, 9663
 - endosulfan, 9292
- aerosol application, 9297
- ground, 9663
 - DDT, 9292
 - in Zimbabwe, 9292
 - environmental impact, 9420, 9423, 9424
- impact, 9297
- in Botswana, 9399
- in Zimbabwe, 9293
 - aldrin, 9557
 - DDT, 9557
 - dieldrin, 9557
 - endosulfan, 9557
 - endrin, 9557
 - heptachlor, 9557

residues in river bays, 9557
side effects, 9297

sterile insect technique (SIT) 9299, 9300, 9663

Stomoxysinae

in traps, Zimbabwe, 9286
mechanical transmission of *T. vivax*, 9560
trapping studies, Kenya, 9421, 9427

Stomoxys spp.

in Ethiopia, 9296
trapping studies, Kenya, 9421, 9427

Sudan

trypanosomiasis
in camels, 9334
in humans, 9404
gambiense, 9537
trypanotolerant cattle in, 9716

suramin

cost, 9447
efficacy, 9447
pharmacokinetics, 9447
resistance
in *T. brucei*, 9488
in *T. evansi*, 9741
sensitivity, in *T. evansi*, 9741
toxicity, 9447
in *T. evansi* clones, 9356
treatment
of *T. brucei*-infected mice, 9352
of *T. evansi*-infected camels, 9729
of *T. evansi*-infected mice, 9739
of trypanosomiasis in dogs, 9703
of trypanosomiasis in humans, 9437, 9443, 9447
combined with diminazene, 9572
combined with melarsoprol, 9573
combined with metronidazole, 9690
combined with pentamidine, 9572

survey

entomological
in Burkina Faso, 9308
in Cameroon, 9289
epidemiological, in Burkina Faso, 9691
trypanosomiasis
in cattle, Burkina Faso, 9691
in pigs, Nigeria
in abattoirs, 9320
in field/markets, 9320
tsetse
in Ethiopia, 9285
in Mozambique, 9407

Tabanidae

in Burkina Faso, 9279, 9308
in Ethiopia, 9290
trapping, 9279, 9308
studies, Kenya, 9427
T. congolense infection, 9308

Tanzania

G. morsitans distribution, 9674

G. m. centralis in, 9307

T. b. brucei stocks from, 9428

targets 9297, 9554

catch, 9286, 9546

cloth, 9286

efficiency studies, 9286

electrified, 9286

insecticide-impregnated, 9292, 9672

netting, 9286

odour-baited, 9286, 9546, 9675

triflumuron-treated, 9295

Togo

trypanosomiasis

control, 9663, 9664

in animals

control, 9265, 9266

prevalence, 9266

trypanotolerant livestock in, 9663, 9664, 9720

tsetse control, 9663

transmission

cyclical, 9536, 9560

of *T. vivax* by *G. m. morsitans* (exp.), 9700

mechanical, 9536

of *T. vivax* by Stomoxyinae, 9560

of human trypanosomiasis, 9536

traps/trapping 9409, 9535, 9553, 9561, 9663

baited, 9673, 9680, 9681

biconical, 9279, 9280, 9285, 9288, 9289, 9416, 9548, 9551, 9554, 9575, 9680, 9693

catch, 9280, 9286, 9288, 9413, 9416, 9418, 9421, 9427, 9673, 9680, 9681

comparisons, 9279

Challier, 9693

Challier-Laveissière, 9279, 9280, 9554

cloth, 9421

coloured, 9421, 9551, 9693

comparisons, 9418, 9427

cost, 9552, 9663

cost-effectiveness, 9418

effectiveness, 9418

efficiency, 9280, 9286, 9556

comparison, 9279

Epsilon, 9551

evaluation, Burkina Faso, 9279, 9280

F3, 9416, 9418, 9551

for tsetse population

monitoring, 9291

sampling, 9285, 9418, 9693

studies, 9672

surveys, 9289

for trypanosomiasis control, 9324

insecticide-impregnated, 9398, 9533, 9575

α -cypermethrin, 9702

M1, 9418

M2, 9418

M3, 9418

Mérot, 9279

monoconical, 9279
monopyramidal, 9539
NG2B, 9416
NG2G, 9416, 9427, 9681
odour-baited, 9280, 9286, 9288, 9413, 9416, 9421, 9427, 9556
in tsetse behaviour studies, 9273, 9286

traps/trapping (cont.)

pyramidal, 9416, 9672
sticky panel
catch, 9551
Stomoxyinae, trials of, 9421
tabanids in, 9308
Vavoua, 9416, 9421, 9427

triflumuron

chitin synthesis inhibition
in tsetse control studies, 9295

Trypan

evaluation
in *T. evansi*-infected camels, 9454

trypanocides

S-adenosylmethionine decarboxylase inhibitors, 9608, 9610, 9611
(*S*)-9-(3-hydroxy-2-phosphonyl-methoxypropyl)adenine, 9614
anti-trypanosomal activity
of camptothecin analogues, 9478

plants

Allium sativum, 9742
Alstania boonei extracts, 9623
Annona senegalensis
extracts, 9623
seeds, 9621
Anthocleista nobilis root bark, 9617
Combretum dolycopetalum
extracts, 9623
root extract, 9624
Harungana madagascariensis extracts, 9623
indigenous
screening against *T. evansi*, 9490
Morinda lucida, 9623
Nauclea latifolia
extracts, 9623
root bark, 9616
Ritchiea capparoides var. *longipedicellata* roots, 9607
Uvaria chamae root bark extract, 9618
Xanthium strumarium leaves, 9622
purine 2',3'-acyclonucleosides, 9657

trypanoresistance

in cattle, 9582
N'Dama, 9458

Trypanosoma

protein coding genes, 9626

T. brucei

acidocalcisomes, Ca²⁺ release, 9527
adenylate cyclase
activation, 9651
stimulation, 9361
amino acid decarboxylation, 9752
antigenic switches, 9647

antigenic variation, 9532, 9635, 9761
ATP synthase, peptide inhibition, 9754
basal body, 9378
biochemistry, 9532
bloodstream form, 9365, 9390, 9396, 9510, 9655, 9774
Ca²⁺, cytoplasmic, 9655
cell cycle, 9774
characterisation, 9764
clones
 S 427 clone 1, G₁ checkpoint progression, 9771
 drug resistant, 9488
cloning, 9764
 by functional complementation, 9653
culture, 9532, 9764
differentiation, 9346, 9338, 9655, 9774
DNA, 9764
 amplification, 9592
 exogenous, targeting into, 9632
 modified d-nucleoside, 9661
 polymerases, 9656
 probes, 9629
 rearrangements, 9647
 ribosomal, promoter, 9393
drug effects, 9347, 9352, 9355, 9362, 9390, 9478, 9480, 9486, 9612, 9657
drug resistance, 9488, 9532
endonuclease, 9517
endoplasmic reticulum, targeting, 9749
epitope, 9750
esag 6, 9781
esag 7, 9781
genetics
 clonality, 9744
 editing, deletion, 9500
 endonuclease, cleavage, 9756
 evolution, 9744
 exchange, 9503
 exonuclease, terminal U, 9756
 gene expression, 9377, 9393, 9755, 9779, 9781
 gene isolation, 9764
 gene transcription, 9384, 9385, 9495, 9639, 9755
 gene transcriptional regulation, 9377
 genes
 adenylate cyclase, 9746
 elongation factor-1 α , 9779
 esag 8, 9768
 hsp60, mitochondrial, 9369
 hsp70, 9385
 PARP, 9755
 thymidine kinase, viral, 9659
 VSG, 9377, 9393, 9637, 9648, 9780
 expression-site promoter, 9648
 sequence divergence, 9637
 genome, 9508
 partition, 9526
 genomic organisation, 9779
 genotypes, 9744
 linkage, 9744

- mini-chromosomes, artificial, 9386
 - linear, 9516
- mitosis, 9526
- mutagenesis, 9659
- PARP/VSG ES promoter, 9778
- populations, 9744
- ribonucleoprotein complexes, 9652, 9765
- ribosomal DNA promoter, 9393
- RNA, 9764
 - binding protein, nucleolar, 9757
 - editing, 9517, 9518, 9652, 9745, 9756, 9765
 - kinetoplastid, 9521, 9745
 - g, 9652, 9756
 - L-r, nucleotide sequences of 5' terminal regions, 9649
 - ligase, 9517, 9756
 - m, 9652, 9765
 - m hexose transporter, 9380
 - 3'-untranslated regions, 9380
 - m, hsp70, 9639
 - polymerase II promoter, 9509
 - putative helicase of DEAD box family, 9388
 - U5-like, small, 9758
- sequence divergence in VSG genes, 9637
- telomere, single stranded g-rich, sequence binding, 9636
- telomeric exchange, 9780
- telomeric GGGTTA repeats, 9766
- telomeric locus, 9379, 9393
- transferrin receptor, 9781
- trans*-spliceosomes, 9758
- glucose uptake, 9529
- γ -glutamylcysteine synthetase, 9769
- glyceraldehyde-3-phosphate dehydrogenase inhibition, 9349, 9499
- glycolysis, 9365
- glycolytic enzyme inhibition, 9395
- glycosomes, 9349
 - biogenesis, 9644
- DHFR hybrid protein import, 9507
- GPI
 - anchor
 - protein, 9634, 9638
 - tetragalactose moiety, 9642
 - biosynthetic pathway
 - glucosaminyl phosphatidylinositol α -4-mannosyltransferase, 9425
 - glycolipid C, 9762
 - myristoylation, 9782
 - phospholipase C
 - activation, 9651
 - inhibition, 9772
 - phosphatidylinositol hydrolysis, 9753
- growth, 9346
 - factor, 9594
 - inhibition, 9345
- identification, 9426, 9532
- immunology, 9532
- infecting cattle, 9574
 - Muturu, 9450

- infecting dogs, 9329
- infecting goats, 9452, 9694
- infecting livestock, 9318
- infecting mice, 9345, 9346, 9347, 9352, 9475, 9603, 9605, 9612, 9686, 9735
- infecting pigs, 9694
 - crossbred, 9320
- infecting rats, 9343, 9487, 9595, 9596, 9730, 9734, 9737
- infecting sheep, 9345, 9452
- infecting tsetse, 9339
- in vitro* studies, 9476, 9480, 9506, 9522, 9597
- isoenzyme electrophoresis, 9764
- kinetoplasts, 9362
 - DNA maxicircle replication, 9370
- life cycle, 9362, 9377
- lipid metabolism, 9782
- long-term storage, 9627
- mannose-6-phosphate receptor, cation-independent, 9638
- metacyclics, 9377, 9781
- microtubular-membrane complex, 9390
- microtubule inhibitors, trifluralin, 9738
- mini-exon repeats, PCR amplification, 9590
- mitochondria, 9777
 - import, 9392
 - protein, 9505
 - yeast tRNA^{His}, 9520
- mutagenesis, 9761
- organelle biogenesis, 9750
- ornithine decarboxylase, 9505, 9515, 9767
 - cofactor reactivity, 9514
 - decarboxylation, 9752
 - substrate binding, 9514
- PARP promoter, 9496
- pathology, 9532
- plasma membrane, 9396
- plasmids, TTA TAA triplet repeats, 9775
- polyamine back-conversion enzyme inhibition, 9355
- procyclic, 9339, 9373, 9529, 9767, 9778
 - glucose transporter, THT 2, 9366
- procyclin PARP A unit, 9495
- proteasomes, 9763
- proteins
 - DHFR hybrid, 9507
 - extracellular, 9598

T. brucei (cont.)

- proteins (cont.)
 - heat shock
 - 60, 9369
 - 70, 9509, 9639
 - cytoplasmic, 9383
 - mitochondrial, 9369, 9383
 - high molecular weight, 9378
 - import into glycosomes, 9507
 - import into mitochondria, 9506
 - Rieske iron-sulphur, 9392, 9777
 - RNA-binding, 9757
 - small GTP-binding, homologues,

- molecular cloning, 9376
- targeting, 9750
- transferrin-binding complex, 9394
- tyrosine phosphatase
 - activity, 9362
 - membrane, 9363
- tyrosine-phosphorylated, 9757
- pyruvate transport inhibition, 9396
- replication, 9346
- reproduction, 9744
- S-adenosyl-L-methionine decarboxylase activity, 9522
- secretory reporter system, 9749
- self-fertilisation, 9658
- slender form, 9522
- sterols, exogenous and endogenous sources, 9373
- strains, ILRAD 1797, 9329
- stumpy form, 9522
- thymidine kinase, 9644
- transfection, 9764
 - stable, 9510
- transferrin uptake, 9395
- trans-sialidase, 9502
- trypanothione, biosynthesis, 9769
- trypanothione reductase inhibition, 9748
- vesicle trafficking, 9376
- virulence, 9346
- VSG, 9642
 - expression site, 9781
 - genes, 9377, 9393, 9637, 9648, 9780
 - mosaic coats, 9773
 - myristate exchange, 9498
 - procyclin switch, 9650
 - surface epitopes, 9381

***T. brucei* ssp.**

- detection by branched DNA-based technique, 9589
- infecting tsetse, 9305

***T. brucei* spp.**

- infecting cattle, 9333
- infectivity to man, 9333

T. brucei brucei

- S-adenosylmethionine decarboxylase inhibition, 9608, 9610, 9611
- alternative oxidase inhibition, 9391
- aromatic amino acid transamination, 9751
- bloodstream form, 9372, 9497, 9501
- CB1 epitope expression, 9497
- coenzyme Q9, reduced, inhibition, 9391
- culture, 9558
- DNA, c, products, 9646
- drug effects, 9348, 9371, 9609, 9614, 9615, 9616, 9617, 9618, 9621, 9623, 9624, 9625, 9742
- endoplasmic reticulum, 9389
- endosomes, 9497
- glucose transporter genes, 9630
- glycerol-3-phosphate dehydrogenase, NAD-linked,
 - expression in *E. coli*, 9643
- glycosyltransferases, 9770
- growth in tsetse, 9428
- human HDL₃ particle accumulation, 9387

- human serum sensitivity, 9387
- infecting dogs, 9451, 9489, 9696, 9703
- infecting domestic animals, 9652
- infecting livestock, 9316
- infecting mice, 9348, 9473, 9489, 9608, 9609, 9614, 9731, 9732, 9742
- infecting rats, 9471, 9474, 9483, 9604, 9623, 9624
- infecting sheep, 9436
- infecting tsetse, 9307, 9428
- lysis
 - by human serum, 9736
 - by human trypanolytic factor, 9599, 9600
- lysosomes, 9497
- mannose synthase dolichol phosphate, 9770
- maturation in tsetse, 9428
- methionine recycling, 9751
- nitric oxide, cytostatic effect, 9472
- nucleoside *N*-ribohydrolase, 9776
- P2 nucleoside transporter, 9371
- plasma membrane potential, 9501
- procyclics, 9501, 9558
- proliferation, inhibition of, 9747
- proteases, 9604
- protein
 - 33 kDa, mitochondrial, 9372
 - 44 kDa, 9389
 - LDL-binding, 9631
- RNA primed PCR fingerprints, 9646
- slender form, 9497
- stocks
 - IL 3294, 9428
 - IL 3965, 9428
- strain 8/18, 9451, 9696
- stumpy form, 9497
- survival, 9428
- triosephosphate isomerase, variant, 9633

T. brucei gambiense

- S*-adenosylmethionine decarboxylase inhibition, 9608, 9610
- adhesion, to human brain microvascular endothelial cells, 9606
- antigenic variation, 9532
- biochemistry, 9532
- bloodstream form, 9430, 9497
- CB1 epitope expression, 9497
- characterisation of isolates, 9628
- culture, 9532, 9558
- DNA, 9652
 - polymorphic, amplification, 9743
- drug effects, 9443, 9513, 9607, 9614
- drug resistance, 9532
- endosomes, 9497
- genes
 - glucose transporter, 9630
 - VSG, 9628
- genetic heterogeneity, 9743
- genome, 9743
- glycoprotein, membrane
 - processing and transport, 9382
- identification, 9562

- immunology, 9532
- infecting domestic animals, 9562
- infecting humans, 9311, 9312, 9313, 9314, 9317, 9341, 9430, 9431, 9441, 9444, 9447, 9533, 9534, 9536, 9537, 9561, 9562, 9564, 9567, 9568, 9572, 9573, 9682, 9683, 9736
- infecting mice, 9473, 9513, 9608, 9614
- invariable antigens, 9430
- kinetoplast
 - pararosaniline resistant clone, 9513
 - pararosaniline sensitive clone, 9513
- lymphocyte triggering factor-like activity, CD8-dependent, 9593
- lysosomes, 9497
- nitric oxide, cytostatic effect, 9472
- pathology, 9532
- procyclics, 9430, 9558
- slender form, 9497
- stumpy form, 9497
- VAT, 9341
 - repertoire, 9430
- VSG, 9430
 - genes, 9628

T. brucei rhodesiense

- S-adenosylmethionine decarboxylase inhibition, 9608, 9610, 9611
- adhesion, to human brain microvascular endothelial cells, 9606
- antigen
 - invariable, 9430
 - plasma membrane, 9451
- apoptosis, 9660
- bloodstream form, 9430
- culture, 9558
- DNA, c, expressed sequence tags, 9375
- drug effects, 9354, 9443, 9614, 9615
- drug resistance, 9351
- endosomes, tubular, 9368
- gene expression, 9512
- gene I family, expression site-associated, 9512
- genes, glucose transporter, 9630
- glycerol-3-phosphate dehydrogenase, NAD-dependent, 9654
- human HDL, particle accumulation, 9387
- human serum resistance, 9387
- infecting humans, 9430, 9431, 9437, 9438, 9439, 9447, 9534, 9536, 9537, 9566, 9682, 9686, 9694, 9736
- infecting mice, 9602, 9608, 9614
- infecting monkeys, 9482
- in vitro* culture system, 9354
- lymphocyte triggering factor-like activity, CD8-dependent, 9593
- perinuclear acidic compartment, 9368
- procyclics, 9430, 9558, 9660
- protein, LDL-binding, 9631
- sexual processes, 9310
- transport inhibition, 9368
- VAT repertoire, 9430
- VSG, 9430

T. congolense

- S-adenosylmethionine decarboxylase inhibition, 9608, 9610
- antigenic variation, 9532
- biochemistry, 9532
- characterisation, 9359

- congopain, 9459, 9583
- culture, 9532
- cysteine protease, 9583, 9712
- differentiation, 9338
- DNA probes, 9629
- drug effects, 9358, 9613, 9614, 9620, 9624, 9742
- drug resistance, 9291, 9353, 9532, 9619
- EATRO 325, 9282, 9303
- epitopes, 9585
 - surface exposed, 9711
- forest type, 9305, 9309
- GARP
 - α -amanitin-sensitive transcription, 9504
- Gboko strain, 9701
- genome partition, 9526
- glutathione reductase photoinactivation, 9384
- GPIs
 - precursors, 9760
 - protein anchor, 9760
- identification, 9426, 9429
- T. congolense*** (cont.)
 - IL 1180, 9304, 9714
 - IL 13E3, 9576
 - ILNat3.1, 9711
 - immunology, 9532
 - infecting calves, 9322
 - infecting cattle, 9325, 9353, 9449, 9462, 9574, 9575
 - Boran, 9458, 9463, 9576, 9583, 9585, 9587, 9711, 9712, 9713, 9714
 - Galana, 9716
 - Orma, 9699, 9716
 - Muturu, 9450
 - N'Dama, 9331, 9458, 9459, 9576, 9583, 9585, 9708, 9711, 9712, 9713, 9714
 - Zebu, 9308, 9331, 9718
 - infecting domestic animals, 9562
 - infecting goats, 9452
 - infecting livestock, 9318
 - infecting mice, 9344, 9353, 9608, 9614, 9619, 9742
 - infecting pigs, 9694
 - crossbred, 9320
 - infecting rabbits, 9613
 - infecting rats, 9624
 - infecting sheep, 9326, 9328, 9452, 9457, 9560, 9575, 9694
 - Scottish Blackface, 9323, 9327
 - West African Dwarf, 9701
 - infecting tabanids, 9308
 - infecting tsetse, 9305, 9307, 9309, 9339, 9429, 9559
 - invariant antigens, 9712
 - congopain, 9325
 - 33 kDa cysteine protease, 9325, 9459
 - 69 kDa, 9712
 - hsp, 9325
 - 70 kDa hsp, 9459, 9712
 - Kilifi type, 9305, 9309, 9429, 9629
 - long-term storage, 9627
 - lysosomes, 9712
 - metacyclics, 9460
 - mitosis, 9526

- metatrypanosomes, 9303
- pathology, 9532
- procyclic, 9339
- protein
 - hsp70/BiP, 9583
 - LDL-binding, 9631
- riverine-forest type, 9309, 9429
- savanna type, 9303, 9305, 9308, 9309, 9426, 9429, 9629
- stumpy form, 9303
- surface antigen, major, 9504
- trypanothione reductase
 - E201D and E201Q mutants, 9397
 - photoinactivation, 9384
- Tsavo type, 9309
- VSG, 9325, 9458, 9459, 9583, 9585, 9711

T. cruzi

- drug effects, 9486
- genome partition, 9502
- life cycle, 9362
- mitosis, 9526
- protein
 - hsp70
 - cytoplasmic, 9383
 - mitochondrial, 9383
 - tyrosine phosphatase activity, 9362
- trans-sialidase, 9502

T. equiperdum

- DNA
 - amplification, 9592
 - sequence homology, 9759
- drug effects, 9443
- drug resistant clone, 9367
- genes
 - glucose transporter, 9630
 - VSG, 9759
- infecting horses, 9334
- infecting rabbits, 9335
- in vitro* cultivation, 9492
- long-term storage, 9627
- protein, LDL-binding, 9631
- pseudogenes, 9759
- P2 purine transporter, 9367
- ribonucleoprotein complexes, 9652
- RNA
 - editing, 9652
 - g, 9652
 - m, 9652

T. evansi

- adenosine transporters, alteration, 9519
- antigenic variation, 9532
- biochemistry, 9532
- clones, akinetoplasmic, pararosaniline-induced, 9523, 9524
- cloning, 9356
- culture, 9532
- DNA amplification, 9592
- drug effects, 9443, 9490, 9491, 9614, 9622
- drug resistance, 9356, 9477, 9519, 9632, 9729, 9741

- drug sensitivity, 9741
- genes, glucose transporter, 9630
- growth rates, 9741
- identification, 9588
- immunology, 9532
- infecting camels, 9334, 9454, 9469, 9692, 9729
- infecting dogs, 9577
- infecting horses, 9453
- infecting mice, 9342, 9356, 9491, 9614, 9622, 9739
- infecting rabbits, 9591
- infecting rats, 9588, 9740
- in vitro* cultivation, 9492, 9493
- in vitro* studies, 9477, 9490
- long-term storage, 9627
- L-rRNA, 5' terminal regions
 - nucleotide sequences, 9649
- lymphocyte triggering factor-like activity, CD8-dependent, 9593
- pathogenicity of different stocks, 9342
- pathology, 9532
- surface membrane, concavities, 9523
- survival in horses, 9453
- tryptophan catabolism, 9374

T. godfreyi

- characterisation, 9359
- genetics, 9360
- identification, 9429
- infecting tsetse, 9305, 9429
- repetitive DNA sequence, 9511

T. musculi

- infecting mice, 9473

T. simiae 9320

- characterisation, 9359
- differentiation, 9338
- DNA probes, 9629
- genetics, 9360
- identification, 9426, 9429
- infecting tsetse, 9305, 9309, 9339, 9429
- procyclic, 9339

T. theileri

- infecting livestock, 9318

T. vivax

- antigen expression in *E. coli*, 9340
- antigenic variation, 9470
- differentiation, 9338
- drug effects, 9742
- genes, glucose transporter, 9528
- glucose uptake, 9528
- infecting cattle, 9449, 9574, 9575, 9579
 - Boran, 9461, 9713
 - Orma, 9699, 9700, 9716
 - Galana, 9700, 9716
 - Muturu, 9450
 - N'Dama, 9708, 9713
 - Zebu, 9693
- infecting goats, 9452, 9694
 - West African Dwarf, 9455, 9578, 9695
- infecting livestock, 9318

- infecting mice, 9742
- infecting sheep, 9452, 9575, 9694
 - West African Dwarf, 9321
- infecting tsetse, 9305, 9307, 9309, 9339
- KETRI 2501, 9700
- protein, LDL-binding, 9631
- transmission by Stomoxyinae, 9560

trypanosome/s

- antigenic stimulus, 9688
- antigenic variation, 9685
- autolysates, 9697
- differentiation, 9685
- drug resistance, 9296
- glyceraldehyde-3-phosphate dehydrogenase inhibition, 9350
- identification, 9426
- infecting rats, 9733
- infecting tsetse, 9336, 9411, 9415, 9426
- infection rates
 - in cattle, Nigeria, 9693
 - in tsetse, 9706, 9726
- interaction with lectin, 9415
- life cycle, 9685
- metabolites, 9697
- maturation in tsetse midgut, 9411, 9415
- phylogeny, 9494
- prevalence
 - in cattle
 - in Central African Republic, 9324
 - in Côte d'Ivoire, 9575, 9702, 9720
 - in Ethiopia, 9296
 - in Nigeria, 9693
 - in goats
 - in Nigeria, 9452
 - in sheep
 - in Côte d'Ivoire, 9575
 - in Nigeria, 9452
 - in trypanosusceptible livestock, 9706
 - in trypanotolerant livestock, 9706
 - in tsetse, 9706
 - in Côte d'Ivoire, 9305
 - in Zaire, 9720
- rRNAs
 - large and small subunits, 9494
- surface coat, 9685
- surface molecules, 9415
- toxins, 9697
- virulence, 9685

trypanosomiasis general

- control, 9402, 9407
 - in Africa
 - Central, 9723
 - sub-Saharan, 9402
 - West, 9723
 - in Central African Republic, 9324
 - in Côte d'Ivoire, 9267, 9467
 - in Ethiopia, 9298
 - in Mozambique, 9407

- in Togo, 9265, 9266
- in Uganda, 9311, 9442
- in Zaire, 9398
- sustainability, 9264

distribution in Africa, 9662

trypanosomiasis general (cont.)

- immunology, 9685
- immunopathology, 9688
- in Mozambique, 9407
- in sub-Saharan Africa, 9402
- mechanisms of cellular injury, 9697
- pathogenesis, 9402
- risk, Uganda, 9672
- serodiagnosis, 9688
- surveillance, 9402

trypanosomiasis in animals

clinical symptoms/pathological effects

- abortion, 9321, 9699, 9700, 9718
- anaemia, 9322, 9323, 9457, 9576, 9577, 9579, 9581, 9686, 9692, 9700, 9717
- anorexia, 9577
- calf mortality, 9718
- corneal opacity, 9577
- emaciation, 9461
- eosinopenia, 9692
- fever, 9695, 9697
- foetal mortality, 9718
- growth retardation, 9321, 9323, 9457
- hormonal imbalance, 9697, 9700
- hyperproteinaemia, 9692
- leucopenia, 9329, 9692
- liver enlargement, 9692
- loss of condition, 9321
- low birth weight, 9461
- lymphopenia, 9692
- microangiopathy, 9697
- monocytosis, 9692
- nutritional imbalance, 9697
- oedema, 9577
- peroxidation, 9697
- premature birth, 9461
- reproductive disorder, 9700
- sleep disturbance, 9343
- spleen enlargement, 9692
- still birth, 9461, 9700
- thrombocytopenia, 9329
- weakness, 9461, 9577
- weight loss, 9700

control, 9265, 9266

- historical, 9269

diagnosis, 9318, 9319, 9320, 9451, 9454, 9469, 9574, 9577, 9580, 9693, 9698, 9703

epidemiological monitoring, 9318

impact, 9265

management, 9266

pathogenesis

- role of nutrition in, 9456

prevalence, 9318

- in Togo, 9266

treatment, 9446

trypanosomiasis in camels 9469

in Kenya, 9729

in Nigeria, 9692

in Somalia, 9448

in Sudan, 9334

prevalence, 9692

treatment, 9334, 9469, 9729

T. evansi infection, 9334, 9692, 9729

trypanosomiasis in cattle 9465, 9685

control, 9298, 9324, 9467, 9663, 9664

diagnosis, 9319, 9574, 9580, 9691, 9693

immune response, 9325, 9458, 9459, 9462, 9583, 9585, 9710, 9711, 9712, 9713, 9714

impact of tsetse control, 9324

in Burkina Faso, 9574, 9691

in Central African Republic, 9302, 9324, 9531, 9553

in Côte d'Ivoire, 9467, 9663

in Ethiopia, 9298, 9422, 9663, 9718

in Gambia, 9319, 9540, 9663, 9720

in Kenya, 9663, 9699, 9716, 9717

in Mali, 9719

in Nigeria, 9401, 9693, 9721

in Togo, 9663

in Zaire, 9663

incidence

in Burkina Faso, 9691

in Kenya, 9717

prevalence

in Ethiopia, 9422

in Mali, 9719

in Nigeria, 9449, 9450

resistance to, 9582, 9726

risk, 9705

in Côte d'Ivoire, 9267, 9575

in Ethiopia, 9718

in Gambia, 9331, 9540

in Kenya, 9699

in Nigeria, 9721

self-cure, 9717

survey, 9691

treatment, 9324, 9467, 9580, 9717

T. vivax infection, 9693

trypanosomiasis in dogs

diagnosis, 9577, 9703

in India, 9577

treatment, 9577, 9703

T. b. brucei infection, 9703

T. evansi infection, 9577

trypanosomiasis in goats

prevalence

in Nigeria, 9452

in Uganda, 9694

T. brucei infection, 9694

T. vivax infection, 9694

trypanosomiasis in horses

control, 9698

diagnosis, 9698

distribution, 9698
incidence, 9698
pathology, 9698
prophylaxis, 9698
treatment, 9698

trypanosomiasis in humans 9685

association with HIV, 9313
clinical symptoms/pathological effects
 abnormal EEG traces, 9435, 9438
 annular macules, 9437
 asthenia, 9314
 behavioural impairment, 9435
 cerebellar, 9438
 syndrome, 9566
 cerebral involvement, 9435
 cerebromeningitis, 9435
 circadian disturbances
 cortisol, 9440
 secretion, 9569
 hormone profiles, 9684
 hormone release, 9432
 growth, 9569
 interferon- γ levels, 9440
 prolactin, 9440
 secretion, 9569
 sleep-wake, 9432, 9433, 9434, 9435, 9438, 9440, 9535, 9567, 9569
 thyrotropin levels, 9567
 depressive disorder, 9317
 drowsiness, 9566
 encephalitis, 9566, 9570
 encephalopathy, 9535
 epileptic seizures, 9435
 fatigue, 9437
 fever, 9314, 9437
 frontal syndrome, 9441
 hemiplegia, 9566
 hypogonadism, 9429
 hypothalamic-pituitary-gonadal axis dysfunction, 9439
 impotence, 9439
 lesions, 9437
 loss of libido, 9439
 meningitis, 9566, 9570
 meningoencephalitis, 9314, 9433, 9435, 9440, 9441, 9570, 9687
 motor impairment, 9435
 myalgias, 9437
 neurological disorder, 9314
 neuropsychiatric, 9436
 oedema, 9314
 papillo-oedema, 9441
 pruritic rash, 9437
 pyramidal, 9438
 rigors, 9437
 sleep disturbances, 9317, 9432, 9433, 9434, 9438, 9684
 stupor, 9317
 tetrapyramidal syndrome, 9566
 trembling, 9566
 vigilance disturbances, 9435

- vomiting, 9317
- weight loss, 9317
- control, 9263, 9311, 9398, 9400, 9402, 9405, 9441, 9442, 9533, 9535, 9561
- diagnosis, 9263, 9311, 9312, 9317, 9341, 9398, 9430, 9431, 9437, 9442, 9447, 9533, 9535, 9536, 9562, 9563, 9564, 9573, 9682, 9683, 9685
- economic factors, 9405
- environmental factors, 9405
- epidemics, 9404, 9534, 9536, 9537, 9561
- epidemiology, 9263, 9398, 9400, 9402, 9404
- historical aspects, 9312, 9433
- immune response, 9314, 9436, 9437, 9440, 9568, 9570, 9594, 9599, 9600, 9683
- immunology, 9570, 9571
- immunopathology, 9570
- in Africa, sub-Saharan, 9402
- in Angola, 9533
- in Congo, 9314, 9432, 9433, 9436, 9441, 9567
- in Côte d'Ivoire, 9313, 9433, 9436, 9564, 9684
- in Equatorial Guinea, 9573
- in Ethiopia, 9285
- in Sudan, 9404, 9537
- in Uganda, 9311, 9404, 9439, 9442, 9533, 9534, 9536, 9537, 9689, 9694
- in Zaire, 9312, 9398, 9404, 9533, 9562, 9572
- incidence
 - in Uganda, 9311
- modelling, 9561
- pathogenesis, 9474, 9571, 9686
 - immuno-, 9440
 - of neurological involvement, 9436
- pathology, 9263
- physiopathology, 9314, 9315
- political factors, 9405
- prevalence, 9533, 9561
 - in Angola, 9533
 - in Uganda, 9533
 - in Zaire, 9398, 9533
- risk, 9398, 9402, 9405, 9533
- risk factors, 9313
- screening, 9311, 9682
- sex differences in, 9565
- surveillance, 9398, 9402, 9404, 9533
- survey, 9533
- transmission, 9311, 9536
- treatment, 9263, 9311, 9312, 9315, 9317, 9405, 9442, 9446, 9533, 9535
 - arsenicals, 9535
 - combination therapy, 9571, 9572, 9573

trypanosomiasis in humans (cont.)

- treatment (cont.)
 - DFMO, 9317, 9441, 9443, 9445, 9446, 9447, 9535, 9571, 9573
 - dimercaprol, 9437
 - diminazene, 9447, 9572
 - melarsoprol, 9433, 9434, 9437, 9438, 9442, 9443, 9445, 9447, 9535, 9566, 9573, 9689, 9690
 - metronidazole, 9690
 - nifurtimox, 9447
 - nitroimidazole, 9535, 9571
 - pentamidine, 9443, 9444, 9447, 9535, 9572, 9573
 - relapse, 9447, 9535, 9572

suramin, 9437, 9443, 9447, 9572, 9573, 9690

T. b. gambiense infection, 9311, 9312, 9313, 9314, 9317, 9341, 9430, 9431, 9441, 9444, 9447, 9533, 9534, 9536, 9537, 9561, 9562, 9564, 9567, 9568, 9572, 9573, 9682, 9683

T. b. rhodesiense infection, 9430, 9431, 9437, 9438, 9439, 9447, 9534, 9536, 9537, 9566, 9682, 9686, 9690, 9694

upsurges, 9398, 9405

vector-parasite relationships, 9263

trypanosomiasis in livestock

risk, in Côte d'Ivoire, 9575

trypanosomiasis in pigs

diagnosis, 9320

infection rate, Nigeria, 9320

prevalence, Uganda, 9694

T. brucei infection, 9320, 9694

T. congolense infection, 9320, 9694

trypanosomiasis in sheep

prevalence

in Nigeria, 9452

in Uganda, 9694

T. congolense infection, 9694

T. vivax infection, 9694

trypanosusceptibility

genetics of, 9718

in cattle, 9720

Boran, 9458, 9583, 9585

Orma, 9717

Galana, 9700, 9716, 9717

Zebu, 9710, 9717, 9718

in livestock

trypanosome prevalence, 9706

in mice, 9731, 9732

trypanotolerance 9688

biology of, 9704

control of anaemia, 9581, 9707, 9708, 9710, 9714

control of parasitaemia, 9581, 9707, 9708, 9710

criteria, 9581, 9709

expression of, 9706

genetics of, 9581, 9582, 9707, 9709, 9710, 9715, 9726, 9727, 9728

heritability, 9707

impact of, 9704, 9723

in cattle, 9267, 9401, 9450, 9530, 9663, 9664, 9705, 9720, 9723

Baoulé, 9710

genetics of, 9723

N'Dama, 9458, 9540, 9581, 9585, 9707, 9708, 9709, 9715, 9720, 9728

genetics of, 9584

Orma Boran, 9699, 9700, 9716, 9717

research, 9728

in goats, 9530

in livestock, 9663, 9704

genetics of, 9727

in sheep, 9530

in small ruminants, 9726

indicators, 9708

links with performance traits, 9581

markers, 9581

mechanisms, 9705

selection for, 9581

trypanolytic serum factors, 9710

trypanotolerant

cattle

in Côte d'Ivoire, 9720

in Gambia, 9720

in Togo, 9720

in trypanosomiasis control, 9663, 9664

in Zaïre, 9720

production, economics, 9720

livestock, 9705, 9726

productivity, 9704, 9727

trypanosome prevalence, 9706

Trypanozoon

drug resistance/sensitivity, 9333

human plasma resistance/sensitivity, 9333

human serum resistance/sensitivity, 9306, 9310

identification by DNA probes, 9426

infecting cattle, 9333

infecting pigs, 9333

infecting tsetse, 9306, 9309, 9310

infectivity to humans, 9306, 9310, 9333

maturation in tsetse, 9306, 9310

transmissibility, 9306, 9310

tsetse eradication 9266, 9269, 9399

in Burkina Faso, 9691

in north-western Zimbabwe, 9420

Uganda

Busoga

trypanosomiasis in humans, 9404, 9534, 9536, 9537

insecticide residues in human milk, 9677

Mukono District

trypanosomiasis

in humans, 9694

in pigs, 9694

in small ruminants, 9694

northern

trypanosomiasis in humans, 9442

southeast

G. f. fuscipes in, 9762

rhodesiense trypanosomiasis in humans, 9439

trypanosomiasis risk, 9672

tsetse control, 9672

T. brucei populations from, 9744

trypanosomiasis in humans, 9404, 9689

Busoga focus, 9534, 9536, 9537

epidemics, 9534, 9536, 9537

gambiense, 9534, 9536, 9537

prevalence, 9533

rhodesiense, 9534, 9536, 9537

trypanotolerant cattle in, 9716

tsetse control, 9677

western

G. morsitans in, 9549

West Nile province

trypanosomiasis in humans

control, 9311

gambiense, 9311
incidence, 9311
screening, 9311

variable antigen type (VAT)

of *T. b. gambiense*, 9430
clone populations, 9341
of *T. b. rhodesiense*, 9430

variant surface glycoprotein (VSG)

antigens, in human trypanosomiasis, 9570
T. brucei, 9650
gene, 9637, 9780
expression, 9377, 9393, 9781
transcriptional regulation, 9377
GPI anchor, 9652
mosaic coats, expression of, 9773
myristate exchange, 9498
surface epitopes, 9381
T. b. gambiense, 9430
genes, 9628
T. b. rhodesiense, 9430
T. congolense, 9325, 9458, 9583, 9595, 9711
T. equiperdum, genes, 9759

warthog

as host for tsetse, Kenya, 9681

Zaire

Bundundou region
trypanosomiasis in humans, prevalence, 9398
G. p. palpalis in, 9304
trypanosome infections
in cattle, 9708
in domestic animals, 9562
trypanosome prevalence, 9720
trypanosomiasis
control, 9663, 9664
in humans, 9404
Boma focus, 9562
gambiense, 9312, 9562, 9572
prevalence, 9398, 9533
trypanotolerant cattle in, 9716, 9720
trypanotolerant livestock in, 9663, 9664, 9708
tsetse abundance, 9538
tsetse control, 9663

Zambia

G. m. centralis in, 9307
G. m. morsitans in, 9418
G. pallidipes in, 9418
Luangwa
G. pallidipes in, 9429
tsetse trapping studies, 9418
T. brucei populations from, 9744
T. b. brucei infection in dogs, 9489
trypanosomiasis in humans, *rhodesiense*, 9690

Zanzibar

Unguja Island
G. austeni in, 9551

tsetse trapping, 9551

Zimbabwe

G. morsitans distribution, 9674

G. m. morsitans in, 9273, 9286, 9290, 9546

G. pallidipes in, 9273, 9281, 9286, 9290, 9546

Lake Kariba

tsetse control, 9403

environmental impact, 9292, 9293

insecticide, 9292, 9293

spraying, 9292

spraying, ground

DDT

environmental impact, 9420, 9423, 9424

Stomoxyinae in, 9286

tsetse behaviour studies, 9284, 9286, 9290, 9675

tsetse control

impact on land use, 9403

spraying, 9420, 9423, 9424, 9557

studies, 9295, 9546

tsetse trapping, 9273, 9281, 9286, 9290, 9546

Zambezi Valley

G. pallidipes in, 9429

trypanosome infection in cattle, 9353