

# TSETSE AND TRYPANOSOMIASIS INFORMATION QUARTERLY

**Index**

**Volume 17**

**Part 1–4, 1994**

**Numbers 8175–8705**



**DFID**



## **Africa**

### East

*G. m. morsitans* in, 8349

*G. pallidipes* in, 8349

trypanosomiasis in humans, control, 8182

### East and West

*T. b. brucei* stocks from, 8350

### South

*T. brucei* in Zululand, historic, 8181

### sub-Saharan

trypanosomiasis

effects, 8185

in animals, 8184

in humans

foci, 8184

risk, 8184

risk, 8185

tsetse control, 8184, 8185

trypanosomiasis in humans, control, 8495

trypanosomiasis in livestock

control, 8501

diagnosis, 8501

tsetse distribution, 8202, 8600

### West and Central

trypanosomiasis in humans, control, 8182

trypanotolerant livestock, 8510

cattle, 8511

small ruminants, 8511

### West, Central and East

trypanotolerant livestock projects, 8246

### West, Central, East and Southern

tsetse infestation, 8186

## **African Trypanotolerant Livestock Network 8450**

objectives, 8244, 8387

research projects, 8515

## **antigen**

*see also* variant surface glycoprotein

circulating

*T. brucei*, 8233

*T. b. rhodesiense*, 8496

*T. evansi*, 8371, 8518

congapain, *T. congolense*, 8237

cytoskeleton-associated, *T. b. rhodesiense*, 8408

69 kDa immunodominant, *T. congolense*, 8659

invariant, *T. congolense*, 8632

major surface, *T. congolense*, 8433

profiles, post-treatment

in human trypanosomiasis, 8496

species-specific, *T. vivax*, 8678

trypanosome, 8233, 8234, 8484

clearance, in monkeys, 8415

in diagnosis, 8504

tsetse-derived tissue, 8208

## **antigenaemia**

in *T. evansi*-infected camels, 8234, 8371, 8629

in trypanosome-infected cattle, 8503

**antigenic variation** 8183

control, *T. brucei*, 8658

**arsenicals**

treatment of trypanosomiasis

in combination

with DFMO, 8225, 8419

with 5-nitroimidazoles, 8225, 8419

resistance, 8362

**attractants/attractiveness for tsetse** 8202, 8471

*see also* baits *and* odour attractants

buffalo, 8244

urine, 8468

cattle, 8244, 8467, 8468, 8486

*T. congolense*-infected, 8490

urine, 8326, 8344, 8468

chemical, 8196, 8326, 8606

colour, 8465

for surveys, 8204

host odour, 8314, 8325, 8465, 8468, 8606

olfactory, 8196, 8199, 8204, 8325, 8326, 8349, 8586, 8606

ox sebum, 8327

visual, 8196, 8199, 8325, 8465

wildlife, 8244, 8486

**bacteria**

*Bacillus thuringiensis*, endotoxins

activity in tsetse, 8605

infecting tsetse (exp.)

pathogenic effects, 8208

**bacteria** (cont.)

symbiotic in tsetse

in genetic engineering (exp.), 8484

**baits**

*see also* attractants *and* odour attractants

animal, in tsetse trapping studies, 8467

development, 8471, 8606

dispensers, 8204

odour on trees, 8482

ox, in tsetse survey, 8470

**barriers**

efficiency, 8339

screens, 8199

targets, 8341

to reinvasion, 8204, 8341

traps, Nguruman, 8339

**Berenil** *see* diminazene aceturate

**bisazir**

as chemosterilant, 8199

**bleomycin** 8270

combined with reuterin, evaluation

in *T. b. brucei*-infected mice, 8426

**Botswana**

Okavango Delta

tsetse control by spraying, 8478

**buffalo**

attractiveness for tsetse, 8244, 8486

blood, in tsetse infection studies, 8487, 8488

model of trypanotolerance in cattle, 8244, 8486  
response to infection, 8486  
serum proteins, trypanocidal, 8486, 8513  
*T. b. brucei* infection (exp.)  
  trypanotolerance, 8513  
*T. congolense* infection  
  immune response, 8372  
trypanosome infections (exp.)  
  immune response, 8244  
trypanotolerance, 8244, 8513

### **Burkina Faso**

field studies  
  on SIT, 8604  
  on tsetse attractants, 8349  
*G. m. submorsitans* in, 8238  
*G. p. gambiensis* in, 8238, 8349, 8389, 8604  
*G. tachinoides* in, 8238, 8349, 8389  
trypanosomiasis in cattle, 8238, 8389  
tsetse control, 8185, 8604

### **bushpig**

*T. simiae* infection, 8610

### **camel**

*T. brucei* infection, 8623, 8625  
*T. b. brucei* infection, 8231  
*T. congolense* infection, 8623, 8625  
*T. evansi* infection, 8506  
  diagnosis, 8232, 8234, 8371, 8504, 8624, 8625, 8629  
  immune response, 8234  
  in Kenya, 8456, 8540, 8629  
  in Mali, 8502, 8624  
  in Somalia, 8623, 8625  
  in Sudan, 8396  
  rate, Mali, 8502  
  treatment, Cymelarsan, 8396, 8623  
*T. vivax* infection, 8625  
trypanosomiasis  
  diagnosis, 8501, 8624  
  epidemiology, 8502  
  in Kenya, 8456, 8540  
  in Mali, 8502, 8624  
  incidence  
    in Chad, 8232  
    in Mauritania, 8232  
    in Niger, 8232  
    in Sudan, 8232  
  pathology, 8506  
  prevalence, 8502  
    in Mali, 8624  
    in Somalia, 8623  
  treatment, 8232, 8234, 8371  
  vectors, 8625

### **Cameroon**

trypanosomiasis in humans, 8355  
  *gambiense*, 8621

### **cattle**

attractiveness for tsetse, 8244, 8486

## Ayrshire

- T. vivax* infection
  - pathogenic effects, 8381

## Baoulé

- trypanoresistance, 8630, 8631
- T. congolense* infection, 8389
  - effect on pituitary function, 8631
  - effect on sperm production, 8630
  - effect on testicular function, 8631
- T. congolense* infection (exp.)
  - effect on sexual function in bulls, 8373
- T. vivax* infection, 8389
- trypanosome prevalence, Burkina Faso, 8389
- trypanosomiasis (exp.)
  - effect on performance, 8238
  - effect on sexual function in bulls, 8373
- trypanotolerance, 8385, 8389

## Baoulé/N'Dama crosses

- trypanosomiasis (exp.)
  - effect on performance, 8238

blood, in tsetse infection studies, 8487

## Boran

- attractiveness for tsetse, 8486
- pharmacokinetics of diminazene aceturate, 8250, 8400
- productivity in Kenya, 8229, 8245
- prophylaxis, 8245
- serum drug concentration, 8395, 8516
- susceptibility to infection, 8237, 8245, 8386
- T. congolense* infection (exp.)
  - clinical responses, 8386
  - effect on pituitary-adrenal axis, 8235
  - effect on pituitary gland, 8236
  - immune response, 8237, 8239, 8372, 8632
  - pharmacokinetics of diminazene aceturate, 8250
  - prophylaxis with isometamidium chloride, 8254, 8516
- T. vivax* infection, 8350
  - experimental, 8381
- trypanosome infection (exp.)
  - immune response, 8244
- trypanosomiasis
  - incidence, in Kenya, 8388
  - resistance, 8386
  - susceptibility, 8388, 8450
- trypanosomiasis (exp.)
  - treatment, 8386, 8395, 8516
- trypanosusceptibility, 8515, 8632

## Boran/N'Dama crosses

- for gene mapping studies, 8515
- T. congolense* infection (exp.)
  - immune response, 8237
  - responses, 8377

crossbred, resistance, 8586

dips, for tsetse control, 8332, 8480, 8603

drug resistance, 8603

*Duttonella* infection rates, in Kenya, 8351

## Dwarf Shorthorn

- trypanotolerance, 8511

Friesian  
  trypanosusceptibility, 8456  
Friesian Holstein  
  *T. evansi* infection (exp.)  
    effect on oestrous cycle, 8508  
hosts for *Glossina* spp., 8212  
  experimental, 8480  
  *G. f. fuscipes*, 8608  
  *G. longipennis*, 8346  
  *G. m. morsitans*, 8468  
insecticide treatment  
  deltamethrin dip, 8332, 8480  
  pyrethroids, 8328  
kairomones, attractiveness for tsetse, 8468  
migrations, effects  
  on tsetse-trypanosomiasis challenge, 8492  
*Nannomonas* infection rates, in Kenya, 8351  
N'Dama  
  erythrocyte surface sialic acids, 8514  
  in West and Central Africa, 8511  
  productivity  
    in Gambia, 8634  
    in Zaire, 8387  
  potential, 8512  
  *T. congolense* infection  
    effect on reproductive performance, 8382  
    resistance, 8381  
  *T. congolense* infection (exp.)  
    effect on anaemia, 8382  
    immune response, 8237, 8239, 8372, 8632  
    immunosuppression, 8239  
  *T. vivax* infection  
    effect on anaemia, 8382  
    effect on reproductive performance, 8382  
    resistance, 8381  
  *T. vivax* infection (exp.)  
    susceptibility to haemorrhagic syndrome, 8381  
trypanosome infection  
  anaemia control, 8382, 8402  
  effect on reproductive performance, 8384  
  efficiency of drug treatment, 8394  
  mixed, 8233  
    effect on anaemia, 8382  
    effect on reproductive performance, 8382  
  prophylaxis  
    effect on fertility, 8402  
  rate in Nigeria, 8366  
  treatment, 8402  
trypanoresistance, 8237, 8401  
trypanosomiasis  
  prevalence  
    in Gambia, 8492  
    in Ghana, 8233  
  risk, 8450, 8492  
    in Gambia, 8612  
trypanosusceptibility, 8450  
trypanotolerance, 8200, 8239, 8383, 8394, 8510, 8511, 8512, 8514, 8515, 8632, 8634

- genetics of, 8450, 8510
  - tsetse contact studies, in Gambia, 8612
- Orma-Boran
  - trypanotolerance, 8456
- productivity under tsetse challenge, 8246
- reservoir hosts of human trypanosomiasis
  - potential, in Kenya, 8351
- Savannah Shorthorn
  - trypanotolerance, 8511
- Sokoto Gudali
  - trypanosome infection rate in Nigeria, 8366
- cattle** (cont.)
  - treatment, 8337
    - chemotherapy, 8473
    - costs, 8453, 8473
    - drug, 8453
      - diminazene aceturate, 8229, 8233, 8253, 8369, 8370, 8393, 8394, 8399, 8477
      - homidium, 8340
      - homidium bromide, 8394
      - isometamidium, 8397, 8398
      - isometamidium chloride, 8229, 8332, 8393, 8394, 8399
      - resistance to, 8337, 8473
    - insecticide, 8451
      - deltamethrin application, 8340
      - deltamethrin dip, 8332, 8453, 8477, 8479, 8480
      - non-residual, 8341
  - T. brucei* infection, 8233, 8370, 8456, 8654
  - T. brucei* infection (exp.)
    - immune response, 8244
  - T. b. brucei* infection, 8242
  - T. b. brucei* infection (exp.), 8513
  - T. congolense* infection, 8175, 8233, 8238, 8344, 8366, 8370, 8456
    - attractiveness for tsetse, 8490
    - drug resistance, multiple, 8393
    - treatment, 8252, 8337, 8397
      - relapse, 8340
  - T. congolense* infection (exp.)
    - immune response, 8244, 8507, 8509
    - pathology, 8509
  - T. theileri* infection, 8366
  - T. vivax* infection, 8175, 8233, 8238, 8344, 8366, 8370, 8456
    - treatment, 8255, 8397
  - T. vivax* infection (exp.)
    - immune response, 8244, 8509
    - pathology, 8509
  - trypanosome-infected
    - attractiveness for tsetse, 8344
    - detection of parasites in blood, 8503
    - immune response, 8681
  - trypanosome infection
    - effect of age on, 8366
    - mixed, 8233, 8370
    - prevalence, in Nigeria, 8366
  - trypanosomiasis, 8242, 8328
    - challenge, in Tanzania, 8252
    - chemoprophylaxis, 8399, 8603
    - control

- in Nigeria, 8455
  - in Tanzania, 8603
- diagnosis, 8233, 8501
- economic significance in Africa, 8184
- effects on health and productivity, 8332, 8603
- in Gambia, 8467, 8612
- in Kenya, 8456
- in Zambia, 8175
- in Zululand, 8465
- incidence, in Kenya, 8340
- infection rate
  - in Kenya, 8229
  - in Uganda, 8320
- prevalence
  - in Ethiopia, 8337
  - in Ghana, 8233, 8370
  - in Zambia, 8477
- resistance, 8237
- risk
  - in Gambia, 8612
  - in Kenya, 8399
  - in southern Africa, 8451
  - in Zambia, 8175
- trypanotolerance, 8177, 8237, 8385
  - characterisation, 8586
  - genetics of, 8450, 8510, 8512
  - immunosuppression in, 8239
  - modelling, in buffalo, 8244
- trypanotolerant
  - in trypanosomiasis control programmes, 8200, 8453, 8512
  - productivity, 8511
  - reproduction, 8391
- Trypanozoon*
  - infection rates in Kenya, 8351
  - isolates, from Uganda, 8427
- tsetse contact, in Gambia, 8467
- White Fulani
  - trypanosome infection rate, Nigeria, 8366
- Zebu
  - erythrocyte surface sialic acids, 8514
  - trypanoresistance in Sudanese breeds, 8390
  - T. b. brucei* infection, 8473
  - T. congolense* infection, 8369, 8389, 8473
    - immune response, 8237
  - T. vivax* infection, 8389
  - trypanosome infection, 8390
  - trypanosome prevalence in Burkina Faso, 8389
  - trypanosomiasis, 8385
    - control
      - in Central African Republic, 8473
      - in Ethiopia, 8453
      - in Kenya, 8453
    - effect on health and productivity, 8229
    - effect on reproduction, 8450
    - experimental
      - effect on performance, 8238



- incidence
  - in Ethiopia, 8369
  - in Gambia, 8612
  - in Kenya, 8388
- infection rate in Kenya, 8229
- recurrent infection, 8369
- susceptibility, 8388, 8612
- treatment, 8229
  - diminazene aceturate, 8369
- trypanosusceptibility, 8453, 8510, 8514
- trypanotolerance studies, 8450
- Zebu/Shorthorn crossbreed
  - trypanotolerance, 8511

### **Central African Republic**

- G. f. fuscipes* in, 8210, 8211, 8324, 8473, 8608
- G. m. submorsitans* in, 8596
- G. p. palpalis* in, 8210, 8211, 8324
- spraying, 8210
- trapping, 8210, 8211, 8324, 8473, 8596
- trypanosomiasis in cattle, 8473
- trypanosomiasis in humans, 8355
  - gambiense*
    - control, 8210
    - foci, 8210
    - man-fly contact, 8211
    - man-fly contact, 8485
    - Nola-Bilolo focus, 8324, 8485
    - vectors, 8324
- tsetse control, 8210, 8324, 8473
- tsetse distribution, 8596

### **central nervous system (CNS)**

- in trypanosomiasis
  - cattle, 8242
  - goat
    - trypanosomes in, 8242, 8517
  - human, 8618
    - combination chemotherapy, 8225
    - trypanosomes in, 8225, 8621
  - mouse, 8419

### **cerebrospinal fluid (CSF)**

- in trypanosomiasis
  - animal
    - antigen levels, 8415
  - human, 8359
    - DFMO in, 8226
    - melarsoprol in, 8223
    - Mott cells in, 8219
    - pentamidine in, 8361
    - trypanosomes in, 8217, 8219, 8500, 8622

### **Chad**

- trypanosomiasis in camels, incidence, 8232

### **challenge**

- index
  - vector to host ratio, 8612
- trypanosome
  - to cattle
    - experimental *T. congolense*, 8254

- in Burkina Faso, 8238
- in Kenya, 8245
- in Tanzania, 8252
- to rabbits (exp.)
  - heterologous, 8531
  - homologous, 8531
- trypanosomiasis
  - to cattle in Gambia, 8612
- tsetse
  - evaluation in Central African Republic, 8608
  - to cattle
    - Boran, in Kenya, 8388
    - experimental, 8236, 8254, 8386, 8516
    - in Burkina Faso, 8238
    - in Central African Republic, 8608
    - in Ghana, 8233
    - in Kenya, 8245
    - in Uganda, 8479
    - N'Dama, 8450
      - in Côte d'Ivoire, 8394
      - in Gambia, 8612, 8634
    - Zebu
      - in Gambia, 8612
      - in Kenya, 8388
      - in Sudan, 8390
  - to livestock
    - in Gambia, 8466
    - in Sudan, 8317
    - in West, Central and East Africa, 8246
  - to sheep, 8450
    - Djallonké, in Côte d'Ivoire, 8374

### **characterisation**

- of *T. brucei* isolates
  - by isoenzyme analysis, 8654
- of *T. brucei* stocks
  - by isoenzyme analysis, 8429
- of *T. b. gambiense*
  - by specific kinetoplast DNA probe, 8538
- of *T. b. rhodesiense* isolates
  - by enzyme electrophoresis, 8653
- of *T. congolense* stocks
  - by molecular karyotyping, 8430
- of trypanosome strains, 8183
- of *Trypanozoon* isolates
  - by isoenzyme analysis, 8427

### **chemoprophylaxis** 8177, 8270

- in mice, 8421
- in rabbits, 8414
- in trypanosomiasis
  - in animals, 8200, 8456
  - in camels, 8234, 8540
  - in cattle, 8229, 8245, 8254, 8332, 8340, 8390, 8399, 8402, 8516, 8603
  - in goats, 8392

### **chemosterilants**

- bisazir, 8199
- juvenile hormone analogue, 8199
- pyriproxyfen, 8335

Tepae, 8604

**chemosterilisation** 8204, 8604

**chemotherapy** 8177, 8270

combination

in animal trypanosomiasis (exp.), 8419, 8532

in human trypanosomiasis, 8419

CNS, 8225

cost, 8473

in *T. b. rhodesiense*-infected monkeys, 8415

in trypanosomiasis, 8533, 8534

control, 8199, 8452

in animals, 8248

control, 8187, 8456, 8466

in camels, 8232, 8234, 8371, 8629

in cattle, 8253, 8370, 8473

control, 8233, 8453

drug resistance, 8252, 8393

in goats, 8242, 8253

in humans, 8222, 8223, 8619

in sheep, 8240, 8253, 8376

interaction with host immune system, 8533

## **Congo**

*T. brucei* isolates from, 8429

trypanosomiasis in humans, 8354, 8360, 8363

Boko-Songho focus, 8360

epidemiological aspects, 8360, 8429

foci, 8353, 8429

*gambiense*, 8355

Mossaka focus, 8360, 8616

prevalence, 8355

reservoir of, 8360

tsetse control, 8185, 8360, 8474

**control, trypanosomiasis** 8314, 8519

chemoprophylaxis, 8200, 8603

chemotherapy, 8186, 8187, 8199, 8248, 8452, 8453, 8454, 8456, 8466, 8473

community participation, 8182, 8185, 8495, 8318, 8483

cost, 8182, 8185, 8187, 8245, 8246, 8357, 8453, 8456, 8466, 8473

drugs, 8177, 8182, 8200, 8315, 8334, 8453, 8512

environmental impact, 8450

genetic, 8486

in Africa, 8182, 8183, 8184, 8246, 8495, 8501

in Burkina Faso, 8185

in Central African Republic, 8210, 8473, 8485

in Congo, 8185, 8353, 8360

in Côte d'Ivoire, 8185, 8200, 8315, 8318, 8453, 8495

in Equatorial Guinea, 8322

in Ethiopia, 8337, 8453

in Gambia, 8453, 8466

in Kenya, 8245, 8340, 8453, 8456

in Nigeria, 8455

in Sudan, 8317

in Tanzania, 8332, 8454, 8603

in Togo, 8453

in Uganda, 8320, 8338, 8476

in Zaire, 8336, 8357, 8453

in Zambia, 8331, 8477

integrated, 8200, 8453, 8456

monitoring, 8187, 8331, 8357, 8452, 8611  
multi-disciplinary, 8452  
prophylaxis, 8210, 8245, 8392  
socio-economic factors, 8450, 8452, 8453, 8611  
strategy, 8187, 8199, 8210, 8324, 8452, 8611  
surveillance, 8182, 8183, 8322, 8495  
training, 8322, 8586  
trypanotolerant livestock in, 8185, 8186, 8187, 8200, 8245, 8246, 8315, 8453, 8456, 8512, 8586  
vector control, 8182, 8183, 8184, 8185, 8186, 8199, 8200, 8210, 8315, 8318, 8320, 8328, 8331, 8332, 8336, 8337, 8338, 8340, 8353, 8360, 8453, 8454, 8456, 8466, 8473, 8476, 8477, 8485, 8495, 8512, 8586, 8603

#### **control, tsetse**

biological, 8208  
bush clearing, 8187, 8204  
community participation, 8180, 8187, 8199, 8202, 8204, 8205, 8333, 8334, 8338, 8360, 8450, 8473, 8474, 8476, 8483, 8495  
cost, 8184, 8187, 8199, 8201, 8204, 8329, 8334, 8342, 8451, 8452, 8453, 8456, 8466, 8471, 8473, 8476, 8482  
ecological impact, 8316, 8333, 8452, 8481  
environmental implications, 8478, 8481  
game clearing, 8187, 8204  
genetic, 8592  
host destruction, 8204  
immunobiological, 8208  
in Botswana, 8478  
in Burkina Faso, 8185, 8604  
in Central African Republic, 8210, 8211, 8324, 8373  
in Congo, 8185  
in Côte d'Ivoire, 8183, 8185, 8200, 8315, 8316, 8318, 8333, 8342, 8453  
in Ethiopia, 8337, 8453  
in Gambia, 8453, 8466  
in Ghana, 8475  
in Kenya, 8180, 8187, 8339, 8340, 8453, 8456, 8483  
in Mali, 8329  
in Nigeria, 8455, 8604  
in Tanzania, 8332, 8454, 8603, 8604  
in Togo, 8453  
in Uganda, 8183, 8184, 8320, 8476, 8479  
in Zaire, 8336, 8453  
in Zambia, 8319, 8331, 8334, 8451, 8481  
in Zimbabwe, 8206, 8209, 8335, 8341, 8451, 8465, 8471, 8481, 8482, 8604, 8606  
in Zululand, 8465  
insecticide, 8203  
cattle treatment, 8328, 8332, 8340, 8341, 8451, 8453, 8586, 8603  
 $\alpha$ -cypermethrin, 8199, 8333, 8342  
DDT, 8209, 8451  
deltamethrin, 8179, 8199, 8320, 8329, 8332, 8337, 8340, 8341, 8453, 8475, 8476, 8478, 8479, 8481, 8603  
dips, 8199, 8205, 8332, 8479  
endosulfan, 8478, 8481  
impregnated screens, targets and traps, 8187, 8200, 8202, 8205, 8319, 8329, 8333, 8334, 8337, 8342, 8451, 8456, 8466, 8475, 8476, 8481, 8586, 8606  
livestock treatment, 8187, 8204, 8205, 8320  
non-residual, 8341  
permethrin, 8210  
persistent, 8204, 8342  
pour-on formulations, 8199, 8205, 8466

- pyrethroids, 8199, 8205, 8328, 8335, 8342, 8586, 8603
- spraying, 8187, 8201, 8203, 8205, 8209, 8210, 8314, 8320, 8334, 8341, 8451, 8453, 8478, 8481
- integrated, 8204, 8315, 8341, 8456
- management, 8180, 8204, 8314
- monitoring, 8187, 8314, 8330, 8331, 8333, 8481, 8588
- non-chemical, 8203, 8208
- odour-baited trees, 8482
- repellents, 8455
- research, 8183, 8314, 8465, 8586
- screens, 8204, 8453
  - chemosterilant-impregnated, 8199
  - insecticide-impregnated, 8199, 8200, 8202, 8329, 8342
  - odour-baited, 8199, 8202
- socio-economic studies, 8333, 8453
- spraying, 8205
  - aerial, 8187, 8201, 8203, 8210, 8314, 8334, 8341, 8451, 8453, 8478, 8481
  - ground, 8187, 8202, 8209, 8314, 8341, 8451, 8453
- sterile insect technique, 8183, 8185, 8187, 8199, 8204, 8206, 8207, 8213, 8343, 8453, 8471, 8586, 8588, 8604, 8609
- strategy, 8177, 8187, 8200, 8202, 8204, 8211, 8452
- surveillance, 8199, 8586
- targets, 8204, 8471, 8478
  - as barriers to reinvasion, 8341
  - cloth, 8465, 8475
  - coloured, 8465, 8475, 8586
  - insecticide-treated, 8187, 8205, 8334, 8341, 8451, 8456, 8466, 8475, 8481, 8586, 8606
  - odour-baited, 8187, 8206, 8314, 8331, 8334, 8341, 8451, 8456, 8465, 8481, 8602, 8606
  - pyriproxyfen-treated, 8206
- training, 8203, 8204, 8205, 8207, 8586
- traps, 8183, 8184, 8185, 8199, 8204, 8211, 8318, 8453, 8465, 8471, 8478
  - biconical, 8210, 8339
    - Challier-Laveissière, 8199, 8476
  - bipyramidal, 8473
  - chemosterilant-impregnated, 8199
  - coloured, 8473, 8476, 8586
  - fly rounds, 8597
  - insecticide-treated, 8187, 8199, 8200, 8202, 8205, 8210, 8320, 8329, 8333, 8342, 8456, 8476, 8586
  - mono-conical, 8333
    - Laveissière Vavoua, 8199
    - Mérot, 8199
  - mono-pyramidal Lancien-Gouteux, 8336
  - mono-screen, 8338
  - NG2B, 8180
  - Nguruman, 8339
  - odour-baited, 8180, 8187, 8199, 8202, 8314, 8456, 8483, 8597, 8602
  - pyramidal, 8320
    - Gouteux, 8199
  - pyriproxyfen-treated, 8335
  - Vavoua, 8200
  - visually-attractive, 8180, 8199

## **Côte d'Ivoire**

- Bouaflé District
  - trypanosomiasis in humans, *gambiense*
    - prevalence, 8224
  - tsetse control, 8316
- Daloa

trypanosomiasis in humans, 8223, 8361

*gambiense*, 8617

*G. palpalis* in, 8200

*G. p. palpalis* in, 8352

*G. tachinoides* in, 8200

Korhogo region

tsetse control, 8316

trypanosome infection in cattle, 8394

trypanosome prevalence in sheep, 8374

trypanosomiasis in animals, 8200, 8315

trypanosomiasis in humans

control, 8495

*gambiense*, 8224, 8361, 8615

### **Côte d'Ivoire** (cont.)

trypanosomiasis in humans (cont.)

screening, 8495

surveillance, 8495

trypanotolerance in cattle, 8453

tsetse challenge to N'Dama cattle, 8394

tsetse control, 8183, 8185, 8200, 8315

ecological impact, 8316, 8333

trapping, 8200, 8318, 8333, 8342

Vavoua focus

trypanosomiasis in humans

control, 8318

epidemiology, 8318

### **culture**

*see also in vitro* studies

*T. brucei*, 8650

bloodstream form, 8649

dyskinetoplastic forms, 8648

effects of immune killing mechanisms, 8262

normal forms, 8648

*T. b. brucei*

bloodstream to procyclic form, 8651

trypanosome, 8281, 8352, 8536

procyclic expansion in tsetse, 8537

### **Cymelarsan**

resistance studies

in *T. equiperdum*-infected mice, 8646

treatment

of *T. evansi*-infected camels, 8396, 8623

of *T. evansi*-infected rabbits, 8642

relationship with host immune system, 8533

### **α-cypermethrin**

on traps/screens/targets, 8199, 8333

persistence studies, 8342

### **DDT**

ground spraying in Zimbabwe

cost, 8451

environmental effects, 8209

### **deltamethrin**

cattle treatment, 8340, 8453

dip, 8179, 8332, 8477, 8479, 8480, 8603

pour-on, 8179

impregnated traps/screens/targets, 8199, 8329, 8337, 8341, 8476, 8481

- livestock treatment, 8320
- oil formulations
  - evaluation on targets, 8475
- pig dip, 8480
- residues in cattle, 8179
- spraying, aerial, 8478, 8481
  - environmental implications, 8478, 8481

**DFMO** *see* difluoromethylornithine

**diagnosis**

- comparison of techniques, 8228, 8234, 8354, 8357, 8359, 8360, 8367, 8368, 8504, 8613, 8615, 8617, 8624, 8629
- evaluation of techniques, 8228, 8231, 8359, 8367, 8371, 8496, 8501, 8504, 8613, 8615, 8624, 8629
- immunological, 8354, 8359, 8367, 8626
- of animal trypanosomiasis, 8228, 8230, 8231, 8232, 8233, 8234, 8260, 8317, 8368, 8369, 8370, 8371, 8477, 8501, 8504, 8624, 8625, 8626, 8629
- of human trypanosomiasis, 8182, 8217, 8219, 8220, 8321, 8351, 8353, 8354, 8356, 8357, 8358, 8359, 8360, 8476, 8494, 8495, 8496, 8613, 8615, 8617
- parasitological, 8217, 8219, 8220, 8231, 8232, 8234, 8345, 8351, 8357, 8358, 8359, 8360, 8367, 8369, 8371, 8477, 8496, 8501, 8503, 8504, 8613, 8615, 8617, 8624, 8626, 8629
- serological, 8219, 8228, 8232, 8233, 8234, 8260, 8345, 8357, 8359, 8360, 8367, 8368, 8370, 8371, 8494, 8495, 8496, 8501, 8504, 8624, 8626, 8629

**diagnostic techniques**

- antibody detection, 8519
- antigen detection, 8518, 8629
- blood examination, 8217, 8219, 8220, 8232, 8615, 8626
- blood film
  - thick, 8232, 8477, 8615, 8617
  - wet, 8357, 8504
- blood incubation infectivity test, 8368
- bone marrow aspirate, 8219
- buffy coat, 8345, 8371, 8503, 8504, 8626
  - dark ground, 8399
  - quantitative, 8613, 8617
- CATT, 8345, 8357, 8367, 8615
  - blood, 8354, 8360
  - RoTat 1.2, 8367
  - serum, 8354, 8360, 8624
  - Testryp, 8494, 8495
- cervical adenopathy, 8357
- complement fixation, 8228
- CSF
  - aspirate, 8219
  - double centrifugation, 8615
  - inoculation, 8615
  - Mott cells in, 8219
- ELISA, 8260, 8359, 8367, 8368, 8370, 8371, 8395, 8399, 8415, 8516, 8608
  - antigen, 8629
  - antigen detection, 8234, 8359, 8496, 8501, 8626
  - double antibody sandwich, 8233
    - sandwich, 8594
    - sandwich antigen-trapping, 8496
- ganglion preparation, 8360
- haematocrit, 8351, 8359, 8367, 8368, 8613, 8617
  - micro, 8232, 8625
- IFAT, 8210, 8228, 8345, 8367
- immunodiffusion, agar gel, 8228

immunoelectrophoresis, counter, 8518  
immunofluorescence, indirect, 8220, 8260  
immunolysis, VAT specific, 8345  
inoculation, 8345, 8380, 8625  
    mouse, 8504, 8626  
    sub, 8219, 8367  
kit for *in vitro* isolation (KIVI), 8617  
latex agglutination, 8504  
lymph  
    fluid examination, 8615  
    gland puncture, 8617  
    node aspirate, 8219, 8357  
mAECT, 8345, 8357, 8359, 8613, 8615, 8617  
Suratex $\epsilon$ , 8504  
thick smear, 8345, 8357, 8615, 8617, 8626

### **difluoromethylornithine (DFMO)**

chemotherapy  
    combination, 8499  
    effectiveness, 8533  
    in resistant *T. b. rhodesiense*-infected mice, 8532  
    with reuterin, evaluation  
        in *T. b. brucei*-infected mice, 8426  
    relationship with host immune system, 8533  
pharmacokinetics, CSF, 8226  
relapse rate, 8362, 8363  
resistance in *T. b. rhodesiense*, 8266  
side effects, 8499  
    anaemia, 8224, 8226, 8362  
    convulsions, 8226, 8363  
    diarrhoea, 8224, 8362, 8363  
    hair loss, 8362  
    leucopenia, 8362  
treatment of human trypanosomiasis, 8219, 8363  
    CNS, 8225, 8419  
    combined with arsenicals, 8225, 8419  
    *gambiense*, 8182, 8220, 8224, 8226, 8362, 8419, 8499, 8500

### **diminazene**

effect on *T. congolense*, 8643  
prophylaxis in goats, 8392  
treatment of animal trypanosomiasis, 8248

### **diminazene aceturate**

effect on *T. b. brucei in vitro*, 8273  
pharmacokinetics in cattle, 8250, 8400  
plasma concentrations in cattle, 8400  
resistance studies, 8253  
    in *T. congolense*, 8251, 8252, 8393, 8401  
    in *T. equiperdum*-infected mice, 8646  
toxicity, 8253  
treatment  
    combination, 8253  
    in cattle, 8229, 8233, 8252, 8253, 8255, 8369, 8370, 8394, 8399, 8402, 8477  
    in dogs, 82471  
        *T. b. brucei*-infected, 8505  
    in goats, 8242, 8251, 8253  
        *T. congolense*-infected, 8401, 8517  
    in mice  
        *T. congolense*-infected, 8401



- in sheep, 8253
- of animal trypanosomiasis, 8200, 8253
- of human trypanosomiasis, 8494
- relationship with host immune system, 8533

## **DNA**

content

- Nannomonas*, 8652

- T. brucei*, 8297

- trypanosome, 8297

$\beta$ -D-glucosyl-hydroxymethyluracil in

- in *T. brucei*, 8556

k

- maxicircles, in *T. equiperdum*, 8696

- minicircles, in *T. evansi*, 8540

- replication, in *T. brucei*, 8665, 8690

- sequence

- deletion, in *T. equiperdum*, 8697

- duplication, in *T. equiperdum*, 8697

maxicircle

- in *T. brucei*, 8303

- in *T. congolense*, 8303

mt

- minicircles, in *T. brucei*, 8682

probes for trypanosome identification, 8216, 8348, 8503, 8519, 8655

- specific, 8348, 8538

repetitive sequences, in *T. brucei*, 8654

*T. brucei*, in transformation, 8289

tsetse

- fingerprinting, 8191, 8589

- genomic, 8191

- hybridisation, 8191, 8590

- in diagnostics, 8195

- probes, 8191, 8589, 8590

- profiles, 8589

- virus, 8461

Y chromosomal, in cattle

- in genetic introgression detection, 8510

## **dog**

beagle

- T. brucei* infection

- cardiac damage, 8379

- immune response, 8379

## **dog (cont.)**

host for *G. longipennis*, 8346

*T. b. brucei* infection (exp.)

- effect of splenectomy, 8247, 8505

- haematological effects, 8247

- hepatic dysfunction, 8505

- treatment, 8247, 8505

## **domestic animals**

reservoirs, potential

- of human trypanosomiasis, 8351

trypanosome infection, diagnosis, 8367

trypanosomiasis

- chemotherapy, 8253

- diagnosis, 8230

- in Zambia, 8175

**donkey**

trypanosome prevalence in Gambia, 8627

**dourine**

diagnosis, 8228, 8230

**drug/s**

anti-inflammatory, 8225

assay, 8177

concentration in plasma, 8398

concentration in serum, 8395, 8516

cost, 8182, 8225, 8232, 8334, 8451

cost-effectiveness, 8229, 8334, 8451

curative, 8225, 8242

design, 8270

half life, 8395

levels in animal tissues, 8249

new, 8177, 8222, 8421

non-curative, 8225

pharmacokinetics, 8222, 8248, 8250

  diminazene, 8250, 8400

  isometamidium, 8397

  melarsoprol, 8223

  pentamidine, 8361

profiles, 8395

prophylaxis, 8177, 8229, 8270, 8334, 8340, 8398, 8399, 8402, 8603

  isometamidium, 8398

  isometamidium chloride, 8254, 8516

regimens, 8177, 8225, 8226

residues, 8178, 8179, 8188

resistance, 8177, 8200, 8222, 8233, 8242, 8248, 8265, 8270, 8275, 8293, 8337, 8395, 8421, 8422, 8453, 8473, 8532, 8540, 8623, 8646

  arsenicals, 8362

  DFMO, 8266

  diminazene aceturate, 8251, 8252, 8253, 8393

  homidium chloride, 8393

  isometamidium, 8277

  isometamidium chloride, 8252, 8255, 8393, 8401, 8516, 8603

  melarsoprol, 8419, 8500

  role of immunosuppression, 8533

screening, 8183, 8273

sensitivity

  suramin, 8276

  testing, 8271, 8272

side effects, 8182, 8494

  DFMO, 8224, 8226, 8362, 8363, 8499

  melarsoprol, 8217, 8223, 8224, 8226, 8364

  pentamidine, 8224

  reactive encephalopathy, 8225

susceptibility testing, 8280

toxicity, 8184, 8248, 8253, 8270, 8364, 8421

  isometamidium, 8415

  isometamidium chloride, 8417, 8418

  melarsoprol, 8420

trypanocidal, 8315, 8337, 8415, 8450, 8451, 8453

  arsenicals, 8225, 8270, 8362, 8419

  bleomycin, 8270, 8426

  Cymelarsan, 8396, 8533, 8623, 8642, 8646

  DFMO, 8182, 8219, 8220, 8224, 8225, 8226, 8266, 8270, 8362, 8363, 8419, 8426, 8499, 8500,

8532, 8533  
diamidines, 8270  
diminazene, 8248, 8392, 8400, 8643  
diminazene aceturate, 8200, 8229, 8233, 8242, 8247, 8250, 8251, 8252, 8253, 8255, 8272, 8369,  
8370, 8393, 8394, 8399, 8400, 8401, 8402, 8477, 8494, 8505, 8517, 8533, 8646  
homidium, 8248, 8255, 8340, 8456  
homidium bromide, 8269, 8394, 8414  
homidium chloride, 8393  
IMOL 881, 8274, 8421  
isometamidium, 8188, 8245, 8248, 8277, 8392, 8395, 8397, 8398, 8415, 8533, 8643, 8646  
isometamidium chloride, 8200, 8213, 8229, 8252, 8254, 8255, 8332, 8368, 8376, 8390, 8393,  
8394, 8395, 8399, 8402, 8418, 8425, 8516, 8603  
melarsenoxide cysteamine, 8248  
melarsoprol, 8217, 8219, 8223, 8224, 8225, 8226, 8363, 8364, 8415, 8419, 8420, 8426, 8494,  
8497, 8498, 8500, 8622  
Mel Cy, 8225  
MK 436, 8225, 8270  
nifurtimox, 8419  
nitrofurans, 8270  
5-nitroimidazoles, 8225, 8270, 8419  
oxophenarsine, 8533  
pentamidine, 8220, 8224, 8267, 8361, 8494, 8645  
*cis*-Pt pentamidine iodide, 8268  
phenothiazines, 8270  
quinapyramine, 8248, 8255, 8533, 8646  
quinapyramine dimethylsulphate, 8234  
quinapyramine prosalt, 8234  
suramin, 8217, 8225, 8276, 8278, 8365, 8423, 8426, 8494, 8497, 8498, 8533, 8646  
uptake  
by *T. brucei*, 8278  
by trypanosomes, 8249, 8425

### **Duttonella**

infection rate in cattle, Kenya, 8351

### **ecology**

impact of tsetse control, 8316

**eflornithine** *see* difluoromethylornithine

### **eland**

attractiveness for tsetse, 8486

blood, in tsetse infection studies, 8487, 8488

serum trypanocidal factor, 8513

**electrocuting grids** *see* nets, electric

### **endosulfan**

aerial spraying

environmental implications, 8478, 8481

### **environment**

effect of change on tsetse distribution, 8197

effect of insecticide spraying, 8203, 8314

on non-target organisms, 8209, 8478, 8481

impact of trypanosomiasis control, 8450

impact of tsetse control, 8333, 8451, 8481

monitoring, 8452, 8481

protection, 8185

### **epidemics**

of human trypanosomiasis

genetic processes, 8311

in Africa, 8182

- in Tanzania, 8175
- in Uganda, 8175, 8311, 8338, 8476
- in Zambia, 8175

### **epidemiology**

- monitoring, in tsetse control projects, 8333
- of trypanosome drug resistance, 8450
- of trypanosome infections in *G. pallidipes*, 8216
- of trypanosomiasis
  - in animals, 8586
    - in Gambia, 8492
    - in Kenya, 8214
    - in Sudan, 8317
  - in camels
    - in Chad, 8232
    - in Mali, 8502
    - in Mauritania, 8232
    - in Niger, 8232
    - in Sudan, 8232
  - in humans, 8356, 8358, 8360
    - in Congo, 8353
    - in Côte d'Ivoire, 8318
    - in Equatorial Guinea, 8322
  - surveys, 8219
  - in Kenya, 8483

### **Equatorial Guinea**

- trypanosomiasis in humans
  - control, 8322
  - epidemiology, 8322
  - foci, 8322
- trypanotolerance in livestock, 8511

### ***Escherichia coli***

- expression in, of *T. brucei* 6-phospho-gluconate dehydrogenase, 8543

### **Ethiopia**

- G. pallidipes* in, 8337
- trypanosomiasis in cattle, 8337, 8369
  - control, 8453
- tsetse control, 8453
- trapping, 8337

### **farming systems**

- impact of animal trypanosomiasis, 8186

### **Gabon**

- prophylaxis in N'Dama cattle, 8402

### **Gambia, The**

- cattle-tsetse contact studies, 8467, 8492, 8612
  - effect of seasonal migrations, 8492
- G. m. submorsitans* in, 8466, 8467, 8492
- G. p. gambiensis* in, 8466
- performance of N'Dama cattle, 8384
- productivity of N'Dama cattle, 8634
- trypanosome infection in donkeys
  - related to husbandry practices, 8627
- trypanosome infection in Zebu cattle, 8612
- trypanosomiasis in livestock, 8466, 8467
- trypanosomiasis in N'Dama cattle, 8492
  - risk, 8612

trypanotolerance in cattle, 8453  
tsetse challenge to cattle, 8634  
tsetse control, trapping, 8466, 8492  
tsetse density, 8492  
tsetse distribution survey, 8466

**gene/s**

*see also* RNA

in cattle

mapping, 8515  
trypanoresistance, 8456  
trypanotolerance, 8512

in trypanosomes

ATPase, 8576  
developmentally-regulated, 8569, 8662  
drug resistance, 8293  
glucose transporter, 8548  
hypoxanthine-guanine phosphoribosyl-transferase, 8542  
maxicircle, 8304  
mitochondrial CR4, 8553  
phosphoglycerate kinase cluster, 8296

**gene/s (cont.)**

in trypanosomes (cont.)

RNA, 8432  
g, 8305  
U2 sn, 8555  
VSG, 8440, 8541  
conversion, 8677  
expression site-associated, 8558, 8565, 8692

in tsetse, 8484

marker, X chromosome, 8590, 8592

**genetic/s**

introgression

in trypanotolerant cattle, 8510  
of trypanotolerance genes, 8512

of trypanotolerance

in cattle, 8510, 8512, 8515  
markers, 8512, 8515  
selection for, 8512, 8515

processes in trypanosomiasis epidemics, 8311

trypanosome

crosses between clones, 8694  
exchange, 8293, 8654, 8667  
gene cloning, 8542  
gene editing, 8697  
gene expression, 8440, 8541, 8542, 8560, 8661, 8662, 8678, 8702  
gene splicing, 8576, 8702  
gene transcription, 8304, 8555, 8702  
homogeneity in isolates, 8653  
hybridisation, UV cross-linking, 8302  
hybrids, 8293, 8297  
maxicircle CR5 mRNA editing, 8688  
meiosis, 8667  
minicircles encoding gRNAs, 8309  
RNA editing, 8290, 8303, 8304, 8547, 8553, 8577, 8688  
*trans*-splicing, 8680, 8702

tsetse, 8454

analysis, 8191

- backcrossing, 8592
- diversity, 8459
- DNA
  - fingerprinting, 8191, 8589
  - hybridisation, 8191, 8590
  - probes, 8589
- genomes, 8191
- hybrid fertility in females, 8592
- hybrid sterility, 8589
  - in males, 8592
- hybridisation, 8592
- phenetic relationships, 8458
- variability, 8191, 8590

**geographical information systems 8180, 8314**

**Ghana**

- trypanosomiasis in cattle
  - prevalence survey, 8370
- tsetse control trials, 8475
- Winneba district
  - trypanosomiasis in cattle
    - prevalence, 8233

***Glossina***

- behaviour, 8187, 8204
  - environmental perception, 8190
  - feeding, 8213, 8486, 8490, 8491
  - flight, 8196
  - host finding, 8190
  - landing, 8325
  - mating, 8330
  - odour detection methods, 8602
  - probing, 8327, 8490
  - response to odour, 8196, 8602, 8606
  - trap-orientated, 8326, 8602, 8606
  - wandering, 8198
- biology, 8204
  - age, effects, 8328
  - agglutination of trypanosomes, 8493
  - anatomy, 8203
  - bacteria
    - midgut, 8195, 8484
    - symbiotic, 8195
  - bacterial infection, effects (exp.), 8208, 8484
  - bloodmeals, 8600
  - chitinase, 8484
  - cuticular alkanes, 8458
  - development
    - larval, 8194, 8198
    - pharate adult, 8198
  - eclosion, 8198
  - electroantennograms, 8606
  - environmental perception, 8190
  - feeding, 8486
  - feeding success, 8490
  - genes, 8484
  - genetics, 8191, 8458, 8484
  - glucosamine inhibition
    - of agglutinins, 8489

- of lectin, 8484, 8489
  - of lysin, 8489
  - of trypsin, 8489
- gut, trypanosomes in, 8213, 8215
- haemolymph, 8213
- hosts, 8203, 8212, 8244, 8486
- immunology, 8208
- infection, trypanosome, 8491
  - concurrent, 8503
  - rates, 8213, 8215
  - resistance to, 8484
  - susceptibility to, 8215, 8484, 8609, 8610
  - T. brucei*, 8654
  - T. simiae*, 8654
- insecticide sensitivity, 8606
- irradiation effects
  - in adult females, 8330
  - in pupae, 8330
- lectin, midgut, 8212, 8215, 8484, 8489
- legs, taste receptors on, 8192
- life cycle, 8201, 8203
- Malpighian tubules, transepithelial potentials, 8460
- metamorphosis, 8198
- ovaries, 8484
- parturition, 8198
- physiology, 8203
- population variability, 8191
- proboscis, trypanosomes in, 8213
- protease, midgut, 8212
- pupal mortality, 8202
- puparial tanning, 8198
- pupariation, 8198
- puparium, 8198
- pupation, 8198
- rearing, 8586, 8588
- refractoriness, 8493, 8609
  - inheritance of, 8609
- reproduction, 8190, 8198
- reproductive rate, 8606
- RLOs, 8215
- saliva, trypanosomes in, 8503
- salivary gland hypertrophy, 8461
- salivary glands, trypanosomes in, 8213
- symbionts, 8484
  - bacterial, intracellular, 8195
- systematics, 8203
- transmission, 8203, 8215
- control, 8177, 8201, 8202, 8203, 8204, 8207, 8314, 8328, 8450, 8452, 8586, 8588, 8592, 8597
  - biological, 8208
  - immunobiological, 8208
  - in Botswana, 8478, 8604
  - in Burkina Faso, 8185, 8604
  - in Central African Republic, 8210, 8324, 8473
  - in Congo, 8185, 8360, 8474
  - in Côte d'Ivoire, 8183, 8185, 8200, 8315, 8316, 8318, 8333, 8453
  - in Ethiopia, 8337, 8453
  - in Gambia, 8453, 8466

- in Ghana, 8475
- in Kenya, 8180, 8187, 8339, 8453, 8456, 8479
- in Mali, 8329
- in Nigeria, 8455, 8604
- in Tanzania, 8332, 8454, 8603, 8604
- in Togo, 8453
- in Uganda, 8183, 8184, 8320, 8338, 8476, 8479
- in Zaire, 8336, 8453
- in Zambia, 8319, 8331, 8451, 8481
- in Zimbabwe, 8202, 8209, 8335, 8341, 8451, 8465, 8471, 8481, 8482, 8604, 8606
- in Zululand, 8465
- monitoring, 8330, 8331
- ecology
  - distribution, 8176, 8202, 8203
    - in African countries, 8600
    - modelling, 8472
    - predictor variables, 8197
  - habitats, in Ghana, 8475
  - hosts, natural, 8600
  - in Kenya, 8483
  - mortality, density-dependent, 8202
  - populations, 8332, 8333, 8339
    - density, 8180, 8200, 8330
    - dynamics, 8202
    - monitoring, 8314, 8330, 8588

***Glossina* spp.**

- distribution in Africa, 8600
- natural hosts, 8600
- taxonomy, classification, 8458

***G. austeni***

- chitinolytic activity, 8215
- classification, 8458
- diel activity pattern, 8601
- in Kenya, 8229, 8601
- in Tanzania, 8604
  - Zanzibar, 8343
- in Zimbabwe, 8470
- in Zululand, 8465
- irradiation effects, 8343, 8604
- pupae, 8604
- refractoriness, 8215
- response to colour, 8465
- response to odours, 8465, 8601
- RLOs, incidence, 8215
- sterile male release, 8343, 8604
- trapping, 8465, 8601
- T. b. brucei* infection (exp.), 8350
- T. congolense* infection (exp.), 8350
- T. simiae* infection, 8610
- T. vivax* infection (exp.), 8350
- trypanosome infection
  - cyclical development, 8350
  - rate
    - experimental, 8350
    - in Kenya, 8229
- vector competence, 8350



***G. brevipalpis***

DNA fingerprinting, 8191, 8589  
genetic analysis, 8191  
in Kenya, 8229  
in Zululand, 8465  
intrapopulation variability, 8191, 8589  
polymorphism, 8191

***G. brevipalpis* (cont.)**

response to colour, 8465  
response to odour, 8465  
trapping, 8465  
*T. b. brucei* infection (exp.), 8350  
*T. congolense* infection (exp.), 8350  
*T. simiae* infection (exp.), 8610  
*T. vivax* infection (exp.), 8350  
trypanosome infection  
    cyclical development, 8350  
    rate  
        experimental, 8350  
        in Kenya, 8229  
    susceptibility, 8610  
vector competence, 8350

***G. fusca***

ecology, 8203

***G. fuscipes***

control, 8476  
in Kenya, 8464  
in Uganda, 8476

***G. fuscipes fuscipes***

bloodmeal, 8211, 8608  
control, 8210, 8324, 8473  
ecology, 8211, 8324  
feeding behaviour, 8192, 8608  
habitat preference, 8211, 8324  
hosts, 8192, 8211, 8608  
in Central African Republic, 8210, 8211, 8324, 8473, 8608  
    distribution, 8324  
    population density, 8324  
in Kenya, 8351  
in Uganda, 8427  
insecticide knockdown, 8480  
legs, taste receptors on, 8192  
response to taste, 8192  
trapping, 8211, 8324, 8473  
*T. b. brucei* infection (exp.), 8350  
*T. congolense* infection (exp.), 8350  
*T. vivax* infection, 8211  
    experimental, 8350  
trypanosome infection (exp.)  
    cyclical development, 8350  
    rate, 8350  
*Trypanozoon* isolates from, 8427  
vector competence, 8350

***G. fuscipes quanzensis***

in Zaire, 8345  
    density, 8336  
trapping, 8336

***G. longipennis***

attractiveness of host urine, 8344  
bloodmeal, 8346  
circadian rhythm, endogenous bimodal, 8598  
control, 8339  
DNA fingerprinting, 8589  
hosts, 8346  
in Kenya, 8339, 8346, 8469  
intrapopulation variation, 8589  
resting sites, 8346  
trapping, 8339, 8346  
vector competence, 8469

***G. morsitans***

acetyl-CoA carboxylase activity, 8591  
apolysis, 8194  
bloodmeal, 8591  
control, 8481  
cuticular protein synthesis, 8194  
cuticle, abdominal, 8591  
distribution, predictor variables, 8197  
ecology, 8203  
fat body, 8591  
in Kenya, 8197  
in Tanzania, 8197  
in Zimbabwe, 8197, 8465, 8481  
insecticide knockdown, 8480  
larval development, 8194  
larviposition, 8194  
lipogenesis, 8591  
ovaries, *Wolbachia*-like rickettsia in, 8195  
pupal stage, 8194, 8591  
puparium, 8194  
response to odour, 8465  
thorax, 8591  
transmission of trypanosomiasis, 8186  
ventral eclosion muscle, 8462

***G. morsitans centralis***

antennal receptors, 8193  
bloodmeal, 8487, 8488  
control, 8319, 8331, 8334  
DNA fingerprinting, 8191, 8589  
electroantennogram analysis, 8193  
genetic analysis, 8191  
hybridisation experiments, 8592  
in Kenya, 8628  
in trypanosome cultivation studies, 8537  
in Zambia, 8319, 8331, 8334  
larva, 8193  
larval exudate semiochemicals, 8193  
larviposition, 8193  
midgut protease activity, 8487  
populations, 8331  
puparia, 8193  
trapping, 8331  
*T. brucei* infection, 8487  
    experimental, 8488, 8537  
*T. b. brucei* infection (exp.), 8350

*T. congolense* infection, 8487  
  experimental, 8488, 8537  
  transmission (exp.), 8236, 8251, 8254, 8516  
*T. simiae* infection, 8487  
  experimental, 8610  
*T. vivax* infection (exp.), 8350  
trypanosome infection (exp.)  
  cyclical development, 8350  
  rate, 8212, 8350, 8487, 8488  
  susceptibility to, 8487, 8610  
trypsin-like activity, 8487  
variability, 8191, 8589  
vector competence, 8350  
X chromosome, 8191

***G. morsitans morsitans***

activity, 8471  
age-dependent sampling bias, 8597  
antennal receptors, 8193  
*Bacillus thuringiensis* endotoxin activity, 8605  
behaviour  
  bait orientated, 8471, 8482  
  host orientated, 8471  
  target orientated, 8463, 8597  
bloodmeal, 8487, 8488  
capture probability, 8597  
chitinolytic activity, 8215  
control, 8341, 8471, 8597, 8604  
DNA  
  fingerprinting, 8191, 8589  
  hybridisation, 8590  
  virus infection (exp.), 8461  
electroantennogram analysis, 8193  
flight, upwind, 8468  
genetic analysis, 8191  
genetic markers, 8191, 8590  
genetic segregation analysis, 8590  
host identification, 8468  
hybridisation experiments, 8592  
in East Africa, 8349  
in Kenya, 8325  
in Tanzania, 8604  
in trypanosome cultivation studies, 8537  
in Zimbabwe, 8206, 8325, 8335, 8341, 8470, 8482, 8604  
JH mimic field trials, 8206, 8335  
landing response, 8325, 8463, 8468, 8482  
larva, 8193, 8461  
larval exudate semiochemicals, 8193  
linkage map, 8191  
mating, 8595  
midgut infection, 8347  
midgut lectins, 8488  
midgut protease activity, 8487  
mortality, 8206, 8597  
ovarian age, mean, 8206  
  distribution, 8597  
populations, open and closed, 8597  
probing, 8468

- probing response, 8327
- proboscis infection, 8347
- pupae, 8604
- puparia, 8193
  - emergence rate, 8200
- pupariation, 8461
- rearing, 8547
- refractory behaviour post-mating, 8595
- reproduction suppression by JHA, 8335
- response to colour, 8463
- response to odour, 8325, 8327, 8349, 8463, 8468, 8482, 8597
- response, visual, 8325, 8463
- RLOs, 8215, 8609
- salivary gland hypertrophy, 8461
- sexual receptivity, 8595
- spraying, 8341
- sterilisation for SIT, 8604
- superinfections, 8493
- trapping, 8341, 8597
- T. brucei* infection, 8487
  - experimental, 8488
- T. b. rhodesiense* infection rates (exp.), 8215
- T. congolense* infection, 8487, 8609
  - experimental, 8488
- T. grayi* infection (exp.), 8347
- T. simiae* infection, 8487
- T. vivax* infection (exp.), 8347
- trypanosome infection
  - experimental, 8212, 8347, 8487, 8488
  - mixed, 8215, 8347, 8487
  - rates, 8212, 8215, 8487, 8488
  - refractoriness, 8609
  - susceptibility, 8215, 8487, 8609
- Trypanozoon* infection, 8609
- trypsin-like activity, 8487
- variability, 8191, 8589, 8590
- wing fray, 8206

#### ***G. morsitans submorsitans***

- abortion, 8599
- age composition, 8599
- bloodmeal, 8323
- cattle contact, 8467, 8492
- distribution
  - in Central African Republic, 8596
  - in Gambia, survey, 8466
- DNA fingerprinting, 8191, 8589
- endogenous rhythms, 8467
- fat content, 8467
- fecundity, 8323
- fertility, 8323
- flight
  - daily activity patterns, 8467
  - spontaneous, 8467
- genetic analysis, 8191
- genetic variability, 8191, 8589
- habitats, 8466, 8467, 8492
- hunger, 8467

in Burkina Faso, 8238, 8604  
in Central African Republic, 8596  
**G. morsitans submorsitans** (cont.)  
in Gambia, 8348, 8466, 8467, 8492  
in hybridisation experiments, 8592  
in Sudan, 8599  
larval instars, 8599  
longevity, 8323  
*Nannomonas* (new) infection, 8348  
nullipars, 8599  
offspring, 8323  
pregnancy, 8599  
proline oxidase inhibition, 8323  
reproductive status, 8599  
SIT studies, 8604  
transmission of trypanosomiasis to cattle, 8466, 8467, 8492  
trapping, 8466, 8467, 8492, 8596, 8599  
*T. congolense* infection, 8348, 8599  
*T. simiae* infection, 8348  
*T. vivax* infection, 8599  
trypanosome infection rates, 8599  
**G. pallidipes**  
activity, 8471  
attractiveness of host urine, 8344  
behaviour  
    bait orientated, 8471, 8482  
    host orientated, 8471  
    target orientated, 8463  
biology, 8190  
bloodmeal, 8189, 8493  
chemoreceptors, wing, 8190  
control, 8180, 8206, 8337, 8339, 8340, 8471, 8479, 8481  
digestion, 8189  
distribution  
    in Lambwe Valley, Kenya, 8464  
    predictor variables, 8197  
DNA fingerprinting, 8589  
DNA virus infection (exp.), 8461  
ecology, 8190  
fat content, 8189  
feeding, 8189  
feeding interval, 8189  
flight, 8196  
galactose inhibition, 8493  
genetics, 8459  
genetic variability, 8589  
haematin content, 8189  
in East Africa, 8349  
in Ethiopia, 8337  
in Kenya, 8180, 8229, 8325, 8339, 8340, 8459, 8464, 8469  
in Uganda, 8479  
in Zimbabwe, 8206, 8216, 8325, 8465, 8470, 8471, 8481, 8482  
insecticide knockdown, 8480  
JH mimic, field trials, 8206  
landing response, 8325, 8463, 8482  
lectin, glucosamine inhibition, 8493  
mortality, 8206

*Nannomonas* infection, 8216  
nutritional status, 8189  
ovarian age, mean, 8206, 8216, 8464  
populations, 8464  
    allopatric, 8459  
    suppression, 8469  
puparia, emergence rates, 8206  
response to colour, 8463  
response to odour, 8196, 8325, 8349, 8463, 8465, 8482  
response, visual, 8196, 8325, 8463  
salivary gland, 8461  
trapping, 8180, 8189, 8216, 8337, 8339, 8464, 8469, 8471, 8479  
*T. brucei* infection, 8212, 8216, 8464  
*T. b. rhodesiense* infection rate (exp.), 8493  
*T. congolense* infection, 8212, 8216, 8464, 8537  
*T. simiae* infection, 8212, 8216, 8610  
    experimental, 8610  
*T. vivax* infection, 8216, 8464  
trypanosome infection  
    prevalence, 8216  
    rate, 8216, 8493, 8610  
        in Kenya, 8229  
    susceptibility, 8214, 8610  
vector competence, 8469  
vectorial capacity, 8459  
wing chemoreceptors, 8190  
wing fray, 8190

***G. palpalis***

ecology, 8203  
in Côte d'Ivoire, 8200  
transmission of trypanosomiasis, 8186

***G. palpalis gambiensis***

bloodmeal, 8323  
control, 8329, 8466, 8604  
distribution in Gambia, survey, 8466  
DNA fingerprinting, 8191, 8589  
fecundity, 8323  
fertility, 8323  
genetic analysis, 8191  
genetic variability, 8191, 8589  
habitat, 8466  
in Burkina Faso, 8238, 8349, 8389, 8604  
in Gambia, 8466  
in Mali, 8329  
longevity, 8323  
midgut infection, 8347  
offspring, 8323  
population density in Mali, 8329  
proboscis infection, 8347  
proline oxidase inhibition, 8323  
pupae  
    irradiation effects, 8607  
    temperature effects, 8607  
pupal phase  
    irradiation effects, 8607  
    temperature effects, 8607  
rearing, 8457

response to odour, 8349, 8586  
SIT field studies, 8604  
trapping, 8466  
*T. b. brucei* infection (exp.), 8350  
*T. congolense* infection (exp.), 8350  
*T. grayi* infection (exp.), 8347  
*T. simiae* infection (exp.), 8610  
*T. vivax* infection (exp.), 8347, 8350  
trypanosome infection (exp.)  
    cyclical development, 8350  
    mixed, 8347  
    rate, 8350, 8607, 8610  
    susceptibility, 8610  
vector competence, 8350  
vectorial capacity, 8607

***G. palpalis palpalis***

bloodmeal, 8211, 8493  
control, 8210, 8324, 8604  
distribution in Central African Republic, 8324  
DNA fingerprinting, 8191, 8589  
ecology, 8211, 8324  
galactose inhibition, 8493  
genetic analysis, 8191  
genetic variability, 8191, 8589  
habitat preference, 8211, 8324  
haemolytic activity, 8493  
in Central African Republic, 8210, 8211, 8324  
in Côte d'Ivoire, 8352  
in Gambia, 8348  
in Nigeria, 8604  
*in vitro* culture, 8352  
in Zaire, 8345  
lectin, glucosamine inhibition, 8493  
midgut infection, 8352  
*Nannomonas* infection, 8352  
population density, Central African Republic, 8324  
proboscis infection, 8352  
rearing, 8457  
salivary gland infection, 8352  
SIT field studies, 8604  
trapping, 8211, 8324  
*T. b. brucei* infection, 8352  
    experimental, 8350  
*T. b. gambiense* infection, 8352  
*T. congolense* infection, 8348  
    experimental, 8350  
    superinfection, 8493  
*T. vivax* infection (exp.), 8350  
  
trypanosome infection  
    experimental  
        cyclical development, 8350  
        rate, 8350  
    rate, Côte d'Ivoire, 8352  
vector competence, 8350

***G. swynnertoni***

hybridisation experiments, 8592

- in Kenya, distribution, 8469
- in Tanzania, 8592
  - distribution, 8469
- mating, 8592
- puparia, 8592
- trapping, 8469
- T. congolense* infection, 8537
- vector competence, 8469

### **G. tachinoides**

- age, 8326
- age-dependent sampling bias, 8597
- behaviour, trap orientated, 8326
- bloodmeal, 8323
- classification, 8458
- control, 8604
- cuticular hydrocarbon components synthesis, 8593
- fecundity, 8323
- fertility, 8323
- in Burkina Faso, 8238, 8349, 8389, 8604
- in Côte d'Ivoire, 8200
- lectins, midgut, 8594
  - lipopolysaccharide binding specificity, 8594
- longevity, 8323
- nutritional status, 8326
- offspring, 8323
- proline oxidase inhibition, 8323
- response to odour, 8326, 8349, 8586
- SIT studies, 8604
- T. b. brucei* infection (exp.), 8350
- T. congolense* infection (exp.), 8350
- T. vivax* infection (exp.), 8350
- trypanosome infection, 8326
  - experimental
    - cyclical development, 8350
    - rate, 8350
- vector competence, 8350

### **goat**

- blood
  - in trypanosome cultivation studies, 8537
  - in tsetse infection studies, 8487, 8488
- drug effects, 8274, 8416
- East African
  - T. congolense* infection (exp.)
    - effects, 8380
- host for *Glossina* spp., 8212, 8610
- host for *G. pallidipes* (exp.), 8214
- model of cattle CNS trypanosomiasis, 8242

### **goat (cont.)**

- productivity under tsetse challenge, 8246
- prophylaxis
  - effect on reproduction, 8392
- Sokoto Red
  - trypanosome infection, Nigeria, 8366
- T. brucei* infection, 8227
- T. b. brucei* infection, 8350
  - pathogenicity, 8242
  - treatment, 8242



*T. b. gambiense*-type infection, Zaire, 8345  
*T. congolense* infection, 8227, 8350  
*T. congolense* infection (exp.)  
    treatment, 8251, 8517  
    efficacy, 8401, 8517  
*T. vivax* infection, 8227  
    pathology, 8242  
    treatment, 8242  
trypanosomiasis  
    diminazene aceturate chemotherapy, 8253  
    in Zambia, 8392  
    treatment, 8317  
trypanotolerant populations  
    in West and Central Africa, 8511  
West African Dwarf  
    concurrent trypanosome-nematode infection  
    prevalence, Nigeria, 8227

**high density lipoproteins (HDL)**

    in human serum, properties, 8620

**homidium**

    treatment of trypanosomiasis  
        in animals, 8248, 8456  
        in cattle, 8255, 8340

**homidium bromide**

    efficacy in *T. congolense*-infected rabbits, 8269  
    treatment of trypanosomiasis, 8394, 8414

**homidium chloride**

    resistance in *T. congolense*, 8393

**horse**

*T. brucei* infection, 8626  
    *T. congolense* infection, 8626  
    *T. equiperdum* infection, diagnosis, 8228  
    *T. evansi* infection, 8626  
    *T. vivax* infection, 8626  
    trypanosomiasis in Kenya, 8626

**identification**

*see also* characterisation

    by DNA probes

*Nannomonas*, 8348  
        *T. b. brucei*, 8655  
        *T. b. gambiense*, 8538  
        *T. congolense*, 8216, 8348  
        *T. equiperdum*, 8655  
        *T. evansi*, 8655  
        *T. simiae*, 8348  
        *T. vivax*, 8216

    trypanosomes, 8503

    by electrophoretic karyotyping

*T. evansi*, 8540

    by isoenzyme electrophoresis  
    trypanosomes, 8352, 8368

**immune response**

    antibodies, monoclonal, 8519  
    in buffalo  
        antibody production, 8513

- in camel
  - anti-trypanosome antibodies, 8234, 8371
- in cattle, 8238, 8254
  - antibody production, 8244, 8254
    - anti-congopain, 8237, 8372
    - IgG, 8237, 8372
    - IgM, 8237
  - cell population changes, 8507
    - B cells, 8507
    - T cells, 8239, 8632, 8681
      - CD2<sup>+</sup>, lymph, 8507
      - CD4, 8507
      - CD8<sup>+</sup>, 8507, 8632
      - $\gamma\delta$ , 8507, 8632
    - mononuclear, peripheral blood, 8239
  - complement component C3b activation, 8406
  - complexes, 8237
  - interleukin-2 receptor  $\alpha$ -chain expression, 8507
  - major histocompatibility complex, 8239, 8632
  - trypanolysis, 8406
  - tumour necrosis factor production, 8509
- in dogs
  - C3 deposition, 8379
  - IgG and IgM deposition, 8379
- in humans
  - antibody production, 8367
  - chancre, 8220
  - interleukin-6 concentration elevation, 8497, 8498
  - tumour necrosis factor  $\alpha$ , concentration elevation, 8497, 8498
- in mice, 8275
  - antibody production
    - self-reactive, 8408
    - T cell independent, 8533
  - B lymphocyte activation, 8639
  - macrophage production, 8641
  - T cell activation, 8257, 8410, 8636, 8641
- in rabbits
  - C3 activation, 8411
- in rats
  - T cell activation, 8257
- in sheep
  - cell population changes, 8243
    - lymphoblasts, 8378
    - MHC class II<sup>+</sup>, 8378
    - SIg<sup>+</sup>, 8378
    - T cells
      - CD4<sup>+</sup>, 8378
      - CD45R<sup>+</sup>, 8378
  - local skin reaction, 8378
  - phagocytosis, 8378
  - tumour necrosis factor  $\alpha$  receptor activation, 8243
- in tsetse, to bacterial infection
  - cell aggregate formation, 8208
  - encapsulation, 8208
  - humoral factors, 8208
  - phagocytosis, 8208
- in wildlife

anaemia control, 8244  
antibody production, 8244, 8372

### **immunisation**

of mice  
  against *T. b. rhodesiense*, 8519  
studies  
  in *T. brucei*-infected rabbits, 8527

### **immunity**

homologous, in sheep, 8378  
interactions with chemotherapy, 8533

### **immunology**

research, 8187

### **immunosuppression**

development during trypanosome infection, 8263  
effect on drug resistance, 8533  
in N'Dama cattle, 8239  
in *T. brucei* spp.-infected mice  
  effect on chemotherapy, 8533  
in *T. congolense*-infected cattle, 8507

### **IMOL 881**

new trypanocide, 8274, 8421  
prophylactic potential, 8421

### **insecticides**

cattle treatment, 8187, 8328, 8332, 8340, 8341, 8451, 8453, 8479, 8586  
 $\alpha$ -cypermethrin, 8199, 8333, 8342  
DDT, 8209, 8451  
deltamethrin, 8179, 8199, 8320, 8329, 8332, 8337, 8340, 8341, 8453, 8476, 8478, 8479, 8480, 8481  
endosulfan, 8478, 8481  
impregnated screens, 8199, 8200, 8329  
impregnated targets, 8205, 8319, 8329, 8337, 8341, 8451, 8456, 8466, 8475, 8481, 8586  
impregnated traps, 8199, 8200, 8205, 8210, 8320, 8456, 8476, 8586  
livestock treatment, 8320  
  dips, 8199, 8205, 8479, 8480  
  pour-on, 8199, 8205, 8466  
non-residual, 8341  
permethrin, 8210  
persistent, 8204, 8342  
pyrethroids, 8199, 8328, 8335, 8586  
  synthetic, 8205, 8342  
side effects, 8203, 8478  
spraying, 8205  
  aerial, 8187, 8203, 8314, 8320, 8341, 8478, 8481  
  ground, 8187, 8203, 8210, 8314, 8341, 8451  
toxicology, 8314

### **in vitro studies**

for drugs testing, 8270, 8272, 8279, 8644, 8645  
  in *T. brucei*, 8413  
  in *T. b. brucei*, 8273  
  in *T. b. gambiense*, 8645  
  in *T. congolense*, 8271  
  in *T. evansi*, 8276, 8646  
  in *T. simiae*, 8280  
  in *T. vivax*, 8647  
in diagnosis  
  of human trypanosomiasis, 8219  
  of *T. evansi* infection, 8231

- with trypanosomes
  - cell cycle synchronisation in *T. brucei*, 8297
  - characterisation, 8352
  - effect of buffalo plasma, 8513
  - effect of buffalo serum, 8513
  - from tsetse, 8352
  - growth inhibition in *T. b. brucei*, 8439
  - HL-60 cell growth inhibition in *T. b. rhodesiense*, 8405
  - T cell response in *T. congolense*-infected cattle, 8632
  - transformation in *T. brucei*, 8301

#### **irradiation**

- gamma, of *T. evansi*, 8700
- of tsetse
  - effects on vectorial capacity, 8607
  - for control monitoring, 8330
  - for male sterilisation, 8607
  - for sterile male release, 8343, 8604

#### **isometamidium**

- chemotherapy, 8533
- concentrations in cattle, 8395, 8397, 8398
- effect on *T. congolense*, 8643
- pharmacokinetics in cattle, 8397
- prophylaxis
  - in cattle, 8245, 8398
  - in goats, 8392
- residues in cattle, 8188
- resistance
  - in *T. congolense*, 8277

#### **isometamidium (cont.)**

- resistance (cont.)
  - in *T. equiperdum*-infected mice, 8646
- toxicity, 8416
- treatment of animal trypanosomiasis, 8248

#### **isometamidium chloride**

- concentration in cattle serum, 8395, 8516
- half life in cattle serum, 8395
- in tsetse bloodmeal, 8213
- mutagenic potential, 8418
- profile in cattle serum, 8395
- prophylaxis in cattle, 8229, 8254, 8390, 8399, 8402, 8516
- resistance, 8603
  - in *T. congolense*, 8252, 8393, 8516
  - in *T. vivax*, 8255
- teratogenic potential, 8418
- toxicity in rats, 8417
- treatment of trypanosomiasis
  - in animals, 8200
  - in cattle, 8252, 8332, 8394, 8603
  - in pigs, 8368
  - in sheep, 8376
- uptake by *T. congolense*, 8425

#### **juvenile hormone analogue (JHA)**

- as chemosterilant, 8199

#### **juvenile hormone mimics**

- pyriproxyfen, 8206, 8335

## Kenya

### Busia District

trypanosome infection rate in cattle, 8351

trypanosomiasis in humans, 8351

### Coastal Province

trypanosomiasis in cattle, 8214, 8229

*G. austeni* in, 8229, 8601

*G. brevipalpis* in, 8229

*G. f. fuscipes* in, 8351

*G. longipennis* in, 8339, 8346, 8469

*G. morsitans* in, 8197

*G. m. centralis* in, 8628

*G. pallidipes* in, 8180, 8214, 8229, 8339, 8459, 8469

*G. swynnertoni* in, 8469

### Lambwe Valley

*G. fuscipes* in, 8464

*G. pallidipes* in, distribution, 8464

trypanosomiasis in animals, 8464

trypanosomiasis in humans, 8351, 8464

tsetse control, 8464

### Nguruman

trypanosomiasis in, 8483

in animals, 8214, 8469

in cattle, incidence, 8388

tsetse challenge, 8388

tsetse control

trapping, 8180, 8339, 8456, 8464, 8469, 8483

*T. simiae* isolates from, 8610

*T. vivax* isolates from, 8255

*T. vivax* strains from, 8381

### trypanosomiasis

in animals, 8214, 8486

in camels, 8456, 8540, 8629

in cattle, 8245, 8399, 8456

in horses, 8626

in humans, 8619

*rhodesiense*, 8653

in livestock, 8456

in pigs, 8456

trypanotolerant livestock, 8456

### tsetse

challenge to cattle, 8245, 8388

control, 8187

distribution, 8197, 8464

field studies, 8325, 8486

### Tsavo East National Park

*T. simiae* infection in white rhino, 8628

trypanosomiasis in camels, 8628

**land management** 8185, 8314

**land use** 8185, 8316

patterns, 8316

planning, 8314

related to tsetse control

in Zambia, 8319

in Zimbabwe, 8451

**lectin**

in tsetse midgut, 8212, 8215, 8484, 8488, 8489, 8493, 8594

**livestock**

as baits, 8205

insecticide treated, 8204, 8205, 8320

production under trypanosomiasis risk

in Uganda, 8320

in Zambia, 8319

productivity under tsetse challenge, Sudan, 8317

treatment

drug, 8419

insecticide dips, 8199, 8205

pour-on formulations, 8199, 8205, 8466

trypanoresistance

acquired, 8246

genetic, 8246

*T. brucei* infection, in Sudan, 8599

trypanosomiasis

in Africa, 8501

in Côte d'Ivoire, 8315

in Gambia, 8466

in Kenya, 8214, 8456

in Sudan, 8317

trypanotolerance, 8185, 8246, 8315, 8317, 8511, 8456

trypanotolerant, potential, 8511

for trypanosomiasis control, 8512

**Mali**

*G. p. gambiensis* in, 8329

trypanosomiasis in camels, 8502, 8624

tsetse control, trapping, 8329

**man**

-fly contact

in Central African Republic, 8211, 8324, 8485

in Tanzania, 8454

in Uganda, Busoga focus, 8611

host for *G. f. fuscipes*, 8608

*T. brucei* infection, Uganda, 8654

*T. brucei* stocks from

Congo, 8429

Zaire, 8429

*Trypanozoon* isolates from, Uganda, 8427

**mark-release-recapture**

for barrier evaluation, 8339

for population monitoring, 8330, 8597

**Mauritania**

*T. evansi* isolate from, 8260

trypanosomiasis in camels, incidence, 8232

**Mel B** *see* melarsoprol

**Mel Cy**

treatment of CNS trypanosomiasis, 8225

**melarsenoxide cysteamine**

treatment of *T. evansi* infections, 8248

**melarsoprol**

combined with reuterin

evaluation in mice, 8426

pharmacokinetics in humans, 8223

- refractoriness in humans, 8500
- resistance in humans, 8419
- side effects
  - encephalopathy, 8224, 8364, 8622
- toxicity in mice, 8420
- treatment of trypanosomiasis
  - in humans, 8219, 8223, 8225, 8363, 8497, 8498
    - gambiense*, 8224, 8226, 8419, 8494, 8622
    - rhodesiense*, 8217, 8364
    - side effects, 8217, 8223, 8364
  - in monkeys, 8415
  - relationship with host immune system, 8533

#### **mice in laboratory studies**

- drugs testing, 8274, 8416, 8419, 8420, 8422
- immunisation studies, 8519
- T. brucei* infection, 8526
  - detection, 8403
  - glomerulopathy, 8641
  - immune response, 8409, 8639, 8641
    - inhibition, 8259
  - nitric oxide synthesis inhibition, 8530
  - pathological effects, 8412
  - periocular lesions, 8528
  - urogenital lesions, 8528
- T. brucei* spp. infection
  - drug effects, 8533
  - immunosuppression, 8533
  - macromolecular synthesis inhibition, 8533
- T. b. brucei* infection
  - drug effects, 8404, 8424, 8426
  - endotoxins, 8256
  - immune response, 8257
  - pathogenesis, 8256
  - treatment, 8404
  - tumour necrosis factor, role, 8407
- T. b. gambiense* infection, 8637
- T. b. rhodesiense* infection
  - drug effects, 8420, 8532
  - immune response, 8410, 8636
  - self-reactive antibody production, 8408
- T. congolense* infection, 8522
  - drug resistance, 8252, 8393, 8401
  - effect on response to other infections, 8261
  - treatment, 8401, 8404
  - tumour necrosis factor, 8404
- T. cruzi* infection
  - immune response, 8409
- T. equiperdum* infection
  - drugs testing, 8646
- T. evansi* infection
  - diagnosis, 8260
  - drug prophylaxis, 8421
  - effect of temperature, 8524
  - pathogenesis, 8260
  - treatment, 8404
  - tumour necrosis factor, 8404

trypanosome infection  
  neuropathogenesis, 8258  
trypanosusceptibility, 8409

### **models/modelling**

animal, for drugs testing, 8421  
for drug screening, 8183  
goat, for CNS trypanosomiasis in cattle, 8242  
herd, for trypanosomiasis control, 8453  
trypanosome infections, using mice, 8522  
trypanosomiasis risk factors in humans, 8611  
trypanotolerance in cattle  
  using buffalo, 8244, 8456  
tsetse  
  distribution, 8472  
  population, 8180, 8202  
  population suppression, 8180

### **models/modelling (cont.)**

tsetse (cont.)  
  susceptibility to trypanosome infection, 8215  
  trap-seeking, 8603

### **monkey**

*T. b. rhodesiense* infection (exp.)  
  treatment, 8415

### **Mozambique**

trypanosomiasis in humans, 8454  
tsetse infestation, 8470

### **nagana 8181**

#### ***Nannomonas***

DNA content, 8652  
infecting tsetse, 8347, 8348  
  in Zimbabwe, 8216  
infection rate  
  in cattle, Kenya, 8351  
  in tsetse, Côte d'Ivoire, 8352  
molecular karyotype, 8652  
new, infecting tsetse, 8348  
populations, infecting tsetse in Gambia, 8348  
procyclics, 8352

### **net**

-catching  
  in tsetse distribution studies, 8596  
electric, 8204  
  in tsetse behaviour studies, 8189, 8482  
  in tsetse sampling, 8471  
hand  
  in tsetse trapping studies, 8467

### **nifurtimox**

treatment of human trypanosomiasis, 8419

### **Niger**

trypanosomiasis in camels, incidence, 8232

### **Nigeria**

eastern  
  trypanosome-nematode infections  
  prevalence in sheep and goats, 8227  
*G. p. palpalis* in, 8604



northern

trypanosomiasis in cattle, control, 8455  
tsetse control, 8455

*T. b. brucei* stocks from, 8350

*T. congolense* stocks from, 8350

*T. vivax* stocks from, 8350

trypanosome prevalence in livestock, 8366

tsetse control, 8604

field studies with SIT, 8604

### **5-nitroimidazoles**

treatment of trypanosomiasis

combined with arsenicals, 8225, 8419

combined with suramin, 8225

### **non-target organisms**

in Botswana

effect of insecticides on fish, 8478

in Zimbabwe

effect of DDT on lizards, 8209

effect of odour-baited targets, 8451

effect of spraying, 8481

### **normalised difference vegetation indices**

for predicting tsetse distribution limits, 8197

### **odour attractants/baits/stimulants 8204**

acetone, 8196, 8492, 8606

carbon dioxide, 8196, 8325, 8463

host, 8314, 8349, 8468, 8601, 8606

metacresol, 8349

octenol, 8196, 8326, 8349, 8482, 8606

ox breath, 8325

ox, synthetic, 8465

phenols, 8196, 8326, 8468, 8482

2-methoxy, 8463

methyl, 8606

propyl, 8606

urine

buffalo, 8468

cattle, 8326, 8468

### **oryx**

attractiveness for tsetse, 8486

### **ox**

bait, for tsetse survey, 8470

in tsetse feeding studies, 8189

### **oxophenarsine**

treatment of trypanosomiasis

relationship with host immune system, 8533

### **packed cell volume (PCV)**

in cattle

*T. congolense*-infected, 8369, 8382, 8509

*T. evansi*-infected, 8508

*T. vivax*-infected, 8381, 8382, 8509

trypanosome-infected, 8238, 8388, 8390, 8402

in dogs, *T. b. brucei*-infected, 8247

in donkeys, trypanosome-infected, 8627

in goats, trypanosome-infected, 8392

in human trypanosomiasis, 8619

in sheep

*T. congolense*-infected, 8240, 8241, 8375  
trypanosome-infected, 8374

**parasitaemia** 8607

in buffalo, trypanosome-infected, 8244

in camels, *T. evansi*-infected, 8234, 8371, 8396, 8540

in cattle

*T. congolense*-infected, 8235, 8369, 8382, 8386

*T. evansi*-infected, 8508

*T. vivax*-infected, 8381, 8382

trypanosome-infected, 8238, 8388, 8390, 8393, 8394, 8399, 8402

in dogs, *T. b. brucei*-infected, 8247

in goats

*T. congolense*-infected, 8251, 8401, 8517

trypanosome-infected, 8392

in human trypanosomiasis, 8619

in mice, *T. brucei*-infected, 8530

in sheep

*T. congolense*-infected, 8240, 8241, 8375, 8376

trypanosome-infected, 8374

in tsetse, trypanosome-infected, 8212

in wildlife, trypanosome-infected, 8244

**pentamidine**

effects on *T. b. gambiense* *in vitro*, 8645

metabolism, in *T. b. brucei*, 8267

side effects

diabetes mellitus, 8224

treatment of *gambiense* trypanosomiasis, 8220, 8224, 8361, 8494

**pentamidine iodide, cis-Pt**

plasma kinetics in sheep, 8268

treatment in *T. brucei*-infected sheep, 8268

**permethrin**

impregnated traps, 8210

spraying in Central African Republic, 8210

**pig**

blood, in tsetse infection studies, 8487

host for *Glossina* spp., 8211, 8212

experimental, 8480

*G. f. fuscipes*, 8608

*G. longipennis*, 8346

large white, as laboratory host, 8610

treatment with deltamethrin dip, 8480

*T. brucei* infection, 8368, 8654

*T. b. gambiense*-type infection, Zaire, 8345

*T. congolense* infection, 8368

*T. simiae* infection, 8248, 8456

experimental, 8610

trypanosome infection, mixed, 8368

trypanosomiasis

diagnosis, 8368

in Kenya, 8456

in Uganda, 8368

rate, in Uganda, 8320

treatment, 8368

*Trypanozoon* isolates from, 8427

**pyrethroids**

effectiveness, 8335, 8586

impregnated traps and targets, 8199, 8335, 8586  
knockdown, tsetse, 8328  
persistence on traps and targets, 8342, 8586  
photodegradation, 8342  
synthetic, 8205, 8603  
treatment  
    in cattle, 8328, 8586, 8603  
    in livestock, 8205

### **pyriproxyfen**

effectiveness, 8335  
field trials, 8206  
in tsetse control study, Zimbabwe, 8206, 8335  
treated traps and targets, 8206, 8335

### **quinapyramine**

resistance in *T. equiperdum*-infected mice, 8646  
treatment of trypanosomiasis  
    in animals, 8248  
    in cattle, 8255  
    relationship with host immune system, 8533

### **quinapyramine dimethylsulphate**

treatment of *T. evansi*-infected camels, 8234

### **quinapyramine prosalt**

treatment of *T. evansi*-infected camels, 8234

### **rabbits**

as laboratory hosts for tsetse, 8208, 8251  
drug effects, 8269, 8274, 8414, 8417, 8418  
immunisation studies, 8208, 8527  
*T. brucei* infection  
    immunisation studies, 8527  
*T. b. brucei* infection  
    effect on sleep, 8640  
*T. congolense* infection  
    drug effects, 8269, 8414  
*T. evansi* infection  
    diagnosis, 8260, 8504, 8518  
    drug therapy, 8642  
    effect on trypanosome challenge, 8531  
    immune response, 8411  
    pathogenesis, 8260, 8264

### **rats**

*T. brucei* infection, 8635  
    endocrine dysfunctions, 8529  
    ion transport suppression, 8523  
*T. b. brucei* infection  
    cytogenetic effects, 8521  
    drug effects, 8424  
    effect on behaviour, 8368  
    effect on sleep-wake cycle, 8525  
    immune response, 8257, 8638

### **rearing**

*Glossina* spp., 8586, 8588  
*G. m. morsitans*, 8457  
*G. p. gambiensis*, 8457  
*G. p. palpalis*, 8457

**remote sensing** 8180, 8314, 8472

**repellents, tsetse** 8455

**reptiles**

as hosts for *G. f. fuscipes*, 8608

**reservoir hosts**

of human trypanosomiasis, 8183, 8320

domestic livestock

in Kenya, 8351

in Zaire, 8345

livestock, potential, 8419, 8427

pigs, in Uganda, 8368

**rhinoceros, white**

*T. simiae* infection in Kenya, 8628

**RNA**

*T. brucei*

changes during transformation *in vitro*, 8301

g, gene cassette structure, conservation, 8305

g, in mitochondrial ribonucleoprotein formation, 8557

g, minicircle encoding, 8309

g, multiple, minicircle location, 8577

genes, spliced leader, interruption, 8432

guide, molecules, 8675

guide, multiple, minicircle encoded, 8290

k, editing, 8303

m, apocytochrome b, editing, 8577

m, edited, 8553

m, edited sequences, 8303

m, polyadenylation, 8693

m, procyclin, 8560

maxicircle CR5 m, editing, 8688

2'-O-methyl, oligonucleotides, 8312

polymerase I promoter sequences, binding, 8673

polymerase II, phosphorylation, 8552

polymerase III-mediated gene transcription, 8555

r, binding protein, binding site, 8441

r, promoter composition, 8672

small, 8583

spliced leader 5' splice site, 8583

t, nuclear encoded, in mitochondria, 8580

t, tyrosine, splicing and 3'-processing, 8446

*trans*-splicing signals, response to, 8296

U2 sn, gene transcription, 8555

*T. b. brucei*

binding proteins, isolation, 8302

mini-exon derived, 8302

*T. congolense*

editing, 8304

g, gene cassette structure conservation, 8305

k, editing, 8303

m, edited sequences, 8303

*T. equiperdum*

g, minicircle encoding, 8309

*T. evansi*

g, minicircle encoding, 8309

trypanosome, editing, 8547

**Rwanda**

trypanosomiasis in humans, *rhodesiense*, 8217, 8653

**samorin** *see* isometamidium chloride

**sampling**

tsetse, 8471, 8597, 8599, 8601

**screening**

cattle serum in trypanosomiasis, 8370

serodiagnostic, 8357

for human trypanosomiasis, 8495

**screens** 8204

as barriers, 8199

chemosterilant-impregnated, 8199

cloth, 8199

coloured, 8342

cost, 8199, 8329, 8453

cost-effectiveness, 8342

electric, 8346

insecticide-impregnated, 8200, 8202

α-cypermethrin, 8342

deltamethrin, 8329

persistence, 8342

pyrethroids, 8199

odour-baited, 8199, 8202

visually attractive, 8199

**serum**

animal

drugs in, 8242

trypanosome antigens in, 8415

buffalo, trypanocidal activity, 8486, 8513

camel, *T. evansi*-infected, 8234, 8624

cattle

drug concentration in, 8395, 8516

trypanosome antigens in, 8233

trypanosome prevalence in, 8370

*T. congolense*-infected

antibodies in, 8237

eland, trypanocidal activity, 8513

human

antigenaemia, 8359

antitrypanosome antibodies in, 8367

DFMO in, 8226

melarsoprol in, 8223

trypanolytic factor, 8620

trypanosomal antigens in, 8496

in diagnostic testing, 8359, 8360, 8367, 8395, 8496, 8504, 8624

**sheep**

Djallonké

trypanosome infection, prevalence

effect of nutrition on, 8374

trypanosomiasis, 8374

trypanotolerance studies, 8450

productivity under tsetse challenge, 8246

Scottish Blackface

*T. congolense* infection (exp.)

blood changes, 8375

effect on adrenocorticoid responses, 8241

pathogenesis, 8241, 8375

- T. brucei* infection (exp.)
  - drug treatment, 8268
- T. b. gambiense*-type infection in Zaire, 8345
- T. congolense* infection
  - cellular responses, 8378
  - induction of homologous immunity, 8378
  - parasite migration, 8378
- T. congolense* infection (exp.)
  - chemotherapy, 8240, 8376
  - effect of diet on, 8243, 8246
  - immune response, 8243
  - pathogenesis, 8240, 8376
- trypanosomiasis
  - risk, 8450
  - treatment, 8317
    - diminazene aceturate, 8253
- trypanosusceptibility, 8450
- trypanotolerant populations
  - in West and Central Africa, 8511
- West African Dwarf
  - concurrent trypanosome-nematode infection
    - prevalence in Nigeria, 8227
  - T. brucei* infection, 8227
  - T. congolense* infection, 8227
  - T. vivax* infection, 8227

**SIT** *see* sterile insect technique

#### **Somalia**

- T. vivax* isolates from, 8255
- trypanosomiasis in camels, 8623, 8625
  - vectors, 8625

#### **spraying** 8205

- aerial, 8187, 8201, 8203, 8314, 8320, 8451
  - application rate, 8314
  - cost, 8201, 8334, 8451, 8453
  - deltamethrin, 8478, 8481
  - drift, 8478
  - drop size, 8201, 8314
  - endosulfan, 8478, 8481
  - environmental implications, 8478, 8481
  - equipment, 8201, 8314
  - in Botswana, 8478
  - in Central African Republic, 8210
  - in Zambia, 8481
  - in Zimbabwe, 8341, 8481
  - insecticide toxicity, 8201
  - permethrin, 8210
- ground, 8187, 8203, 8314, 8320
  - cost, 8451, 8453
  - DDT, 8209, 8451
  - in Zimbabwe, 8209, 8341, 8451, 8481

**sterile insect technique (SIT)** 8183, 8185, 8187, 8199, 8207, 8213, 8343, 8471, 8586, 8588, 8604, 8609

- cost, 8453
- for ecological population monitoring, 8588
- gamma irradiation, 8604

#### **Stomoxysinae**

- in mechanical transmission of trypanosomes, 8186

*Stomoxys nigra*, 8190

## **Sudan**

- fly belt, Bahr El Arab, 8599
- G. m. submorsitans* in, 8599
- T. brucei* infection in livestock, 8599
- T. evansi* infection in camels, 8396
- trypanosomiasis, 8599
  - in animals, 8317
  - in camels, incidence, 8232
  - in cattle, 8390
- tsetse challenge to livestock, 8317, 8390

## **suramin**

- combined with reuterin
  - evaluation in mice, 8426
- efficacy in mice, 8423
- resistance in *T. equiperdum*-infected mice, 8646
- sensitivity testing in *T. evansi*, 8276
- treatment of trypanosomiasis
  - in humans, 8497, 8498
    - combined with 5-nitroimidazoles, 8225
    - effect on adrenocorticoid function, 8365
  - gambiense*, 8494
  - rhodesiense*, 8217
  - relationship with host immune system, 8533
- uptake by *T. brucei*, 8278

## **surra**

- diagnosis, 8230, 8504

## **surveys**

- clinical, of camels in Mali, 8502
- entomological, in Kenya, 8351
- epidemiological, 8219
- man-fly contact, in Central African Republic, 8485
- of trypanosomiasis
  - in cattle, 8233
    - in Ghana, 8370
  - in humans, 8219, 8351, 8495
    - in Congo, 8360
  - reservoirs, 8351
- of tsetse
  - distribution in Gambia, 8466
  - in Kenya, 8351
  - in Zimbabwe, 8470, 8471
  - using attractant devices, 8204
  - using bipyramidal traps, 8204

## **surveys (cont.)**

- parasitological
  - of camels, in Mali, 8502
  - of domestic animals, in Kenya, 8351
- seroepidemiological, 8233
- serological, 8495
- seroprevalence of trypanosomiasis, 8370

## **Tabanidae**

- in mechanical transmission of trypanosomes, 8186
- vectors of trypanosomiasis in camels, 8625

## **Tanzania**

- G. morsitans* in, 8197

*G. m. morsitans* in, 8604  
*G. swynnertoni* in, 8469, 8592  
*T. b. brucei* stocks from, 8350  
*T. congolense* stocks from, 8350  
trypanosomiasis in cattle, 8252, 8332, 8603  
trypanosomiasis in humans  
  control, 8454  
  epidemiology, 8454  
  *gambiense*, 8454  
  history, 8175, 8454  
  prevalence, 8454  
  *rhodesiense*, 8364, 8454, 8653  
tsetse control, 8454, 8603  
  by SIT, 8604  
tsetse distribution, 8197  
Zanzibar  
  *G. austeni* in, 8343, 8604  
  trypanosomiasis in livestock, prevalence, 8501  
  tsetse control by SIT, 8343, 8604

**targets** 8204, 8478

  attraction for non-target organisms, 8481  
  barriers to reinvasion, 8341  
  cloth, 8465, 8475  
  coloured, 8196, 8325, 8463, 8465, 8475, 8586  
  cost-effectiveness, 8334, 8451, 8466, 8471  
  densities, 8334  
  design, 8471, 8586  
  in population monitoring, 8314, 8471  
  in tsetse flight response studies, 8196  
  in tsetse landing response studies, 8325, 8463  
  in tsetse trapping studies, 8465  
  insecticide-impregnated, 8187, 8205, 8319, 8334, 8451, 8456, 8481, 8606  
    deltamethrin, 8337, 8341, 8475  
    pyrethroids, 8586  
  odour-baited, 8187, 8206, 8314, 8319, 8325, 8331, 8334, 8341, 8451, 8456, 8463, 8464, 8481, 8597, 8602, 8606  
  pyriproxyfen-impregnated, 8206, 8335

**Togo**

  trypanotolerance in imported cattle, 8453

**transmission**

  cyclical  
    trypanosomes through tsetse, 8190  
  mechanical, 8456  
    of *T. evansi*, 8456  
    of trypanosomes through *Stomoxys nigra*, 8190  
  of trypanosomiasis  
    by Stomoxyinae, 8186  
    by Tabanidae, 8186  
  of nagana by tsetse, historical, 8181  
  of trypanosomes by tsetse, 8203, 8215, 8347, 8386  
  of trypanosomiasis  
    animal, by tsetse, 8186, 8214, 8467  
    human, by tsetse, 8211

**traps/trapping** 8183, 8184, 8185, 8189, 8199, 8204, 8216, 8318, 8330, 8349, 8467, 8478, 8485

  attractants, 8202  
  biconical, 8210, 8326, 8339, 8464  
  bipyramidal, 8211, 8324, 8473



- box, 8466
- catch, 8471, 8492, 8597, 8599
- Challier-Laveissière, 8199, 8476
- chemosterilant-impregnated, 8199
- coloured, 8473, 8476, 8586
- construction, 8199
- cost, 8184, 8329, 8342, 8453, 8471, 8473, 8476
- design, 8471, 8483, 8586
- efficiency, 8326, 8339
- epsilon, 8346
- F3, 8346
- fly round, 8599
  - ox-baited, 8467, 8597
- Gouteux, 8199
- in tsetse population monitoring, 8314, 8388, 8464, 8469, 8471, 8479, 8492, 8603
- in tsetse population sampling, 8599, 8601
  - bias, 8597
- in tsetse surveys, 8470, 8471
  - of distribution, 8466
- insecticide-impregnated, 8187, 8200, 8202, 8205, 8320, 8456
  - $\alpha$ -cypermethrin, 8333, 8342
  - deltamethrin, 8329, 8476
  - permethrin, 8210
  - persistence studies, 8342
  - pyrethroids, 8199, 8335, 8586
- juvenile hormone mimics on, 8335
  - pyriproxyfen, 8335
- Lancien-Gouteux, 8336
- Laveissière Vavoua, 8199
- Mérot, 8199
- mono-conical, 8333
- mono-pyramidal, 8336
- mono-screen, 8338
- NG2B, 8180, 8469
- Nguruman, 8339, 8464
- odour-baited, 8180, 8187, 8199, 8202, 8314, 8326, 8456, 8464, 8483, 8597, 8602
- pyramidal, 8199, 8320
- visually attractive, 8180, 8199

### **trypanocides**

- Azadirachta indica* leaf extracts, 8424
- diallyl trisulphide (Dasuansu), 8644
- in combination chemotherapy, 8532
- trifluralin, 8413

### **trypanolytic factor**

- in human serum, properties, 8620

### **trypanoresistance**

- in cattle

- Baoulé, 8630, 8631
- Boran, 8245, 8386
- crossbred, 8586
- N'Dama, 8237, 8381
- Zebu breeds, 8390

- in livestock

- acquired, 8246
- genetic, 8246
- mechanisms, 8238

## ***Trypanosoma brucei***

- acidic intracellular vesicle disruption, 8670
- antigenic variation control, 8658
- AnTat 1.3A, 8565
- apocytochrome *b*, 8577
- axenic culture, 8536
- BiP homologue
  - cellular localisation, 8285
  - molecular cloning, 8285
- bloodstream form, 8289, 8301, 8306, 8536, 8553, 8559, 8571, 8648, 8657, 8687
- Ca<sup>2+</sup> pump, pentamidine inhibition, 8546
- carboxy terminal predicted protein sequences, 8688
- cell cycle control, 8684
- cell cycle synchronisation, 8297
- cell volume estimation, 8650
- CR2 maxicircle transcripts, editing, 8448
- cross-membrane ion and nutrient transport, 8705
- C-terminal targeting signal, 8447
- culture, 8648
- cycle of development in tsetse, 8213
- cytochrome C reductase regulation, 8687
- cytochrome P450, 8286
- developmental regulation, 8295
- D-fructose transport, 8292
- differentiation, 8301, 8506, 8687
- divergent glycosomal microbody phosphoglycerate kinase, 8283
- DNA
  - content, 8297
  - β-D-glucosyl-hydroxymethyluracil, 8556
  - kinetoplast, replication, 8665, 8690
  - maxicircle, 8303
  - mitochondrial minicircle, 8682
  - protein binding, 8660
  - repetitive sequences, 8654
- drug effects, 8248, 8270
- drug resistance, 8293, 8667
- drug uptake, 8278
- dyskinetoplastic forms, 8648
- endocytosis of human HDL, 8670
- energy metabolism, 8563
- episomes, replication, 8300, 8685
- ethidium adduct production, 8535
- fatty acid remodelling, 8669
- genetic/s
  - cross, between clones, 8694
  - exchange, 8293, 8654, 8667
- gene/s
  - ATPase, 8576
  - conferring drug resistance, 8293
  - expression, 8542, 8560, 8661, 8662
  - hypoxanthine-guanine phosphoribosyl transferase, 8542
  - mitochondrial CR4 encoding mRNA, 8553
  - phosphoglycerate kinase cluster, 8296
  - RNA, g, cassette structure, 8305
  - RNA, interruption, 8432
  - splicing, 8576, 8680, 8702, 8708
  - transcription, 8702

- U2 sn RNA, transcription, 8555
- VSG expression site-associated, 8541, 8558, 8565, 8692
  - promoter, 8440
- genotypes, 8654
- hybrid selection, 8293
- hybrids, DNA content, 8297
- maxicircle CR5 mRNA editing, 8688
- maxicircle genomes, evolution, 8303
- meiosis, 8667
- minicircle encoding gRNA, 8309
- mitotic-like cyclin homologue, 8431
- procyclin expression site, 8702
- RNA
  - changes during differentiation, 8301
  - editing, 8290, 8310, 8688
  - g, 8309, 8557
    - for apocytochrome *b* mRNA editing, 8577
  - molecules, 8675
  - multiple, minicircle encoded, 8290, 8577
  - k, editing, 8303
  - m, 8553
    - editing, 8303, 8577
  - polyadenylation, 8693

***T. brucei*** (cont.)

- genetic/s (cont.)

- RNA (cont.)

- m (cont.)

- procyclin, conserved stem-loop structure, 8560
- mt, editing, 8310
- oligonucleotides, 2'-O-methyl, 8312
- polymerase I promoter sequences, 8673
- polymerase II phosphorylation, 8552
- r, binding protein, 8441
- r, promoter composition, 8672
- small, identification, 8583
- spliced leader, 8583
- t, nuclear encoded, 8580
- zymodemes, 8654
- glucose transport, 8298
- glycolipid A, myristate exchange, 8549
- glycolytic enzyme inhibition, 8686
- glycosomal enzymes, interaction, 8550
- glycosomes, firefly luciferase import, 8447
- glycosylphosphatidylinositol (GPI)
  - anchor biosynthesis
    - inhibition by mannosamine, 8444
  - N-acetylglucosaminyl-phosphatidyl-inositol de-N-actylase in, 8683
- anchored surface proteins, 8572
- anchored transferrin binding protein complex, 8661
- fatty acids, 8663
- glycolipid C, role, 8559
- phospholipase C, role, 8567, 8568, 8584
- human infective isolates, 8654
- human serum susceptibility, 8654
- hybrid selection, 8293
- hybrids, 8297
- in South Africa, Zululand (historic), 8181

*in vitro* cultivation, 8262, 8413  
*in vitro* drugs testing, 8413  
infecting camels, 8623, 8625  
infecting cattle, 8233, 8244, 8370, 8456, 8654  
infecting dogs, 8379  
infecting goats, West African Dwarf, 8227  
infecting horses, 8626  
infecting humans, 8654  
infecting livestock, 8320, 8599  
infecting mice, 8259, 8403, 8409, 8412, 8526, 8528, 8530, 8638, 8641  
infecting pigs, 8368, 8654  
infecting rabbits, 8527  
infecting rats, 8523, 8529, 8635  
infecting sheep, West African Dwarf, 8227  
infecting tsetse, 8212, 8216, 8464, 8487, 8488, 8537, 8654  
infecting wild animals, 8244  
infection rates in tsetse, 8212, 8213, 8487, 8488  
infectivity to man, potential, 8368  
inositol acylation, 8669  
invariant surface glycoproteins, 8449  
invariant surface proteins, 8571  
isoenzyme characterisation, 8429  
isoenzyme patterns, 8654  
isolation, 8537  
isozyme variability, 8539  
karyotypes, 8297  
89 kDa serine-threonine protein kinase activity, 8666  
kinetoplast, DNA replication sites, 8690  
kinetoplastids, 8298  
lysophosphatidylcholine acquisition, 8287  
mannosyltransferase, dolichol-dependent, 8574  
membrane-related processes, 8563  
mitochondria, tRNA in, 8580  
mitochondrial ATPase synthase, 8585  
mitochondrial biogenesis, regulation, 8575  
mitochondrial ribonucleoprotein complexes, 8557  
nuclear genomes, 8562, 8570  
6-phosphogluconate dehydrogenase, 8443  
    overexpression in *E. coli*, 8543  
plasma membrane D-glucose transport, 8307  
plasma membrane vesicles, 8546  
plasmid replication, maintenance, 8682  
procyclic acidic repetitive protein, 8291  
    promoter, 8660, 8672  
procyclic form, 8301, 8306, 8687, 8693  
proline transport, 8298  
protein kinase homologue accumulation, 8671  
protein kinases  
    autophosphorylation, 8561  
    Cdc2-related, 8684  
proteins, membrane-associated, 8564  
pyruvate metabolism at differentiation, 8657  
restriction fragment length polymorphism, 8654  
ribosomal protein L25, 8441  
rough endoplasmic reticulum, 8574  
slender forms, 8262  
stumpy forms, 8262

- surface coat, 8449
- transferrin binding protein complex, 8676, 8699
- transferrin receptor, 8692
- transformation, DNA-mediated, 8289
- transient adenylate cyclase activation, 8306
- trans*-sialidase, 8291
- tubulin polycistronic pre-mRNA polyadenylation, 8680
- tyrosine-phosphorylated proteins, 8573, 8704
- tyrosine tRNA, 8446
- tyrosine/serine kinase activity, 8573
- U2 sn ribonucleoprotein assembly, 8294
- 3' untranslated region, role, 8295
- VSG-antibody complexes, 8579
  - complement-fixing, 8691
- VSG, monocistronic transcript, 8656
- VSG, myristate exchange, 8549

***T. brucei* spp.**

- drug resistance, 8533
- infecting mice, 8533
- stocks in Zaire, 8345
- VSGs, 8553

***T. b. brucei***

- ATP production, 8345
- bloodstream form, 8435, 8445, 8513, 8651
- chromatin, structural analysis, 8442
- culture, 8651
- drug effects, 8273, 8421, 8424, 8644
- genes, developmentally-regulated, 8569
- genes, glucose transporter, 8548
- histone, H1-like proteins, 8436
- hybridisation, UV cross-linking, 8302
- identification, 8231
  - by DNA probes, 8655
- ILTat 1.4, 8513
- in vitro* growth inhibition, 8439
- in vitro* studies, 8520
  - effect of buffalo serum, 8513
- infecting buffalo, 8513
- infecting camels, 8231
- infecting cattle, 8242, 8513
  - Zebu, 8473
- infecting dogs, 8247, 8505
- infecting goats, 8242, 8350
- infecting mice, 8256, 8404, 8407, 8426
- infecting rabbits, 8640
- infecting rats, 8257, 8521, 8525, 8638
- infection rates in tsetse, 8350, 8352, 8607
- LDL receptor extracellular domain, epitope, 8544
- lysis by human serum factor, 8620
- mini-exon derived RNA, 8302
- MITat 1.6, 8581
- mitochondria, 8545
- NADH oxidation, 8545
- nuclear chromatin, 8445
- pentamidine metabolism, 8267
- polyamine, 8267
- procyclic forms, 8436, 8445, 8545, 8651

S-adenosylmethionine decarboxylase, 8438

surface coat, 8513

transferrin receptor, 8668

transformation, 8651

ubiquitin-ligase system, 8566

VSG, 8681

    carbohydrate structures, 8581

    C-terminal glycan, 8581

zymodeme, 8429

***T. b. gambiense***

bloodstream form, 8513

centrioles, 8582

cytoskeletal system, 8582

drug effects, 8271, 8419, 8421, 8644, 8645

genetic heterogeneity, 8282

human serum resistance, 8637

human serum sensitivity, 8637

identification, 8231, 8538

in human foetus, 8621

*in vitro* studies

    effect of buffalo serum, 8513

infecting humans, 8175, 8182, 8211, 8218, 8219, 8220, 8224, 8226, 8345, 8355, 8357, 8358, 8361, 8362, 8419, 8454, 8476, 8494, 8499, 8500, 8613, 8615, 8617, 8621, 8622

infecting mice, 8637

infection rate in tsetse, 8352

mitochondria, giant, 8582

-type infection in domestic animals, 8345

zymodeme, 8429

***T. b. rhodesiense*** 8519

bloodstream form, 8288, 8513

cell cycle progression, 8679

characterisation, 8653

cytoskeleton, 8408

diagnosis, 8367

differentiation, 8679

drug effects, 8274, 8421, 8532, 8644

drug resistance, 8266, 8532

endosomes, 8288

HL-60 cell growth inhibition, 8405

human serum resistance, 8689

human serum sensitivity, 8689

identification, 8231, 8368

*in vitro* studies

    effect of buffalo serum, 8513

infecting humans, 8175, 8217, 8219, 8320, 8359, 8364, 8367, 8405, 8454, 8476, 8496, 8611, 8654

infecting mice, 8410, 8420, 8532, 8636

infecting monkeys, 8415

infection rates in tsetse, 8215, 8493

isolates, genetic homogeneity, 8653

lipophosphoglycan-associated epitopes, 8701

lysosomes, 8288

membrane glycoproteins, 8288

S-adenosylmethionine, 8266

VSG, 8636

    gene conversion, 8677

zymodeme, new, 8653

***T. congolense***

adhesion to cultured cells, 8695

antigen, 8517

69 kDa immunodominant, 8659

axenic culture, 8536

***T. congolense*** (cont.)

bloodstream form, 8513, 8536, 8643

cell cycle control, 8684

characterisation, 8430

cyclical development in tsetse, 8350

cysteine protease (congopain), 8237, 8372

DNA probe, 8348

drug effects, 8248, 8269, 8401, 8516, 8643, 8644

drug resistance, 8251, 8252, 8277, 8393, 8401, 8516

drug sensitivity, 8271, 8393

drug transport, 8277

drug uptake, 8425

genetic/s

genes, developmentally-regulated, 8569

genotypes, 8537

maxicircle DNA, 8303

maxicircle gene sequences, 8304

maxicircle genome evolution, 8303

RNA editing, 8304

RNA, g, gene cassette structure, 8305

RNA, k, editing, 8303

RNA, m, edited sequences, 8303

spliced leader ribonucleoprotein particle, 8312

transcripts, 8304

IL 1180, 8516

IL 3274, 8517

IL 3889, 8516

IL 3893, 8516

IL Nat 3.1, 8236, 8237

*in vitro* studies

effect of buffalo serum, 8513

infecting buffalo, 8372

infecting camel, 8623, 8625

infecting cattle, 8175, 8233, 8238, 8252, 8337, 8344, 8366, 8370, 8393, 8397, 8406, 8456, 8490, 8507, 8509

Baoulé, 8373, 8389, 8630, 8631

Boran, 8235, 8236, 8237, 8239, 8244, 8250, 8254, 8372, 8386, 8516, 8632

N'Dama, 8237, 8239, 8372, 8381, 8632

N'Dama/Boran crosses, 8377

Zebu, 8237, 8369, 8389, 8473

infecting goats, 8251, 8350, 8401, 8517

East African, 8380

West African Dwarf, 8227

infecting horses, 8626

infecting mice, 8261, 8393, 8401, 8522

infecting pigs, 8368

infecting rabbits, 8269, 8414

infecting sheep, 8240, 8243, 8376, 8378

Scottish Blackface, 8241, 8375

West African Dwarf, 8227

infecting tsetse, 8212, 8214, 8216, 8348, 8350, 8464, 8487, 8488, 8537, 8599, 8609

infecting wild animals, 8244

infection rates in tsetse, 8212, 8213, 8350, 8487, 8488, 8493, 8599, 8607  
isolation, 8537  
Kibaha isolate, 8252  
lipophosphoglycan-associated epitopes, 8701  
lysis, 8406  
procyclics, 8433, 8434, 8537  
protein kinases, Cdc2-related, 8684  
surface antigen, 8433  
surface glycoprotein, acidic major, 8434  
trypanothione reductase reduction of quinone, 8551  
VSG, 8406

***T. cruzi***

infecting mice, 8409  
nuclear genome, 8570

***T. equiperdum***

DNA, kinetoplast  
    maxicircles, 8696  
    sequence, 8697  
drug effects, 8274, 8421, 8644, 8646  
gene editing, 8697  
identification, by DNA probe, 8655  
infecting horses, 8228  
infecting mice, 8646  
mitochondrial topoisomerase II inhibition, 8696  
mitochondrial transcripts, 8697  
nuclear genome, 8562  
RNA, g, 8309  
    minicircles encoding, 8309  
topoisomerase inhibition, 8308

***T. evansi***

axenic culture, 8578  
bloodstream form, 8513  
diagnosis, 8230, 8234, 8367, 8504  
DNA, kinetoplast, minicircles, 8540  
drug effects, 8248, 8274, 8421, 8578, 8642, 8644, 8646  
drug resistance, 8275  
drug sensitivity, 8276  
identification, 8231, 8540  
    by DNA probe, 8655  
*in vitro* cultivation, 8231  
*in vitro* studies  
    effect of buffalo serum, 8513  
infecting camels, 8232, 8234, 8371, 8396, 8456, 8502, 8504, 8506, 8540, 8623, 8624, 8625, 8629  
infecting cattle, 8508  
infecting horses, 8626  
infecting mice, 8260, 8275, 8404, 8421, 8524  
infecting rabbits, 8260, 8264, 8411, 8504, 8518, 8531, 8642  
irradiation effects, 8700

karyotypes, 8540  
pathogenic capacity, 8260, 8502  
RNA, g, minicircles encoding, 8309  
transmission, 8186  
variable antigen, 8637

***T. grayi***

infecting tsetse, 8347



***T. simiae***

CP11, 8610  
CP813, 8610  
CP1896, 8610  
DNA probes, 8348  
drug susceptibility testing, 8280  
infecting bushpig, 8610  
infecting camels, 8628  
infecting pigs, 8248, 8456  
infecting tsetse, 8212, 8216, 8348, 8487, 8537, 8610  
infecting white rhinoceros, 8628  
infection rates in tsetse, 8212, 8487, 8610  
isolation, 8537  
stocks, from Kenya, 8610

***T. theileri***

infecting cattle, 8366

***T. vivax***

antigen, species-specific, 8678  
axenic culture, 8536  
bloodstream form, 8513, 8536  
cell cycle control, 8684  
cyclical development in tsetse, 8350  
drug effects, 8248, 8279, 8647  
drug resistance, 8255  
gene expression, 8678  
*in vitro* studies  
    drug susceptibility testing, 8647  
    effect of buffalo serum, 8513  
infecting camels, 8625  
infecting cattle, 8175, 8233, 8238, 8244, 8255, 8344, 8366, 8370, 8397, 8456, 8509  
    Ayrshire, 8381  
    Baoulé, 8389  
    Boran, 8381  
    N'Dama, 8381  
    Zebu, 8389  
infecting goats, 8242, 8350  
    West African Dwarf, 8227  
infecting horses, 8626  
infecting sheep, West African Dwarf, 8227  
infecting tsetse, 8211, 8216, 8346, 8350, 8464, 8599  
infecting wild animals, 8244  
infection rate in tsetse, 8350, 8599, 8607  
protein kinases, cdc2-related, 8684  
transmission, 8186

**trypanosome/s**

agglutination, 8493  
antigen, 8484  
antigen prevalence in cattle, 8399  
biochemistry, 8270  
detection, by DNA probes, 8503  
D(+)-glucosamine metabolism, 8487  
differentiation in tsetse midgut, 8489  
DNA content, 8297  
drug effects, 8270  
drug resistance, 8265, 8270, 8337, 8450, 8453  
drug sensitivity, 8272  
drug uptake, 8249

- establishment in tsetse, 8488
- facultative haploid life cycle stage, 8297
- flagellar pocket, 8313
- GPI protein anchors, 8437
- infecting cattle, 8340, 8384, 8390
- infecting donkeys, 8627
- infecting mice, 8258
- infecting tsetse, 8326, 8352, 8484, 8491
- infecting wild animals, 8175
- infection rate in tsetse, 8487
- infectivity, 8175
- major surface glycoproteins, 8698
- metabolic function, assay, 8281
- mixed infections, 8370
- oxidative damage induction, 8270
- physiology, 8270
- polyamine inhibition, 8270, 8284
- prevalence
  - in cattle, 8337
    - in Gabon, 8402
    - in Ghana, 8370
    - in Kenya, 8399
    - in Nigeria, 8366
  - in donkeys, Gambia, 8627
  - in goats, Zambia, 8392
  - in sheep, Côte d'Ivoire, 8374
- procyclic stage, 8698
- procyclic surface coat, 8493
- procyclin, 8484
- purine inhibition, 8270
- pyrimidine inhibition, 8270
- respiration, inhibition, 8270
- risk
  - in Kenya, 8255
  - in Somalia, 8255
  - to migrating cattle in Gambia, 8492
  - transmission in Central African Republic, 8608
- RNA editing, 8547
- strains, characterisation, 8183
- surface glycoproteins, major, 8698
- survival in tsetse, 8212, 8493
- taxonomy, 8428, 8429
- triosephosphate isomerase, structures, 8299, 8674
- trypanosome/s (cont.)**
  - viability, assay, 8281
  - zymodemes
    - geographical distribution, 8429
    - groups, 8427, 8429
- trypanosomiasis, general**
  - chemoprophylaxis, 8270
  - chemotherapy, 8270, 8452, 8533, 8534
  - constraint to agriculture, 8185
  - control, 8314, 8452, 8519
  - monitoring, 8331
- trypanosomiasis in animals**
  - clinical symptoms/pathological effects
    - abnormal oestrus, 8633

abortion, 8380, 8392, 8633  
anaemia, 8240, 8242, 8247, 8375, 8376, 8379, 8386, 8509, 8625, 8628, 8633  
anoestrus, 8633  
brachycardia, 8379  
cachexia, 8633  
CNS abnormalities, 8242  
depression, 8242  
dystocia, 8633  
emaciation, 8625  
febrile episodes, 8386  
fever, 8247  
foetal infection, 8633  
haematological changes, 8247  
haemorrhagic syndrome, 8381  
heart blocks, 8379  
heart damage, 8379  
hepatic dysfunction, 8505  
hypocholesterolaemia, 8240  
hypogonadism, 8221  
leucocytosis, 8375, 8506  
leucopenia, 8247, 8386  
loss of condition, 8242  
low birth weight, 8633  
lymphadenitis, 8506  
lymphopenia, 8628  
meningitis, 8242  
meningoencephalitis, 8242  
myocyte necrosis, 8379  
neonatal death, 8633  
neutrophilia, 8506  
oedema, 8379  
opisthotonus, 8242  
pituitary dysfunction, 8235, 8236  
premature birth, 8633  
pyrexia, 8375  
reduced body weight, 8240, 8374, 8386, 8508  
reduced growth rate, 8240, 8241  
reproductive abnormalities, 8508, 8633  
sinus (heart) arrest, 8379  
stillbirth, 8633  
tachycardia, 8379, 8386  
tachypnoea, 8386  
thrombocytopenia, 8386  
vascular obstruction, 8379  
weakness, 8242  
constraint to agriculture, 8185  
constraint to productivity, 8186  
control, 8185, 8200, 8248, 8317, 8450, 8466  
diagnosis, 8317  
diagnostic protocol, 8230  
distribution, geographical, 8186  
economic significance, 8633  
effect on health, 8450  
effect on performance, 8450  
epidemiology, 8214, 8317  
    in Gambia, 8492  
history, in Sudan, 8317

- impact on agriculture, 8186
- in Burkina Faso, 8185
- in Congo, 8185
- in Côte d'Ivoire, 8185, 8200
- in Kenya, 8469
- in sub-Saharan Africa, 8184, 8185
- in Sudan, 8317
- in Zambia, 8175
- incidence
  - in Kenya, 8464
  - in Zambia, 8175
- management, 8317
- rate of infection in Côte d'Ivoire, 8200
- risk, 8450
  - in Central African Republic, 8608
  - in Gambia, 8467
  - in Kenya, 8383, 8399
  - in sub-Saharan Africa, 8185
  - in Uganda, 8320
  - in Zambia, 8319
- socio-economic impact, 8186
- transmission, 8186, 8214
- treatment, 8200, 8248, 8317, 8421, 8633
- vectors, 8469

**trypanosomiasis in camels**

- diagnosis, 8232, 8371, 8501, 8506, 8624, 8625
- in Chad, 8232
- in Kenya, 8456, 8540, 8628
- in Mali, 8502
- in Mauritania, 8232
- in Niger, 8232
- in Somalia, 8625
- in Sudan, 8232
- incidence, 8232
- pathology, 8506
- prevalence
  - in Mali, 8502, 8624
  - in Somalia, 8623
- preventive measures, 8625
- treatment, 8232, 8371, 8623, 8625
- T. evansi* infection, 8456, 8506, 8540, 8623, 8624, 8629
- T. simiae* infection, 8628

**trypanosomiasis in cattle** 8328, 8385

- challenge
  - in Gambia, 8612
  - in Tanzania, 8252
- chemotherapy, 8473
- control, 8473, 8486, 8603
- diagnosis, 8233, 8501
- economic significance, 8184
- effect on health, 8603
- effect on productivity, 8603
- in Burkina Faso, 8389
- in Central African Republic, 8473
- in Ethiopia, 8337, 8369, 8453
- in Gabon, 8402
- in Gambia, 8492, 8612

- in Ghana, 8233, 8370
- in Kenya, 8229, 8245, 8340, 8388, 8399, 8453, 8456
- in Nigeria, 8455
- in southern Africa, 8451
- in sub-Saharan Africa, 8184
- in Tanzania, 8252, 8332, 8603
- in Uganda, 8320, 8479
- in Zaire, 8387
- in Zambia, 8175
- in Zululand, 8465
- incidence
  - in Ethiopia, 8369
  - in Gambia, 8612
  - in Kenya, 8340, 8388
- infection rate
  - in Kenya, 8229
  - in Uganda, 8320
- mixed infection, 8233, 8370
- prevalence, 8453
  - in Gambia, 8492
  - in Ghana, 8233, 8370
  - in Kenya, 8389
  - in Zambia, 8477
- prophylaxis, 8402, 8603
- resistance, 8237, 8245
- risk, 8383, 8453
  - effects of herd migration, 8492
  - in Gambia, 8492, 8612
  - in Kenya, 8399
  - in Uganda, 8479
  - in Zambia, 8175
- susceptibility, 8450
- treatment, 8252, 8332, 8337, 8340, 8369, 8386, 8603
- T. brucei* infection, 8233, 8370, 8456
- T. b. brucei* infection, 8473
- T. congolense* infection, 8175, 8233, 8252, 8337, 8370, 8386, 8389, 8456, 8473
- T. vivax* infection, 8175, 8233, 8370, 8389, 8456

#### **trypanosomiasis in domestic animals**

- chemotherapy, 8253
- in Zambia, 8175

#### **trypanosomiasis in goats**

- chemotherapy, 8242
- in Zambia, 8392
- prophylaxis, 8392
- relapse, 8242
- treatment, 8317, 8392

#### **trypanosomiasis in horses**

- diagnosis, 8626
- in Kenya, 8626
- T. brucei* infection, 8626
- T. congolense* infection, 8626
- T. vivax* infection, 8626

#### **trypanosomiasis in humans**

- clinical symptoms/pathological effects, 8219, 8356, 8358
  - anaemia, 8619
  - anorexia, 8618
  - apathy, 8358

- axillary lymph node involvement, 8220
- cerebral impairment, 8218
- cerebral involvement, 8218
- cervical adenopathy, 8357
- chancre, 8220
- confusion, 8618
- electroencephalographic abnormalities, 8218
- endocrine organ dysfunction, 8619
- fever, 8220, 8618
- headache, 8618
- hormonal perturbations, 8619
- hypogonadism, 8221
- impaired adrenocortical function, 8498
- lethargy, 8618
- meningoencephalitis, 8218, 8242
- pruritis, 8358
- sleep disturbance, 8358
- splenomegaly, 8220
- thyroid dysfunction, 8497
- Winterbottom's sign, 8358
- control, 8182, 8183, 8199, 8210, 8224, 8318
  - in Africa, 8495
  - in Congo, 8360
  - in Côte d'Ivoire, 8495
  - in Equatorial Guinea, 8322
  - in Tanzania, 8454
  - in Uganda, 8320, 8338, 8368, 8476
  - in Zaire, 8336, 8357, 8494
- planning, 8611
- diagnosis, 8182, 8210, 8217, 8219, 8322, 8351, 8353, 8354, 8356, 8357, 8358, 8476, 8494, 8496, 8613, 8615, 8616, 8617, 8622
- dissemination, 8429
- trypanosomiasis in humans (cont.)**
  - distribution in Côte d'Ivoire, 8495
  - epidemics, 8175, 8182, 8311, 8476, 8654
  - epidemiological criteria, 8356, 8358, 8360, 8429
  - epidemiology, in Tanzania, 8454
  - genetic processes, 8311
  - history, 8175, 8182, 8183, 8322, 8454, 8476
    - in Africa, 8182, 8494
      - sub-Saharan, 8184
    - in Cameroon, 8355, 8621
    - in Central African Republic, 8210, 8355, 8485
    - in Congo, 8353, 8354, 8355, 8360, 8363, 8429, 8616
    - in Côte d'Ivoire, 8223, 8224, 8318, 8361, 8495, 8615, 8617
    - in Equatorial Guinea, 8322
    - in Kenya, 8351, 8464, 8619, 8653
    - in Mozambique, 8454
    - in Rwanda, 8217, 8653
    - in Tanzania, 8175, 8364, 8454, 8653
    - in Uganda, 8175, 8184, 8311, 8320, 8338, 8359, 8365, 8368, 8476, 8497, 8498, 8611, 8653, 8654
    - in Zaire, 8336, 8345, 8357, 8358, 8429, 8454, 8494, 8499, 8622
    - in Zambia, 8175, 8367, 8653
  - incidence, 8183, 8184, 8353
    - in Kenya, 8464
    - in Uganda, 8611
    - in Zaire, 8357, 8494

prevalence  
  in Congo, 8355  
  in Côte d'Ivoire, 8224, 8495, 8617  
  in Tanzania, 8454  
prophylaxis, 8210  
reservoir, 8360, 8429  
  hosts, 8345, 8351, 8368  
risk, 8495, 8611  
  in Congo, 8616  
  in Zaire, 8336  
screening, 8495  
socio-economic factors, 8611  
surveillance, 8182, 8183, 8184, 8322, 8494, 8495, 8616, 8617, 8618  
survey  
  in Central African Republic, 8485  
  in Congo, 8616  
symptoms, 8356, 8358  
  modelling, 8183  
transmission, 8211  
treatment, drug, 8184, 8270, 8322, 8351, 8357, 8359, 8360, 8421, 8454, 8476, 8495, 8496, 8619  
  arsenicals, 8362, 8364, 8419  
  DFMO, 8182, 8219, 8220, 8224, 8226, 8362, 8363, 8419, 8499, 8500  
  diminazene aceturate, 8494  
  melarsoprol, 8217, 8219, 8223, 8224, 8226, 8363, 8364, 8419, 8494, 8497, 8498, 8500, 8622  
  nifurtimox, 8419  
  pentamidine, 8220, 8224, 8361, 8494  
  prednisolone, 8622  
  relapse, 8224, 8362, 8363, 8419, 8496, 8622  
  suramin, 8217, 8365, 8494, 8497, 8498  
*T. b. gambiense* infection, 8175, 8182, 8210, 8211, 8218, 8219, 8220, 8224, 8226, 8345, 8355, 8358, 8361, 8362, 8419, 8454, 8476, 8494, 8499, 8500, 8613, 8615, 8617, 8621, 8622  
*T. b. rhodesiense* infection, 8175, 8217, 8219, 8320, 8359, 8364, 8367, 8368, 8405, 8454, 8476, 8496, 8611, 8653  
trypanotolerance, 8183  
vectors, 8183, 8210, 8211, 8336

#### **trypanosomiasis in livestock**

control, 8501  
diagnosis, 8501  
in Africa, 8501  
in Côte d'Ivoire, 8315  
in Gambia, 8466, 8467  
in Kenya, 8214, 8456  
in Tanzania, 8501  
in Uganda, 8320  
prevalence, in Tanzania, 8501  
risk, in Gambia, 8467  
treatment, 8315

#### **trypanosomiasis in pigs**

control, 8368  
in Kenya, 8456  
in Uganda, 8368  
rate, in Uganda, 8320  
treatment, 8368  
*T. simiae* infection, 8456

#### **trypanosomiasis in sheep**

effect of nutrition on, 8374  
treatment, 8317

**trypanosusceptibility**

in cattle

Boran, 8237, 8372, 8386, 8388, 8515, 8632

Friesian, 8456

N'Dama, 8381, 8402, 8450

Zebu, 8388, 8389, 8453, 8514

in livestock, 8246

in sheep, 8450

**trypanotolerance**

characterisation, 8385

criteria for, 8450

PCV values, 8512

selection, 8391, 8515

genetics, 8450, 8510, 8512

markers, 8512, 8515

in buffalo, 8372, 8486, 8513

in cattle, 8177, 8200, 8244, 8246, 8385

Baoulé, 8389

characterisation, 8586

crossbred, 8510, 8511

Dwarf Shorthorn, 8511

for trypanosomiasis control, 8245, 8453, 8586

immunosuppression in, 8239

inherited, 8510

modelling, 8486

N'Dama, 8372, 8383, 8394, 8450, 8510, 8511, 8514, 8515, 8632, 8634

Orma-Boran, 8456

performance under tsetse challenge, 8245

productivity, 8511, 8515

related to antibody response, 8237

reproduction, 8391

Savannah Shorthorn, 8511

Zebu, 8450, 8510

in goats, 8246, 8511

in humans, 8183

in livestock, 8185, 8186, 8317, 8511

effect on performance, 8450

for trypanosomiasis control, 8187, 8200, 8315, 8456, 8512

importation costs, 8453

productivity under tsetse challenge, 8317

in sheep, 8246, 8511

Djallonké, 8450

in wildlife, 8244, 8385

***Trypanozoon***

dihydrolipoamide dehydrogenase, 8664

infecting cattle, 8351

infecting tsetse, 8609

infection rate in cattle, Kenya, 8351

infection rate in tsetse, Côte d'Ivoire, 8352

Ugandan stocks, isoenzyme characterisation, 8427

**tsetse belt** 8231

in Kenya, 8456

in Sudan, Bahr El Arab, 8599

in Uganda, 8320

in Zambia, western, 8319

**tsetse eradication** 8199, 8202, 8204, 8473

by SIT, 8588



- by spraying
  - in Zimbabwe, 8341
  - insecticide, 8203
- by trapping
  - in Zambia, 8331, 8334
  - in Zimbabwe, 8341
- in Zimbabwe, 8481
- insecticide spraying, 8203
- non-chemical methods, 8203

## Uganda

- Busoga
  - trypanosomiasis in humans, 8476, 8611
    - incidence, 8184, 8320, 8476
  - tsetse control, trapping, 8184, 8338
- G. fuscipes* in, 8476
- G. f. fuscipes* in, 8427
- G. pallidipes* in, 8479
- Tororo
  - trypanosomiasis in humans, 8320, 8359
- T. brucei* isolates from, 8320
- T. b. gambiense* isolate from, 8282
- trypanosomiasis in cattle, 8320, 8479
- trypanosomiasis in humans, 8365, 8368, 8476, 8497, 8498
  - epidemics, 8311, 8476, 8654
  - gambiense*, 8476
  - history, 8175, 8476
  - rhodesiense*, 8359, 8476, 8611, 8653
    - reservoir hosts, 8320
- trypanosomiasis in pigs, 8320, 8368
- trypanosomiasis risk to livestock, 8320
- Trypanozoon* isolates from, 8427
- tsetse belt, 8320
- tsetse control, 8183, 8184, 8479
  - spraying, 8320
  - trapping, 8320, 8338, 8476, 8479
- West Nile
  - trypanosomiasis in humans, 8320

## vaccine

- anti-idiotypic, for mice, 8519
- research and development, 8187

## variant surface glycoprotein (VSG)

- T. brucei*, 8691
  - antibody complexes
    - directional movement, 8579
  - gene expression, 8541
    - site-associated, 8558, 8565, 8692
    - site promoter, 8440
  - monocistronic transcript, 8656
  - myristate exchange, 8550
- T. brucei* spp.
  - synthesis, drug inhibition, 8533
- T. b. brucei*, 8681
  - carbohydrate structures, 8581
- T. b. rhodesiense*, 8636
  - gene conversion, 8677

*T. congolense*, 8406, 8632

**vector competence**

of tsetse, 8350

*G. longipennis*, 8469

*G. pallidipes*, 8459, 8469

*G. swynnertoni*, 8469

**virus**

DNA, in tsetse, 8461

**waterbuck**

attractiveness for tsetse, 8486

trypanotolerance, 8244

anaemia control, 8244

**wild animals**

attractiveness for tsetse in Kenya, 8486

hosts for tsetse, 8212

ruminants

hosts for *G. f. fuscipes*, 8608

hosts for *G. longipennis*, 8346

trypanosome infections in Zambia, 8175

trypanotolerance, 8244, 8385

**Zaire**

*G. f. quanzensis* in, 8336, 8345

*G. p. palpalis* in, 8345

productivity of N'Dama cattle, 8387

*T. brucei* spp. stocks from, 8345, 8429

trypanosomiasis in humans, 8336, 8454

control, 8357

Fankana-Kalakitini focus, 8494

foci, 8336, 8429, 8494

*gambiense*, 8345, 8357, 8358, 8494, 8499, 8622

Mfimi focus, 8336

reservoir hosts, 8345

trypanotolerance in imported cattle, 8453

tsetse control, trapping, 8336

**Zambia**

*G. m. centralis* in, 8319, 8331, 8334

Luangwa Valley

trypanosomiasis in humans, 8175

trypanosomiasis in animals, 8175

domestic, 8175

history, 8175

incidence, 8175

trypanosomiasis in cattle, 8175, 8451

incidence, 8477

prevalence, 8477

risk, 8175

trypanosomiasis in goats, 8392

trypanosomiasis in humans

history, 8175

*rhodesiense*, 8175, 8367, 8653

trypanosomiasis risk to livestock, 8319

tsetse belt, 8319

tsetse control, 8319, 8334, 8451, 8477, 8481

spraying, 8334, 8451, 8481

trapping, 8331, 8334, 8451

## **Zimbabwe**

field studies on tsetse landing responses, 8325

*G. austeni* in, 8470

*G. morsitans* in, 8197, 8465, 8481

*G. m. morsitans* in, 8206, 8335, 8341, 8470, 8471, 8482, 8604

*G. pallidipes* in, 8206, 8216, 8465, 8470, 8471, 8481, 8482

trypanosomiasis in, 8470

tsetse control, 8209, 8335, 8451, 8471, 8606

environmental impact, 8481

SIT studies, 8604

spraying, 8209, 8341, 8451, 8481

trapping, 8216, 8335, 8341, 8451, 8465, 8471, 8481, 8606

trials, 8206, 8335, 8471, 8482

tsetse distribution

modelling, 8472

predictor variables, 8197

tsetse surveys, 8470, 8471

Umfurudzi

tsetse control, 8341

Zambezi Valley

*G. pallidipes* in, 8216

tsetse control, 8451

environmental effects, 8451

## **Zululand**

*G. austeni* in, 8465

*G. brevipalpis* in, 8465

trypanosomiasis in cattle, 8465

tsetse control, trapping, 8465