

TSETSE AND TRYPANOSOMIASIS INFORMATION QUARTERLY

Index

Volume 16

Part 1–4, 1993

Numbers 7626–8174



DFID



Cirad-emvt

Adenota kob

trypanosome infection, prevalence, Benin, 7662

Africa

Central

T. brucei population genetics, 8014

East and West

T. b. brucei stocks from, 8108

trypanosomiasis in small ruminants, 7817

Equatorial

trypanosomiasis in humans, incidence, 7765

southern

tsetse and trypanosomiasis control, 7910

sub-Saharan

trypanosomiasis control, 7906, 7907, 7909

tsetse control, 7906, 7907

trypanosomiasis control, 7659, 7764, 7917

trypanosomiasis studies, 8073

tsetse eradication projects, 7659

West

trypanosomiasis vector biology, 8073

trypanotolerance in small ruminants, 8099

West and Central

trypanosomiasis

in cattle, control, 7907

in humans, 7955

in livestock, 7982

trypanotolerance in livestock, 7982, 8100

African tsetse belt, 7653

Angola

trypanosomiasis in humans, 7918, 7920, 8076

antelope

T. b. gambiense infection (exp.), 7955

antigen

see also variable antigen type *and* variant surface glycoprotein

alanine-rich protein, *T. congolense*, 7866

-antibody complexes in cattle, 7703

assays, in diagnosis, 7969

CD4+, CD5+ and CD8+, 7821

CD45, 7992

circulating trypanosome

in camels, 7694, 7808, 7810

in cattle, 7692

detection, 7809

in camels, 7717

in diagnosis, 8044

in humans, 7797

invariable, 7797, 7831

invariant trypanosome, in cattle, 7706, 7812

33 kDa, 7812

immunodominant, *T. congolense*, 7861

69 kDa, 7812

leucocyte-common, 7992

LiTat 1.3, 7731, 7831

LiTat 1.6, 7831

lymphocyte surface, expression, 7821

non-variable

T. brucei, *T. congolense* and *T. vivax*, 7809

non-variant immunodominant
 T. b. rhodesiense, 8112
novel, *T. brucei*, cloning, 8025
salivary gland, in tsetse, 7671
somatic, *T. vivax*, 7979
specific-circulating, detection, 7809
surface repertoire, *T. b. rhodesiense*, 7792
T. b. gambiense, in diagnosis, 7674, 7831
T. congolense, in diagnosis, 7674
trypanosome
 in camels, 7717
 in cattle, 7703
variable, 7797, 7831
 expression, *T. brucei*, 7860
variant trypanosome, 8102

antigenic stimulation, 7679

antigenic variants

T. b. brucei, 7814
 T. b. gambiense, 7662, 7731

antigenic variation, 7768, 8072

T. brucei, 7890
 T. vivax, 8163

Antrycide prosalt

 treatment of animal trypanosomiasis, 8040, 8106

Antrycide sulphate *see* quinapyramine sulphate

arsenicals

 treatment
 in animal trypanosomiasis, 8106
 in human trypanosomiasis, 7677, 7685
 in trypanosome-infected camels, 7717

attractants/attractiveness for tsetse

see also baits *and* odour attractants
 chemical, 7636, 7933, 7935, 7941, 8044, 8057
 host, 7941, 8057
 olfactory, 8063
 urine, 7636, 8057
 visual, 8063

azathioprine

 in post-treatment encephalopathy, 7851

baboon

 serum proteins
 effect on *T. b. brucei*, 7803

baits, 7652, 7948

see also attractants *and* odour attractants
 chemical, 7636, 7651, 7656, 8053, 8054, 8064
 dung, 7656
 odour, 7901, 8053, 8054
 urine, 7636, 7651, 7656, 8053

Berenil *see* diminazene aceturate

biting flies

 in Nigeria, 7930

Botswana

G. morsitans control, 7653

buffalo

 trypanoresistance, 7668, 8071
 T. congolense infection (exp.)

- as reservoir of infection, 7668
- blood leucocyte population changes, 7820
- T. evansi* infection
 - drug treatment, 8044
 - pathogenicity, 8047
- T. vivax* infection (exp.)
 - as reservoir of infection, 8071

Burkina Faso

- Bobo-Dioulasso
 - G. p. gambiensis* in, 7663, 7772, 7788
- Samorogouan pastoral zone
 - epidemiological survey, 7709
 - trypanosomiasis in cattle, prevalence, 7709
 - tsetse challenge to cattle, 7709
- Sideradougou
 - G. tachinoides* in, 7970
 - sterile insect release in, 8039
 - trypanosome vectors, mechanical, 7970
 - trypanosomiasis in cattle and sheep, 7970
 - tsetse eradication, 7970, 8039
- trypanosome challenge to cattle, 7823
- trypanosome-infected cattle in, 7699
- trypanosomiasis
 - in cattle, 7942
 - in wild animals, 7664
- trypanotolerance in cattle, 7707, 7823, 8096
- tsetse challenge to cattle, 7823

- tsetse control, 8038
 - SIT, 8039
 - trapping, 8038
 - trials, 7942

bushbuck

- Duttonella*, *Megatrypanum* and *Nannomonas* infections, Burkina Faso, 7664
- T. b. rhodesiense* infection (exp.), 7792

bushpig

- T. simiae* infection, 7791

camel

- T. evansi* infection, 7819, 7954, 8047, 8091
 - diagnosis, 7694, 7808, 7810, 8047, 8082, 8095, 8103
 - in Kenya, 7810
 - in Mali, 7808
 - pathogenicity, 8047, 8103
 - transmission, 8082
 - treatment, 7694, 8047, 8082, 8103
- trypanosome infection
 - treatment, 7717, 7829, 8044
- trypanosomiasis, 8103
 - in Kenya, 7694
 - interaction with helminthiasis, 8087
 - in Somalia
 - distribution, prevalence and infection rate, 8082

Cameroon

- human *gambiense* trypanosomiasis, 8080, 8081
 - Fontem endemic focus, 7731
- T. b. gambiense* Type I stocks from, 8108

trypanosome isolates from, 8014

cat

T. vivax infection
treatment, 7698

cattle

Ayrshire

T. vivax infection, pathology, 7706

Baoulé

trypanoresistance, 7697, 8039
T. congolense infection, 7687
T. congolense/T. vivax infection, Burkina Faso, 7699
T. congolense infection (exp.)
diagnosis, 7687
effect on sexual function, 7697
treatment, 7687
trypanosome challenge in Burkina Faso, 7823
trypanosome infection
effect on reproduction, 7699
trypanosusceptibility, 7699
trypanotolerance, 7699, 7707, 7708, 7823
tsetse challenge in Burkina Faso, 7823, 8039

Boran

drug pharmacokinetics in, 7711
T. congolense infection, 7668, 7710, 8094
as reservoir of infection, 7668
immune response (*in vitro*), 8094
T. congolense infection (exp.)
drug resistance, 7987, 8104
immune response, 7812
prophylaxis, 7987
T. vivax infection, 7710
T. vivax infection (exp.)
as reservoir of infection, 8071
effects, 7706
immune response, 7706
trypanosome prevalence in, 7710
trypanosomiasis
chemoprophylaxis, 7710, 8105
control, 8105
drug treatment, 8105
in Kenya, 8105
trypanosusceptibility, 7668, 7706, 7812, 8071, 8094

Friesian

T. vivax infection
haematology and symptomatology, 8085
trypanosomiasis
in Nigeria, prevalence, 8085
in Tanzania, 8087
interaction with helminthiasis, 8087
treatment, 8085

hosts, for *G. morsitans*, 8072

N'Dama

antibodies, maternal, in calves, 7700
chemoprophylaxis, 7986
chemotherapy, 8101
immunity, acquired, 7700
oestrous response to prostaglandin, 8098

- performance and health
 - relation to trypanotolerance, 7825
- productivity, in Mali, 8101
- trypanoresistance, 7668, 7824
- T. congolense* infection, 7668, 7700, 7825
 - as reservoir of infection, 7668
 - immune response (*in vitro*), 8094
- T. congolense* infection (exp.), 7706
 - blood leucocyte population changes, 7820
 - immune response, 7812, 7820
 - interaction with *H. contortus* infection, 7702
 - susceptibility
 - effect of body condition on, 7975
 - effect of nutrition on, 7975
- T. vivax* infection, 7700, 7825, 7986
- T. vivax* infection (exp.)
 - as reservoir of infection, 8071
 - effects, 7706
 - immune response, 7706
- trypanosomiasis in calves
 - drug treatment, 7827
 - infection rate, 7827
- trypanosomiasis, in Gambia, 7816
- trypanosusceptibility, 7700, 7706
- trypanotolerance, 7700, 7702, 7768, 7812, 7824, 7827, 7947, 7975, 8071
 - criteria, measurement, 7825
 - genetics, 7824
 - performance, 8097
 - productivity, 7981, 8096, 8097
- serum proteins, 7803
- treatment
 - clinical, 7947
 - Cymelarsan, 8044
 - α -cypermethrin, 7654
 - pour-on, 7948
 - deltamethrin pour-on, 7639, 7642, 7654, 7922, 7948
 - dips, 7943
 - deltamethrin, 7655, 8044
 - drugs, 7639, 7654, 7943, 8042, 8044
 - detection in serum and urine, 7715
 - levels in plasma, 7712, 7713, 7714
 - resistance, 7723, 7987
 - flumethrin, 7654
 - pour-on, 7948
 - insecticide, 8038, 8039
 - ivermectin pour-on, 8044
 - pyrethroid pour-on, 8044
 - trypanocidal, 8096
- T. brucei* infection, 7693, 7970
- T. congolense* infection, 7669, 7693, 7848, 7970, 8104
 - immune response, 7704, 7705
 - treatment, 7714
- T. congolense* infection (exp.)
 - effects
 - on behaviour, 8069
 - on physiology, 8069
 - on tsetse attraction, 8069

- on tsetse feeding success, 8069
- T. evansi* infection
 - drug treatment, 8044
 - pathogenicity, 8047
- T. theileri* infection, 7693
- T. vivax* infection, 7669, 7689, 7693, 7928, 7970, 8047
- T. vivax* infection (exp.)
 - effects on blood and bone marrow, 7696, 7703
 - erythrophagocytosis, 7703
 - immune response, 7703
 - treatment, 7703

cattle (cont.)

- trypanosome infection, 7669
 - effect on tsetse feeding, 7931
 - mixed, 7693
 - rate, in Gabon, 8042
 - screening, in Nigeria, 7930
- trypanosomiasis
 - control, 7692, 7768, 7913, 7914, 7928, 7942
 - in Kenya, 7651
 - in Tanzania, 7639, 7642
 - in Zimbabwe, 7655
 - diagnosis, 7692, 7693, 7970
 - drug resistance, 7984
 - epidemiology, in Burkina Faso, 7970
 - immune response, 7705
 - in Burkina Faso, 7970
 - in Ethiopia, 7913, 7914, 7949, 8070, 8104
 - in Nigeria, 7928
 - in Sudan, 7984
 - in trypanotolerant breeds
 - effect on reproductive function, 8100
 - in Uganda, 7693
 - incidence
 - in Burkina Faso, 7970
 - in Kenya, 7651
 - infection rate
 - in Burkina Faso, 7942, 7970
 - in Nigeria, 7972
 - prevalence
 - in Burkina Faso, 7970
 - in Central African Republic, 7778
 - in Ethiopia, 8070
 - in Rwanda, 7666
 - risk, in Nigeria, 7689
 - treatment, 7666, 7692, 7768, 7913, 7914, 7928, 7984
- trypanosusceptibility
 - effect of skin thickness, 8102
- trypanotolerance, 7768, 7947, 7982, 8039, 8042
 - characterisation, 8044
 - mechanism, 8044
 - productivity, 8096
 - reproductive physiology, 8100
- Trypanozoon*
 - infection, drug treatment, 8044
 - isolates from Uganda, 7786

West African Shorthorn

trypanotolerance, 7768

Zebu, 8039

drug treatment, 7930, 7946

management, West and Central Africa, 7907

production, Central African Republic, 7778

productivity, 8096

T. brucei infection, 7809

T. congolense infection, 7809

drug resistance, 7709, 8074

in Burkina Faso, 7699, 7709

in Ethiopia, 8074

treatment, 7709, 8074

T. congolense infection (exp.)

treatment, 7687

T. vivax infection, 7809

concurrent with *T. mutans*, 7978

haematology and symptomatology, 8085

in Burkina Faso, 7699, 7709

in Nigeria, 7929, 8085

trypanosome infection

diagnosis, 7809

multiple, 7809

trypanosomiasis

diagnosis, 7811

in Central African Republic, 7809, 7946

incidence

in Ethiopia, 8086

in Nigeria, 7811

prevalence, in Nigeria, 7930, 8085

resistance, 7811

Central African Republic

G. fusca congolensis in, 7938

G. fuscipes fuscipes in, 7661, 7778, 7946, 8056

G. fuscipleuris in, 7938

G. nashi in, 7938

G. palpalis palpalis in, 7661

G. schwetzi in, 7938

G. tabaniformis in, 7938

man-fly contact, 7661

Nola-Bilolo sleeping sickness focus, 7661

trypanosomiasis

in cattle, 7778, 7809, 7946

in humans, 7661

in livestock, 8056

tsetse control, 7778, 7946

trapping, 8056

central nervous system (CNS)

drug penetration, 7679

inhibition of tanning in *G. morsitans*, 7936

involvement

in animal trypanosomiasis, 7829

in human trypanosomiasis, 7679

in trypanosome-infected mice, 8079, 8126

pathology, 7679

in experimental trypanosomiasis, 7836

regulation of pupariation in *G. morsitans*, 7936

trypanosomes in, 7679

***Cephalopina titillator* (Diptera)**

potential vector for *T. evansi*, 7954

cerebrospinal fluid (CSF)

in goat trypanosomiasis

trypanosomes in, 7819, 8091

in human trypanosomiasis, 7794, 7796, 7798, 7964, 7967

gambiense

trypanosomes in, 7686, 8076

white blood cell count, 7686

IgM in, 7796

melarsoprol in, 7805

Mott cells in, 7796

parasites in, 7796, 7964

total protein level, 7796, 7964

white blood cell count, 7796, 7964

challenge

trypanosome, to cattle

Baoulé, in Burkina Faso, 7823

Boran, in Kenya, 7710

in Kenya, 7713

trypanosome

to trypanotolerant livestock, 8102

trypanosomiasis, 7983

in Kenyan rhino sanctuary, 7691

in sub-Saharan Africa, 7764

to livestock, 8072

tsetse, to cattle, 7705

experimental, 7696, 7812

in Burkina Faso, 7709, 7823

in Ethiopia, 8070, 8074

in Gabon, 7825

in Kenya, 7713

in Nigeria, 7930

in Sudan, 7984

in Uganda, 7693

tsetse, to livestock, 8072

in Kenya, 8090

characterisation/identification

by isoenzyme electrophoresis, 7786, 8014

of infections in tsetse

T. brucei, 7789, 7790

T. congolense, 7789, 7790

T. simiae, 7789, 7790

T. vivax, 7789, 7790

trypanosome, mixed, 7789, 7790

of *T. brucei*

by RNA electrophoretic profile, 8109

of *T. brucei* spp., 7955, 8108

of *T. b. gambiense*, 7955, 8108

by VSG gene amplification, 8108

stocks, 7731

of *T. congolense*

by RNA electrophoretic profile, 8109

genotype from Kenya, 8013

of trypanosomes

by DNA hybridisation, 8090

- by DNA probes, 7931
- by isoenzyme analysis, 7931, 8014
- by KIVI, 7931
- clones, 7732

- of *Trypanozoon* isolates from Uganda, 7786

chemoprophylaxis, 7715, 7907, 8044

- in Boran cattle

- effect on fertility, 8105

- in N'Dama cattle, 7986

- in *T. b. brucei*-infected mice, 7726

- in *T. congolense*-infected rabbits, 7849

- in trypanosomiasis

- in animals, 8106

- in cattle, 7710, 7713, 7714, 7928, 7929, 7986, 7987, 8105

- in goats, 7763

- in sheep, 7929

- resistance, 8107

- trypanocide, 7716

chemosterilants

- in tsetse control, 7948

- pyriproxyfen, 8044, 8065

chemotherapy, 7644, 7778, 7907

- drug, combination, 7850

- in *T. brucei*-infected mice, 8126

- in *T. b. brucei*-infected mice, 7726, 8132

- in *T. congolense*/*H. contortus*-infected calves, 7702

- in *T. congolense*-infected cattle, 7709

- in *T. congolense*-infected goats, 7709

- in *T. evansi* infections, 8047

- in *T. vivax*-infected cattle, 7703

- in *T. vivax* infections, 8047

- in trypanosomiasis

- in animals, 7983, 8044, 8106

- in camels, 7694, 8082

- in cattle, 7914, 7928, 7929, 7946, 7969, 8101

- in humans, 8041

- sub-curative, 7679, 7806

- resistance, 8038, 8107

- trypanocide, 7716

chlorinated hydrocarbons

- disrupting tsetse eclosion, 7784

common duiker

- Nannomonas* infection, Burkina Faso, 7664

Congo

- Bouenza focus, 7672, 7673

- human trypanosomiasis, survey, 7674

- G. frezili* in, 7634

- G. fusca congolensis* in, 7938

- G. fuscipleuris* in, 7938

- G. medicorum* in, 7634

- G. nashi* in, 7938

- G. schwetzi* in, 7938

- G. tabaniformis* in, 7634, 7938

- Sangha focus, 7673

- T. b. gambiense* Type I stocks from, 8108

Congo (cont.)

- trypanosomes from, characterisation, 7931, 8014

- trypanosomiasis
 - in animals, 7801
 - in humans, 7672, 7673, 7674, 7801, 7964, 7966, 7967, 8074
- trypanotolerance in cattle, 8097
- tsetse habitats, 7634
- control, tsetse**, 7901, 7910, 7916, 7920, 7922, 8072
 - baits, 7948
 - barriers, 8045, 8062
 - behavioural, 7784
 - biological, 7951
 - bush clearing, 8040, 8057
 - community participation, 7644, 7651, 7778, 7781, 7905, 7907, 7909, 7910, 7920, 7921, 7946, 8046, 8056, 8063
 - cost, 7636, 7638, 7644, 7649, 7653, 7654, 7655, 7656, 7763, 7764, 7781, 7902, 7907, 7922, 7943, 7946, 7947, 7949, 8044, 8046, 8056, 8062, 8064
 - cost-benefit, 7902
 - drug use, 7656, 7764, 7943
 - environmental impact, 7901, 7902, 7905, 7916, 7922, 7943, 7944, 7945, 8044, 8057
 - game reduction, 7914
 - genetic, 7630, 7644, 7772, 7951
 - history, 8063
 - in Africa, 7659
 - Central, 7907
 - sub-Saharan, 7764
 - West, 7907
 - in Botswana, 7653
 - in Burkina Faso, 7942, 7970, 8038, 8039
 - in Central African Republic, 7778, 7946, 8056
 - in Côte d'Ivoire, 7781
 - in Ethiopia, 7655, 7913, 7914, 7949
 - in Gabon, 8042
 - in Kenya, 7648, 7651, 7652, 7948, 8040, 8053
 - in Malawi, 7763, 7922
 - in Mozambique, 7763, 7922
 - in Nigeria, 7928
 - in Rwanda, 7666
 - in Tanzania, 7639, 7657
 - in Uganda, 7650
 - in Zambia, 7763, 7777, 7905, 7922, 8064
 - in Zimbabwe, 7640, 7646, 7655, 7763, 7777, 7779, 7783, 7902, 7922, 7943, 7947, 7948, 8054, 8057, 8058, 8059, 8060, 8061, 8062, 8067
- insect growth regulators, 7951
- insecticide, 7638, 7763, 7784, 7913, 7914, 8038, 8046
 - controlled-release formulations, 7647
 - α -cypermethrin, 7639, 7654, 7948
 - DDT, 7779, 7902, 7928, 7943, 7944, 7945, 8058, 8059, 8060, 8061, 8067
 - deltamethrin, 7639, 7642, 7643, 7650, 7651, 7654, 7655, 7777, 7783, 7922, 7928, 7943, 7944, 7946, 7948, 8057, 8064
 - deltamethrin ¹⁴C-labelled, 7647
 - dieldrin, 7944, 7945
 - endosulfan, 7653, 7777, 7780, 7944, 7945
 - flumethrin, 7654, 7942, 7948
 - impregnated screens, 7781, 7902, 7945
 - impregnated targets, 7639, 7640, 7642, 7646, 7651, 7652, 7783, 7947, 7949, 8044, 8057, 8064, 8065
 - impregnated traps, 7650, 7942, 7945, 7946, 7947, 8038, 8044, 8065
 - ivermectin, 7951

- non-residual, 7902
- organochlorines, 7944, 7945, 8038
- pour-on, 7639, 7642, 7948, 8044
- pyrethroids, 7653, 7902, 7931, 7942, 8065
- spraying, 7653, 7655, 7764, 7777, 7902, 7913, 7914, 7943, 7944, 7945, 8038, 8040, 8057, 8058, 8059, 8060, 8061, 8067
- systemic, 7951
- Thiodan, 7780
- treatment
 - animal, 7764, 7902, 8046, 8063
 - cattle, 7639, 7642, 7653, 7655, 7768, 7922, 7942, 7943, 7948, 8038, 8039, 8044
 - domestic livestock, 7650
- integrated, 7639, 7656, 7905
- juvenile hormone mimics, 7645, 7948, 7951
- management model, 7656
- modelling, 7658, 7901
- monitoring, 7951
- multidisciplinary, 7901
- research, 7901
- review, 8044
- screens, 7907, 8038
 - Challier-Gouteux-Laveissière, 8063
 - insecticide-impregnated, 7781, 7902, 7944
 - Laveissière, 8063
 - Mérot-Filledier, 8063
 - odour-baited, 7902, 8039
 - Vale, 8063
- socio-economic factors, 7901, 7907
- spraying, 7638, 7655, 7913, 7914, 7916, 7944, 8057
 - aerial, 7653, 7764, 7777, 7780, 7902, 7922, 7943, 7944, 7945, 8038, 8040
 - ground, 7764, 7902, 7943, 8038, 8046, 8067
- sterile insect technique (SIT), 7627, 7639, 7644, 7649, 7650, 7657, 7764, 7928, 7948, 7951, 8039, 8044, 8046, 8063, 8065
- sterilisation, 7948
- strategy, 7640, 7656, 7658, 7692, 7765, 7906, 7916
- targets, 7644, 7658, 7764, 7768, 7774, 7905, 7916, 8046
 - cattle, live, 7907
 - chemosterilant-impregnated, 8065
 - electrified, 8053
 - insecticide-impregnated, 7639, 7640, 7642, 7646, 7648, 7651, 7783, 7922, 7943, 7945, 7947, 7949, 8044, 8057, 8064, 8065
 - odour-baited, 7640, 7648, 7651, 7901, 7922, 7943, 8057, 8062, 8064
- technology, 7901
- training, 7905, 7906, 7910, 7922
- traps, 7626, 7644, 7658, 7764, 7768, 7774, 7916, 7781, 7905, 7907, 7920, 7921, 7929, 7963, 8038, 8042, 8044, 8046, 8063, 8064
 - baited, 7654
 - biconical, 7636, 7656, 7778, 7946, 7970, 8053, 8063
 - bipyramidal, 7661, 7946, 8056
 - Brightwell NG-28, 8063
 - Challier-Laveissière, 7778, 8063
 - epsilon, 7948, 8053, 8063
 - F3, 7948, 8053, 8063
 - Flint F3 cubic, 8063
 - Gouteux-ANDE, 8056
 - Gouteux-Lancien pyramidal, 8063
 - insecticide-impregnated, 7650, 7942, 7945, 7946, 7947, 8038, 8065

Mérot and Laveissière monoconical, 8063
NG2G, 8053
NGU, 7636, 7656, 7948
odour-baited, 7636, 7656, 7666, 7949, 8039, 8044, 8053, 8057
pyramidal, 7650, 8063
tetra, 7656
Vavoua, 8063

vegetation clearing, 8072

control, trypanosomiasis, 7644, 7731, 7762, 7765, 7792, 7901, 7903, 7904, 7909, 7910, 7916, 7917, 7922, 7923, 7926, 7983, 8041, 8072, 8075, 8085

chemotherapy, 8041

community participation, 7909, 7910, 7920, 7921, 7923, 8046

cost, 7690, 7763, 7764, 7765, 7781, 7902, 7907, 7923, 7943, 7958, 7983, 8046, 8072

cost-benefit, 7902, 7904, 7920, 8072

drugs, 7690, 7692, 7694, 7725, 7764, 7768, 7907, 7928, 7929, 7983, 8038, 8040, 8046, 8072

emergency operations, 7763

environmental impact, 7917

historical, 7765, 7767, 8041

in Africa, 7659, 7764

Central, 7955

southern, 7910

sub-Saharan, 7906

West, 7955

in Burkina Faso, 7942

in Central African Republic, 7778, 7946

in Côte d'Ivoire, 7781, 7910

in Ethiopia, 7656, 7910, 7913, 7914

in Ghana, 7688

in Kenya, 7651, 7694, 7910, 8040, 8105

in Malawi, 7763

in Mozambique, 7763

in Nigeria, 7910, 7928

in Tanzania, 7639, 7910

in Uganda, 7650, 7690, 7920

in Zambia, 7763

in Zimbabwe, 7640, 7655, 7763, 7910, 7943

integrated, 7690, 7901, 7915, 7960, 7983, 8075

modelling, 7912, 7913, 7914, 7925, 7926, 7927

research, 7763, 7926, 8045

resettlement, 7913, 8041

socio-economic factors, 7923, 7924, 7953

strategy, 7651, 7692, 7763, 7764, 7766, 7906, 7911, 7914, 7917, 7920, 7923, 7926, 7929, 7953, 7956, 7969, 8045, 8075

surveillance, 8046

training, 7905, 7906, 7910, 7918, 7983, 8107

vaccination, 8046

vector control, 7764, 7778, 7781, 7907, 7914, 7918, 7920, 7921, 7924, 7929, 7962, 7963, 8044, 8045, 8046, 8072

vector eradication, 8041

Côte d'Ivoire

G. p. palpalis in, 7781

T. b. gambiense stocks in, Types I and II, 8108

trypanosomes from, characterisation, 7931

trypanosomiasis

control, 7910

in animals, 7801

in humans, 7801, 7964

tsetse control, 7781, 7910

Vavoua focus

trypanosomiasis incidence, 7781

tsetse control, 7781

Zoukougbeu focus

trypanosomiasis in humans, 7956

culture

see also in vitro studies

axenic

T. congolense, for drugs testing, 8125

culture (cont.)

in vitro

T. brucei, 7728, 7857, 8011

T. b. brucei

for drugs testing, 7829

metacyclics, 7729

T. congolense, 7626

T. evansi, 7626

for drugs testing, 7829, 7854

growth, 7858

pyruvate production, 7858

T. simiae bloodstream trypomastigotes, 7730

λ-cyhalothrin

on targets, for tsetse control, 7646

Cymelarsan

resistance in *T. brucei*-infected mice, 7853

treatment

efficacy, 7829, 8103

in *T. b. brucei*-infected goats, 7829

in *T. b. brucei*-infected pigs, 7829

in *T. evansi*-infected camels, 8103

in *T. evansi*-infected goats, 7829

in trypanosome-infected camels, 7717, 7829, 8044

in trypanosome-infected cattle, 8044

in trypanosome-infected horses, 8044

of *T. brucei* infection, 8103

of trypanosomiasis in animals, 8106

α-cypermethrin

in tsetse control

as cattle treatment, 7654, 7948

on targets, 7639, 7642

DDT

environmental impact, 8058, 8059, 8060, 8061

in tsetse control, 7779, 7902, 7928, 7943, 7945, 8058, 8059, 8060, 8061

residues in non-target organisms, 7779, 7944

spraying, in Zimbabwe, 7943, 7944, 8058, 8059, 8060, 8061

deltamethrin, 7782, 7928

¹⁴C-labelled, 7647

cattle dip, 8044

evaluation, 7655

cattle treatment, 7922

pour-on, 7639, 7642, 7654, 7948

controlled-release formulations, 7647

impregnated targets, 7783, 8057, 8064

impregnated traps, 7650, 7946

livestock pour-on treatment, 7642

persistence
 on cotton fabric, 7643, 7647, 7783
 on terylene net, 7783
photodegradation, 7643
pour-on, 7639, 7642, 7654, 7948
spraying, 7777, 7943, 7944, 7945, 8057

DFMO *see* difluoromethylornithine

diagnosis

comparison of techniques, 7794, 7796, 7809, 7810, 7959, 7961, 7963, 7969, 8082, 8083
evaluation of techniques, 7795, 7798, 7801, 7808, 7831, 7959, 7961, 7963, 8083
immunological, 7673, 7796, 7797, 7802, 7808, 7809, 7810, 7831, 7969, 8083, 8095, 8110, 8111
of animal trypanosomiasis, 7644, 7664, 7692, 7693, 7694, 7763, 7764, 7801, 7808, 7809, 7810, 7811, 7969, 7983, 7984, 8038, 8044, 8046, 8047, 8082, 8083, 8087, 8091, 8095, 8103, 8110, 8111
of human trypanosomiasis, 7661, 7673, 7674, 7675, 7731, 7765, 7767, 7781, 7794, 7795, 7796, 7797, 7798, 7799, 7800, 7801, 7802, 7804, 7831, 7918, 7925, 7958, 7959, 7960, 7961, 7962, 7963, 7966, 8046, 8075, 8076
parasitological, 7662, 7664, 7673, 7674, 7794, 7796, 7797, 7801, 7804, 7808, 7809, 7810, 7825, 7918, 7958, 7961, 7969, 7984, 8083, 8091, 8095
serological, 7674, 7693, 7795, 7798, 7804, 7808, 7809, 7810, 7831, 7918, 7959, 7961, 7962, 7963, 7966, 8083

diagnostic techniques, 7983, 8039

antibody detection, 7802, 7808, 7810, 7831, 7969
antigen detection, 7795, 7797, 7969
BIIT, 7792, 7968
blood cell count, white, 7804
blood cell lysis, red, 7796
blood film, 7664, 7670, 7794, 7796, 7804, 8087, 8095
blood platelet count, 7804
blood smear, 7664, 7763, 7801, 7820, 8082,
 thick and thin, 7662, 7804
bone marrow examination, 7796, 7797
buffy coat, 7664, 7693, 7703, 7763, 7794, 7797, 7804, 7810, 7825, 7973
 dark ground, 7969
 haematocrit, 7693, 7794
CATT, 7674, 7731, 7794, 7795, 7796, 7797, 7798, 7800, 7801, 7959, 7961, 7963, 7966, 8038, 8083
 Testryp, 7661, 7731, 7781, 8095
CSF centrifugation, 7804
CSF examination, 7794, 7796, 7819, 8091
capillary tube centrifugation, 7796
card indirect-agglutination antigen, 7796
card latex agglutination, 7795, 7798
DEAE-cellulose mini-column filtration, 7961, 8083
direct agglutination, 7795
double centrifugation, 7796, 8083
ELISA, 7687, 7693, 7795, 7796, 7797, 7798, 7802, 7809, 7812, 7955, 7969, 7979, 8038, 8047, 8082
 antibody detection, 7810, 7831
 antigen, 7692, 7694, 7808, 7810
 trapping, 7796
 micro, 8044, 8082
 monoclonal antibody-based, 7808, 8044
 polyclonal antibody-based, 7808
gland aspiration, 7794, 7801
HCT, 7969, 7970, 7984, 8047, 8087,
 micro, 7664, 7794, 7811, 8082, 8083

haematocrit method, 7801, 7808
IFAT, 7674, 7700, 7796
IFI, 7959
immunoabsorption, 7802
immunoblotting, 7633, 7812
immunodiffusion, 7633, 7675
 radial, 7796
immunoelectrophoresis, counter current, 7796
immunofluorescence, 7795, 7796, 7798
 indirect, 7675, 7687, 7963, 8033
indirect agglutination, 7795
indirect haemagglutination, 7796
inoculation, 8083
 mouse, 7808, 7810, 7819, 8091
 rodent, 8047
KIVI, 7801, 7955
lumbar puncture, 7767
lymph node aspirate examination, 7796, 7801, 7819
lymph node palpation, 7958, 7961
mAEC, 7796, 7801, 7955, 7963
plate haemagglutination, 7795

diamidine

treatment
 of animal trypanosomiasis, 8106
 of *T. vivax* infections in livestock, 8047

dieldrin

spraying, for tsetse control, 7944, 7945

difluoromethylornithine (DFMO)

efficacy, 7695
side effects, 7695, 7807, 8076
treatment
 combination
 in *T. evansi*-infected mice, 8009
 of trypanosomiasis, 7850
 in drug-resistant *T. b. brucei* infections, 8132
 in mice, 7806
 in *T. b. brucei*-infected pigs, 7695
 of human trypanosomiasis, 7679, 7806, 7967
 cost, 8046
 efficacy, 7686, 7807
 gambiense, 7686, 7806, 7807, 8076
 toxicity, 7686
 regimes, 7807

diminazene

metabolic N-hydroxylation *in vitro*, 8006
resistance, 8107
susceptibility, in *T. congolense*, 8127
treatment
 in cattle, 7687
 T. congolense-infected, 7687
 in *T. brucei*-infected mice, 8126
 in *T. b. brucei*-infected pigs, 7695
 of trypanosomiasis in humans, 7806

diminazene aceturate

pharmacokinetics in cattle, 7711
plasma kinetics in goats, 7985
plasma levels in cattle, 7713, 7714

- resistance, 7984
 - in *T. b. brucei*, 7724
 - in *T. congolense*, 7709, 7848, 8074, 8104
- sensitivity
 - in *T. congolense*, 8125
 - in trypanosome stocks, 7928
- treatment
 - combination
 - in *T. b. brucei*-infected mice, 7726
 - in *T. evansi*-infected mice, 8009
 - in cattle, 7666, 7693, 7699, 7709, 7710, 7928, 7984, 8105
 - T. congolense*-infected, 8074
 - T. vivax*-infected, 7929
 - in goats, 7709
 - T. brucei*-infected, 7973
 - in mice, 7726
 - in sheep
 - T. brucei*-infected, 7976
 - T. congolense*-infected, 7815
 - T. vivax*-infected, 7929
 - of animal trypanosomiasis, 8040, 8106
- uptake, by *T. b. brucei*, 7724

DNA

- fingerprinting, *T. vivax*, 8133
- hydroxymethyluracil, *T. brucei*, 8149
- in trypanosome identification
 - amplification, 7789, 7790
 - hybridisation, 8090
 - probes, species-specific, 7787, 7931
- isolation, *T. brucei*, 8156
- k, *T. brucei* spp., 8014
- mt, kinetoplast, *T. brucei*
 - maxicircle component sequence analysis, 7894
- probes
 - in diagnosis of trypanosomiasis, 8083
- promoter-associated rearrangement events, *T. brucei*, 8150
- sequences, of VSG genes, 8108
- trypanosomal, detection tests, 7797, 8038

dog

- beagle
 - T. brucei* infection (exp.)
 - changes in atrial natriuretic factor, 7818
 - changes in plasma renin activity, 7818
- T. brucei* infection
 - clinical and biochemical changes, 7928
 - experimental, response, 7929
- T. b. brucei* infection
 - treatment, 8088
- T. b. gambiense* infection (exp.), 7955
- T. evansi* infection
 - pathogenicity, 8047
- trypanosomiasis
 - in Kenya, 8087
 - in Nigeria, prevalence, 8088
 - interaction with helminthiasis, 8087

donkey

- deltamethrin application, 7642

drugs, 7639

assay, 7626

chemoprophylactic, 7654, 7690, 7694, 7710, 7849

concentration in cattle plasma, 7712, 7713, 7714

costs, 7807

curative, 7690, 7714, 7764, 7806, 7825, 8040, 8105, 8106, 8107

design, 7744, 8167

detection

in cattle serum and urine, 7715

in CSF and serum, 7805

dose, 8106

sub-lethal, 8107

evaluation, 7694, 7806, 7807, 7849, 7850, 8038

in tsetse control strategy, 7656

levels in meat, 7716

pharmacokinetics, 7711, 7965, 7983

prophylactic, 7690, 7713, 7714, 7764

recovery, 7716

recovery rates in cattle plasma, 7712

resistance, 7723, 7725, 7768, 7829, 7964, 7967, 7983, 8038, 8039, 8040, 8046, 8047, 8104, 8106, 8107, 8128, 8130, 8132

arsenicals, 7872

assessment, 8107

control, 7983

cross-, 8107

Cymelarsan, 7853

detection, 7969

diminazene aceturate, 7666, 7709, 7724, 7848, 7984, 8074, 8104

homidium bromide, 7709, 7984

homidium chloride, 8104

induced, 8107

isometamidium chloride, 7709, 7711, 7848, 7928, 7987, 8104

melarsoprol, 7964

multiple, 8104, 8107

quinapyramine, 8103, 8130

quinapyramine sulphate, 7709

suramin, 7853, 8103

sensitivity, 7724, 7854

diminazene aceturate, 7928, 8125

homidium chloride, 8125

isometamidium chloride, 8125

quinapyramine sulphate, 8125

screening, 7725

side effects, 8105

DFMO, 8076

melarsoprol, 8079, 8080, 8091

sub-curative, 7806

susceptibility, trypanosome, 7723, 7724, 7829

testing, 8044

therapy, 7626, 7768, 7812, 7964

tolerance, natural, 8107

toxicity, 7806, 7851, 7983

arsenicals, 7685

DFMO, 7686, 7695, 7807, 8076

melarsoprol, 7679, 7685, 7807, 7964, 7966, 8080, 8081

trypanocidal, 7692, 7725, 7768, 7827

Antrycide prosalt, 8040, 8106

arsenicals, 7677, 7685, 7717, 7807, 7829, 8106
Cymelarsan, 7829, 7853, 8044, 8103, 8106
DFMO, 7679, 7686, 7695, 7806, 7807, 7850, 7967, 8009, 8046, 8076, 8132
diamidine, 8047, 8106
diminazene, 7687, 7695, 7806, 8006, 8107, 8126, 8127
diminazene aceturate, 7666, 7693, 7699, 7709, 7710, 7711, 7713, 7714, 7724, 7726, 7815, 7848,
7928, 7929, 7973, 7976, 7984, 7985, 8009, 8040, 8074, 8104, 8105, 8106, 8125
homidium, 8047, 8107
homidium bromide, 7709, 7710, 7711, 7712, 7714, 7716, 7849, 7984, 8040, 8106
homidium chloride, 8040, 8104, 8105, 8106, 8125
Imol 881, 8038, 8044
isometamidium, 7715, 7986, 8047, 8127, 8131
isometamidium chloride, 7709, 7710, 7711, 7712, 7714, 7724, 7727, 7828, 7848, 7855, 7928,
7929, 7977, 7984, 7987, 8040, 8089, 8092, 8104, 8105, 8106, 8125
melarsamine, 8106
melarsoprol, 7679, 7685, 7686, 7698, 7805, 7806, 7807, 7964, 7966, 7967, 8046, 8079, 8080,
8081
nifurtimox, 7807
Nystatin, 7929
pentamidine, 7684, 7806, 7929
pentamidine isethionate, 7966
prothidium, 8047
quinapyramine, 8047, 8103, 8106, 8130
quinapyramine prosalt, 7717, 8040, 8106
quinapyramine sulphate, 7709, 8040, 8106, 8125
RM110, 7717
Ronidazole, 8044
suramin, 7804, 7806, 7853, 7854, 8040, 8103, 8106
T42, 8044
uptake, by trypanosomes, 7724, 7741, 7855

Duttonella

infecting bushbuck, 7664
infecting roan, 7664

ecdysteroids

in tsetse control, potential, 7931

endosulfan

aerial spraying, 7777, 7780, 7944, 7945

in Botswana, 7653

in Zimbabwe, 7944

topical application, 7780

vapour action of α -, 7950

environment

degradation

role of tsetse control, 7916, 7917, 7922

effects of tsetse control, 7901, 7902, 7905, 7907, 7916, 7922, 7943, 7944, 7945, 8057, 8058, 8059,
8060, 8061, 8067

management, in trypanosomiasis control, 7915

monitoring, 7916, 7945

protection, 7905, 7909, 7910

epidemiology, 7901, 7910

of *T. evansi* infections, 8047

of *T. vivax* infections, 8047

of trypanosomiasis, 7914, 8039

characteristics, 8073

effect of tsetse feeding preferences, 7931

in animals, 7969, 8072, 8087

- in common fly belt, 7763
- in cattle, 7913
 - in Ethiopia, south-west, 8070, 8074
 - in Mali, 7827, 8101
- in humans, 7731, 7762, 7792, 7903, 7919, 7924, 7953, 7965, 8041
 - in Congo, 8075
 - in Côte d'Ivoire, 7956
 - in Mozambique, 7675
 - in Zaire, northern, 7767
 - modelling, 7925, 7926
- in Indonesia, 7626
- modelling, 8068

epizootiology

- of trypanosomiasis, modelling, 8068

Equatorial Guinea

- fly density, 7963
- trypanosomiasis
 - control, 7963
 - in humans
 - Kogo, Luba and Mbini foci, 7963
- tsetse control, trapping, 7963

Escherichia coli

- expression in
 - of *T. brucei* GPI-specific phospholipase C, 7885
 - of *T. b. brucei* triosephosphate isomerase, 8019

Ethidium *see* homidium bromide

Ethiopia

- G. fuscipes* in, 8043, 8070
- G. morsitans* in, 8043
- G. m. submorsitans* in, 7949, 8070
- G. pallidipes* in, 8043, 8070
- G. tachinoides* in, 7949, 8043
- land use, 7656, 8043
- south-west
 - trypanosome challenge to cattle, 8070
 - trypanosomiasis in cattle, 8104
 - epidemiology, 8070, 8074
 - tsetse challenge, 8070
 - tsetse populations
 - effect of agricultural development, 8043
 - effect of resettlement, 8043
- T. congolense* drug-resistant populations, 8104
- trypanosomiasis, 7656, 7914
 - control, 7910, 7914
 - in cattle, 7913, 7914, 7949, 8104
 - control, 7913, 7914, 8074
 - incidence, 8086
 - tsetse control, 7656, 7910, 7914, 7949
 - trapping, 7949, 8043
 - tsetse hosts, 8043

flumethrin

- cattle treatment for tsetse control, 7654, 7942, 7948

fly belt, 7659, 7922

- animal trypanosomiasis in, 7763
- in Sudan, 7984

fly front

- advance, rate of, 7658

Gabon

- trypanosome infection rate in cattle, 8042
- trypanotolerance studies in cattle, 7825, 8042

Gabon (cont.)

- trypanotolerant cattle productivity, 8097
- tsetse challenge to cattle, 7825
- tsetse density, survey, 8042

Gambia, The

- trypanosomes from, identification, 7931
- trypanosomiasis in cattle
 - N'Dama, prevalence, 7816
 - risk, 7700
- trypanotolerant cattle productivity, 7981
- tsetse infestation, 7816

game animals

- in Zambia, trypanolytic sera, 7792

gene/s

see also RNA

in trypanosomes

- blé*-resistance, 8026
- calmodulin, 8171
- cdc*-like, 7886
- dihydrolipoamide dehydrogenase, 7875
- EF-hand 5 protein, 8171
- expression, 7626, 7731, 8024, 8037
- glucose transporter, 8139
- LiTat 1.3, 7731
- mosaic, 8026
- 6-phosphogluconate dehydrogenase, 7862
- polyubiquitin, 7760
- procyclin-associated, 7746
- RNA polymerase II largest subunit, 8140, 8163
- rRNA promoter, 7761
- trypanothione reductase, 7734
- ubiquitin extension protein 52, 8171
- VSG, 7737, 7738, 7887, 8024, 8037, 8108

in trypanotolerant cattle

- albumin F, 8044
- haemoglobin A, 8044

in tsetse

- autosomal, 7630
- mapping, 7630
- marker, 7630
- sex-linked, 7785

genetics

- gene flow, 8108
- of susceptibility to immunosuppression, mice, 8102
- of trypanotolerance, 7768, 7823, 7824, 7826, 8044, 8102
 - characterisation of races, 7982
 - heritability, 7824
 - markers, 7823
 - mechanisms of resistance, 7982, 8102
 - selection criteria, 7982
- trypanosome, 7626, 7732, 7734, 7766, 7884
 - genomic linkage, 8171
 - population, 8014

- transcriptional linkage, 8171
- trans*-splicing, 7752, 8164
- tsetse, 7630, 7772
 - back-crossing, 7628
 - chromosomes
 - B, 7628
 - C-banding, 7772
 - X, 7630
 - banding, 7934
 - hybridisation, 7630
 - markers, 7630
 - of mating behaviour, 7630
 - stability, 7630
 - variants, 7630
 - variation, 7934

genotype

- new *T. congolense* from Kenya, 8013
- trypanosome, 7785

geographical information systems (GIS)

- in trypanosomiasis control studies, 8073
- in tsetse control strategies, 7901

Ghana

- trypanosomiasis in animals
 - survey and control, 7688
- trypanotolerance in cattle, 8096
 - performance, 8098
- tsetse trypanosome infection rate, 7688

Glossina

- behaviour, 7626
 - activation, 7775
 - copulation, 8055
 - courtship, 8055
 - extrication, 7776, 7784
 - feeding strategy, 7637, 7931
 - host location, 7637, 7775
 - mate location, 8055
 - mating, 7630, 7771, 8055
 - movement patterns, 7658
 - response
 - to host odour, 7931
 - to target orientation and colour, 7931
- biology, 7644, 7658, 7906, 7943, 8073
 - adenotrophic viviparity, 8055
 - adult emergence, 7627, 7776
 - age effect on infection rate, 8042, 8072
 - blood meal, 7637
 - eclosion, 7776, 7784
 - feeding preferences, 8072
 - fertility, 7637, 7771
 - genetics, 7630, 7644, 7772
 - glycoproteins, 7671
 - gonad lesions, 7951
 - haemolymph pressure, 7776
 - hosts, 7916, 8043, 8055
 - hybridisation, 7630
 - immunology, 7671

- infection rates, 7903, 8039, 8070, 8072
 - experimental, 7667, 7668, 7669, 7670, 8071
 - T. brucei*, 8072
 - T. congolense*, 8072
 - T. vivax*, 8072
- infections
 - experimental
 - T. brucei* spp., 7787
 - T. congolense*, 7787
 - identification, 7789, 7790
 - mixed, 7787
 - proboscis, 8090
 - sequential, 7787
 - T. vivax*, 7928, 8090
- insecticide effects, 7782, 7784, 7928, 7931
- irradiation effects, 7649
- life cycle, 7937
- longevity, 7671
- mating, 7627, 7630, 8055
- nutritional state, 7931
- physiology, 7626, 7633, 7649
- proline, 8066
- proline inhibition, 7931, 8066
- pupal period, 7627
- RLOs, elimination effect, 7931
- rearing, 7627, 7771, 7930, 7951, 8039
- reproduction, 7644, 7671, 8055
- salivary gland hypertrophy, 7951
- sex differentiation, 7627
- survival rates, natural, 8062
- susceptibility to infection, 7667, 8068
- Trypanozoon* isolates, 7786
- vector-parasite interactions, 7671, 7767, 7787
- vectorial capacity, 7937
- control, 7627, 7638, 7643, 7647, 7649, 7654, 7658, 7692, 7901, 7902, 7904, 7916, 7944, 7945, 7951, 8044, 8045, 8063, 8072
 - in Africa, 7659
 - Central, 7907
 - southern, 7910
 - sub-Saharan, 7906
 - West, 7907
 - in Botswana, 7653
 - in Burkina Faso, 7942, 7970, 8038, 8039
 - in Central African Republic, 7778, 8056
 - in Côte d'Ivoire, 7781, 7910
 - in Ethiopia, 7656, 7910, 7913, 7914, 7949
 - in Gabon, 8042
 - in Kenya, 7648, 7651, 7910, 7948, 8040
 - in Malawi, 7763, 7922
 - in Mozambique, 7763, 7922
 - in Nigeria, 7910, 7928, 7929
 - in Rwanda, 7666
 - in Tanzania, 7639, 7657, 7910
 - in Uganda, 7920
 - in Zambia, 7763, 7777, 7905, 7922
 - in Zimbabwe, 7640, 7646, 7655, 7763, 7777, 7779, 7783, 7902, 7910, 7922, 7943, 7944, 7947,

7948, 8057, 8058, 8059, 8060, 8061, 8062, 8067
ecology, 7644, 7928

density

-dependent starvation, 8068

in Ethiopia, 8070

in Gabon, relative, 8042

in Ghana, 7688

in Kenya, 7651

distribution, 7901

geographical, 7937

in common fly belt, 7763

spatial, 8073

habitats, 7916, 8072

relict, 7937

population/s, 7627, 7658, 7951, 8043, 8068

dynamics, 8042, 8072

growth rate, 7658

predation, 7637

reinvansion, 7970

resting sites, 7945

G. austeni

activation, 7725

control, 7639, 7642, 7651, 7657

eclosion, 7776

eradication, 7639

extrication behaviour, 7776

grooming, 7776

haemolymph, 7776

host location strategy, 7775

in Kenya, 7651

in Tanzania, 7639, 7642, 7657

population density, 7642, 7657

population monitoring, 7657

population structure, 7639, 7657

puparium, 7776

radiation dose response, 7627

radiation treatment, 7657

rearing, 7627, 7931

response, olfactory, 7775

response, visual, 7775

susceptibility to infection, 7667

trapping, 7642, 7651

T. simiae infection, 7791

trypanosome infection rate (exp.), 7667

G. brevipalpis

eclosion, 7776

extrication behaviour, 7776

grooming, 7776

haemolymph, 7776

midgut epithelium, VLPs in, 8052

puparia, incubation temperature, 7670

pupal mortality, 7670

***G. brevipalpis* (cont.)**

puparium, 7776

radiation dose response, 7627

rearing, 7627

resistance to infection, 7791

RLOs, 8052
susceptibility to infection, 7667
T. congolense infection rate (exp.), 7668, 7670
T. simiae infection rate (exp.), 7791
T. vivax infection rate (exp.), 8071, 8090
trypanosome infection rate (exp.), 7667
trypanosome infection rate, Rwanda, 7666
virus-like particles (VLPs), 8052

G. frezili
distribution and ecology, 7634
evolution, 7634
habitat, 7634
in Congo, 7634
trapping, 7634

G. fusca, 7626
decline in Central Africa, 7938
response, olfactory, 7948
response, visual, 7948

G. f. congolensis
distribution and abundance, 7938
in Central African Republic, 7938
in Congo, 7938

G. fuscipes
control, 8045
in Ethiopia, 8043, 8070
in Uganda, 7920
trapping, 7920, 8043
trypanosome infection rate, 8070

G. f. fuscipes
genitalia, male, 7661
hypopharynx infection, 7670
in Central African Republic, 7661, 7778, 7946, 8056
in Saudi Arabia, 7937
in Uganda, 7650
labrum infection, 7670
mortality rate (exp.), 7641
population reduction, 7650, 8056
puparia, incubation temperature, 7670
puparial mortality, 7670
radiation dose response, 7627
rearing, 7627, 7650
seasonal distribution, 7778
trapping, 7650, 7661, 7778, 7946, 8056
T. congolense infection rate (exp.), 7668, 7670
vector of *gambiense* trypanosomiasis, 7661
vectorial capacity, 7661, 7778

G. fuscipleuris
distribution and abundance, 7938
in Central African Republic, 7938
in Congo, 7938

G. longipennis
control, 7931
in Kenya, 7636, 7651, 7931, 8053
response, olfactory, 8053
trapping, 7636, 7651, 8053
T. congolense infection rate (exp.), 7668
T. vivax infection rate (exp.), 8071

G. medicorum

evolution, 7634

G. morsitans

abortion rate, 8048

adult mortality, 8048

blood meals, 8048

CNS, 7936

control, 7653, 7777, 8045

cuticle, 7936

density-dependent starvation, 8068

distribution

 temperature effects, 8073

 vegetation effects, 8073

eclosion, 7776

egg development, 8048

extrication behaviour, 7776

feeding, 7952

fertility rate, 8048

grooming, 7776

haemolymph, 7776

hosts, preferred, 8072

in Botswana, 7653

in Ethiopia, 8043

in Kenya, 7652, 8073

in Nigeria, 7928

in Tanzania, 8073

in Zimbabwe, 8073

larval development, 8048

lipid metabolism, 8048

parturition, 7936

pregnancy cycle, 8048

protein production, 8048

pupal mortality, 8048

pupal production rate, 8048

pupariation behaviour, 7936

puparium, 7776

rearing, 8048

responses, olfactory, 7948

responses, visual, 7948

RLOs, 8068

susceptibility to infection, 8068

tanning, 7936

trapping, 7652

wandering behaviour, 7936

***G. morsitans* spp., 7626**

lectin activity, 7931

G. m. centralis

control, 8064

genetics, 7630

hypopharynx infection, 8071

hybrids, 7630

in Rwanda, 7666

in Zambia, 8064

labrum infection, 8071

midgut epithelium, VLPs in, 8052

midgut trypsin, 7665

parasite load (exp.), 7665

puparia, incubation temperature, 7670
pupal mortality, 7670
rearing, 7931
RLOs, 8052
salivary gland infection, 7665
susceptibility to infection, 7667, 7669, 7791
trapping, 8064
T. b. brucei infection rate (exp.), 7665, 7669
T. congolense infection rate (exp.), 7668, 7669, 7670, 7987
T. simiae infection (exp.), 7791
T. vivax infection (exp.), 7669, 8071, 8090
trypanosome infection rates
 experimental, 7667
 in Rwanda, 7666
vector competence, 7669
virus-like particles (VLPs), midgut, 8052

G. m. morsitans

activation, 7775
activity rhythms, 7635, 7933, 7939
age, physiological, 7780
anemotaxis, in-flight, 7941
antennal olfactory receptor cells, 7933, 7935
blood meals, 7631, 7793, 7939
chemosterilant effects, 8065
chromosomes, B, 7628
control, 7646, 7780, 7784, 8054, 8065
copulation, 7940
DNA virus infection (exp.), 7940
eclosion behaviour, 7784
extrication behaviour, 7784
fat content, 7631, 7939
feeding, 7631, 7931, 7939
feeding interval, 7939
flight, 7941
gene mapping, 7630
genes, sex-linked, 7785
genetic markers, 7630
genetics, 7793
haematin content, 7631, 7939
haemolymph proteins, 7633
host location, 7775, 7941
hosts, 7631
hybrids, 7630
in Zimbabwe, 7628, 7631, 7635, 7646, 7775, 7939, 8054
insecticide effects, 7780, 7784, 7950
JH mimic effects, 7645, 8065
landing, 8054
lectin, 7665, 7793
lipoprotein, 7633
mating behaviour, 7940
midgut infections, 7785, 7793
midgut trypsin activity, 8051
mixed infections, 7790
non-teneral, refractoriness, 7793
nutritional state, 7939
offspring viability suppression, 8065
parasite load (exp.), 7665

peritrophic membrane, 7773, 7793
pheromone synthesis, 8050
pregnancy, 7780
ptilinum, 7784
pupae, non-viable, 7645
puparium, 7784
rearing, 7931
refractoriness, 7793
reproductive cycle, 8065
response, olfactory, 7775, 7933, 7935, 7939, 7941, 8054
response, visual, 7775, 8054
RLOs, 7793
salivary gland infection, 7665, 7785
sexual dimorphism, 7773
spermatheca, 7940
susceptibility to infection, 7793, 8051
teneral, infection rates, 7793
trapping, 7631, 7635, 7939, 8054
T. brucei infection rate (exp.), 7665
T. b. brucei infection, 7785
T. b. rhodesiense infection, 7785
T. congolense infection, 7785
T. congolense infection rate (exp.), 7793
trypanosome infection
 identification, 7790
 maturation, 7785
 transmission index, 7785

G. m. submorsitans

control, 7949
gene mapping, 7630
genetics, 7630
hybrids, 7630
in Ethiopia, 7949, 8070
in Saudi Arabia, 7937
radiation dose response, 7627
rearing, 7627
T. congolense transmission (exp.), 7687
trypanosome infection rate, 8070

G. nashi

distribution and abundance, 7938
in Central African Republic, 7938
in Congo, 7938

G. pallidipes

activation, 7775, 7939
activity rhythms, 7635, 7939
age, physiological, 7780

***G. pallidipes* (cont.)**

attraction to host, 8069
blood meals, 7631, 7939
control, 7777, 7780, 7783, 8053
fat content, 7631, 7939
fecundity, 7932
feeding, 7631, 7939, 8069
feeding interval, 7939
feeding success, 8069
flight behaviour, 7774
haematin content, 7631, 7939

host location, 7775
hosts, 7631, 8069
in Ethiopia, 8043, 8070
in Kenya, 7636, 7648, 7651, 7932, 8053
in Rwanda, 7666
in Somalia, 8053
in Zimbabwe, 7631, 7635, 7783, 7939, 8053, 8054
insecticide effects, 7780, 7783
landing, 8054
lectin, 7665
mating, 7648
navigation, 7774
nutritional state, 7939
parasite load (exp.), 7665
population suppression, 7648, 7651
pregnancy, 7780
puparial weight, 7932
radiation dose response, 7627
rearing, 7627, 7931, 7932
reproduction, 7648
resistance to infection, 7791
response, olfactory, 7774, 7775, 7939, 8053, 8054
response, visual, 7775, 8054
salivary gland infection, 7665
survival, 7648
susceptibility to infection, 7669
trapping, 7631, 7635, 7636, 7648, 7651, 7939, 8043, 8053, 8054, 8069
T. brucei infection rate (exp.), 7665
T. b. brucei infection rate (exp.), 7669
T. congolense infection rate (exp.), 7668, 7669
T. simiae infection, 7791
T. simiae infection (exp.), 7791
T. vivax infection rate (exp.), 7669, 8071
trypanosome infection, 7666, 8070
 transmission (exp.), 7669
vector competence, 7669, 7932
G. palpalis, 7626
***G. palpalis* spp.**
 control, 8045
 lectin activity, 7931
 responses, olfactory, 7948
 responses, visual, 7948
 susceptibility to infection, 7667
 trypanosome infection rate (exp.), 7667
G. p. gambiensis
 blood meal, 7663, 7788
 enzymes, 7772
 genetics, 7630, 7772
 hybrids, 7630
 in Burkina Faso, 7663, 7772, 7788
 irradiation of pupae, effects, 7660
 midgut lectins, 7649
 midgut lysins, 7649
 parasitaemia, 7663, 7788
 pupae, 7660
 rearing, 7772
 refractoriness, 8071

stumpy form, 7788
temperature effects, 7660
T. b. brucei infection (exp.), 7660, 7663, 7788
T. b. gambiense infection rate, 7772
T. congolense infection (exp.), 7660, 7668
T. vivax infection (exp.), 7660, 8071
trypanosome infection rate (exp.), 8071
vectorial capacity, 7660, 7663, 7788

G. p. palpalis

control, 7781, 7928
digestive physiology, 7629
effect of fluorescent dye, 7929
emergence, 7929
fecundity, 7929
genes
 autosomal, 7630
 marker, mapping, 7630
 X-chromosome, 7630
genetics, 7630
hybrid male sterility, 7630
hybrids, 7630
in Central African Republic, 7661
in Côte d'Ivoire, 7781
in Nigeria, 7689, 7928, 7929
insecticide effects, 7928
male genitalia, 7661
midgut lectin, 7629, 7949
midgut lysin, 7649
midgut trypsin, 7629
radiation dose response, 7627
rearing, 7627, 7629, 7928, 7929, 7931
refractoriness, 7649
relict population, 7661
sterile release, 7928, 7929
sterilisation by radiation, 7632
trapping, 7661, 7781
trypanolysis, 7629
T. b. brucei infection, 7629
uterine gland, 7632
vector of *gambiense* trypanosomiasis, 7661
vectorial capacity, 7629, 7661

G. schwetzi

distribution and abundance, 7938
in Central African Republic, 7938
in Congo, 7938

G. swynnertoni

enzymes, 7934
genetic variation, 7934
in Tanzania, 7934
populations, 7934
puparia, 7934

G. tabaniformis

distribution and abundance, 7938
ecology, 7634
in Central African Republic, 7938
in Congo, 7634, 7938

G. tachinoides

- chemoreceptors, 8049
- control, 7949
- fertility, 7771
- in Burkina Faso, 7970
- in Ethiopia, 7949, 8043
- in Nigeria, 7771, 7929, 7930
- mating, 7771
- radiation dose response, 7627
- rearing, 7627, 7771, 7929
- trapping, 7970, 8043

goats

- Djallonké, trypanotolerance, 7817
- drug treatment
 - effect on haematological values, 7985
 - plasma kinetics, 7985
- hosts
 - laboratory, for tsetse, 8071
 - reservoir, for *T. evansi*, 7819, 8091
- insecticide application, 7642
- Red Sokoto
 - T. congolense* infection (exp.)
 - pathogenic effects, 8084
- Saanen
 - T. b. brucei* infection (exp.)
 - immune response, 7814
- screening for trypanosomes, Nigeria, 7930
- Small East African
 - T. congolense* infection (exp.)
 - effects, 7977, 8092
 - treatment, 8092
 - T. evansi* infection (exp.)
 - pathogenesis, 7819, 8091
- T. brucei* infection, pathology, 7929
- T. b. brucei* infection, 7669
 - experimental, 7669
 - drug treatment, 7829
- T. b. gambiense* infection (exp.), 7955
- T. congolense* infection
 - experimental, 8104
 - in Burkina Faso, 7709
 - pathogenic effects, 7817, 7929
 - treatment, 7709, 8104
- T. evansi* infection (exp.)
 - treatment, 7829
- T. vivax* infection, 8047
 - immune response, 7928
- trypanosome infection, 7669
 - experimental, drug treatment, 7984
- trypanosomiasis, 7763
 - in East and West Africa, 7817
- trypanotolerance, 7982
- trypanotolerant breeds, rearing, 8099
- West African Dwarf
 - T. brucei* infection (exp.)
 - effects and treatment, 7973
 - T. congolense* infection (exp.)

- effects, 7980, 8084
- susceptibility, 8084
- T. vivax* infection (exp.)
 - effects, 7974, 7980

guinea pigs in laboratory studies

- as hosts for tsetse, 7928
- T. brucei* infection
 - pharmacological receptors in ileum, 8115
- T. b. brucei* infection, 7663, 7788
 - histopathological effects, 7838
- T. congolense* infection
 - histopathological effects, 7838

Haemonchus contortus

- interaction with *T. congolense* infection, 7702

hartebeest

- T. b. brucei* infection, 7669
- trypanosome prevalence in Benin, 7662

Hippoboscidae

- mechanical vectors of trypanosomiasis, 7970

homidium

- resistance, 8107
- treatment
 - in *T. vivax*-infected livestock, 8047

homidium bromide

- concentration in cattle plasma, 7712, 7714
- detection in animal tissues, 7716
- pharmacokinetics in cattle, 7711
- prophylaxis
 - in cattle, 7710
 - in rabbits, 7849
- resistance, 7984
 - in *T. congolense*, 7709
- treatment
 - in cattle, 7709, 7710, 7984
 - of animal trypanosomiasis, 8040, 8106

homidium chloride

- resistance, in *T. congolense*, 8104
- sensitivity, in *T. congolense*, 8125
- treatment
 - in cattle, 8105
 - of animal trypanosomiasis, 8040, 8106

horse

- T. evansi* infection
 - pathogenicity and treatment, 8047
- T. vivax* infection
 - treatment, 8047
- trypanosomiasis
 - in Kenya, 8057
 - interaction with helminthiasis, 8057
- Trypanozoon* infection
 - treatment, 8044

hybrids/hybridisation

- G. morsitans* spp., 7630
- G. palpalis* spp., 7630
- introgressive, 7630
- male sterility, 7630

identification

- see also* characterisation
- of *T. b. gambiense* by PCR, 7830
- of *T. evansi* surface components, 7733
- of trypanosome clones, 7732

immune response

- antibody/ies, 7704, 7706, 7800, 7802, 7803, 7813, 7842, 7959, 8094, 8102
 - assays, 7969
 - circulating, 7671
 - detection, 7717, 7797, 7800, 7802, 7808, 7831, 8095
 - IgG, 7671, 7840, 7979
 - IgM, 7812, 7826, 8001, 8102
 - kinetics after drug treatment, 7687
 - monoclonal, 7694, 7700, 7796, 7797, 7808, 7809, 7820, 7899, 7988, 7992, 8044
 - polyclonal, 7797, 7808
 - titre, 7700
 - trypanolytic, 7662

cellular changes/cell population changes

- B cells, 7681, 7704, 7821, 7826
 - CD5+, 7704
 - B lymphocytes, 7681
 - BoCD4 lymphocytes, 7992
 - CD8+ cells, 7821, 7988, 7997
 - interferon- γ secretion, 7988
 - interleukin 2, 7705, 8005
 - lymphocytes, 7997, 8091
 - Mott cells, 7796
 - myeloid cells, 7820
 - T cells, 7681, 7705, 7821, 7839
 - CD4+, 7720, 7821
 - CD5+, 7821
 - white cells, 7686, 7702, 7796, 7797
- host, depressed, 8107
- in camels
- antibody detection, 7717, 7808, 8095

in cattle, 8044

- antibodies, 7703, 7706, 7820
 - antigen complexes, 7703
 - anti-trypanosomal, 7687, 7706, 7809, 7812
 - auto, 7704
 - maternally-derived, 7700
 - monoclonal, CC76, 7992
 - neutralising, 8094
 - non-parasite-specific, 7704
 - serum, 7700
 - titre, 7700
 - trypanosome-specific, 7700, 7809
- B cell increase, 7704
- blood cell changes, 7696, 7703, 8094
- CD5+ B cell increase, 7704
- IgG, 7812
- IgM, 7704, 7812
- interleukin 2 production suppression, 7705
- interleukin 2 receptor expression, suppression, 7705

- in vitro* studies, 8094
- peripheral blood leucocyte changes, 7820
- in goats
 - cellular changes, 8091
 - IgM profile, 7928
- in helminth-infected animals
 - effect of trypanosomiasis on, 8087
- in humans, 7679, 7681, 7731, 7797, 7800, 7831, 7959
 - antibodies, 7731, 7796
 - anti-galactocerebroside, 7802
 - anti-trypanosomal, 7797, 7800, 7959
 - detection, 7797, 7800, 7802, 7831
 - non-trypanosome cross-reacting, 7959
 - B cells, 7681
 - humoral, 7675
 - IgA, IgG, 7802
 - IgM, 7797, 7802
 - Mott cells, 7796
 - white blood cells, 7686, 7796, 7797
- in mice, 7998
 - antibodies, 7813, 8001, 8102
 - anti-trypanosomal, 7808
 - isotype, 8102
 - parasite-specific, 7813, 7826
 - auto-, 7993
 - B cell Ig isotype, 8119
 - complement, 8001
 - IL-2 production, modulation, 8005
 - interferon- γ secretion, 7988
 - phagocytosis, 8001
 - T cell-macrophage interactions, 8117
 - T helper cell response, 8118, 8119
- in rabbits, 7671, 7999
 - antibodies, 8003
 - anti-galactocerebroside, 7802
 - anti-trypanosomal, 7808
 - anti-tsetse, 7671
 - patterns, 7842
 - complement, C3, 7841, 8122
- in rats
 - interferon- γ secretion, 7988
- in sheep, 7979
 - lymphocyte population changes, 7821

immune system

- genetic control in mice, 7813

immunisation

- against tsetse in rabbits, 7641

immunity

- acquired, in mice, 7720
- host, 8068
- innate, in mice, 7813
- passively-acquired, in calves, 7700

immunogenetics

- of trypanoresistance, 7823

immunology, 7767

- of trypanosomiasis, 8036

immunosuppression

- in *T. brucei*-infected mice, 7835
- in *T. b. brucei*-infected mice, 7826, 7834
- in trypanosomiasis
 - in humans, 7685
 - in small ruminants, 7817
- trypanosome-induced, in mice, 8102

Imol 881

- treatment
 - in trypanosome-infected mice, 8044
 - of trypanosomiasis, 8038

Indonesia

- trypanosomiasis, epidemiology, 7626

insect growth regulators

- in tsetse control, 7951

insecticides for tsetse control 8046

- cattle treatment, 7654, 7655, 7768, 7902, 7922, 7942, 8038, 8044
- chlorinated hydrocarbons, 7784
- controlled-release formulations, 7638, 7647
- λ -cyhalothrin, 7646
- α -cypermethrin, 7639, 7642, 7654, 7948
- DDT, 7779, 7902, 7928, 7943, 7944, 7945, 8058, 8059, 8060, 8061, 8067
- deltamethrin, 7639, 7642, 7643, 7647, 7650, 7651, 7654, 7655, 7777, 7782, 7783, 7922, 7928, 7944, 7945, 7946, 7948, 8044, 8057, 8064
- dieldrin, 7944, 7945
- endosulfan, 7653, 7777, 7780, 7944, 7945, 7950
- environmental impact, 7763, 7779, 7944, 7945, 8057, 8058, 8059, 8060, 8061, 8067
- flumethrin, 7654, 7942, 7948
- impregnated targets/traps/screens, 7639, 7640, 7648, 7650, 7651, 7652, 7781, 7783, 7902, 7922, 7942, 7945, 7949, 8038, 8044, 8057, 8064, 8065
- ivermectin, 7951, 8044
- livestock treatment, 7650, 7764, 7942, 8040, 8063
- non-persistent, 7653, 7902
- organochlorines, 7944, 8038
- persistence on targets, 7783, 7942, 8065
- pour-on formulations, 7639, 7642, 7654, 7948, 8044
- pyrethroids, 7646, 7653, 7784, 7902, 7931, 7942, 8065
 - synthetic, 8038, 8044
- spraying, 7638, 7653, 7655, 7764, 7777, 7780, 7902, 7913, 7914, 7944, 7945, 8038, 8040, 8046, 8058, 8059, 8060, 8061
- Thiodan, 7780
- topical application, 7642, 7780

in vitro studies

- drug resistance, 8128
- drug sensitivity, 8107, 8127
- in bovine macrophages and monocytes
 - effect of *T. congolense* infection, 8094
- in *G. m. morsitans*, 8051
- in *G. p. palpalis*, 7629
- in trypanosome-infected mice, 7991, 8006
- isolation of trypanosomes from humans, 7672

irradiation

- of tsetse, 7627, 7632, 7649, 7657
 - effect on vectorial capacity, 7660

isometamidium

- interaction with *T. congolense*, 8131
- metabolites in cattle, 7715

prophylaxis, in cattle, 7986
susceptibility, in *T. congolense*, 8127
treatment

in *T. congolense*-infected mice, 7727
in *T. vivax*-infected livestock, 8047

isometamidium chloride

concentration in cattle plasma, 7712, 7714
pharmacokinetics in cattle, 7711

prophylaxis

in cattle, 7710, 7928, 7929
in sheep, 7929

resistance, 7711

in *T. congolense*, 7709, 7848, 7987, 8104
in *T. vivax*, 7928

sensitivity

in *T. congolense*, 8125

side effects, 7710

treatment

in cattle, 7709, 7710, 7928, 7984, 8105
in goats, 7709
in guinea pigs, 7928
in pigs, 7828
in sheep, 7930
in *T. congolense*-infected goats, 8092

isometamidium chloride (cont.)

treatment (cont.)

in *T. congolense*-infected sheep, 7977, 8089
in *T. vivax*-infected cattle, 7929
in *T. vivax*-infected sheep, 7929
of animal trypanosomiasis, 8040, 8106

uptake

by *T. b. brucei*, 7724
by *T. congolense*, 7855

ivermectin

in tsetse control, 7951

pour-on formulation, 8044

juvenile hormone

mimics

pyriproxyfen, 7645, 7931, 7951, 8044
synthetic, 7948

Kenya

G. austeni in, 7651

G. longipennis in, 7651, 7931, 8053

G. morsitans in, 7652

distributional limits, 8073

G. pallidipes in, 7651, 7932, 8053

Lambwe Valley

G. pallidipes in, 7648, 7651

tsetse control, 7648, 7651, 7652, 8040

Nguruman, Kajiado District

G. longipennis in, 7636

G. pallidipes in, 7636

tsetse control, 7636

trapping, 7948, 8053
T. b. rhodesiense stocks from, 8108
T. congolense new genotype from, 8013
T. evansi infection in camels, 7808, 7810
T. vivax infection in rhinoceros, 8090
T. vivax strains from, 7667
trypanosome challenge to cattle, 7710, 7713
trypanosomiasis
 control, 7910, 8040, 8087
 in animals, 8087
 in camels, 7694
 in cat, 7698
 in cattle, 7710, 7713, 8105
 risk, 8040
Tsavo West National Park
 trypanosomiasis challenge, 7691
 trypanosomiasis in black rhino, 7691
tsetse challenge to cattle, 7713
tsetse control, 7651, 7910, 7931, 7948, 8040, 8053

Kobus defassa

trypanosome prevalence, Benin, 7662

land management, 7659

land use, 7916

in Africa, 7659
 sub-Saharan, 7764, 7909
in common fly belt, 7763
in Ethiopia, 7656
in Ghana, 7688
in Zimbabwe, 7640, 7943
systems
 effect of trypanosomiasis control, 7917

lectin

in tsetse, 7629, 7665

lion

T. congolense infection, 7669
trypanosome infection, Benin, 7662

livestock

development
 constraints, in Central African Republic, 7946
 in Ghana, 7688
insecticide treatment, 8046, 8063
 cost, 7902, 8046
 deltamethrin, 7642
 evaluation, 7650
 pyrethroids, 7902
management practices, 7916, 7917, 8072
production
 in Zimbabwe, 7902
 systems, 7916, 7917
trypanosome infection
 effect of distribution on, 8072
 effect of nutrition on, 8072
 susceptibility to, 8072
trypanosomiasis, 7763, 7969
 constraint to production, 7817
 control, 7917, 7946, 7969

- epidemiology, 7969, 8072
- in Central African Republic, 8056
- in West and Central Africa, 7982
- trypanotolerant, 8046, 8096
- rearing, 8100
- reproductive physiology, 8100

Malawi

- common fly belt
- animal trypanosomiasis in, 7763
- tsetse control in, 7763, 7922

Mali

- T. evansi* infection in camels, 7808
- trypanosomiasis in cattle, 7827
- prevalence and epidemiology, 8101

man

- fly contact, 7915, 7923, 7953
- in Central African Republic, 7661
- Trypanozoon* isolates from, 7786

Megatrypanum

- infecting bushbuck, Burkina Faso, 7664

melarsamine

- treatment of animal trypanosomiasis, 8106

melarsoprol

- detection in CSF and serum, 7805
- resistance, 7964
- side effects, 7807, 7964, 7966, 8079
- treatment of human trypanosomiasis, 7679, 7686, 7806, 7807, 7964, 7966, 7967
- cost, 8046
- rhodesiense*, 7805
- side effects, 8079, 8080, 8081
- reactive encephalopathy, 7679, 7685
- treatment in *T. vivax*-infected cat, 7698

Mel Cy see Cymelarsan

mice in laboratory studies

- drug testing, 8079, 8107
- drug treatment, 7806
- T. brucei* infection, 7721
- chemotherapy, 8126
- drug effects, 8004, 8006
- drug resistance, 7853
- encephalopathies, 7851, 8126
- glomerulonephritis, pathogenesis, 7843
- immune response, 7808, 7813, 7835, 7839
- resistance to, genetic control, 7813
- suppression of T cell response, 7839
- T. b. brucei* infection, 7669, 7998, 8129
- apolipoprotein A-I deficiency, 7991
- class I and class II deficiency, 8114
- drug effects, 7726, 7806, 8008, 8009, 8128, 8132
- encephalopathies, 7806
- histopathology, 8116
- human apolipoprotein A-I expression, 7998
- immune response, 7826, 7833, 7836, 7988, 7997
- immunosuppression, 7834
- oxidase inhibition, 8124
- pathology, 7832, 7836, 7837

resistance to, 8116
response to, 7718, 7803, 7844, 7845, 7998
susceptibility to, 7998

T. b. gambiense infection, 7989
cytostatic activity, nitric oxide-mediated, 7844, 7845
immune response, 8001

T. b. rhodesiense infection
cytostatic activity, nitric oxide-mediated, 7844
drug treatment, 7847
immune response, 7826, 8102, 8117, 8118, 8119
survival, 8102

T. congolense infection, 7669, 7957, 8123
complement C5 deficiency, 7722

drug resistance, 8104
drug treatment, 7727, 8006, 8044
immune response, 7826, 8102
phagocytosis, 8000
resistance to, genetic control, 7826, 8102

T. equiperdum infection
acquired immunity, 7720
autoimmune phenomena, 7993

T. evansi infection
drug effects, 8006, 8044
trypanocidal effects of plant extract, 8004

T. vivax infection
drug effects, 8006, 8044

trypanosome infection
CNS involvement, 8079
drug resistance, 7723, 7725

models/modelling

computer, 7914
simulation, 7911, 7914, 7927
TRYPANOSIM, 7912, 7926, 7927

trypanosomiasis
control monitoring, 7912
epidemiology, 8068
epizootiology, 8068
prevalence, 8068

trypanosomiasis in cattle
epidemiologic, 7913

trypanosomiasis in humans, 7912
causal, 7762, 7925, 7927, 7956
epidemiologic, 7919
mathematical, 7927, 8073
simulation, 7960
statistical, 7925

tsetse
bloodmeal metabolism, 7631, 7939
control, 7901
density-dependent starvation, 8068
feeding strategy, 7637, 7939
management, 7656, 7658
regression, 8082

monkey

T. b. gambiense infection (exp.), 7955

mosquito (*Anopheles arabiensis*)

in *T. congolense* transmission studies, 7957

Mozambique

common fly belt

trypanosomiasis in animals, 7763

tsetse control, 7763, 7922

Tête Province

trypanosomiasis in humans, *rhodesiense*, 7675

trypanosomiasis in humans, *rhodesiense*, 7675

tsetse reinvasion pressure, 7655

Naganol *see* suramin

Nannomonas

infecting wild animals, Burkina Faso, 7664

speciation, 7859

nets, electric

in tsetse behaviour studies, 7635, 7774, 8069

odour-baited, catch, 7774

nifurtimox

treatment

of *gambiense* trypanosomiasis, 7807

regimes, 7807

Nigeria

Anambra State

cattle productivity constraints, 7811

G. p. palpalis in, 7689

trypanosomiasis in cattle, 7689, 7811

trypanosomiasis risk, 7689

G. p. palpalis in, 7928, 7929

G. tachinoides in, 7771, 7929

northern

trypanosomiasis in cattle, incidence, 7811

T. brucei infection in pigs, 7968

T. b. brucei infection in goats and pigs, 7669

T. b. gambiense Type I stocks from, 8108

T. congolense infection in pigs, 7968

T. vivax infection in cattle, 7669, 7928, 8085

T. vivax infection in sheep, 7928

trypanosome infections in livestock, 7930

trypanosome strains from, 7667

trypanosomiasis

control, 7910, 7928, 7929

in cattle, 7928, 7972, 8085

in dogs, 8088

in humans, screening, 7929

trypanotolerant livestock breeds, 7929, 8096

tsetse control, 7910, 7928, 7929

trapping, 7928

non-target organisms, 7659, 7944, 7945

effect of DDT spraying, 8058, 8059, 8060, 8061, 8067

monitoring, 7916

mortality of, 7944, 7945

normalised difference vegetation index (NDVI)

predicting tsetse distribution limits, 8073

Novidium *see* homidium chloride

odour attractants/baits, 7901, 7922, 7931, 8038, 8063

- acetone, 7636, 7651, 7656, 7935, 7941, 8044, 8053, 8054, 8057, 8064
- butanone, 8064
- carbon dioxide, 8057
- dichloromethane, 7935
- dung, hippo, 7656
- host, 7774
- ketones, 8057
- octenol, 7636, 7651, 7656, 7933, 7935, 7941, 8044, 8053, 8054, 8057, 8064
- ox breath, 7775, 7941
- ox sebum, 7931
- phenols, 7935, 8044, 8054, 8057
 - methyl, 7656, 7933, 7935, 8053, 8057
 - propyl, 7656, 7935, 8053, 8057
- urine
 - cattle, 7636, 7651, 7656, 7935, 8053
 - ox, 7775, 8057
 - pig, 7656

oribi

- Nannomonas* infection, Burkina Faso, 7664

packed cell volume (PCV)

- in *T. brucei*-infected goats, 7973
- in *T. congolense*/*H. contortus*-infected cattle, 7702
- in *T. congolense*-infected buffalo, 7820
- in *T. congolense*-infected cattle, 7820, 7975, 8074
- in *T. congolense*-infected goats, 8084
- in *T. evansi*-infected goats, 7819, 8091
- in *T. vivax*-infected cattle, 7703, 7706
- in *T. vivax*-infected goats, 7974
- in *T. vivax*-infected sheep, 7979
- in trypanosome-infected cattle, 7824, 7825, 7972
- in trypanotolerant cattle, 8044

parasitaemia

control

- in buffalo, 7820
- in cattle, 7820, 7825, 8044
 - trypanotolerant, 7768, 7825
- in mice, 7826, 8102
- in *T. brucei*-infected goats, 7973
- in *T. brucei*-infected mice, 7813
- in *T. brucei*-infected rats, 7976
- in *T. brucei*-infected sheep, 7976
- in *T. b. brucei*-infected dogs, 8088
- in *T. b. brucei*-infected goats, 7814
- in *T. b. brucei*-infected mice, 7837
- in *T. b. brucei*-infected pigs, 7695
- in *T. b. brucei*-infected tsetse, 7663, 7788
- in *T. b. rhodesiense*-infected humans, 7675
- in *T. b. rhodesiense*-infected mice, 7826
- in *T. congolense*/*H. contortus*-infected cattle, 7702
- in *T. congolense*-infected buffalo, 7810
- in *T. congolense*-infected cattle, 7820, 7975, 7987, 8074, 8085, 8104
- in *T. congolense*-infected mice, 7957
- in *T. congolense*-infected sheep, 7815, 8089
- in *T. evansi*-infected camels, 7954

- in *T. evansi*-infected goats, 7819, 8091
- in *T. vivax*-infected cattle, 7696, 7706, 8085
- in *T. vivax*-infected goats, 7974
- in *T. vivax*-infected rhinoceros, 8090
- in trypanosome-infected animals, 7801
- in trypanosome-infected cattle, 7699, 7825
- in trypanosome-infected goats, 7984
- in trypanosome-infected humans, 7672, 7679, 7801
- in trypanosome-infected wild animals, 7664

pentamidine

treatment

- in *T. b. brucei*-infected rats, 7929
- of human trypanosomiasis, 7684, 7806

pentamidine isethionate

treatment of human trypanosomiasis, 7966

pig

- reservoirs of infection, Nigeria, 7968
- screening for trypanosomes, Nigeria, 7930
- T. brucei* infection, Nigeria, 7968
- T. brucei* infection (exp.)
 - drug therapy, 7828
- T. b. brucei* infection, 7669
- T. b. brucei* infection (exp.), 7695
 - drug treatment, 7829
- T. b. gambiense* infection (exp.), 7955
- T. congolense* infection, Nigeria, 7968
- T. simiae* infection (exp.), virulence, 7791
- trypanosomiasis (exp.)
 - drug treatment, 7695, 7828
 - effect of nutrition, 7828
 - effect on feeding, 7695
 - relapse, 7695
- Trypanozoon* isolates from, Uganda, 7786

plasma, human

- proteins, trypanolytic activity, 7803
- trypanocidal activity, 7803

prophylaxis *see* chemoprophylaxis

proteins

- haemolymph, in tsetse, 7633
- high density lipo-, human,
 - trypanolytic activity, 7803
- serum
 - human, trypanolytic activity, 7803
 - in trypanosome-infected sheep, 7930

prothidium

treatment

- in *T. vivax*-infected animals, 8047

pyrethroids

- aerial spraying, Botswana, 7653
- application to livestock, 7902, 7942
- λ -cyhalothrin, 7646
- disrupting tsetse eclosion, 7784
- field trials, 7931
- flumethrin, 7942
- ground spraying, 7902
- impregnated traps and targets, 7646, 7942, 8044, 8065
- persistence, 7942

pour-on formulations, 8044

pyriproxyfen, 7951

durability on netting, 7645, 8065

effects on tsetse reproduction, 7645, 8065

field trials, 7931

impregnated traps and targets, 8044, 8065

quinapyramine

resistance, 8103

in *T. congolense*, 8130

treatment of *T. evansi* infections, 8047

quinapyramine prosalt

treatment

in *T. evansi*-infected camels, 7717

of animal trypanosomiasis, 8040

quinapyramine sulphate

resistance in *T. congolense*, 7709

sensitivity in *T. congolense*, 8125

treatment

in goats, 7709

of animal trypanosomiasis, 8040, 8106

quinapyramine sulphate-chloride

treatment of animal trypanosomiasis, 8106

RM110 *see* Cymelarsan

rabbits in laboratory studies

as hosts for tsetse, 7668, 7669, 7771, 7930

immunisation, 7641

immune responses, 7671, 7802, 7808, 7841, 7842, 8003, 8122

T. b. brucei infection

immunity, 7999

T. b. gambiense infection, 7731, 7989

T. congolense infection

drug treatment, 7849

role of thyroxine, 7994

T. evansi infection

immune response, 7808, 7841, 7842, 8003, 8122

trypanosomiasis, somnogenic impact, 8121

rats in laboratory studies

infectivity of trypanosomes from humans, 7672

T. brucei infection

drug effects, 8010

effect on coagulation factors, 7976

T. b. brucei infection, 7990

drug effects, 7929

immune response, 7988

kidney damage, 8120

urinary biochemical changes, 8120

T. b. gambiense infection, 7989

immune response, 7840

T. b. rhodesiense infection

human serum sensitivity, 7792

T. congolense infection

drug effects, 8007

rats in laboratory studies (cont.)

T. congolense infection (cont.)

effects

on brain, 7996

on kidney, 7719, 7995

on testes, 7719

T. equiperdum infection

drug effects, 8007

T. evansi infection

drug effects, 8007

rearing

G. austeni, 7627, 7931

G. brevipalpis, 7627

G. f. fuscipes, 7627, 7650

G. morsitans, 8048

G. m. centralis, 7931

G. m. morsitans, 7931

G. m. submorsitans, 7627

G. pallidipes, 7627, 7931, 7932

G. p. gambiensis, 7772

G. p. palpalis, 7627, 7928, 7929, 7931

G. tachinoides, 7627, 7771, 7929

mass, 7671

for SIT, 7644, 7650, 7951, 8039

tsetse, 7930

reedbuck

Nannomonas infection, Burkina Faso, 7664

remote sensing

in human trypanosomiasis control, 7915

in tsetse control, 7901

reservoir hosts

buffalo

of *T. congolense*, 7668

of *T. vivax*, 8071

cattle, of *T. vivax*, 8071

goats, of *T. evansi*, 7819, 8091

of human trypanosomiasis, 7915, 7955, 7960, 7962

pigs, of trypanosomes in Nigeria, 7968

potential, in Nigeria

for human trypanosomiasis, 7930

wild animals

of animal trypanosomiasis, Burkina Faso, 7664

of *gambiense* trypanosomiasis, Benin, 7662

rhinoceros

T. brucei infection, 7691

T. congolense infection, Kenya, 7691

T. vivax infection, Kenya,

pathology, 8090

RNA

T. brucei

B, 8151

editing, 7743, 7757, 8018, 8027

electrophoretic profile, 8109

g, 8027

g-m chimeras, 7743

guide, 8018

kinetoplastid, 7743

m, 8027

m, cap 4, novel nucleosides, 7736

- m, editing complexes, 7757
- mt, 7881
- polymerases, 8021
 - I-mediated protein-coding gene, 7873
 - II largest subunit, gene disruption, 8140
 - II transcription unit, 8037
- pre-r, 8151
- r, gene promoter, 7761
- sn, 8151
- spliced leader methylations, 7752
- t, 8017
 - precursor, nuclear-encoded, 7881
- T. b. brucei*
 - med, polyadenylation, 7888, 8161
- T. b. rhodesiense*
 - processing reactions, 8164
- T. congolense*
 - electrophoretic profile, 8109
- T. vivax*
 - polymerase II largest subunit gene, 8163

roan

- Duttonella* and *Nannomonas* infections
 - in Burkina Faso, 7664
- trypanosome prevalence, Benin, 7662

Ronidazole

- treatment in trypanosome-infected mice, 8044

ruminants

- trypanosomiasis
 - interaction with helminthiasis, 8087

rural development, 7902

Rwanda

- G. brevipalpis* in, 7666
- G. m. centralis* in, 7666
- G. pallidipes* in, 7666
- trypanosome infection rates
 - in cattle and tsetse, 7666
- trypanosomiasis in cattle, prevalence, 7666
- tsetse density and control, 7666

Saudi Arabia

- G. f. fuscipes* in, 7937
- G. m. submorsitans* in, 7937

screening

- for trypanosomiasis
 - in cattle, Nigeria, 7811, 7928
 - in humans
 - gambiense*
 - in Congo, 7674
 - in Uganda, 7800
 - vectors, 7661
 - in Nigeria, 7929
 - in Zaire, 7958, 7959, 7961
 - potential reservoir hosts, Nigeria, 7930
 - sero-diagnostic, 7962

screens, 7907, 8038

- catch, 7642, 8057
- Challier-Gouteux-Laveissière, 8063

- cloth, 7642, 8057
- coloured, 8057
- cost, 7781, 7900, 8063
- effectiveness, 7781, 7945
- insecticide-impregnated, 7781, 7902, 7945, 8057
 - α -cypermethrin, 7642
- Laveissière, 8063
- Mérot-Filledier, 8063
- odour-baited, 7902, 8039, 8057
- Vale, 8063

Senegal

- trypanotolerant livestock rearing, 8099

serum

- cattle, 7812
 - antibodies, 7700, 7809
 - IgM, 7704
 - in diagnostics, 7693, 7809
- factor, 7671
- game animals, trypanolytic, 7792
- goat
 - haemolymph complement activity, 7814
 - immunoconglutinin levels, 7814
 - T. vivax*-infected, metabolites, 7974
- human
 - in diagnosis, 7798, 7802, 7831
 - melarsoprol in, 7805
 - resistance, 7792
 - in *T. b. gambiense*, 8078
 - sensitivity, 7792
 - trypanocidal activity, 8078
- proteins, trypanolytic activity, 7803
- rabbit, anti-tsetse antibodies in, 7671
- rat, trypanosome enzymes in, 8002
- resistance
 - in *T. b. rhodesiense*, 7880
 - in *Trypanozoon*, 7792
- sensitivity
 - in *Trypanozoon*, 7792
- sheep, trypanosome-infected
 - proteins, 7930

sheep

- as hosts for *T. evansi*, 8091
- Balami
 - susceptibility to *T. vivax*, 7928
- East African
 - trypanotolerance, 7817
- prophylaxis, in pregnancy, 7930
- Scottish Blackface
 - T. congolense* infection, 7815
 - experimental, 8089
 - pathophysiology, 7815, 8089
 - treatment, 8089
- screening for trypanosomiasis, Nigeria, 7930
- serum proteins
 - effect on *T. b. brucei*, 7803
- treatment, drug, 7930
- T. brucei* infection, 7817

- drug treatment, 7976
- effects on coagulation factors, 7976
- experimental, 7976
- pathological effects, 7817, 7976

T. b. brucei infection

- effect on pregnancy, 7701
- effect on serum protein level, 7930

T. congolense infection, 7970

- effect on serum protein level, 7930

T. evansi infection (exp.)

- effect of *Pasteurella haemolytica* inoculation, 7821
- immune response, 7821

T. vivax infection, 7970

- effect on serum protein level, 7930
- pathogenic effects, 7817

trypanosomiasis

- in Burkina Faso, infection rate, 7970
- in East and West Africa, 7817

trypanotolerance, 7982

trypanotolerant breeds, rearing, 8099

West African Dwarf

- susceptibility to *T. vivax*, 7928, 7980

T. vivax infection (exp.)

- effect of under-nutrition, 7979
- immune response, 7979
- pathological effects, 7979

Yankassa

- bone marrow response to infection, 7929
- susceptibility to *T. vivax*, 7928

T. vivax infection

- experimental
- pathogenic effects, 7822, 8093
- in Nigeria, 7929

SIT *see* sterile insect technique

small ruminants

- trypanosomiasis in Ghana, prevalence, 7688
- trypanotolerant, rearing, 8099

Somalia

- G. pallidipes* in, 8053

- trapping, 8053

- trypanosomiasis in camels, 8082

spraying, 7913, 7914, 7916, 8057

aerial

- cost, 7653, 7655, 7777, 7902
- deltamethrin, 7777, 7944, 7945
- endosulfan, 7653, 7777, 7780, 7944, 7945
- in Botswana, 7653
- in common fly belt, 7922
- in Kenya, 8040
- in Zambia, 7777, 7922

spraying (cont.)

aerial (cont.)

- in Zimbabwe, 7777, 7902, 7922, 7943, 7944
- non-residual insecticides, 7764, 7902
- organochlorines, 8038
- pyrethroids, 7653
- technique, 7777

- DDT, 7944, 7945, 8058, 8059, 8060, 8061
- dieldrin, 7944, 7945
- drift, 7945
- equipment, 7638, 7653, 7777, 8040
- ground, 8046
 - cost, 7655, 7902, 7943, 8046
 - DDT, 7902, 7943, 8067
 - deltamethrin, 7943
 - in Zimbabwe, 7902, 7943, 8067
 - organochlorines, 8038
 - pyrethroids, synthetic, 7902
 - residual insecticides, 7764
- in Zimbabwe, 8057, 8058, 8059, 8060, 8061
- sequential application, 7777, 7780, 7944, 7945
- sterile insect technique (SIT)**, 7627, 7639, 7644, 7649, 7650, 7657, 7764, 7928, 7940, 7948, 7951, 8039, 8046, 8063, 8065
 - tracer insects, 7657
- Stomoxidae**
 - as mechanical vectors, Burkina Faso, 7970
- Sudan**
 - drug-resistant trypanosomes from, 7984
 - T. b. gambiense* Type I stocks from, 8108
 - trypanosomiasis
 - in cattle, 7984
 - in humans, 7807, 7920
 - tsetse belt, 7984
 - tsetse challenge, 7984
- suramin**
 - resistance, 8103
 - in *T. brucei*-infected mice, 7853
 - sensitivity, in *T. evansi*, 7854
 - side effects, 7804
 - treatment
 - of animal trypanosomiasis, 8040, 8106
 - of human trypanosomiasis, 7804, 7806
 - of *T. evansi* infections, 8047
- survey**, 7906
 - epidemiological
 - in Burkina Faso, 7709
 - in Gambia, 7816
 - in Indonesia, 7626
 - in Gabon, 8042
 - of *T. evansi* in camels, Mali, 7808
 - of trypanosomiasis
 - in animals, 7763
 - in Ghana, 7688
 - in cattle
 - in Gambia, 7816
 - in Mali, 7827
 - in Nigeria, 7689
 - in common fly belt, 7922
 - in humans, 7767, 7796, 7918, 7919, 7966
 - in Congo, 7673, 7966, 7967
 - in Côte d'Ivoire, 7956
 - in Equatorial Guinea, 7963
 - in Uganda, 7924

- in Zaire, 7961
- vectors, in Central African Republic, 7661
- of trypanosome challenge, Burkina Faso, 7823
- of trypanosome prevalence in humans, Congo, 7674
- of tsetse abundance, 7948
- of tsetse challenge, Burkina Faso, 7823
- of tsetse density, Gabon, 8042
- of tsetse distribution, common fly belt, 7763, 7922
- parasitological, 7673
- serological, 7966, 7967
- sero-parasitological, 7956, 7963
- socio-anthropological, Côte d'Ivoire, 7956
- tsetse
 - in Ghana, 7688
 - in Nigeria, 7689, 7930
 - in Uganda, 7650
 - infection rate, in Gabon, 8042

T42

- treatment
 - in *T. evansi*-infected livestock, 8044

Tabanidae

- as mechanical vectors
 - in Burkina Faso, 7970
 - of *T. evansi*, 8047

Tanzania

- G. morsitans* in, distributional limits, 8073
- G. swynnertoni* in, 7934
- T. b. brucei* infection in hartebeest, 7669
- T. b. brucei* strains from, 7667
- T. congolense* infection in lion, 7669
- T. congolense* strains from, 7667

- trypanosomiasis
 - control, 7910
 - in cattle, 8087
 - in humans, 7804

- tsetse control, 7910

Zanzibar

- G. austeni* in, 7639, 7642, 7657
- trypanosomiasis control, 7639, 7642
- trypanosomiasis in cattle, 7642
- tsetse control/eradication, 7639, 7642, 7657

targets, 7644, 7653, 7764, 7768, 7774, 7905, 7916, 8046

- cattle, live, 7907
- chemosterilant-impregnated, 8044, 8065
- cloth, 8057, 8064
 - catch, 8057
 - coloured, 7652, 8057
 - cotton, 7783
- coloured, 7931, 8054, 8057, 8064
- cost, 7949, 8046, 8054, 8062, 8064
- efficiency, 7658, 8053
- electrified, catch, 8053
- evaluation, 7648, 7651, 8065
- insecticide-impregnated, 7640, 7648, 7652, 7922, 7943, 7947, 7949, 8044
 - λ -cyhalothrin, 7646
 - α -cypermethrin, 7639

- deltamethrin, 7651, 7783, 8057, 8064
- pyrethroids, synthetic, 8044, 8065
- net, terylene, 7783, 8065
- netting, 7645, 7646, 8054, 8065
- odour-baited, 7640, 7648, 7651, 7922, 7943, 8054, 8057, 8062, 8064

transmission

- cyclical
 - T. vivax* through tsetse, 8047
- mechanical
 - T. congolense* through mosquitoes, 7957
 - T. evansi*, 8047, 8082
 - T. vivax* through arthropods, 8047
- non-cyclical, of animal trypanosomiasis, 7950
- of experimental infections by tsetse, 7669
- of *T. evansi* to camels, 7954
- of trypanosomiasis, 7901, 7928
 - animal, 7929, 7970
 - human, 7804, 7925, 7926, 7959, 7960, 8078
 - in Uganda, 7786
 - parameters, 7956
- trypanosome, metacyclic, 8046

transmission index

- T. b. brucei* isolates, 7785
- T. b. rhodesiense* isolates, 7785
- T. congolense* stocks, 7785

traps/trapping, 7644, 7764, 7768, 7774, 7781, 7905, 7907, 7916, 7920, 7921, 7928, 7929, 7963, 8042, 8047

- baited, 7654
- biconical, 7636, 7651, 7688, 7778, 7946, 7970, 8063
 - odour-baited, 7636, 7656, 8053
- bipyramidal, 7661, 7946, 8056
- Brightwell NG-28, 8063
- catch, 7651, 7658, 8053, 8057, 8064
 - comparisons, 7636, 7946, 8053
- Challier-Laveissière, 7778, 8063
- chemosterilant-impregnated, 8044
- cloth, 8038
- cost, 7636, 7656, 7781, 7921, 7946, 7949, 8038, 8046, 8063
- design, 7626, 7656, 7948, 8053, 8063
- effectiveness, 7636, 7656, 7658, 7781, 7946, 8056
- efficiency, 7658
- epsilon, 7948, 8053, 8063
- F3, 7948, 8053, 8063
- Flint F3 cubic, 8063
- for population monitoring, 7634, 7651, 7657, 7658, 7661, 7688
- Gouteux-ANDE, 8056
- Gouteux-Lancien pyramidal, 8063
- insecticide-impregnated, 7650, 7942, 7945, 7946, 7947, 8038, 8044, 8065
- Mérot and Laveissière monoconical, 8063
- NG2G, 8053
- NGU, 7636, 7948
 - odour-baited, 7636, 7656
- odour-baited, 7631, 7636, 7653, 7656, 7666, 7939, 7949, 8038, 8039, 8044, 8053, 8057, 8063
- pyramidal, 7634, 8063
 - deltamethrin-impregnated, 7650
- tetra, odour-baited, 7656
- Vavoua, 8063

trypanocides

- 5 [-(Z)-4-amino-2-butenyl] methylamino)-5 [’-deoxyadenosine (MDL 73811), 7741
- Croton macrostachyus* extracts, 8004
- mefloquine, 7852
- Nystatin, 7929
- S-adenosylmethionine decarboxylase inhibitor, 7847
- spiroarsoranes, 8008
- tri-*n*-butyltin oxide, 8010

trypanolysin

- in *G. p. palpalis*, 7629

trypanolysis, 7795

- immune, in serodiagnostic tests, 7798
- role of serum proteins, 7803

trypanoresistance

- in buffalo, 7668
- in cattle
 - Baoulé, 7823
 - N'Dama, 7668, 7697, 7824
- in livestock, genetics, 7826, 7982, 8102
- in mice, 7826, 8102

Trypanosoma brucei

- acidic compartments, role, 8141
- adenylate cyclases, 7887
- aerobic fermentation of glucose, 7742
- antibiotic resistance, 8026
- antigen, 8044
- antigenic variation, 7890

***T. brucei* (cont.)**

- calcimedins, 7900
- calcium accumulation in mitochondria, 7896
- calcium depletion, 7892
- calcium release, mitochondria, 8166
- cell growth, 7898
- cell surface proteins, 8174
- chemiluminescent signal induction, 7846
- chromosome-specific genetic markers, 7884
- clonal reproduction, 7732
- clones, 8014
 - characterisation and identification, 7732
- codon usage, 8135
- COOH-terminal microbody targeting signal degeneracy, 7867
- cultivation, 8011
- cysteine proteinase inhibitors, 7745
- cytochrome *c* expression, 8034
- cytoskeleton, 7892, 7899
 - intermicrotubule cross bridges, 7899
- development, 8160
- developmental cycle, 8034
- D-fructose transport, 7878
- D-glucose transporter, 7893
- differentiation, 8174
 - bloodstream to procyclic, 7864
 - from *T. congolense*, 8109
- dihydrolipoamide dehydrogenase, 8023
- DNA
 - hydroxymethyluracil, 8149
 - isolation, 8156

- k, 8014
 - maxicircle component, 7894
 - promoter-associated rearrangement events, 8150
- drug effects, 8010, 8103
- drug resistance, 7853
- EF-hand superfamily, 8170
- electrochemical proton gradient, 7747, 7883
- fibrillarin, 8151
- flagellar EF-hand calcium-binding proteins, 7900
- flagellum, 7887
- gene/s
 - blé* resistance, 8026
 - calmodulin, 8171
 - catalytic domains, 8148
 - cdc2*-like, 7886
 - EF-hand 5 protein, 8171
 - expression, 7626, 8024, 8150
 - sites, 8024, 8037, 8150
 - glucose transporter, 8139
 - mosaic, 8015
 - 6-phosphogluconate dehydrogenase, 7862
 - polyubiquitin, allelic polymorphism, 7760
 - procyclin-associated, 7746
 - ribosomal S12-like, 8029
 - RNA polymerase II largest subunit, 8140
 - rRNA promoter, 7761
 - transcriptional linkage, 8171
 - trypanothione reductase, 7734
 - ubiquitin extension protein 52, 8171
 - VSG, 7738, 7887, 8024, 8037, 8150
- genetic exchange, 7691
- genetics, population, 8014
- genomic linkage, 8171
- glucose catabolism, 8016
- glycolytic enzyme inhibition, 7898, 8169
- glycosomal glyceraldehyde-3-phosphate dehydrogenase, 8165
- glycosomal phosphoglycerate kinase, 8033
- glycosomes, 7867, 8033
- glycosylphosphatidylinositol (GPI)
 - inositol phosphate glycan from, 7754
 - terminal phosphoethanolamine group donor, 8157
 - membrane anchor
 - biosynthesis, 7753, 8031
 - galactosylation, 7889
 - glycobiosyl phosphatidylinositol synthesis, 8030
 - GLcNAc transferase inhibition, 7753
 - phospholipase C-resistant, palmitoylation, 8145
 - sialylation, 8146
 - specific phospholipase C expression in *E. coli*, 7885
- hexose transporters, 7869
- hybrid formation *in vitro*, 7891
- infecting cattle, 7693, 7809, 7970, 7992
- infecting dogs, 7818, 7928, 7929
- infecting goats, 7929, 7973
- infecting guinea pigs, 8115
- infecting humans, 7801
- infecting mice, 7721, 7808, 7813, 7835, 7839, 7843, 7851, 7853, 8004, 8006, 8126

- infecting pigs, 7828, 7968
- infecting rats, 7976
- infecting rhinoceros, 7691
- infecting sheep, 7817, 7976
- infecting tsetse, 7665, 7787, 7789, 7790, 8072
- infecting wild animals, 7662
- infectivity after storage, 7970
- in vitro* culture, 7728, 7857
- invariant surface glycoproteins, 8152
- isolates from Nigeria, 7930
- lysate, 7671
- lysosomes, 7879
- mitochondria, 7881, 7896, 8166
 - energising, 7755
 - membrane potential, collapse, 8166
 - mRNA editing complexes, 7757
- myristate metabolism, 8143
- N*-hydroxy-4-phosphono-butanamide, 8035
- nucleolus, 7892
- ornithine decarboxylase degradation, 7751
- ornithine decarboxylase translation initiation site, 7749
- pentose phosphate pathway, 7863
- 6-phosphogluconate dehydrogenase, 7863
- plasma membrane, 7897
- polypeptides, 7746
- population growth rates, 7860
- population structure, 7734
- procyclic acidic repetitive protein, 8146
- procyclin, 8032
- protein, 7746
 - kinases, 7882, 8148, 8160
 - ribosomal gene promoter-binding, 8155
 - stability, 8034
 - synthesis, inhibition, 7864
- pyruvate
 - kinase, 7876
 - transport, 7897, 8016
- reproduction, 8014
- RNA
 - B, 8151
 - editing, 7743, 7757, 8018, 8027
 - electrophoretic profile, 8109
 - g, 8027
 - g-m chimeras, cytochrome b, 7743
 - guide, 8018
 - kinetoplastid, 7743
 - m, 7757, 8027
 - cap 4, novel nucleosides, 7736
 - mt, 7881
 - polymerases, 8021
 - I-mediated protein-coding gene expression, 7873
 - II transcription units, 8037
 - pre-r, 8151
 - r, gene promoter, 7761
 - 7SL, 8017
 - sn, 8151
 - spliced-leader methylations, 7752

- t, 7881, 8017
- S-adenosylmethionine synthetase, 8172
- sialic acid acceptor, 8032
- sialidases, 8044
- small nuclear ribonucleoproteins, 7756, 8022
- stable transformation, 8136
- surface antigen, novel, 8025
- surface coat, barrier, 8152
- survival, 7970, 8015
- transferrin, endocytosed, 7879
- transcription, 8021
- trans*-sialidase, novel, 8032
- trans*-spliceosomal U2 snRNP protein 40K, 7756, 8022

- triosephosphate isomerase, 8035
 - inhibition, 7748, 8153
- trypanothione reductase, 7734
- variable antigen expression, 7860
- variable region nucleotide sequence, 7894
- virulence in mice, 7812
- VSG
 - cysteine patterns, 7871
 - gene expression site, 8037, 8150
 - membrane anchor, 7889, 8143
 - structural motif, 8138
- zymodemes, 8014

***T. brucei* spp.**

- mitochondrial function, 8142
- VSG genes, DNA sequences, 8108

***T. brucei* spp.**

- characterisation, 7955
- infecting tsetse, 7787
- retrotransposons TRS/ingi, evolution, 7868
- tubulin genes, evolution, 7868

T. b. brucei

- alternative oxidase inhibition, 8124
- bidirectional signals, 7990
- chitinases, 7735, 7758
- chromatin
 - histone-DNA interactions, 7739
 - structure, 7740
- cytoplasmic proteins, 7888
- cytotoxicity of human plasma, 7803
- dihydrolipoamide dehydrogenase gene, 7875
- dimer-interface mutant, 8019
- distinguished from *T. b. gambiense*, 8108
- drug effects, 7724, 7806, 7929, 8008, 8132
- drug resistance, 7723, 7724, 7829, 7872, 8132
- drug sensitivity, 7724, 7829
- drug uptake, 7724, 7741
- effects
 - of human plasma proteins, 7803
 - of mefloquine, 7852
- enzymes, 8002
- G418 resistance phenotype, 8129
- growth inhibition, 7723
- human serum resistance, 7792

human serum sensitivity, 7792
³H-hypoxanthine incorporation, 7723
infecting chickens, 7792
infecting dogs, 8088
infecting goats, 7814, 7829
infecting guinea pigs, 7663, 7838
infecting hartebeest, 7669
infecting humans, 7792, 7991
infecting mice, 7718, 7725, 7726, 7806, 7826, 7832, 7833, 7834, 7836, 7837, 7844, 7988, 7991, 7997, 7998, 8008, 8114, 8116, 8124, 8128, 8132
infecting pigs, 7695, 7669, 7829

T. b. brucei (cont.)

infecting rats, 7929, 7988, 7990, 8120
infecting sheep, 7701, 7930
infecting tsetse, 7629, 7660, 7663, 7667, 7669, 7785, 7788
in vitro culture of metacyclics, 7729
in vitro studies, 7723, 7829
LDL receptor conservation, 7865
L-proline active transport, 8154
nuclear chromatin, 7870
phosphoribosyl pyrophosphate synthetase, 7874
polyadenylation, stage-specific, 7888, 8161
purine transport system, 7741
med RNA, 7888, 8161
S-adenosylmethionine decarboxylase
 inhibition, 7759
 putrescine-activated, 7895
stocks, 8108
transformation, 7629, 7723
transmission index, 7785
triosephosphate isomerase expression in *E. coli*, 8019
VSG gene family, genomic organisation, 7737
zymodemes, 8014

T. b. gambiense

adaptation from man to rodents, 7989
AnTat 11.17, 8108
antigen in diagnostic testing, 7674, 7731, 7831
antigenic variants, 7662, 7831
characterisation, 7955, 8108
distinguished from *T. brucei* spp., 8108
filipin-sterol complexes, 8173
human serum resistance, 8078
identification by PCR, 7830
infecting *Adenota kob*, 7662
infecting antelopes, 7955
infecting dogs, 7955
infecting goats, 7955
infecting humans, 7661, 7674, 7686, 7731, 7794, 7799, 7800, 7806, 7807, 7831, 7912, 7924, 7926, 7956, 7959, 7961, 7989, 8075, 8076, 8080, 8081
infecting lion, 7662
infecting mice, 7844, 7989, 8001
infecting monkeys, 7955
infecting pigs, 7955
infecting rabbits, 7731, 7989
infecting rats, 7840, 7989
infecting tsetse, 7772
infecting wild animals, 7955

LiTat 1.3, 7831
 gene, 7731
LiTat 1.6, 7831
reservoir hosts, 7662, 7955
Type I, 8108
Type II, 8108
VAT diversity, 7831
VSG gene, 8108
zymodemes, 8014

T. b. rhodesiense

drug effects, 7805
gene duplication, 8028
human serum resistance, 7792
human serum sensitivity, 7792
infecting bushbuck, 7792
infecting humans, 7675, 7792, 7794, 7805, 7807
infecting mice, 7826, 7844, 7847, 8102, 8117, 8118, 8119
infecting rats, 7792
infecting tsetse, 7785
infecting wild animals, 7955
non-variant immunodominant antigens, 8112
serum resistance, 7880
 associated protein expression, 7880
stocks, 8108
surface antigen repertoire, 7792
transmission index, 7785
trans-splicing, 8164
tubulin transcripts, polyadenylation, 8164
VAT, 7792
VSG, 8118, 8119
 expression, 8028

T. congolense

akinetoplastic induction sensitivity testing, 8123
alanine-rich protein, surface antigen, 7866
antigen, 7674, 8044
axenic culture, 8125
clonality, 7732
cysteine protease, 7861
defence against phagocytosis, 8000
differentiation from *T. brucei*, 8109
drug effects, 8007, 8044
drug interactions, 8131
drug resistance, 7666, 7723, 7848, 8074, 8104, 8130
 multiple, 7709, 8104
drug sensitivity, phenotypes, 8104
drug sensitivity testing, 8125, 8127
drug uptake, 7714, 7855
endocytosis studies, 8147
epidemiology, 7793
genetics, 8104
genotype characterisation, 8013
growth inhibition, 7723
 ³H-hypoxanthine incorporation, 7723
immunoelectron microscopic studies, 8147
infecting buffalo, 7668, 7820
infecting cattle, 7666, 7669, 7693, 7704, 7705, 7714, 7809, 7970, 8069, 8104
 Baoulé, 7687, 7697, 7699

Boran, 7668, 7710, 7812, 7987, 8094
N'Dama, 7668, 7700, 7702, 7706, 7812, 7820, 7975, 8094
Zebu, 7687, 7699, 7709, 8074
infecting goats, 7709, 7817, 7929, 7980, 8104
 Red Sokoto, 8084
 Small East African, 8092
 West African Dwarf, 8084
infecting guinea pigs, 7839
infecting hamsters, 7957
infecting lion, 7669
infecting mice, 7669, 7722, 7727, 7826, 7957, 8000, 8006, 8044, 8102, 8104, 8123
infecting mosquito, 7957
infecting pigs, 7968
infecting rabbits, 7849, 7994
infecting rats, 7719, 7995, 7996, 8007
infecting rhinoceros, 7691
infecting sheep, 7815, 7930, 7970, 7977
 Scottish Blackface, 8089
infecting tsetse, 7660, 7666, 7667, 7668, 7669, 7670, 7785, 7787, 7789, 7790, 7793, 7812, 7987,
 8072
infecting wild animals, 7662
in vitro culture, 7626
in vitro studies, 7723
33-kilodalton immunodominant antigen, 7861
LDL receptor conservation, 7865
lysosomes, 7879
maturation, 7785
phospholipase A₂, 8159
populations, genetically distinct, 8104
retrotransposons TRS/ingi, evolution, 7868
RNA electrophoretic profile, 8109
survival in cattle blood, 7971
transferrin, endocytosed, 7879
transformation, 7723
transmission index, 7785
trypanothione reductase, 7750
tubulin gene, evolution, 7868
zymodeme, 8104

T. equinum

LDL receptor conservation, 7865

T. equiperdum

benzyl-phenoxy-ethanamine binding protein, 8137
drug effects, 8007
infecting mice, 7720, 7993
infecting rats, 8007
LDL receptor conservation, 7865
retrotransposons TRS/ingi, evolution, 7868
tubulin gene, evolution, 7868

T. evansi

antigen, 8044
cryopreservation, 8113
diagnosis, 8047, 8110, 8111
drug effects, 8007, 8009, 8044, 8047
drug resistance, 8047
drug sensitivity, 7829, 7854
epidemiology, 8047
epimastigotes, 7954

growth, 7858
infecting buffalo, 8044, 8047
infecting camels, 7808, 7810, 7819, 7954, 7964, 8047, 8082, 8091, 8095, 8103
infecting cattle, 8044, 8047
infecting *Cephalopina titillator*, 7954
infecting dogs, 8047
infecting goats, 7819, 7829, 8091
infecting horses, 8047
infecting mice, 8004, 8006, 8009, 8044
infecting rabbits, 7808, 7841, 7842, 8003, 8122
infecting rats, 8007
infecting sheep, 7821, 8091
in vitro culture, 7626, 7829, 7858
morphology, 8047
pathogenicity, 8047
pyruvate production, 7858
retrotransposons TRS/ingi, evolution, 7868
surface components, 7733
transmission, 8047
tubulin gene, evolution, 7868
vectors, 8047

T. simiae

infecting bushpig, 7791
infecting pigs, 7791
infecting tsetse, 7789, 7790, 7791
in vitro culture, 7730
virulence in pigs, 7791

T. theileri

cryopreservation, 8113
infecting cattle, 7693

T. vivax

antigen, 8044
antigenic variation, 8163
DNA fingerprinting, 8133
drug effects, 8044, 8047
drug resistance, 7928
endocytic compartment, 8020
epidemiology, 8047
infecting buffalo, 8071
infecting cat, 7698
infecting cattle, 7666, 7669, 7689, 7693, 7696, 7703, 7809, 7928, 7970, 8047
 Ayrshire, 7706
 Baoulé, 7699
 Boran, 7706, 7710, 8071
 Friesian, 8085
 N'Dama, 7700, 7706, 7825, 7986, 8071
 Zebu, 7699, 7709, 7929, 8085
 concurrently with *Theileria mutans*, 7978

***T. vivax* (cont.)**

infecting goats, 7928, 7974, 7980, 8047
infecting guinea pigs, 7928
infecting horses, 8047
infecting mice, 8006, 8044
infecting rhinoceros, 8090
infecting sheep, 7817, 7822, 7928, 7929, 7930, 7970, 7979
infecting tsetse, 7660, 7666, 7667, 7669, 7689, 7789, 7790, 7928, 8047, 8071, 8072
infecting Yankassa rams, 8093

infecting wild animals, 7662
infection rates in tsetse, 8047
LDL receptor conservation, 7865
membrane glycoprotein, 8020
morphology, 8047
pathogenicity, 8047
RNA polymerase II largest subunit gene, 8163
sialidases, 8144
survival in cattle blood, 7970

trypanosome/s

antigenic variation, 8072
biology, 7766, 7906, 8036
clones, cryobank, 8039
cryostabilates, 7798
DNA, 7797
drug resistance, 7725
enzymes, 7797
genetics, 7626, 7732, 7766, 7785
infecting camels, 7717
infecting tsetse, 7649, 8051, 8070
infection rate
 in cattle
 in Gabon, 8042
 in Rwanda, 7666
 in tsetse, 8072
 experimental, 7660, 7665, 7667, 7668, 7669, 7670, 8071
 in Gabon, 8042
 in Ghana, 7688
 in Rwanda, 7666
 in wild animals, Burkina Faso, 7664
invariant antigens, 7812
in vitro isolation from humans, 7672
molecular variation, 8158
morphology, 8046
pathogenicity, 8072
prevalence
 in cattle
 in Ethiopia, 8070
 in Kenya, 7710
 in humans, Congo, 7674
 in wild animals, Benin, 7662
strains, 8038, 8072
subclones, 7813
transformation, 7629
transmission, 8046
triosephosphate isomerase, 8168
virulence, 7813, 7928, 8073
VSG, 7626, 8046

trypanosomiasis, general

chemotherapy, 7850
control, 7644, 7650, 7651, 7655, 7688, 7725, 7764, 7766, 7781, 7901, 7902, 7904, 7906, 7909,
 7913, 7914, 7917, 8040, 8046
diagnosis, 8046
distribution, spatial, 8073
epidemics, 8046, 8068
epidemiology, 7901, 7914, 7931, 8068, 8073
immunology, 8036

incidence, 7651, 7655, 8068
in Angola, 7918
in Côte d'Ivoire, 7781
in Ethiopia, 7656
in Ghana, 7688
in Kenya, 7651, 7691, 8040
in sub-Saharan Africa, 7764, 7906
in Uganda, 7650
in Zimbabwe, 7640, 7655, 7902
modelling, 8068
prevalence, 8068
prevention, 7904
research literature analysis, 7770
risk
 in Burkina Faso, 8039
 in Gambia, 7700
 in Mali, 8101
 in Nigeria, 7689
 in Uganda, 7690
surveillance, 7904, 8039, 8046
transmission, 7901, 7928
treatment, 7856, 8046

trypanosomiasis in animals, 7769

clinical symptoms/pathological effects, 8047, 8087
 abortion, 7688, 7694, 7699, 7701, 8086, 8103
 anaemia, 7696, 7698, 7699, 7701, 7702, 7703, 7929, 7972, 7986, 8044, 8084, 8087, 8089, 8090, 8103
 anoestrus, 7699
 antigenaemia, 7693
 blood cell changes, 7696, 7702, 7703, 8084
 blood chemical changes, 8089
 blood spots on mucous membranes, 8103
 bone marrow changes, 7696, 7703
 bronchopneumonia, 7819, 7979, 8091
 cachexia, 7822
 coagulation defects, 7976
 emaciation, 7698, 8091
 encephalitis, 7973
 fever, 7698, 7973, 8103
 glaucoma, 7698
 gonad damage, 8092
 heart failure, 7818
 hyperthermia, 7699
 hypoalbuminaemia, 7702
 hypocholesterolaemia, 7815
 hypophospholipidaemia, 7815
 increased heart and pulse rate, 7698
 infertility, 8087
 lethargy, 7822, 8087
 leucocytosis, 7815, 8084
 leucopenia, 8084, 8090
 lymph node enlargement, 7698
 lymphocytosis, 7815, 8084
 lymphopenia, 8084
 muscular atrophy, 8091
 necroses, 7819
 neonatal mortality, 7701

nephrotic changes, 8091
neutrophilia, 8084
neutropenia, 8084
oedema, 7698, 7822, 8087, 8103
pancarditis, 7818
pituitary gland degenerative changes, 7817
prostration, 8103
pyrexia, 7822
reduced birth weight, 7986
reduced milk yield, 8087, 8103
reduced weight gains, 7977, 7986, 8087, 8092
reproductive abnormalities, 7697, 7699, 7817, 7822, 7977, 8092, 8093
retarded growth, 7817, 7973, 7986, 8087
thrombocytopenia, 7976, 8090
thyroid gland degenerative changes, 7817
watering eyes, 8103
weight loss, 7694, 7699, 7701, 7702, 7817, 7819, 8084, 8087, 8091, 8103
concurrent with helminthiasis, 8087
control, 7909, 7929, 7969, 7983, 8038, 8044, 8046, 8056, 8072, 8087
 in common fly belt, 7763
 in Uganda, 7690
diagnosis, 7694, 7763, 7801, 7809, 7969, 7983, 8038, 8040, 8044, 8046, 8083, 8087
epidemiology, 7983, 8068, 8072, 8087
 in common fly belt, 7763
epizootiology, 7664, 8068
frequency, 8072
in Burkina Faso, 7664
in Cameroon, 8014
in Central African Republic, 7809, 7946, 8056
in Congo, 7801, 8014
in Côte d'Ivoire, 7801
in East and West Africa, 7817
in Ghana, 7688
in Kenya, 8087
in Nigeria, 7929
in sub-Saharan Africa, 7909
in Uganda, 7690
in Zaire, 8014
prevalence, 8068
prevention, 7983, 8038
reservoir hosts, 7664
surveillance, 7983, 8046, 8083
treatment, 7983, 8038, 8040, 8046, 8087, 8106

trypanosomiasis in camels

diagnosis, 8082, 8095, 8103
in Kenya, 7694, 7808, 7810
in Mali, 7808
in Somalia, 8082
pathology, 8103
treatment, 7694, 8082, 8103

trypanosomiasis in cat

in Kenya, treatment, 7698

trypanosomiasis in cattle

control, 7639, 7640, 7642, 7651, 7655, 7692, 7768, 7778, 7913, 7928, 7942, 8064
diagnosis, 7692, 7693, 7809, 7811
immune response, 7705
in Burkina Faso, 7699, 7709, 7942, 7970

in Central African Republic, 7778, 7809
in Ethiopia, 7913, 7914, 7949, 8070, 8074, 8104
in Kenya, 7651, 7710, 8105
in Mali, 7827, 8101
in Nigeria, 7689, 7811, 7928, 7930, 7972, 8085
in Rwanda, 7666
in Sudan, 7984
in Tanzania, 7639, 7642
in Uganda, 7693
in Zambia, 8064
in Zimbabwe, 7640, 7655, 7947
incidence

in Burkina Faso, 7970
in Ethiopia, 8074, 8086
in Kenya, 8105
in Nigeria, 7811

infection rate

in Burkina Faso, 7942, 7970
in Nigeria, 7972

prevalence, 7666

in Burkina Faso, 7709, 7970
in Central African Republic, 7778
in Ethiopia, 7914, 8070, 8074
in Gambia, 7816
in Kenya, 7710
in Mali, 8101
in Nigeria, 7930, 8085

recurrent infection, 8074

resistance, 7824, 7947

trypanosomiasis in cattle (cont.)

risk, 7986

in Mali, 8101

treatment, 7639, 7655, 7666, 7692, 7699, 7709, 7710, 7768, 7827, 7913, 7914, 7928, 7986, 8074, 8105

trypanotolerance, 8100

trypanosomiasis in dogs

in Nigeria, prevalence, 8088

trypanosomiasis in goats

economic impact, East and West Africa, 7817

prophylaxis, 7763

trypanosomiasis in humans

biology, 7912

causes, biotic and abiotic, 8073

clinical symptoms/pathological effects, 7796, 7797, 7804

adenopathies, 7680, 8075, 8076

amenorrhoea, 8075

anaemia, 7686

appetite changes, 8075

astheny, 8076

bronchitis, 8076

coma, 7679, 8080

cutaneous lesions, 7804, 8075

encephalographic abnormalities, 8076

encephalopathies, 7679, 7964, 7965

fever, 7680, 7804, 8075, 8076

headache, 7804, 8075

hepatosplenomegaly, 7680

hypergammaglobulinaemia, 7681
hyperglycaemia, 7680
immunoendocrinal disturbance, 7681
impotence, 8075
leucopenia, 7680, 7804
meningoencephalitis, 7676, 7677, 7678, 7680, 7681, 7682, 7683, 8077
mental confusion, 8075
neurological disturbances, 7802, 8075
oedema, 7804, 8075
pruritis, 8075
sleep-wake disturbances, 7676, 7677, 7678, 7679, 7681, 7682, 7683, 8075, 8076, 8077
thrombocytopenia, 7804
control, 7731, 7762, 7765, 7781, 7792, 7903, 7909, 7912, 7915, 7918, 7920, 7921, 7923, 7924,
7925, 7926, 7927, 7953, 7955, 7956, 7960, 7961, 7962, 7963, 7966, 8038, 8041, 8046, 8075
diagnosis, 7661, 7673, 7674, 7675, 7731, 7765, 7781, 7794, 7795, 7796, 7797, 7798, 7799, 7800,
7801, 7802, 7804, 7831, 7918, 7925, 7958, 7959, 7960, 7961, 7962, 7963, 7966, 8046, 8075,
8076
duration, 7925
epidemiology, 7762, 7767, 7792, 7796, 7804, 7903, 7918, 7919, 7924, 7925, 7956, 7963, 7965,
8041, 8068, 8073
foci, 7903, 7915, 7918, 7930, 7956, 7963
gambiense, 7661, 7662, 7674, 7686, 7731, 7794, 7799, 7800, 7801, 7806, 7807, 7831, 7912, 7924,
7926, 7955, 7959, 7961, 8075, 8076, 8080, 8081
history, 7765, 7915, 8041, 8073
 in Angola, 7918
 in Uganda, 7924
 in Zaïre, northern, 7767
in Angola, 7918, 7920, 8076
in Benin, 7662
in Cameroon, 7731, 8014, 8080, 8081
in Central African Republic, 7661
in Congo, 7672, 7673, 7674, 7801, 7964, 7966, 7967, 8014, 8075
in Côte d'Ivoire, 7781, 7801, 7956, 7964
in Equatorial Africa, 7765
in Equatorial Guinea, 7963
in Mozambique, 7675
in Nigeria, 7929, 7930
in Sudan, 7807, 7920
in Tanzania, 7804
in Uganda, 7786, 7794, 7800, 7920, 7924
in West and Central Africa, 7955
in Zaire, 7686, 7767, 7799, 7807, 7919, 7920, 7958, 7959, 7961, 8014
incidence, 7925, 7927, 8068
 annual, 7903
 in Côte d'Ivoire, 7781
 in Equatorial Africa, 7765
man-fly contact, 7661, 7915, 7922, 7953
modelling, 7762, 7912, 7919, 7925, 7926, 7960
monitoring, 8073
natural history, 7919
prevalence, 7903, 7927, 7955, 8068
 in Uganda, 7800
prevention, 7915, 8038
reservoir hosts, 7915, 7930, 7955, 7962
reservoirs of infection, 7662, 7960
resistance, 8078
rhodesiense, 7675, 7792, 7794, 7805, 7807

risk, 7915, 7923, 7953, 7958, 7960
 in Angola, 7918
 in Equatorial Guinea, 7963
 in Zaire, 7919, 7958, 7961
screening, 7661, 7674, 7921, 7929, 7958, 7959, 7961, 7962, 7963, 7966
spread, social factors, 7953
surveillance, 7923, 7958, 7959, 7961, 7963, 8041, 8046
 in Angola, 7918
 in Uganda, 7920
survey, 7767, 7918, 7919, 7956, 7963
susceptibility, 7924
transmission, 7804, 7912, 7925, 7926, 7956, 7959, 7960, 8078
treatment, 7676, 7677, 7678, 7797, 7800, 7804, 7915, 7918, 7923, 7924, 7958, 7962, 7965, 7967,
 8038, 8041, 8046
 arsenicals, 7677, 7685
 DFMO, 7679, 7686, 7807, 7967, 8046, 8076
 melarsoprol, 7679, 7685, 7686, 7805, 7807, 7964, 7965, 7967, 8046, 8079, 8080, 8081
 nifurtimox, 7807
 pentamidine, 7684, 7966
 suramin, 7804
vectors, 7804, 7921, 7955

trypanosomiasis in livestock
 control, 7969, 7982
 diagnosis, 7969
 in Central African Republic, prevalence, 8056
 in common fly belt, 7763
 in West and Central Africa, 7982
 prevalence, 7969, 8056

trypanosomiasis in sheep
 in Burkina Faso
 incidence, infection rate and prevalence, 7970
 in East and West Africa, 7817
 treatment, 7815

trypanosomiasis in small ruminants
 in Ghana
 infection rate and prevalence, 7688

trypanosomiasis in wild animals
 in Burkina Faso, 7664
 in rhinoceros, 7691, 8090

trypanosusceptibility
 in cattle, 7668, 7699, 7700, 7706, 7812, 7975, 8071, 8094, 8102
 in goats, 8084
 in livestock, 8074, 8102
 in mice, 7826, 7837, 8078
 in rabbits, 7842
 in sheep, 7928, 7979
 in small ruminants, 7817

trypanothione, 7685
 functions, in kinetoplastida, 7877
 metabolism, 7877
 reductase
 active site, 7744
 T. brucei, 7734
 T. congolense, 7750

trypanotolerance, 7764, 7768, 7901, 7929
 anaemia control, 7824, 8044
 characterisation, 8044

criteria, 7768, 7825, 7982
genetics of, 7823, 7824, 7826, 7982, 8039, 8044, 8102
immunology, 7823, 8102
in buffalo, 8071
in cattle, 7982, 8039, 8042, 8096, 8100, 8101
 Baoulé, 7699, 7707, 7708, 7823
 N'Dama, 7700, 7702, 7768, 7812, 7824, 7825, 7827, 7947, 7974, 8071, 8094, 8096, 8097, 8098, 8101
 West African Shorthorn, 7768
in goats, 7982, 8099
 Djallonké, 7817
in livestock, 7982, 8046, 8096, 8100
in mice, 8102
in sheep, 7817, 7982, 8099
in small ruminants, 8099
models, 8102
parameters, 7982, 8102
parasitaemia control, 8044, 8102
physiology, 8102
productivity, 7981, 7982, 8096, 8097
rearing, 8099, 8100

Trypanozoon

characterisation of Ugandan stocks, 7786
epidemiology, 7793
infecting camels, 8044
infecting cattle, 7786, 8044
infecting horses, 8044
infecting humans, 7786
infecting pigs, 7786
infecting tsetse, 7649, 7785, 7786, 7792
infecting warthogs, 7664
maturation in tsetse, 7785
metacyclic development, 7792
serum resistance, 7792
serum sensitivity, 7792

tsetse eradication, 7644, 7671, 8041

in Africa, 7659
 West and Central, 7907
in Burkina Faso, 7970, 8039
in common fly belt, 7763, 7922
in Tanzania, 7639, 7642

Uganda

Busoga
 trypanosomiasis in, 7786
 human *rhodesiense*, 7794
Buvuma Island, Lake Victoria
 G. f. fuscipes in, 7650
 trypanosomiasis control, 7650
 tsetse surveys and control, 7650
Mukono
 trypanosomiasis in humans, 7786
northern
 trypanosomiasis in humans
 gambiense and *rhodesiense*, 7794

Uganda (cont.)

north-west

- trypanosomiasis in humans, *gambiense*
 - control, 7924
 - prevalence, 7800
 - survey, 7800, 7924

south-east

- G. fuscipes* in, 7920
- trypanosomiasis in humans, control, 7920
- tsetse control, 7920
- T. b. rhodesiense* stocks from, 8108
- tsetse infestation, 7690
- trypanosomiasis
 - in animals, control, 7690
 - in cattle, 7693
 - in humans, 7786, 7920
 - risk, 7690
- Trypanozoon* stocks from, 7786

- vaccine/vaccination**, 7626, 8046
 - development constraints, 7768

variable antigen type (VAT)

- in human trypanosomiasis, 7679, 7731, 7795
- T. brucei*, 7860
- T. b. brucei*, 7814
- T. b. gambiense*, 7831
 - gene, 7731
 - LiTat 1.3, 7731
- T. b. rhodesiense*, 7792

variant surface glycoprotein (VSG)

- T. brucei*, 7871
 - gene expression site, 7887, 8024, 8037, 8150
 - gene family, 7738
 - GPI membrane anchor, 7889, 8143
 - structural motif, 8138
- T. brucei* spp.
 - genes, DNA sequences, 8108
- T. b. brucei*
 - gene family, 7737
- T. b. gambiense*
 - gene amplification, 8108
 - gene, DNA sequences, 8108
- T. b. rhodesiense*, 8028, 8118, 8119
- trypanosome, 7626, 8046

- vector competence**, 7669

vectorial capacity

- of tsetse, 7629, 7644, 7649, 7660, 7661, 7663, 7788, 8068, 8073

vectors

- feeding preferences, 7955
- of animal trypanosomiasis, mechanical, 7970
- of human trypanosomiasis, 7804, 7955
- of *T. evansi* and *T. vivax*, 8047

warthog

- Nannomonas* infection, Burkina Faso, 7664
- Trypanozoon* infection, Burkina Faso, 7664

wild animals

- as reservoirs of animal trypanosomiasis, 7955
 - in Benin, 7662
 - in Burkina Faso, 7664
- mixed infections, 7955
- trypanosome infection rates, Burkina Faso, 7664

Zaire

- northern
 - trypanosomiasis in humans, history, 7767
- T. b. gambiense* Type I stocks from, 8102
- trypanosomiasis
 - in animals, 8014
 - in humans, 7807, 7920, 8014
 - distribution, 7961
 - gambiense*, 7686, 7799, 7959, 7961
 - risk, 7919, 7958, 7961
 - screening and surveillance, 7958, 7961
 - survey, 7919, 7961
- trypanotolerant livestock productivity, 8097

Zambia

- common fly belt
 - trypanosomiasis in animals, 7763
 - tsetse control, 7763, 7922
- game animals, trypanolytic sera from, 7792
- G. m. centralis* in, 8064
- spraying, 7777, 7922
- trapping, 8064
- T. b. rhodesiense* stocks from, 8108
- T. congolense* infection in cattle, 8064
- trypanosomiasis in cattle, 8064
- tsetse control, 7777, 7905, 8064

Zimbabwe

- common fly belt
 - trypanosomiasis in animals, 7763
 - tsetse control, 7763, 7922
- G. morsitans* in, distributional limits, 8073
- G. m. morsitans* in, 7628, 7631, 7635, 7645, 7646, 7775, 7939, 8054
- G. pallidipes* in, 7631, 7635, 7783, 7939, 8053, 8054
- spraying, 8058, 8059, 8060, 8061, 8067
 - aerial, 7777, 7902, 7922, 7943, 7944
 - ground, 7902, 7943, 8067
- trapping, 7631, 7635, 7640, 7943, 7947, 7948, 8053, 8054, 8057, 8062
- trypanosomiasis control, 7640, 7655, 7910, 7943
- trypanotolerant livestock, 7947
- tsetse control, 7640, 7645, 7646, 7655, 7777, 7779, 7783, 7902, 7910, 7943, 7944, 7947, 7948, 8053, 8057, 8058, 8059, 8060, 8061, 8062, 8067
- Zambezi Valley
 - tsetse control, 8057