

TSETSE AND TRYPANOSOMIASIS INFORMATION QUARTERLY

Index

Volume 14

Part 1–4, 1991

Numbers 6546–7081



DFID



Africa

Central

trypanosomiasis in humans, 6822
trypanosomiasis threat, 6546

East

G. frezili in, 6566
G. medicorum in, 6566
T. vivax stocks and clones from, 6999
trypanosomiasis
control, 6689
in humans, 6822
threat, 6546
tsetse control in, 6689

southern

trypanosomiasis in humans, 6822, 6970

trypanosomiasis

in animals, epidemiology, 6584
in humans, 6822

tsetse control

aerial spraying, 6707
development, 6961

West

G. medicorum in, 6566
reservoir hosts, potential, 6995
T. vivax stocks and clones from, 6999
trypanosomiasis
control, 6546
in humans, 6822
epidemiology, 6841
history, 6816
trypanotolerant livestock project, 6684

African Trypanotolerant Livestock Network, 6728

Angola

trypanosomiasis
epidemiology, 6970
in humans, *gambiense*, 6976
tsetse distribution, 6970

antelope

potential reservoir host, Malawi, 6978

antibodies *see* immune response

antigen

see also variable/variant surface antigen and variant surface glycoprotein
CD5, in *T. congolense*-infected cattle, 7000
concentration in bovine sera, 6989
detection methods, 6821, 6873, 6987, 6989
ELISA, 6747, 6857, 6987, 6989
galactocerebrosides, in *T. b. brucei*-infected sheep, 6876
heterologous, *T. evansi*, 6747
homologous, *T. congolense*, 6747
MHC class II, in *T. congolense*-infected sheep, 6603
red blood cell, sheep, 6873
stimulation, in *T. brucei*-infected rats, 7012
surface, trypanosomes, 6748
T. b. brucei, 6873
T. b. gambiense, 6873
T. congolense, 6873, 6987

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)
trypanosomal, 6873, 6986

antigenic relatedness

in *T. vivax* stocks and clones, 6999

antigenic variation

dynamics of, 7037

in *T. brucei*, 7081

molecular genetics of, in *T. brucei*, 7038

antimonial compounds

chemotherapy in *T. brucei*-infected mice, 7022

potentiation by DFMO, 7022

arsenicals

chemotherapy in CNS-trypanosomiasis, 7023

combined with nitro-compounds, 7023

resistance in trypanosomes, 6883

susceptibility in *T. b. rhodesiense*, 6883, 6901

treatment

of human trypanosomiasis, 6816

of *T. brucei*-infected mice, 7023

attractants/attractiveness for *Glossina*

see also baits, odour

colour, on targets, 6564

odour, 6709

effect on catch, 6567

host, 6563

in traps, 6567, 6716

on screens, 6716

on targets, 6567, 6830

trials, Burkina Faso, 6572

phenols, host-derived, 6706, 6733

attractants/attractiveness for *Glossina* (cont.)

urine

buffalo, 6706

phenols in, 6733

baboon

infectivity of *T. b. gambiense*, 6877

resistance to *T. b. brucei*, 6594

serum factor, trypanocidal, 6594

T. brucei infection, response, 7014

bacteria

pathogenicity

in *G. m. morsitans*, reared, 6712

in *G. pallidipes*, wild, 6712

baits, for *Glossina*

see also attractants/attractiveness

acetone, 6567, 6573, 6580, 6710, 6716, 6717, 6963, 6967

butanone, 6716

carbon dioxide, 6550, 6716, 6830

p-cresol, 6567

deltamethrin-dipped cattle, 6716

juvenile hormone mimics, 6558

methyl phenol, 6710, 6963

1-octen-3-ol, 6567, 6580, 6710, 6716, 6717, 6963, 6967

odour, 6574, 6580, 6717, 6721, 6828, 6830, 6963

ox breath, 6550

ox sebum, 6550, 6830

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- ox, stationary, 6828
- phenols, 6716, 6963, 6967
- 3-n-propyl phenol, 6567, 6710, 6963
- urine, cow, 6567, 6573, 6710, 6717, 6963, 6967
- visual, 6716

Beauveria bassiana

- infecting *G. m. morsitans*, 6835

Benin

- human trypanosomiasis, epidemiology, 6850

benznidazole

- against *T. b. brucei*, 6763
- synergism with DFMO, 6763

Berenil *see* diminazene aceturate

Berenil index, 6717

bleomycin

- with DFMO and suramin
- against *T. b. brucei* in mice, 6756

Botswana

- Ngamiland
- G. morsitans* in, 6685
- human trypanosomiasis, epidemiology, 6685
- tsetse control
- by hunting, 6836
- spraying trial, 6685

buffalo

- role in trypanosome dispersal, 6947
- T. evansi* infection (exp.)
- drug treatment, 6863
- haematological changes, 6863

Burkina Faso

- G. m. morsitans* in, 6709
- G. m. submorsitans* in, 6572
- G. palpalis* population sampling, 6966
- G. p. gambiensis* in, 6572, 6709
- G. tachinoides* in, 6572, 6709
- Sideradougou
- tsetse control, 6709
- trypanosomiasis
- distribution, 6726
- epidemiology, 6841, 6850
- in humans, 6726
- tsetse control
- eradication, 6572, 6709
- SIT projects, 6547, 6572, 6709
- traps and screens, 6572, 6709

bushbuck

- host
- preferred, Zimbabwe, 6831
- reservoir, Malawi, 6947

bush clearing

- for tsetse control, Uganda, 6730

bushpig

- host, preferred, Zimbabwe, 6831

Butox *see* deltamethrin

camel (*Camelus dromedarius*)

- T. b. brucei* infection (exp.)
pathogenicity, 6861
- T. congolense* infection (exp.)
pathogenicity, 6861
- T. evansi* infection, 6861, 6864
concurrent with *Haemonchus longistipes*
haematological changes, 6864
detection, 6811
trypanosomiasis, treatment, 6894

Camelus dromedarius *see* camel

Cameroon

- Adamaoua Plateau
trypanosomiasis in cattle, control, 6570
- Fontem focus
trypanosomiasis
in domestic animals, prevalence, 6598
in humans, 6590, 6598
- Mamfe focus
trypanosomiasis in humans, 6983
screening, 6848
trypanosomiasis in humans, 6982

cattle

- anti-*T. b. gambiense* antibodies, 6873
- anti-*T. congolense* antibody detection, 6747
- T. congolense* infection, 6745
- Baoulé
T. vivax infection, 6745
trypanosomiasis, effects, 6745
trypanotolerance, 6745
- Boran
T. congolense-infected, re-challenge, peripheral leucocyte population,
7000
T. congolense infection (exp.)
effect on reproductive system, 6992
isometamidium chloride treatment, 7008
trypanosusceptibility, 6811
- crossbreed
N'Dama-Simmental
T. brucei infection (exp.), 6744
T. congolense infection (exp.), 6744
T. evansi infection (exp.)
clinical manifestations, 6997
- Zebu-N'Dama
T. congolense infection, 6857
trypanosomiasis, incidence, 6857
- Dahomey
superinfection (exp.), 6744
T. brucei infection (exp.)
humoral immune response, 6744
T. congolense infection (exp.)
humoral immune response, 6744
- deltamethrin-dipped, 6721
as tsetse baits, 6716

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- dip, for tsetse control
 - in Cameroon, 6570
 - in Tanzania, 6710
- flumethrin pour-on treatment, 6968
- Friesian
 - T. brucei* infection (exp.), 6744
 - T. congolense* infection (exp.), 6744
- isometamidium chloride treatment
 - detection in serum, 7009
- isometamidium, injection
 - distribution and elimination, 6609
- mixed infections, Uganda, 6743
- N'Dama
 - chemoprophylaxis, 7003
 - growth
 - genetic correlation with PCV, 6866
 - imported, Gabon
 - trypanosomiasis in, 7003
 - parasitological survey, Congo, 6583
 - productivity
 - effect of trypanotolerance, 6607
 - serological testing, Senegal, 6858
 - T. b. brucei* infection
 - antibodies, 6858
 - T. congolense* infection
 - antibodies, 6858
 - nutrition, effects
 - on anaemia, 6605
 - on liveweight, 6605
 - re-challenge, effects
 - on peripheral leucocyte population, 7000
 - T. congolense* infection (exp.)
 - multiple superovulation effect, 6865
 - T. vivax* infection
 - antibodies, 6858
 - trypanosome prevalence, 6843
 - trypanotolerance, 6811, 6812
 - anaemia control, genetics, 6866
 - effect of nutrition on, 6605
 - field testing, 6606, 6607
 - tsetse challenge, 6843
 - tsetse-trypanosome challenge, Gabon, 6866
- production restraints, 6687
- sentinel
 - in assessment of trypanosomiasis challenge, 6580
 - in monitoring of tsetse control, 6547, 6599, 6717
- Simmental
 - T. brucei* infection (exp.), 6744
 - T. congolense* infection (exp.), 6744
- treatment, flumethrin pour-on, 6968
- T. brucei* infection
 - in Central African Republic, 6601
 - in Kenya, 6734
 - in Malawi, 6947
 - in Tanzania, 6710
 - in Uganda, 6743, 6837

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- T. congolense* infection, 6725, 6747
 - effect on immunisation for East Coast fever, 6998
 - in Central African Republic, 6601
 - in Malawi, 6947
 - in Senegal, 6857
 - in Somalia, 7002
 - in Tanzania, 6710
 - in Uganda, 6743
- T. congolense* infection (exp.)
 - diagnosis, 6987
 - drug sensitivity testing, 7007
- T. vivax* infection
 - in Central African Republic, 6601
 - in Malawi, 6947
 - in Nigeria, 6829
 - in Somalia, 7002
 - in Tanzania, 6710
 - in Uganda, 6743, 6837
- T. vivax/T. congolense* mixed infection
 - in Central African Republic, 6601
- trypanosomiasis
 - chemotherapy, 7007
 - endocrine disturbances, 6860
 - epidemiology, Kenya, 6948
- cattle** (cont.)
 - trypanosomiasis (cont.)
 - in Malawi, 6947
 - in Tanzania, 6710
 - incidence, Somalia, 7002
 - persistence, Nigeria, 6599
 - prevalence
 - in Central African Republic, 6601
 - in Gabon, 6843
 - in Kenya, 6838
 - in Zaire, 6843
 - survey, Nigeria, 6599
 - treatment, 6894, 6947
 - drug, long-term efficacy, 6871
 - isometamidium chloride, 6868
 - trypanosusceptible
 - trypanosome prevalence, 6728, 6812
 - tsetse challenge, 6728, 6812
 - trypanotolerant
 - anaemia control, 6812
 - genetic improvement, 6812
 - parasitaemia control, 6812
 - trypanosome infection rate, 6971
 - trypanosome prevalence, 6728, 6812, 6971
 - trypanosomiasis in, 7003
 - tsetse challenge, 6728, 6812, 6971
- Zebu
 - spermatozoan abnormalities, treatment, 7006
 - T. congolense* infection
 - drug treatment, 6867, 7006
 - effect on spermatozoa, 6996
 - T. vivax* infection

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

drug treatment, 7006
effect on spermatozoa, 6996
trypanosome infection
drug treatment, 6871

Central African Republic

G. fusca congolensis distribution, 6708
G. fuscipes fuscipes distribution, 6708, 6960
trypanosomiasis
in cattle, prevalence, 6601
in humans, 6982, 6983
tsetse, control by trapping, 6708

central nervous system (CNS)

immunosuppression in, 6740
involvement in *gambiense* trypanosomiasis, 6740, 6856, 6986
trypanosomiasis in *T. brucei*-infected mice, 7023

cerebrospinal fluid (CSF)

antibody levels in, 6741
IgG and IgM levels, 6741
in *gambiense* trypanosomiasis, 6740, 6980
in *rhodesiense* trypanosomiasis, 6979
parasites in, 6740, 6741, 6976, 6981, 6986

Chad

Moissala focus
human trypanosomiasis, survey, 6852

challenge

trypanosome
estimation, in domestic animals, 6846
homologous, in goats, 6604
to cattle, Gabon, 6606, 6866
T. brucei in mice, 6666
T. b. brucei in immunised rats, 6873
T. congolense in sheep, 6603
T. vivax in cattle, 6870
trypanosomiasis
assessment with sentinel herds, 6580
to camels, cattle and goats, Kenya, 6894
to cattle, Kenya, 6968
to humans, Uganda, 6727
tsetse
relationship with trypanosome prevalence
in N'Dama cattle, 6843
in trypanosusceptible cattle, 6728, 6812
in trypanotolerant cattle, 6728, 6812, 6971
to camels, Kenya, 6894
to cattle
in Congo, 6583
in Gabon, 6606, 6866
in Kenya, 6894, 6968
in Somalia, 7002
in Zaire, 6607
to humans, Uganda, 6727

characterisation/identification

biochemical, 6907
isoenzyme, *T. brucei* isolates, 6582, 6734
Nannomonas, 6550, 6725, 6846, 6948
T. congolense serodemes, 6765

- Tsetse and Trypanosomiasis Information Quarterly*, **14** (1991)
- trypanosome, 6907
 - isolates, 6550, 6743, 6846, 6872
 - Trypanozoon*, 6948
 - chemoprophylaxis**, 6548, 6819, 6894, 6991, 7003, 7008
 - see also* prophylaxis
 - costs, 6580
 - drugs, 7002
 - chemotherapy**, 6819, 7021, 7022, 7023
 - see also* therapeutics
 - developments, 6887
 - in cattle, camels and goats, 6894
 - in *T. congolense*-infected cattle, 7008
 - in *T. evansi*-infected mice, 6898, 7002
 - in trypanosomiasis, 6895, 6897
 - animal, 6882, 6991
 - cattle, 7007
 - human, 6758, 6817, 6822
 - combination, 6760
 - review, 6595
 - livestock, drugs, 7002
 - in Zebu bulls, 7006
 - polyamines in, 6883
 - research, 6548, 6871, 6894
 - viruses as transport vesicles, 6888
 - chloroquine**
 - relevance for trypanosomiasis, 6892
 - chromosomes**
 - mini, in *T. brucei*, 7077
 - organisation, in *T. brucei*, 6648
 - X, in *Glossina* spp., 6555, 6556
 - Y, in *Glossina* spp., 6556
 - CNS** *see* central nervous system
 - Congo**
 - Bouenza region
 - G. f. congolensis* density, 6583
 - G. p. palpalis* density, 6583
 - trypanosomiasis in cattle, 6583
 - Glossina* spp.
 - control, 6683, 6716
 - distribution and habitats, 6683
 - trypanosome infection, 6683
 - G. p. palpalis* in, 6723
 - control by trapping, 6577
 - Mayombe area
 - T. vivax* in small ruminants, 6723
 - T. b. gambiense*
 - in animals, 6683
 - in humans, 6683, 6739, 6817
 - T. congolense* in livestock, 6577
 - trypanosomiasis in humans, 6739, 6982, 6983
 - geography of, 6683
 - history of, 6683, 6817, 6818
 - trypanosomiasis in livestock, 6577
 - control, *Glossina***, 6580, 6585, 6686, 6708, 6714, 6810, 6814, 6820
 - baits
 - on screens, 6716, 6721

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- on targets, 6550, 6567, 6580, 6717
- on traps, 6567, 6573, 6574, 6710, 6716, 6947, 6967
- bush clearing, 6730, 6822
- campaigns, 6728, 6832, 6833
- chemosterilisation, 6711, 6718
- community-based, 6573, 6686, 6708, 6967, 6969
- costs, 6709, 6715, 6716, 6720, 6721, 6831, 6967, 6969
- defoliation, 66829
- economics, 6580, 6967
- efficacy, 6841, 6969
- environmental acceptability, 6969
- environmental impact, 6579, 6834
- environmental management, 6689
- game elimination, 6689, 6836
- genetic, 6547, 6555, 6711, 6718
- habitat alteration/destruction, 6688, 6831, 6841, 6947
- host elimination, 6831
- impact study, 6577
- in Africa, 6707, 6961
 - East, 6689
 - West, 6546, 6841
- in Botswana, 6685, 6836
- in Burkina Faso, 6572, 6709
- in Cameroon, 6570
- in Central African Republic, 6707
- in Congo, 6577, 6683, 6716
- in Côte d'Ivoire, 6715, 6812, 6834
- in Equatorial Guinea, 6853
- in Kenya, 6567, 6573, 6688, 6713, 6717, 6734, 6967, 6968
- in Malawi, 6947, 6949
- in Mozambique, 6947, 6949
- in Nigeria, 6578, 6585, 6599
- in Senegal, 6832, 6833
- in Sudan, 6847
- in Tanzania, 6689, 6710
- in Uganda, 6568, 6727, 6730, 6837, 6977
- in Zambia, 6571, 6580, 6836, 6947, 6949
- in Zimbabwe, 6574, 6579, 6721, 6831, 6836, 6947, 6948, 6949
- insecticide, 6689, 6719, 6819, 6822, 6841
 - cattle dip/treatment
 - deltamethrin, 6570, 6710, 6721
 - flumethrin pour-on, 6968
 - DDT, 6579
 - impregnated screens, 6572, 6709, 6716, 6721, 6832, 6833
 - deltamethrin, 6572, 6709, 6715, 6821
 - impregnated/sprayed targets, 6578
 - deltamethrin, 6580, 6717
 - impregnated/treated traps, 6709, 6716, 6832
 - cyhalothrin, 6837
 - proofing, piggeries, 6585
 - spraying
 - cyhalothrin, 6837
 - cypermethrin, 6838
 - deltamethrin, 6834
 - dieldrin, 6685, 6832, 6833, 6838
 - permethrin, 6834

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- pyrethrum, 6713
- integrated, 6585, 6839, 6853
- land use, 6822
- monitoring, 6547, 6572, 6710, 6717
- planning, 6847
- programme, 6947
- prophylactic drugs, 6841
- research, 6551
- screens
 - baited electric, 6567
 - insecticide-treated, 6572, 6574, 6709, 6715, 6716, 6721, 6819, 6821, 6832, 6833
- control, *Glossina* (cont.)**
 - spraying, 6685, 6689, 6838
 - aerial, 6707, 6713, 6716, 6721, 6819, 6834
 - bush, 6837
 - ground, 6713, 6716, 6721, 6734, 6832, 6833
 - sterilisation, 6547, 6550, 6551, 6572, 6574, 6578, 6585, 6586, 6599, 6689, 6697, 6709, 6711, 6718, 6722, 6833, 6969
 - strategies, 6584, 6721, 6853
 - targets, 6585, 6969
 - baited, 6550, 6567, 6580, 6717, 6947
 - insecticide-treated, 6575, 6578, 6580, 6717, 6847
 - research, 6572
 - training, 6580, 6948
 - traps, 6567, 6572, 6577, 6578, 6715, 6723, 6822, 6969
 - baited, 6967
 - biconical, 6567, 6573, 6716, 6833, 6969
 - Challier-Laveissière, 6546
 - epsilon, 6969
 - F3, 6567, 6969
 - insecticide-treated, 6574, 6709, 6716, 6812, 6819, 6821, 6822, 6837, 6948
 - monoconical, 6969
 - monopyramidal, 6853
 - NG2B, 6567, 6573, 6967
 - pyramidal, 6568, 6716, 6727, 6821, 6837
 - Vavoua, 6715
- control, trypanosomiasis**, 6684, 6686, 6815
 - by chemoprophylactic drugs, 6819
 - by chemotherapy, 6819, 6897
 - by tsetse control, 6547, 6570, 6577, 6715, 6727, 6730, 6810, 6815, 6819, 6841, 6968, 6969
 - community participation, 6590, 6686, 6715, 6853, 6969
 - in Côte d'Ivoire, 6715
 - in East Africa, 6689
 - in Equatorial Guinea, 6853
 - in Tanzania, 6689
 - in Uganda, 6727, 6730, 6851, 6977
 - integrated, 6977
 - with tsetse control, 6592, 6715, 6853
 - methods, 6551, 6822
 - programmes, 6591, 6592, 6689, 6715, 6947, 6949
 - in southern Africa, 6970
 - planning, 6590
 - projects, 6810

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- role of reservoir hosts, 6840
- strategy, use of models, 6971
- training, 6592
- trypanotolerant cattle in, 6810

Côte d'Ivoire

- G. palpalis*
 - abundance correlated with NDVI, 6966
 - population sampling, 6966
- G. p. palpalis* control, 6715
- G. tachinoides*
 - abundance correlated with NDVI, 6966
 - spraying, environmental impact, 6834
 - trypanosomiasis distribution, 6726
 - trypanosomiasis in humans, 6726
 - epidemiology, 6850
 - tsetse control programme, 6812, 6821, 6834
 - Vavoua sleeping sickness focus, 6715
 - tsetse control, 6715, 6821

CSF *see* cerebrospinal fluid

culture

- axenic
 - of *T. b. rhodesiense*, 6905
 - of *T. congolense*, 6973
 - of *T. vivax*, 6973, 7030, 7032
- chemostat, of *T. brucei*, 6904
- in vitro*, 6907
 - in drug resistance studies, 6871
 - of *T. b. rhodesiense*, 6905
 - of *T. congolense*, 7031
- mosquito cell
 - of *T. congolense* and *T. vivax*
 - interaction, 6973
 - of *Nannomonas*, 6948
 - of *T. b. brucei*, 6811
 - of *T. evansi*, 6906
 - of trypanosomes, for drugs testing, 6548
 - of *Trypanozoon*, 6948

λ-cyhalothrin

- bush spraying, Uganda, 6837
- control, *G. f. fuscipes*, trials, 6837
- treatment, pyramidal traps, 6837

cypermethrin

- impregnated biconical traps, 6812
- spraying, Kenya, 6838

DDT

- ground spraying, Kenya
 - environmental impact, 6579

decamethrin

- impregnated screens, 6833

deltamethrin

- cattle dip, 6570, 6710
 - as tsetse bait, 6716
- impregnated screens, 6572, 6575, 6709, 6715, 6819, 6821
- impregnated targets, 6580, 6717
- impregnated traps, 6709, 6716, 6819, 6821

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)
spraying, environmental impact, 6834
DFMO *see* difluoromethylornithine

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

diagnosis, 6819, 6949, 6978

antigen-detection, 6821, 6987

comparison of techniques, 6859, 6873, 6975, 6987, 6988, 6989, 6990
field

in epidemiological surveys, 6990

of human trypanosomiasis, 6947, 6975

immunological, 6849, 6873, 6987

microscopic examination, 6857

of trypanosome infections

in cattle, 6743, 6748, 6829, 6857, 6858, 6987

in domestic animals, 6598

in goats, 6987

in horses, 6600, 6859, 6988

in humans, 6738, 6741, 6848

in livestock, 6548, 6811

in mice, 6873

in rats, 6873

of trypanosomiasis, animal, 6820, 6991

of trypanosomiasis, human, 6590, 6597, 6730, 6738, 6741, 6815, 6822,
6847, 6849, 6854, 6975, 6976, 6979, 6980, 6981, 7010

parasitological, 6583, 6598, 6741, 6814, 6849, 6852, 6990

serological, 6583, 6598, 6600, 6723, 6738, 6748, 6814, 6847, 6852, 6854,
6857, 6859, 6873, 6975

diagnostic techniques

antigen-ELISA, 6987

blood film, 6583, 6601, 6741, 6854, 6947, 6981

blood incubation infectivity test (BIIT), 6862

blood smear, 6981, 6988

buffy coat, 6610, 6854, 6873

buffy coat double centrifugation, 6989

cellognost indirect haemagglutination (IHA), 6849

cellognost test, 6723, 6849

complement fixation test (CFT), 6859

counterimmunoelectrophoresis (CIE), 6873

CSF examination, 6979

DEAE cellulose column chromatography, 6976

direct fluorescent antibody method, 6842

direct haemagglutination test, 6873, 6975

DNA hybridisation, 6989

DNA probes, 6811

double microcentrifugation, 6990

ELISA, 6744, 6747, 6810, 6811, 6821, 6857, 6859, 6872, 6978, 6989, 7009

enzyme immunoassay, 6741

HCT, 6829, 6873, 6979

ICHA, 6847

IFAT, 6604, 6738, 6744, 6842, 6848, 6853, 6859

immunodiffusion (ID), 6738

immunofluorescence, 6854, 6975

indirect haemagglutination test, 6873, 6975, 6988

lumbar puncture, 6981

lymph node punctate, 6976

mAEC, 6852, 6978, 6979

micro-ELISA, 6858

microhaematocrit centrifugation test, 6947, 6987

PATT, 6821

phase contrast buffy coat, 6990

- Tsetse and Trypanosomiasis Information Quarterly*, **14** (1991)
 standard trypanosome detection method (STDM), 6873
 Testryp CATT, 6583, 6598, 6723, 6748, 6847, 6848, 6852, 6859, 6975,
 6978
 wet film, 6829
 Woo method, 6583
- diamidines**
 mutagenicity and genotoxicity, 6620
- dieldrin**
 ground spraying
 in Botswana, 6685
 in Senegal, 6832, 6833
 spraying, in Kenya, 6838
- difluoromethylornithine (DFMO)**, 6622
 effects
 on *T. b. brucei*, 6763, 6903, 6944
 on *T. evansi* in mice, 6755
 efficacy
 in controlling trypanosomes, 6883
 in *T. b. brucei*-infected mice, 6756
 in combination
 with bleomycin and suramin, 6756
 with diminazene aceturate, 6608, 7025
 inhibition of trypanosome polyamine synthesis, 6883
 potentiation of antimonial compounds, 7022
 resistance in trypanosomes, 6883
 sensitivity in *T. evansi*-infected mice, 7002
 specificity in trypanosome control, 6883
 susceptibility in *T. b. rhodesiense*, 6883
 synergism with Ro15-0216 and benznidazole, 6763
 treatment
 of *T. brucei*-infected mice, 7022
 of *T. b. brucei*-infected rats, 7025
 of *T. b. gambiense* in humans, 6596, 6741, 6815
 of *T. congolense*-infected dogs, 6608
 of trypanosomiasis in humans, 6736, 6742
- diminazene aceturate**
 chemoprophylaxis in N'Dama cattle, 7003
 efficacy
 in goats, 6867
 in Zebu cattle, 6867, 6871
 in combination with DFMO, 6608, 7025
 pharmacokinetics, 6867, 6871
- diminazene aceturate (cont.)**
 residue profile in dogs, 7005
 resistance
 in *T. congolense*-infected mice, 6896
 in *T. evansi*-infected mice, 7002
 sensitivity
 in *T. congolense*, 7018
 in *T. evansi*-infected mice, 7002
 tissue distribution in dogs, 7005
 treatment
 of livestock, 6833
 of *T. b. brucei*-infected dogs, 7005
 of *T. b. brucei*-infected pigs, 6862
 of *T. b. brucei*-infected rats, 7025

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- of *T. congolense*-infected dogs, 6608, 7005
- of *T. congolense*-infected goats, 6867
- of *T. congolense*-infected Zebu cattle, 6867
- of trypanosomiasis in cattle, 6570, 6947
- of trypanotolerant N'Dama cattle, 7003

DNA

- c, cloning, in *T. b. rhodesiense*, 6932
- characteristics
 - in *T. congolense* and *T. simiae*, 6725
- content, in *T. brucei* spp., 7063
- cysteine protease c, in *T. b. rhodesiense*, 6795
- dependent RNA polymerases in *T. brucei*, 6780
- hybridisation, *T. brucei*, in diagnosis, 6989
- in diagnosis, 6811
- kinetoplast
 - homogeneity in *T. evansi*, 6769
 - in *T. evansi* strains, analysis, 7061
 - minicircles in *T. brucei* hybrids, 6647
- nuclear, homogeneity in *T. evansi*, 6769
- nucleotide
 - novel, in *T. brucei*, 7049
 - sequence in minichromosomes, in *T. brucei*, 7077
- probe, 6550, 6723
 - for detection of *T. equiperdum*, 6746
 - recombinant, for identification, 6872
 - repetitive, for characterisation of stocks, 7033
 - specific
 - for characterisation, 6725, 6743
 - for identification, 6846
- synthesis, in *G. p. palpalis* endosymbionts, 6561
- topoisomerase II in *T. brucei*, 6912

dog

- drug residues in, 7005
- susceptibility to trypanosome infection, 6995, 7001
- T. b. brucei* infection
 - diminazene aceturate treatment, 7005
 - experimental, effects, 6995
- T. b. gambiense* infection
 - experimental, effects, 6995
- T. congolense* infection
 - diminazene aceturate treatment, 7005
 - experimental
 - DFMO therapy, 6608
 - diminazene aceturate therapy, 6608
 - non-specific defense mechanisms, 7001
- trypanosomiasis, in Cameroon, 6598
- trypanosusceptible beagles
 - complement haemolytic activity, 7001
- trypanotolerance, 6995, 7001
- West African
 - reservoir host for *T. b. gambiense*, 6995
- West African pariah, trypanotolerant
 - complement haemolytic activity, 7001

domestic animals

- trypanosomiasis in, 6991
- prevalence in Cameroon, 6598

dourine

diagnostic techniques, 6859
in South Africa, 6600

drugs

delivery systems, 6887
 protein conjugates, 6893
 viral membrane fusion proteins, 6888
design, 6642, 6899
development, 6622, 6814, 6819, 6821, 6990
interaction with trypanothione in *T. brucei*, 6889
levels, in bovine body fluids, 6548
new, 6885, 6886
 potential, 6892
 MFMO, 6821
 glycolytic pathway inhibitors, 6821
pharmacokinetic studies in cattle, 6894
prophylactic, efficacy, 6841
resistance, 6811
 epidemiology, 6871
 genetic basis, in cattle, 6871
 in immunosuppressed mice, 7002
 in irradiated mice, 7002
 in *T. b. brucei*, 6890, 6903
 in *T. vivax*, 6891
 in trypanosomes, 6883, 6887
 molecular biology, 6871
 phenotypic basis, in cattle, 6871
 quantification, field techniques, 6871
 to arsenicals, in trypanosomes, 6883
 to DFMO, in trypanosomes, 6883
 to diminazene, in goats, 6867
 to diminazene aceturate
 in *T. congolense*-infected mice, 6896
 in *T. evansi*-infected mice, 7002
 to isometamidium, in *T. congolense*, 7007, 7008
 to isometamidium chloride
 in *T. congolense*-infected cattle, 7008
 in *T. congolense*-infected goats, 7002
 in *T. congolense*-infected mice, 6896, 7008
 in *T. vivax*, 6870
 to suramin
 in *T. evansi*-infected mice, 7002
screening, 6622, 6894
sensitivity
 in *T. b. brucei*, 6903
 in *T. b. rhodesiense*, 6901
 in *T. vivax*, 6891
 in trypanosomes, 6548, 6870
testing, 7002
 in *T. brucei*, 6902
 in *T. evansi*-infected mice, 7002
 to diminazene in *T. congolense*, 7018
 to isometamidium in *T. congolense*, 7018
side effects, 6979, 7004
sub-curative dose, 6992
synthesis, 6622

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

targets, 6887, 7075
toxicity, 6710, 6986
trypanocidal, 6603, 6606, 6884
 antimonial compounds, 7022
 arsenicals, 6816, 6883, 6901
 benznidazole, 6763
 bleomycin, 6756
 DFMO, 6596, 6608, 6622, 6736, 6741, 6755, 6756, 6763, 6815, 6883,
 6903, 6944, 7002, 7022, 7025
 diamidines, 6620
 diminazene aceturate, 6570, 6608, 6833, 6862, 6867, 6871, 6896, 6947,
 6992, 7002, 7003, 7005, 7009, 7018, 7025
 eflornithine, 6985
 homidium, 6871
 homidium bromide, 7009
 homidium chloride, 7006
 isobutylcyanoacrylate nanoparticles, 6759
 isometamidium, 6609, 6761, 6868, 6869, 6871, 7002, 7004, 7007, 7018
 isometamidium chloride, 6710, 6868, 6870, 6871, 6891, 6896, 6947,
 7003, 7008, 7009
 melarsoprol, 6596, 6979, 6986, 7002
 Mel Cy, 7002
 MFMO, 6821
 methyltriazenes, 7019
 nifurtimox, 6754
 organometallic complexes, 7027
 pentamidine, 6616, 6620
 platinum (II)-sulfonamide complexes, 7020
 quinapyramine, 6863
 quinapyramine sulphate/prosalt, 7002
 Ro-0216, 6622, 6763
 spiroarsorane derivative, 6617
 suramin, 6756, 6757, 6762, 6863, 6979, 7002
 Trimelarsan (Mel W), 7002
 trypan blue, 6757
vaccines, 6752

eflornithine

treatment of trypanosomiasis, 6985

eland

reservoir host, Malawi, 6947

electric nets

catch, 6828

for monitoring tsetse populations, 6580

use with coloured targets, 6564

endosulfan

spraying

 aerial, 6819

 in Senegal, 6833

endosymbionts

intracellular, *G. palpalis* spp., 6973

epidemiology

of drug resistance, 6871

of *T. b. gambiense*, 6814

of *T. b. rhodesiense*, 6814

of trypanosomiasis, 6549, 6581, 6743, 6812, 6819

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

in West Africa, 6816

in West African rain forest, 6701

modelling, 6945

research projects, 6946

of trypanosomiasis in animals, 6584

of trypanosomiasis in cattle, Kenya, 6948

of trypanosomiasis in humans, 6546, 6597, 6683, 6685, 6688, 6689, 6730, 6949, 6970

in Burkina Faso, 6841

in Cameroon, 6848

in Senegal, 6841

in southern Africa, 6970

in West Africa, 6841

in Zaire, 6817, 6818

role of reservoir hosts, 6729

epizootiology

of animal trypanosomiasis, 6820

Equatorial Guinea

human *gambiense* trypanosomiasis

vector control strategy, 6853

Escherichia coli

expression in

gene, *T. brucei*, 6624

of cysteine protease, *T. b. rhodesiense*, 6929

of ornithine decarboxylase, *T. brucei*, 6915

gene cloning in, *T. brucei*, 6663

flumethrin pour-on

effect on trypanosomiasis challenge, 6968

effect on tsetse challenge, 6968

fungi

from *G. pallidipes*, pathogenicity, 6712

Gabon

G. nashi in, 6843

G. tabaniformis in, 6843

trypanosomiasis

epidemiology, 6581

in cattle, 6843, 7003

trypanotolerance

in cattle, field testing, 6606

in N'Dama cattle, 6866, 7003

tsetse

challenge to cattle, 6843

population survey, 6843

Gambia, The

G. morsitans

infection rate, 6971

seasonal abundance, 6971

G. m. submorsitans

trypanosome infection, 6846

G. palpalis

infection rate, 6971

seasonal abundance, 6971

G. p. gambiensis trypanosome infection, 6846

Nannomonas from, new, 6550, 6725, 6846

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

trypanotolerant cattle
N'Dama, 7003
trypanosome prevalence in, 6971
Trypanozoon stock from, 6846
warthog as reservoir host, 6948

gamma radiation

effects
in *G. palpalis* spp., 6973
on mycetome of *G. p. palpalis*, 6959
on reproduction in *G. palpalis* spp., 6562
on trypsin-like activity in *G. palpalis* spp., 6957

gene/s

see also RNA
cloning by complementation in *E. coli*, 6663
cluster, tRNA, in *T. brucei*, 7058
Est-X, in *G. m. submorsitans*, 6691
exchange, *T. brucei*, 6807
expression, *T. brucei*, 6637, 6638, 6923
phosphoglycerate kinase, 6624
putative adenylate/guanylate cyclase, 6768
VSG, 6628, 7070
expression site-associated, in *T. brucei*, 7050, 7071
expression site-associated family
in *T. b. brucei*, 6652
in *T. b. gambiense*, 6652
in *T. equiperdum*, 6919
flow, in tsetse hybrids, 6556
housekeeping, in *T. b. brucei*, 6922
leucine-rich putative regulatory, in *T. equiperdum*, 7068
minicircle, for guide RNAs, in *T. brucei*, 6798
MURF3, in *T. brucei*
editing multiple domains, 6659
neomycin phosphotransferase, in *T. brucei*, 6626
novel, encoding phosphoprotein, in *T. brucei*, 7080
nuclear, in *T. brucei*
codon usage, nucleotide composition, 7062
P-ATPase, in *T. brucei*, 7065
6-phosphogluconate dehydrogenase, in *T. brucei*, 6663
procyclin, in *T. brucei*, 6910
promotor, constitutive activity, 6671
protein phosphatase, transcription, *T. brucei*
RNA polymerase II largest subunit, 6641
sex-linked, in tsetse, 6588
sex ratio, in *G. m. submorsitans*, 6691
surface antigen, in *T. brucei*, 6631
transcription, in *T. brucei*, 6636, 6641, 6910, 7050, 7065
trypanosome, 6667
tubulin, in *T. brucei*, 6626
U2 snRNA-encoding
in *T. b. gambiense*, 6806
in *T. congolense*, 6806
VSG
in *T. brucei*, 6910, 6923, 7050, 7070
activation, 6627, 6779, 6787
constitutive activity of promotor, 6671
expression, 6627, 6682, 6779, 6803, 6804, 7070

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

retroposon in 5' flank, 6675
telomeric expression site, 6638, 7081
transient activity of promotor, 6923

in *T. b. brucei*, 6652
in *T. b. gambiense*, 6652
expression sites, 6771
in *T. equiperdum*, expression, 6940

genetic/s

see also RNA

aspects, of quality control, in tsetse, 6691
control, of *Trypanozoon* maturation, 6588
cytoplasmic phosphoglycerate kinase allele, *T. brucei*, 6625
editing, in *T. brucei*, 6659

exchange

in *T. b. brucei*, 6922
in trypanosomes (review), 6677

homologous recombination, in *T. brucei*, 6662

hybrids, in *T. brucei*, 6647

loci, enzyme, in *Glossina* spp.

allele frequency, 6952
heterozygosity, 6952, 6958
polymorphic, 6952, 6958

minicircles encoding primary transcripts

in *T. equiperdum*, 6931

molecular, of antigenic variation in *T. brucei*, 7038

of sterility in male tsetse hybrids, 6555

of trypanotolerance, 6548, 6811, 6812, 6866

phenetic relationships in *Glossina* spp., 6952

stable transfection, in *T. brucei*, 6662

trans-splicing,

in *T. brucei*, 7051
in trypanosomes, 6640

tsetse, in breeding and control, 6547, 6555, 6691

variation, in *Glossina* spp., 6952

genome

in *T. b. brucei*, 6933

Glossina

behaviour

diurnal activity patterns, 6701
feeding preferences, 6845
flight responses, 6724
food acquisition, 6969
host finding, 6724
host preference, 6701, 6723, 6831
landing responses, 6550, 6551, 6830, 6948
mating, 6813, 6969
response to host, 6945
resting, 6724
seasonal activity patterns, 6701

biology, 6550, 6551, 6581, 6683, 6701, 6820, 6948

blood diets, 6552, 6553, 6690

blood meals, 6845

breeding colonies, 6811, 6948

chemosterilisation, 6831

diets, 6547, 6559, 6586, 6990

ecdysteroids, 6826, 6950, 6955

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- genetics, 6547, 6550, 6588, 6691
- haemolymph, 6955
- lectin, 6550, 6586, 6845
- life cycle, 6546
- morphology, 6820, 6824
- mycetome, 6547, 6561
- olfaction, 6813, 6969
- parturition, 6955
- rearing, 6547, 6551, 6559, 6690, 6691, 6813, 6948
- RLOs, 6845, 6948
- salivary gland infection, 6550, 6588
- symbionts, 6547, 6561
- taxonomy, 6824
- trypanosome infection, 6547, 6550, 6586, 6683, 6688, 6701, 6732, 6734, 6845, 6857, 6948, 6973, 6974
- trypanosome infection rate, 6586, 6701, 6728, 6845, 6968
- trypanosomiasis, susceptibility, 6813
- vectorial capacity, 6550
- vision, 6550, 6551, 6813, 6969
- virus particle infection, 6547, 6557, 6560
- vitellogenesis, 6955
- control, 6814, 6815, 6819, 6820
 - in Africa, 6707, 6822, 6961
 - East, 6689
 - West, 6546, 6841
 - in Botswana, 6685, 6836
 - in Burkina Faso, 6572, 6709
 - in Cameroon, 6570
 - in Central African Republic, 6708
 - in Congo, 6577, 6683, 6716
 - in Côte d'Ivoire, 6715, 6812, 6821, 6834
 - in Kenya, 6573, 6567, 6713, 6734, 6967
 - in Malawi, 6947, 6949
 - in Mozambique, 6947, 6949
 - in Nigeria, 6578, 6585, 6599
 - in Sudan, 6847
 - in Tanzania, 6689, 6710
 - in Uganda, 6568, 6727, 6730, 6821, 6837, 6977
 - in Zambia, 6571, 6580, 6836, 6947, 6948
 - in Zimbabwe, 6574, 6579, 6721, 6831, 6836, 6947, 6948, 6949
- ecology, 6585, 6701, 6819, 6833
 - abundance, prediction of, 6966
 - age, bias in sampling, 6550, 6828
 - breeding sites, Liberia, 6701
 - density, 6583, 6728
 - dispersal
 - in Malawi, 6978
 - model of, 6700
 - distribution, 6551, 6683, 6820, 6833, 6970
 - feeding sites, Liberia, 6701
 - habitats, 6683, 6688, 6724, 6727, 6831, 6949
 - mortality, 6569, 6705, 6966
 - populations, 6687, 6705, 6813, 6961, 6968, 6969
 - dynamics, 6547, 6569
 - modelling, 6705
 - requirements, 6546

- Tsetse and Trypanosomiasis Information Quarterly*, **14** (1991)
- survival rate, 6961
 - transmission of trypanosomiasis, 6588, 6683, 6845, 6970
 - G. austeni***
 - antennal olfactory sensitivity, 6954
 - blood diet, 6690
 - control, 6689, 6710, 6716
 - ecology, 6689
 - G. austeni*** (cont.)
 - in Tanzania, 6689, 6710
 - in Zanzibar, 6702
 - rearing, 6689, 6690
 - RLOs in midgut, 6972
 - trapping, 6702, 6710
 - T. b. brucei* infection, 6972
 - T. congolense* infection, 6972
 - G. brevipalpis***
 - control, 6710, 6716
 - enzyme loci, allele frequency, 6952
 - genetic variation, 6952
 - in Tanzania, 6710
 - phenetic relationships, 6952
 - RLOs in midgut, 6972
 - trapping, 6710
 - T. b. brucei* infection, 6972
 - T. congolense* infection, 6972
 - G. frezili***
 - distribution, 6566
 - evolution, 6566
 - G. fusca congolensis***
 - in Central African Republic, 6708
 - in Congo, 6583
 - G. fuscipes***
 - control, 6847
 - habitat, 6847
 - in Sudan, 6847
 - transmission of human trypanosomiasis, 6847
 - G. fuscipes fuscipes***
 - antennal olfactory stimulation, 6954
 - breeding peak, 6568
 - control, 6568, 6727, 6837, 6960
 - diel activity patterns, 6703
 - distribution
 - Buvuma Island, Uganda, 6568
 - Central African Republic, survey, 6960
 - South Nyanza District, Kenya, 6703
 - in Central African Republic, 6708, 6960
 - in Kenya, 6703
 - in Saudi Arabia, 6698
 - in Uganda, 6568, 6727, 6837
 - incidence, Buvuma Island, Uganda, 6568
 - population dynamics, Uganda, 6568
 - population ecology, Kenya, 6703
 - puparia, 6568
 - RLOs in midgut, 6972
 - transmission of trypanosomiasis, Uganda, 6837
 - trapping, 6568, 6727, 6837, 6960

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- T. b. brucei* infection, 6972
- T. congolense* infection, 6972
- vectorial capacity, 6703
- G. longipalpis***
 - control, 6704, 6833, 6963
 - in Guinea-Bissau, 6963
 - in Nigeria, 6704, 6829
 - in Senegal, 6833
 - puparia, 6704
 - trapping, 6704, 6833, 6963
- G. longipennis***
 - control, 6567, 6573, 6716, 6967
 - enzyme, loci, 6958
 - allele frequency, 6952
 - enzyme polymorphism, 6958
 - genetic variation, 6952
 - in Kenya, 6567, 6573, 6823, 6948, 6958, 6967
 - odour attractants, 6567, 6967
 - phenetic relationships, 6952
 - rearing, 6823
 - sampling, 6567
 - trapping, 6567, 6573, 6716, 6967
- G. medicorum***
 - distribution, evaluation, 6566
 - in Uganda, 6566, 6948
- G. morsitans***
 - control, 6716, 6719, 6721
 - distribution, Botswana, 6685
 - eclosion, 6825
 - ecology, 6685
 - immunocytes, 6825
 - in Botswana, 6685
 - in Gambia, 6971
 - in Malawi, 6947
 - in Nigeria, 6705, 6966
 - in Zimbabwe, 6721
 - mortality rate, correlated with NDVI, 6966
 - muscle degeneration, 6825
 - neural activity, 6825
 - odour attractants, 6716
 - population modelling, 6705
 - pupal temperature, 6974
 - RLOs, 6974
 - seasonal abundance, Gambia, 6971
 - trapping, 6716
 - T. congolense* infection, 6974, 6992
 - trypanosome infection rate, 6685, 6971
 - trypanosome infection, susceptibility, 6974
- G. morsitans centralis***
 - control, 6580
 - genetic, 6555
 - genetic variation, 6555
 - hybridisation, 6555
 - hybrids
 - female, 6556
 - sterile male, 6555

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- in Zambia, 6555, 6580
- metamorphosis, initiation, 6950
- ontogenic development, 6950
- parturition, 6950
- pupariation, 6950
- RLOs, 6811, 6972
- transmission of *T. vivax* (exp.), 6870
- T. b. brucei* infection, 6972
- T. congolense* infection, 6811, 6972, 7008
- T. vivax* infection, 6811
- G. *morsitans morsitans***
 - abdominal fluorescence, 6964
 - age-dependent capture probability, 6699
 - age-dependent mortality, 6699
 - age determination, 6964
 - age distribution, 6699, 6828
 - ageing, 6813
 - antennal olfactory sensitivity, 6954
 - bacteria in, pathogenicity, 6712
 - Beauveria bassiana* infection, 6835
 - behaviour, 6706, 6827, 6951
 - blood meals, 6559, 6586, 6813, 6953, 6964
 - control, 6550, 6574, 6709, 6710
 - eclosion, 6964
 - ecology, 6951
 - excretion, 6953
 - eyes, 6951, 6962
 - feeding frequency, 6559
 - flight, 6563, 6706, 6827, 6828, 6953, 6962
 - genetic variation, 6555
 - head capsule, 6813, 6964
 - 'hector', functional morphology, 6696
 - hybrids, 6555, 6556
 - in Burkina Faso, 6709
 - in Tanzania, 6710
 - in Zimbabwe, 6550, 6565, 6574, 6699, 6827, 6828
 - landing response, 6563
 - lectin production, 6586
 - longevity, 6576
 - mating, 6696
 - Metarhizium anisopliae* infection, 6835
 - mortality, 6576, 6828
 - nutritional status, 6813
 - ovarian age, 6828
 - peritrophic membrane, 6694
 - population estimates, Zimbabwe, 6565
 - post-feed buzzing, 6953
 - rearing, 6813
 - reproduction, 6559
 - response to host odour, 6563, 6706, 6827
 - salivary glands, 6557
 - sterilisation, 6550, 6558, 6574
 - thermoregulation, 6953
 - trapping, 6574, 6710, 6828
 - T. b. brucei* infection, 6842
 - T. b. rhodesiense* infection, 6856

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- T. congolense* infection, 6576, 6586
- vision, 6563, 6827, 6951
- G. morsitans submorsitans**
 - autosomes, 6691
 - belt, Nigeria, 6829
 - control, 6572, 6833, 6963
 - genes, sex ratio, *Est-X*, 6691
 - in Burkina Faso, 6572
 - in Gambia, 6846
 - in Guinea-Bissau, 6963
 - in Nigeria, 6829
 - in Saudi Arabia, 6698
 - in Senegal, 6833
 - Nannomonas* isolates, new, 6846
 - trapping, 6572, 6833, 6963
 - T. congolense* infection, 6846
 - T. simiae* infection, 6846
 - trypanosome infections, identification, 6846
 - Trypanozoon* stock, 6846
 - X chromosome locus, 6555, 6691
- G. nashi**
 - in Gabon, 6843
 - in Zaire, 6843
 - trypanosome infection rates, 6843
- G. nigrofusca**
 - in Liberia, 6587
 - RLOs, 6587
- G. pallicera pallicera**
 - in Liberia, 6701
- G. pallidipes**
 - age distribution, 6828, 6838
 - bacterial infection, 6560, 6712
 - behaviour, 6706, 6830, 6827, 6951
 - blood meals, 6559, 6693
 - control, 6573, 6574, 6693, 6710, 6713, 6716, 6717, 6721, 6734, 6838, 6965, 6967
 - ecology, 6951
 - enzyme loci, allele frequency, 6952
 - eyes, 6951
 - fat levels, 6693, 6965
 - fecundity, 6560
 - feeding, 6559, 6693, 6695, 6965
 - flight, 6706, 6827, 6828, 6965
 - fungi from, pathogenicity, 6712
 - genetic variation, 6555, 6952
 - haematin levels, 6693, 6965
 - in Kenya, 6560, 6573, 6582, 6692, 6705, 6713, 6717, 6838, 6967
 - in Somalia, 6705
 - in Tanzania, 6710
 - in Zimbabwe, 6550, 6565, 6574, 6721, 6827, 6828
 - landing response, 6830
 - mating efficiency, female, 6692
 - mortality, 6560, 6569, 6573, 6828
 - nutritional characteristics, 6965
 - ovarian age, 6828
 - phenetic relationships, 6952

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- population estimates, 6565, 6573
- population modelling, 6705
- population monitoring, 6573, 6717
- pregnancy cycle, 6695, 6965
- puparia, 6560
- reproduction, 6559, 6695, 6965
- G. pallidipes*** (cont.)
 - response to odour, 6706, 6827, 6830
 - response to visual targets, 6827
 - RLOs, 6972
 - salivary gland virus infection, 6560
 - sterilisation, 6550, 6574
 - trapping, 6573, 6574, 6693, 6710, 6716, 6828, 6965, 6967
 - T. brucei* infection, 6582
 - T. b. brucei* infection, 6972
 - T. congolense* infection, 6972
 - virus particle infection, 6560
 - visual acuity, 6951
- G. palpalis***
 - abundance correlated with NDVI, 6966
 - bioecology, 6841
 - control, 6713
 - in Burkina Faso, 6966
 - in Côte d'Ivoire, 6966
 - in Gambia, 6971
 - in Nigeria, 6585, 6704, 6705
 - in West Africa, 6841
 - irradiation effects, 6957
 - midgut trypsin-like activities, 6957
 - population modelling, 6705
 - population sampling, 6966
 - puparia, 6704
 - sampling with traps, 6585
 - seasonal abundance, Gambia, 6971
 - size correlated with NDVI, 6966
 - trapping, 6704, 6716
 - trypanoagglutinin in midgut, 6735
 - trypanolysin in midgut, 6735
 - trypanosome infection, 6971
- G. palpalis gambiensis***
 - control, 6572, 6709, 6832, 6833
 - eradication, 6572
 - fecundity, 6844
 - feeding, 6844
 - in Burkina Faso, 6562, 6572, 6709
 - in Gambia, 6846
 - in Guinea-Bissau, 6963
 - in Liberia, 6701
 - in Senegal, 6832
 - irradiation effects, 6562, 6722
 - labrum, 6844
 - midgut ultrastructure, 6722
 - pupae, 6844
 - RLOs, 6972
 - reproduction, 6562
 - sterilisation, 6572, 6722

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- survival, 6844
- transmission of *T. b. gambiense* (exp.), 6995
- trapping, 6832, 6833, 6963
- trypanoagglutinin in midgut, 6735
- T. b. brucei* infection, 6972, 6995
- T. b. gambiense* infection, 6995
- T. congolense* infection, 6846, 6972
- T. vivax* infection, 6844
- trypanosome infections, identification, 6846
- G. *palpalis palpalis***
 - blood diets, laboratory, 6552, 6553
 - blood meal analysis, 6723
 - carbohydrate analysis, 6956
 - control, 6577, 6578, 6715
 - density, Congo, 6583
 - eradication, 6554, 6578
 - fecundity, 6552, 6553, 6697
 - host preference, 6723
 - hybridisation, 6562
 - in Congo, 6577, 6583, 6723
 - in Côte d'Ivoire, 6715
 - in Liberia, 6587
 - in Nigeria, 6562, 6599, 6829
 - irradiation effects, 6562, 6722, 6957, 6959
 - lectin, 6845
 - mating, 6697
 - midgut enzymes, 6957
 - midgut trypsin-like activities, 6957
 - midgut ultrastructure, 6722
 - mycetome, 6561, 6959
 - productivity, 6552
 - puparia, 6552, 6561, 6959
 - rearing, 6553, 6554, 6578
 - refractoriness, 6587
 - reproduction, 6561, 6562
 - RLOs, 6587, 6972
 - sterilisation, 6578, 6722
 - survival rate, 6552
 - symbionts, 6561
 - transmission of *T. congolense*, 6577
 - trapping, 6577, 6578
 - T. b. brucei* infection, 6972
 - T. congolense* infection, 6577, 6723, 6972
 - T. grayi* infection, 6723
 - T. vivax* infection, 6723
 - trypanosome infection, 6577, 6587, 6723
- G. *palpalis* spp.**
 - irradiation effects, 6973
 - midgut
 - endosymbionts, 6973
 - RLOs, 6973
 - trypanosome infection, 6973
 - ultrastructure, 6973
 - virus-like particles, 6973
 - T. b. brucei* infection, 6973
 - T. congolense* infection, 6973

G. tabaniformis

blood meals, 6843
in Gabon, 6843
in Zaire, 6843
relative densities, Gabon and Zaire, 6843
trypanosome infection, 6843

G. tachinoides

abundance correlated with NDVI, 6966
antennal olfactory sensitivity, 6954
attraction to cloth targets, 6564
bioecology, 6841
control, 6572, 6585, 6709, 6716
eradication, 6572
frequency distribution, Nigeria, 6585
hosts, 6585
in Burkina Faso, 6572, 6709
in Côte d'Ivoire, 6966
in Nigeria, 6585, 6599, 6829
in West Africa, 6841
landing response, 6564
populations, related to pig population, 6585
RLOs, 6972
sterilisation, 6572
trapping, 6716
trophic cycle, 6585
T. brucei infection, 6585
T. b. brucei infection, 6585
T. congolense infection, 6585

goat

isometamidium treatment, 6869
susceptibility to *T. vivax*, 6999
T. brucei infection (exp.)
effect on feed uptake, 6602
T. congolense infection
diminazene aceturate treatment, 6867
drug resistance, 7002, 7007
T. congolense infection (exp.)
chancre, role, 6604
diagnosis, 6987
diminazene aceturate treatment, 6992
effect on reproduction, 6992, 6993
humoral immune response, 6994
T. evansi infection
drug sensitivity testing, 7002
T. vivax infection
immune response, 6999
in Congo, 6723
trypanosomiasis, 6987, 6993
chemotherapy, 6882
endocrine effects, 6860
in Cameroon, 6598
treatment, 6894

gorilla

resistance to *T. b. brucei*, 6594
trypanocidal serum factor, 6594

Guinea-Bissau

- G. longipalpis* in, 6963
- G. m. submorsitans* in, 6963
- G. p. gambiensis* in, 6963
- trapping, field trials, 6963

guinea pigs

- trypanocide side effects, 6757
- T. evansi* infection, 6879

Haemonchus longistipes

- infecting camels concurrently with *T. evansi*, 6864

high density lipoprotein

- cytotoxicity to *T. brucei*, 7014

homidium

- long-term efficacy in cattle, 6871

homidium bromide, 7009

homidium chloride

- effect on spermatozoa in bulls, 7006

horse

- T. equiperdum* infection
 - prevalence, in South Africa, 6600
 - serodiagnosis, 6859
- T. evansi* infection, 6997
 - diagnosis, 6988

hosts

- see also* reservoir hosts
- for *G. p. palpalis*, Congo, 6577
- for *G. tachinoides*, Nigeria, 6585
- susceptibilities to trypanosomiasis, 6630

hybridisation

- in identification of *G. m. centralis*, 6555
- intersubspecific, *G. palpalis*
 - effect on reproduction, 6562

hybrids

- G. morsitans* spp., 6555, 6556
- G. palpalis* spp., 6562

identification, trypanosome *see* characterisation

immune response

- agglutination, trypano-
 - by *G. palpalis* spp. extracts, 6735
- antibodies
 - anti-parasite enzyme, in humans, 7010
 - anti-*T. b. gambiense* in animals, 6873
 - anti-*T. congolense* in cattle, 6747
 - anti-*T. congolense* in goats, 6994
 - detection in N'Dama cattle, 6858
 - IgG, 6741, 6744, 6876
 - IgM, 6741, 6744, 6979
 - monoclonal, 6548, 6603, 6604, 6989
 - parasite-specific, 6999
 - polyclonal anti-procyclic, 6842
 - response, in rats, 6873
 - response to *T. vivax* in goats, 6999
 - serum, in human trypanosomiasis, 6741, 6873
 - T lymphocytes, 6986
 - titres, in serum, 6989

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

B cells, 6603

in *T. congolense*-infected cattle, 7000

CD4, CD5, CD8, CD45R expression in sheep, 6603

cellular phenotype kinetics, changes in, 6603

immune response (cont.)

chancre, in goats

lymphoblastic and plasmacytic reaction, 6604

polymorphonuclear reaction, 6604

role in induction of immunity, 6604

chancre, in humans, 6979

chancre, in sheep

cellular phenotype kinetics, 6603

complement haemolytic activity

in *T. congolense*-infected dogs, 7001

Fc receptors, 6603

humoral

in *T. brucei*-infected cattle, 6744

in *T. congolense*-infected cattle, 6744

in *T. congolense*-infected goats, 6994

IgG, 6741, 6744, 6876

IgM, 6741, 6744, 6979

IL-2R expression in humans, 7013

in human trypanosomiasis, 6984

in melarsoprol-induced encephalopathy, 6986

in trypanosome-infected rats, 6873

in trypanosusceptible dogs, 7001

in trypanotolerant dogs, 7001

leucocyte increase, 6744

leucocyte population changes

in *T. congolense*-infected cattle, 7000

local skin reaction, 6603, 6604

lysis, trypano-, in *G. palpalis*, 6735

MHC class II antigens, 6603

T cells

in *T. congolense*-infected cattle, 7000

proliferation in humans, 7013

T lymphocytes, activated, in humans, 7016, 7017

to East Coast fever immunisation in cattle

effect of *T. congolense* infection, 6998

immunisation

against tsetse challenge, goats, 6604

experimental, in rats, 6873

intravenous inoculation, goats, 6604

immunity

induced, to *T. vivax* in goats, 6999

to *T. congolense* in goats, 6604

immunodepression

in immunised *T. b. brucei*-challenged rats, 6873

in *T. brucei*-infected rats, 7012

immunogenicity

of trypanosome peptides, 6752

immunology

of trypanosomiasis, 6549, 6814

in domestic animals, 6991

research projects, 6946

immunosuppression

- in human *gambiense* trypanosomiasis
 - HIV induced, 6821
 - in CNS, 6740
- in human *rhodesiense* trypanosomiasis, 7013
- in N'Dama cattle, 7003
- in *T. brucei*-infected mice, 6753
- in *T. evansi*-infected mice, 7002
- progressive, in mice
 - role of macrophages, 6984
- T. brucei* induced, simulation, 7015

insect growth regulators

- for tsetse control, 6711

insecticides, for tsetse control

- cyfluthrin, 6574
- cyhalothrin, 6837
- cypermethrin, 6574, 6719, 6812, 6838
- DDT, 6579
- decamethrin, 6833
- deltamethrin, 6570, 6572, 6574, 6576, 6709, 6710, 6715, 6716, 6721, 6819, 6821, 6834
- dieldrin, 6685, 6832, 6833, 6838
- endosulfan, 6719, 6819, 6833
- flumethrin, 6968
- permethrin, 6834
- pyrethroids, 6819, 6961
- pyrethrum, 6713

interleukin 2

- in *T. evansi*-stimulated blood, 6611

isobutylcyanoacrylate nanoparticles

- activity in *T. b. brucei*-infected mice, 6759

isoenzymes

- in *T. brucei*, 6734
- in *T. congolense*, 6725
- in *T. simiae*, 6725

isometamidium

- adverse effects in pigs, 7004
- disposition kinetics, 6869, 7004
- distribution in cattle, 6609
- elimination of, cattle, 6609
- pharmacokinetics, 6869, 6871
 - in cattle, 6609
- radio-immunoassay for, 6761
- residues in meat, toxicology, 6868
- resistance in *T. congolense*, 7007
- sensitivity in *T. congolense*, 7007, 7018
- sensitivity testing
 - in *T. evansi*-infected mice, 7002
- tissue residues in pigs, 7004
- treatment
 - in goats, 6869, 7007
 - in mice, 7007
- uptake by *T. congolense*, 6871

isometamidium chloride

- chemoprophylaxis in cattle, 6870, 7003, 7008
- effect on *T. vivax*, 6891

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- efficacy in Zebu cattle, 6871
- resistance in *T. congolense*, 6896, 7008
- sensitivity in *T. vivax*-infected cattle, 6870
- treatment, in cattle
 - adverse reactions, 6868
 - detection in serum, 7009
 - of trypanosomiasis, 6710, 6947
 - pharmacokinetics, 6868

juvenile hormone mimics

- as baits for tsetse, 6558
- for tsetse sterilisation, 6547, 6711
 - pyriproxifen, 6550, 6574, 6813
 - S-31183, 6558, 6711

Kenya

- G. longipennis* in, 6567, 6823, 6948, 6967
- G. pallidipes* in, 6560, 6692, 6705, 6967
- Lambwe Valley
 - G. pallidipes* in, 6582
 - control, 6713, 6717, 6734, 6838
 - T. brucei* isolates from, 6734
 - trypanosome diversity, 6582, 6589
 - trypanosomiasis in cattle, 6582, 6688, 6838
 - trypanosomiasis in humans, 6582, 6688
- Nguruman
 - G. longipennis* in, 6958
 - trapping, 6567, 6573
 - G. pallidipes* trapping, 6573
- South Nyanza District
 - G. f. fuscipes* distribution, 6703
- trapping trials, 6967
- T. b. rhodesiense* stocks, 7033
- T. vivax* populations, 6870
- trypanosomiasis challenge
 - control with flumethrin pour-on, 6968
- trypanosomiasis in cattle, epidemiology, 6948
- trypanosomiasis in humans, *rhodesiense*, 7033
- trypanosomiasis incidence, 6688
- trypanotolerance studies in N'Dama cattle, 6865
- tsetse challenge
 - control with flumethrin pour-on, 6968
- tsetse control, 6688
 - community-based, 6573, 6967

Khaya grandifolia

- seed extracts
 - effects in *T. b. brucei*, 6619

kudu

- preferred host, Zimbabwe, 6831
- reservoir host, Malawi, 6947

land use

- in tsetse/trypanosomiasis control, 6822

lectin

- in *G. p. palpalis*, 6845
- production in fed flies, 6586

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

role in trypanosome infections, 6845

salivary gland, tsetse, 6550

Liberia

G. nigrofusca in, 6587

G. pallicera pallicera in, 6701

G. palpalis gambiensis in, 6701

G. p. palpalis in, 6587

trypanosomiasis in, 6587, 6701

trypanotolerant dogs in, 7001

lipid peroxidation

as component in drug action

against *T. b. rhodesiense*, 7026

livestock

as reservoirs of trypanosomiasis

in Malawi, 6978

in Uganda, 6550, 6948

treatment with diminazene aceturate, 6833

T. congolense infection, Congo, 6577

trypanosome incidence, 6728

trypanosome infection

detection, 6811

diagnosis, 6548

trypanosomiasis

clinical signs, 7002

endocrine effects, 6860

in Congo, 6577

in Somalia, 7002

reproductive disturbances, 6992

trypanotolerance, 6819

in Senegal, 6857

natural, 6548

project, West Africa, 6684

trypanotolerant, productivity, 68410, 6871

lysophosphatidylcholine derivatives

toxicity to *T. b. brucei*, 6621

Malawi

G. morsitans in, 6947

reservoir hosts, 6949, 6978

trypanosomiasis in cattle, 6947

trypanosomiasis in humans, 6947, 6949, 6978, 6981

control programme, 6947, 6949, 6978

incidence, 6949

reservoir hosts, 6947

T. b. rhodesiense infection, 6949, 6979

tsetse threat, 6947, 6949

Mali, trypanosomiasis in humans, epidemiology, 6850

man

relationship with vector

in Burkina Faso, 6726

in Côte d'Ivoire, 6726

in Sudan, 6847

resistance to *T. b. brucei*, 6594

trypanocidal serum factor, 6594

T. brucei infection

action of high density lipoproteins, 7014

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)
in Kenya, 6734

mark-release-recapture

in estimation of tsetse population, 6565, 6573
in measurement of capture probability, 6699
in measurement of tsetse dispersal, 6700

Mastomys

infectivity of *T. b. rhodesiense*, 6908

Mastomys natalensis

T. b. gambiense infection
transmission to tsetse (exp.), 6995

Mel B Arsobal *see* melarsoprol

Mel Cy

sensitivity, in *T. evansi*, 7002

melarsoprol

sensitivity, in *T. evansi*, 7002
treatment of human trypanosomiasis
gambiense, 6596
inducing cutaneous lesions, 6856
inducing encephalopathy, 6986
rhodesiense, 6979

melarsonyl-potassium

treatment of trypanosomiasis in infants, 6855

Metarhizium anisopliae

infecting *G. m. morsitans*, 6835

methyltriazenes

effect in *T. b. rhodesiense*-infected mice, 7019
enhancement with amidino group, 7019

MFMO

drug, potential new, 6821

mice in laboratory studies

anti-metacyclic VSG sera in, 6604
immunosuppression, progressive
macrophage involvement, 6984
T. brucei infection
activity of ribavirin sulfamoyl derivatives, 6618
challenge, multiplication rates, 6666
chemotherapy, 7022, 7023
glycolysis inhibitors, effects, 6614
immunosuppression, 6753
primary, multiplication rates, 6666
T. b. brucei infection, 6884
activity of isobutylcyanoacrylate nanoparticles, 6759
diagnosis, 6873
effects of *Morinda lucida* leaf extracts, 6613
efficacy of bleomycin, 6756
efficacy of DFMO, 6756
efficacy of nifurtimox, 6754
efficacy of suramin, 6756
S-adenosylmethionine decarboxylase inhibition, 6615
T. b. gambiense infection
diagnosis, 6873
T. b. rhodesiense infection, 6893
infectivity, 6908
model for drug testing, 7019
T. congolense infection, 6885
diagnosis, 6873

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

resistance to diminazene aceturate, 6896
resistance to isometamidium chloride, 6896
sensitivity to isometamidium, 7007

T. equiperdum infection, 6885
glycolysis inhibitors, effects, 6614
resistance, 6750

T. evansi infection, 6885
activity of microbial metabolites, 7024
chemotherapy, 6898
drug sensitivity testing, 7002
effects of DFMO, 6755
effects of irradiation, 7002
effects of polyamine precursors, 6755
immunosuppression, 7002
preparation of antigen in, 6988

microbial metabolites

evaluation for trypanocidal activity, 7024

Microtus montanus

T. b. gambiense infection
tissue alterations, 6875

model/modelling

cost/benefits of tsetse control, 6720
epidemiologic, 6945
host-parasite systems, 6945
molecular, *T. brucei* enzymes, 6661
monkey, for drug screening, 6894
rodent, for drug screening, 6894
trypanosomiasis
analytical, 6971
animal, for drug testing, 7019, 7024
in sheep, 6876
transmission, 6731
tsetse
dispersal, 6700
mortality rates, 6569
populations, 6705, 6711
sex-linked gene
Trypanozoon infection rate, 6588

monkey

in drug screening, 6894

DL- α -monofluoromethylornithine *see* MFMO

Morinda lucida

leaf extracts, effects
in *T. b. brucei*-infected mice, 6613

Mozambique

Tete Province
trypanosomiasis in humans, 6738
trypanosomiasis control, 6947, 6949
tsetse control, 6947, 6949

mycetome

in *G. p. palpalis*, 6561, 6959

myristic acid analogue

toxicity in *T. brucei*, 7045

nagana

T. b. brucei infection in camels (exp.)
pathogenicity, 6861

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

T. congolense infection in camels (exp.)

pathogenicity, 6861

Nannomonas

characterisation, 6948

culture, 6948

identification with DNA probes, 6846

infecting domestic animals, Cameroon

prevalence, 6598

infecting *Glossina* spp., Gambia, 6846

new

biochemical characterisation, 6907

isolated in Gambia, 6550, 6725, 6846

speciation and subspeciation, 6725

NDVI *see* normalised difference vegetation index

nifurtimox

efficacy in *T. b. brucei*-infected mice, 6754

Niger

human trypanosomiasis, epidemiology, 6850

Nigeria

Anambra State

trypanosomiasis in pigs, 6862

G. morsitans mortality rate, 6966

Kwara State

G. m. submorsitans belt, decline, 6829

G. p. palpalis in, 6829

G. tachinoides in, 6829

tsetse population sampling, 6829

Niger State

G. longipalpis trap catches, 6704

G. palpalis trap catches, 6704

trypanosomiasis in humans, survey, 6849

Nsukka area

G. palpalis, ecology, 6585

G. tachinoides

ecology, 6585

relation to pigs, 6585

Plateau State

G. palpalis

control, 6578

eradication, 6578, 6599

G. tachinoides in, 6599

trypanosomiasis in animals, prevalence, 6873

trypanosomiasis in cattle, survey, 6599

trypanosomiasis in humans

prevalence, 6873

survey, 6849

SIT projects, 6547, 6578, 6599

trypanosomiasis in humans, survey, 6849

tsetse population dynamics, 6547, 6705

nitro-compounds

treatment of CNS trypanosomiasis

combined with arsenicals, 7023

non-target organisms, 6714

effects of insecticides on, 6579, 6719, 6834

normalised difference vegetation index

correlations

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

with tsetse infestation, 6961
with *G. morsitans* mortality rate, 6966
with *G. palpalis* population density, 6966

relationships

with tsetse abundance, 6966

Novidium *see* homidium chloride

odour

see also attractants, baits

baits for traps, 6567, 6573, 6963, 6967

host, effects

on flight orientation, 6827

on host finding, 6724

on landing response, 6563

phenolic kairomones

effect on flight orientation, 6706

plume, 6563, 6724, 6827, 6830

effect of CO₂ in, 6830

olfactory stimulants

see also attractants, baits, odour

acetone, 6954

4-heptanone, 6954

3-nonanone, 6954

1-octen-3-ol, 6954

organometallic complexes

against *T. brucei* spp., 7027

ox

as bait for *Glossina* spp., 6828

sebum, effects

on tsetse response to targets, 6830

packed cell volume (PCV)

effects in blood diet of *G. p. palpalis*, 6552

in N'Dama cattle

as measure of anaemia, 6605, 6606, 6607, 6866

genetic correlation with growth, 6866

in *T. congolense*-infected Boran cattle, 6992

in *T. congolense*-infected dogs, 6608

in *T. congolense*-infected goat kids, 6994

in *T. evansi*-infected camels, 6864

in trypanosomiasis (exp.)

in buffalo, 6863

in camels, 6861

in trypanotolerant cattle

anaemia control, 6812

parasitaemia

in goats (exp.), 6602

in N'Dama cattle

control, 6606, 6607

genetic correlation with growth, 6866

genetic correlation with PCV, 6866

in *T. brucei*-infected cattle, 6744, 6748

parasitaemia (cont.)

in *T. brucei*-infected rats, 7012

in *T. b. brucei*-infected dogs, 6995

in *T. b. gambiense*-infected dogs, 6995

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

in *T. congolense*-infected cattle, 6744, 7000

in *T. congolense*-infected goat kids, 6994

in *T. evansi*-infected calves, 6997

in trypanosomiasis in camels, 6861

in trypanotolerant cattle, control, 6812

pathogens

bacteria, 6712

from *G. m. morsitans*, 6712

from *G. pallidipes*, 6712

fungi, 6712

pentamidine (Cis-Pt(II))

genotoxicity, 6620

mutagenicity, 6620

plasmatic pharmacokinetics, 6616

treatment of trypanosomiasis in sheep, 6616

permethrin

environmental side effects, 6834

spraying, Côte d'Ivoire, 6834

pig

host

for *G. p. palpalis*, Congo, 6577, 6723

for *G. tachinoides*, Nigeria, 6585

isometamidium in, 7004

T. b. brucei infection, 6862

T. evansi infection, detection, 6811

T. simiae infection, 6725

trypanosomiasis

in Cameroon, 6598

in Nigeria, 6862

piggeries

insecticide treatment, Nigeria, 6585

platinum (II)-sulfonamide complexes

effects on *Trypanosoma* spp., 7020

polyunsaturated fatty acids

toxicity to *T. b. brucei*, 6621

populations, *Glossina*

dynamics, 6547, 6565, 6569, 6573, 6585, 6705

ecology, 6703

genetics, 6691

monitoring, 6572, 6573, 6580, 6710

restraint on overgrazing, 6687

with RLOs, 6587

proteases

in *G. palpalis* spp.

effect on trypanosome development, 6973

protein

cell surface during transformation, *T. brucei*, 6655

conjugates, trypanocide delivery systems, 6893

encoding, *T. brucei*

with leucine-rich repeats, 6799

with putative zinc finger, 6799

GPI anchors, fatty acid remodelling, 7047

inhibitor, *T. brucei*, 6777

methylases, *T. brucei*,

response to DFMO, 6944

microtubule-associated, *T. brucei*, 7066

- Tsetse and Trypanosomiasis Information Quarterly*, **14** (1991)
- ornithine decarboxylase, *T. brucei*, 7076
 - phosphorylation differences, *T. b. brucei*, 7035
 - procyclic surface, *T. brucei*, 7043
 - synthesis, *T. brucei*
 - antisense oligodeoxynucleotide inhibition, 6678
 - inhibition, 6916
 - synthesis, *T. vivax*
 - antisense oligodeoxynucleotide inhibition, 6678
 - transferrin-binding, *T. brucei*, 7070
 - viral membrane fusion, 6888
 - VSG, 6633
- Proteus rettgeri***
- infecting *G. pallidipes*, 6560
- prophylaxis**
- see also* chemoprophylaxis
 - isometamidium chloride
 - in *T. vivax*-infected cattle, 6870
- pyrethroids**
- λ -cyhalothrin, evaluation, 6837
 - impregnated targets, 6961
 - synthetic, development, 6819
- pyrethrum**
- spraying, Kenya, 6713
- pyriproxyfen (S-31183)**
- for tsetse sterilisation, 6550, 6558, 6574, 6711, 6813, 6969
 - durability, 6948
- qinghaosu**
- relevance for trypanosomiasis, 6892
- quinapyramine**
- treatment of *T. evansi*-infected buffalo, 6863
- quinapyramine sulphate**
- sensitivity in *T. evansi*-infected mice, 7002
- rabbits**
- laboratory hosts
 - for *G. longipennis*, 6823
 - for *G. p. gambiense*, 6844
 - for *G. p. palpalis*, 6956
 - T. brucei* infection
 - effects, 6874
 - of high density lipoproteins, 7014
 - T. evansi* infection, effects, 6749
- rats**
- T. brucei* infection
 - action of high density lipoproteins, 7014
 - immunodepression, 7012
 - parasitaemia profile, 7012
 - T. b. brucei* infection, 6884
 - combination drug treatment, 7025
 - diagnosis, 6873
 - induction of hyperalgesia, 6881
 - T. b. gambiense* infection
 - diagnosis, 6873
 - e.m. study of brain, 6878
 - T. b. rhodesiense* infectivity, 6908

- Tsetse and Trypanosomiasis Information Quarterly*, **14** (1991)
- T. congolense* infection, diagnosis, 6873
 - T. evansi* infection, behaviour of, 6879
 - trypanosome infection
 - immunisation studies, 6873
 - rearing, *Glossina***, 6547, 6551, 6559, 6948
 - genetic aspects, 6691
 - G. austeni*, 6689, 6690
 - G. longipennis*, 6823
 - G. m. morsitans*, 6813
 - G. p. palpalis*, 6553, 6554, 6578
 - reedbuck**
 - reservoir host, Malawi, 6947
 - refractoriness**, in *G. p. palpalis*, 6587
 - remote sensing**
 - for predicting tsetse abundance, 6966
 - for predicting tsetse mortality, 6966
 - reptiles**
 - hosts of *G. p. palpalis*, Congo, 6723
 - reservoir hosts**
 - antelope, Malawi, 6978
 - dog, West Africa, 6995
 - domestic animals, 6840
 - experimental, *gambiense* trypanosomiasis, 6729
 - game animals, Malawi, 6947
 - livestock
 - Liberia, 6701
 - Malawi, 6978
 - livestock, domestic, Uganda, 6550, 6948
 - man, Liberia, 6701
 - natural, for *gambiense* trypanosomiasis, 6729
 - separation of, Malawi, 6949
 - ungulates, wild, 6836
 - wild animals
 - Gambia, 6948
 - Liberia, 6701, 6840
 - ribavirin sulfamoyl derivatives**
 - activity in *T. brucei*-infected mice, 6618
 - rickettsia-like organisms (RLOs)**
 - in *Glossina* spp., 6587, 6722, 6811, 6845, 6948, 6972, 6973
 - association with trypanosome infection, 6587
 - effect of gamma-irradiation on, 6973
 - effect of puparial temperature on, 6974
 - effect on trypanosome infection, 6845, 6948, 6972, 6974
 - in salivary glands, 6557
 - RLOs** *see* rickettsia-like organisms
 - RNA**
 - see also* genes/genetics
 - T. brucei*
 - decay, UV inhibition of, 6914
 - DNA-dependent polymerases, 6780
 - editing in kinetoplastid mitochondria, 6774, 6775, 6805
 - guide, minicircle genes, 6798
 - m-, dependent translation system, 7057
 - mitochondrial, t-encoding, 6781
 - poly (A) addition, 7051
 - polymerase II largest subunit gene, 6641

- Tsetse and Trypanosomiasis Information Quarterly*, **14** (1991)
- polymerases, transcription, 6784
 - pre-m, polycistronic, maturation, 7051
 - procyclin, super-induction, 6916
 - ribosomal, processing, modification, 6914
 - secondary structure, effect on protein synthesis, 6678
 - t-, gene cluster, 7058
 - transcripts, nascent, from *hsp 70* locus, 7051
 - trans*-splicing, 7051
 - T. b. gambiense*
 - U2 sn-encoding genes, 6806
 - T. congolense*
 - U2 sn-encoding genes, 6806
 - T. equiperdum*, guide, 6931
 - T. vivax*, secondary structure
 - effect on protein synthesis inhibition, 6678
 - trypanosome, *trans*-splicing, 6640
 - Ro-0216**, 6622
 - Ro15-0216**
 - synergistic activity with DFMO
 - in *T. b. brucei*, 6763
 - rodents**
 - drug screening in, 6894
 - trypanosomiasis in, chemotherapy, 6882
 - ruminants**
 - response to trypanosome infection, 6548
 - T. congolense* infection, 6725
 - S-31183** *see* pyriproxyfen
 - Saudi Arabia**
 - G. f. fuscipes* in, 6698
 - G. m. submorsitans* in, 6698
 - screening**
 - clinical, 6976
 - for trypanosomes in tsetse, Nigeria, 6599
 - for trypanosomiasis
 - in animals, Uganda, 6977
 - in domestic animals, Cameroon, 6598
 - in humans, 6546, 6590, 6715
 - in Angola, 6976
 - in Cameroon, 6848
 - in Congo, 6817
 - in Malawi, 6981
 - screening** (cont.)
 - for trypanosomiasis (cont.)
 - in humans (cont.)
 - in southern Africa, 6970
 - in Uganda, 6727, 6977
 - serological, 6546, 6976
 - screens**, 6716
 - electric
 - baited, effect on catch, 6567
 - for tsetse sampling, 6567
 - flat, description of, 6839
 - insecticide-impregnated, 6716, 6832
 - against re-invasion, 6572
 - costs, 6709, 6715

- Tsetse and Trypanosomiasis Information Quarterly*, **14** (1991)
- odour-baited, 6721
 - with decamethrin, 6833
 - with deltamethrin, 6572, 6575, 6709, 6715, 6721, 6819, 6821
- self-cure**
- in *T. congolense*-infected cattle, 7000
- Senegal**
- ecological zones
 - sero-epidemiological monitoring, 6858
 - G. longipalpis* in, 6833
 - G. m. submorsitans* in, 6833
 - G. p. gambiensis* in, 6832, 6833
 - T. vivax* infection in tsetse, 6857
 - trypanosomiasis in animals, 6832
 - trypanosomiasis in cattle
 - control projects, 6857
 - incidence in N'Dama-Zebu crosses, 6857
 - serological detection, 6857, 6858
 - T. congolense* infection, 6857
 - trypanosomiasis in humans, epidemiology, 6841, 6850
 - trypanotolerance in livestock, 6857
 - trypanotolerant N'Dama cattle in, 7003
 - tsetse control campaigns, 6832, 6833
- sentinel cattle**
- for assessing trypanosomiasis challenge, 6580
 - for monitoring tsetse control, 6547, 6599
- serum**
- antibodies, detection methods, 6873, 6989
 - cattle
 - antigen concentration, 6989
 - drug level detection, 7009
 - enzymes, 6744
 - dog, *T. congolense*-infected
 - opsonisation of Zymosan, 7001
 - goat
 - T. congolense* antigen detection, 6987
 - human
 - antibody levels in trypanosomiasis, 6741
 - inhibition of trypanocidal activity, 6629
 - lipoprotein, high density, 6594
 - primate, trypanocidal factor, 6594
 - trypanocidal factor, 6594
- sheep**
- T. b. brucei* infection (exp.)
 - IgGs in serum, 6876
 - treatment with spiroarsorane derivatives, 6617
 - T. b. gambiense* infection, antibodies, 6873
 - T. congolense* infection (exp.)
 - cellular phenotypes, 6603
 - local skin reaction, 6603
 - T. vivax* infection, Congo, 6723
 - trypanosomiasis
 - chemotherapy, 6882
 - endocrine effects, 6860
 - experimental, treatment, 6617
 - in Cameroon, 6598

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

SIT *see* sterile insect technique

Somalia

G. pallidipes in, 6705

trypanosomiasis in cattle, incidence, 7002

trypanosomiasis in livestock, 7002

tsetse challenge to cattle, 7002

South Africa

Natal

T. equiperdum infecting horses
prevalence, 6600

T. equiperdum infecting horses, 6600

spiroarsorane derivatives

treatment of trypanosomiasis in sheep (exp.)

plasmatic pharmacokinetics, 6617

spraying

aerial, 6689, 6716, 6819

costs, 6580

deltamethrin, 6834

endosulfan, 6819, 6833

in Zimbabwe, 6721

permethrin, 6834

pyrethrum, 6713

sequential application, 6707

bush, with cyhalothrin, 6837

cypermethrin, Kenya, 6838

dieldrin, Kenya, 6838

ground, 6689, 6713, 6716

DDT, in Zimbabwe, 6579

dieldrin

in Botswana, 6685

in Senegal, 6832, 6833

in Kenya, 6734

in Zimbabwe, 6721

residual, helicopter, 6839

techniques, 6839

sterile insect technique (SIT), 6689, 6697, 6714

chemosterilisation, 6711, 6718, 6969

using bisazir, 6711

costs, 6580

evaluation, 6547

genetic manipulation, 6718

hybridisation, 6718

in conjunction with trapping, 6711

in trypanosomiasis control programmes, 6547, 6551

in tsetse control/eradication, 6833

in Burkina Faso, 6547, 6572, 6709

in Nigeria, 6547, 6578, 6585, 6599

insect growth regulators, 6711

irradiation, 6709, 6718

γ -, 6722, 6959

juvenile hormone mimics, 6547, 6550, 6574, 6711

S-31183, 6711

rearing for, 6586, 6691

Stomoxys

trap catches, Guinea-Bissau, 6963

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

suramin, 6762

resistance in *T. evansi*-infected mice, 7002

sensitivity in *T. evansi*-infected mice, 7002

side effects, in guinea pigs, 6757

treatment

T. b. brucei-infected mice, 6756

T. evansi-infected buffalo, 6863

trypanosomiasis, human *rhodesiense*, 6979

surveillance

for trypanosomiasis, Uganda, 6977

mass, for trypanosomiasis in humans, 6817

medical, 6821

for suppression of trypanosomiasis, 6815, 6822

of human population, Malawi, 6978

vector, 6822

role in trypanosomiasis control, 6730

survey

entomo-parasitological, Congo, 6583

epidemiological, diagnostic techniques, 6989, 6990

fly, Saudi Arabia, 6698

G. f. fuscipes distribution, Central African Republic, 6960

mass diagnostic, 6975

in Uganda, 6730

reservoir hosts, Uganda, 6550

trypanocidal factor in primate sera, 6594

trypanosomiasis in cattle

in Nigeria, 6599

in Somalia, 7002

trypanosomiasis in humans

in Chad, 6852

in Malawi, 6978

in Nigeria, 6849

in Sudan, 6847

tsetse

correlation with NDVI, 6961

populations

in Gabon, 6843

in Uganda, 6568

in Zaire, 6843

RLOs, Liberia, 6587

vectors of animal trypanosomiasis, 6820

symbionts

in *G. p. palpalis*, 6561

Tabanidae

trap catches, in Guinea-Bissau, 6963

Tabanus

transmission of *T. vivax* to cattle, 6947

Tanzania

G. austeni in, 6689, 6710

G. brevipalpis in, 6710

G. m. morsitans in, 6710

G. pallidipes in, 6710

trypanosomiasis

control, 6689

in cattle, 6710

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

in humans, 6689, 6979

tsetse control, 6689, 6710

targets

attractants/attractiveness, 6564, 6572

baited, 6567, 6580

with juvenile hormones, 6558

cloth, 6564, 6575, 6580

coloured, 6564, 6572

costs, 6580

deltamethrin-impregnated, 6575, 6580, 6717

form, 6572

in Nigeria, 6585

insecticide-impregnated, 6578, 6847, 6949 6978

as barriers to re-invasion, 6578

mosquito netting panels, 6564, 6580

odour-baited, 6717, 6830, 6949, 6978

with ox sebum, 6830

olfactory factors, 6550, 6563, 6813

pyrethroid-impregnated, 6961

R-type, 6969

S-type, 6580, 6969

three-dimensional, 6702

visual factors, 6550, 6563, 6813

therapeutics, 6810

see also chemotherapy

isometamidium chloride

in *T. vivax*-infected cattle, 6870

Togo

human trypanosomiasis, epidemiology, 6850

transmission

cyclical, dogs, 6995

disease, control

in Côte d'Ivoire, 6715

in Uganda, 6727, 6837

mechanical, 7002

of *Trypanosoma* spp., 6729, 6844, 6947, 6995, 7002, 7008

in southern Africa, 6970

transmission (cont.)

of trypanosomiasis, 6822

in Uganda, 6837

interactions involved, 6845

modelling, 6731

suppression by tsetse control, 6969

role of reservoir hosts, 6729

studies, Uganda, 6948

trypanosome, 6973

traps/trapping, 6693, 6699, 6714, 6715, 6813, 6828, 6969

against re-invasion, 6572, 6573

baited

with acetone, 6567, 6573, 6710, 6716, 6967

with cow urine, 6567, 6573, 6710, 6967

with juvenile hormones, 6558

with phenols, 6710, 6716, 6967

biconical, 6567, 6702, 6703, 6833, 6969

Challier, description, 6546, 6839

cypermethrin-impregnated, 6812

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

deltamethrin-impregnated, 6716
for tsetse sampling, 6585, 6829, 6843, 6966
Laveissière, description, 6546, 6839
odour-baited, 6828
for population monitoring, 6573, 6710

Challier-Laveissière, 6546, 6839

Chuka, 6702

coloured, 6702

costs, 6709, 6715, 6716, 6967

deltamethrin-impregnated, 6819, 6821

Epsilon, 6702, 6969

evaluation, Burkina Faso, 6572

F3, 6969

baited, 6567

for tsetse population monitoring, 6580

for tsetse sampling, 6567

fly round, 6699, 6704, 6828

for tsetse population monitoring, 6580

for trypanosome screening, 6599

in Central African Republic, 6708

in Congo, 6716, 6723

impact on trypanosomiasis control, 6577

in conjunction with SIT, 6711, 6714

in Nigeria, 6578, 6585, 6829

insecticide-impregnated, 6709, 6714, 6716, 6832

monoconical, 6969

Lancien, description, 6839

monopyramidal

in Equatorial Guinea, 6853

Lancien-Gouteux, description, 6839

NG2B, 6567, 6965, 6967

baited, 6567, 6573, 6695, 6965, 6967

for tsetse population monitoring, 6573

for tsetse sampling, 6567, 6695, 6965

NGU, baited

for tsetse population monitoring, 6710

odour-baited, 6947

effect of humans on catch, 6828

pyriproxyfen-treated, 6574

olfactory stimuli, role, 6813

pyramidal, 6716, 6727, 6821

cyhalothrin-treated, evaluation, 6837

in population studies, 6568

pyriproxyfen-treated, 6813, 6948

sentinel, reliability, 6960

super-, 6686

Vavoua, 6715

visual factors, role, 6813, 6969

Trimelarsan (Mel W)

sensitivity in *T. evansi*-infected mice, 7002

trypan blue

side effects in guinea pigs, 6757

trypanoagglutinin

effect on trypanosome development, 6973

in *G. palpalis* spp. midgut, 6973

trypanocidal factor

in primate serum, 6594

trypanolysin

effect on trypanosome development, 6973

in *G. palpalis* spp. midgut, 6973

trypanoresistance, 6549

in cattle, 6811

to *T. brucei*, Dahomey cattle (exp.), 6745

to *T. b. brucei*, primates, 6594

to *T. congolense*, Dahomey cattle (exp.), 6745

Trypanosoma

in epidemiologic disease modelling, 6945

T. brucei

adenylate cyclase activity, 6673

anion binding, 7074

antigenic variation, 6766, 7081

molecular genetics of, 7038

antisense oligodeoxynucleotides against, 6941

biochemical diversity, 6582

calcium-dependent endoribonuclease, 6777

carbohydrate catabolism, 6917

carbohydrate metabolism, 7041

causing immunosuppression, 7015

cell cycle, 6650

cell surface proteins, 6655

chemostat cultures, 6904

chromosome organisation, 6648

cytoplasmic phosphoglycerate kinase allele, 6625

cytoskeletal morphogenesis, 6650

2-deoxy-D-glucose transport, 6670

diagnosis of infection, 6989, 6990

differentiation, 6809, 6909, 6917

dihydrolipoamide dehydrogenase, 6635, 6654, 6783

DNA-dependent RNA polymerases, 6780

DNA topoisomerase II expression, 6912

drug design against, 6899, 6900

drug effects on, 7020, 7021, 7022, 7023

drug testing on, 6902

EGF receptor homologue, 6782

electrical and H⁺ gradients, 6668

electrochemical gradient, internal, 7073

endocytosis, 6664, 6679

endopeptidase, 6926

enzymes, molecular modelling, 6661

evolution of virulence, 7034

fructose bisphosphate aldolase, 7040, 7042

gene exchange, 6807

gene expression, 6637, 6768, 6923, 7050, 7051, 7071

gene transcription, 7050, 7051

genetic hybrids, 6647

glucose transport, 6796

glucose uptake, 6925

glyceraldehyde-3-phosphate dehydrogenase, 7052, 7055

glycerol kinase, 6660

glycolysis, 6614, 6925

glycolytic enzymes, 6927

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

glycolytic flux, 6925
glycophosphatidylinositol membrane anchor, 7048, 7053
glycosomal biogenesis, 6796
glycosomal enzymes, 6770, 6794
glycosomes, 6669, 6921, 7056, 7072
glycosylphosphatidylinositol anchor, 6928, 7054
glycosylphosphatidylinositol lipids, 6791
growth factor receptor, 6651
homologous recombination, 6662
host high density lipoprotein, cytotoxicity, 6880
host lipoprotein receptor expression, 7067
hybrid formation, 6935
infecting baboons, 7014
infecting cattle, 6661, 6743, 6744, 6837, 6947
infecting *Glossina* spp., 6683, 6710
infecting *G. pallidipes*, 6582
infecting *G. tachinoides*, 6585
infecting goats, 6602
infecting humans, 7014
infecting mice, 6614, 6618, 6666, 6753, 7022, 7023
infecting rabbits, 6874, 7014
infecting rats, 7012, 7014
inhibition of transformation, 6657
inhibitor protein, 6777
internal pH, maintenance, 7073
isoenzyme characterisation, 6582, 6734
isolates from man, cattle and tsetse, 6734
Krebs cycle enzyme activities, 6917
lipid uptake, 6630
lipoic acid, 6654, 6783
meiosis, 6807
microbody phosphoglycerate kinase, 6624
microtubule-associated proteins, 7066
microtubules, 6770, 7066
minichromosomes, subset, 7077
mitochondrial ATP synthase, 6680, 7079
mitochondrial tRNAs, 6781
multiplication rates, 6666
MURF3 gene, editing domains, 6659
myristic acid analogue, toxicity, 7045
myc-homologues, 6785
NADH dehydrogenase subunit, 6659
neomycin phosphotransferase gene, 6626
nicotinamide, uptake, metabolism, 6656
novel developmentally-regulated gene, 7080
novel DNA nucleotide, 7049
nuclear genes, 7062
nucleic acid biosynthesis precursors, 6634
ornithine decarboxylase, 6915, 7076
P-ATPase gene transcription, 7065
peptides, 6752
phosphoenylpyruvate carboxykinase, 6790
6-phosphogluconate dehydrogenase gene cloning, 6663
3-phosphoglycerate kinase import, 6937
polycistronic gene transcription, 6641
polycistronic pre-mRNA maturation, 7051

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- procyclic surface protein, 7043, 7048
- procyclin gene promoters, 6671
- procyclin gene transcription unit, 6910
- procyclin RNA, super-induction, 6916
- proteolysis, 6664
- protein, 6799
- protein kinase C-like activities, 6658
- protein kinases, 6651
- protein phosphatase gene, 6641
- protein phosphorylation, 6623
- protein synthesis inhibition, 6678, 6916
- pyruvate kinase, 7041
- ribosomal RNA processing, 6914
- RNA decay, inhibition, 6914
- RNA editing, 6774, 6775, 6805
- RNA guide, minicircle genes, 6798
- RNA, m, dependent translation system, 7057
- RNA polymerase II gene, 6641
- RNA polymerases, class-specific transcription, 6784
- RNA, t, gene cluster, sequence, 7058
- stable transfection, 6662
- surface antigen change, 6681
- surface antigen genes, control, 6631
- surface charge, 6676
- syngamy, 6807
- T. brucei*** (cont.)
 - tartrate-sensitive acid phosphatase, 6674
 - telomeric expression site, 6638
 - transcription analysis, 6636
 - transferrin binding protein, 7070
 - transferrin endocytosis inhibition, 6934
 - transformation, stable integrative, 6918
 - triose phosphate isomerase, 7014
 - trypanothione metabolism, 6889, 7021
 - tubulin, 7066
 - tubulin gene cluster, 6626
 - tyrosine phosphorylation, 6930
 - ubiquitin-EP52 fusion protein homologues, 6808
 - VSG, 6643, 6665, 6672, 6773, 6801, 6802
 - VSG gene, 6628, 6671, 6675, 6682, 6772, 6776, 6779, 6789, 6799, 6803, 6804, 6910, 6923, 7046, 7050, 7069, 7070, 7081
 - zymodemes, 6734, 7034
- T. brucei brucei***
 - agglutination by tsetse midgut extracts, 6735
 - alternative oxidase, 6913
 - ATPase, vacuolar, 6924
 - ATP-dependent protease, 6778
 - culture, 6811
 - development *in vitro*, 6973
 - drug resistance, 6890, 6903
 - drug susceptibility, 6903
 - effects
 - of drugs, 6763
 - of human serum, 6629
 - of *Khaya grandifolia* seed extracts, 6619
 - of lysophosphatidylcholine derivatives, 6621, 6943

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- of *Morinda lucida* leaf extracts, 6613
- of organometallic complexes, 7027
- of polyunsaturated fatty acids, 6621, 6943
- evolution, 7034
- expression site-associated gene family, 6652
- galactosyltransferase, 7064
- gene cloning, 6811
- genetic exchange, 6922
- housekeeping genes, chromosomal location, 6922
- infecting camels, 6861
- infecting cattle, 6748, 6858
- infecting dogs, 6995, 7005
- infecting *Glossina* spp., 6972
- infecting *G. m. morsitans*, 6842
- infecting *G. palpalis* spp., 6973
- infecting mice, 6613, 6615, 6754, 6756, 6759, 6873
- infecting pigs, 6862
- infecting rats, 6873, 6881, 7025
- infecting sheep, 6616, 6617, 6876
- inhibition of polyamine synthesis, 6884
- inositol, role, 6639
- LDL receptor, glycoprotein, 7044
- lysis by tsetse midgut extracts, 6735
- microtubule cytoskeletal morphogenesis, 6933
- mitochondrial development, 6911
- mitochondrial genome segregation, 6933
- protein methylases, 6944
- proteolytic activities, 6632
- S-adenosyl-L-methionine, 6615, 6883
- triosephosphate isomerase, active site, 7060
- VSG, 6649
- VSG gene, 6652
- T. brucei gambiense***
 - antigenically distinct, 6907
 - epidemiology, 6844
 - evolution of virulence, 7034
 - expression site-associated gene family, 6652
 - infecting animals, 6683
 - infecting baboons, 6594
 - infecting cattle, 6873
 - infecting dogs, 6995
 - infecting *Glossina*, 6586, 6701
 - infecting gorillas, 6594
 - infecting humans, 6592, 6594, 6683, 6739, 6740, 6741, 6748, 6815, 6817, 6821, 6822, 6841, 6848, 6851, 6853, 6856, 6873, 6970, 6977, 6980, 6986
 - infecting mice, 6873
 - infecting *Microtus montanus*, 6875
 - infecting rats, 6878
 - infecting sheep, 6873
 - infectivity for baboons, 6877
 - inhibition of polyamine synthesis, 6883
 - organometallic complexes against, 7027
 - U2 snRNA-encoding genes, 6806
 - VSG gene, 6652, 6771

T. brucei rhodesiense

- amino acid sequence, LouTat 1 VSG, 6932
- axenic culture, 6905
- characterisation of stocks with DNA probes, 7033
- cysteine protease cDNA, 6795
- cysteine protease, expression, 6929
- cDNA, cloning, 6932
- drug action in, lipid peroxidation, 7026
- effect on human T lymphocytes, 7016, 7017
- effect on of human serum, 6629
- epidemiology, 6814
- evolution of virulence, 7034
- gene expression, kinetics, 6787
- glucose transport, 7059
- induction of immunosuppression, 7013
- IL-1 α maturation, 6787
- infecting *Glossina*, 6586
- infecting humans, 6592, 6727, 6738, 6822, 6851, 6949, 6977, 6979
- infecting mice, 6893, 7019
- infection rate, *G. m. morsitans*, 6586
- infectivity to small rodents, 6908
- inhibition of human IL-2R expression, 7013
- inhibition of human T cell proliferation, 7013
- inhibition of polyamine synthesis, 6883
- organometallic complexes against, 7027
- procyclin, 6797
- putative apocytochrome B polypeptides, 6942
- S-adenosylmethionine decarboxylase inhibition, 6615
- sensitivity to lysis by arsenicals, 6901
- susceptibility to drugs, 6883
- VSG expression sites, 6788

***T. brucei* spp.**

- effects of 1,2-bis (methylsulfonyl)-1-methylhydrazine, 7063

T. congolense

- agglutination by tsetse midgut extracts, 6735
- axenic culture, interaction with *T. vivax*, 6973
- cell surface, dynamic processes, 6920
- characterisation of Zambian serodemes, 6765
- cultivation *in vitro*, 7031
- development *in vitro*, 6973
- distinguished from *T. simiae*, 6872
- DNA characteristics, 6725
- drug effects, 7020
- drug resistance, 7007, 7008
- drug sensitivity, 7007, 7018
- endopeptidase, 6926
- evasion of complement lysis, 6645
- glutathione reductase, 6938
- infecting bulls, Zebu, 6996, 7006
- infecting camels, 6861
- infecting cattle, 6601, 6605, 6725, 6743, 6747, 6748, 6857, 6947, 6987, 6998, 7002, 7007, 7008
 - Baoulé, 6745
 - Boran, 6992, 7000
 - Dahomey, 6744
 - Friesian, 6744

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

N'Dama, 6858, 6865, 7000

N'Dama-Simmental crosses, 6744

N'Dama-Zebu crosses, 6857

Simmental, 6744

Zebu, 6867

infecting dogs, 6608, 7001, 7005

infecting *Glossina*, 6683, 6701, 6710, 6972

infecting *G. morsitans*, 6974, 6992

infecting *G. m. centralis*, 6811, 7008

infecting *G. m. morsitans*, 6576, 6586

infecting *G. m. submorsitans*, 6846

infecting *G. palpalis* spp., 6973

infecting *G. p. gambiensis*, 6846

infecting *G. p. palpalis*, 6723

infecting *G. tachinoides*, 6585

infecting goats, 6604, 6867, 6987, 6992, 6993, 6994, 7002, 7007

infecting livestock, 6577

infecting mice, 6873, 6885, 6896, 7007, 7008

infecting rats, 6873

infecting sheep, 6603

infecting small ruminants, 6725

isoenzymes, 6725

Kilifi type, 6872

lysis by tsetse midgut extracts, 6735

pathogenicity, 6948

savanna type, 6872

serodeme, 6603

trypanothione, 6793

trypanothione metabolism, 7021

trypanothione reductase, 6792, 6938

uptake of isometamidium, 6871

variable antigen repertoire, 6604

VSG cross-reacting determinant, 6644

VSG epitopes, 6604

West African forest/riverine type, 6872

T. cruzi

drug effects, 7020

enzymes, molecular modelling, 6661

infecting humans, 6855

infecting mice, 6885

T. equiperdum

detection with DNA probes, 6746

gene, new, expression site-associated, 6919

glycolysis, inhibition, 6614

infecting horses, 6600, 6859

infecting mice, 6614, 6750, 6885

infecting rats, 6886

infecting voles, 6751

minicircles, 6931

topoisomerase activity, mitochondria, 6936

VSG exposed epitopes, 7036

VSG gene, 6940, 7068

T. evansi

cultivation, 6764, 6906

drug resistance, 7002

drug sensitivity, 7002

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- dyskinetoplasia, 6906
- effect of microbial metabolites, 7024
- evolution, 7034
- glycosomes, 7072
- infecting buffalo calves, 6863
- infecting calves, 6997
- infecting camels, 6811, 6861, 6864
 - concurrently with *Haemonchus longistipes*, 6864
- infecting goats, 7002
- infecting guinea pigs, 6879
- infecting horses, 6988, 6997
- infecting mice, 6755, 6885, 6898, 6988, 7002, 7024
- infecting pigs, 6811
- T. evansi*** (cont.)
 - infecting rabbits, 6749
 - infecting rats, 6879, 6886
 - infectivity, loss of, 6906
 - kinetoplast and nuclear DNA homogeneity, 6769
 - kinetoplast DNA, analysis, 7061
 - stimulating interleukin 2 production, 6611
- T. grayi***, 6846
 - characterisation, biochemical, 6907
 - infecting *G. p. palpalis*, 6723
- T. simiae***
 - characterisation, biochemical, 6907
 - distinguished from *T. congolense*, 6872
 - DNA characteristics, 6725
 - infecting *G. m. submorsitans*, 6846
 - infecting pigs, 6725
 - isoenzymes, 6725
- T. vivax***
 - antigenic relatedness of East and West African stocks and clones, 6999
 - antisense oligodeoxynucleotides against, 6941
 - axenic culture
 - interaction with *T. congolense*, 6973
 - cultivation *in vitro*, 7030, 7032
 - cyclical development in tsetse, 6811
 - drug effects, 6870, 6891
 - drug resistance, 6870, 6891
 - drug sensitivity, 6870, 6891
 - endopeptidase, 6926
 - evolution of virulence, 7034
 - infecting bulls, Zebu, 6996, 7006
 - infecting cattle, 6601, 6743, 6748, 6829, 6947, 7002
 - Baoulé, 6745
 - Boran, 6870
 - mixed infection with *T. congolense*, 6601
 - N'Dama, 6858
 - infecting *Glossina* spp., 6683, 6701, 6710, 6857
 - infecting *G. m. centralis*, 6811
 - infecting *G. p. gambiensis*, 6844
 - infecting *G. p. palpalis*, 6723
 - infecting goats, 6723
 - infecting sheep, 6723
 - infectivity for goats, 6999
 - protein synthesis inhibition, 6678

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

transmission, 7002

trypanosome/s, 6627

antigenic variation, 6857, 6873, 7037

biochemistry, 6549

biology, 6549, 6550, 6597, 6811, 6820, 6985

calmodulin, purification, 6939

culture systems, 6548

diversity, Kenya, 6582, 6589

drug resistance, 6883

drug sensitivity, 6548

endocytosis, 6679

flagellar pocket, 6821

genes, 6667

genetic exchange, 6677

geographic distribution, 6820

GPI protein anchors, 7047

growth, dynamics, 7037

hosts, 6820

identification with DNA probes, 6872

incidence in *Glossina*, Malawi, 6949

incidence in livestock, 6728

infecting *Glossina* spp.

detection, 6732

identification with DNA probes, 6846

infecting livestock, 6548

infecting ruminants, 6548

infection rate

in *Glossina*, 6728, 6843

in Kenya, 6968

in Zimbabwe, 6948

relationship with RLOs, 6587

wild populations, 6845

in *G. morsitans*, Gambia, 6971

in *G. palpalis*, Gambia, 6971

in *G. p. palpalis*, 6723

infectivity in *Glossina* spp., 6845

isolates, characterisation, 6550

life cycle stages, genetic control, 6811

metabolic pathways, 6887

morphology, 6820

NMR studies, 6939

ornithine decarboxylase, 6646

prevalence, in cattle

in Côte d'Ivoire, 6812

in Gabon, 6606

relationship with tsetse challenge, 6728, 6812, 6843, 6971

salivarian, 7028

sexual cycle, 6800

surface antigens, 6748

procyclin, 6797

surface charge, 6676

targets for new drugs, 6887

transferrin receptors, 6821

trans-RNA splicing, review, 6640

triosephosphate isomerase, 7078

VSG proteins, 6633

trypanosomiasis, general, 6820

- biochemistry, research, 6946
- biology, research, 6946
- chemotherapy, 6895, 6897, 7021, 7022, 7023
- control projects, 6947, 6949
- diagnosis, 6610, 6810
- disease stress, 6710
- distribution
 - in Burkina Faso, 6726
 - in Côte d'Ivoire, 6726
- drug development, 6622, 6887
- drugs, potential, 6892
- epidemiology, 6549, 6581, 6701, 6946
- host susceptibility, 6630
- immunology, 6549, 6946
- immunosuppression, 6753
- in Liberia, 6587, 6701
- in Zimbabwe, 6721
- models of, 6971
- pathogenesis, research, 6946
- prevalence, southern Africa, 6970
- reservoir hosts, 6836
- resistance to, research, 6946
- risk
 - in Nigeria, 6829
 - in southern Africa, 6970
 - to animals, Africa, 6584
 - to humans, 6822

trypanosomiasis in animals

- clinical symptoms/pathological effects, 6991
- abnormalities of spermatozoa, 6996
- abortion, 6860, 6992
- adrenal changes, 6860
- anaemia, 6605, 6606, 6607, 7000
- changes in haematological parameters, 6864
- delayed sexual maturity, 6860
- disruption of oestrous cycle, 6992, 6993
- endocrine disturbances, 6860
- eosinopenia, 6744
- extravasations into body cavity, 6861
- eye disorders, 6997
- fever, 6744, 6861, 6997
- haematobiochemical changes, 6863
- haemorrhage, 6861
- impaired hypothalamic function, 6860
- impaired ovarian function, 6860, 6992, 6993
- impaired testicular function, 6860
- increased prostaglandin F_{2α} level, 6993
- infertility, 6860, 6992
- leucocytosis, 6744
- lymph node enlargement, 6997
- neutropenia, 6608, 6744
- oedoema, 6861
- pituitary damage, 6860
- red blood cell count changes, 6744
- stillbirth, 6860

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

testicular swelling, 6997

weakness, 6861

weight loss, 6992, 6997

control project, 6684

epidemiology, Africa, 6584

in Senegal, vector control campaign, 6832

pathology, 6820

prevalence, testing for, Nigeria, 6873

prophylaxis, 6820

treatment, 6820

trypanosomiasis in camels

treatment, 6894

trypanosomiasis in cattle

chemoprophylaxis, 7002, 7003

chemotherapy, 7002, 7007

clinical effects, 6745, 6996

detection by ELISA, 6857

diagnosis, serological, 6748, 6855

drug treatment, 6570, 6710, 6868, 6870, 6947, 7003

effect on East Coast fever immunisation, 6998

epidemiology, 6948

in Cameroon, control trials, 6570

in Central African Republic, prevalence, 6601

in Congo, 6583

in Gabon, 6843, 7003

in Kenya, 6688, 6838, 6948

Lambwe Valley, incidence, 6582

in Malawi, 6947

in Mozambique, 6947

in Nigeria, persistence, Plateau State, 6599

in Senegal, 6858

in Somalia, 7003

incidence, 7002

in south Sudanian tropics, 6745

in Tanzania, 6710

in Uganda, 6837

in Zaire, 6843

in Zambia, 6947

in Zimbabwe, 6947

pathological effects, 6947

treatment, 6894

trypanosomiasis in domestic animals

diagnosis, 6991

epizootiology, 6991

etiology, 6991

immunology, 6991

prevalence in Cameroon, 6598

trypanosomiasis in goats

detection, 6987

experimental *T. congolense* infection, 6993

treatment, 6894

trypanosomiasis in humans

chemotherapy, 6595, 6758, 6760, 6817, 6822

clinical symptoms/pathological effects

abortion, 6855

amenorrhoea, 6855, 6860

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- behavioural changes, 6981
- chancres, 6856
- congenital infection, 6854, 6855
- convulsion, 6981
- cutaneous lesions, 6856
- disturbed circadian rhythmicity, 6593
- drug toxicity, 6986

trypanosomiasis in humans (cont.)

clinical symptoms/pathological effects (cont.)

- encephalopathy, drug-induced, 6986
- enlarged cervical lymph nodes, 6852
- erythematous trypanids, 6856
- fever, 6741, 6981
- headache, 6742, 6981
- hepatomegaly, 6741
- hyperproteinaemia, 6742
- hypothyroidism, 6860
- increased CSF prostaglandin levels, 6740
- insomnia, 6742, 6981
- lethargy, 6742
- leucoencephalitis, 6741
- lipoprotein abnormalities, 6739
- meningoencephalitis, 6741
- nervous system disturbances, 6741
- oedema, 6856
- pruritis, 6856
- serum lipid abnormalities, 6739
- skin rashes, 6856
- somnolence, 6740
- uveomeningitis, 6736
- weakness, 6742

detection, 6683, 6847

diagnosis, 6597, 6748, 6815, 6822, 6947, 6949, 6975, 6976, 6979, 6980, 6981, 7010

distribution, 6546, 6726, 6822, 6841

drug toxicity, 6986

epidemiology, 6546, 6597, 6683, 6685, 6688, 6689, 6814, 6815, 6816, 6841, 6848, 6850, 6949

history

- in Congo, 6683, 6817, 6818

- in French West Africa, 6816

in Angola, 6970, 6976

in Benin, 6850

in Botswana, 6685

in Burkina Faso, 6726, 6841, 6850

in Cameroon, 6590, 6848, 6982, 6983

in Central African Republic, 6982, 6983

in Chad, 6852

in Congo, 6683, 6739, 6817, 6982, 6983

in Côte d'Ivoire, 6715, 6726, 6850

in East Africa, 6689

in Equatorial Guinea, 6853

in Kenya, 6582, 6688, 7033

in Malawi, 6947, 6949, 6978, 6979, 6981

in Mali, 6850

in Mozambique, 6738, 6947, 6949

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

- in Niger, 6850
- in Nigeria, 6849, 6873
- in Senegal, 6841, 6850
- in southern Africa, 6970
- in Sudan, 6847
- in Tanzania, 6689, 6979
- in Togo, 6850
- in Uganda, 6591, 6592, 6727, 6730, 6737, 6837, 6851, 6977, 7033
- in West Africa, 6816, 6841
- in Zaire, 6818, 6854
- in Zambia, 6947, 6949, 7033
- in Zimbabwe, 6947, 6949
- incidence
 - in Kenya, 6582, 6688
 - in Uganda, 6977
- infection rate
 - in Nigeria, 6849
 - in Sudan
- management, 6847, 6979
- man-fly contact, role, 6847
- pathology, 6546, 6814, 6984
- politico-economic factors, 6850
- prevalence, 6975
 - in Cameroon, 6590
 - in Nigeria, 6873
- prevention, 6822
- reservoir hosts, 6840
- screening, 6546, 6590, 6848, 6976, 6977, 6981
- socio-economic factors, 6817, 6818
- surveillance, 6592, 6815, 6817, 6822, 6977
- transmission, 6588, 6590, 6729, 6822
- treatment, 6590, 6597, 6683, 6688, 6730, 6815, 6816, 6822, 6854, 6949, 6978, 6979, 6986
 - arsenicals, 6816
 - DFMO, 6596, 6736, 6741, 6742, 6815
 - eflornithine, 6986
 - melarsonyl-potassium, 6855
 - melarsoprol, 6596, 6856, 6979, 6986
 - suramin, 6979
- T. b. gambiense* infection, 6592, 6596, 6683, 6729, 6739, 6740, 6741, 6748, 6815, 6817, 6821, 6841, 6848, 6851, 6853, 6873, 6970, 6976, 6977, 6980, 6986
- T. b. rhodesiense* infection, 6592, 6727, 6738, 6851, 6949, 6977, 6979, 7013, 7016, 7017, 7033
- trypanosomiasis in livestock**, 6992
 - in Congo
 - impact of tsetse control, 6577
- trypanosomiasis in pigs**
 - drug treatment, 6862
 - in Nigeria, 6862
- trypanosomiasis in sheep**
 - drug treatment, 6616, 6617
- trypanosusceptibility**
 - in cattle, 6811
 - Boran, response to trypanosome challenge, 6000
 - trypanosome prevalence, 6728, 6812

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

tsetse challenge, 6728, 6812

trypanothione, 6622

interaction with drugs, *T. brucei*, 6889

metabolism, 6642

in *T. brucei*, 7021

in *T. congolense*, 7021

reductase

from human glutathione reductase, 7039

target for drugs, 7075

trypanotolerance

criteria for, 6607

genetics of, 6812, 6865

in cattle

Baoulé, 6745

N'Dama

anaemia control, genetics, 6866

effect of nutrition, 6605

effect on productivity, 6607

field testing, 6606, 6607

multiple superovulation studies, 6865

reduction of, stress related, 7003

response to trypanosome challenge, 7000

trypanosome prevalence in, 6728, 6812, 6971

tsetse challenge, 6728, 6812, 6971

in livestock, 6548, 6684, 6810, 6812, 6819, 6857

genetic markers, 6548, 6811, 6819

productivity, 6871

in *T. b. brucei*-infected dogs, 6995

in *T. b. gambiense*-infected dogs, 6995

Trypanozoon, 6859

characterisation, 6948

culture, 6948

infecting *Glossina*, salivary gland

genetic control of maturation, 6588

infection rate, male and female, 6588

infecting *G. m. submorsitans*, 6846

tsetse eradication, 6687, 6714, 6722, 6961

in Burkina Faso, 6547, 6572

in Nigeria, 6554, 6578

in Zambia, 6580

in Zimbabwe, 6721

Uganda

Busoga

G. f. fuscipes in, 6727

rhodesiense trypanosomiasis in, 6592, 6727, 6851, 6977

Buvuma Island, Lake Victoria

G. f. fuscipes population dynamics, 6568

G. f. fuscipes in, 6837

G. medicorum in, 6566

distribution, 6948

livestock, domestic

as reservoirs of trypanosomiasis, 6550, 6948

Mukono district

rhodesiense trypanosomiasis in, 6977

north-western

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)
gambiense trypanosomiasis in, 6592, 6851, 6977
 Pallisa and Mbala districts
rhodesiense trypanosomiasis in, 6977
 screening for trypanosomiasis, 6977
 south-eastern
 focus of human trypanosomiasis, 6737
 rhodesiense trypanosomiasis in, 6592, 6977
 surveillance, 6977
 Tororo district
 rhodesiense trypanosomiasis in, 6977
 transmission studies, 6948
T. b. rhodesiense stocks from, 7033
 trypanosome infections in cattle, 6743, 6837
 trypanosomiasis, *rhodesiense*, foci for, 7033
 trypanosomiasis in humans, 6730, 6737
 control programme, 6591, 6592, 6727, 6730, 6851
 foci for, 6737
 trypanosomiasis transmission, 6837
 tsetse control, 6821, 6837, 6977
 tsetse population dynamics, 6547
 West Nile
 focus of human trypanosomiasis, 6737

vaccine

potential targets on trypanosomes, 6821

variable antigen repertoire

immune recognition of, 6604

T. congolense, 6604

variable surface antigen

T. brucei

change during differentiation, 6681

genes, control of, 6631

telomeric expression site, 6638

variable surface glycoprotein (VSG)

proteins, 6333

T. brucei

coat, membrane attachment, 6643

degradation, recycling and shedding, 6802

gene, 6628, 6671, 6675, 6779, 6789, 6910, 6923, 7050

expression site, 6628, 6682, 6799, 6804, 7070, 7081

glycosyl phosphatidylinositol anchor, 6665

immunochemical studies, 6773

latent calmodulin binding domain, 7069

membrane form, purification, 6801

N-terminal domain, 6776

soluble form, 6672, 7046

T. b. brucei

gene, 6652

variable surface glycoprotein (VSG) (cont.)

T. b. brucei (cont.)

phosphatidylinositol-specific phospholipase C, 6649

T. b. gambiense

gene, 6652

expression site, 6771

T. b. rhodesiense

LouTat 1 amino acid sequence, 6932

Tsetse and Trypanosomiasis Information Quarterly, **14** (1991)

T. congolense
cross-reacting determinant, 6644
epitope, 6604

T. equiperdum
epitope, 7035
gene, 6940
expression site, 7068

vectorial capacity

of *G. f. fuscipes*, 6703
role of lectin, 6550

virus

intracellular
in *G. p. gambiensis*, 6722
in *G. p. palpalis*, 6722
-like particles
in *G. palpalis* spp., 6973
particle infection
in *Glossina*, 6547
in *G. m. morsitans* salivary glands, 6557
in *G. pallidipes* salivary glands, 6560

vole (*Microtus arvalis*)

T. equiperdum infection, pathogenicity, 6751

warthog

preferred host, Zimbabwe, 6831
reservoir host, Gambia, 6948

waterbuck

reservoir host, Malawi, 6947

wild ungulates

reservoir of trypanosomiasis, 6836

wild vertebrates

tsetse hosts, Zimbabwe, 6831

Zaire

G. nashi in, 6843
G. tabaniformis in, 6843
trypanosomiasis in cattle, 6843
trypanosomiasis in humans, 6854
historical, 6817, 6818
trypanotolerance in N'Dama cattle, 6607, 6812, 7003
tsetse challenge to cattle, 6607, 6843
tsetse population survey, 6843

Zambia

central
tsetse control, 6571
Chipata District
T. congolense stocks from, 6765
T. b. rhodesiense stocks from, 7033
trypanosomiasis control, 6947, 6949
trypanosomiasis in humans, *rhodesiense*, 7033
tsetse control, 6836, 6947, 6949
Western Province
G. m. centralis control in, 6580

Zanzibar

G. austeni control trials, 6702

Zimbabwe

- field studies, *Glossina*
 - flight, 6827
 - mark-recapture, 6699
- field trials, *Glossina*
 - control, 6550
 - host-finding, 6724
 - pyriproxyfen-treated traps, 6948
 - sampling, 6550, 6565, 6828
 - sterilisation with pyriproxyfen, 6550, 6574
 - trapping/sterilisation, 6813
- G. morsitans* in, 6721
- G. m. morsitans* in, 6550, 6568, 6699, 6827, 6828
- G. pallidipes*, 6550, 6565, 6721, 6827, 6828
- ground spraying
 - impact on environment, 6579
- trypanosomiasis in, 6721
 - control, 6947, 6949
- tsetse control, 6550, 6721, 6831, 6836, 6947, 6949
- tsetse eradication, 6721
- tsetse infection rates, 6948
- tsetse population dynamics, 6547, 6565
- Zambezi Valley
 - G. m. morsitans* control, 6574
 - G. pallidipes* control, 6574