

TSETSE AND TRYPANOSOMIASIS INFORMATION QUARTERLY

Index
Volume 12
Part 1–4, 1989
Numbers 5553–6048



DFID



acetone

- as attractant for *Glossina*, 5829, 5927
- as bait for *Glossina*, 5577, 5582, 5716, 5717, 5825, 5957

adenosine triphosphate *see* ATP

Aedes

- possible vector of human trypanosomiasis, 5590

Africa

- data collection, on livestock productivity, 5561
- savannas, livestock production, tsetse zone, 5691
- sub-Saharan, trypanosomiasis in, 5936
- trypanosomiasis in, human
 - factors enhancing man-fly contact, 5960
 - importance of animal reservoirs in, 5964
- West, human trypanosomiasis in, 5965

African Trypanotolerant Livestock Network, 5695, 5696, 5701, 5722, 5723, 5744, 5940

agaricic acid

- inhibition of glycolytic enzymes, *T. brucei*, 5672

albumin

- in blood and urine, *Microtus montanus*, 5774
- levels, in human trypanosomiasis, 5981

allele frequencies

- in *T. b. brucei* and *T. b. gambiense*, 5805

allyl alcohol

- response to
 - in *G. m. morsitans*, 5712

Annona senegalensis

- effects of root extracts, on *T. b. brucei*, 6009

antibody/antibodies

- anti-heart, in human *gambiense* trypanosomiasis, 5606
- anti-human serum albumin, levels of, in *T. brucei*-infected chickens, 5615
- anti-procyclic surface, in vervet monkeys, 5770
- anti-trypanosomal
 - in human *rhodesiense* trypanosomiasis, 5974
 - in N'Dama cattle serum, 5738
- circulating trypanosomal
 - in *T. evansi*-infected camels, 5857
- host, destruction of parasites by, 5870
- lytic, in goats, to *T. vivax*, 5619
- maternal, in N'Dama calves, 5738
- monoclonal
 - against *T. b. rhodesiense*, in humans, 5596, 5771
 - in *T. brucei*
 - library for cytoskeleton components, 6048
 - life-cycle-stage-labelling by, 5922
 - stock-specific-labelling by, 5922
 - production of in trypanosomes, research, 5939
- titre in humans against *T. b. gambiense*, 5845
- to trypanosome VATs, 5979
- to variant antigen population, in mice, 6004
- T. congolense*, in goats, pigs and sheep, 5830

antigen/s

- see also* variable/variant surface antigen and variant surface glycoprotein
- circulating trypanosomal
 - in CSF and serum, humans, 5596
 - in serum, vervet monkeys, 5770
 - in *T. evansi*-infected camels, 5857
- detection of in *G. p. palpalis*, 5574

- gene expression, control (review), 5807
- human serum albumin, response to,
 - in *T. brucei*-infected chickens, 5615
- non-variable surface, *T. b. rhodesiense*, 5771
- origin of in *G. p. palpalis*, 5574
- profile, of *T. brucei*, 5724
- properties, of *T. b. gambiense* isolates, 5724
- role, in hypersensitivity induction, in *G. p. palpalis*, 5574
- titre, in *rhodesiense* trypanosomiasis, 5596
- typing, red-cell, in trypanotolerance studies, 5758
- variant population, in mice, 6004
- antigen detection enzyme immunoassay**
 - in diagnosis of *rhodesiense* trypanosomiasis, 5596
- antigenic composition**
 - of cell surface coat of *T. brucei*, 5809
- antigenic determinants**
 - of structurally-related VSGs, *T. brucei*, 5794
- antigenic variation**
 - high frequency of, in *T. b. rhodesiense* infections, 6044
 - in African trypanosomes, 5557, 5648, 5697, 5802, 5979
- antioxidant, phenolic**
 - effects of on *T. brucei*, 5660
- antisera**
 - for melarsoprol metabolite detection, 5853
- arginine phosphokinase**
 - locus for, in *G. m. morsitans*, 5707
- arsenical**
 - compounds, as trypanocides, 5853
 - drugs, targeting trypanothione, 5880
 - potentiation of with DFMO, 5644
 - refractoriness, in humans, 5607, 5610, 5611
- astrocytes**
 - role, as antigen-presenting cells, 5980
- ATP**
 - analogues, as gorging inducers, for *G. p. palpalis*, 5564
 - as gorging stimulus for *G. tachinoides*, 5570
- attractant/attractiveness**, for *Glossina* spp.
 - carbon dioxide in host odour plume, 5713
 - chemical, 5712, 5713, 5716, 5717, 5825, 5839
 - dung, hippo, 5716
 - host odour, 5582, 5583,
 - olfactory, 5577, 5712, 5719
 - ox odour, natural, 5717
 - phenolic compounds in buffalo urine, 5593
 - urine, buffalo, 5593
 - urine, cow and pig, 5716
 - visual, 5719
- autosomal genes**
 - in haematophagous vectorial insects, 5820
- autosomes**
 - in *Glossina* spp. male hybrids
 - interaction with X chromosome, 5571, 5821
- autosterilisation**
 - Glossina*, using baited decoys, 5823
- B-cells**
 - immunosuppressive activities in mice, 5775
 - stimulative activities in mice, 5775

***Babesia equi* infection**

concurrent with *T. vivax* in donkeys, 5990

***Babesia microti* infection**

concurrent with *T. brucei* in mice (exp.), 5627

***Babesia trautmanni* infection**

concurrent with *T. simiae* in pigs, 5617

***Bacillus* spp.**

infecting *G. m. morsitans*, 5958

bait, for *Glossina*

acetone, 5716, 5717, 5825, 5927

allyl alcohol, 5712

butanone, 5717

3-buten-2-ol, 5712

host animals, 5827

4-methylphenol, 5717

octenol, 5716, 5717, 5957

ox, 5823

ox odour, natural, 5717

ox sebum, 5955

3-*n*-propylphenol, 5717

sex pheromone, 5823

urine, cow, 5716, 5825, 5957

urine, pig, 5716

basic reproductive rate (R₀)

effect on of changes in host range

of vectors of trypanosomiasis, 5937

of trypanosomes, interactions

in cattle and livestock, 5926

Beauvaria bassiana

infecting *G. m. morsitans*, 5832

Benin

northern, human trypanosomiasis in, 5594

trypanotolerant cattle in, 5563

Berenil *see* diminazene aceturate

Berenil Indices

for determining trypanosome risk, 5768

biological control

potential for, of tsetse virus, 5575

bisquinaldine (WR 163577)

effects on *T. brucei* spp. in goats, 6011

effects on *T. brucei*, *T. vivax* and *T. congolense* in mice, 6011

biting flies

possible vectors of trypanosomiasis

in tsetse-free zone, Nigeria, 5614

in Zambia, 5841

repellency of fenfluthrin for, 5761

blood

whole defibrinated pig, for *G. palpalis*, 5951

blood films

for detection of trypanosomes

in donkeys, 5866

in humans, 5847, 5976

for diagnosis of animal trypanosomiasis, 5858

blood incubation infectivity test (BIIT), 5841

blood meals

for *Glossina in vitro* feeding, 5565

for *G. m. centralis* from *T. vivax*-infected goat, 5840

for *G. m. morsitans*

- comparison between wild animals, 5567
- for *G. pallidipes*, from different animals, Kenya, 5726
- for *G. p. palpalis*
 - from guinea pigs (exp.), 5837
 - trypanocidal treatment of, 5735
- for *G. tachinoides*, from guinea pigs,
 - movement through midgut, 5954
- breeding**
 - colony, *G. m. submorsitans*, 5817, 5818
 - individual *G. m. submorsitans* females, 5818
 - mass, *G. m. submorsitans*, 5817
 - predictions, laboratory *G. m. submorsitans*, 5818
- buffalo**
 - blood meals from, for *G. m. morsitans*, 5567
 - calves, *T. evansi*-infected,
 - leukocytes and lymphocytes in, 5740
 - host, for *G. pallidipes*, Kenya, 5726
- Burkina Faso**
 - Bobo-Dioulasso
 - mass rearing of *G. m. submorsitans* in, 5817, 5818
 - odour attractant studies, 5839
 - olfactory attractant studies in
 - with *G. m. submorsitans*, 5869
 - with *G. tachinoides*, 5555, 5839, 5869
 - Ouagadougou
 - G. p. gambiensis* populations in, 5950
 - Sideradougou pastoral area, 5817
 - use of barriers to tsetse reinvasion in, 5555
 - trypanotolerant cattle in, 5563
- bush buck**
 - blood meals from, for *G. m. morsitans*, 5567
 - host for *G. f. fuscipes*, Uganda, 5592
 - host for *G. pallidipes*, Kenya, 5726
- bush pig**
 - host for *G. f. fuscipes*, Uganda, 5592
 - host for *G. pallidipes*, Kenya, 5726
- butanone**
 - bait, response to of *G. pallidipes*, 5717
- 3-buten-2-ol**
 - response to of *G. m. morsitans*, 5712
- t*-butyl-4-hydroxyanisole**
 - effects of on *T. brucei*, 5660
- camel** (*Camelus dromedarius*)
 - T. evansi* infection
 - cymelarsan treatment of, Niger, 5873
 - serodiagnosis of, Sudan, 5857
 - survey of, Mali and Mauritania, 5985
 - trypanosomiasis in, Somalia, 5986
- Cameroon**
 - Douala, *G. palpalis* in, 5950
 - trypanosomiasis in, human
 - control of and spread, factors involved, 5932
 - transmission by *G. palpalis*, 5950
 - trypanotolerant cattle in, 5563
- carbohydrates**
 - surface, *Glossina* spp., role, 5576

carbon dioxide

in simulated host odour plume for *Glossina*, 5713
response to, of *G. pallidipes*, 5828
stimulatory effect of, for *Glossina*, 5582, 5828

card agglutination test (CATT)

based on VAT RoTat 1/2, for *T. evansi*, 5622
in immunological analysis of CSF, 5595
in serological testing
in humans, 5730, 5845
in goats, pigs and sheep, 5830

cattle

as hosts for *G. m. morsitans*, blood meals from, 5567
as hosts for *G. pallidipes*, Kenya, 5726

Baoulé

cyclical infection with *T. congolense* (exp.), 5736
disease interactions, Côte d'Ivoire, 5734
immune response to *T. congolense*, 5736
lymphocyte antigen typing in, 5996
olfactory power for *Glossina* spp., 5869
parasitaemia in, effect on PCV, 5734

Baoulé crosses

disease interactions, Côte d'Ivoire, 5734
parasitaemia in, effect on PCV, 5734

Boran

chemoprophylaxis and chemotherapy in, Tanzania, 5765
diminazene aceturate treatment, 5748
isometamidium chemotherapy in, Kenya, 5871
Orma-, trypanoresistance studies, Kenya, 5753
response to experimental challenge
with tsetse-transmitted *T. congolense*, 5748
steers, trypanosomiasis control in
use of pyrethroid-impregnated ear tags, 5761
T. congolense infection (exp.)
effect on female reproductive cycle, 5749
T. vivax infection, self-cure of, 5998

chemoprophylaxis, effects on production, Kenya, 5764

crossbred

effect of age and breed
on parasitaemia species, intensity and prevalence, 5754
effect of chemoprophylactic regime
on parasitaemia species, intensity and prevalence, 5754

cattle (continued)

crossbred (continued)

effect of female physiological status
on parasitaemia species, intensity and prevalence, 5754

T. vivax infection

disseminated intravascular coagulation in, 5992

dipping with synthetic pyrethroid, 5829

domestic, reservoir of *rhodesiense* infection, Kenya, 5947

heifers

diminazene aceturate treatment, 5863
T. congolense peptidase in plasma, 5863

herd movements, variations in cattle/fly contact, 5727

isometamidium chloride, efficacy in, 5768

liveweight factors influencing parasitaemias, 5750

Local Race

productivity of, in Togo, 5751
trypanosome parasitaemias in, in Togo

- effect of species, intensity and prevalence, 5743
- effect on health, production and PCV, 5743
- T. congolense* and *T. vivax* infection, in Togo, 5743
- N'Dama
 - anti-trypanosomal antibodies in, factors involved, 5738
 - disease interactions, Côte d'Ivoire, 5734
 - effects of age and breed
 - on parasitaemia species, intensity and prevalence, 5754
 - effect of chemoprophylactic regime
 - on parasitaemia species, intensity and prevalence, 5754
 - effect of female physiological status
 - on parasitaemia species, intensity and prevalence, 5754
 - effects of strategic nutritional interventions, 5693
 - effects on PCV and growth, in Gabon
 - of parasitaemia score, 5759
 - of trypanosome infection and species, 5759
 - field studies on heritability, in Zaire, 5760
 - genetic studies on trypanotolerance, 5756
 - red-cell antigen typing, Zaire, 5758
 - major histocompatibility complex (MHC) in comparison with susceptible breeds, 5756
 - maternal antibodies in calves of, 5738
 - milk extraction from, Gambia, 5741
 - national herd production, Gambia, 5693
 - phenotypic variance in growth
 - associated with anaemia control, 5759
 - parasitaemia aspects, 5759
 - production, Gambia, nutritional interventions, 5755
 - productivity in Togo, 5751
 - productivity in Zaire, 5745
 - productivity research, 5557, 5745
 - productivity under trypanosomiasis risk, 5745
 - ranges of village herds, in Gambia, 5727
 - reproductive performance of in Gambia
 - effect of trypanosomiasis on, 5747
 - response to experimental challenge
 - with tsetse-transmitted *T. congolense*, 5748
 - T. congolense* infection (exp.), 5748
 - effect on female reproductive cycle, 5749
 - T. congolense* infection in Togo
 - effect on health and production, 5743
 - T. vivax* infection in Togo, 5743
 - trypanosome parasitaemia in
 - effect on PCV, 5734, 5735, 5743
 - intensity, prevalence and species of, in Togo, 5743
 - trypanosomiasis in
 - prevalence of in Gambia, 5743
 - duration and prevalence of, in Zaire, 5733
- N'Dama crosses
 - disease interactions, Côte d'Ivoire, 5734
 - genetics of trypanotolerance, Zaire
 - red-cell antigen typing, 5758
 - parasitaemia in, effect on PCV, 5734
- Nguni
 - effect of age and breed
 - on parasitaemia species, intensity and prevalence, 5754
 - effect of chemoprophylactic regime
 - on parasitaemia species, intensity and prevalence, 5754

- effect of female physiological status
 - on parasitaemia species, intensity and prevalence, 5754
- pyrithidium bromide, efficacy in, 5768
- Sahiwal/Ayrshire cows
 - field studies on heritability in Zaire, 5760
- T. b. rhodesiense* infection (exp.)
 - development of CNS disease, 5995
 - transmission by *G. m. morsitans*, studies of, 5969
- T. congolense* infection
 - diminazene aceturate treatment, 5993
 - refractoriness to, 5621
 - effect on liveweight, 5750
 - erythrocyte indices in, 5993
 - plasma iron turnover in, 5993
 - prevalence rate and seasonal variation in Mali, 5856
 - self-cure in, 5993
- T. vivax* infection
 - effect on liveweight, 5750
 - in tsetse-free zone, Nigeria, 5614
 - pathogenesis of haemorrhages in, 5618
 - prevalence rate and seasonal variation in Mali, 5856
- trypanosomiasis
 - in Burkina Faso, 5555
 - in Ethiopia (survey), 5858
 - in Gambia, 5727
 - in Kenya, 5764, 5766
 - in Mali, 5856
 - in Mozambique, 5768
 - in Tanzania, 5763, 5765
- trypanosusceptible breeds, Gabon
 - studies on health and productivity, 5754
- trypanosusceptibility, research at ILRAD, 5557
- trypanotolerance
 - comparative studies, 5748, 5749, 5753, 5754, 5756
 - genetics of, 5742, 5756
 - heritability of, 5742
 - production potential of, 5689
 - research at ILRAD, 5557
 - review of, 5697
- trypanotolerant breeds, 5753
 - effect of parasitaemias on liveweight, 5750
 - health and productivity of, Gabon, 5754
 - reproductive performance, factors, in Gabon and Zaire, 5757
- Wadara cows, *T. vivax* infection, 5614
- Wadara \exists Friesian calves, *T. vivax* infection, 5614
- Zebu
 - attractive powers for *Glossina* spp., 5869
 - cerebral trypanosomiasis in, Kenya, 5994
 - chemoprophylaxis in, 5691, 5764
 - cyclical infection with *T. congolense* (exp.), 5736
 - genetic studies on, comparative, 5756
 - health and performance, in Ethiopia, 5739
 - immune response to *T. congolense*, 5736
 - intensity, prevalence and species of parasitaemia, 5739
 - lymphocyte antigen typing on, 5996
 - therapeutic treatments in, 5764
 - treatment with diminazene aceturate, 5739
 - T. brucei* infection, 5739, 5994

T. congolense infection, 5739, 5994

T. vivax infection, 5739

Zebu crosses

disease interactions, Côte d'Ivoire, 5734

parasitaemia in, effect on PCV, 5734

Zebu \times European, *T. vivax* infection, 5998

Zebu \times Hereford steers, *T. congolense* infection,
effect on of splenectomy, 5988

cell cycle

of *T. b. gambiense* monomorphic lines, 5798

Cellognost

indirect haemagglutination technique

in immunological analysis of CSF, 5595

in serological testing, in humans, 5730, 5845

Central African Republic

evolution of *gambiense* trypanosomiasis in humans, 5730

central nervous system (CNS)

drug diffusion into, 5667

invasion of by trypanosomes, humans, 5595, 5980

involvement

in cattle trypanosomiasis, 5994

in human trypanosomiasis, 5598, 5855, 5983

in *T. brucei* spp.-infected goats, 5999

in *T.b.rhodesiense*-infected cattle, 5995

cerebrospinal fluid (CSF), 5594

anti-trypanosomal antibody in, 5974

-blood barrier impairment, 5635

circulating trypanosomal antigen in, 5596

cytological abnormalities of, 5603, 5607

drug concentration in, in humans, 5846

drug detection in and monitoring of, in humans, 5609, 5853

immunodiagnostic tests on, 5974

immunological analysis of, in human trypanosomiasis, 5595

in diagnosis of *rhodesiense* trypanosomiasis, 5976

in *T. b. rhodesiense*-infected humans, 5974

leucocytes in, abnormal levels of, 5981

serological evaluation of, by ELISA and IFAT, 5974

status, during human trypanosomiasis, 5598

trypanosomes in, 5994, 5995, 5999

Chad

evolution of human *gambiense* trypanosomiasis in, 5730

challenge, experimental

in Boran cattle breeds, 5753

T. congolense, in Boran and N'Dama cattle, 5748

challenge, homologous

T. vivax-infected goats, 5619

challenge, natural

effectiveness of insecticide under, 5761

maintenance of PCV under, in cattle, Zaire, 5760

challenge, trypanosome

determination of in Mozambique, 5768

effect on antibody titre, 5738

in *T. congolense*-infected goats, 5616

challenge, trypanosomiasis

to cattle, assessment of, 5838

challenge, tsetse

decrease in, in African savannas, 5691

estimation of, components for, 5722

- effect of on goat productivity, Tanzania, 5762
- G. brevipalpis*, to cattle in Tanzania, 5765
- G. m. morsitans*, to cattle in Tanzania, 5765
- G. pallidipes*, to cattle in Tanzania, 5765
- immunity to, in *T. congolense*-infected cattle, 5998
- in Coastal Province, Kenya, to Zebu cattle
 - effect on of chemoprophylaxis, 5764
- in *T. congolense*-infected cattle, Tanzania, 5621
- in *T. vivax*-infected goats, 5619
- interaction with prophylaxis in goats, 5762
- natural, in Boran cattle, Kenya, 5753
- natural, in N'Dama heifers, Gabon, 5759
- quantification of, 5719, 5722
- related to antibody titre in N'Dama cattle, 5738
- relation to trypanosome prevalence, 5719
 - in trypanotolerant livestock, 5722
- research at ILCA/ILRAD, 5557, 5558, 5722
- chancre**
 - in goats, delay in development of, 5861
 - in ruminants, 5737
- characterisation**
 - biochemical and biological, of *T. brucei* stocks, 5842
 - by BIIT, trypanosomes, 5841
 - by discriminant analysis, *T. brucei* spp., 5888
 - by DNA cytofluorometry, *T. brucei* spp., 5888
 - by DNA hybridisation, *T. brucei* spp., 6014
 - by DNA probes, trypanosomes, development of, 5557
 - by DNA sequences, trypanosomes, 5787
 - by isoenzyme analysis, *T. brucei* spp., 6014
 - by isoenzymes, trypanosomes, 5787
 - hybridisation patterns, *T. b. gambiense*, 5842
 - immunochemical, mononuclear brain cells
 - in *T. b. gambiense*-infected rats, 5772
 - intraspecific, of trypanosomes, 5562
 - of glycosomal protein, *T. brucei*, 5902
 - of *T. brucei* animal and human stocks, 5842
 - of *T. b. gambiense* isolates, 5724
 - of *Trypanozoon* isolates, 5939
 - studies, epidemiological, 5968
 - studies on nucleodemes, serodemes and zymodemes, 5719
- chemoprophylaxis**
 - in Boran cattle, Tanzania, 5765
 - in cattle, Mozambique, 5768
 - in goats, southern Tanzania, 5762
 - in human *gambiense* trypanosomiasis, 5730
 - in N'Dama cattle, Gabon, 5754
 - in Zebu cattle, African savanna, 5691
- chemoreception**
 - in *G. m. morsitans*, 5712
- chemoresistance**, 5691
- chemotherapy**
 - diamidine, in rats, 5782, 5783, 5784
 - glycerol, in combination, in *T. brucei*-infected rats, 5879
 - isometamidium, in Boran cattle, 5871
 - melarsoprol, in humans, 5853
 - sulfadimidine, in *T. brucei*-infected goats, 5780
- chicken (*Gallus domesticus*)**
 - immunodepression in, 5615

- T. brucei* and *T. vivax* infection, Nigeria, 5860
- chromosomes**
 - small, *T. vivax*, 5797
 - X, in *Glossina* spp. hybrid males, 5571, 5821
 - X, in *G. pallidipes* populations, 5703
 - Y, in *Glossina* spp. hybrid males, 5571, 5821
- clonal variation**
 - trypanosome, response to lectin stimulation, 5844
- cloning**
 - of repetitive DNA, *Glossina* spp.
 - from rickettsia-like organisms, 5843
- CNS** *see* central nervous system
- coefficient of increase**
 - breeding predictions, *G. m. submorsitans*, 5818
- cold agglutinin**
 - in human trypanosomiasis, 5855
- complement**
 - in *T. b. brucei*-infected sheep, 5624
- complement fixation test**, 5975, 5976
- complement lysis test**
 - for evaluation of immune responses, 5736
- conglutinin**
 - immuno-, levels in human trypanosomiasis, 5606
- Congo**
 - Brazzaville, *G. fuscipes* in, 5950
 - control trial, against *G. p. palpalis*, 5830
 - evolution of human *gambiense* trypanosomiasis in, 5730
 - trypanosomiasis in, human
 - clinical review of endocrine dysfunction, 5603
 - epidemiological field study, 5590, 5846
 - Sangha focus, 5846
 - serological testing, 5595
 - T. b. gambiense* infection, 5846
 - trypanotolerant cattle in, 5563
- control, *Glossina***
 - attractants/baits
 - chemical, 5829, 5957
 - host odour, 5829, 5957
 - biological
 - entomopathogenic fungi, 5832
 - potential of virus for, 5575
 - catch, in traps and on screens
 - effect of colour on, 5579, 5715, 5957
 - costs, 5829, 5941, 5944
 - current techniques for, 5690, 5699
 - for human trypanosomiasis control, 5944, 5959, 5965
 - in Burkina Faso, 5555
 - in Congo, 5830
 - in Côte d'Ivoire, 5579, 5587, 5715, 5718
 - in Ethiopia, 5716, 5957
 - in Kenya, 5829, 5948, 5959
 - in Malawi, 5941, 5945
 - in Mozambique, 5941, 5945
 - in Nigeria, 5580
 - in Somalia, 5560, 5717
 - in Togo, 5833
 - in Zambia, 5834, 5941, 5945
 - in Zimbabwe, 5927, 5941, 5945

- insecticide
 - aerosol application, single drops, 5831
 - cypermethrin, on screens, 5588
 - DDT, ground spraying with, 5829
 - deltamethrin
 - as host dip, 5585
 - in traps and on screens, 5833, 5957
 - on targets, 5829
 - endosulfan, spraying with, 5829
 - evaluation of candidate, 5941
 - fenfluthrin, in cattle ear tags, 5761
 - ivermectin, as host injection, 5586
 - mature aerosol placement, 5831
 - monodisperse drops, 5831
 - pyrethroid, synthetic, as cattle dip, 5829
 - spraying, evaluation of, 5699
 - u.l.v. formulations, of synthetic pyrethroids, 5831
- land use
 - implications for, 5945
 - relationship to, 5560, 5927, 5941
- latest developments, 5829
- non-target organisms, effects on, 5829
- repellents, field trials of, 5834
- review of, Lambwe Valley, Kenya, 5959
- screens, 5579, 5587, 5715, 5833
 - as barriers to re-invasion, 5555
 - blue, 5833
 - cost evaluation, 5699
 - deltamethrin-impregnated, 5833
 - importance of fabric colour, 5587, 5588, 5715
 - importance of fabric type, 5588
 - in African savannas, 5691, 5699
- spraying
 - aerial, 5829, 5948, 5959
 - evaluation of, 5699, 5941
 - ground, 5829
- sterile insect technique, cost evaluation of, 5699
- strategies for, 5688, 5699, 5941, 5944
 - use of population models in, 5953
- targets, 5941, 5962
 - as barriers to re-invasion, 5957
 - odour-baited, 5717, 5939
 - revolving cloth, 5829
 - use in riverine habitats, 5829, 5957
 - use with savanna species, 5829
- training manual, FAO, 5962
- training requirements, 5941
- traps, 5555, 5691, 5699, 5716, 5717, 5730, 5830, 5957
 - biconical, 5580, 5716, 5717, 5718, 5829, 5833
 - deltamethrin-impregnated, 5833
 - efficiency of, 5939
 - in improved vector control, 5816
 - in tsetse eradication, cost evaluation, 5699
 - monoconical, 5957
 - olfactory attractants in, 5555, 5716, 5717
 - trials, in Congo, 5830
 - use in riverine habitats, 5829, 5957
 - use with savanna species, 5829, 5957

- use of sentinel animals
 - in population monitoring, 5830
- control, trypanosomiasis**
 - by tsetse control, 5718, 5830, 5833, 5957, 5965
 - chemoresistance in, avoidance of, 5691
 - cost-benefit analysis, 5699
 - environmental factors, drought effects, 5719
 - evaluation of, 5699
 - human factors, spatial behaviour effects, 5720
 - in animals, 5555, 5691, 5764, 5765, 5871
 - in humans, 5587, 5597, 5731, 5928, 5929, 5936, 5941, 5943, 5944, 5949, 5965
 - modelling of, workshop on, 5938
 - planning, mathematical models for, 5970
 - research costs, Africa, 5688
 - trypanocidal drugs in, 5691
 - use of epidemiologic simulation models in, 5933
- corpus cardiacum**
 - corpus allatum-aorta complex (CC-CA-A)
 - role of in *G. m. morsitans*, 5711
- Côte d'Ivoire**
 - Bouaflé focus, entomo-epidemiological studies in, 5970
 - Boundiali district, 5735
 - trypanosome prevalence, in cattle, 5723, 5732
 - tsetse challenge, in cattle, 5723
 - Boundiali region, livestock production in
 - socio-economic aspects of, 5698
 - control of *G. palpalis* and *G. tachinoides*, trapping, 5718
 - Daloa focus of human trypanosomiasis
 - clinical aspects of, 5598
 - development of new screens in, 5587
 - disease interactions in sheep and cattle, 5734
 - forest zone, transmission of trypanosomiasis
 - human factors involved in, 5720
 - geographical limits, determination of
 - of *G. p. gambiensis* and *G. p. palpalis*, 5824
 - G. p. gambiensis* in humid savanna, 5824
 - G. p. gambiensis* Sudanese zone, 5824
 - G. p. palpalis* in Bouaflé focus, 5970
 - G. p. palpalis* in guinean zone and humid savanna, 5824
 - liveweight studies in sheep, 5750
 - reproductive performance in sheep, 5757
 - Tengrela district
 - trypanosome prevalence in cattle, 5723, 5732
 - tsetse challenge in cattle, 5723
 - trapping experiments with *G. p. palpalis*, 5579, 5715
 - trypanosome parasitaemias in livestock, 5732, 5734, 5735, 5750
 - trypanosome prevalence in livestock, 5732
 - trypanosomiasis, human *gambiense*, Bouaflé focus, 5970
 - trypanotolerant cattle in, 5563
- 4-cresol**
 - in buffalo urine, as tsetse attractant, 5593
- cross-reacting determinant**
 - disulfide bond involvement, *T. congolense*, 5895
 - of *T. brucei* VSG membrane anchor, 5687
- CSF** *see* cerebrospinal fluid
- cymelarsan**
 - treatment, *T. evansi* in camels, 5873

α -cypermethrin

on fabric screens, tsetse control, 5588

cytochrome C

expression, *T. brucei*, regulation of, 5815

cytoskeleton

of *T. brucei*, 5813

duplication of, 5916

data

baseline, collection in Africa, 5561

integrated, collection, for epidemiological studies, 5940

DDT

ground spraying with, 5829

decoys

black felt on electrified targets, 5827

sex pheromone-baited brushed nylon, 5823

sex pheromone-dosed coloured cotton, 5826

deet (diethyltoluamide)

repellency of, trials in Zambia, 5834

deltamethrin

as host dip, pigs, 5585

cumulative effects, in *G. m. morsitans*, 5589

on screens, 5588, 5833

on targets, 5957

use with traps, 5833, 5957

DFMO *see* difluoromethylornithine

diagnosis, field

of trypanosomiasis, 5729, 5730, 5816, 5939, 5972, 5976

diagnosis, parasitological, 5830

in human trypanosomiasis, 5978

by mass screening, 5729, 5730

by rodent inoculation, 5976

by thick blood smears, 5976

in IgG and IgM positive subjects, 5594

diagnosis, serological

enzyme immunoassays, evaluation of, 5857

of trypanosomiasis in cattle by IFAT, 5738

of trypanosomiasis in humans

by ELISA, 5594, 5974

by IFAT, 5974

by indirect immunofluorescence, 5594

development of new methods, 5730

in mass screening, 5729, 5845

margin of error in, 5729

of trypanosomiasis in vervet monkeys

by ELISA and PATT, 5770

diagnostic techniques

antigen detection enzyme immunoassay, 5771

BIIT, 5841, 5963

blood films/smears, thick, thin, wet, 5830, 5847, 5858, 5864, 5976, 5990

buffy coat analysis, quantitative, 5769

card agglutination test (Testryp CATT), 5595, 5622, 5730, 5830, 5845

cellognost indirect haemagglutination, 5595, 5730, 5845

classic and new, review of, 5697

double antibody sandwich ELISA, 5770, 5857

ELISA, 5594, 5596, 5609, 5619, 5770, 5857, 5974

filtration on DEAE cellulose column, 5730

HCT, 5864

- human serum resistance, 5724, 5841,
- IFAT, 5594, 5595, 5724, 5738, 5974, 5975, 5976, 5990
- isoenzyme electrophoresis, 5725
- microHCT, 5858
- mouse inoculation, 5864
- procyclic agglutination (PATT), 5770
- rodent inoculation, 5976
- W₀₀/HCT, 5830
- diamidines, trypanocidal**
 - side effects, in mice, 5777
 - side effects in rats, 5778, 5783, 5784
 - treatment, in rats, 5782
- diethyltoluamide** *see* deet
- diffusion**
 - parasite, in human trypanosomiasis, 5720
- difluoromethylornithine (DFMO)**
 - concentration in CSF and serum, 5607
 - diffusion into CNS, 5607, 5613
 - effect on *T. b. brucei*, 5639, 5897
 - potentiation of arsenicals with, 5644
 - side effects of, 5607, 5608, 5613
 - treatment in human trypanosomiasis, 5608, 5639, 5816, 5855
 - early phase *gambiense*, 5613
 - late stage *gambiense*, 5607, 5610, 5613
- digitonin**
 - permeability, in *T. b. brucei*, 5667
- dimer**
 - myristylated disulfide-linked, *T. b. brucei* VSG, 5901
- dimercaprol**
 - treatment of encephalopathy in humans, 5854
- diminazene aceturate**
 - binding to microsomal protein in rats, 5640
 - combined with nifurtimox treatment, 5611
 - control of animal trypanosomiasis, 5763
 - refractoriness to in cattle, 5621
 - resistance to in *T. brucei* and *T. congolense*, 5872
 - resistance to *T. b. brucei*, 5881, 6010
 - sensitivity to in *T. b. brucei*, 5881
 - treatment of trypanosomiasis
 - in cattle, 5765, 5863
 - in human late stage *gambiense*, 5611
 - in *T. brucei*-infected rabbits, 5874
 - in *T. brucei*-infected rats, 6012
 - in *T. congolense*-infected cattle, 5748, 5863, 5993
 - in *T. congolense*-infected mice, 5767
 - in *T. congolense*-infected water buffalo, 5767
 - T. simiae* in pigs, 5617
 - T. vivax* in cattle, 5998
 - T. vivax* in goats, 5619
- disease risk**
 - relation to trypanosome prevalence, 5719
- DNA**
 - amplification, for detection of trypanosomes, 6000
 - c. T. brucei*, 5801
 - chromosome-sized, *T. brucei*, 5912
 - cloning, repetitive, from rickettsia-like organisms, 5843
 - cytofluorometry, for trypanosome characterisation, 5888
 - drug-promoted cleavage in *T. equiperdum*, 5915

- HIV proviral, in *Glossina* genome, 5569
- hybridisation patterns, for characterisation of *T. brucei* isolates, 6014
- kinetoplast, trypanosomes
 - spatial genetic information in, 5790
- kinetoplast minicircles, trypanosomes
 - conserved sequence blocks, 5913
 - processing and synthesis in *T. equiperdum*, 6038
 - replication
 - review, 5681
 - in *T. equiperdum*, 5812
- nucleoside, analysis of, *T. brucei* and *T. equiperdum*, 5657
- probes, for characterisation
 - T. congolense* and *T. simiae* (identification), 5738
 - trypanosomes, 5557, 5843
- repetitive, hybridisation of, *T. vivax*, 5797
- sequences for identification
 - of *T. brucei*, 6019
 - of glycosomal protein of, 5902
 - trypanosomes, 5787
- species and strain specific, 5738
- virus, in *G. pallidipes*
 - dissemination of, natural, 5572
 - vertical transmission in, 5572
- dog**
 - role as potential reservoir host, Nigeria of human trypanosomiasis, 5963
 - trypanosomiasis in, survey of in Ethiopia, 5858
- donkey**
 - T. vivax* infection
 - clinical parameters of, 5864
 - concurrently with *Babesia equi*, 5990
 - trypanosomiasis in, survey of in Ethiopia, 5858
- dot blot assay**
 - for detection of *T. congolense* peptidase in host plasma, 5863
- dot blot hybridisation**, 5843
- double antibody sandwich ELISA**
 - for detection of trypanosomal antigens in camels, 5857
 - serodiagnosis
 - T. b. rhodesiense* in monkeys, 5770
 - T. evansi* in camels, 5857
- drugs**
 - cost-benefit analysis, 5699
 - design, anti-parasitic, 5781
 - detection, 5557, 5609
 - effects on cattle productivity, 5558
 - evaluation of, 5557
 - for therapy without relapse, 5646
 - monitoring in CSF and serum, 5609
 - prophylactic treatments, review, 5697
 - screening, *in vitro* assay, 5882
 - side effects, of diamidines, 5777, 5778, 5782, 5783, 5784
 - targets, potential, *T. brucei*, 5676
 - testing, 5557, 5562
 - in acellular medium, 5636
 - use of trypanosomes cultured *in vitro* for, 5881
 - therapeutic treatments, review, 5697

drug resistance

- in humans to melarsoprol, 5984
- in *T. brucei*, recent isolates
 - to diminazene aceturate and homidium chloride, 5872
- in *T. b. brucei*, multiple, 5876
 - to diminazene aceturate and isometamidium chloride, 5881, 6010
- in *T. congolense*, recent isolates, 5872
 - to diminazene aceturate, 5621, 5767, 5872
 - to homidium chloride, 5872
 - to isometamidium chloride, 5767

drug toxicity

- bisquinaldine in goats, 6011
- cymelarsan, in camels, 5873
- glycerol in rats, 5883
- melarsoprol in humans, 5612, 5853, 5854, 5983

drugs, trypanocidal

- arsenicals, 5607, 5610, 5611, 5642, 5644, 5853, 5880
- bisquinaldine, 6011
- cymelarsan, 5873
- diamidines, 5777, 5778, 5782, 5783, 5784
- difluoromethylornithine, 5607, 5608, 5610, 5613, 5639, 5644, 5855, 5897
- diminazene aceturate, 5611, 5617, 5619, 5621, 5640, 5748, 5749, 5763, 5765, 5766, 5767, 5833, 5863, 5872, 5874, 5881, 5992, 5998, 6010, 6012
- homidium, 5621, 5763
- homidium chloride, 5872
- isometamidium, 5871, 6008
- isometamidium chloride, 5562, 5621, 5764, 5765, 5766, 5767, 5768, 5872, 5881, 6010
- melarsan, 5853
- melarsoprol, 5598, 5600, 5607, 5608, 5609, 5612, 5637, 5643, 5853, 5854, 5881, 5982, 5983, 5984, 5994, 5999
- nifurtimox, 5611
- 2-nitroimidazole, 5638, 5647
- pentamidine Cis-Pt (II), 5641, 5645
- pyrithidium bromide, 5768
- quinapyramine sulphate, 5881
- spiroarsoranes, 5642
- suramin, 5611, 5984, 5999
- sulfadimidine, 5780

ear tag

- pyrethroid-impregnated, 5761

Echinostoma revolutum

- concurrent infection with *T. brucei* in mice, 5627

ecology

- tsetse-trypanosomiasis, features of, 5560

eflornithine *see* difluoromethylornithine

eland

- host for *G. m. morsitans*, blood meals from, 5567

electrocuting net

- for *Glossina* spp., 5582, 5583, 5715, 5717

electrophoresis, starch gel

- for detection of *T. congolense* peptidase, 5863

elephant

- host for *G. pallidipes*, south Kenya, 5726

ELISA

- evaluation of, 5941
- for detection of antibodies

to *T. evansi* in camels, 5857

to *T. vivax* in goats, 5619

for measuring melarsoprol in CSF and serum, 5609, 5853

for serological diagnosis of trypanosomiasis, 5594, 5857

for serological evaluation of CSF, 5974

ELISA, sandwich

for detection of antigens, 5596

encephalopathy

due to melarsoprol treatment, 5609, 5612, 5853, 5854

treatment of with dimercaprol, 5854

endocrine function

in human trypanosomiasis, 5601

endocytosis

in different life cycle stages, in *T. brucei* and *T. congolense*, 6046

intracellular sorting, in *T. brucei* and *T. congolense*, 6046

of *T. congolense* VSG, 5663

organelles, structure, in *T. brucei* and *T. congolense*, 6045

endosulfan

in tsetse control, 5829

entomopathogenic bacteria

causing mortality in *G. m. morsitans*, 5958

entomopathogenic fungi

pathogenicity of in *G. m. morsitans*, 5832

enzyme immunoassay

evaluation in serodiagnosis, camel trypanosomiasis, 5857

epidemiology

modelling of, workshop on, 5938

of animal trypanosomiasis, 5719, 5721

in cattle and sheep, Burkina Faso, 5555

trypanosome prevalence, Côte d'Ivoire, 5723

tsetse challenge data, Côte d'Ivoire, 5723

of human trypanosomiasis

animal reservoirs, importance in, 5964, 5968

Bouaflé focus, Côte d'Ivoire, 5970

enhancement of man-fly contact, 5960

factors involved in, 5944

review, 5590

field study of, Congo, 5590

in Busoga, Uganda, outbreak periodicity, 5967

in Congolese foci, 5590

in Côte d'Ivoire, 5720

in Lambwe Valley, Kenya, 5977

in sub-Saharan Africa, 5936

in West Africa, 5965

reservoirs of infection, Uganda, 5592

of vector-borne diseases, multidisciplinary factors, 5940

research

African Trypanotolerant Livestock Network, role, 5940

at ILCA, 5519, 5559

at ILRAD, 5519, 5557

Regional Tsetse and Trypanosomiasis Control Programme, role of, 5941

simulation modelling of, 5933

trypanosome strain variation, relevance of, 5971

epitopes

of proteins, *T. brucei*, 6040

of surface coat glycoprotein, *T. b. brucei*, 5903

surface, shared, *T. brucei*, 5789

epizootiology

- of African animal trypanosomiasis, 5719, 5721
- of trypanosomiasis, mathematical modelling of, 5937

Equatorial Guinea

- evolution of human *gambiense* trypanosomiasis in, 5730
- surveillance and assessment, human trypanosomiasis, 5973
- trypanotolerant cattle in, 5563

erythrocyte indices

- in *T. congolense*-infected cattle, 5993

Escherichia coli

- expression in
 - of *T. brucei* ornithine decarboxylase, 6808
 - of *T. brucei* procyclin as fusion protein, 5810
 - of *T. congolense* trypanothione reductase, 5919

esterase

- loci for in *G. m. morsitans*, 5707
- thoracic, in *G. m. centralis* populations, 5706

Ethiopia

- Didessa Valley
 - G. m. submorsitans* in, 5957
 - pilot tsetse control trials in, 5957
 - trypanosomiasis in, 5957
- Gamu Gofa, survey of trypanosomiasis in, 5858
- Ghibe Valley
 - odour attractant trials with *G. pallidipes*, 5716
 - trypanosome parasitaemias, prevalence, livestock, 5732
 - trypanosomiasis risk, effect on Zebu cattle, 5739
- research on odour baits, 5957
- T. b. rhodesiense* stocks from, 5995

***Exhyalanthrax abruptus* (Diptera)**

- parasitising *G. m. morsitans* pupae, Zambia, 5956

eye, colour

- sal*, locus for, in *G. m. morsitans*, 5707

eye, compound

- of *G. m. morsitans* and *G. p. palpalis*, 5708

fabrics

- for tsetse screens, 5587, 5588

FAO

- Programme for the Control of African Animal Trypanosomiasis and Related Development, 5690
- Programme of Action, 5690
- training manual for tsetse control, 5962

fatty acids

- T. brucei* spp., 5655

feeding regimens

- G. m. morsitans*, comparison of, 5819

fenfluthrin

- repellent, in cattle ear tags, 5761

filopodia

- formation, in *T. congolense*, 5662

fly belt, common tsetse

- natural characteristics of, 5945

fly belt, tsetse

- in Cameroon, 5932
- in Mozambique, 5581
- morsitans*, limitation of chemotherapy in, 5763
- seasonal stock migrations through, 5763

- trypanotolerant livestock in, 5746
- fly front**
 - in Mozambique, 5581
- Gabon**
 - calving percentage
 - in susceptible cattle, 5757
 - trypanotolerant cattle, 5757
 - evolution of human *gambiense* trypanosomiasis, 5730
 - liveweight studies in cattle, 5750
 - trypanosome parasitaemias in livestock, 5732, 5735, 5750
 - trypanosome prevalence in livestock, 5732, 5750
 - trypanotolerance studies, in cattle, 5754, 5759
 - trypanotolerant cattle in, 5563, 5750
- Gambia**
 - G. m. submorsitans* and *G. p. gambiensis* in, 5838
 - Nannomonas*, probable new species from, 5939
 - national N'Dama cattle production in, 5693
 - nutritional interventions in villages, 5755
 - simulation model of, 5693
 - N'Dama cattle under trypanosomiasis risk, 5738
 - reproductive performance in, 5747
 - riverine-forest *T. congolense* group in, 5838
 - savanna *T. congolense* group in, 5838
 - trypanotolerant cattle in, 5563
 - milk extraction from N'Damas, 5741
 - tsetse distribution and herd movement, 5727
- game animals**
 - as trypanosomiasis reservoir, Kenya, 5949
 - habitats of, Lambwe Valley, Kenya, 5949
- gene/s**
 - antigen expression (trypanosomes), 5807
 - autosomal, in haematophagous insects, 5820
 - expression site, associated, *T. b. rhodesiense*, 5814
 - marker, *Glossina* spp. hybrids, 5821, 5822
 - mitochondria, *T. brucei*, 5674
 - procyclic acid repetitive protein, *T. brucei*
 - polymorphism in, 5804
 - procyclin, expression, *T. brucei*
 - as fusion protein in *E. coli*, 5810
 - during differentiation, 5811
 - RNA polymerase I largest subunit, *T. brucei*, 6026
 - RNA polymerase II, *T. brucei*, with altered C-terminal domain, 5800
 - RNA polymerase III, *T. brucei*, 5669
 - RNA small nuclear u
 - isolation and sequence, *T. b. brucei*, 5906
 - sex-linked recessive in haematophagous insects, 5820
 - surface antigen, *T. brucei*, 5792
 - tandemly-linked, *T. brucei*
 - for paraflagellar rod protein, 6039
 - telomeric VSG, *T. brucei*, 5890, 5891
 - tubulin, *T. brucei*, 5666, 6015
 - ubiquitin, *T. b. brucei* and *T. b. rhodesiense*, 5668
 - variant-specific antigen, *T. brucei*, 5678
 - VSG, *T. brucei*
 - expression site, 6036
 - intergenic transcripts, UV-enriched, 6039
 - shared surface epitopes, 5789

- transcripts of co-transposed segment, 5788
- VSG, *T. b. gambiense*
 - distinguishing substrains of, 5892
- X-chromosome marker, *tan*
 - in *Glossina* spp. hybrids, 5571
- gene conversion**
 - telomeric, novel, *T. brucei*, 5914
- gene-enzyme systems**
 - of *G. m. centralis* populations, 5706
- gene exchange**
 - allelic segregation, *T. brucei*, 5918
 - frequency, *T. brucei*, 5918
- gene expression**
 - cytochrome C, regulation, in *T. brucei*, 5815
 - major histocompatibility complex, cattle, 5756
 - procyclin, *T. brucei*, 5810, 5811
 - surface antigen, *T. brucei*, 5792
 - T. brucei* VSG, 5789
 - post-transcriptional control, 6036
 - T. b. rhodesiense*, 5814
 - serum resistant variants, 6022
 - variant specific antigen, *T. brucei* (review), 5678
- gene transcription**
 - cytochrome C, *T. brucei*, 5815
 - discontinuous, *T. brucei* surface antigen, 5792
 - post, control of VSG expression site, *T. brucei*, 6036
 - tubulin, *T. brucei*, 5666
 - VSG, in *T. brucei* polyribosomes, 5788
- genetic information**
 - spatial, trypanosome kinetoplast DNA, 5790
- genetics**
 - aspects of criteria of trypanotolerance, 5760
 - diploidy, evidence for in *Trypanosoma* spp., 6028
 - inheritance of factors of resistance
 - in trypanosome-infected mice, 6004
 - inheritance of vectoring ability
 - in haematophagous insects, 5820
 - intrachromosomal recombination
 - in hybrid females, *Glossina* spp., 5821
 - suppression of, *Glossina* spp. hybrids, 5822
 - loci on X chromosome, *Glossina* spp. hybrids, 5822
 - material, exchange of, between trypanosome populations, 5787
 - of *G. m. centralis* populations, Zambia, 5706
 - of *G. m. morsitans*, 5707
 - of *G. pallidipes* populations, Kenya, 5703
 - of hybrid sterility, *Glossina* spp. crosses, 5571, 5821
 - of resistance
 - blood group experiments, N'Dama cattle, 5758
 - to parasitic infection, 5779
 - to trypanosomiasis in cattle, 5742, 5756
 - of trypanosome populations, 5787
 - trans*-splicing
 - hsp70 mRNA, *T. brucei*, 5908
 - in *T. brucei*, 6030
 - pre-mRNAs, *T. brucei*, mapping branch sites, 6035
- genome**
 - Glossina*, HIV proviral DNA in, 5569
 - of rickettsia-like organisms, DNA cloning of, 5843

Ghana

trypanotolerant cattle in, 5563

globulin

levels in human trypanosomiasis, 5981

Glossina

behaviour

activation response of resting, 5582

attraction to phenolic compounds, 5593

EAG response to odours, 5577

host specificity, 5577

mating, 5562

mating response to female decoys, 5584

research into, at TRL, 5562, 5939

response to colour in screens, 5587

response to host odours, 5562, 5577, 5582, 5583, 5939

response to odours

in the field, 5577

in wind tunnels, 5577

response to targets, 5587, 5939

biochemistry

cuticular alkanes, 5704

HIV proviral DNA in genome, 5569

hydrocarbons, 5704

surface carbohydrates on peritrophic membrane, 5576

biology

barriers to trypanosome infection, 5966

feeding on artificial membranes, 5555

midgut colonisation by trypanosomes, 5966

nutrition, research at TRL, 5562, 5939

reproduction

research at TRL, 5562, 5939

synthetic juvenile hormone in, 5562

salivary gland, migration to of trypanosomes, 5966

vectorial capacity, 5939, 5966

ecology

adaptability to changes, 5960

age-dependent sampling bias, 5939

breeding environments, 5960

breeding sites, 5950, 5960

dissemination of trypanosomes, 5965

ecological relationships with man, 5965

effects of human population growth

on distribution, 5721

on habitats and hosts, 5721, 5935

limits to distribution, Mozambique, 5581

persistence, East and West Africa, 5960

population decline of *fusca* group, 5721

population decline of *morsitans* group, 5721

possible reservoir of HIV, central Africa, 5569

transmission of trypanosomes, 5965

urban populations, 5950

immunology

barriers to trypanosome infection, 5966

endogenous gut lectin, role of, 5576

lectins, role of, 5562, 5576

parasite-surface carbohydrates, role of, 5576

refractoriness, 5562

research at TRL, 5562

- susceptibility to trypanosomes, 5562, 5966
- trypanosome colonisation of midgut
- migration to salivary gland, 5966
- rearing, 5555
- Glossina* ssp.**
 - ecology, decline of, Nigeria, 5553
 - habitats, disappearance of, Nigeria, 5553
 - lectins, rate of trypanosome killings, 5728
 - rickettsia-like organisms from, 5843
 - susceptibility to *T. brucei* infection, 5843
 - susceptibility to *T. congolense* infection, 5843
- Glossina* spp.**
 - agglutinating activity *in vitro*, 5728
 - hybrids, fertility of female backcrosses, 5571
 - lectins in, activity of, 5728
 - production in female hybrids, 5571
- Glossina* spp. (continued)**
 - sterility in male hybrids, genetics of, 5571
 - susceptibility to trypanosome infection, 5728
- G. austeni***
 - distribution in Mozambique, 5581
 - EAG response to odours, 5577
 - laboratory-bred, *T. b. brucei* infected, 5591
 - susceptibility to *T. b. brucei*, 5591
 - T. b. rhodesiense* infection, lectin activity, 5728
- G. brevipalpis***
 - in Tanzania, 5765
 - laboratory-bred, *T. b. brucei* infection, 5591
 - susceptibility to *T. b. brucei*, 5591
- G. fuscipes***
 - eradication of, Kenya, 5947
 - in Brazzaville, Congo, 5950
 - vector of *gambiense* and *rhodesiense* trypanosomiasis, 5947
- G. fuscipes fuscipes***
 - EAG response to odours, 5577
 - host preferences, Uganda, 5592
 - laboratory-bred, *T. b. brucei* infection, 5591
 - susceptibility to *T. b. brucei*, 5591
- G. morsitans***
 - adipokinetic response to hypertrehalosaemic factor, 5711
 - as vector of *T. vivax* in cattle, 5992, 5998
 - D+glucosamine, effects on midgut lectin, 5844
 - in Mozambique, 5768
 - T. congolense* infection, effects of, 5844
 - T. simiae* infection (exp.), 5866
- G. morsitans centralis***
 - fibrinolytic proteases in female midgut, 5705
 - genetics, 5706
 - of hybrid fertility, X chromosome, 5822
 - of Keembe pocket population, Zambia, 5706
 - of Mumbwa population, Zambia, 5706
 - in Zambia, 5706, 5834
 - laboratory-bred, *T. b. brucei* infection, 5591
 - susceptibility to *T. b. brucei*, 5591
 - T. brucei*
 - cyclical transmission of, 5724, 5725
 - hybrids in saliva, 5725
 - T. congolense* infection (exp.), 5748, 5749

- T. vivax* infection (exp.), 5840
- G. morsitans morsitans***
 - abortion caused by deltamethrin, 5589
 - age, effects in, 5584, 5823
 - antennal movement responses, 5712
 - behaviour
 - avoidance response, 5952
 - response to ox sebum on targets, 5955
 - compound eye structure, 5708
 - copulatory response to female decoys, 5584, 5823
 - distribution in Mozambique, 5581
 - EAG response to odours, 5577
 - entomopathogenic bacteria in, 5958, 5959
 - entomopathogenic fungi in, 5832
 - exposed carbohydrate residues in, 5576
 - feeding behaviour, 5835
 - effects on of deltamethrin, 5589
 - interrupted, in transmission studies, 5969
 - regimens for, 5566, 5819
 - flight, 5583, 5713, 5955
 - genetics, 5707
 - basis of hybrid sterility, 5821
 - of hybrid fertility, 5822
 - host preference, 5567
 - hosts, Zimbabwe, responses to, 5827
 - hunger effects in, 5584, 5827
 - hybrid fertility, X chromosome in, 5822
 - hybrid sterility, genetics of, 5821
 - hypertrehalosaemic factor in, role, 5711
 - immunological characteristics
 - of accessory glands, spermatophore and testes, 5573
 - in Mozambique, 5581
 - in Tanzania, 5765
 - in Zambia, 5566, 5819, 5841, 5956
 - in Zimbabwe, 5823, 5827
 - laboratory-bred
 - comparison with *G. pallidipes*, 5951
 - transmission of *T. b. rhodesiense*, 5969
 - landing responses, 5582, 5583
 - landing site preferences, 5952
 - larval clampings, caused by deltamethrin, 5589
 - longevity, 5835
 - male reproductive system
 - ejaculatory duct, ultrastructure, 5709
 - protein patterns in, 5573
 - spermatophore formation, 5709
 - mate location, males
 - roles of olfaction and vision, 5826
 - mating behaviour
 - effects of age and hunger on, 5584, 5827
 - roles of vision and olfaction, males, 5826
 - mortality, in adults
 - caused by *Bacillus cereus*, *B. sphaericus*, *B. thuringiensis* strains, *B. thuringiensis* var. *israelensis*, *Providentia rettgeri*, *Pseudomonas aeruginosa* and *Serratia marcescens*, 5958
 - mortality rate
 - as result of deltamethrin, 5589
 - caused by *T. congolense* infection, 5589

- neurosecretions, role of, 5711
- pathogenicity in adults
 - of *Beauvaria bassiana*, *Metarhizium anisopliae*, *Poecilomyces fumosoroseus* and *P. farinosus*, 5832
- pre-copulatory response to female decoys, 5823
- probing response to ox sebum, 5955
- protein patterns, 5567, 5573
- pupae, Luangwa Valley, Zambia
 - parasitised by *Exhyalanthrax abruptus*, 5956
- puparia production and weight *in vitro*
 - under various feeding regimens, 5566, 5819
- rearing, in Zambia, 5566, 5819
- refractoriness to trypanosome infections, 5576, 5728
- reproductive performance
 - in vitro*, 5819
 - on blood of different hosts, 5567
- resting, response to ox sebum, 5955
- sexual responses of males, 5827
- survival *in vitro*
 - on blood from different hosts, 5567
 - under various feeding regimens, 5566, 5819
- susceptibility to trypanosome infection, 5576, 5728
- transmission ability, reduced by deltamethrin, 5589
- T. brucei*, cyclical transmission of, 5724
- T. b. brucei* infection (exp.)
 - effects on feeding behaviour and longevity, 5835
- T. b. rhodesiense* infection (exp.)
 - activity of lectins in, 5728
 - in proboscis, 5969
 - mechanical transmission of, 5969
- T. congolense* infection
 - effect on of deltamethrin, 5589
 - in midgut epithelial cells, 5836
- ultrastructure
 - of ejaculatory duct, 5709
 - of Malpighian tubules, 5710
- visual input
 - role in upwind turning behaviour, 5713
- G. morsitans submorsitans***
 - adaptation to laboratory, wild strain, 5817
 - attractiveness of cattle odour and urine for, 5869
 - biological characteristics, 5818
 - breeding colony, laboratory, 5817, 5818
 - challenge to cattle, relationship to rainfall, 5723
 - coefficient of increase in laboratory, 5818
 - hosts for, laboratory, 5817, 5818
 - hybrid sterility, genetics of, 5821
 - in Burkina Faso, 5817, 5818, 5869
 - in Côte d'Ivoire, 5723
 - in Ethiopia, 5957
 - in Gambia, 5838
 - mass rearing, 5817
 - Nannomonas* infection, identification of, 5838
 - population decline, Ethiopia, 5957
 - T. congolense* infection, 5838
 - T. (N.) simiae* infection, 5838, 5884
 - T. vivax* infection, 5838

G. pallidipes

abundance, Kenya, and herbivore population, 5726
age, effect on copulatory response, 5584
age, effect on response to odour attractants, 5825
control, with baited traps
 trials in Ethiopia, 5716
 trials in Somalia, 5717
control, in Lambwe Valley, Kenya, 5949
copulatory response to female decoy, 5584
distribution in Mozambique, 5581
eradication programme in Kenya, 5949, 5959
fat content and fat/haematin conditions, 5825
flight response, 5582, 5583, 5828, 5955
genetics of, Lambwe Valley population, Kenya, 5703
genetics of, Nguruman population, Kenya, 5703
habitats, Lambwe Valley, Kenya, 5949
host range, south Kenya, 5726
hosts, rabbits in laboratory, 5575
hunger, effects, 5584, 5825, 5827
hypertrophied salivary glands, 5572, 5575
in Ethiopia, 5716
in Kenya, 5714, 5726, 5825, 5949, 5953, 5959
in Mozambique, 5581, 5768
in Somalia, 5717
in Tanzania, 5765
in Zimbabwe, 5827
laboratory-bred, comparison with *G. m. morsitans*, 5951
landing response, 5582, 5583
lectin activity, 5728
mating behaviour, 5584, 5951
mortality, Nguruman, Kenya, factors for, 5714
nutritional status, effects of, 5825, 5827
odour attractants for, 5716, 5717, 5825
ovaries, components of, virus particles in, 5572
population simulation modelling, 5953
population size changes, 5953
pregnancy cycle, 5825
probing behaviour, 5955

***G. pallidipes* (continued)**

resting behaviour, 5955
sexual responses in males, 5827
size, Nguruman, Kenya, factors, 5714
sterility in virus-infected males, 5572
T. b. rhodesiense infection (exp.)
 lectin activity in, 5727
T. simiae infection (exp.)
 development, infection rate and transmission, 5866
T. vivax infection rates, Kenya and Uganda, 5726
vector of *T. b. rhodesiense*, Kenya, 5947
vertical transmission of DNA virus, 5572
virus, in ooplasm, 5572
virus infection (exp.), effects of, 5575

G. palpalis

blood diets *in vitro*, comparison, 5565
control, biconical traps, Côte d'Ivoire, 5718
effects of land use on habitats, 5935
fecundity *in vitro*, 5565
in Cameroon, 5950

- in Côte d'Ivoire, 5718
- in Mali, 5950
- in Togo, 5833
- in Zaire, 5950
- offspring size *in vitro*, 5565
- population studies, Côte d'Ivoire, 5718
- survival *in vitro*, 5565
- vector of *T. b. gambiense*, 5935
- G. palpalis gambiensis***
 - challenge, relation to rainfall, Côte d'Ivoire, 5723
 - EAG response to odours, 5577
 - geographical limits in Côte d'Ivoire, 5824
 - hybridisation with *G. p. palpalis*, 5571
 - in Côte d'Ivoire, 5723, 5824
 - in Gambia, 5838
 - in Ouagadougou, Burkina Faso, 5950
 - laboratory-bred, *T. b. brucei* infection, 5591
 - Nannomonas* infection, identification, Gambia, 5838
 - susceptibility to *T. b. brucei*, 5591
 - susceptibility to *T. b. gambiense*, 5578
 - T. b. gambiense* infection (exp.), 5724
 - T. congolense* infection, 5838
 - T. (N.) simiae* infection, 5838
 - T. vivax* infection, 5838
 - virus-like particles in, 5578
- G. palpalis palpalis***
 - colour discrimination in, 5579, 5715
 - compound eye structure, 5708
 - detection of antigens in, 5574
 - feeding regimen in laboratory, 5568
 - gorging response to ATP analogues, 5564
 - gustatory receptors recognising ATP, 5564
 - hybridisation with *G. p. gambiensis*, effects, 5571
 - hypersensitivity, role of antigens, 5574
 - in Congo, control trial, 5830
 - in Côte d'Ivoire, 5579, 5715
 - geographical limits of, 5824
 - in humid savannas, 5824
 - laboratory-bred, *T. b. brucei* infection, 5591
 - landing, induced by white screens, 5715
 - lectin activity in, 5728
 - productivity in laboratory, 5568
 - purinoceptors, 5564
 - rearing, 5568
 - refractoriness to *T. b. gambiense*, 5578
 - screen-orientated response, 5579, 5715
 - susceptibility to *T. b. brucei* infection, 5591
 - susceptibility to *T. b. rhodesiense*, 5728
 - susceptibility to *T. congolense*, 5837
 - trap-orientated response, 5579, 5715
 - trypanocidal treatment in blood meals, 5837
 - T. b. rhodesiense* infection, Côte d'Ivoire
 - epidemiological studies, 5970
 - mathematical modelling, 5970
 - T. b. rhodesiense* infection (exp.)
 - lectin activity in, 5728
 - T. congolense* infection, Congo, 5830

G. tachinoides

attractiveness

of cattle odour and urine for, 5869

of octenol, 5839

of phenolic derivatives, 5839

challenge, to cattle, relation to rainfall, 5723

control with baited traps, Burkina Faso, 5555

control with biconical traps, Côte d'Ivoire, 5718

diet, recognition of ATP in, 5570

EAG response to odours, 5577

fecundity, effect of ivermectin on, 5586

fed on deltamethrin-dipped pigs, effects, 5585

feeding, induced by ATP in diet, 5570

feeding stages in trophic cycle, 5954

gorging stimulus, ATP in diet, 5570

in Burkina Faso, 5555, 5839, 5869

in Côte d'Ivoire, 5718

in Nigeria, 5580, 5954

in Togo, 5833

laboratory-bred, *T. b. brucei* infection, 5591

longevity, effect of ivermectin on, 5586

mortality, caused by ivermectin, 5586

offspring, non-viable

from ivermectin-dosed adults, 5586

population collapse in Nigeria, 5580

population studies, Côte d'Ivoire, 5718

susceptibility to *T. b. brucei* infection, 5591

trapping, with biconical traps, Nigeria, 5954

glucosamine (D+)

in diet of *G. morsitans*, effects, 5844

glucose

metabolism, *T. brucei*, 5909

glycan

assembly, novel pathway for, 5904

of membrane anchor, *T. brucei* VSG, 5900

glycerol

in combination chemotherapy in rats, 5879

toxic effects in rats, 5883

glycoconjugates

Trypanosoma, exploitation of structure, 5659

glycogen

mobilisation in *G. m. morsitans*, 5711

glycolipid membrane anchor

of *T. brucei* VSG, 5652

intermediates of biosynthesis, 5799

involvement of Dol-P-Man, 6013

glycolipid precursor

of *T. brucei* VSG, 5803

glycolysis

anaerobic, in *T. b. brucei*, 5667

compartmentation of, *T. brucei*, 5676

glycolytic enzymes

inhibition of, *T. brucei*, 5672

kinetic properties of, *T. brucei*, 5673

glycoprotein surface antigen

immunodominant, *T. b. rhodesiense*, 5680

glycosome

trypanosome, 6033, 6034

glycosyl-phosphatidylinositol membrane anchor

- biosynthesis, *T. brucei* VSG, 6020
- cross-reacting determinant of
 - of *T. brucei* VSG, 5687
 - of trypanosome VSG, 5904
- glycan, of *T. brucei* VSG, 5900
- sequence and expression of, 5893
- specific phospholipase C, *T. brucei*, 5801

goat

- as laboratory host for *Glossina* spp., 5591, 5619, 5817, 5840
- East African
 - susceptibility to *T. congolense*, 5997
 - T. brucei* infection (exp.)
 - immunological clearance, 5868
 - T. congolense* infection
 - effects on oestrous cycle, 5620
 - trypanotolerance in, 5620
- immunisation, 5619, 5868
- in antivectorial monitoring, Congo, 5830
- interference delaying superinfection, 5861
- parasitological monitoring, 5830
- potential reservoir host, Nigeria, 5963
- productivity of, effect of tsetse challenge, 5762
- serological monitoring, 5830
- trypanoresistance in, 5616, 5619
- trypanosensitivity in, 5616, 5619
- T. brucei* infection
 - effects of bisquinaldine on, 6011
 - effects of melarsoprol treatment, 5999
 - effects of suramin treatment, 5999
 - effects of pharmacokinetics
 - of sulfamidine and its metabolites, 5780
- T. b. gambiense* infection, 5964
- T. congolense* infection,
 - delaying superinfection with other species, 5861
 - effect on thyroid gland function, 5616
 - human serum resistance in, 5963
 - plasma thyroxine levels in, 5616
 - self-cure, 5616
- T. vivax* infection
 - delaying superinfection with other species, 5861
 - diminazene aceturate treatment, 5619
 - homologous challenge to, 5619
 - tsetse challenge to, 5619
- trypanosome parasitaemias in, Togo, effects, 5743
- trypanosomiasis in, survey in Ethiopia, 5858
- trypanosomiasis prophylaxis, effects, 5762

Guinea

- trypanotolerant cattle in, 5563

Guinea Bissau

- trypanotolerant cattle in, 5563

guinea pigs

- laboratory hosts for *Glossina* spp., 5568, 5954
- T. brucei* infection (exp.), 5875

haematocrit

- trypanosome-infected mice, 6004

- haematology**
 - of *gambiense* trypanosomiasis, 6002
- haematoparasites**
 - detection by buffy coat analysis, 5769
- haematophagous insects**
 - inheritance of vectoring ability (review), 5820
- haemolymph**
 - role in tsetse power of transmission, 5719
- 4-heptanone**
 - stimulatory effectiveness for *Glossina* spp., 5577
- 1-hepten-3-ol**
 - response to of *G. m. morsitans*, 5712
- 1-hexen-3-ol**
 - response to of *G. m. morsitans*, 5712
- hippo**
 - dung, as bait for *Glossina*, 5716
- HIV**, proviral DNA, in tsetse genome, 5569
- homidium**
 - for control of animal trypanosomiasis, 5763
 - for *T. congolense*-infected cattle, 5621
- homidium chloride**
 - resistance to, *T. brucei* and *T. congolense*, 5872
- horse**
 - T. evansi* stimulation of lymphocytes in, 5623
- host specificity**
 - in *Glossina* spp., 5577
- human serum albumin (HSA)**
 - for evaluating immune response
 - in *T. brucei*-infected chickens, 5615
- human serum, normal (NHS)**
 - isolation of trypanocidal factor from, 5849, 6007
- human serum resistance**
 - for characterisation of *Trypanosoma* spp., 5724
 - in *Trypanosoma (Trypanozoon)* spp., 5841
 - in *T. b. rhodesiense*, 5849
 - of *T. congolense* in sheep and goats, 5963
- hybrids**
 - formation between *Glossina* spp., 5571, 5821, 5822, 5824
 - formation between two *T. brucei* clones, 5725
- hybridisation**
 - with repetitive DNA probe, *T. vivax*, 5797
- hydrocarbons**
 - in *Glossina* spp., 5704
- hydrogen peroxide**
 - metabolism of in *T. brucei*, 5911
- hypertrehalosaemic factor**
 - in *G. m. morsitans*, 5711
- IgG**
 - in blood and CSF of humans, 5855
 - in serological diagnosis
 - of camel trypanosomiasis, 5857
 - of human trypanosomiasis, 5594
 - specific, anti-camel, conjugate, 5857
- IgM**
 - in animal trypanosomiasis, raised levels of, 5848
 - in humans
 - in blood and CSF, 5855

raised levels in, 5606, 5848, 5981
serological diagnosis, 5594

IL-1

production and release, in *T. brucei* infections, 6005

immune complexes

as possible cause of cardiac impairment
in human *gambiense* trypanosomiasis, 5606
circulating, in human trypanosomiasis, 5855

immune response

absolute leukocytes
in *T. evansi*-infected buffalo calves, 5740

antibody production

delay, in superinfection in goats, 5861
in *T. vivax*-infected goats, 5619

chancre

delayed development of in goats, 5861
in ruminants, 5737

comparison of

in *T. congolense*-infected cattle, 5736

complement, in *T. b. brucei*-infected sheep, 5624

E- and EAC-rosette forming lymphocytes

of *T. evansi*-infected buffalo calves, 5740

effect of antigenic variation on, 5697

evaluation of in cattle

by complement lysis test, 5736

heritability levels of, cattle, 5760

heterologous synergistic interactions

in concurrent infections in mice, 5627

hypersensitivity induction, *G. p. palpalis*, 5574

in East African goats

to *T. brucei* infection (exp.), 5868

in skin, research at ILRAD, 5557

lymphocyte system

in *T. b. brucei*-infected mice, 5629

in *T. evansi*-infected buffalo calves, 5740

of *T. brucei*-infected cockerels to HSA, 5615

parasite-host interaction, 5557, 5697

PCV, 5558, 5734, 5735, 5736

polyclonal B-cell activities

in *T. b. gambiense*-infected mice, 5776

skin reaction, 5736

stimulation, peripheral blood lymphocytes

in *T. evansi*-infected pony, 5623

suppressed interleukin 2 production

in *T. brucei*-infected mice, 5876

suppressed interleukin 2 receptor expression

in *T. brucei*-infected mice, 5876

to minor VATs (mixed)

in *T. b. gambiense*/*T. b. rhodesiense*-infected mice, 5632

VAT elimination by specific antibodies, 5979

immune system

influence on of surface carbohydrates, *Glossina* spp., 5576

immunity

acquired, protective, 5979

acquired, to *T. vivax* in cattle, 5998

acquisition of, in vectors

to trypanosome serodemes, 5937

- antibody mediated protective, 5979
- induced
 - against homologous trypanosome clone, 5868
 - in *T. vivax*-infected goats, 5619
 - natural, to *T. vivax* in cattle, 5998
 - non-specific, in *T. brucei*-infected mice, 6001
- immunoconglutinin**
 - levels, in human *gambiense* trypanosomiasis, 5606
- immunodepression**
 - in *T. brucei*-infected chickens, 5615
- immunodiagnosis**
 - of human *rhodesiense* trypanosomiasis, 5596
- immunodiffusion, Ouchterlony**
 - of proteins, *G. m. morsitans*, 5573
- immunodominant**
 - glycoprotein surface antigen, *T. b. rhodesiense*, 5680
- immuno-electrophoresis, straight line**
 - of proteins, *G. m. morsitans*, 5573
- immunofluorescence assay**
 - for *T. b. rhodesiense* in humans, 5847
- immunological analysis**
 - of CSF in human trypanosomiasis, 5595
- immunological characteristics**
 - of proteins, *G. m. morsitans* males, 5573
- immunological mechanisms**
 - involved in anaemia in trypanosomiasis, 5865, 5867
- immunoreagents**
 - for detecting melarsoprol metabolites, 5853
- immunosuppression**
 - activities of polyclonal B-cells
 - in *T. b. gambiense*-infected mice, 5775
 - effect on melarsoprol treatment
 - in *T. b. rhodesiense*-infected mice, 5643
- impala**
 - T. b. rhodesiense* from, Zambia
 - role in human trypanosomiasis, 5841
- indirect immunofluorescence antibody test (IFAT)**
 - for analysis of CSF, 5595, 5738
 - for characterisation of *T. b. gambiense*, 5724
 - in serological diagnosis of trypanosomiasis, 5594
- infectivity**
 - of *T. vivax* serodeme in mice and sheep, 5628
 - threshold, of recipient host, to trypanosomes, 5969
- inheritance**
 - of resistance, trypanosome-infected mice, 6004
 - of susceptibility to vertebrate pathogens, 5820
 - of vectoring ability, haematophagous insects, 5820
- insecticides**
 - α -cypermethrin, 5588
 - deltamethrin, 5585, 5588, 5589
 - evaluation of, 5941
 - ivermectin, 5586
- interleukin 2**
 - suppression of production, mice, 6006
 - suppression of receptor expression, mice, 6006
- in vitro cultivation**
 - in drug resistance studies, 5881
 - of African trypanosomes, 5648

- of *T. brucei*, 5885
- of *T. b. brucei*, 5881, 5886, 5887
- of *T. b. gambiense*, 5649, 5905
- of *T. evansi*, 5887
- of *T. (N.) simiae*, 5884
- of *T. vivax*-infected *G. m. centralis* proboscides, 5840
- of trypanosomes, 5844
- isoelectrofocusing**
 - of proteins, *G. m. morsitans*, 5573
- isoenzyme/s**
 - characterisation
 - T. brucei* isolates, 6014
 - Trypanozoon* isolates, 5939
 - electrophoresis, *T. brucei* characterisation, 5725
 - identification
 - of trypanosomes, 5787
 - of genetically different populations, 5787
 - in *G. pallidipes* populations, Kenya, 5703
 - patterns, heterozygous, *T. brucei*
 - alkaline phosphatase and isocitrate dehydrogenase, 5725
- isometamidium**
 - effects, on encapsulation
 - in bovine carrier erythrocytes, 6008
 - treatment, of trypanosomiasis in Boran cattle, 5871
- isometamidium chloride**
 - efficacy of, in cattle, 5766
 - for cattle refractory to Berenil treatment, 5621
 - for chemoprophylaxis, cattle, 5764, 5765, 5766
 - for control of animal trypanosomiasis, 5763
 - for *T. congolense* infections, 5621, 5767
 - resistance to of *T. b. brucei*, 5881, 6010
 - sensitivity to of *T. brucei*, 5872
 - sensitivity to *T. congolense*, 5562, 5872
- ivermectin**
 - as injection against tsetse in pigs, 5586
- kairomones**
 - perception of, *G. m. morsitans*, 5712
- Kenya**
 - Coast Province
 - trypanosomiasis in cattle
 - chemoprophylaxis, economics, 5764
 - chemoprophylaxis, efficacy in Zebus, 5766
 - chemotherapy in Borans, 5871
- Kenya (continued)**
 - G. fuscipes* in
 - vector of *rhodesiense* trypanosomiasis, 5947
 - G. pallidipes* in
 - eradication programme, 5947, 5949
 - field studies with odour attractants, 5825
 - genetics
 - of Lambwe Valley population, 5703
 - of Nuguruman population, 5703
 - host range, south coast, 5726
 - mortality rates, Nguruman, 5714
 - population modelling of, tests, 5953
 - seasonal changes, Nguruman, 5714
 - Imbo, *T. congolense*, susceptibility to in goats, 5997

- Kibigori, control of *gambiense* trypanosomiasis, 5947
- Kuja-Migori endemic area, tsetse eradication in, 5947
- Lambwe Valley
 - control of tsetse (review), 5959
 - demographic characteristics of population, 5948
 - eradication of tsetse, programme for, 5949
 - trypanosomiasis in, 5946, 5959
 - trypanosomiasis in cattle, 5994
 - trypanosomiasis in humans, 5946, 5948, 5976, 5977
 - T. brucei* ssp. infection in goats, 5999
 - T. congolense*, infectivity in goats, 5997
- Nyanza, south, endemic area, 5947
 - tsetse eradication in, 5947
- Ruma National Park
 - parasite survey of wild animals, 5987
- trypanosome parasitaemias, prevalence, livestock, 5732
- trypanosomiasis in, human *gambiense*, 5947
- trypanosomiasis in, human *rhodesiense*, 5947, 5974, 5975, 5982, 5984
- trypanotolerance in cattle, studies, 5753
- Kerandel's key**, 5604
- kinetoplast minicircles**, 5913, 5915, 6038
- labelling**
 - fluorescein, of HSA antigen, 5615
 - life-cycle-stage-, *T. brucei*, 5922
 - radioactive
 - for ultrastructural studies, *Glossina*, 5710
 - mannose, *T. brucei* VSG precursor, 5803
 - myristic acid, *T. brucei* VSG precursor, 5803
 - [⁷⁵S]selenomethionine, *T. brucei*, 5868
 - stock-specific, *T. brucei*, 5922
- land use**
 - agricultural potential, West Africa, review, 5689
 - effects of cultivation, Nigeria, 5553
 - effects of tsetse control, Zimbabwe, 5927
 - implications, in Malawi, Mozambique, Zambia and Zimbabwe, 5945
 - improved, due to trypanosomiasis control, 5763
 - in Southern Somalia, relation to tsetse control, 5560
 - influence on of *gambiense* trypanosomiasis, 5935
 - influence on tsetse control, 5941, 5945
 - limitations of, by trypanosomiasis, Africa, 5688
 - management, trypanosomiasis control, 5936
 - planning
 - in Malawi, Mozambique and Zambia, 5945
 - in Zimbabwe, 5927, 5945
- lectin**
 - activity of in *Glossina* spp., 5728
 - binding by carbohydrates, *Glossina* spp.
 - role in immunology, 5576
 - binding sites on trypanosome surface, 5844
 - effects on procyclic trypanosomes, 5728
 - fluorescein-conjugated, *Glossina*
 - on peritrophic membrane, 5576
 - inhibitor, D+glucosamine, *G. morsitans*
 - effect on *T. congolense* maturation, 5844
 - signalling *T. congolense* maturation, 5844
- Liberia**
 - trypanotolerant cattle in, 5563

lipids

acquisition of, African trypanosomes, 6032
myo-inositol containing, *T. brucei*, 5658

lipoprotein

human, lysis by *T. brucei*, 5899

livestock

introduction, in tsetse reclamation schemes, 5763
maintenance under trypanosomiasis risk, 5763
trypanosome parasitaemias in, 5732, 5735, 5743
trypanosome prevalence in, 5732, 5743
trypanotolerance in, 5747
under natural challenge, 5759

livestock development

breed selection, West Africa, review, 5689
in tsetse-infested African savannas, 5691, 5699
in Zambezi Valley, Zimbabwe, 5927

livestock infection rate

estimation, in epidemiological studies, 5719

livestock productivity

increase in, economic analysis, 5695
under trypanosomiasis risk, 5557, 5558, 5560, 5561, 5691, 5745

lymphocyte

proliferation, in human trypanosomiasis, 5980
system, of inbred mice to *T. b. brucei*, 5629

lysis

of *T. brucei* by human lipoprotein, 5899

major histocompatibility complex (MHC)

in trypanosusceptible cattle, 5756
in trypanotolerant cattle, 5756

Malawi

land use planning capability, 5945
Tsetse and Trypanosomiasis Control Project, 5941, 5945

Mali

Bamako, *G. palpalis* in, 5950
T. brucei, *T. congolense* and *T. vivax* infection, in cattle, 5856
T. evansi infection in camels, survey of, 5985
trypanosomiasis in cattle
prevalence rate and seasonal variation, 5856
trypanosomiasis in humans
transmitted by *G. p. palpalis*, 5950
trypanotolerant cattle in, 5563

Malpighian tubules

functional ultrastructure, *G. m. morsitans*, 5710

man

as host for *G. f. fuscipes*, Busoga, Uganda, 5592

mannose

influence on cultivation of *T. b. gambiense*, 5905
radiolabelled, incorporation in *T. brucei* VSG precursor, 5803

Mauritania

T. evansi infection in camels, survey of, 5985

Mel-B *see* melarsoprol

melarsan

treatment, human trypanosomiasis, 5853

melarsoprol

detection, by ELISA, 5609, 5853
effect of immunosuppression on
in *T. b. rhodesiense*-infected mice, 5643

- induced encephalopathy, 5983
- metabolites, with melaminyl group, detection of, 5853
- minimum active dose
 - in *T. b. brucei*-infected sheep (exp.), 5637
- reactive encephalopathy to, 5612, 5853, 5854
- refractoriness to, in humans, 5607, 5608
- resistance to, in humans, 5984
- resistance to, *T. b. brucei in vitro*, 5881
- side effects, 5609, 5612, 5853, 5854
- treatment of trypanosomiasis
 - cerebral, in cattle, 5994
 - cerebral, in goats, 5999
 - meningo-encephalitic stage, humans, 5600
 - second period, humans, 5598
 - T. b. gambiense* infection, humans, 5983
 - T. b. rhodesiense* infection, humans, 5982, 5984
- membrane feeding**
 - in *G. p. gambiensis*, 5724
- Metarhizium anisopliae***
 - pathogenicity, in *G. m. morsitans* adults, 5832
- 4-methylphenol**
 - as bait in traps and on targets, 5829
 - response of *G. pallidipes* to, 5717
- mice**, in laboratory studies
 - effect on of plasma from *T. vivax*-infected sheep, 5862, 5989
 - heterologous synergistic interactions in concurrent infections, 5627
 - immune response to minor VATs, mixed
 - of *T. b. gambiense* and *T. b. rhodesiense*, 5632
 - irradiated, growth in of *T. b. rhodesiense*, 5634
 - lymphocyte system, *T. b. brucei* infection, 5629
 - side effects in, hepatotoxic, of diamidines, 5777
 - T. brucei* infection
 - attack on circumventricular organs, 5776
 - attack on sensory ganglia, 5776
 - concurrent with *Babesia microti*, *Echinostoma revolutum*, *Plasmodium yoelii*, *Schistosoma mansoni*, 5627
 - cyclical transmissions, 5724, 5725
 - effect of bisquinaldine on, 6011
 - Propionibacterium acnes*-induced immunity, 6001
 - resistance to diminazene aceturate and homidium chloride, 5872
 - suppression of interleukin 2 production, 5876, 6006
 - suppression of interleukin 2 receptor expression, 5876, 6002
 - T. b. brucei* infection
 - chemotherapy with *Annona senegalensis*, 6009
 - DFMO treatment, 5639
 - drug resistance in, 5786
 - drug testing in, 5636
 - melarsoprol treatment, effect of immunosuppression on, 5643
 - relative resistance to, 5629
 - T. b. gambiense* infection
 - cyclical transmissions, 5724
 - polyclonal B-cell activities, 5775
 - response to, 5632
- mice**, in laboratory studies (continued)
 - T. b. rhodesiense* infection
 - growth of pleomorphics, 5633
 - response to, 5632
 - T. congolense* infection

- effect on of bisquinaldine, 6011
- effects on of diminazene aceturate and isometamidium chloride, 5767
- resistance to diminazene aceturate, 5621, 5872
- resistance to homidium chloride, 5872
- sensitivity to isometamidium chloride, 5621, 5872

T. simiae infection, 5866

T. vivax infection

- control of, 6003

- effect on of bisquinaldine, 6011

- effect on of trypanocidal drugs, 5876

- inheritance of resistance to trypanosomiasis, 6004

- serodeme, infectivity and virulence, 5628

microglia

- increased numbers of in trypanosomiasis, 5980

micro HCT

- for diagnosis of animal trypanosomiasis, 5858

Microtus montanus

- albumin levels in *T. b. gambiense* infection, 5774

mitochondria

- T. equiperdum*, topoisomerase activity in, 5915

models/modelling

- analytical, for human trypanosomiasis, 5943

- causal, for human trypanosomiasis, 5925, 5928

- complement evolution, in *T. b. brucei*-infected sheep, 5624

- economic, spreadsheet based, 5944

- epidemiological, human trypanosomiasis, 5942

- evolution of X and Y incompatibility

 - in *Glossina* spp. hybrids, 5821

- host-parasite relationships, 5934

- integrated, *gambiense* trypanosomiasis, 5929

- maternally inherited factors, *Glossina* spp., 5821

- mathematical

 - estimating *gambiense* trypanosomiasis incidence, 5970

 - relationship with field reality, 5970

 - transmission of trypanosomiasis, 5937

 - transmission of vector-borne parasites, 5930

- microcomputer herd, ILCA, 5695

- national N'Dama herd production, Gambia, 5693

- population simulation, *G. pallidipes*, 5953

- predicting African trypanosomiasis, 5931

- simulation, epidemiologic

 - control programmes for trypanosomiasis, 5933, 5944

- trap data, *Glossina*, 5579

- trypanosomiasis, human, 5925, 5928, 5929, 5931, 5933, 5937, 5942, 5943, 5944, 5970

- workshop on, 5938

monitor lizard

- as host for *G. f. fuscipes*, Uganda, 5592

monkey

- as host for *G. f. fuscipes*, Uganda, 5592

- vervet, *T. b. rhodesiense* infection, 5635, 5770

mononuclear phagocytic system, 5865, 5867, 5868, 5870

monosaccharides

- effect of on *T. b gambiense in vitro*, 5549

Mozambique

- land use planning capability, 5945

- limits to tsetse distribution, ecological, 5581

- trypanosomiasis in cattle, 5768

Tsetse and Trypanosomiasis Control Project, 5941, 5945
tsetse survey, 5591

mule

trypanosomiasis in, survey in Ethiopia, 5858

myristic acid

radiolabelled, incorporation in *T. brucei* VSG precursor, 5803

Nannomonas

identification by DNA probes

in *G. m. submorsitans* and *G. p. gambiensis*, 5838

probable new species of in Gambia, 5939

Natal

Trypanosoma in, 5650

nifurtimox

treatment of *gambiense* trypanosomiasis, 5611

Niger

drug testing in, new arsenical, 5873

Nigeria

Bendel State, new endemic focus of *gambiense* trypanosomiasis, 5845

collapse of *G. tachinoides* populations, 5580

environmental changes in, 5553

T. vivax-infected cattle in tsetse-free zone, 5614

trypanosomiasis, declining importance of, 5553

trypanosomiasis in humans

assessment of potential reservoir hosts, 5963

mass screening for and survey of, 5845

new endemic foci, 5845

trypanosomiasis in pigs

mixed with babesiosis, 5617

trypanotolerant cattle in, 5563

nitrofurazone

metabolism of, *T. brucei*, 5911

2-nitroimidazole derivative (Ro15-0216)

efficacy in *T. b. brucei*-infected sheep, 5638

efficacy in *T. b. gambiense*-infected rodents, 5647

nomenclature

of *T. brucei* and *T. evansi*, 5651

3-nonanone

stimulatory effectiveness, *Glossina* spp., 5577

nucleodemes

in characterisation of trypanosomes, 5719

3-octanol

response to, *G. m. morsitans*, 5712

1-octen-3-ol

as attractant/bait for *Glossina* spp., 5716, 5717, 5829, 5839, 5957

response to analogues of, *G. m. morsitans*, 5712

stimulatory effectiveness, for *Glossina* spp., 5572, 5582

1-octen-3-one

response to, in *G. m. morsitans*, 5712

1-octene

response to, in *G. m. morsitans*, 5712

1-octyn-3-ol

response to, in *G. m. morsitans*, 5712

odour attractants for *Glossina* spp., 5555, 5577, 5582, 5583, 5713, 5715, 5716, 5717, 5825, 5828, 5829, 5839, 5869, 5957

odour plume

flight response to, *G. m. morsitans*, 5713

olfactory stimuli

flight response to in wind tunnel, *G. pallidipes*, 5828
role in mating response, *G. m. morsitans*, 5826

oligosaccharides

N-linked, *T. brucei* VSG, processing of, 5652

optomotor anemotaxis

in *G. m. morsitans*, 5713

oribi

T. brucei ssp. infection, Kenya, 5987

ornithine decarboxylase

expression in *E. coli*, 5808
in characterisation of *T. brucei*, 5808

oryx

as host for *G. m. morsitans*, blood meals from, 5567

ox sebum

response to of *Glossina* spp., 5955

oxidase, aldehyde

locus for, *G. m. centralis* populations, 5706
locus for, *G. m. morsitans*, 5707

oxidase, tetrazolium

locus, mapping, *G. m. morsitans*, 5707

oxidase, xanthine

loci for, *G. m. centralis* populations, 5706

packed cell volume (PCV)

in trypanosome infections, 5558
in camels, 5985
in cattle, 5734, 5739, 5743, 5748, 5749, 5753, 5754, 5757, 5759, 5760,
5761, 5768, 5988
in goats, 5743
in infected and non-infected animals, 5858
in livestock, 5735, 5743, 5750
in sheep, 5734

Paecilomyces farinosus

pathogenicity of in *G. m. morsitans* adults, 5832

Paecilomyces fumosoroseus

pathogenicity of in *G. m. morsitans* adults, 5832

parasitaemia

trypanosome
in cattle, 5723, 5734, 5739, 5748, 5754, 5759, 5760, 5988
in domestic animals, 5991
in goats, 5997, 5999
in livestock, 5732, 5735, 5750
in mice, 6004
in pigs, 5866
in sheep, 5734
in wild animals, Africa, review, 5870
level of, in trypanosomiasis
effect on biochemical changes, 5848
effect on haematological changes, 5848

Pasteurella haemolytica

in *T. vivax*-infected cattle, 5618

pentamidine, Cis-Pt(II)

activity, in *T. b. brucei*-infected sheep, 5641, 5645
in human *gambiense* trypanosomiasis, 5730

1-penten-3-ol

response to in *G. m. morsitans*, 5712

pentose phosphate pathway

enzymes of, *T. brucei*, 5894

peritrophic membrane

surface carbohydrates on, *Glossina* spp., role, 5576

permethrin

-impregnated clothing, tsetse repellency, 5834

phagocytosis

of *T. congolense* *in vitro*, 5773

phenolic antioxidants

effect on *T. brucei*, 5660

phenolic compounds

as attractants for *Glossina*, 5839

from buffalo urine, tsetse attractancy, 5593

phenotypic variance

in growth, associated with parasitaemia, in cattle, 5759

pheromones

in decoys, for *G. m. morsitans* males, 5826

role in tsetse power of transmission, 5719

sex, as bait for *G. m. morsitans* males, 5823

phosphoglycerate kinase

mRNA, *T. brucei*

post-transcriptional control, 5910

stage-regulation of, 5910

Picralima nitida

bark extract, effects on *T. brucei* in rats, 6012

pig

deltamethrin-dipped, effects on *G. tachinoides*, 5585

host to *G. tachinoides* in Nigeria, 5580

in antivectorial monitoring study, Congo, 5830

in Bouaflé focus, Côte d'Ivoire, 5970

ivermectin-injected, effect on *G. tachinoides*, 5586

parasitological and serological monitoring, Congo, 5830

T. b. gambiense infection, 5964

T. simiae infection

tsetse vectors for, 5899

with *Babesia trautmanni*, Nigeria, 5617

plasma iron turnover

in *T. congolense*-infected cattle, 5993

plasmaphoresis

in late stage human trypanosomiasis, 5855

Plasmodium yoelii

concurrent infection with *T. brucei* in mice, 5627

polycistronic transcripts

accumulation during heat shock, *T. b. brucei*, 5677

precursor role, mRNA synthesis, *T. b. brucei*, 5677

polyribosomes

gene transcripts in, *T. brucei*, 5788

prednisolone

treatment, with melarsoprol, for encephalopathy

in human *gambiense* trypanosomiasis, 5983

proceedings, symposium

on livestock systems, Nigeria, 5553

procyclic agglutination trypanosomiasis test (PATT)

for serodiagnosis, *T. b. rhodesiense* in monkeys, 5770

procyclin

immunodominant glycoprotein surface antigen

from *T. b. rhodesiense*, 5680

- T. brucei*, expression of as fusion protein
in *E. coli*, 5810
- Propionibacterium acnes***
 - induced non-specific immunity
to *T. brucei* in mice, 6001
- 3-n-propylphenol**
 - bait in traps and on targets, 5829
 - response to of *G. pallidipes*, 5717
 - role in attraction of tsetse to buffalo urine, 5593
- proteases, fibrinolytic**
 - from *G. m. centralis* females, 5705
- protein**
 - A conjugate, non-specific, 5857
 - coding for, *T. brucei*, 6040
 - epitopes, *T. brucei*, 6040
 - fusion, *T. brucei*, 5810
 - glycosomal, P60
 - procyclic *T. brucei*, 5902
 - trypanosome, 6034
 - helical, of *T. brucei* paraflagellar rod, 6039, 6040
 - microtubule-associated, *T. brucei*, 6041
 - myc-related, *T. brucei*, 6019
 - procyclic acidic repetitive, *T. brucei*, 5907
 - ribosome-inactivating, plant
 - effect on *T. b. rhodesiense*, 5656
- prothidium** *see* pyrithidium bromide
- Providentia rettgeri***
 - infecting *G. m. morsitans*, 5958
- Pseudomonas aeruginosa***
 - infecting *G. m. morsitans*, 5958
- pthalogen blue**
 - in insecticide-impregnated screens, 5715
 - target, effect on *G. pallidipes* catch, 5717
- purine nucleotide**
 - uptake and metabolism, *T. b. brucei*, 5898
- pyomyositis, tropical**
 - associated with *T. b. rhodesiense* infection
in European woman, 5852
- pyrethroid**
 - fenfluthrin, tsetse repellent, in ear tags, 5761
 - synthetic, as cattle dip, 5829
 - u.l.v. formulations, 5831
- pyridoxal phosphate precursor**
 - in *T. b. brucei*, 5898
- pyrithidium bromide**
 - efficacy, in cattle trypanosomiasis, 5768
- quantitative buffy coat analysis**
 - for haematoparasite detection, 5769
- quinapyramine**
 - resistance to, *T. b. brucei in vitro*, 5881
- rabbits**
 - as hosts for *Glossina* spp., 5575, 5817, 5958
 - T. brucei* infection (exp.)
 - depressed liver function in, 5874
 - diminazene aceturate treatment, 5874
 - T. b. gambiense* infection (exp.)

haematology of trypanosomiasis, 6002

random dispersal theory

of tsetse populations, 5828

rat

diamidines in, side effects, 5778, 5782, 5783, 5784

effects of diminazene aceturate in, 5640

glycerol toxicity in, 5883

T. brucei infection (exp.)

attack on circumventricular organs, 5776

attack on sensory ganglia, 5776

degeneration of brain neurons, 5631

effect on of diminazene aceturate, 6012

effect on of *Picralima nitida* extract, 6012

glycerol in combination chemotherapy, 5879

T. b. gambiense infection (exp.)

characterisation of mononuclear brain cells, 5772

light microscopic neuropathology of, 5625

progression of CNS lesions in, 5626

T. b. rhodesiense infection (exp.), 5969

T. simiae infection (exp.), 5630, 5866

rearing

cage, 5951

Glossina, feeding on artificial membranes, 5555

G. m. morsitans, Zambia, 5566, 5819

G. m. submorsitans, Burkina Faso, 5817, 5818

G. pallidipes, *in vitro* feeding method, 5951

G. palpalis, feeding with oven-dried blood, 5565

G. p. palpalis, 5568

reedbuck

T. congolense infection, Kenya, 5987

Regional Tsetse and Trypanosomiasis Control Programme (RTTCP),

5941, 5945

repellents, for *Glossina*

deet, 5834

diethyltoluamide, 5834

permethrin, 5834

Republic of Central Africa

trypanotolerant cattle in, 5563

reservoir, animal

of human trypanosomiasis, 5787, 5842, 5943, 5944, 5949, 5963, 5968

of *T. b. gambiense*, 5964, 5968

resistance

acquired, to *T. vivax*, in cattle, 5998

genetics of, to parasitic infection, 5779

multiple, in *T. b. brucei* stock, 5786

natural, to *T. vivax* in cattle, 5998

relative, to *T. b. brucei*, in inbred mice, 5629

to trypanocidal drugs, trypanosomes, 5719, 5763

rickettsia-like organisms

from *Glossina* spp., DNA cloning, 5843

influence on vectorial capacity, 5820

RNA

editing, *T. brucei*, 5674

mitochondrial, 5791, 6043

hsp 70 m, synthesis, *T. brucei*, 5908

m, *T. brucei*

cap structure, 5661

phosphoglycerate kinase, 5910

- phosphoglycerate polymerases, 6023
- synthesis, 5677
- polymerase I, largest subunit, gene, *T. brucei*, 6026
- polymerase II
 - C-terminal domain structure, 5917
 - in *T. brucei*, 6023
 - largest subunit, genes, *T. brucei*, 5800, 5917
- polymerase III, in *T. brucei*, 6023
 - subunit, gene for, 5669
- pre-m, *trans*-spliced, *T. brucei*
 - mapping of branch sites, 6035
- U2, U4 and U6 analogues, *T. b. brucei*, 5906
- U6 analogues, small nuclear, *T. brucei*, 5683
- Ro 15-0216** *see* 2-nitroimidazole derivative
- rodents**
 - T. b. gambiense* infection (exp.)
 - efficacy of Ro 15-0216 against, 5647
- ruminants**
 - trypanosomiasis in, chancre in, 5737
- rural development**
 - for control of trypanosomiasis, 5936, 5945
 - in Malawi, Mozambique, Zambia and Zimbabwe, 5945
 - influence of tsetse control policy
 - Zambezi Valley, Zimbabwe, 5927
- Samorin** *see* isometamidium chloride
- sampling**
 - tsetse, age-dependent bias, 5939
- Schistosoma mansoni***
 - concurrent infection with *T. brucei* in mice, 5627
- screening**
 - antitrypanosomal compounds, 5882
 - immunological techniques for, 5731
 - mass, humans, effectiveness of CATT, 5845
 - mass, use of serology in, 5729
 - need for, in *gambiense* trypanosomiasis, 5730
 - parasitological techniques for, 5731
 - strategies for, in *gambiense* infections, 5731
- screens**
 - blue, 5833
 - cost, Côte d'Ivoire, 5587
 - deltamethrin-impregnated, Togo, 5833
 - development of new, Côte d'Ivoire, 5587
 - effect of colour on catch, 5579, 5715
 - electric, nets, 5579, 5715
 - for density determination of *Glossina* spp., 5768
 - fabric
 - chemical characteristics of, 5588
 - coloured, 5588, 5587, 5715
 - flanked, 5715
 - insecticide-impregnated, 5555, 5588, 5715
 - simple, 5715
- self-cure**
 - in cattle, 5993
 - Orma Boran, 5753
 - in domestic animals, 5991
 - in *T. congolense*-infected goats, 5616
 - in *T. simiae*-infected pigs, 5866

- in *T. vivax*-infected cattle, 5998
- Senegal**
 - trypanotolerant cattle in, 5563
- serodeme**
 - in characterisation of trypanosomes, 5719
 - of *T. brucei*, VSG gene expression, 5789
 - of *T. b. rhodesiense*, 5977
 - of *T. vivax*, 5861
 - infectivity and virulence of, in sheep and mice, 5628
 - trypanosome, acquisition of immunity to, 5937
- serodiagnosis** *see* diagnosis, serological
- Serratia marcescens***
 - infecting *G. m. morsitans*, 5958
- serum**
 - drug concentrations in, 5607, 5609, 5853
 - factors, in human trypanosomiasis, 5981
 - from naturally-infected cattle
 - neutralising *T. b. rhodesiense* stocks, 5994
 - circulating trypanosomal antigens in
 - in camel trypanosomiasis, 5857
 - in human trypanosomiasis, 5981
- sex-linked recessive genes**
 - influence of insect vectoring ability, 5820
- sheep**
 - Djallonké
 - disease interactions, Côte d'Ivoire, 5734
 - productivity, Togo, 5751
 - Djallonké \exists Sahelian,
 - disease interactions, Côte d'Ivoire, 5734
 - trypanosome parasitaemias, effects, 5734
 - factors influencing liveweight
 - intensity, number and species of parasitaemia, 5750
 - in antivectorial monitoring study, Congo, 5830
 - parasitological monitoring, continuous, 5830
 - reproductive performance, factors influencing, 5757
 - role as potential reservoir hosts
 - for human trypanosomiasis, Nigeria, 5963
 - serological monitoring, continuous, 5830
 - T. b. brucei* infection
 - complement evolution after treatment, 5624
 - T. b. brucei* infection (exp.)
 - treatment
 - with melarsoprol, 5637
 - nitroimidazole derivative, 5638
 - pentamidine, cis-Pt II, 5641, 5645
 - T. b. gambiense* infection, 5964
 - producing leucopenia, 5989
 - T. congolense* infection
 - human serum resistance in, 5963
 - T. vivax* infection (exp.)
 - macrocytosis in, 5862
 - response to anaemia in, 5862
 - reticulocytosis response, 5862
 - serodeme, infectivity and virulence, 5628
 - trypanosome-infected
 - early auditory evoked potential in, 5634
 - trypanosome parasitaemias in, effects, 5743
 - trypanosomiasis in

- in Burkina Faso, 5555
- in Ethiopia, survey of, 5858
- trypanotolerant
 - reproductive performance
 - in Côte d'Ivoire, 5757
 - in Togo, 5757
- Sierra Leone**
 - trypanotolerant cattle in, 5563
- Somalia**
 - south-eastern, Jilaal Moogi
 - trials with traps and targets
 - odour-baited for *G. pallidipes*, 5717
 - southern
 - land use and tsetse control, relationships, 5560
 - trypanosomiasis in camels, 5986
- spermatophore**
 - formation, in *G. m. morsitans*, 5709
- spiroarsoranes**
 - as new class of arsenical compounds
 - trypanocidal activity of, 5642
- spraying**
 - for tsetse control
 - aerial, in Lambwe Valley, Kenya, 5948
 - aerial, technology, research, 5941
 - aerosol, endosulfan, 5829
 - insecticides
 - aerial, 5829, 5941
 - ground, 5829
 - impact on non-target organisms, 5829
- Staphylococcus aureus***
 - in *T. vivax*-infected cattle, 5618
- Streptococcus epidermiditis***
 - in *T. vivax*-infected cattle, 5618
- succinate**
 - role in respiratory chain, *T. brucei*, 5923
- Sudan**
 - T. evansi* infection, camels, 5857
 - trypanosomiasis in humans, 5610, 5611
- sulfadimidine**
 - pharmacokinetics of, in *T. brucei*-infected goats, 5780
- suramin**
 - combined with nifurtimox treatment
 - for late stage *gambiense* trypanosomiasis, 5611
 - effects, on *T. brucei* spp. in goats, 5999
 - therapy, in *rhodesiense* trypanosomiasis, 5984
- surface coat**
 - of *T. brucei*, changes in antigenic composition (review), 5809
 - of *T. congolense*, 5773
- surveillance**
 - in human trypanosomiasis, 5965
 - effects of reduction of, 5816
 - gambiense*, active and passive, 5731
 - in Equatorial Guinea, 5973
 - in Zaire, 5972
 - mass screening, 5729
- survey**
 - clinical, *gambiense* trypanosomiasis, Congo, 5850
 - epidemiological, of trypanosomiasis in cattle and sheep

- in Burkina Faso, 5555
- mass diagnostic, human trypanosomiasis, 5967
- methods, 5962
- of bovine trypanosomiasis, Mali, 5856
- of bovine trypanosomiasis, Togo, 5833
- of human trypanosomiasis
 - in Sangha focus, Congo, 5846
 - in southern Nigeria, 5845
 - rhodesiense*, Lambwe Valley, Kenya, 5975
- of *T. evansi* infection in camels
 - in Mali and Mauritania, 5985
- of trypanosomiasis, in Ethiopia, 5858
- parasite, in wild animals, Kenya, 5987
- serological, for human trypanosomiasis, 5594
- tsetse, Mozambique, 5581
- wildlife, for trypanosomiasis
 - Luangwa Valley, Zambia, 5841
- susceptibility**
 - of tsetse to trypanosomes, 5966
- systems analysis**
 - use of, in control strategies, 5560
- tabanids**
 - role in *T. evansi* infection, camels, 5985
- Tanzania**
 - southern, trypanosomiasis prophylaxis trials
 - in traditionally-managed goats, 5762
 - susceptibility of Small East African goats
 - to *T. congolense* infection, 5997
 - T. b. rhodesiense* infection in humans, 5854
 - T. b. rhodesiense* stocks from, 5995
 - T. congolense* infection in cattle, 5621
 - trypanosomiasis in humans, 5854
 - trypanosomiasis in Boran cattle
 - use of chemoprophylaxis, 5765
- targets**
 - baited, behaviour around, of *G. pallidipes*, 5828
 - behaviour of tsetse in response to, 5584, 5717, 5827, 5955
 - cloth, revolving, attractants for, 5829
 - coloured, effect on response to, of *G. pallidipes*, 5957
 - deltamethrin-sprayed baited, 5957
 - electrified
 - moving and stationary, 5827
 - sexual response to of *Glossina* spp., 5827
 - for tsetse control, 5962
 - insecticide-impregnated, 5939
 - odour-baited, response to of *G. pallidipes*, 5717
 - ox sebum on, response to of *Glossina* spp., 5955
 - research on, 5941, 5957
 - two-coloured, 5715, 5957
 - use in riverine and savanna habitats, 5829, 5957
 - visual, response to in wind tunnel, of *G. pallidipes*, 5828
- taxonomy**
 - differentiation between *T. brucei* ssp., 5889
- telomere**
 - conversion, boundaries, *T. brucei*, 5671
 - expression site, *T. brucei*, 5670

Togo

- evaluation of sheep and cattle productivity, 5751
- livestock production in, economic evaluation, 5751
- liveweight studies in sheep, 5750
- reproductive performance in sheep, 5757
- trypanosome parasitaemias, in livestock, 5732, 5735, 5743, 5750
- trypanosome prevalence in livestock, 5732
- trypanosomiasis in cattle, 5833
- trypanotolerant cattle in, 5563, 5751, 5833
- trypanotolerant sheep in, 5750, 5751
- tsetse control with traps and screens, 5833

training

- manual on data collection, 5561
- manual for tsetse control personnel, FAO, 5962
- of tsetse and trypanosomiasis control staff, 5941
- WHO programme of, 5816

transmission

- cyclical
 - of *T. brucei* clones, hybrid formation, 5725
 - of *T. brucei* isolates, 5724
- mechanical
 - role of infectivity threshold of host, 5969
 - T. b. rhodesiense* by *G. m. morsitans*, 5969
- of human trypanosomiasis
 - by *Aedes*, 5590
 - by haematophagous insects, 5590
 - in Congo, by *G. p. palpalis*, 5830
 - in Côte d'Ivoire, human factors, 5720
 - mechanical, 5721
 - variable rates of, Côte d'Ivoire, 5720
- of *Trypanosoma*
 - mechanical, effect of chemotherapy in animals, 5763
 - power of, variation in fly population, 5719
 - reduction of by deltamethrin, 5589
- of trypanosomiasis, modelling of, 5937
- of vector-borne parasites,
 - density dependence in, and modelling, 5930

traps/trapping

- baited, for *G. pallidipes*, Ethiopia, 5716
- behaviour of *Glossina* spp. towards, 5584, 5827, 5939
 - sexual response of males to, 5827
- biconical, 5829, 5953, 5954
 - deltamethrin-impregnated, Togo, 5833
 - effect of colour on catch, 5579
 - for density determination, of *G. morsitans* and *G. pallidipes*, 5768
 - for *G. pallidipes*, Kenya, 5953
- for *G. palpalis* and *G. tachinoides*
 - in Côte d'Ivoire, 5718
 - in Togo, 5833
- for *G. tachinoides*, Nigeria, 5954
- odour-baited for *G. pallidipes*
 - in Ethiopia, 5716
 - in Kenya, 5825
 - in Somalia, 5717
- unbaited, 5580, 5825
- deltamethrin-sprayed, monoconical, Ethiopia, 5957
- efficiency, 5939

- F3, baited for *G. pallidipes*, Somalia, 5717
- fly round, for density determination
 - G. morsitans* and *G. pallidipes*, 5768
- for vector control in human trypanosomiasis, 5730, 5816, 5830
- insecticide-impregnated
 - in Burkina Faso, 5555
 - in Côte d'Ivoire, 5718
- monoconical, odour-baited, Ethiopia, 5957
- new method, Congo, 5830
- olfactory attractants for, 5829, 5939
 - in Burkina Faso, 5555
 - in Ethiopia, 5716, 5957
 - in Somalia, 5717
- performance, effect of colour on, 5579, 5715, 5717
- use in riverine and savanna habitats, 5829, 5957
- trypanocidal factor**
 - in normal human serum, 5870
 - against *T. equiperdum*, 6007
 - isolation of, 5849
 - lytic activity, against *T. b. brucei*, 5849
 - innate, in host serum, 5870
- trypanoresistance**
 - genetics of, in cattle, 5742
 - in African game animals (review), 5870
 - in Orma Boran cattle, Kenya, 5753
 - research, 5719
- trypanosensitivity**
 - in Zebu cattle, African savannas, 5691
- Trypanosoma (Trypanozoon)***
 - from impala and zebra, Zambia, 5841
 - glycoconjugates of, 5659
 - in Natal, 5650
- T. brucei***
 - antigenic determinants, mapping, 5794
 - biology of, in tsetse (review), 5685
 - C-terminal domain structure, 5917
 - cell surface coat, antigenic composition, 5809
 - characterisation of isolates of, 6014
 - coated vesicles, purification, characterisation, 6042
 - cultivation of procyclics *in vitro*, 5885

 - cyclical transmissions
 - through *Glossina* spp. and mice, 5724, 5725
 - cysteine protease, developmentally regulated, 5806
 - cytochrome C, expression, 5815
 - cytoskeleton, 5813
 - definition of components, 6048
 - duplication in, 5916
 - DNA, chromosome-sized, 5912
 - nucleoside analysis, 5657
 - sequences, 6019
 - drug effects
 - bisquinaldine, 6011
 - diminazene aceturate, resistance to, 5872, 6012
 - homidium chloride, resistance to, 5872
 - isometamidium chloride, susceptibility to, 5872
 - effects on, of agaricic acid, 5672
 - of t-butyl-4-hydroxyanisole, 5660

- of phenolic antioxidants, 5660
- endocytic organelles, structure, 6045
- endocytosis, 6046
- epidermal growth factor receptor homologue, 6024
- experimental infections with, 6005
- flagellum attachment region, 6047
- fructose biphosphate aldolase phosphorylation, 5795
- gene, encoding rat enzyme homologues, 6025
- gene exchange, 5918
- glucose metabolism, 5909
- glycolipid precursor of VSG, 5803
 - related to VSG membrane anchor, 6029
- glycolysis, compartmentation of, 5676
- glycolytic enzymes, 5672, 5673
- glycosomal protein (P60), 5902
- glycosyl-phosphatidylinositol-specific phospholipase C, 5801, 6017
 - sequence and expression of, 5893
- hsp70 mRNA synthesis, 5908
- hybrid formation between clones, 5725
- hydrogen peroxide metabolism, 5911
- in trypanosomiasis (review), 5867
- infecting cattle
 - prevalence rate, Mali, 5856
 - seasonal variation, Mali, 5856
 - Zebus, in Ethiopia, 5739
- infecting deer mice
 - attack, on circumventricular organs, 5776
 - attack on sensory ganglia, 5776
- infecting domestic animals
 - duration of infection, factors, 5991
 - in Ethiopia, 5858
 - intensity of infection, factors, 5991
- infecting domestic chickens, 5615, 5860
- infecting *Glossina* spp., 5843
- infecting goats, 5780, 5861
 - effects on pharmacokinetics, 5780
 - ⁷⁵Se-labelling of, 5868
- infecting guinea pigs
 - increased ileal contractile response, 5875
- infecting mice
 - attack on circumventricular organs, 5776
 - attack on sensory ganglia, 5776
 - concurrently with *Babesia microti*, *Echinostoma revolutum*, *Plasmodium yoelii* and *Schistosoma mansoni*, 5627
 - non-specific immunity in, 6001
 - suppression of interleukin 2 production in, 5876, 6006
 - suppression of interleukin 2 receptor expression, 5876, 6006
- infecting rabbits
 - depressing liver function, 5874
- infecting rats
 - attack on circumventricular organs, 5776
 - attack on sensory ganglia, 5776
 - degeneration of brain neurons, 5631
 - drug effects
 - diminazene aceturate, 6012
 - Picralima nitida*, 6012
 - glycerol, combination chemotherapy, 5879
 - kinetoplast minicircles, sequence blocks, 5913

- life-cycle-stage-labelling by antibodies, 5922
- lysis, high density human lipoprotein, 5899
- membrane anchor glycan of VSG, 5900
- microtubule-associated protein, 6041
- mitochondria genes, 5673
- mitochondrial RNA editing, 5790, 6043
- M* 88000 glycoprotein, evidence for, 6047
- mRNA
 - cap structure of, 5661
 - discontinuously synthesised, 5661
 - phosphoglycerate kinase, 5910
- myc*-related proteins, 6019
- myo-inositol containing lipids, 5658
- nitrofurazone metabolism, 5911
- nomenclature, 5651
- novel telomeric gene conversion, 5914
- ornithine decarboxylase, 5808
- paraflagellar rod, 6039, 6040
- pentose phosphate pathway, enzymes, 5894
- post-transcriptional regulation of cytochrome C expression, 5815
- pre-mRNA branch site mapping, 6035
- procyclic acidic repetitive proteins, 5804, 5907
- procyclin expression in *E. coli*, 5810
- procyclin gene expression during differentiation, 5811
- T. brucei*** (continued)
 - prospects for vaccine against, 5877
 - pyruvate kinase, 5653
 - RNA editing, 5674, 5790
 - RNA polymerases, characterisation of, 6023
 - RNA polymerase I, gene, largest subunit, 6026
 - RNA polymerase II, 5917
 - largest subunit genes, 5800
 - RNA polymerase III, gene for, 5669
 - serodeme, gene expression in, 5789
 - stock-specific labelling by antibodies, 5922
 - succinate, role in respiratory chain, 5923
 - sugar transport in, 5896
 - surface antigen gene expression, 5792
 - surface epitopes, 5789
 - telomere conversion, boundaries of, 5671
 - telomeric expression site, 5670
 - telomeric VSG gene, 5890, 5891
 - transmembrane association of glycoprotein, 6047
 - trans* splicing, 6030
 - trypanothione in, 5880
 - tubulin expression in, 5664
 - tubulin gene cluster, 6015
 - U6 small nuclear RNA, 5683
 - ultrastructure studies, 5920
 - variant specific antigen gene expression, 5678
 - variant surface antigens, 5796
- VSG
 - biosynthesis, membrane anchor, 5652
 - biosynthesis, oligosaccharides, N-linked, 5562
 - cross-reacting determinant, membrane anchor, 5687
 - gene expression, 5789
 - gene expression site
 - intergenic transcripts, UV enrichment, 6018

- post-transcriptional control, 6036
- gene transcripts, in polyribosomes, 5788
- glycolipid anchor biosynthesis, 5799
- glycolipid precursor, 5803
- loss, during differentiation, 5811
- mapping antigenic determinants on, 5794
- membrane anchor, 6020
- release during differentiation, 5793
- T. brucei* spp.**
 - detection of, 6000
 - infecting goats, 5999
 - drug effects, of bisquinaldine, 6011
 - infecting oribi, Kenya, 5987
 - infecting Zebu cattle, Kenya, 5994
- T. brucei brucei***
 - allele frequencies in populations of, 5805
 - characterisation and grouping, 5888
 - digitonin-permeabilised trypomastigotes, 5667
 - diploidy in metacyclics, 6028
 - drug effects
 - cis-Pt(II) pentamidine, 5641, 5645
 - DFMO, 5639, 5897
 - experimental trypanocidal compounds, 5786
 - melarsoprol, 5637
 - 2-nitroimidazole derivative, 5638
 - drug resistance
 - multiple, 5786
 - stability, 5881
 - to diminazene aceturate, 5881, 6010
 - to isometamidium chloride, 5881, 6010
 - to melarsoprol, 5881
 - to quinapyramine sulphate, 5881
 - drug screening against, 5882
 - drug sensitivity
 - to diminazene aceturate, 5881
 - effects on differentiation
 - of arabinosyl adenine, 6031
 - of hydroxyurea, 6031
 - of serum omission, 6031
 - fatty acids of, 5655
 - glycerol 3-phosphate glucose transphosphorylase, 6027
 - glycolysis, anaerobic regulation of, 5667
 - glycolytic intermediates, catabolism, 5667
 - hybrid phenotypes, detection, 6037
 - infecting *Glossina* spp. in laboratory, 5591
 - infecting *G. m. morsitans* (exp.), 5835
 - infecting mice
 - Annona senegalensis* therapy for, 6009
 - drugs testing in, 5636
 - effect of DFMO on, 5639
 - infecting sheep
 - effect of cis-Pt(II) pentamidine, 5641, 5645
 - efficacy of Ro15-0216, 5638
 - model of complement evolution, 5624
 - treatment with melarsoprol, 5637
 - in vitro*
 - attachment substrates, 5886
 - culture of bloodstream form, 5887

- differentiation from *T. evansi*, 5889
- mitochondrion, activation of, 5897
- mixed infection with *T. b. gambiense*, 5968
- mRNA synthesis, precursor, 5677
- ornithine decarboxylase regulation, 6016
- polycistronic transcripts, role, 5677
- purine nucleotide, uptake, metabolism, 5898
- pyridoxal phosphate precursors, 5898
- RNA genes, small nuclear U, 5906
- transformation, capacity of, 5897
- triosephosphate isomerase, inhibitors, 5785
- ubiquitin genes, 5668
- variant AnTat 1.1., glycoprotein, 5654
- VSG
 - biochemistry, 5924
 - crystallisation, amino-terminal domains, 5675
 - domain fragments, 5675
 - molecular heterogeneity, 5654
 - myristylated disulfide-linked dimer, 5901
 - variability in association of some, 5665
- T. brucei gambiense***
 - allele frequencies in populations of, 5805
 - cell cycle of monomorphic lines, 5798
 - characterisation and grouping, 5888
 - characterisation by hybridisation patterns, 5842
 - characterisation of metacyclics, 5724
 - cyclical transmission through *G. p. gambiensis*, 5724
 - drug effects
 - DFMO, 5607, 5608, 5610, 5613
 - melarsoprol, 5608, 5609, 5612
 - nifurtimox, 5611
 - Ro15-0216, 5647
 - fatty acids of, 5655
 - hybrid phenotypes, detection, 6037
 - infecting domestic animals, 5968
 - duration and intensity, factors, 5991
 - infecting goats, 5964
 - infecting humans
 - antibodies against, 5845
 - causing immunological disturbances, 5606
 - characterisation of, 5842
 - detection and control (review), 5597
 - diagnosis of, 5978
 - epidemiological factors, 5970
 - gland juices in, 5845
 - importance of animal reservoirs, 5968
 - in Cameroon, 5730
 - in Central Africa, 5936
 - in Central African Republic, 5730
 - in Chad, 5730
 - in Congo, 5595, 5603, 5730, 5842, 5850
 - Sangha focus, 5846
 - in Côte d'Ivoire,
 - Bouaflé focus, 5970
 - Daloa focus, 5598
 - in Equatorial Guinea, 5730
 - in Gabon, 5730
 - in Kenya, history of, 5947

- in Nigeria, southern, Bendel State, 5845
- in sub-Saharan Africa, 5936
- in Sudan, 5610, 5611
- in West Africa, 5936, 5960, 5964
- in Zaire, Kinshasa, 5599
- modelling, 5929
- new endemic foci, Nigeria, 5845
- relationship with hypogonadism, 5601
- serological prevalence rate, 5846
- strategies for control, 5731, 5929
- survey of, 5846, 5850
- infecting mice (exp.)
 - concurrently with *T. b. rhodesiense*, 5632
- infecting *Microtus montanus*, 5774
- infecting pigs, 5964
- infecting rabbits (exp.), 6002
- infecting rats (exp.), 5625, 5626, 5772
- infecting rodents (exp.), 5647
- infecting sheep, 5964
- infecting wild animals, 5968
- infectivity for vector, 5968
- in vitro* cultivation
 - influence of mannose on, 5905
 - monosaccharides in, 5649
- mixed infections
 - with *Trypanosoma* spp., 5968
 - with *T. b. brucei*, 5968
- monomorphic lines, cell cycle fluctuations, 5798
- persistence of, 5968
- prevalence, Congo, 5842, 5846
- transmission dynamics, 5968
- trypsin-stimulated transformation, 5868
- VAT repertoire, 5979
- virulence, 5842
- VSG genes, different substrains, 5892
- T. brucei rhodesiense***
 - antigenic variation, high frequency of, 6044
 - characterisation and grouping, 5888
 - common surface plasma membrane antigens, 5596
 - drug effects, melarsoprol, 5643
 - expression site associated genes, 5814
 - fatty acids of, 5655
 - gene expression, serum-resistant variants, 6022
 - human infective stocks, serodemes, zymodemes, 5977
 - infecting cattle (exp.)
 - causing CNS disease, 5995
 - infecting domestic animals
 - duration and intensity, factors, 5991
 - infecting *G. austeni*, *G. pallidipes* and *G. p. palpalis* (exp.), 5728
 - infecting *G. m. morsitans* (exp.), 5728, 5969
 - infecting humans
 - associated with tropical pyomyositis
 - in European woman, 5852
 - causing cardiac damage, 5606
 - drug treatment, 5854
 - in East Africa, 5936, 5960
 - in Kenya, 5981
 - history of, 5947, 5975, 5977

- in Southern Africa, 5936
- in Zambia, South Luangwa Valley, 5847
- T. brucei rhodesiense*** (continued)
 - infecting humans (continued)
 - parasitological diagnosis of, 5976
 - prevalence, South Luangwa Valley, 5847
 - serodiagnosis of, 5771, 5974
 - infecting mice (exp.)
 - concurrently with *T. b. gambiense*, 5632
 - effect of immunosuppression
 - on melarsoprol treatment, 5643
 - irradiated, growth of pleomorphics, 5633
 - infecting vervet monkeys
 - blood-CSF barrier impairment, 5635
 - serodiagnosis of, 5770
 - isolates from impala and zebra, 5841
 - metacyclic variable antigen repertoire, size, 5684
 - non-variable surface antigen
 - monoclonal antibody against, 5771
 - 3 β -nucleotidase/nuclease, surface membrane, 6021
 - procyclin, from procyclics, 5680
 - ribosome activity, inhibition of, 5656
 - serum-resistant variants, 6022
 - strain variation, epidemiological relevance, 5971
 - ubiquitin genes in, 5668
 - variable antigen, loss at transformation, 5921
 - VAT repertoire, 5979
- T. congolense***
 - biology of in tsetse (review), 5685
 - cross-reacting determinant, 5895
 - detection of, 6000
 - diploidy in metacyclics, 6028
 - drug effects
 - bisquinaldine, 6011
 - diminazene aceturate, 5621, 5767, 5872
 - homidium, 5621
 - homidium chloride, 5872
 - isometamidium chloride, 5562, 5621, 5767, 5872
 - endocytic organelles, structure, 6045
 - endocytosis, 6046
 - filopodia, formation of, 5662
 - infecting cattle, 5750, 5993
 - Baoulé, 5736
 - Boran, 5748, 5749, 5761
 - heifers, 5863
 - in Mali, prevalence, variation, 5856
 - in Tanzania, 5621
 - Local Race, Togo, 5743
 - N'Dama, 5748, 5749
 - in Gambia, antibodies to, 5738
 - in Togo, 5743
 - in Zaire, 5733
 - Zebu, 5736
 - in Ethiopia, 5739
 - in Kenya, 5994
 - Zebu \exists Hereford, 5988
 - infecting domestic animals
 - in Ethiopia, 5858

- intensity and duration, factors, 5991
- infecting *Glossina* spp., 5843
- infecting *G. morsitans*
 - maturation in, inhibition, lectin binding, 5844
- infecting *G. m. centralis*, 5748, 5749
- infecting *G. m. morsitans*, 5836
 - effect on of deltamethrin, 5589
- infecting *G. m. submorsitans*, Gambia, 5838
- infecting *G. p. gambiensis*, Gambia, 5838
- infecting *G. p. palpalis*, infection rate, 5837
- infecting goats, 5616, 5830
 - delaying superinfection with *T. brucei*, 5861
 - human serum resistance in, 5963
 - in Togo, 5743
 - Small East African, 5620, 5997
- infecting livestock
 - genetic and environmental factors, 5732
- infecting mice, drug treatment, 5767
- infecting pigs, 5830
- infecting reedbuck, Kenya, 5987
- infecting sheep, 5750, 5830
 - human serum resistance in, 5963
 - in Togo, 5743
- infecting water buffalo, drug treatment, 5767
- kinetoplast minicircles, 5913
- maturation, in *G. morsitans*, 5844
- peptidase of, in host plasma, 5863
- phagocytosis, role of surface coat, 5773
- resistance to diminazene aceturate, 5621, 5767
- resistance to isometamidium chloride, 5767
- surface coat, role in phagocytosis, 5773
- trypanothione reductase expression in *E. coli*, 5919
- variant surface antigen, cross-linking, 5662
- VAT, 5679
- virulence of clones, 5748
- VSG, endocytosis of, 5663
 - intracellular occurrence of, 5663
- T. equiperdum***
 - DNA,
 - nucleoside analysis, 5657
 - kinetoplast, replication of, 5812
 - factor against, in normal human serum, 6007
 - kinetoplast DNA minicircles
 - conserved sequence blocks, 5913
 - drug-promoted cleavage, 5915
 - synthesis and processing, 6038
 - mitochondria, topoisomerase activity, 5914
- T. evansi***
 - diagnosis, by CATT, 5622
 - drug screening against, 5882
 - infecting buffalo calves, 5740
 - infecting camels
 - in Mali and Mauritania, survey, 5985
 - in Niger, drug trials, 5873
 - in Sudan, serodiagnosis, 5857
 - infecting domestic animals, Ethiopia, 5858
 - in trypanosomiasis (review), 5867
 - in vitro* culture of bloodstream form, 5887

- in vitro* differentiation from *T. b. brucei*, 5889
- nomenclature, 5651
- soluble fraction of, for stimulation of pony lymphocytes *in vitro*, 5623
- T. simiae**
 - adaptation to laboratory rat, 5630, 5866
 - cultivation of metacyclics *in vitro*, 5884
 - diploidy in metacyclics, 6028
 - infecting domestic animals
 - duration and intensity, factors, 5991
 - infecting *G. morsitans*, 5866
 - infecting *G. m. submorsitans*, 5884
 - in Gambia, identification, 5838
 - infecting *G. pallidipes*, 5866
 - infecting *G. p. gambiensis*
 - in Gambia, identification, 5838
 - infecting mice, 5866
 - infecting pigs
 - concurrently with *Babesia trautmanni*, 5617
 - factors influencing virulence, 5866
 - in Nigeria, 5617
 - infecting rats, 5866
- T. vivax**
 - antibodies against, in goats, 5619
 - chromosomes, small, 5797
 - diploidy in metacyclics, 6028
 - epimastigotes in *G. m. centralis*, 5840
 - hybridisation with DNA probe, 5797
 - infecting cattle
 - acquired resistance to, 5998
 - Boran steers, 5761
 - causing haemorrhagic syndrome, 5618
 - disseminated intravascular coagulation in, 5992
 - effect on liveweights, 5750
 - extravascular localisation, 5750
 - in Nigeria, 5614
 - Local Race, Togo, 5743
 - natural resistance to, 5998
 - N'Dama
 - in Gambia, antibodies to, 5738
 - in Togo, 5743
 - prevalence and seasonal variation, in Mali, 5856
 - Zebu, in Ethiopia, 5739
 - infecting domestic animals
 - duration and intensity, factors, 5991
 - in Ethiopia, 5858
 - infecting domestic chickens, 5859
 - infecting donkeys, 5864
 - concurrently with *Babesia equi*, 5989
 - infecting *G. m. centralis*, 5840
 - infecting goats
 - chemotherapy, 5619
 - delaying superinfections, 5861
 - homologous metacyclic challenge, 5619
 - in Togo, 5743
 - induced immunity in, 5619
 - lytic antibodies to, 5619
 - infecting livestock
 - environmental and genetic factors, 5732

- infecting mice, 6003
 - drug effects in, 5878, 6011
- infecting sheep
 - effect on liveweights, 5750
 - producing anaemia, 5862
 - producing leucopenia, 5989
- infection rates in *G. pallidipes*
 - in Kenya and Uganda, 5726
- metatrypanosomes of, 5840
- pre-epimastigotes in *G. m. centralis*, 5840
- serodeme of, infectivity and virulence
 - in mice and sheep, 5628
- trypomastigotes in *G. m. centralis*, 5840
- trypanosomiasis, general**
 - as constraint to livestock production, 5694, 5699
 - biochemical and haematological changes in, 5848
 - disease persistence, 5937
 - economics, 5688, 5694, 5699
 - epidemiology, 5933, 5938, 5940, 5942
 - influence of land use on incidence, 5935
 - modelling, 5931, 5933, 5937, 5938, 5942
 - nutritional implications, Africa, 5688
 - research strategies, ILCA, 5558, 5559
 - risk, 5557, 5695, 5738, 5739, 5744, 5745, 5750, 5751, 5752, 5757, 5763, 5765, 5942
 - screening
 - compounds for therapy, 5646
 - mass, first in Congo, 5556
 - study of, Lambwe Valley, Kenya, 5946, 5948, 5949
 - treatment, first programme for, Congo, 5556
- trypanosomiasis in animals**
 - clinical symptoms/pathological effects
 - abortion, 5617, 5833, 5986
 - acyclicity, 5749
 - anaemia, 5747, 5748, 5862, 5865, 5995, 5997, 5998
 - centralobular hepatic coagulative necrosis, 5618
 - cerebellar ataxia, 5995
 - chancre, 5737, 5861
 - debility, 5614
- trypanosomiasis in animals (continued)**
 - clinical symptoms/pathological effects (cont.)
 - decline in hormonal values, 5620
 - decreased PCV, 5614, 5733, 5734, 5735, 5736, 5739, 5748, 5985
 - depressed liver function, 5874
 - dyshaemopoiesis, 5865
 - fever, 5617, 5995, 5998
 - focal necrotising myocarditis, 5618
 - focal non-suppurative encephalitis, 5618
 - haemorrhagic syndrome, 5618, 5998
 - hyperaesthesia, 5995
 - hyperkinesia, 5995
 - impaired thyroid gland function, 5616
 - lateral recumbency, 5617
 - lethargy, 5617
 - light weaning weight, 5734
 - low fertility, 5986
 - multi-focal glomerulonephritis, 5618

- ovarian dysfunction, 5620
- paralysis, 5617
- persistent parasitaemia, 5615
- reduced post-weaner growth, 5733
- salivation, 5995
- thin cow syndrome, 5871
- tremor, 5995
- weight loss, 5994, 5995, 5997
- dynamics of disease, 5719
- economic consequences of, 5690, 5699
- effect on of human population growth, 5719
- effect on of human socio-economic activity, 5719
- pathogenesis of (review), 5697
- pathogenesis, aetiology, kinetics of anaemia of, 5867
- prevalences in cattle and livestock, 5926
- trends in, factors influencing, 5689
- world-wide distribution of, 5690
- trypanosomiasis in camels**
 - in southern Somalia, 5986
 - T. evansi* infection
 - in Mali, incidence and infection rate, 5985
 - in Mauritania, incidence and infection rate, 5985
 - in Niger, cymelarsan treatment, 5873
 - in Sudan, serodiagnosis, 5857
- trypanosomiasis in cattle**
 - in Côte d'Ivoire, 5734, 5735
 - in Ethiopia
 - prevalence rate, survey of, 5858
 - in Zebus, 5739
 - in Gambia, 5727, 5738, 5747
 - role of grazing pattern interface, 5727
 - variation in cattle/fly contact, 5727
 - in Kenya
 - Baoulés, drug treatment, 5871
 - cerebral, in Lambwe Valley, 5994
 - domestic, mortality, Lambwe Valley, 5948
 - T. brucei* spp. and *T. congolense* infection, 5994
 - Zebus
 - chemoprophylaxis, 5764, 5766
 - chemotherapy, 5764
 - in Mali, survey, prevalence, seasonal variation, 5856
 - in Nigeria, in tsetse-free zone, 5614
 - in Tanzania
 - Borans, chemoprophylaxis, 5765
 - under natural tsetse challenge, 5621
 - in Togo, 5735
 - control trials with traps and screens, 5833
 - in Zaire, 5735
 - N'Damas, duration and prevalence of, 5733
- trypanosomiasis in dogs**
 - in Ethiopia, survey, prevalence rate, 5858
 - in Kenya, mortality in Lambwe Valley, 5948
- trypanosomiasis in donkeys**
 - in Ethiopia, survey, prevalence rate, 5858
 - in Nigeria, clinical parameters of, 5864
- trypanosomiasis in goats**
 - effects of pharmacokinetics,
 - of sulfadimidine and its metabolites, 5780

- in Ethiopia, survey, prevalence rate, 5858
- in Kenya
 - induced, cerebral, *T. brucei* spp. infection, 5999
 - mortality, Lambwe Valley, 5948
- in Tanzania, prevalence, effects of, 5762
- trypanosomiasis in humans**
 - clinical symptoms/pathological effects
 - abnormal CSF, 5603, 5846
 - adenopathy, 5598
 - buccal dyskinesia, 5598
 - cardiomegaly, 5606
 - cerebellar disorders, 5602
 - cervical lymphadenopathy, 5845
 - chancre, 5981
 - choreo-athetosis, 5598
 - coma, 5598
 - disseminated encephalitis, 5980
 - endocrine disorders, 5598, 5601, 5603
 - extrapyramidal disorders, 5602
 - fever, 5598, 5981
 - frontal syndrome, 5602
 - gait disorders, 5598, 5845
 - gonadic deficiency, 5603
 - headache, 5598, 5981
 - hepatomegaly, 5598
 - hypogonadism, 5601
 - joint and back pain, 5981
 - meningo-encephalitis, 5600, 5602, 5974
 - motor palsy, 5598
 - neuroendocrine dysfunction, 5602
 - neurological disturbances, 5599, 5602, 5980
 - oedema, 5850
 - pericardial effusion and thickening, 5606
 - perivascular cuffing, 5980
 - prurigo, 5598
 - psychiatric symptoms, 5598, 5599, 5845
 - pyramidal disorders, 5602
 - reproductive abnormalities, 5845, 5981
 - seizure, 5598
 - sensitivity abnormalities, 5598
 - somnolence, 5845
 - splenomegaly, 5598
 - thyroid deficiency, 5850
 - tonus disturbances, 5598
 - tremor, 5598, 5845
 - vestibular disorders, 5602
 - weight loss, 5981
 - control, 5587, 5597, 5731, 5928, 5929, 5936, 5941, 5943, 5944, 5949, 5965
 - diagnosis, serological and parasitological, 5595, 5597, 5729, 5771, 5974, 5976, 5978
 - drug treatment, 5607, 5608, 5609, 5610, 5611, 5613, 5639, 5853, 5854, 5855
 - with DFMO, 5607, 5610, 5613, 5639, 5855
 - with dimercaprol, 5854
 - with diminazene aceturate, 5611
 - with melarsoprol, 5598, 5600, 5612, 5853, 5854, 5982, 5984
 - with nifurtimox, 5611
 - with suramin, 5611

- epidemiology, 5590, 5720, 5840, 5846, 5936, 5964, 5965
- in Benin, northern, 5594
- in Cameroon, 5730, 5932, 5950
- in Central African Republic, 5730
- in Chad, 5730
- in Congo, 5590, 5595, 5730, 5842
 - Sangha focus, 5846
- in Côte d'Ivoire, 5598, 5720
 - Bouaflé focus, 5970
 - forested areas, 5587, 5720
- in Equatorial Guinea, 5730, 5973
- in Gabon, 5730
- in Kenya, 5947, 5948, 5949, 5974, 5975, 5976, 5977
- in Mali, 5950
- in Nigeria, southern, 5845
- in Sudan, 5610, 5611
- in Tanzania, 5854
- in Uganda, 5592, 5967
- in Zaire, 5608, 5950, 5972
- in Zambia, 5841
 - Luangwa Valley, 5847, 5852
- incidence, 5730, 5977
- modelling, 5925, 5928, 5943, 5944
- prevalence, 5720, 5846, 5847, 5926, 5970, 5975, 5977
- reservoirs of, possible, 5592, 5842, 5963, 5968
- screening, 5729, 5845
- T. b. gambiense* infection, 5597, 5599, 5600, 5601, 5606, 5607, 5610, 5611, 5612, 5730, 5731, 5929, 5947, 5970, 5978
- T. b. rhodesiense* infection, 5596, 5606, 5771, 5847, 5852, 5854, 5947, 5949, 5974, 5975, 5976, 5977, 5981
- trypanosomiasis in mules**
 - in Ethiopia, survey, prevalence rate, 5858
- trypanosomiasis in pigs**
 - in Nigeria, *T. simiae* infection, 5617
- trypanosomiasis in sheep**
 - in Côte d'Ivoire, 5734, 5735
 - in Ethiopia, survey, prevalence rate, 5858
 - in Gabon, 5735
 - in Kenya, mortality, in Lambwe Valley, 5948
 - in Togo, 5735
 - in Zaire, 5735
- trypanosusceptibility**
 - in cattle
 - calving percentage in, 5757
 - Gabon
 - health and productivity study, 5754
 - liveweight study in, 5750
 - genetic studies of, 5756
 - research at ILRAD, 5557, 5719
 - in Small East African goats
 - from Kenya and Tanzania, 5997
- trypanothione**
 - T. brucei*, target for arsenical drugs, 5880
 - T. congolense*, reductase, expression in *E. coli*, 5919
- trypanotolerance**
 - criteria for, 5752, 5759, 5760
 - data collection on, 5561, 5744
 - economics of, 5751

- environmental influences in, 5752
- genetics of, 5559, 5742, 5752, 5756, 5760
- heritability of, 5557, 5742, 5760
- in breeding stock, 5563
- in cattle
 - calving percentage in, 5757
 - comparative studies, 5748, 5749, 5754, 5756
 - economics of use of, 5699, 5751
 - genetic studies of, comparative, 5756, 5760
 - N'Dama
 - blood grouping studies, Zaire, 5758
 - comparative genetic studies, 5756
 - health and productivity of, Gabon, 5754
 - heritability studies, Zaire, 5760
 - milk extraction from, Gambia, 5741
- trypanotolerance** (continued)
 - in cattle (continued)
 - olfactory attractiveness as possible factor of, 5869
 - Orma Boran
 - comparative studies, Kenya, 5753
 - potential for, 5689, 5691
 - research, 5557, 5559, 5719
 - review of, 5697, 5746
 - Sahiwal/Ayrshire,cows, heritability studies, Zaire, 5760
 - selection for, proposals, 5697
 - embryo transfer technique, 5697
 - trypanosome prevalence in, 5722
 - tsetse challenge in, 5722, 5748, 5759
 - use, in trypanosomiasis control trials, Togo, 5833
 - in domestic animals, 5991
 - in goats, Small East African, 5620
 - from Kenya and Tanzania, 5997
 - in livestock
 - Central and West Africa, 5721, 5750
 - East Africa, 5750
 - potential role of, factors for, 5689
 - in sheep
 - economic evaluation of, Togo, 5751
 - effect on of parasitaemia, 5750
 - trypanosome prevalence in, 5722
 - tsetse challenge in, 5722
 - Trypanozoon**
 - characterisation, isoenzyme, of isolates, 5939
 - trypsin**
 - for transformation of *T. b. gambiense*, 5686
 - tsetse** (*see also Glossina*)
 - challenge *see* challenge, tsetse
 - distribution
 - related to herd movements, Gambia, 5727
 - scattered foci of, 5763
 - seasonal dispersal of, 5763
 - eradication, evaluation of, 5699
 - feed, hosts, Uganda, 5592
 - relative densities of, 5722
 - tubulin**
 - expression in *T. brucei* (review), 5664
 - gene transcription, *T. brucei*, 5666

ubiquitin genes

of *T. b. brucei* and *T. b. rhodesiense*, 5668

Uganda

Busoga

epidemiology of human trypanosomiasis in, 5967

trypanosomiasis in, 5592

G. pallidipes from, laboratory stock

comparison with Zimbabwe stock, 5951

Kityerera on Lake Victoria

endemic trypanosomiasis in, 5592

south-east, *T. vivax* infection rate in *G. pallidipes*, 5726

Wakatanga

epidemic trypanosomiasis in, 5592

ultraviolet

effects in *G. p. palpalis*, 5579, 5715

urine

buffalo, phenolic compounds in, 5593

cattle, attractiveness for *Glossina* spp., 5869

cow and pig, as bait for *Glossina*, effectiveness in traps, 5716

vaccine

prospects for, against *T. brucei*, 5877

variable antigen repertoire

loss of, *T. b. rhodesiense*, 5921

metacyclic *T. b. rhodesiense*, size of, 5684

of *T. b. gambiense* and *T. b. rhodesiense*, 5979

variable antigen type (VAT)

of *T. b. gambiense*, 5979

in mice, 5632

metacyclic, isolates, 5724

of *T. b. rhodesiense*, 5979

in mice, 5632

of *T. congolense* *in vitro* and *in vivo*, 5679

of *T. vivax*, bloodstream and metacyclic, 5619

of trypanosomes

interplay with immune response, 5979

variant AnTat 1.1.

of *T. b. brucei* surface glycoprotein, 5654

variant-specific surface antigen

gene expression, *T. brucei* (review), 5678

telomeric expression site, *T. brucei*, 5670

variant surface antigen

expression in trypanosomes (review), 5859

of *T. brucei*, 5796

of *T. congolense*, crosslinking of, 5662

variant surface glycoprotein (VSG)

T. brucei

biosynthesis, 5652

of membrane anchor, 6020

genes

expression site, 6036

shared surface epitopes, 5789

telomeric

conserved sequence organisation, 5891

frequent loss of, 5890

transcripts from co-transposed segment, 5788

UV enrichment, of intergenic transcripts, 6018

glycolipid

anchor, intermediates in biosynthesis, 5799

membrane anchor, 5900, 6020

biosynthesis, involvement of Dol-P-Man, 6013

cross-reacting determinant for, 5687

precursor

mannose and myristic acid incorporation, 5803

loss of, during differentiation, 5811

mapping on of antigenic determinants, 5794

release during differentiation, 5793

T. b. brucei

biochemistry of attachment and release, 5924

crystallisation, amino-terminal domains, 5675

domain fragments, 5675

epitopes, 5903

myristylated disulfide-linked dimer, 5901

variability in association, 5665

T. b. gambiense, genes, 5892

T. congolense

endocytosis of and intracellular occurrence, 5663

trypanosome, membrane anchor, 5904

vectorial capacity

of haematophagous insects, 5820

of tsetse, 5939, 5966

virulence

of *T. b. gambiense* stocks, Congo, 5842

of *T. congolense* clones, 5748

of *T. simiae* for pigs, factors, 5866

of *T. vivax* serodeme, in sheep and mice, 5628

of trypanosome species, effect on severity of anaemia, 5865

of trypanosome strains, 5719

virus

in *G. pallidipes*, effects of, 5575

-like particles, in *G. p. gambiensis* midgut, 5578

tsetse, potential for in biological control, 5575

visual stimuli

flight response to, in *G. pallidipes*, 5828

role in mating response in *G. m. morsitans*, 5826

WR 163577 *see* bisquinaldine

warthog

as host for *G. m. morsitans*, blood meals from, 5567

waterbuck

as host for *G. m. morsitans*, blood meals from, 5567

water buffalo

drug treatment in, 5767

T. congolense isolates from, 5767

wildebeest

as host for *G. m. morsitans*, blood meals from, 5567

wildlife

survey of trypanosomiasis in,

in Luangwa Valley, Zambia, 5841

Woo/HCT

for parasitological testing, 5830

X chromosome

- in *Glossina* spp. hybrid males
 - interaction with autosomes, 5571, 5821
 - interaction with Y chromosomes, 5571, 5821
- intrachromosomal recombination, suppression, 5822
- involvement in fertility, 5822
- involvement in male sterility, 5571, 5821
- loci for arginine phosphokinase, 5822
- loci for glucose-6-phosphate dehydrogenase, 5822

Y chromosome

- in *Glossina* spp. hybrids
 - interaction with X chromosomes, 5571, 5821

Zaire

- G. palpalis* in, 5950
- liveweight studies in cattle, 5750
- trypanosome parasitaemias in livestock, 5732, 5735, 5750
- trypanosome prevalence in livestock, 5732, 5750
- trypanosomiasis in cattle
 - N'Dama village herds, 5732
- trypanosomiasis in humans
 - detection of, 5972
 - gambiense*, in Kinshasa, 5599
 - in Matadi, 5950
 - treatment with DFMO, 5608
- trypanosomiasis risk in
 - effect on N'Dama productivity, 5745
- trypanotolerance, studies
 - blood grouping in N'Dama cattle, 5758
 - heritability of
 - in N'Dama cattle, 5760
 - in Sahiwal/Ayrshire cows, 5760
 - reproductive performance, cattle, 5757
- trypanotolerant cattle in, 5563, 5750, 5757

Zambia

- field trials of tsetse repellents, 5834
- G. m. centralis* in, 5834
 - in Keembe pocket, 5706
 - in Mumbwa, 5706
 - populations, genetics, 5706
- G. m. morsitans* in
 - in Luangwa Valley, 5956
 - rearing of, 5566, 5819
- land use planning capability, 5945
- Luangwa Valley
 - G. m. morsitans* in, 5956
 - T. b. rhodesiense* in, 5852
 - prevalence in south, 5847
 - wildlife, survey for trypanosomiasis, 5841
- trypanosomiasis in humans, 5841
- Tsetse and Trypanosomiasis Control Project, 5941, 5945
- tsetse control in, 5945

zebra

- characterisation of *T. b. rhodesiense* from, 5841

transmission of human trypanosomiasis, 5841

Zimbabwe

field studies on *G. m. morsitans*, 5582, 5583, 5823, 5827

field studies on *G. pallidipes*, 5582, 5583, 5827

G. pallidipes from, laboratory-bred

comparison with Ugandan stock, 5951

land use planning capability, 5945

Tsetse and Trypanosomiasis Control Project, 5941, 5945

Zambezi Valley, rural development

effect on tsetse control policy, 5927

zymodemes

in characterisation of trypanosomes, 5719

representing different serodemes

in *T. b. rhodesiense* stocks, 5977