



Food and Agriculture  
Organization of the  
United Nations

# Global Forest Resources Assessment 2020

Report

**Somalia**

Rome, 2020



FAO has been monitoring the world's forests at 5 to 10 year intervals since 1946. The Global Forest Resources Assessments (FRA) are now produced every five years in an attempt to provide a consistent approach to describing the world's forests and how they are changing. The FRA is a country-driven process and the assessments are based on reports prepared by officially nominated National Correspondents. If a report is not available, the FRA Secretariat prepares a desk study using earlier reports, existing information and/or remote sensing based analysis.

This document was generated automatically using the report made available as a contribution to the FAO Global Forest Resources Assessment 2020, and submitted to FAO as an official government document. The content and the views expressed in this report are the responsibility of the entity submitting the report to FAO. FAO cannot be held responsible for any use made of the information contained in this document.

## TABLE OF CONTENTS

### Introduction

1. Forest extent, characteristics and changes
2. Forest growing stock, biomass and carbon
3. Forest designation and management
4. Forest ownership and management rights
5. Forest disturbances
6. Forest policy and legislation
7. Employment, education and NWFP
8. Sustainable Development Goal 15

# Introduction

## Report preparation and contact persons

The present report was prepared by the following person(s)

Name	Role	Email	Tables
Hashi Osman Mohamed	National correspondent	hashi141@hotmail.com	All

## Introductory text

Place an introductory text on the content of this report

# 1 Forest extent, characteristics and changes

## 1a Extent of forest and other wooded land

### National data

#### Data sources

1980	References	FAO. 1988. Interim Report. FAO
	Methods used	Full-cover forest/vegetation maps
	Additional comments	


#### Classifications and definitions

1980	National class	Definition
	Closed Forest	40%) of the ground and do not have a continuous dense grass layer (cf. following the definition). They are either managed or unmanaged forests , primary or in advanced state of reconstitution and may have been logged-over one or more times, having kept their characteristics of forest stands, possibly with modified structure and composition. Typical examples of tropical closed forest formations include tropical rain forest and mangrove forest." /> Closed Forest defined by FAO FRA 1980 ( Formation where trees in the various storeys and the undergrowth cover a high proportion (> 40%) of the ground and do not have a continuous dense grass layer (cf. following the definition). They are either managed or unmanaged forests , primary or in advanced state of reconstitution and may have been logged-over one or more times, having kept their characteristics of forest stands, possibly with modified structure and composition. Typical examples of tropical closed forest formations include tropical rain forest and mangrove forest.
	Open Forests	Formations with discontinuous tree layer but with a coverage of at least 10% and less than 40%. Generally there is a continuous grass layer allowing grazing and spreading of fires. (example are various forms of cerrado, and chaco in Latin America, wooded savannahs and woodlands in Africa
	plantation	

#### Original data and reclassification

1980	Classifications and definitions		FRA classes		
	Class	Area (1000 ha)	Forest	Other wooded land	Other land

	Closed Forest	1 537.00	100.00 %	0.00 %	0.00 %
	Open Forests	7 510.00	100.00 %	0.00 %	0.00 %
	plantation	3.00	100.00 %	0.00 %	0.00 %
	<b>Total</b>	<b>9 050.00</b>	<b>9 050.00</b>	<b>0.00</b>	<b>0.00</b>



FRA categories	Area (1000 ha)								
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Forest (a)	8 282.50	7 515.00	6 747.50	6 363.75	6 287.00	6 210.25	6 133.50	6 056.75	5 980.00
Other wooded land (a)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other land (c-a-b)	54 451.50	55 219.00	55 986.50	56 370.25	56 447.00	56 523.75	56 600.50	56 677.25	56 754.00
Total land area (c)	62 734.00	62 734.00	62 734.00	62 734.00	62 734.00	62 734.00	62 734.00	62 734.00	62 734.00

The FAOSTAT land area figure for the year 2015 is used for all reference years

Climatic domain	% of forest area 2015	Override value
Boreal	0.00	
Temperate	0.00	
Sub-tropical	0.00	
Tropical	100.00	

Comments

The forecasted data are slightly different from FRA 2015 reporting. The reason is that a slightly different change rate was applied (-76.78 (1000ha/year). There is no information about the extent of other wooded land and it has therefore been reported as zero, although there are certainly areas that comply with the definition for other wooded land.



1b Forest characteristics

National data

Data sources

1980	References	FAO. 1988. Interim Report. FAO
	Methods used	Full-cover forest/vegetation maps
	Additional comments	

Classifications and definitions


1980	National class	Definition
	Closed Forest	40%) of the ground and do not have a continuous dense grass layer (cf. following the definition). They are either managed or unmanaged forests , primary or in advanced state of reconstitution and may have been logged-over one or more times, having kept their characteristics of forest stands, possibly with modified structure and composition. Typical examples of tropical closed forest formations include tropical rain forest and mangrove forest." /> Closed Forest defined by FAO FRA 1980 ( Formation where trees in the various storeys and the undergrowth cover a high proportion (> 40%) of the ground and do not have a continuous dense grass layer (cf. following the definition). They are either managed or unmanaged forests , primary or in advanced state of reconstitution and may have been logged-over one or more times, having kept their characteristics of forest stands, possibly with modified structure and composition. Typical examples of tropical closed forest formations include tropical rain forest and mangrove forest.
	Open Forests	Formations with discontinuous tree layer but with a coverage of at least 10% and less than 40%. Generally there is a continuous grass layer allowing grazing and spreading of fires. (example are various forms of cerrado, and chaco in Latin America, wooded savannahs and woodlands in Africa
	plantation	

Original data and reclassification

1980	Classifications and definitions		FRA classes		
	Class	Area (1000 ha)	Naturally regenerating forest	Plantation forest	Other planted forest
	Closed Forest	1 537.00	100.00 %	0.00 %	%

	Open Forests	7 510.00	100.00 %	0.00 %	%
	plantation	3.00	0.00 %	100.00 %	%
	Total	9 050.00	9 047.00	3.00	—

Plantation forest	Area (1000 ha)	...of which introduced
plantation	3.00	%
Total	3.00	—



FRA categories	Forest area (1000 ha)								
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Naturally regenerating forest (a)	8 279.50	7 512.00	6 744.50	6 360.75	6 284.00	6 207.25	6 130.50	6 053.75	5 977.00
<b>Planted forest (b)</b>	<b>3.00</b>	<b>3.00</b>	<b>3.00</b>	<b>3.00</b>	<b>3.00</b>	<b>3.00</b>	<b>3.00</b>	<b>3.00</b>	<b>3.00</b>
Plantation forest	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00
...of which introduced species	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other planted forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total (a+b)</b>	<b>8 282.50</b>	<b>7 515.00</b>	<b>6 747.50</b>	<b>6 363.75</b>	<b>6 287.00</b>	<b>6 210.25</b>	<b>6 133.50</b>	<b>6 056.75</b>	<b>5 980.00</b>
<b>Total forest area</b>	<b>8 282.50</b>	<b>7 515.00</b>	<b>6 747.50</b>	<b>6 363.75</b>	<b>6 287.00</b>	<b>6 210.25</b>	<b>6 133.50</b>	<b>6 056.75</b>	<b>5 980.00</b>

## Comments

The area of planted forest (3000 hectares) is assumed to have remained constant.

## **1c Primary forest and special forest categories**

### **National Data**

**Data sources + type of data source eg NFI, etc**

-

**National classification and definitions**

-

**Original data**

-

### **Analysis and processing of national data**

**Estimation and forecasting**

-

**Reclassification into FRA 2020 categories**

-

FRA categories	Area (1000 ha)				
	1990	2000	2010	2015	2020
Primary forest					
Temporarily unstocked and/or recently regenerated	0.00	0.00	0.00	0.00	0.00
Bamboos	0.00	0.00	0.00	0.00	0.00
Mangroves					
Rubber wood	0.00	0.00	0.00	0.00	0.00

Comments

1d Annual forest expansion, deforestation and net change

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Area (1000 ha/year)			
	1990-2000	2000-2010	2010-2015	2015-2020
Forest expansion (a)	0.00	0.00	0.00	0.00
...of which afforestation				
...of which natural expansion				
Deforestation (b)	76.75	76.75	76.75	76.75
Forest area net change (a-b)	-76.75	-76.75	-76.75	-76.75

Comments



## 1e Annual reforestation

### National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

### Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Area (1000 ha/year)			
	1990-2000	2000-2010	2010-2015	2015-2020
Reforestation				

Comments

Data not available.

## 1f Other land with tree cover

### National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

### Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Area (1000 ha)				
	1990	2000	2010	2015	2020
Palms (a)					
Tree orchards (b)					
Agroforestry (c)					
Trees in urban settings (d)					
Other (specify in comments) (e)					
Total (a+b+c+d+e)	–	–	–	–	–
Other land area	54 451.50	55 219.00	55 986.50	56 370.25	56 754.00

Comments

Data not available.

2 Forest growing stock, biomass and carbon

2a Growing stock

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Growing stock m³/ha (over bark)								
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Naturally regenerating forest	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
Planted forest	80.00	80.00	80.00	80.00	80.00	80.00	80.00	80.00	80.00
...of which plantation forest	80.00	80.00	80.00	80.00	80.00	80.00	80.00	80.00	80.00
...of which other planted forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Forest	50.01	50.01	50.01	50.01	50.01	50.01	50.02	50.02	50.02
Other wooded land									

FRA categories	Total growing stock (million m³ over bark)								
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Naturally regenerating forest	413.98	375.60	337.23	318.04	314.20	310.36	306.53	302.69	298.85
Planted forest	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
...of which plantation forest	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
...of which other planted forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Forest	414.22	375.84	337.47	318.28	314.44	310.60	306.77	302.93	299.09
Other wooded land									

Comments

2b Growing stock composition

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Scientific name	Common name	Growing stock in forest (million m³ over bark)				
			1990	2000	2010	2015	2020
Native tree species							
#1 Ranked in terms of volume							
#2 Ranked in terms of volume							
#3 Ranked in terms of volume							
#4 Ranked in terms of volume							
#5 Ranked in terms of volume							
#6 Ranked in terms of volume							
#7 Ranked in terms of volume							
#8 Ranked in terms of volume							
#9 Ranked in terms of volume							
#10 Ranked in terms of volume							
Remaining native tree species							
Total volume of native tree species			–	–	–	–	–
Introduced tree species							
#1 Ranked in terms of volume							
#2 Ranked in terms of volume							
#3 Ranked in terms of volume							
#4 Ranked in terms of volume							
#5 Ranked in terms of volume							
Remaining introduced tree species							
Total volume of introduced tree species			–	–	–	–	–
Total growing stock			–	–	–	–	–

Comments



2c Biomass stock

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Analysis and processing of national data

Estimation and forecasting

Insert the percentages of Growing stock by IPCC forest type for each of the FRA forest categories									
IPCC forest types	FRA forest categories								
	Naturally regenerating forest	Plantation forest	Other planted forest						
	% of Growing stock								
Broadleaved humid	0%	0%	0%						
Broadleaved dry	100%	50%	100%						
Coniferous		50%							
	100%	100%	100%	Must add up to 100%					
Insert Carbon fraction used by country (IPCC default = 0.47)									
Carbon Fraction	47%								
Biomass conversion and expansion factors (BCEF)									
Naturally regenerating forest	1990	2000	2010	2015	2016	2017	2018	2019	2020
Broadleaved humid	2.05	2.05	2.05	2.05	2.05	2.05	2.05	2.05	2.05
Broadleaved dry	2.05	2.05	2.05	2.05	2.05	2.05	2.05	2.05	2.05
Coniferous	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

<b>Plantation forest</b>									
Broadleaved humid	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
Broadleaved dry	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
Coniferous	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76
<b>Other planted forest</b>									
Broadleaved humid	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Broadleaved dry	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Coniferous	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75
<b>Weighted BCEF</b>									
Naturally regenerating forest	2.05	2.05	2.05	2.05	2.05	2.05	2.05	2.05	2.05
Plantation forest	1.13	1.13	1.13	1.13	1.13	1.13	1.13	1.13	1.13
Other planted forest	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
<b>Root-shoot ratios</b>									
<b>Naturally regenerating forest</b>	<b>1990</b>	<b>2000</b>	<b>2010</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>	<b>2020</b>
Broadleaved humid	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Broadleaved dry	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
Coniferous	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29
<b>Plantation forest</b>									
Broadleaved humid	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Broadleaved dry	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
Coniferous	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29
<b>Other planted forest</b>									
Broadleaved humid	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Broadleaved dry	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
Coniferous	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
<b>Weighted RS ratio</b>									
Naturally regenerating forest	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
Plantation forest	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29
Other planted forest	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56

Above-ground biomass (t/ha)									
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Naturally regenerating forest	102.50	102.50	102.50	102.50	102.50	102.50	102.50	102.50	102.50
Plantation forest	90.40	90.40	90.40	90.40	90.40	90.40	90.40	90.40	90.40
Other planted forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	102.50	102.50	102.49	102.49	102.49	102.49	102.49	102.49	102.49
Below-ground biomass (t/ha)									
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Naturally regenerating forest	28.70	28.70	28.70	28.70	28.70	28.70	28.70	28.70	28.70
Plantation forest	25.76	25.76	25.76	25.76	25.76	25.76	25.76	25.76	25.76
Other planted forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	28.70	28.70	28.70	28.70	28.70	28.70	28.70	28.70	28.70
Copy highlighted biomass values into FRA platform table 2c									
Forest biomass (tonnes/ha)	1990	2000	2010	2015	2016	2017	2018	2019	2020
Above-ground biomass	102.50	102.50	102.49	102.49	102.49	102.49	102.49	102.49	102.49
Below-ground biomass	28.70	28.70	28.70	28.70	28.70	28.70	28.70	28.70	28.70

Reclassification into FRA 2020 categories

-

FRA categories	Forest biomass (tonnes/ha)								
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Above-ground biomass	102.50	102.50	102.49	102.49	102.49	102.49	102.49	102.49	102.49
Below-ground biomass	28.70	28.70	28.70	28.70	28.70	28.70	28.70	28.70	28.70
Dead wood									

Comments

## 2d Carbon stock

### National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

### Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Forest carbon (tonnes/ha)								
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Carbon in above-ground biomass	48.17	48.17	48.17	48.17	48.17	48.17	48.17	48.17	48.17
Carbon in below-ground biomass	13.49	13.49	13.49	13.49	13.49	13.49	13.49	13.49	13.49
Carbon in dead wood									
Carbon in litter									
Soil carbon									

Soil depth (cm) used for soil carbon estimates	
--	--

Comments

3 Forest designation and management

3a Designated management objective

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

Primary designated management objective

FRA 2020 categories	Forest area (1000 ha)				
	1990	2000	2010	2015	2020
Production (a)					
Protection of soil and water (b)					
Conservation of biodiversity (c)					
Social Services (d)					
Multiple use (e)					
Other (specify in comments) (f)					
None/unknown (g)	8 282.50	7 515.00	6 747.50	6 363.75	5 980.00
Total forest area	8 282.50	7 515.00	6 747.50	6 363.75	5 980.00

Total area with designated management objective

FRA 2020 categories	Forest area (1000 ha)				
	1990	2000	2010	2015	2020
Production					
Protection of soil and water					
Conservation of biodiversity					
Social Services					
Other (specify in comments)					

Comments



3b Forest area within protected areas and forest area with long-term management plans

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Area (1000 ha)								
	1990	2000	2010	2015	2016	2017	2018	2019	2020
Forest area within protected areas									
Forest area with long-term forest management plan									
...of which in protected areas									

Comments

4 Forest ownership and management rights

4a Forest ownership

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Forest area (1000 ha)			
	1990	2000	2010	2015
Private ownership (a)	0.00	0.00	0.00	0.00
...of which owned by individuals	0.00	0.00	0.00	0.00
...of which owned by private business entities and institutions	0.00	0.00	0.00	0.00
...of which owned by local, tribal and indigenous communities	0.00	0.00	0.00	0.00
Public ownership (b)	8 282.50	7 515.00	6 747.50	6 363.75
Unknown/other (specify in comments) (c)	0.00	0.00	0.00	0.00
Total forest area	8 282.50	7 515.00	6 747.50	6 363.75

## Comments

## 4b Holder of management rights of public forests

### National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

### Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Forest area (1000 ha)			
	1990	2000	2010	2015
Public Administration (a)	0.00	0.00	0.00	0.00
Individuals (b)	0.00	0.00	0.00	0.00
Private business entities and institutions (c)	828.25	751.50	674.75	636.40
Local, tribal and indigenous communities (d)	7 454.25	6 763.50	6 072.75	5 727.35
Unknown/other (specify in comments) (e)	0.00	0.00	0.00	0.00
Total public ownership	8 282.50	7 515.00	6 747.50	6 363.75

### Comments

10 percent is for private business and 90 percent for local.tribal and indigenous communitis

## 5 Forest disturbances

### 5a Disturbances

#### National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

#### Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Area (1000 ha)																	
	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Insects (a)																		
Diseases (b)																		
Severe weather events (c)																		
Other (specify in comments) (d)																		
Total (a+b+c+d)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total forest area	7 515.00	-	-	-	-	-	-	-	-	-	6 747.50	-	-	-	-	6 363.75	6 287.00	6 210.25

Comments



5b Area affected by fire

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Analysis and processing of national data

Estimation and forecasting

-

Reclassification into FRA 2020 categories

-

FRA categories	Area (1000 ha)																	
	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Total land area affected by fire																		
...of which on forest																		

Comments

Data not available

5c Degraded forest

Does your country monitor area of degraded forest		No
If "yes"	What is the national definition of "Degraded forest"?	
	Describe the monitoring process and results	

Comments

6 Forest policy and legislation

6a Policies, Legislation and national platform for stakeholder participation in forest policy

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

Indicate the existence of	Boolean (Yes/No)	
	National	Sub-national
Policies supporting SFM	No	No
Legislations and regulations supporting SFM	Yes	No
Platform that promotes or allows for stakeholder participation in forest policy development	No	No
Traceability system(s) for wood products	Yes	No

Comments

6b Area of permanent forest estate

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

FRA 2020 categories	Forest area (1000 ha)					
	Applicable?	1990	2000	2010	2015	2020
Area of permanent forest estate	No					

Comments

7 Employment, education and NWFP

7a Employment in forestry and logging

National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-



FRA 2020 categories	Full-time equivalents (1000 FTE)											
	1990			2000			2010			2015		
	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male
Employment in forestry and logging	11.04	0.02	11.02	22.09	0.04	22.05	33.13	0.06	33.07	22.09	0.04	22.05
...of which silviculture and other forestry activities												
...of which logging												
...of which gathering of non wood forest products												
...of which support services to forestry												

Comments

The main employment in forestry is charcoal activities that includes charcoal producing, travsporting and selling for local consumpton and export

## 7b Graduation of students in forest-related education

### National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

FRA 2020 categories	Number of graduated students											
	1990			2000			2010			2015		
	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male
Doctoral degree	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Master's degree	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Bachelor's degree	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Technician certificate / diploma	0.00	0.00	0.00	0.00								
Total												

Comments

In our ininstitution we do not have any person studied in forest as far i know and we are badly in need for them.

we have those studied biology

## 7c Non wood forest products removals and value 2015

### National Data

Data sources + type of data source eg NFI, etc

-

National classification and definitions

-

Original data

-

	Name of NWFP product	Key species	Quantity	Unit	Value (1000 local currency)	NWFP category
#1	fruit	dobera glabra		N/A		1 Food
#2	Fruit	ziziphus mauritiana		N/A		1 Food
#3	fruit	cordia sinensid		N/A		1 Food
#4	fruit	tamarinndus indica		N/A		1 Food
#5	fruit	phoenix dactylifera		N/A		1 Food
#6	fruit	cordeauxia edulis		N/A		1 Food
#7	gum	acacia senegal		N/A		3 Raw material for medicine and aromatic products
#8	gum	commiphora myrrh		N/A		3 Raw material for medicine and aromatic products
#9	gum	acacia horrida		N/A		3 Raw material for medicine and aromatic products
#10	gum	acacia tortilis		N/A		3 Raw material for medicine and aromatic products
All other plant products						
All other animal products						
Total					-	

Name of currency	
------------------	--

Comments

8 Sustainable Development Goal 15

8a Sustainable Development Goal 15

SDG Indicator 15.1.1 Forest area as proportion of total land area 2015

Indicator	Percent							
	2000	2010	2015	2016	2017	2018	2019	2020
Forest area as proportion of total land area 2015	11.98	10.76	10.14	10.02	9.90	9.78	9.65	9.53

Name of agency responsible	Department of Forestry & Range-MLFR
----------------------------	-------------------------------------

SDG Indicator 15.2.1 Progress towards sustainable forest management

Sub-Indicator 1	Percent						
	2000-2010	2010-2015	2015-2016	2016-2017	2017-2018	2018-2019	2019-2020
Forest area annual net change rate	-1.07	-1.16	-1.22	-1.24	-1.25	-1.27	-1.28

Name of agency responsible	Department of Forestry & Range-MLFR
----------------------------	-------------------------------------

Sub-Indicator 2	Forest biomass (tonnes/ha)							
	2000	2010	2015	2016	2017	2018	2019	2020
Above-ground biomass stock in forest	102.50	102.49	102.49	102.49	102.49	102.49	102.49	102.49

Name of agency responsible	Department of Forestry & Range-MLFR
----------------------------	-------------------------------------

Sub-Indicator 3	Percent (2015 forest area baseline)							
	2000	2010	2015	2016	2017	2018	2019	2020
Proportion of forest area located within legally established protected areas	–	–	–	–	–	–	–	–

Name of agency responsible	Department of Forestry & Range-MLFR
----------------------------	-------------------------------------

Sub-Indicator 4	Percent (2015 forest area baseline)							
	2000	2010	2015	2016	2017	2018	2019	2020
Proportion of forest area under long-term forest management plan	–	–	–	–	–	–	–	–

Name of agency responsible	Department of Forestry & Range-MLFR
----------------------------	-------------------------------------

Sub-Indicator 5	Forest area (1000 ha)							
	2000	2010	2015	2016	2017	2018	2019	2020
Forest area under independently verified forest management certification schemes	0.00	0.00	0.00	0.00	0.00	0.00	–	–