







Food and Agriculture
Organization of the
United Nations

COUNTRY REPORTS
Belgium



Country Report Supporting the Preparation of the
First Report on *The State of the World's Aquatic
Genetic Resources for Food and Agriculture*

This Country Report has been submitted by the national authorities as a contribution to the Food and Agriculture Organization of the United Nations (FAO) publication, *The State of the World's Aquatic Genetic Resources for Food and Agriculture*. The information in this Country Report has not been verified by FAO, and its content is entirely the responsibility of the entity preparing the Country Report, and does not necessarily represent the views of FAO, or its Members. The designations employed and the presentation of material do not imply the expression of any opinion whatsoever on the part of FAO concerning legal or development status of any country, territory, city or area or of its authorities or concerning the delimitation of its frontiers or boundaries. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO in preference to others of a similar nature that are not mentioned.



Food and Agriculture
Organization of the
United Nations

COMMISSION ON
GENETIC RESOURCES
FOR FOOD AND
AGRICULTURE

**Questionnaire for the Preparation of
Country Reports for *the First State of
the World's Aquatic Genetic Resources
for Food and Agriculture***

COMMISSION ON
GENETIC RESOURCES
FOR FOOD AND
AGRICULTURE



INSTRUCTIONS FOR COMPLETING THE DYNAMIC GUIDELINES

How do I complete the dynamic guidelines?

1. You will require Adobe Reader to open the dynamic guidelines. Adobe Reader can be downloaded free of charge from: <http://get.adobe.com/uk/reader/otherversions/>. Use Adobe Reader Version 10 or higher.
2. Open the dynamic guidelines and save it (save as a pdf) on your hard drive.
3. Please rename it <name of your country>.pdf.
4. You may forward the dynamic guidelines to stakeholders you would like to involve or inform by e-mail. You may also print and/or save the dynamic guidelines.
5. It is advisable to prepare textual responses (including any formatting such as bullet points) first in a separate document and then to copy and paste them into the form. Please use font Arial 10. Acronyms and abbreviations should be avoided if possible. If included, they must be introduced (i.e. written out in full) the first time they are used. Note that the text boxes are expandable. Once text has been entered, the box will automatically enlarge to make its content fully visible when you click outside its border. To delete a row you have added, click on the "X" on the far right of the table
6. When you have finished completing the dynamic guidelines, click the "Submit form" button at the end of the form and send the completed dynamic guidelines to Devin.Bartely@fao.org; Matthias.Halwart@fao.org; and ruth.garciagomez@fao.org.
7. This should automatically attach the document to an email that you can then send. Otherwise, please attach the completed dynamic guidelines manually to an e-mail and send it to Devin.Bartely@fao.org; Matthias.Halwart@fao.org; and ruth.garciagomez@fao.org.
8. A letter confirming official endorsement by relevant authorities should also be attached to the email.
9. You will receive a confirmation that the submission was successful.

Where can I get further assistance?

If you have any questions regarding the dynamic guidelines, please contact Devin.Bartely@fao.org; Matthias.Halwart@fao.org; ruth.garciagomez@fao.org

Several websites provide useful information on aquatic species that can be consulted for proper species names and for information on aquatic genetic resources: [AlgaeBase](http://www.algaebase.org), [Aquamaps](http://www.aquamaps.org), [Barcode of Life](http://www.barcodeoflife.org), [Census of Marine Life](http://www.censusofmarinelife.org), [FishBase](http://www.fishbase.org), [Frozen Ark](http://www.frozenark.org), [GenBank](http://www.genbank.org), [Global Biodiversity Information Facility](http://www.gbif.org), [International Union for Conservation of Nature](http://www.iucn.org), [National Institutes of Health Database on Genomes and Bioinformatics](http://www.nih.gov), [Ornamental Fish International](http://www.sealifebase.org), [SealifeBase](http://www.sealifebase.org), [Sea Around Us](http://www.searoundsus.org), and [World Register of Marine Species](http://www.marinespecies.org).

How, by whom and by when must the completed dynamic guidelines be submitted?

Once officially endorsed by the relevant authorities, the completed dynamic guidelines should be submitted (click the "Submit form" button on the header banner) by the National Focal Point. **Completed dynamic guidelines should be sent by December 31st 2015.**

www.algaebase.org
www.aquamaps.org
www.barcodeoflife.org
www.coml.org
www.fishbase.org
www.frozenark.org
www.genbank.org
www.gbif.org
www.iucn.org
<http://discover.nci.nih.gov/>
www.ornamental-fish-int.org
www.sealifebase.org
www.searoundsus.org
www.marinespecies.org

I. INTRODUCTION

At its Thirteenth Regular Session, the Commission noted that the preparation of a country-driven *State of the World's Aquatic Genetic Resources for Food and Agriculture* would provide countries with opportunities for assessing the status of their aquatic genetic resources for food and agriculture and enhancing the contributions of aquatic genetic resources to food security and rural development. Additionally the process of producing Country Reports will assist countries in determining their needs and priorities for the conservation and sustainable use of aquatic genetic resources for food and agriculture, and will help raise awareness among policy-makers.

II. COUNTRY REPORTS

As with the other sectors, *The State of the World's Aquatic Genetic Resources for Food and Agriculture (SoWAqGR)* will be compiled from Country Reports. It is recognized that guidance is necessary in order to assist countries in completing those reports under a common framework. The Country Reports will become official government documents submitted to FAO.

The following questionnaire is the suggested format for the preparation and submission of Country Reports. The questionnaire has been prepared by FAO to assist in the preparation of Country Reports contributing to the SoWAqGR Report. It has been designed to assist countries to undertake a strategic assessment of their aquatic genetic resources for food and agriculture.

The scope of the first State of the World's Aquatic Genetic Resources for Food and Agriculture, and therefore the emphasis in the Country Reports, is farmed aquatic species and their wild relatives within national jurisdiction.

Country Reports should:

- become powerful tools for improving the conservation, sustainable use and development of aquatic genetic resources for food and agriculture, at national and regional levels;
- identify threats to aquatic genetic resources, gaps in information about aquatic genetic resources and needs for the strengthening of national capacity to manage aquatic genetic resources effectively;
- inform the development of national policies, legislation, research and development, education, training and extension concerning the conservation, sustainable use and development of aquatic genetic resources for food and agriculture;
- contribute to raising public awareness about the importance of aquatic genetic resources for food and agriculture;
- complement other national reporting activities on the conservation, sustainable use and development of aquatic genetic resources.

Timeline and process

In line with the overall process, as established by the Commission, the Director-General of FAO sent a Circular State Letter on 19 April 2012 to countries requesting them to identify National Focal Points for the preparation of Country Reports by 31 December, 2015.

The following steps are recommended in preparing the Country Report, using a participatory approach:

- Each participating country should appoint a National Focal Point for the coordination of the preparation of the Country Report who will also act as focal point to FAO. National Focal Points should be communicated to the Secretary, Commission on Genetic Resources for Food and Agriculture (cgrfa@fao.org) immediately.
- Countries are encouraged to establish a national committee to oversee the preparation of the Country Report. The national committee should consist of as many representative stakeholders as practical (representing government, industry, research and civil society).
- The national committee should meet frequently to review progress and consult widely with key stakeholders.

- The National Focal Point should coordinate the preparation of the first draft of the Country Report, which should be reviewed by the national committee. The National Focal Point should facilitate a consultative process for broader stakeholder review.
- Following the stakeholder review, the National Focal Point should coordinate the finalization of the Country Report, submit it to the government for official endorsement and transmit it to FAO in one of the Organization's official languages (Arabic, Chinese, English, French, Russian and Spanish) by 31 December 2015.
- The Country Report will be an official government report.
- If countries are unable to submit final Country Reports by the set deadline, preliminary reports of findings should be provided to FAO to contribute to the identification of global priorities for inclusion in the SoWAqGR Report.

**QUESTIONNAIRE FOR PREPARATION OF COUNTRY REPORTS FOR
THE STATE OF THE WORLD'S AQUATIC GENETIC RESOURCES FOR FOOD
AND AGRICULTURE**

Country report supporting the preparation of
The State of the World's Aquatic Genetic Resources for Food and Agriculture

Country	Belgium
Prepared By	Jolien Goossens
Date	Sep 20, 2016

TABLE OF CONTENTS

	Page
I.EXECUTIVE SUMMARY	6
II.INTRODUCTION	6
III.MAIN BODY OF THE COUNTRY REPORT	6
Chapter 1. The Use and Exchange of Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction	6
Chapter 2. Drivers and Trends in Aquaculture: Consequences for Aquatic Genetic Resources within National Jurisdiction	36
Chapter 3. <i>In Situ</i> Conservation of Aquatic Genetic Resources of Farmed Aquatic Species and their wild Relatives within National Jurisdiction	44
Chapter 4. <i>Ex Situ</i> Conservation of Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction	49
Chapter 5. Stakeholders with Interests in Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction	52
Chapter 6. National Policies and Legislation for Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction	59
Chapter 7. Research, Education, Training and Extension on Aquatic Genetic Resources within National Jurisdiction: Coordination, Networking and Information	64
Chapter 8. International Collaboration on Aquatic Genetic Resources of Farmed Aquatic Species and Their Wild Relatives	79

I. EXECUTIVE SUMMARY

The Country Report should contain an executive summary of 2-3 pages highlighting the main findings of the analysis and providing an overview of key issues, constraints and existing capacity to address the issues and challenges. The executive summary should indicate trends and driving forces and present an overview of the proposed strategic directions for future actions aimed at the national, regional and global levels.

Please include the Executive Summary here.

The Belgian aquaculture sector is very small and diverse. In 2013 the total production was estimated to be 332 tons at a value of 4.45 million euro. Governance of the aquaculture sector is a regional subject. The Flemish sector is limited to less than 20 companies. The sector farms a diverse assemblage of species for consumption, for ornamental purposes, for recreational fishing or for the repopulation in rivers and ponds. In Wallonia, the main business is the production of trout. Production in the past years has decreased, but an increase is foreseen for the next decade.

The general goal for Belgian aquaculture is the growth of the sector with a focus on sustainability. The operational program (in the context of the national strategic plan for fisheries and aquaculture of 2014 – 2020) aims to increase the aquaculture production up to 700 tons by 2022, with a value of 7 million euro. The foreseen production in 2023 would then consist of 1032 tons per year. As to reach these objectives, some priorities were set. Sustainability in aquaculture development would be vital, with a strong interest in recirculating aquaculture systems (RAS). Products with a high added value are expected to fare better on the market, as the competition with foreign, cheap farmed fish is very high. Commercialization and simplification of the license policies would provide important incentives for investments in the sector. Furthermore, the sharing of knowledge and an effective spatial planning are considered vital to further develop the sector.

The potential of a blooming aquaculture business was investigated through a SWOT analysis. A main strength is considered the scientific experience and research capabilities, regarding both the optimization of the production process, as well as the breeding techniques. On the other hand, the insignificant size of the Belgian sector and the lack of a coordinated national strategy in the past are regarded as important weaknesses.

II. INTRODUCTION

The main objective of the Introduction is to present an overview that will allow a person who is unfamiliar with the country to appreciate the context for the Country Report. The Introduction should present a broad overview and present background information from your country on farmed aquatic species, their wild relatives and culture based fisheries. Detailed information should be provided in the main body of the Country Report. Countries may wish to consider developing their Introductions after completing the main body of their Country Reports.

Please write the overview here

The Belgian aquaculture production consists of both marine and freshwater species. The marine production is very limited. Presently there is only one company, specialized in the farming of oysters (*Crassostrea gigas*, and in the past also *Ostrea edulis*). In the past, there has been a company specialized in the aquaculture of mussels (*Mytilus edulis*). Sea ranching of sea bass (*Dicentrarchus labrax*) and restocking of turbot (*Psetta maxima*) has also been undertaken in a research context. Aquaculture of freshwater species has diverse objectives. Pike perch (*Sander lucioperca*), trout (*Oncorhynchus mykiss*), European eel (*Anguilla anguilla*), shrimp (*Litopenaeus vannamei*) and sturgeon (several species) are bred for consumption. Several businesses sell both fish for ornamentation and fish for recreational fishing. Commercialized ornamental fish are (but not limited to): Koi carps (*Cyprinus carpio*), guppys (*Poecilia reticulata*), goldfish (*Carassius auratus*), crucian carps (*Carassius carassius*) and sturgeons (several species). Several other species, native to Belgian inland waters, are in aquaculture production for the restocking of the wild populations or for the use in recreational fisheries.

III. MAIN BODY OF THE COUNTRY REPORT

Aquaculture, culture-based fisheries and capture fisheries, have differing importance among countries. The structure of chapters in each Country Report will reflect those differences. Countries which do not have a well-developed aquaculture sector but where wild relatives of farmed aquatic species are located, should report on these resources. Countries should decide how to prioritize the coverage of their Country Reports depending on their aquatic genetic resources.

Chapter 1: The Use and Exchange of Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction

The main objective of Chapter 1 is to provide annotated inventories of aquatic genetic resources (AqGR) of farmed aquatic species and their wild relatives.

Farmed aquatic species

1. Over the last 10 years, has production been: *Please mark appropriate box.*

- Increasing
- Stable
- Decreasing
- Stopped
- Still in Research and Development
- Fluctuating
- Not known

2. What is the expected trend over the next 10 years? *Please mark appropriate box.*

- Increasing
- Stable
- Decreasing
- Stopped
- Still in Research and Development
- Fluctuating
- Not known

3. Is the identification and naming of farmed species, subspecies, hybrids, crossbreeds, strains, triploids, other distinct types accurate and up- to-date? *Please mark appropriate box.*

- Yes
- No
- Mostly Yes
- Mostly No

Please include any explanation or additional information here.

For the purpose of filling in this questionnaire correctly, species names were verified and checked against scientific databases. However, the information was only available at the species level. The correct identification of the species would also depend on the correct information provided by company owners.

4. To what extent are genetic data for farmed aquatic organisms

a) Available? *Please mark appropriate box.*

- Not at all
- To a minor extent
- To some extent
- To a great extent

b) Used in management? *Please mark appropriate box.*

- Not at all
- To a minor extent
- To some extent
- To a great extent

Please add any explanation here.

Genetic data are generally more available for species farmed for research purposes. Of the species farmed for aquaculture production, which are not involved in research projects, limited genetic data is available. Hence, genetic data, apart from the distinction between species, are generally not considered in management.

5. To what extent are the aquatic organisms farmed in your country sourced as wild seed or from wild brood stock?

Please mark appropriate box.

- Not at all
- To a minor extent
- To some extent
- To a great extent

Please add any explanation here.

The aquatic organisms farmed for consumption are rarely sourced from a wild brood stock. Oysters are an exception, as oyster seed is sometimes harvested from the wild population.

6. What proportions (%) of breeding programmes and efforts for the genetic improvement of farmed aquatic species in your country are being managed by the public sector (government research, universities etc.), the private sector, and public-private partnerships?

• Percent managed by public sector. **Please Enter Percentage Here**

• Percent managed by private sector. **Please Enter Percentage Here**

• Percent managed by private /public partnership. **Please Enter Percentage Here**

Total

Please add any explanation here.

7. To what extent do genetically improved aquatic organisms, including hybrids, crossbreeds, strains, triploids and other distinct types contribute to national aquaculture production in terms of volume ?

Please mark appropriate box.

- Not at all
- To a minor extent
- To some extent
- To a great extent

8. Please list most significant examples where genetic improvement contributed to increased production and indicate whether they were developed by public, private or public/private partnerships.

Add Row

Species	Type of genetic improvement <i>mark all that apply</i>	Developed By <i>mark all that apply</i>	
	<input type="checkbox"/> Traditional selective breeding	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Hybrids	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Triploids and other polyploids	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	X
	<input type="checkbox"/> Mono-sex production	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Other	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	

9. Please fill in table 1.1

Table 1.1 Aquatic genetic resources (AqGR) of farmed aquatic species in your country

Add Row							
Farmed species	Genetic type	Availability of genetic data	Trends in production	Future trends in production	Genetic improvement	Future genetic improvement	Comments
List species (scientific names), strains and varieties as scientific names (put in brackets the most widely used national common name or names) and indicate whether native or introduced	<i>Indicate all genetic types that apply to the species</i>	Are genetic data available for farmed populations? If yes, give summary details in comments	Over the last 10 years, production has been (mark one)	Expected trend over the next 10 years is that production will (mark one)	Which genetic technologies are currently being used on the species (mark all that apply)	mark all that apply	For example important traits improved, how data are used in management or name of breed, source of information, etc.
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type <input type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input checked="" type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	Due to difficulties with production, this species is now rarely used for aquaculture. The wild stock has also severely declined over the years.
Ostrea edulis							X

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Crassostrea gigas	<input type="checkbox"/> Selective bred type	<input type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input checked="" type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input checked="" type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	The production of this species of oyster generally fares very well. However, a virus has currently caused problems in the production.	X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input checked="" type="radio"/> Yes	<input type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Sander lucioperca	<input checked="" type="checkbox"/> Selective bred type	<input type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input checked="" type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							

<input checked="" type="radio"/> Native <input type="radio"/> Introduced								
Leuciscus idus	<input checked="" type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		X
<input checked="" type="radio"/> Native <input type="radio"/> Introduced								
Abramis brama	<input checked="" type="checkbox"/> Wild Type <input type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		X

<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Tinca tinca	<input checked="" type="checkbox"/> Selective bred type	<input type="radio"/> No	<input checked="" type="radio"/> Stable	<input checked="" type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input checked="" type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input type="checkbox"/> Selective breeding	<input type="checkbox"/> Selective breeding		
Anguilla anguilla	<input type="checkbox"/> Selective bred type	<input type="radio"/> No	<input checked="" type="radio"/> Stable	<input checked="" type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input checked="" type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							

<input checked="" type="radio"/> Native <input type="radio"/> Introduced								
Esox lucius	<input checked="" type="checkbox"/> Wild Type <input type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		X
<input checked="" type="radio"/> Native <input type="radio"/> Introduced								
Mytilus edulis	<input checked="" type="checkbox"/> Wild Type <input type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input checked="" type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input checked="" type="radio"/> Not known	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<p>One company was set up for the production of aquaculture mussels, but the company was stopped due to management issues.</p>	X

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Nannochloropsis oculata	<input checked="" type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input checked="" type="radio"/> Stable	<input checked="" type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		X
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Isochrysis galbana	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input checked="" type="radio"/> Stable	<input checked="" type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		X

<input checked="" type="radio"/> Native <input type="radio"/> Introduced								
Perca fluviatilis	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Selective bred type				<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		
	<input type="checkbox"/> Hybrids				<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Cross breeds				<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Strains				<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Varieties							
	<input type="checkbox"/> Polyploids							
<input checked="" type="radio"/> Native <input type="radio"/> Introduced								
Scardinius erythrophthalmus	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Selective bred type				<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		
	<input type="checkbox"/> Hybrids				<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Cross breeds				<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Strains				<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Varieties							
	<input type="checkbox"/> Polyploids							

<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input type="checkbox"/> Selective breeding	<input type="checkbox"/> Selective breeding		
Rutilus rutilus	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input checked="" type="radio"/> Stable	<input checked="" type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Carassius carassius	<input checked="" type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input checked="" type="radio"/> Stable	<input checked="" type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		
Ctenopharyngodon idellus								X
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		
Acipenser ruthenus								X

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Penaeus vannamei	<input checked="" type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input checked="" type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Acipenser baerii	<input checked="" type="checkbox"/> Selective bred type	<input type="radio"/> No	<input checked="" type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)			X
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)			X
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)			X
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)			X

Acipenser gueldenstaedtii

Huso huso

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input checked="" type="checkbox"/> Other (specify in comment)		
Cyprinus carpio	<input checked="" type="checkbox"/> Selective bred type						<p>It was attempted to perform selective breeding with Koi fish. However, it was seen that the "random" breeding produced healthier and prettier individuals than the selective breeding.</p>	X
	<input type="checkbox"/> Hybrids <input checked="" type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids							
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		
Cyprinidae	<input checked="" type="checkbox"/> Selective bred type							X
	<input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids							

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		X
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<p>The guppy is sold for aquaria. The species is imported, but not</p>	X
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		X

<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Salmo trutta	<input checked="" type="checkbox"/> Selective bred type	<input type="radio"/> No	<input checked="" type="radio"/> Stable	<input checked="" type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input checked="" type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Oncorhynchus mykiss	<input checked="" type="checkbox"/> Selective bred type	<input type="radio"/> No	<input checked="" type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input checked="" type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							

10. Which aquatic species in your country are thought to have potential for domestication and future use in aquaculture?

Add Row

Species <i>Type and select a species</i>	Is the species native to your country?	Comments <i>For example main sources of information</i>	
Astacus astacus	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<p>In 2013, the results of a research project (conducted by the university colleges KAHO and HUB) showed the potential of the production of European crayfish in recirculating aquaculture systems.</p>	X
Psetta maxima	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<p>The possibility to farm turbot at sea is currently being explored.</p>	X

11. Please list the aquatic genetic resources of farmed aquatic species your country has transferred or exchanged with other countries over the past 10 years.

Add Row					
Species	Genetic alteration of exchanged material Mark all that apply	Details of transfer or exchange	Type of genetic material exchanged Mark all that apply	Country or countries involved with exchange Hold CTRL button to select more than one country	Comments <i>Please add main purpose or objective of the exchange and main sources of information</i>
Crassostrea gigas	<input checked="" type="checkbox"/> No deliberate genetic alteration <input type="checkbox"/> Traditional selective breeding <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input type="checkbox"/> Other	<input checked="" type="checkbox"/> Import <input type="checkbox"/> Export	<input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input type="checkbox"/> Living specimens <input type="checkbox"/> Other	Malta Marshall Islands Mauritania Mauritius Mexico Micronesia (Federated States of) Monaco Mongolia Montenegro Morocco Mozambique Myanmar Namibia Nauru Nepal Netherlands New Zealand	Main purpose: aquaculture production for consumption. Main source: company and research facility
Sander lucioperca	<input checked="" type="checkbox"/> No deliberate genetic alteration <input type="checkbox"/> Traditional selective breeding <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input type="checkbox"/> Other	<input checked="" type="checkbox"/> Import <input type="checkbox"/> Export	<input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens <input type="checkbox"/> Other	Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia European Union (Member States) Faroe Islands (Associated States) Fiji Finland France Gabon Gambia Georgia Germany Ghana	Main purpose: aquaculture production for consumption (species can't be taken from the wild). Main source: company

<p>Penaeus vannamei</p>	<p>No deliberate <input checked="" type="checkbox"/> genetic alteration Traditional selective breeding <input type="checkbox"/> <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input type="checkbox"/> Other</p>	<p><input checked="" type="checkbox"/> Import <input type="checkbox"/> Export</p>	<p><input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens <input type="checkbox"/> Other</p>	<p>Thailand Timor-Leste Togo Tokelau (Associate Member) Tonga Trinidad and Tobago Tunisia Turkey Turkmenistan Tuvalu Uganda Ukraine United Arab Emirates United Kingdom United Republic of Tanzania United States of America Uruguay</p>	<p>Purpose of aquaculture for consumption, source is the company owner</p>	<p>X</p>
<p>Carassius auratus</p>	<p>No deliberate <input type="checkbox"/> genetic alteration Traditional selective breeding <input type="checkbox"/> <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input type="checkbox"/> Other</p>	<p><input checked="" type="checkbox"/> Import <input type="checkbox"/> Export</p>	<p><input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens <input type="checkbox"/> Other</p>	<p>Afghanistan Albania Algeria Andorra Angola Antigua and Barbuda Argentina Armenia Australia Austria Azerbaijan Bahamas Bahrain Bangladesh Barbados Belarus Belgium</p>	<p>Aquaculture production for ornamental purpose. Species is not bred, but continuously imported, mainly from Asian countries.</p>	<p>X</p>
<p>Poecilia reticulata</p>	<p>No deliberate <input type="checkbox"/> genetic alteration Traditional selective breeding <input type="checkbox"/> <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input type="checkbox"/> Other</p>	<p><input checked="" type="checkbox"/> Import <input type="checkbox"/> Export</p>	<p><input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens <input type="checkbox"/> Other</p>	<p>Afghanistan Albania Algeria Andorra Angola Antigua and Barbuda Argentina Armenia Australia Austria Azerbaijan Bahamas Bahrain Bangladesh Barbados Belarus Belgium</p>	<p>Guppys are imported from different countries for ornamental use.</p>	<p>X</p>

Wild relatives of farmed aquatic species

12. Please list any wild relatives of aquatic species present in your country that are farmed in another country (but not in your country) and indicate their uses.

This question refers to aquatic genetic resources that are present in the wild in your country and that are being farmed elsewhere (but not farmed in your country), indicating any uses these resources may have in your country.

Add Row

Species	Use <i>(mark all that apply)</i>	Comments	
Psetta maxima	<input checked="" type="checkbox"/> Capture fisheries <input checked="" type="checkbox"/> Recreational fishery <input type="checkbox"/> Aquaria <input type="checkbox"/> Biological control <input type="checkbox"/> Research and development <input type="checkbox"/> Other (specify in comments)		X
Dicentrarchus labrax	<input checked="" type="checkbox"/> Capture fisheries <input checked="" type="checkbox"/> Recreational fishery <input type="checkbox"/> Aquaria <input type="checkbox"/> Biological control <input checked="" type="checkbox"/> Research and development <input type="checkbox"/> Other (specify in comments)		X

13. Please list the aquatic genetic resources of wild relatives of farmed aquatic species your country has transferred or exchanged with other countries over the past 10 years.

Add Row

This question refers to wild aquatic genetic resources collected from the wild, not from farming facilities as in question 11.

Species	Details of transfer or exchange <i>mark all that apply</i>	Type of genetic material exchanged	Country Hold CTRL button to select more than one country	Comments <i>main sources of information, if the transfer was legal or not</i>	
Crassostrea gigas	<input checked="" type="checkbox"/> Import <input type="checkbox"/> Export	<input type="checkbox"/> Tissues <input checked="" type="checkbox"/> Gametes <input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens <input type="checkbox"/> Other	Djibouti Dominica Dominican Republic Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia European Union (Member) Faroe Islands (Associate M) Fiji Finland France Gabon	Legal transfer. Information was obtained from a company and a research facility.	<input checked="" type="checkbox"/>
Scortum barcoo	<input checked="" type="checkbox"/> Import <input type="checkbox"/> Export	<input type="checkbox"/> Tissues <input type="checkbox"/> Gametes <input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens <input type="checkbox"/> Other	Afghanistan Albania Algeria Andorra Angola Antigua and Barbuda Argentina Armenia Australia Austria Azerbaijan Bahamas Bahrain Bangladesh Barbados Belarus		<input checked="" type="checkbox"/>

14. Please fill in table 1.2

Table 1.2 Aquatic genetic resources of wild relatives of farmed aquatic species in your country.

<div style="border: 1px solid black; padding: 2px; display: inline-block; margin-bottom: 5px;">Add Row</div>											
Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
For each row, list the species as scientific names (put in brackets the most widely used national common For each species, include the named stocks and name of other management units if known)	Is the species (mark as appropriate) :	Is this species targeted by capture fisheries?	Are there any management measures in place?	Are genetic data available for the fishery?	Are genetic data used in management?	Over the last 10 years, catches have been:	Expected trend over the next 10 years.	Indicate the ecosystem where the fishery is located (mark all that apply)	The habitat or range is	What are likely reasons for changes? (mark all that apply)	
Ostrea edulis	<input type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input checked="" type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input checked="" type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input checked="" type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input checked="" type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Crassostrea gigas	<input type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input checked="" type="checkbox"/> Introduced <input type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input checked="" type="checkbox"/> Others <input type="checkbox"/> Not known	X
Sander lucioperca	<input type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input checked="" type="checkbox"/> Introduced <input type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Esox lucius	<input checked="" type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input checked="" type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Anguilla anguilla	<input checked="" type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input checked="" type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input checked="" type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input checked="" type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Rutilus rutilus	<input checked="" type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Leuciscus idus	<input checked="" type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Perca fluviatilis	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input type="checkbox"/> Native	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Scardinius erythrophthalmus	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input type="checkbox"/> Native	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Abramis brama	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input type="checkbox"/> Native	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Tinca tinca	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input type="checkbox"/> Native	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Chapter 2: Drivers and Trends in Aquaculture: Consequences for Aquatic Genetic Resources within National Jurisdiction

The main objective of Chapter 2 is to review the main drivers and trends that are shaping aquaculture and their consequences for aquatic genetic resources.

15. Please indicate the ways the aquatic genetic resources (AqGR) of **farmed aquatic species** have been impacted by the following drivers. Please give examples of positive and negative impacts for specific drivers.

This question refers to drivers impacting farmed aquatic genetic resources, not about impacts on the entire aquaculture sector. Drivers should be seen from a national perspective.

Driver impacting aquaculture	Effect on AqGR <i>Mark appropriate box</i>	Comments <i>List examples or other relevant information</i>
Human population increase	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input checked="" type="radio"/> No effect <input type="radio"/> Unknown	Import has increased, but production did not increase. In the future, Belgian aquaculture production is expected to grow. The aim would be to have a diversified sector, mainly producing niche products.
Increased wealth and demand for fish	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input checked="" type="radio"/> No effect <input type="radio"/> Unknown	Import has increased, but production did not increase. In the future aquaculture production is expected to grow. The aim would be to have a diversified sector, mainly producing niche products.
Governance (ability of government, industry and the public to work together in managing resources)	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Communication between the sector, researchers and the government has greatly improved the last years. The development of the sector is regarded as a common goal. Subsidies are provided for both production improvement and research.
Climate change	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input checked="" type="radio"/> Unknown	As the majority of aquaculture production (expressed in volume) is produced in controlled conditions, climate change is thought to have a limited effect on the genetic resources.
Competition for resources, especially freshwater	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input checked="" type="radio"/> Unknown	Space to organise aquaculture activities might be more of a limiting factor than resources. One idea of the sector was to organise aquaculture within offshore wind farms, but this would not compete with fishery activities, as boats are not allowed in the area. Recirculating Aquaculture Systems gain popularity because of their low water usage and waste.

Driver impacting aquaculture	Effect on AqGR <i>Mark appropriate box</i>	Comments <i>List examples or other relevant information</i>
Changes in values and ethics of consumers	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Aquaculture products are generally regarded as ecologically sustainable by the consumer. This may represent an important driver for the start up of aquaculture companies.
Other Add other drivers as necessary	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	
Add Row	Remove Row	

16. Please indicate the ways the aquatic genetic resources of **wild relatives of farmed aquatic species** in nature have been impacted by the following drivers. Please give examples of positive and negative impacts for specific drivers.

This question refers to drivers impacting wild aquatic genetic resources of farmed species, not about impacts on the entire aquaculture sector. Drivers should be seen from a national perspective.

Driver impacting aquaculture	Effect on AqGR <i>Mark appropriate box</i>	Comments <i>List examples or other relevant information</i>
Human population increase	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input checked="" type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Belgium is relatively densely populated, which induces a high pressure on freshwater habitats and therefore the species that inhabit these habitats.
Increased wealth and demand for fish	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input checked="" type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Both marine and freshwater species are under a high fishing pressure (from both commercial and recreational fishing).
Governance (ability of government, industry and the public to work together in managing resources)	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input checked="" type="radio"/> No effect <input type="radio"/> Unknown	As resource management has a history of supporting both the economic viability of the sector and later on also the ecological sustainability, the average effect of governance is assessed to be neither negative, neither positive.
Climate change	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input checked="" type="radio"/> Unknown	
Competition for resources, especially freshwater	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input checked="" type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Belgium is relatively densely populated, which induces a high pressure on freshwater habitats and therefore the species that inhabit these habitats.

Driver impacting aquaculture	Effect on AqGR <i>Mark appropriate box</i>	Comments <i>List examples or other relevant information</i>
Changes in values and ethics of consumers	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Conservation of species and habitats has gained a lot of attention. The preservation of the little natural environment that is left, is considered more and more important.
Other Add other drivers as necessary	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	
Add Row	Remove Row	

17. What countermeasures might be taken to reduce adverse impacts on the aquatic genetic resources that sustain current aquaculture and/or provide for its future development?

Describe countermeasures

- Reduce pollution in freshwater (and marine) habitats
- Limit fishery removals to a sustainable yield
- Monitor and manage recreational fisheries

Biotechnologies

18. To what extent have the following biotechnologies been used in your country for the genetic improvement of farmed aquatic organisms.

Biotechnology	Extent of use	Comments <i>main sources of information, important species for which the biotechnology is applied</i>
Selective breeding	<input type="radio"/> Not at all <input type="radio"/> To a minor extent <input checked="" type="radio"/> To some extent <input type="radio"/> To a great extent	
Hybridization	<input checked="" type="radio"/> Not at all <input type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	
Polyploidy (chromosome set manipulation)	<input checked="" type="radio"/> Not at all <input type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	
Monosex production	<input checked="" type="radio"/> Not at all <input type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	
Marker assisted selection	<input type="radio"/> Not at all <input checked="" type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	
Gynogenesis/androgenesis	<input checked="" type="radio"/> Not at all <input type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	
Other Continue adding row as necessary	<input type="radio"/> Not at all <input type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	
Add Row		

19. Please indicate the ways aquatic genetic resources of the wild relatives of farmed aquatic species have been impacted by drivers that are changing aquatic ecosystems. Please give countermeasures that might be taken to reduce adverse consequences for the aquatic genetic resources that sustain capture fisheries on wild relatives of farmed species.

Drivers that are changing aquatic ecosystems	Effect on AqGR <i>mark appropriate box</i>	Countermeasures and effects
Habitat loss and degradation	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input checked="" type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	- Reduce pollution - Effective spatial planning - Preservation of habitats
Pollution of waters	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input checked="" type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	- Waste management
Increased frequency of extreme climatic events and long-term climate change	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input checked="" type="radio"/> Unknown	
Establishment of invasive species	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	
Introductions of parasites and pathogens	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	

Drivers that are changing aquatic ecosystems	Effect on AqGR <i>mark appropriate box</i>	Countermeasures and effects
Impacts of purposeful stocking and escapes from aquaculture	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input checked="" type="radio"/> No effect <input type="radio"/> Unknown	
Capture fisheries	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input checked="" type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	
Other	<input type="radio"/> Strongly positive	
<i>Continue listing other driverst</i>	<input type="radio"/> Positive	
	<input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	
Add Row	Remove Row	

Chapter 3: *In Situ* Conservation of Aquatic Genetic Resources of Farmed Aquatic Species and their wild Relatives within National Jurisdiction

The main objective of Chapter 3 is to review the current status and future prospects for the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives within national jurisdiction for food and agriculture.

The specific objectives are as follows:

- To review the current and likely future contributions to *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives by those who use them in responsible and well managed capture fisheries, aquaculture, and culture-based fisheries.
- To identify and describe any existing and planned aquatic protected areas that are contributing, or will contribute, to *in situ* conservation of aquatic genetic resources of wild relatives of farmed aquatic species.
- To identify and describe any major existing and planned efforts for the *in situ* conservation of threatened or endangered aquatic genetic resources (farmed and wild).
- To review needs and priorities for the future development of *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives.

Overview of the current status and future prospects for the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives

20. To what extent are responsible and well managed aquaculture and culture-based fisheries contributing to *in situ* conservation of the aquatic genetic resources of farmed aquatic species and their wild relatives.

Please mark appropriate box.

- To a great extent
 To a limited extent
 Not at all
 Not applicable

Please include any additional information

--

21. To what extent are existing facilities contributing to *in situ* conservation of aquatic genetic resources of wild relatives of farmed aquatic species?

Please mark appropriate box.

- To a great extent
 To a limited extent
 Not at all
 Not applicable

Please include any additional information

22. Please provide *examples* of current or planned activities for the *in situ* conservation of endangered or threatened farmed species and their wild relatives with demonstrated or potential importance for aquaculture, culture-based fisheries, and capture fisheries.

Please describe examples

The Institute for Nature and Forest Research (INBO) is culturing Lota lota and brook lamprey (*Lampetra planeri*) for restocking of river systems.

23. Please rank (from 1 to 10) the importance of the following objectives for *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives in your country.

Objectives of <i>in situ</i> conservation	Rank 1=Very Important 10=No importance
Preservation of aquatic genetic diversity	<input type="text" value="2"/>
Maintain good strains for aquaculture production	<input type="text" value="3"/>
Meet consumer and market demands	<input type="text" value="3"/>
To help adapt to impacts of climate change	<input type="text" value="8"/>
Future breed improvement in aquaculture	<input type="text" value="5"/>
<i>Please continue listing any other objectives as needed</i>	<input type="text"/>
Add Row	

Review of the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives through their use in responsible and well managed aquaculture and culture-based fisheries

24. Is the *in situ* conservation of aquatic genetic resources included in the policy as an objective in the management of aquaculture and/or culture-based fisheries in your country?

Please mark appropriate box

- Yes
 Not yet, but planned to be included
 No
 Unknown

If yes, please give examples

Comment: it is not included in as an objective in the management for aquaculture, but it is included in fisheries management and policy and environmental regulation.

25. To what extent are collectors of wild seed and brood stock for aquaculture and culture-based fisheries contributing to the conservation of aquatic genetic resources by maintaining habitats and/or limiting the quantities collected?

Please mark appropriate box

- To a great extent
 To a limited extent
 Not at all
 Not applicable

Please include any additional details

The sourcing from wild seed and brood stock is limited.

Review of the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives through their use in responsible and well managed capture fisheries

26. Is the conservation of aquatic genetic resources of wild relatives of farmed aquatic species included as an objective in the management of any capture fisheries in your country?

Please mark appropriate box

- Yes
 Not yet, but under development
 No
 Unknown

If yes, please give examples

- Anguilla anguilla: its conservation is subjected to the EU regulation 1100/2007
 - Esox lucius: obligation to immediately free the caught animal back in the water
 - Minimum landing sizes
 - Prohibition to keep certain species

Review of the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives through the establishment and management of aquatic protected areas

27. Please list any aquatic protected areas in your country that are contributing to the *in situ* conservation of aquatic genetic resources of wild relatives of farmed aquatic species and an assessment of effectiveness

Add Row

Aquatic protected area	Effectiveness of conserving Aquatic Genetic Resources	Comments <i>provide any additional information</i>	
N2000 area and measures under the Marine Spatial Plan	<input type="radio"/> Very effective <input type="radio"/> Somewhat effective <input type="radio"/> Not effective <input checked="" type="radio"/> Unknown	Since the delineation of activities within certain areas within the Marine Spatial Plan is very recent, the effectiveness of conservation can not yet be assessed. Rather than full marine protection, the MSP provides a framework for what activities are allowed in which zones. However, as certain areas protected from the impact of bottom trawling, the conservation impact on certain benthic and demersal species is estimated to be quite high.	X

Chapter 4: *Ex Situ* Conservation of Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction

The main objective of Chapter 4 is to review the current status and future prospects for the *ex situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives.

The specific objectives are:

- To review existing *ex situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives in aquaculture facilities, culture collections and gene banks, research facilities, zoos and aquaria;
- To review the contributions that various stakeholders are making to the *ex situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives;
- To review needs and priorities for the future development of *ex situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives, including any that are threatened or endangered.

Review of existing and planned collections of live breeding individuals of aquatic genetic resources of farmed aquatic species and their wild relatives

28. Please list your country's existing collections of live breeding aquatic organisms that can be considered as contributing to the *ex situ* conservation of aquatic genetic resources. This includes not only collections of species farmed directly for human use, but also collections of live feed organisms (e.g., bacterial flocs, yeasts, microalgae, rotifers and brine shrimp (*Artemia*)).

Add Row				
Species (include information on subspecies or strain in comments if available)	Type of use <i>Please mark all that apply</i>	Is the species (or subspecies) threatened or endangered for example in the IUCN Red List, CITES Appendices or national lists? <i>Please mark appropriate box</i>	Comments <i>Please list any additional information</i>	
Isochrysis galbana	<input type="checkbox"/> Direct human consumption <input checked="" type="checkbox"/> Live feed organism <input type="checkbox"/> Other	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown	The species has not yet been assessed for the IUCN Red List.	X
Nannochloropsis oculata	<input type="checkbox"/> Direct human consumption <input checked="" type="checkbox"/> Live feed organism <input type="checkbox"/> Other	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown	The species has not yet been assessed for the IUCN Red List.	X
Cyprinus carpio carpio	<input type="checkbox"/> Direct human consumption <input type="checkbox"/> Live feed organism <input checked="" type="checkbox"/> Other	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown	There seems to be some confusion around the genus <i>Cyprinus</i> , and whether Koi fish are <i>Cyprinus carpio</i> (listed as vulnerable) or <i>rubrofasciatus</i> (listed as least concern). These fish are sold for ornamental purposes.	X

Review of existing *ex situ* conservation activities of aquatic genetic resources of farmed aquatic species and their wild relatives *in vitro*.

29. Please list your country's *in vitro* collections and gene banks of the gametes, embryos, tissues, spores and other quiescent forms of farmed aquatic species and their wild relatives, using cryopreservation or other methods of long-term storage. Describe the major examples, identifying the facilities in which the collections are held. Include examples of any such genetic material from your country that is being kept in *in vitro* collections outside your country on behalf of beneficiaries in your country.

Add Row					
Species (include information on subspecies or strain if available in comments)	Users and managers <i>List all that apply</i>	Type of <i>ex-situ</i> conservation collection <i>in vitro</i> <i>mark all that apply</i>	Facilities where collection is located <i>mark all that apply</i>	Comments <i>list all breeds, subspecies of the species and any additional information</i>	
		<input type="checkbox"/> In vitro collection of gametes <input type="checkbox"/> In vitro collection of embryos <input type="checkbox"/> In vitro collection of tissues <input type="checkbox"/> Spores <input type="checkbox"/> Other	<input type="checkbox"/> Aquaculture facilities <input type="checkbox"/> Research facilities <input type="checkbox"/> Universities <input type="checkbox"/> Zoos and aquaria <input type="checkbox"/> Other		X

30. Please rank (from 1 – 10) the importance of the following objectives for ex situ conservation of aquatic genetic resources of farmed aquatic species and their wild relatives in your country

Objectives of <i>ex situ</i> conservation	Rank 1=Very Important 10=No importance
Preservation of aquatic genetic diversity	5
Maintain good strains for aquaculture production	2
Meet consumer and market demands	4
To help adapt to impacts of climate change	8
Future breed improvement in aquaculture	2
Other <i>Continue adding row as necessary</i>	
Add Row	Remove Row

Chapter 5: Stakeholders with Interests in Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction

The main objective of Chapter 5 is to provide an overview of the perspectives and needs of the principal stakeholders who have interests in aquatic genetic resources of farmed aquatic species and their wild relatives for food and agriculture. Stakeholder groups can be identified from existing institutional knowledge, from sectoral and sub-sectoral consultations conducted during the country reporting process and where necessary from expert opinions. Gender issues pertaining to the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives should be considered, as well as the perspectives and needs of indigenous peoples and local communities.

The specific objectives are:

- To describe the different principal stakeholder groups with interests in aquatic genetic resources of farmed aquatic species and their wild relatives To identify the type(s) of aquatic genetic resources of farmed aquatic species and their wild relatives in which each stakeholder group has interests and why.
- To describe the roles of stakeholder groups and the actions they are taking for the conservation, sustainable use and development of the aquatic genetic resources in which they have interests.
- To describe the further actions that stakeholder groups would like to see taken for the conservation, sustainable use and development of aquatic genetic resources in which they have interests, and the constraints that are hindering those actions, including lack of capacity and perceived threats.

Overview of the principal stakeholder groups who have interests in aquatic genetic resources of farmed aquatic species and their wild relatives

31. Please indicate the principal stakeholder groups who have interests in aquatic genetic resources of farmed aquatic species and their wild relatives including, *inter alia*: fish farmers; fishers in capture fisheries; persons involved in stocking and harvesting in culture-based fisheries; persons employed in postharvest chains; government officials; staff and members of aquaculture associations; managers of aquatic protected areas and others working for the conservation of aquatic ecosystems; researchers; and civil society.

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Fish Farmers	<input checked="" type="checkbox"/> Conservation <input checked="" type="checkbox"/> Production <input checked="" type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Breeding <input type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input checked="" type="checkbox"/> Processing <input checked="" type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input checked="" type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Fishers	<input checked="" type="checkbox"/> Conservation <input checked="" type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input checked="" type="checkbox"/> Processing <input checked="" type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input checked="" type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Fish hatchery people	<input type="checkbox"/> Conservation <input type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Breeding <input checked="" type="checkbox"/> Research <input type="checkbox"/> Marketing <input type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input checked="" type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
People involved in marketing	<input type="checkbox"/> Conservation <input type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Government resource managers	<input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input checked="" type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input type="checkbox"/> Processing <input checked="" type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Fishing or aquaculture associations	<input type="checkbox"/> Conservation <input type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input type="checkbox"/> Processing <input checked="" type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Aquatic protected area managers	<input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input checked="" type="checkbox"/> Research <input type="checkbox"/> Marketing <input type="checkbox"/> Processing <input checked="" type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input checked="" type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Policy Makers	<input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input checked="" type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input type="checkbox"/> Processing <input checked="" type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Non-Governmental Organizations	<input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Marketing <input type="checkbox"/> Production <input type="checkbox"/> Processing <input type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Advocacy <input type="checkbox"/> Breeding <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Research <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Intergovernmental Organizations	<input checked="" type="checkbox"/> Conservation <input checked="" type="checkbox"/> Marketing <input checked="" type="checkbox"/> Production <input type="checkbox"/> Processing <input type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Advocacy <input type="checkbox"/> Breeding <input checked="" type="checkbox"/> Outreach/Extension <input checked="" type="checkbox"/> Research <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Donors	<input type="checkbox"/> Conservation <input type="checkbox"/> Marketing <input type="checkbox"/> Production <input type="checkbox"/> Processing <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Advocacy <input type="checkbox"/> Breeding <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Research <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Consumers	<input type="checkbox"/> Conservation <input type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input type="checkbox"/> Research <input type="checkbox"/> Marketing <input type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 150px; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	

a) Please indicate the most important role of women in regards to AqGR

b) Please indicate the most important role of indigenous and local communities in regards to AqGR

Chapter 6: National Policies and Legislation for Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction

The main objective of Chapter 6 is to review the status and adequacy of national policies and legislation concerning aquatic genetic resources of farmed aquatic species and their wild relatives including access and benefit sharing.

The specific objectives are as follows:

- To describe the existing national policy and legal framework for the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.
- To review current national policies and instruments for access to aquatic genetic resources of farmed aquatic species and their wild relatives and the fair and equitable sharing of benefits arising from their utilization.
- To identify any significant gaps in policies and legislation concerning aquatic genetic resources of farmed aquatic species and their wild relatives..

Review of national policies and legislation for Aquatic Genetic Resources of farmed aquatic species and their wild relatives within national jurisdiction

32. Please list national legislation, policies and/or mechanisms that address aquatic genetic resources of farmed species and their wild relatives (see question 47 regarding international agreements).

Add Row

National legislation, policy and/or mechanism	Date established	Scope <i>Select all that apply</i>	Comments <i>Please provide any additional information for example whether it has been effective or not; and main sources of information</i>	
	<input type="text"/>	<input type="checkbox"/> Genes or molecules only <input type="checkbox"/> Aquaculture <input type="checkbox"/> Capture fisheries <input type="checkbox"/> Conservation <input type="checkbox"/> Intellectual property protection <input type="checkbox"/> Importation <input type="checkbox"/> Trade and commerce <input type="checkbox"/> Access and benefit sharing <input type="checkbox"/> Other		<input checked="" type="checkbox"/>

Review of the current status and gaps in national policies and legislation for the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives

33. Please list any gaps in the coverage or constraints in implementing national legislation, policies and/or mechanisms in regard to aquatic genetic resources.

--

34. Please indicate any national aquatic genetic resources of farmed aquatic species and their wild relatives for which your country restricts access.

Type of genetic resource (can be species name, DNA, gametes or other descriptor)	Comments	
DNA	<p><i>Please, provide verifiable main sources of information, effectiveness of the restriction, description of type of restriction and for whom does the restriction apply</i></p>	
Stock, breed or variety		
Species		
Other		
Continue adding row as necessary		
<table border="1" style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;">Add Row</td> <td style="width: 50%; text-align: center;">Remove Row</td> </tr> </table>		Add Row
Add Row	Remove Row	

35. Over the past 10 years, indicate the actions your country has taken to maintain or enhance access to aquatic genetic resources of farmed aquatic species and their wild relatives located outside your country; for example, by establishing germplasm acquisition agreements or material transfer agreements.

Add Row

Action taken to enhance access to aquatic genetic resources outside your country	Type of genetic resource <i>Mark all that apply</i>	Comment <i>for example other types of genetic resources</i>	
	<input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input type="checkbox"/> Living specimens		X

36. Please indicate any obstacles your country has encountered when trying to access aquatic genetic resources of farmed aquatic species and their wild relatives outside of your country (including access for research purposes).

Obstacles to accessing aquatic genetic resources	Please describe type of genetic resource <i>mark all that apply</i>	Comments <i>please include additional information as needed</i>
Intellectual property protection	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
National laws of your country	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
National laws of donor country	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
International laws or protocols	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Too expensive	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Material transfer agreements required	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Knowledge gaps	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Public perception	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	

Obstacles to accessing aquatic genetic resources	Please describe type of genetic resource <i>mark all that apply</i>	Comments <i>please include additional information as needed</i>
Other	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Continue adding row as necessary		
Add Row		

Chapter 7: Research, Education, Training and Extension on Aquatic Genetic Resources within National Jurisdiction: Coordination, Networking and Information

The main objective of Chapter 7 is to review the status and adequacy of national research, education, training and extension, coordination and networking arrangements and information systems that support the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives for food and agriculture.

The specific objectives are:

- To describe the current status, future plans, gaps, needs and priorities for research, training, extension and education on the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives
- To describe existing or planned national networks for the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.
- To describe existing or planned information systems for the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.

Research

37. Does your national research programme support the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives? If yes, give details of current and/or planned research; if no, explain the main reasons why not in box below.

Please mark appropriate box

- Yes
 No
 Unknown

Please provide details

Within the National Operational Program, Belgium will protect the biodiversity of the watercourses, which will result in an economic advantage, because the genetic heritage of the fish in these rivers is protected, which can be used for future aquaculture production.

38. Please list main institutions, organizations, corporations and other entities in your country that are engaged in field and/or laboratory research related to the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.

Add Row

Main institutions, organizations, corporations and other entities	Area of research <i>Mark all that apply</i>	Comments <i>Please provide any additional information</i>	
University of Leuven (KUL)	<input checked="" type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input checked="" type="checkbox"/> monitoring of aquatic genetic resources <input checked="" type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Conservation of aquatic genetic resources <input checked="" type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X
University of Ghent (UGent)	<input checked="" type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input checked="" type="checkbox"/> monitoring of aquatic genetic resources <input checked="" type="checkbox"/> Genetic improvement <input checked="" type="checkbox"/> Economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Conservation of aquatic genetic resources <input checked="" type="checkbox"/> Communication on aquatic genetic resources <input checked="" type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X

Main institutions, organizations, corporations and other entities	Area of research <i>Mark all that apply</i>	Comments <i>Please provide any additional information</i>	
Institute for Agricultural and Fisheries Research	<input checked="" type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources <input checked="" type="checkbox"/> Characterization and monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input checked="" type="checkbox"/> Economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Conservation of aquatic genetic resources <input checked="" type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X
Inagro	<input checked="" type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources <input checked="" type="checkbox"/> Characterization and monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X
University College Odisee	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources <input checked="" type="checkbox"/> Characterization and monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources		X

Main institutions, organizations, corporations and other entities	Area of research <i>Mark all that apply</i>	Comments <i>Please provide any additional information</i>	
	<input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		
Agentschap voor Natuur en Bos (ANB)	<input checked="" type="checkbox"/> Genetic resource management <input type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input type="checkbox"/> monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X
Provinciaal Proefcentrum voor de Groenteteelt Oost-Vlaanderen (PCG)	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input type="checkbox"/> monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input checked="" type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X

Main institutions, organizations, corporations and other entities	Area of research <i>Mark all that apply</i>	Comments <i>Please provide any additional information</i>	
University Collega KATHO	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources <input type="checkbox"/> Characterization and monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X
Provincial Technical Institute Kortrijk	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources <input type="checkbox"/> Characterization and monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X

39. What capacity strengthening is needed to improve national research in support of the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives?

Please rank the following in regard to capacity strengthening.

Capacities	Rank 1=Very Important 10=No importance
Improve basic knowledge on aquatic genetic resources	6
Improve capacities for characterization and monitoring of aquatic genetic resources	7
Improve capacities for genetic improvement	3
Improve capacities for genetic resource management	4
Improve capacities for economic valuation of aquatic genetic resources	5
Improve capacities for conservation of aquatic genetic resources	5
Improve communication on aquatic genetic resources	4
Improve access to and distribution of aquatic genetic resources	5
Add other rows as appropriate and rank <div data-bbox="207 1434 833 1591" style="border: 1px solid black; height: 75px; width: 100%;"></div>	<div data-bbox="984 1461 1227 1514" style="border: 1px solid black; height: 25px; width: 150px; margin: 0 auto;"></div>
Add Row	Remove Row

Please describe any other capacity building needs in regards to aquatic genetic resources

Education, training and extension

40. Please indicate the extent that education, training and extension in your country covers the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives? List the main institutions involved and the types of courses offered.

Add Row

Institution	Thematic Area	Type of courses mark all that apply	Comments	
University of Ghent (UGent)	Genetic resource management	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
	Characterization and monitoring of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
	Genetic improvement	<input checked="" type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		X
	Economic valuation of aquatic genetic resources	<input checked="" type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		
	Conservation of aquatic genetic resources	<input checked="" type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		

FANCAM Pisciculteur	Genetic resource management	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
	Characterization and monitoring of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
	Genetic improvement	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		X
	Economic valuation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
	Conservation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		
Odisee	Genetic resource management	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input checked="" type="checkbox"/> Extension		
	Characterization and monitoring of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input checked="" type="checkbox"/> Extension		
	Genetic improvement	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		X
	Economic valuation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		
	Conservation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		

University of Leuven (KUL)	Genetic resource management	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
	Characterization and monitoring of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
	Genetic improvement	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		X
	Economic valuation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
	Conservation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input checked="" type="checkbox"/> Training <input type="checkbox"/> Extension		
Provinciaal Technisch Instituut Kortrijk (PTI)	Genetic resource management	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input checked="" type="checkbox"/> Extension		
	Characterization and monitoring of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		
	Genetic improvement	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		X
	Economic valuation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		
	Conservation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension		

Coordination and networking

41. Please list any mechanisms within your country responsible for coordinating the aquaculture, culture-based fisheries and capture fisheries subsectors with the other sectors that use watersheds and coastal ecosystems and have impacts on aquatic genetic resources of wild relatives of farmed aquatic species (e.g., agriculture, forestry, mining, tourism, waste management and water resources).

If no mechanism exists check here:

Add Row

Name of mechanism	Description of how mechanism operates	
Marine Spatial Plan (MSP)	The Belgian MSP clearly delineates which areas are foreseen for different activities (aquaculture, fisheries, wind farms, dredging, transport...).	X
Common Fisheries Policy (CFP)	The CFP provides a European legislation to ensure fisheries and aquaculture are undertaken in an ecologically and socio-economically sustainable manner. The policy requires regional cooperation and the set-up of multi-annual plans.	X
Habitats Directive/ Birds Directive / Natura 2000	Certain areas are recognised to be of a specific ecological value. Certain goals are set in order to maintain or ameliorate the status of these areas. As to achieve these goals, certain activities can be banned or limited in these areas.	X
Marine Strategy Framework Directive (MSFD)	This EU regulatory framework consists of different parameters to ensure the maintenance or improvement of the environmental condition in marine waters. When the delineation of a certain area involves the banning of certain fishery activities of other countries in this area, the CFP describes the procedure to undertake to come to a joint recommendation.	X
Spatial Plan	This plan delineates in which areas different activities can take place (eg. industry, agriculture...).	X
Regulation (EU) No. 1143/2014	The regulation on prevention and management of the introduction and spread of alien invasive species and the published list (No. 1141/2016) aids the conservation of indigenous species by protecting them from alien, invasive predators or competitors.	X

42. Please indicate how capacity strengthening can be improved in intersectoral coordination in support of the conservation, sustainable use and development of aquatic genetic resources.

Please rank the following in regards to capacity strengthening.

Capacities	Rank 1=Very Important 10=No importance
Increase awareness in institutions	7
Increase technical capacities of institutions	4
Increase information sharing between institutions	2
Add other rows as appropriate and rank <div data-bbox="211 779 833 936" style="border: 1px solid black; height: 75px; width: 100%;"></div> <div data-bbox="211 936 833 968" style="display: flex; justify-content: space-between; border: 1px solid black;"> Add Row Remove Row </div>	<div data-bbox="990 810 1232 863" style="border: 1px solid black; height: 25px; width: 100%;"></div>

Please specify in box below

43. Please list any national networks in your country or any international networks your country belongs to that support the conservation, sustainable use and development of aquatic genetic resources.

Add Row

Network	Objectives of the network <i>Please mark all that apply</i> to your country	Comments	
Vlaams Aquacultuurplatform (Flemish Aquaculture Platform)	<input type="checkbox"/> Improve basic knowledge on aquatic genetic resources <input type="checkbox"/> Improve capacities for characterization and monitoring of aquatic genetic resources <input type="checkbox"/> Improve capacities for genetic improvement <input checked="" type="checkbox"/> Improve capacities for economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Improve capacities for conservation of aquatic genetic resources <input checked="" type="checkbox"/> Improve communication on aquatic genetic resources <input type="checkbox"/> Improve access to and distribution of aquatic genetic resources	The Flemish Aquaculture Platform aims to bring together the people working in production, research and policy of aquaculture. Although the conservation and use of genetic resources is not the primary aim of the platform, these topics could be addressed here.	X
Vlaams Algenplatform (Flemish Algae Platform)	<input checked="" type="checkbox"/> Improve basic knowledge on aquatic genetic resources <input type="checkbox"/> Improve capacities for characterization and monitoring of aquatic genetic resources <input checked="" type="checkbox"/> Improve capacities for genetic improvement <input type="checkbox"/> Improve capacities for economic valuation of aquatic genetic resources <input type="checkbox"/> Improve capacities for conservation of aquatic genetic resources <input checked="" type="checkbox"/> Improve communication on aquatic genetic resources <input checked="" type="checkbox"/> Improve access to and distribution of aquatic genetic resources		X

Information systems

44. Please list any information systems existing in your country for receiving, managing and communicating information about the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.

Add Row

Name of information system	Type of information stored <i>mark all that apply</i>	Main stakeholders <i>mark all that apply</i>	
<p>www.aquacultuurvlaanderen.be (Website of the Flemish Aquaculture Platform)</p>	<p> <input type="checkbox"/> DNA sequence <input type="checkbox"/> Genes and genotype <input type="checkbox"/> Breeds, strains or stocks <input checked="" type="checkbox"/> Species names <input checked="" type="checkbox"/> Production figures <input checked="" type="checkbox"/> Distribution <input type="checkbox"/> Level of endangerment <input type="checkbox"/> Other </p>	<p> <input checked="" type="checkbox"/> Fish farmers <input type="checkbox"/> Fishers in capture fisheries <input checked="" type="checkbox"/> Fish hatchery people <input checked="" type="checkbox"/> People involved in marketing <input checked="" type="checkbox"/> Government resource managers <input checked="" type="checkbox"/> Fishing or aquaculture associations <input checked="" type="checkbox"/> Aquatic protected area managers <input checked="" type="checkbox"/> University and academic people <input checked="" type="checkbox"/> Non-Governmental Organizations <input type="checkbox"/> Intergovernmental Organizations <input checked="" type="checkbox"/> Policy makers <input type="checkbox"/> Donors <input checked="" type="checkbox"/> Consumers <input checked="" type="checkbox"/> Politicians </p> <p>Please list other stakeholders as necessary</p> <div style="border: 1px solid black; height: 40px; width: 100%;"></div>	X

45. What capacity strengthening is needed to improve national information systems to support the conservation, sustainable use and development of aquatic genetic resources?

Please describe what capacities need to be strengthened

Please describe any other capacity building needs in regards to information systems for aquatic genetic resources

Chapter 8: International Collaboration on Aquatic Genetic Resources of Farmed Aquatic Species and Their Wild Relatives

The main objective of Chapter 8 is to review the mechanisms and instruments through which your country participates in international collaborations on aquatic genetic resources of farmed aquatic species and their wild relatives.

The specific objectives are:

- To identify your country's current participation in bilateral, sub-regional, regional, other international and global forms of collaboration on aquatic genetic resources. List national memberships, status as a Party and other forms of affiliation in agreements, conventions, treaties, international organizations, international networks and international programmes.
- To identify any other forms of international collaboration on aquatic genetic resources.
- To review the benefits from existing forms of international collaboration on aquatic genetic resources.
- To identify needs and priorities for future international collaboration on aquatic genetic resources

International collaboration includes bilateral arrangements and the sharing of particular waters and stocks of wild relatives of farmed aquatic species.

International, regional or sub-regional agreements, conventions and treaties concerning aquatic genetic resources of farmed aquatic species and their wild relatives

46. Please list the international, regional or sub-regional agreements your country subscribes to that cover aquatic genetic resources of farmed species and their wild relatives, such as the Nagoya Protocol² the Convention on Biological Diversity and the Cartagena Protocol and how they have impacted aquatic genetic resources and stakeholders in your country. Examples could include:

² <http://www.cbd.int/abs/nagoya-protocol/signatories/>

- Establishment and management of shared or networked aquatic protected areas as far as wild relatives of farmed aquatic species are concerned
- Aquaculture and culture-based fisheries in transboundary or shared water bodies
- Sharing aquatic genetic material and related information
- Fishing rights, seasons and quotas as far as wild relatives of farmed aquatic species are concerned
- Conservation and sustainable use of shared water bodies and watercourses as far as wild relatives of farmed aquatic species are concerned
- Quarantine procedures for aquatic organisms and for control and notification of aquatic diseases

Add Row

International, Regional, bilateral or Sub-Regional agreement	Year your country ratified or subscribed to the agreement	Impact on aquatic genetic resources	Impact on stakeholders	Comments
United Nations Convention on the Law of the Sea, UNCLOS)	1994	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	X

International, Regional, bilateral or Sub-Regional agreement	Year your country ratified or subscribed to the agreement	Impact on aquatic genetic resources	Impact on stakeholders	Comments	
Common Fisheries Policy	2013	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect		X
CITES	1983	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect		X

47. Please list the priority needs regarding collaboration on conservation and sustainable use of aquatic genetic resources of farmed aquatic species and their wild relatives. Are they being addressed, i.e. are there any critical gaps?

Collaboration is needed in order to ...	Rank 1=Very Important 10=No importance	To what extent are the needs being met	Comments <i>For example any critical gaps</i>
Improve information technology and database management	2	<input checked="" type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve basic knowledge on aquatic genetic resources	5	<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve capacities for characterization and monitoring of aquatic genetic resources	6	<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve capacities for genetic improvement	5	<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve capacities for economic valuation of aquatic genetic resources	3	<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve capacities for conservation of aquatic genetic resources	1	<input type="radio"/> To a great extent <input checked="" type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve communication on aquatic genetic resources	6	<input checked="" type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	

Collaboration is needed in order to ...	Rank 1=Very Important 10=No importance	To what extent are the needs being met	Comments <i>For example any critical gaps</i>
To improve access to and distribution of aquatic genetic resources	4	<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Other		<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Continue adding row as necessary		<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
		<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Add Row	Remove Row		

48. Please describe the types of collaboration that have been most beneficial for your country, and why?

49. Is there a need for your country to expand its collaboration concerning the conservation, sustainable use and development of aquatic genetic resources? If yes, give details, including any requirements for capacity strengthening in box below

Yes

No

If yes, please give details

50. Describe important roles that your country performs within its region (and/or sub-region) and globally in terms of being a keeper, user and sharer of aquatic genetic resources.

Submit Form