






Food and Agriculture
Organization of the
United Nations

COUNTRY REPORTS

Iran



Country Report Supporting the Preparation of the
First Report on *The State of the World's Aquatic
Genetic Resources for Food and Agriculture*

This Country Report has been submitted by the national authorities as a contribution to the Food and Agriculture Organization of the United Nations (FAO) publication, *The State of the World's Aquatic Genetic Resources for Food and Agriculture*. The information in this Country Report has not been verified by FAO, and its content is entirely the responsibility of the entity preparing the Country Report, and does not necessarily represent the views of FAO, or its Members. The designations employed and the presentation of material do not imply the expression of any opinion whatsoever on the part of FAO concerning legal or development status of any country, territory, city or area or of its authorities or concerning the delimitation of its frontiers or boundaries. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO in preference to others of a similar nature that are not mentioned.



Food and Agriculture
Organization of the
United Nations

COMMISSION ON
GENETIC RESOURCES
FOR FOOD AND
AGRICULTURE

**Questionnaire for the Preparation of
Country Reports for *the First State of
the World's Aquatic Genetic Resources
for Food and Agriculture***

COMMISSION ON
GENETIC RESOURCES
FOR FOOD AND
AGRICULTURE



INSTRUCTIONS FOR COMPLETING THE DYNAMIC GUIDELINES

How do I complete the dynamic guidelines?

1. You will require Adobe Reader to open the dynamic guidelines. Adobe Reader can be downloaded free of charge from: <http://get.adobe.com/uk/reader/otherversions/>. Use Adobe Reader Version 10 or higher.
2. Open the dynamic guidelines and save it (save as a pdf) on your hard drive.
3. Please rename it <name of your country>.pdf.
4. You may forward the dynamic guidelines to stakeholders you would like to involve or inform by e-mail. You may also print and/or save the dynamic guidelines.
5. It is advisable to prepare textual responses (including any formatting such as bullet points) first in a separate document and then to copy and paste them into the form. Please use font Arial 10. Acronyms and abbreviations should be avoided if possible. If included, they must be introduced (i.e. written out in full) the first time they are used. Note that the text boxes are expandable. Once text has been entered, the box will automatically enlarge to make its content fully visible when you click outside its border. To delete a row you have added, click on the "X" on the far right of the table
6. When you have finished completing the dynamic guidelines, click the "Submit form" button at the end of the form and send the completed dynamic guidelines to Devin.Bartely@fao.org; Matthias.Halwart@fao.org; and ruth.garciagomez@fao.org.
7. This should automatically attach the document to an email that you can then send. Otherwise, please attach the completed dynamic guidelines manually to an e-mail and send it to Devin.Bartely@fao.org; Matthias.Halwart@fao.org; and ruth.garciagomez@fao.org.
8. A letter confirming official endorsement by relevant authorities should also be attached to the email.
9. You will receive a confirmation that the submission was successful.

Where can I get further assistance?

If you have any questions regarding the dynamic guidelines, please contact Devin.Bartely@fao.org; Matthias.Halwart@fao.org; ruth.garciagomez@fao.org

Several websites provide useful information on aquatic species that can be consulted for proper species names and for information on aquatic genetic resources: [AlgaeBase](http://www.algaebase.org), [Aquamaps](http://www.aquamaps.org), [Barcode of Life](http://www.barcodeoflife.org), [Census of Marine Life](http://www.censusofmarinelife.org), [FishBase](http://www.fishbase.org), [Frozen Ark](http://www.frozenark.org), [GenBank](http://www.genbank.org), [Global Biodiversity Information Facility](http://www.gbif.org), [International Union for Conservation of Nature](http://www.iucn.org), [National Institutes of Health Database on Genomes and Bioinformatics](http://www.nih.gov), [Ornamental Fish International](http://www.sealifebase.org), [SealifeBase](http://www.sealifebase.org), [Sea Around Us](http://www.searoundsus.org), and [World Register of Marine Species](http://www.marinespecies.org).

How, by whom and by when must the completed dynamic guidelines be submitted?

Once officially endorsed by the relevant authorities, the completed dynamic guidelines should be submitted (click the "Submit form" button on the header banner) by the National Focal Point. **Completed dynamic guidelines should be sent by December 31st 2015.**

www.algaebase.org
www.aquamaps.org
www.barcodeoflife.org
www.coml.org
www.fishbase.org
www.frozenark.org
www.genbank.org
www.gbif.org
www.iucn.org
<http://discover.nci.nih.gov/>
www.ornamental-fish-int.org
www.sealifebase.org
www.searoundsus.org
www.marinespecies.org

I. INTRODUCTION

At its Thirteenth Regular Session, the Commission noted that the preparation of a country-driven *State of the World's Aquatic Genetic Resources for Food and Agriculture* would provide countries with opportunities for assessing the status of their aquatic genetic resources for food and agriculture and enhancing the contributions of aquatic genetic resources to food security and rural development. Additionally the process of producing Country Reports will assist countries in determining their needs and priorities for the conservation and sustainable use of aquatic genetic resources for food and agriculture, and will help raise awareness among policy-makers.

II. COUNTRY REPORTS

As with the other sectors, *The State of the World's Aquatic Genetic Resources for Food and Agriculture (SoWAqGR)* will be compiled from Country Reports. It is recognized that guidance is necessary in order to assist countries in completing those reports under a common framework. The Country Reports will become official government documents submitted to FAO.

The following questionnaire is the suggested format for the preparation and submission of Country Reports. The questionnaire has been prepared by FAO to assist in the preparation of Country Reports contributing to the SoWAqGR Report. It has been designed to assist countries to undertake a strategic assessment of their aquatic genetic resources for food and agriculture.

The scope of the first State of the World's Aquatic Genetic Resources for Food and Agriculture, and therefore the emphasis in the Country Reports, is farmed aquatic species and their wild relatives within national jurisdiction.

Country Reports should:

- become powerful tools for improving the conservation, sustainable use and development of aquatic genetic resources for food and agriculture, at national and regional levels;
- identify threats to aquatic genetic resources, gaps in information about aquatic genetic resources and needs for the strengthening of national capacity to manage aquatic genetic resources effectively;
- inform the development of national policies, legislation, research and development, education, training and extension concerning the conservation, sustainable use and development of aquatic genetic resources for food and agriculture;
- contribute to raising public awareness about the importance of aquatic genetic resources for food and agriculture;
- complement other national reporting activities on the conservation, sustainable use and development of aquatic genetic resources.

Timeline and process

In line with the overall process, as established by the Commission, the Director-General of FAO sent a Circular State Letter on 19 April 2012 to countries requesting them to identify National Focal Points for the preparation of Country Reports by 31 December, 2015.

The following steps are recommended in preparing the Country Report, using a participatory approach:

- Each participating country should appoint a National Focal Point for the coordination of the preparation of the Country Report who will also act as focal point to FAO. National Focal Points should be communicated to the Secretary, Commission on Genetic Resources for Food and Agriculture (cgrfa@fao.org) immediately.
- Countries are encouraged to establish a national committee to oversee the preparation of the Country Report. The national committee should consist of as many representative stakeholders as practical (representing government, industry, research and civil society).
- The national committee should meet frequently to review progress and consult widely with key stakeholders.

- The National Focal Point should coordinate the preparation of the first draft of the Country Report, which should be reviewed by the national committee. The National Focal Point should facilitate a consultative process for broader stakeholder review.
- Following the stakeholder review, the National Focal Point should coordinate the finalization of the Country Report, submit it to the government for official endorsement and transmit it to FAO in one of the Organization's official languages (Arabic, Chinese, English, French, Russian and Spanish) by 31 December 2015.
- The Country Report will be an official government report.
- If countries are unable to submit final Country Reports by the set deadline, preliminary reports of findings should be provided to FAO to contribute to the identification of global priorities for inclusion in the SoWAqGR Report.

**QUESTIONNAIRE FOR PREPARATION OF COUNTRY REPORTS FOR
THE STATE OF THE WORLD'S AQUATIC GENETIC RESOURCES FOR FOOD
AND AGRICULTURE**

Country report supporting the preparation of
The State of the World's Aquatic Genetic Resources for Food and Agriculture

Country	Iran (Islamic Republic of)
Prepared By	Hossein Ali Abdolhay and Mehdi Shakouri
Date	Dec 21, 2015

TABLE OF CONTENTS

	Page
I.EXECUTIVE SUMMARY	6
II.INTRODUCTION	7
III.MAIN BODY OF THE COUNTRY REPORT	8
Chapter 1. The Use and Exchange of Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction	8
Chapter 2. Drivers and Trends in Aquaculture: Consequences for Aquatic Genetic Resources within National Jurisdiction	40
Chapter 3. <i>In Situ</i> Conservation of Aquatic Genetic Resources of Farmed Aquatic Species and their wild Relatives within National Jurisdiction	48
Chapter 4. <i>Ex Situ</i> Conservation of Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction	53
Chapter 5. Stakeholders with Interests in Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction	58
Chapter 6. National Policies and Legislation for Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction	65
Chapter 7. Research, Education, Training and Extension on Aquatic Genetic Resources within National Jurisdiction: Coordination, Networking and Information	71
Chapter 8. International Collaboration on Aquatic Genetic Resources of Farmed Aquatic Species and Their Wild Relatives	86

I. EXECUTIVE SUMMARY

The Country Report should contain an executive summary of 2-3 pages highlighting the main findings of the analysis and providing an overview of key issues, constraints and existing capacity to address the issues and challenges. The executive summary should indicate trends and driving forces and present an overview of the proposed strategic directions for future actions aimed at the national, regional and global levels.

Please include the Executive Summary here.

This report aims to provide an overview on the status of the aquatic genetic resources (AqGR) in Iran. Genetic resources are the foundation on which species, stocks and genetically-improved strains are based and it is becoming increasingly important in view of their roles in improved aquaculture production and threats to biodiversity and genetic resource conservation. This document is presented in eight chapters which describe in detail the diversity of the available aquatic genetic resources of farmed aquatic species (freshwater and marine) and their wild relatives in Iran, conservation and management measures, stakeholders participation in management, national policies and legislations, research and education as well as international collaboration on AqGR.

From Chapter 1, it can be established that the Iranian AqGR is composed of genetic of native species as well as introduced types. Majority of the AqGR still relies on the collection of brood stock or seed from natural populations because of the low domestication levels in fisheries in contrast to animal farming and agriculture. At present, there is a very limited broodstock development program for fish species with major efforts mostly by the government. There is very limited important document and records' regarding the register of critical breeds and propose specific measures for their conservation. The dissemination of breed information and developing networks between dedicated farmers/government/private are also scarce. Major aquatic farm species, types, acquisition and their uses are also presented in this chapter. The findings suggest that sustainable management of AqGR can best be achieved by encouraging continued diversification of fish species throughout the country. Biotechnologies are only used in some extent for genetic improvement of farmed aquatic organisms. Nevertheless, simply having a domesticated species or genetically improved species is not sufficient to guarantee optimum production from an aquaculture facility. There are many other factors that are responsible in the aquaculture production and management.

Chapter 2 identifies the main drivers and trends that are shaping aquaculture and their consequences for genetic resources. The main drivers that are impacting AqGR of farmed aquatic species and wild relatives of farmed aquatic species in Iran are human population increase, climate change, and competition for resources especially freshwater as well as increased wealth and demand for fish. Although most of the drivers have negative effects on the AqGR, in some way they also produce positive effects.

Chapter 3 and 4 focus on the in situ and ex situ conservation of AqGR of farmed aquatic species and their wild relatives within national jurisdiction. It is essential to prevent unlimited exploitation of wild germplasm resources and put in place a strategy for sustainable utilization of resources. Realizing the importance of this, Iran has taken strategic steps in the in situ and ex situ conservation of aquatic genetic resources using appropriate approaches. The most effective in situ conservation technique practised in Iran gene bank system i.e. a simple yet effective approach to good stewardship of the river based on community management which not only helps to conserve biodiversity but also rejuvenates fish. Other in situ conservation measures adopted are protected areas, fish sanctuaries, restocking program and captive propagation of threatened and endangered fish. The ex situ conservation program is through the establishment of a repository of fish biological materials (living specimens, DNA and cryopreserved semen). Besides that, fisheries biosecurity and quarantine centres are set up throughout the country to protect the native biodiversity and curb the spread of pathogens and diseases. The national committee on risk assessment and importation of alien species and the requirement of health certification also form the integral part of broad strategies to protect the natural environment and native species from deleterious impacts of exotic species or pathogens.

Chapter 5 elaborates the stakeholders with interest in AqGR of farmed aquatic species and wild relatives and their roles. The principal stakeholders with interest in AqGR include the fish farmers, fishers, hatchery operators, government resource managers, universities and academic communities. The findings in this chapter point to the fact that conservation is not considered as one of the roles played by the fish farmers, fishers and fish hatchery people. From a conservationist perspective, fishery is threatened resources yet from a socioeconomic perspective, they represent a source of income. The integration between these two views requires that fishers and farmers to have knowledge and abilities that can assist the implementation of conservation strategies and of management plans for AqGR of farmed aquatic species and wild relatives. There should be more dialogues, forums, awareness programmes on the importance of conserving the AqGR to the fish farmers, fishers and hatchery people. There is no discrimination imposed on women or indigenous people/local community in any activities regarding fishing, culturing, managing or conserving the resources.

In fact, Iran, many people are involved in research and management of AqGR not only as fish farmers or fishers but also as civil society, politicians and university researchers. This is encouraging as indigenous knowledge reflects many generations of experience and problem-solving. Very little of this knowledge has been recorded, yet it represents an immensely valuable information that provides humankind with insights on how previous communities have interacted with their changing environment including its floral and faunal resources.

Chapter 6 deliberates on the national policies and legislation for AqGR of farmed aquatic species and their wild relatives. The findings in this chapter clearly indicate that Iran has a comprehensive legislation that addresses the management and conservation of AqGR such as the Iranian Fisheries Act 1995 and Ac in 1999 (revised 2007). Under this act, provisions pertaining to fishing effort regulation include limited entry through licensing, minimum mesh sizes, minimum harvesting of fish, prohibition of destructive fishing gears and fishing zones defined by vessel size, engine power and method of fishing. The Act also contains provisions for the establishment of marine parks and reserves aimed at the conservation and rehabilitation of fish stocks and the environment. The Fisheries Act (1995) is supported by other national legislations, policies and plans for holistic approach in managing and conserving AqGR in Iran. New international requirement and obligation especially on biodiversity and political process such as trade and patent agreement have also been taken into considerations in the new Access to Genetic Resources Act and National Biodiversity Council Act, which is still at bill stage. This is very important, as findings in chapter 6 shows Iran is lacking in experience and know-how on action taken to maintain or enhance access to AqGR located outside the country such as germsplasm acquisition agreement.

The importance of research, education, training and extension on AqGR within national jurisdiction is discussed in Chapter 7. Iranian Fisheries Science Research Institute is responsible for research programmes. There have been few researchers and universities involved in fisheries and genetic resources studies until 1980'. In past two decades fisheries faculties has expanded very much and there are some 50 faculties and 15 research centers round the country. National research programmes support the conservation, sustainable use and development of AqGR of farmed aquatic species and their wild relatives. However it lacks focus and coordination between the researchers and agencies involved. This could explain why some of the results obtained on AqGR have not been adopted for fisheries management. Important studies such as the life history traits of natural population of prioritized species and economic evaluation of AqGR are scanty although it is essential for planning conservation and management of a species. The large number of AqGR is at risk in developing countries because of limited financial resources available for conservation and sustainable use. It is hoped that economic analysis can play an important role in ensuring an appropriate focus for conservation and genetic improvement efforts. Additionally, research focus is sometimes derailed by the introduction and emphasis on new aquatic species from time to time. Generally, Iran has sufficient basic expertise needed for the sustainable management of its AqGR. However, new situations and challenges (such as climate change, increase in pollution level, competition for areas and waters, new diseases) result in a need for capacity building within those areas, in order to secure appropriate management of AqGR in the future. Recognizing the importance of aquaculture for food security, the government has initiated aquaculture certificate, diploma and degree programmes. Communication with stakeholders and fishery guardians in the country should be made so that comprehensive curricula is produced which covers important aspects such as breeding programmes, genetic improvement and conservation measures besides culturing fish. Another focus on education should be for the culturist, fishers, hatchery operators and fish importers. There should be continuous training, dialogue and communication between these front liners and the policy makers as well as fisheries managers as the level of awareness on the importance of AqGR conservation in the country is not satisfactory. Literacy regarding various international agreements and national legislations with regard to AqGR also needs strengthening.

Chapter 8 lists the international collaborations on AqGR of farmed aquatic species and their wild relatives. Via international agreements, Iran has committed herself to promoting the sustainable management of its aquatic genetic resources. Over the past few years, several management action plans have been undertaken to maintain or enhance the exchange of aquatic genetic resources and their management.

In conclusion, Iran is already on the right track when it comes to the conservation, legislations, R&D and capacity building in AqGR of farmed aquatic species and their wild relatives. However there is still room for improvement in all the aspects highlighted above.

II. INTRODUCTION

The main objective of the Introduction is to present an overview that will allow a person who is unfamiliar with the country to appreciate the context for the Country Report. The Introduction should present a broad overview and present background information from your country on farmed aquatic species, their wild relatives and culture based fisheries. Detailed information should be provided in the main body of the Country Report. Countries may wish to consider developing their Introductions after completing the main body of their Country Reports.

Please write the overview here

The Islamic Republic of Iran is located in the Middle East between latitudes of 25° 00' and 39° 47' N and longitude of 44° 02' and 63° 02' E. The total area of the Country is 1 648 195 km² which includes 1 636 million km² land area and 12 000 km² of water surface. The coast line stretches for 5800 km to the south in the Persian Gulf and the Oman Sea, Isles and in the north along the Caspian Sea. The shelf area 196000km and length of continental coastline is 2700 km. The population of Iran was 77.45 in 2013 and 79,928,369 in 2015.

Structure and characteristics of the industry

The long Iranian coastline, coupled with a diversified climate in the land area suitable for various type of aquaculture system

and fishing activities. Fishery sector in Iran could be divided to three categories: southern Fishery; northern Fishery (the Caspian Sea); and aquaculture and inland fisheries.

In 2013, Iran produced 473658 t, 40423 t and 370876 t, respectively (Nazari, 2014). Catch from wild natural resources is stringy limited due to over fishing, pollution and illegal fishing. Attempts are in progress to improve stocks of wild commercial fishes through fish stock enhancement programme, conservation, fishing management and a buy-back scheme for reducing the number of existing fishing licenses. In contrast, aquaculture is very promising due to the vast areas suitable and diverse climate conditions. The capture fisheries are including south of Iran (Persian Gulf and Oman Sea) and in north including Caspian Sea.

Southern fisheries

Total fish landings in southern Iran have been almost stable since 1989, with a recorded 368505 t, 473658 in 2013, comprising demersal species (139655 t, 170885), big pelagics (187610 t, 239593), small pelagics (23740 t, 50266) and other (11 573 t, including discards and by-catch). Purse seine fisheries for tuna fishes in the Indian Ocean have been expanded, and in 2011 landed 11 830 t. Trawl fishing outside Iran coastal areas has also increased, with more than 2 000 t landed in 2013 and total catch increased to 473658 t in 2013. Major parts of the catch increase is attributed to tuna catch in Indian ocean, Sardine, Hairtail and lantern fish. Economic value of southern catch in 2013 was estimated about 804 millions USD.

Northern fisheries

Total landings along the Iranian coast of Caspian Sea reached 40423 t, including sturgeon (56 t), kilka (23221 t) and bony fishes (17146 t) in 2013 (Nazari, 2014). The bony fishes include kutum (*Rutilus frisii kutum*; locally called "white fish"), mullets, carp, pikeperch, breams, herrings, and a few others. Harvesting of sturgeon resources are stoped exclusively by the Fisheries Research Organization in collaboration with the Deputy for Fishing and Ports Affairs. Kilka resources have been exploited totally by the private sector, operating motorized vessels equipped with conical nets and light attractors. In the Caspian Sea fisheries, the situation is similar. The valuable sturgeon is migratory species and have no specific fishing ground. Despite huge investment in stock enhancement by Iran, neighbouring states exploit the resources with no reciprocal investment. This holds true also for the valuable bony fishes like kutum, carps, mullet and others. Annually, more than 400 million fingerlings are released to the southern Caspian (Abdolhay et al., 2011; Hossein Ali Abdolhay & Tahori, 2006). Coast under the Iranian Stock Enhancement Programme, and fishers enjoy the returns in the form of mature fishes. Recently, with the intervention of CITES, other states of the Caspian Sea have been encouraged to establish the same programme for stock enhancement and protection. Unofficial reports indicate that similar catches are taken by other coastal nations in the Caspian Sea.

Aquaculture and Inland Fisheries

The government of Iran has been successful in its efforts to raise aquaculture output and this is reflected in the overall expansion rate of the sector at 8.2 %/ per year during last two decades. To date, five major fish species consisting of common carp, silver carp, bighead carp, grass carp, rainbow trout, shrimp and sturgeon contribute to aquaculture output in Iran. In 1996, production amounted to about 30,000 mt. The production swelled by 12 times to about 370000 mt in 2013. Following the introduction of Chinese carps in the 1970s, there has been a shift from traditional common carp monoculture to polyculture system of Chinese carps and common carp. The increasing production of silver carp was mainly due to the higher stocking ratio of the phytoplankton feeder in the polyculture system despite its lower retail market price compared to grass carp.

Development of rainbow trout aquaculture was also carried out during 1987 till 1996 with a total production of 820 mt in 1987 and 1900 mt in 1996. The aquaculture production of this coldwater species of fish was developed during 1997-2013 and reached a production level of over 143000 in 2013.

The development of *P. indicus* aquaculture was rapid during 1999 till 2004 with a production of about 8,900 mt in 2004. However, the production of shrimp decreased to 3,500 mt in 2005 because of the white spot viral disease. It has get back to peak of production since 2012 and reached to top in 2014 with 22500 mt of *P. Vannamei*.

III. MAIN BODY OF THE COUNTRY REPORT

Aquaculture, culture-based fisheries and capture fisheries, have differing importance among countries. The structure of chapters in each Country Report will reflect those differences. Countries which do not have a well-developed aquaculture sector but where wild relatives of farmed aquatic species are located, should report on these resources. Countries should decide how to prioritize the coverage of their Country Reports depending on their aquatic genetic resources.

Chapter 1: The Use and Exchange of Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction

The main objective of Chapter 1 is to provide annotated inventories of aquatic genetic resources (AqGR) of farmed aquatic species and their wild relatives.

Farmed aquatic species

1. Over the last 10 years, has production been: *Please mark appropriate box.*

- Increasing
- Stable
- Decreasing
- Stopped
- Still in Research and Development
- Fluctuating
- Not known

2. What is the expected trend over the next 10 years? *Please mark appropriate box.*

- Increasing
- Stable
- Decreasing
- Stopped
- Still in Research and Development
- Fluctuating
- Not known

3. Is the identification and naming of farmed species, subspecies, hybrids, crossbreeds, strains, triploids, other distinct types accurate and up- to-date? *Please mark appropriate box.*

- Yes
- No
- Mostly Yes
- Mostly No

Please include any explanation or additional information here.

The *Huso huso*, *Peneaus vannamei*, identified and common carp and rainbow trout is under study.

4. To what extent are genetic data for farmed aquatic organisms

a) Available? *Please mark appropriate box.*

- Not at all
- To a minor extent
- To some extent
- To a great extent

b) Used in management? *Please mark appropriate box.*

- Not at all
- To a minor extent
- To some extent
- To a great extent

Please add any explanation here.

Although a comprehensive research on the genetic population of some of the species such as sturgeon *Acipenser persicus* *Huso huso*, *Rutilus frisi kutum* have been investigated, the information gathered has not being used for management purposes.

5. To what extent are the aquatic organisms farmed in your country sourced as wild seed or from wild brood stock?

Please mark appropriate box.

- Not at all
- To a minor extent
- To some extent
- To a great extent

Please add any explanation here.

The most of species are introduced such as trout, vanamei and chines carp.
Except for sturgeon Caspian trout, marine carp and kutum in Caspian Sea and Sobity , grouper in South of Iran,

6. What proportions (%) of breeding programmes and efforts for the genetic improvement of farmed aquatic species in your country are being managed by the public sector (government research, universities etc.), the private sector, and public-private partnerships?

• Percent managed by public sector. **Please Enter Percentage Here**

• Percent managed by private sector. **Please Enter Percentage Here**

• Percent managed by private /public partnership. **Please Enter Percentage Here**

Total

Please add any explanation here.

Example of private /public partnership: Rainbow trout, Chinese carp and shrimp (vannamei) . The 100% are produced by private sector but they dont have plan for genetic resources management

7. To what extent do genetically improved aquatic organisms, including hybrids, crossbreeds, strains, triploids and other distinct types contribute to national aquaculture production in terms of volume ?

Please mark appropriate box.

- Not at all
- To a minor extent
- To some extent
- To a great extent

8. Please list most significant examples where genetic improvement contributed to increased production and indicate whether they were developed by public, private or public/private partnerships.

Add Row

Species	Type of genetic improvement <i>mark all that apply</i>	Developed By <i>mark all that apply</i>	
	<input checked="" type="checkbox"/> Traditional selective breeding	<input checked="" type="checkbox"/> Private Sector <input checked="" type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Hybrids	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
Oncorhynchus mykiss	<input checked="" type="checkbox"/> Triploids and other polyploids	<input checked="" type="checkbox"/> Private Sector <input checked="" type="checkbox"/> Public Sector <input checked="" type="checkbox"/> Private/Public partnership	X
	<input checked="" type="checkbox"/> Mono-sex production	<input type="checkbox"/> Private Sector <input checked="" type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Other	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input checked="" type="checkbox"/> Traditional selective breeding	<input checked="" type="checkbox"/> Private Sector <input checked="" type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Hybrids	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
Cyprinus carpio	<input type="checkbox"/> Triploids and other polyploids	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	X
	<input type="checkbox"/> Mono-sex production	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Other	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	

	<input checked="" type="checkbox"/> Traditional selective breeding	<input checked="" type="checkbox"/> Private Sector <input checked="" type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Hybrids	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
Penaeus vannamei	<input type="checkbox"/> Triploids and other polyploids	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	X
	<input type="checkbox"/> Mono-sex production	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	
	<input type="checkbox"/> Other	<input type="checkbox"/> Private Sector <input type="checkbox"/> Public Sector <input type="checkbox"/> Private/Public partnership	

9. Please fill in table 1.1

Table 1.1 Aquatic genetic resources (AqGR) of farmed aquatic species in your country

Add Row							
Farmed species	Genetic type	Availability of genetic data	Trends in production	Future trends in production	Genetic improvement	Future genetic improvement	Comments
List species (scientific names), strains and varieties as scientific names (put in brackets the most widely used national common name or names) and indicate whether native or introduced	<i>Indicate all genetic types that apply to the species</i>	Are genetic data available for farmed populations? If yes, give summary details in comments	Over the last 10 years, production has been (mark one)	Expected trend over the next 10 years is that production will (mark one)	Which genetic technologies are currently being used on the species (mark all that apply)	mark all that apply	For example important traits improved, how data are used in management or name of breed, source of information, etc.
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input checked="" type="checkbox"/> Strains <input type="checkbox"/> Varieties <input checked="" type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input checked="" type="checkbox"/> Polyploidy (chromosome set manipulation) <input checked="" type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input checked="" type="checkbox"/> Polyploidy (chromosome set manipulation) <input checked="" type="checkbox"/> Monosex <input checked="" type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	Genetic improvement important better growth, disease resisance
Oncorhynchus mykiss							X

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Cyprinus carpio	<input type="checkbox"/> Selective bred type	<input type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input checked="" type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input checked="" type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)	better growth	X
	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input type="checkbox"/> Selective breeding	<input type="checkbox"/> Selective breeding		
Hypophthalmichthys molitrix	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)	There is no any genetic improvement in world	X
	<input type="checkbox"/> Polyploids							

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input type="checkbox"/> Selective breeding	<input type="checkbox"/> Selective breeding		
Ctenopharyngodon idellus	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	There is no any genetic improvement in world disease resistance	X
<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input type="checkbox"/> Selective breeding	<input type="checkbox"/> Selective breeding		
Hypophthalmichthys nobilis	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	There is no any genetic improvement in world	X

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Penaeus vannamei	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input checked="" type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input checked="" type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input checked="" type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input type="checkbox"/> Selective breeding	<input type="checkbox"/> Selective breeding		
Huso huso	<input type="checkbox"/> Selective bred type	<input type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input checked="" type="checkbox"/> Hybridization	<input checked="" type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
							hybrid with sterlet	

<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input checked="" type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Salmo trutta	<input type="checkbox"/> Selective bred type	<input type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input checked="" type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input type="checkbox"/> Selective breeding	<input type="checkbox"/> Selective breeding		
Astacus leptodactylus	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	no any genetic work	X
Macrobrachium rosenbergii	<input type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids							
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		X
Sparidentex hasta	<input type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids							

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Lates calcarifer	<input checked="" type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Epinephelus coioides	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							

<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Penaeus indicus	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input checked="" type="radio"/> Stopped	<input checked="" type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Penaeus semisulcatus	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
	<input type="checkbox"/> Cross breeds		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
	<input type="checkbox"/> Strains		<input checked="" type="radio"/> Stopped	<input checked="" type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
	<input type="checkbox"/> Varieties		<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
	<input type="checkbox"/> Polyploids							

<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input checked="" type="radio"/> Increasing	<input checked="" type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Rutilus frisii	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		X
<input type="checkbox"/> Cross breeds	<input type="checkbox"/> Strains		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
<input type="checkbox"/> Varieties	<input type="checkbox"/> Polyploids		<input type="radio"/> Stopped	<input type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
<input type="checkbox"/> Polyploids			<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input checked="" type="checkbox"/> Wild Type	<input type="radio"/> Yes	<input type="radio"/> Increasing	<input type="radio"/> Increasing	<input checked="" type="checkbox"/> Selective breeding	<input checked="" type="checkbox"/> Selective breeding		
Metapenaeus affinis	<input type="checkbox"/> Selective bred type	<input checked="" type="radio"/> No	<input type="radio"/> Stable	<input type="radio"/> Stable	<input type="checkbox"/> Hybridization	<input type="checkbox"/> Hybridization		
	<input type="checkbox"/> Hybrids	<input type="radio"/> Not Known	<input type="radio"/> Fluctuating	<input type="radio"/> Fluctuating	<input type="checkbox"/> Polyploidy (chromosome set manipulation)	<input type="checkbox"/> Polyploidy (chromosome set manipulation)		
<input type="checkbox"/> Cross breeds	<input type="checkbox"/> Strains		<input type="radio"/> Decreasing	<input type="radio"/> Decreasing	<input type="checkbox"/> Monosex	<input type="checkbox"/> Monosex		
<input type="checkbox"/> Varieties	<input type="checkbox"/> Polyploids		<input checked="" type="radio"/> Stopped	<input checked="" type="radio"/> Stopped	<input type="checkbox"/> Marker assisted selection	<input type="checkbox"/> Marker assisted selection		
<input type="checkbox"/> Polyploids			<input type="radio"/> Not known	<input type="radio"/> Not known	<input type="checkbox"/> Other (specify in comment)	<input type="checkbox"/> Other (specify in comment)		
							<p>the species is widely finds in the Persian gulf's Iranian waters</p>	X

<input type="radio"/> Native <input checked="" type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		
Sparus aurata								X
<input checked="" type="radio"/> Native <input type="radio"/> Introduced	<input type="checkbox"/> Wild Type <input checked="" type="checkbox"/> Selective bred type <input type="checkbox"/> Hybrids <input type="checkbox"/> Cross breeds <input type="checkbox"/> Strains <input type="checkbox"/> Varieties <input type="checkbox"/> Polyploids	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input checked="" type="radio"/> Not known	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Stopped <input type="radio"/> Not known	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)	<input checked="" type="checkbox"/> Selective breeding <input type="checkbox"/> Hybridization <input type="checkbox"/> Polyploidy (chromosome set manipulation) <input type="checkbox"/> Monosex <input type="checkbox"/> Marker assisted selection <input type="checkbox"/> Other (specify in comment)		
Mesopotamichthys sharpeyi								X

10. Which aquatic species in your country are thought to have potential for domestication and future use in aquaculture?

Add Row

Species <i>Type and select a species</i>	Is the species native to your country?	Comments <i>For example main sources of information</i>	
Rutilus frisii	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	This Kutum and cultured in brackish water	X
Salmo trutta	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	This Caspian trout and started in cages and fresh water	X
Abramis brama	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known		X

Cyprinus carpio	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<p>This is in Caspian Sea and brackish water</p>	X
Sander lucioperca	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<p>Souf (Stizostedion lucioperca)</p>	X
Barbel	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<p>Barbus Xanthpterus, Barbus sharpeyi and Barbus grypus in Khozestan province</p>	X

Sparidae	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	Sparidentex hasta In south of Iran	X
Acanthopagrus latus	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	In south of Iran	X
Epinephelus coioides	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	In south of Iran	X

11. Please list the aquatic genetic resources of farmed aquatic species your country has transferred or exchanged with other countries over the past 10 years.

Add Row					
Species	Genetic alteration of exchanged material Mark all that apply	Details of transfer or exchange	Type of genetic material exchanged Mark all that apply	Country or countries involved with exchange Hold CTRL button to select more than one country	Comments <i>Please add main purpose or objective of the exchange and main sources of information</i>
Lates calcarifer	<input type="checkbox"/> No deliberate genetic alteration <input type="checkbox"/> Traditional selective breeding <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input checked="" type="checkbox"/> Other	<input checked="" type="checkbox"/> Import <input type="checkbox"/> Export	<input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens <input type="checkbox"/> Other	Slovakia Slovenia Solomon Islands Somalia South Africa South Sudan Spain Sri Lanka Sudan Suriname Swaziland Sweden Switzerland Syrian Arab Republic Tajikistan Thailand Timor-Leste	Australia and Thailand for cage culture
Oreochromis niloticus	<input type="checkbox"/> No deliberate genetic alteration <input type="checkbox"/> Traditional selective breeding <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input checked="" type="checkbox"/> Other	<input checked="" type="checkbox"/> Import <input type="checkbox"/> Export	<input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input type="checkbox"/> Living specimens <input type="checkbox"/> Other	Gabon Gambia Georgia Germany Ghana Greece Grenada Guatemala Guinea Guinea-Bissau Guyana Haiti Hungary Iceland India Indonesia Iran (Islamic Republic)	for culture in berakish water

<p>Sparus aurata</p>	<p>No deliberate <input type="checkbox"/> genetic alteration Traditional selective breeding <input type="checkbox"/> <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input checked="" type="checkbox"/> Other</p>	<p><input checked="" type="checkbox"/> Import <input type="checkbox"/> Export</p>	<p><input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input type="checkbox"/> Living specimens <input type="checkbox"/> Other</p>	<p>Afghanistan Albania Algeria Andorra Angola Antigua and Barbuda Argentina Armenia Australia Austria Azerbaijan Bahamas Bahrain Bangladesh Barbados Belarus Belgium</p>	<p>France for cage culture</p>	<p>X</p>
<p>Catla catla</p>	<p>No deliberate <input type="checkbox"/> genetic alteration Traditional selective breeding <input type="checkbox"/> <input type="checkbox"/> Hybrids <input type="checkbox"/> Triploids and other polyploids <input type="checkbox"/> Mono-sex production <input type="checkbox"/> Other</p>	<p><input checked="" type="checkbox"/> Import <input type="checkbox"/> Export</p>	<p><input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens <input type="checkbox"/> Other</p>	<p>France Gabon Gambia Georgia Germany Ghana Greece Grenada Guatemala Guinea Guinea-Bissau Guyana Haiti Hungary Iceland India Indonesia</p>	<p>Three Indian carp for diversity of aquaculture</p>	<p>X</p>

Wild relatives of farmed aquatic species

12. Please list any wild relatives of aquatic species present in your country that are farmed in another country (but not in your country) and indicate their uses.

This question refers to aquatic genetic resources that are present in the wild in your country and that are being farmed elsewhere (but not farmed in your country), indicating any uses these resources may have in your country.

Add Row

Species	Use <i>(mark all that apply)</i>	Comments	
	<input type="checkbox"/> Capture fisheries		
	<input type="checkbox"/> Recreational fishery		
	<input type="checkbox"/> Aquaria		
	<input type="checkbox"/> Biological control		
	<input type="checkbox"/> Research and development		X
	<input type="checkbox"/> Other (specify in comments)		

13. Please list the aquatic genetic resources of wild relatives of farmed aquatic species your country has transferred or exchanged with other countries over the past 10 years.

Add Row

This question refers to wild aquatic genetic resources collected from the wild, not from farming facilities as in question 11.

Species	Details of transfer or exchange <i>mark all that apply</i>	Type of genetic material exchanged	Country Hold CTRL button to select more than one country	Comments <i>main sources of information, if the transfer was legal or not</i>	
	<input type="checkbox"/> Import <input type="checkbox"/> Export	<input type="checkbox"/> Tissues <input type="checkbox"/> Gametes <input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Embryos <input type="checkbox"/> Living specimens <input type="checkbox"/> Other	Afghanistan Albania Algeria Andorra Angola Antigua and Barbuda Argentina Armenia Australia Austria Azerbaijan Bahamas Bahrain Bangladesh Barbados Belarus		<div style="text-align: right; border: 1px solid black; width: 20px; height: 20px; margin: 0 auto;">X</div>

14. Please fill in table 1.2

Table 1.2 Aquatic genetic resources of wild relatives of farmed aquatic species in your country.

<div style="border: 1px solid black; padding: 2px; display: inline-block; margin-bottom: 5px;">Add Row</div>											
Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
For each row, list the species as scientific names (put in brackets the most widely used national common For each species, include the named stocks and name of other management units if known)	Is the species (mark as appropriate) :	Is this species targeted by capture fisheries?	Are there any management measures in place?	Are genetic data available for the fishery?	Are genetic data used in management?	Over the last 10 years, catches have been:	Expected trend over the next 10 years.	Indicate the ecosystem where the fishery is located (mark all that apply)	The habitat or range is	What are likely reasons for changes? (mark all that apply)	
Rutilus frisii	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	<div style="border: 1px solid black; padding: 2px; display: inline-block; margin-bottom: 5px;">X</div>

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Cyprinus carpio	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input checked="" type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Liza aurata	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input checked="" type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Penaeus semisulcatus	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Penaeus indicus	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Decreasing <input checked="" type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Parastromateus niger	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input checked="" type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input checked="" type="checkbox"/> Others <input type="checkbox"/> Not known	X
Pampus argenteus	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input checked="" type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Lutjanus johnii	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input checked="" type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Otolithes ruber	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input checked="" type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Sepia officinalis	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input checked="" type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Penaeus merguensis	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input checked="" type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Thunnus albacares	<input type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input checked="" type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input checked="" type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Scombridae	<input type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input checked="" type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input type="checkbox"/> Pollution <input type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Acanthopagrus latus	<input type="checkbox"/> Straddling <input checked="" type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input checked="" type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="checkbox"/> Intertidal <input checked="" type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X
Sparidentex hasta	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Fluctuating <input type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input checked="" type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Target species, stocks or other management units	Characteristics of species	Capture fisheries	Management measures	Availability of genetic data	Use of genetic data in management	Trends in catches	Future trends in catches	Ecosystem(s) where the fishery is located	Changes in ranges and habitats	Reasons for change in abundance of species	
Epinephelus coioides	<input type="checkbox"/> Straddling <input type="checkbox"/> Transboundary <input type="checkbox"/> Introduced <input checked="" type="checkbox"/> Native	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input type="radio"/> Increasing <input type="radio"/> Stable <input type="radio"/> Fluctuating <input checked="" type="radio"/> Decreasing <input type="radio"/> Depleted <input type="radio"/> Not known	<input checked="" type="checkbox"/> Intertidal <input type="checkbox"/> Coastal in EEZ <input type="checkbox"/> High seas <input type="checkbox"/> Lake <input type="checkbox"/> Reservoir <input type="checkbox"/> River <input type="checkbox"/> Swamp <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="radio"/> Increasing <input type="radio"/> Stable <input checked="" type="radio"/> Decreasing <input type="radio"/> Not known	<input checked="" type="checkbox"/> Habitat <input type="checkbox"/> Climate <input type="checkbox"/> Invasive species <input checked="" type="checkbox"/> Pollution <input checked="" type="checkbox"/> Rehabilitation of habitat <input type="checkbox"/> Others <input type="checkbox"/> Not known	X

Chapter 2: Drivers and Trends in Aquaculture: Consequences for Aquatic Genetic Resources within National Jurisdiction

The main objective of Chapter 2 is to review the main drivers and trends that are shaping aquaculture and their consequences for aquatic genetic resources.

15. Please indicate the ways the aquatic genetic resources (AqGR) of **farmed aquatic species** have been impacted by the following drivers. Please give examples of positive and negative impacts for specific drivers.

This question refers to drivers impacting farmed aquatic genetic resources, not about impacts on the entire aquaculture sector. Drivers should be seen from a national perspective.

Driver impacting aquaculture	Effect on AqGR <i>Mark appropriate box</i>	Comments <i>List examples or other relevant information</i>
Human population increase	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	positive: • Increase in human population will put pressure to enhance fish production • High demand for fish protein
Increased wealth and demand for fish	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Positive: • Increase demand for fish product and healthy animal protein • Development of breeding program to increase productivity
Governance (ability of government, industry and the public to work together in managing resources)	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Positive: • Smooth implementation of management policies • More cooperation between government, industry and the public
Climate change	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	positive: • Salinization results in more space for production of marine fishes
Competition for resources, especially freshwater	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Positive: • Creating new technology for in-door culture • Encourage the development of more efficient and environmental friendly technology

Driver impacting aquaculture	Effect on AqGR <i>Mark appropriate box</i>	Comments <i>List examples or other relevant information</i>
Changes in values and ethics of consumers	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Negative • Put pressure on natural high valued fish. • Put pressure of highly demanded demand fish, vulnerable market
Other Add other drivers as necessary	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	
Add Row	Remove Row	

16. Please indicate the ways the aquatic genetic resources of **wild relatives of farmed aquatic species** in nature have been impacted by the following drivers. Please give examples of positive and negative impacts for specific drivers.

This question refers to drivers impacting wild aquatic genetic resources of farmed species, not about impacts on the entire aquaculture sector. Drivers should be seen from a national perspective.

Driver impacting aquaculture	Effect on AqGR <i>Mark appropriate box</i>	Comments <i>List examples or other relevant information</i>
Human population increase	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • Excessive exploitation of wild stock (overfishing) due to high demand • Decrease in fish population cause by pollution • Depletion of wild stock
Increased wealth and demand for fish	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • High demand for wild fish • Enhancement of sanctuary, strict conservation measures and well-planned management policy to increase fish population
Governance (ability of government, industry and the public to work together in managing resources)	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • Introduce closed-season • Increase awareness on importance of conservation • More sanctuaries and MPA identified and gazetted, implementation of community based fisheries management
Climate change	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Positive: <ul style="list-style-type: none"> • Increases brackishwater and marine farming areas • Migratory species available in new habitat • Probability of producing more resilient fish (adaptability)
Competition for resources, especially freshwater	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	Negative: <ul style="list-style-type: none"> • Reduce of habitat due to competition of land for urbanization

Driver impacting aquaculture	Effect on AqGR <i>Mark appropriate box</i>	Comments <i>List examples or other relevant information</i>
Changes in values and ethics of consumers	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • Increase in awareness on conservation of natural resources and endangered species • Reducing demands on unsustainable fish species (high carbon footprint, carnivorous fish)
Other Add other drivers as necessary	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	
Add Row	Remove Row	

17. What countermeasures might be taken to reduce adverse impacts on the aquatic genetic resources that sustain current aquaculture and/or provide for its future development?

Describe countermeasures

- Register critical breeds, and propose specific measures for their conservation
- The dissemination of breed information and developing networks between dedicated farmers/government/private.
- Good breeding program
- Establishment of effective (in situ and ex situ) conservation program such as establishment of gene bank, sanctuary and protected area.
- Survey and increase public awareness for the importance of conserving farm animal genetic diversity, thus enabling agriculture to meet present and future economic, biological and scientific needs.
- The dissemination of knowledge and information to specific user groups and the general public.
- Promoting sustainable aquaculture
- Imposing strict fishing and fish gear regulation

Biotechnologies

18. To what extent have the following biotechnologies been used in your country for the genetic improvement of farmed aquatic organisms.

Biotechnology	Extent of use	Comments <i>main sources of information, important species for which the biotechnology is applied</i>
Selective breeding	<input type="radio"/> Not at all <input type="radio"/> To a minor extent <input checked="" type="radio"/> To some extent <input type="radio"/> To a great extent	Rainbow trout and vannamei
Hybridization	<input type="radio"/> Not at all <input type="radio"/> To a minor extent <input checked="" type="radio"/> To some extent <input type="radio"/> To a great extent	Huso huso and Acipenser persicuse
Polyploidy (chromosome set manipulation)	<input type="radio"/> Not at all <input type="radio"/> To a minor extent <input checked="" type="radio"/> To some extent <input type="radio"/> To a great extent	Trout
Monosex production	<input type="radio"/> Not at all <input type="radio"/> To a minor extent <input type="radio"/> To some extent <input checked="" type="radio"/> To a great extent	trout
Marker assisted selection	<input checked="" type="radio"/> Not at all <input type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	
Gynogenesis/androgenesis	<input type="radio"/> Not at all <input checked="" type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	Acipenseridae
Other Continue adding row as necessary	<input type="radio"/> Not at all <input type="radio"/> To a minor extent <input type="radio"/> To some extent <input type="radio"/> To a great extent	
Add Row	Remove Row	

19. Please indicate the ways aquatic genetic resources of the wild relatives of farmed aquatic species have been impacted by drivers that are changing aquatic ecosystems. Please give countermeasures that might be taken to reduce adverse consequences for the aquatic genetic resources that sustain capture fisheries on wild relatives of farmed species.

Drivers that are changing aquatic ecosystems	Effect on AqGR <i>mark appropriate box</i>	Countermeasures and effects
Habitat loss and degradation	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input checked="" type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • Establishment of fish sanctuaries • Establishment of marine parks, • Implementation of community based management Examples <ul style="list-style-type: none"> • (Sefidrud river)
Pollution of waters	<input checked="" type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	
Increased frequency of extreme climatic events and long-term climate change	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input checked="" type="radio"/> Unknown	<ul style="list-style-type: none"> • Natural selection within wild populations, so that waters becomes populated with more tolerant survivors. • Monitor the extents to which farmed fish cope with changed aquatic environments • Re-evaluation, sustainable use and conservation of what can be called eco-friendly fish
Establishment of invasive species	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • Restriction of movement of invasive species in accordance with the Cartagena Protocol on Bio-safety • Promote effective management policies and practices to reduce the impact of invasive alien species at the regional and international levels;
Introductions of parasites and pathogens	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input checked="" type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • Establishment national committee on risk assessment and importation of alien species • Strict quarantine act • Promote the involvement of local community to create awareness on the importance of introduction of new disease Examples: VHS and IPN in trout White spot (WSSD) in Shrimp

Drivers that are changing aquatic ecosystems	Effect on AqGR <i>mark appropriate box</i>	Countermeasures and effects
Impacts of purposeful stocking and escapes from aquaculture	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • Regulation and control of purposeful stocking • To quantify the frequency of escapes from aquaculture and their prevalence in wild habitat • Code of Conduct for Responsible Aquaculture
Capture fisheries	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input checked="" type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect <input type="radio"/> Unknown	<ul style="list-style-type: none"> • Strengthen Responsible Fishing and Fishing Gear Act • Implement close season • Identify marine fish Refugio • Establish restricted areas • Implement Community Based Fisheries Management • Implement Code of Conduct for Responsible Fisheries • Increase restocking efforts
Other	<input type="radio"/> Strongly positive	
Continue listing other driverst	<input type="radio"/> Positive	
	<input type="radio"/> Negative <input type="radio"/> Strongly negative	
	<input type="radio"/> No effect <input type="radio"/> Unknown	
Add Row	Remove Row	

Chapter 3: *In Situ* Conservation of Aquatic Genetic Resources of Farmed Aquatic Species and their wild Relatives within National Jurisdiction

The main objective of Chapter 3 is to review the current status and future prospects for the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives within national jurisdiction for food and agriculture.

The specific objectives are as follows:

- To review the current and likely future contributions to *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives by those who use them in responsible and well managed capture fisheries, aquaculture, and culture-based fisheries.
- To identify and describe any existing and planned aquatic protected areas that are contributing, or will contribute, to *in situ* conservation of aquatic genetic resources of wild relatives of farmed aquatic species.
- To identify and describe any major existing and planned efforts for the *in situ* conservation of threatened or endangered aquatic genetic resources (farmed and wild).
- To review needs and priorities for the future development of *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives.

Overview of the current status and future prospects for the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives

20. To what extent are responsible and well managed aquaculture and culture-based fisheries contributing to *in situ* conservation of the aquatic genetic resources of farmed aquatic species and their wild relatives.

Please mark appropriate box.

- To a great extent
 To a limited extent
 Not at all
 Not applicable

Please include any additional information

- Aquatic sanctuaries including marine protected areas would not only help conserve biodiversity but also rejuvenate fish
- Captive breeding programme are principle tool to compensate for declining fish population, supplement and enhance yields of wild fisheries
- It is essential to prevent unlimited exploitation of untapped germplasm resources and put in place a strategy for sustainable utilization of resources

21. To what extent are existing facilities contributing to *in situ* conservation of aquatic genetic resources of wild relatives of farmed aquatic species?

Please mark appropriate box.

- To a great extent
 To a limited extent
 Not at all
 Not applicable

Please include any additional information

Huso huso, Acipenser stellatus, Acipenser guldenstadti, Acipenser nudiventris and Acipenser persicus are the five valuable sturgeons in the Caspian Sea. Five public hatcheries along the Iranian coast produce millions of fingerlings annually. In 2014 Iranian Fisheries Organization (IFO) produced and released 4 million pieces of sturgeon fry. In addition, IFO produces around 300 to 400 millions of bony fish fingerling to release in Caspian sea for stock enhancement and fishing purposes.

22. Please provide *examples* of current or planned activities for the *in situ* conservation of endangered or threatened farmed species and their wild relatives with demonstrated or potential importance for aquaculture, culture-based fisheries, and capture fisheries.

Please describe examples

- Rearing of Sturgeon brood stock in hatcheries
- Stocking of natural and semi natural water bodies with sturgeon brood stock and juveniles

23. Please rank (from 1 to 10) the importance of the following objectives for *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives in your country.

Objectives of <i>in situ</i> conservation	Rank 1=Very Important 10=No importance
Preservation of aquatic genetic diversity	<input type="text" value="1"/>
Maintain good strains for aquaculture production	<input type="text" value="2"/>
Meet consumer and market demands	<input type="text" value="3"/>
To help adapt to impacts of climate change	<input type="text" value="3"/>
Future breed improvement in aquaculture	<input type="text" value="2"/>
<i>Please continue listing any other objectives as needed</i>	<input type="text"/>
Add Row	

Review of the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives through their use in responsible and well managed aquaculture and culture-based fisheries

24. Is the *in situ* conservation of aquatic genetic resources included in the policy as an objective in the management of aquaculture and/or culture-based fisheries in your country?

Please mark appropriate box

- Yes
 Not yet, but planned to be included
 No
 Unknown

If yes, please give examples

• Stocking of natural and semi natural water bodies with sturgeon brood stock and juveniles (water reservoirs and damps)

25. To what extent are collectors of wild seed and brood stock for aquaculture and culture-based fisheries contributing to the conservation of aquatic genetic resources by maintaining habitats and/or limiting the quantities collected?

Please mark appropriate box

- To a great extent
 To a limited extent
 Not at all
 Not applicable

Please include any additional details

There are some fisherman and farmer contribute management.

Review of the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives through their use in responsible and well managed capture fisheries

26. Is the conservation of aquatic genetic resources of wild relatives of farmed aquatic species included as an objective in the management of any capture fisheries in your country?

Please mark appropriate box

If yes, please give examples

- Yes
 Not yet, but under development
 No
 Unknown

Commercial fishing in Caspian sea (iranain coasts) is totally depends on stock enhancement program

Review of the *in situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives through the establishment and management of aquatic protected areas

27. Please list any aquatic protected areas in your country that are contributing to the *in situ* conservation of aquatic genetic resources of wild relatives of farmed aquatic species and an assessment of effectiveness

Add Row

Aquatic protected area	Effectiveness of conserving Aquatic Genetic Resources	Comments <i>provide any additional information</i>	
Coral reef protected areas: Chabahar Kish Island Qeshm Island	<input type="radio"/> Very effective <input checked="" type="radio"/> Somewhat effective <input type="radio"/> Not effective <input type="radio"/> Unknown	Ornamental fish habitats, Marin fish feeding grounds	X
Mangrove protected areas Qheshm (khor khoran) Khamir Khor Azinini (Sirik)	<input type="radio"/> Very effective <input checked="" type="radio"/> Somewhat effective <input type="radio"/> Not effective <input type="radio"/> Unknown	Nursery grounds for shrimp and marine fishes	X
Qeshm southern coast protected area Nayband Protected area	<input type="radio"/> Very effective <input checked="" type="radio"/> Somewhat effective <input type="radio"/> Not effective <input type="radio"/> Unknown	Sea turtle egg laying/nesting area Marine Park	X

Chapter 4: *Ex Situ* Conservation of Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction

The main objective of Chapter 4 is to review the current status and future prospects for the *ex situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives.

The specific objectives are:

- To review existing *ex situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives in aquaculture facilities, culture collections and gene banks, research facilities, zoos and aquaria;
- To review the contributions that various stakeholders are making to the *ex situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives;
- To review needs and priorities for the future development of *ex situ* conservation of aquatic genetic resources of farmed aquatic species and their wild relatives, including any that are threatened or endangered.

Review of existing and planned collections of live breeding individuals of aquatic genetic resources of farmed aquatic species and their wild relatives

28. Please list your country's existing collections of live breeding aquatic organisms that can be considered as contributing to the *ex situ* conservation of aquatic genetic resources. This includes not only collections of species farmed directly for human use, but also collections of live feed organisms (e.g., bacterial flocs, yeasts, microalgae, rotifers and brine shrimp (*Artemia*)).

Add Row

Species (include information on subspecies or strain in comments if available)	Type of use <i>Please mark all that apply</i>	Is the species (or subspecies) threatened or endangered for example in the IUCN Red List, CITES Appendices or national lists? <i>Please mark appropriate box</i>	Comments <i>Please list any additional information</i>	
Huso huso	<input checked="" type="checkbox"/> Direct human consumption <input type="checkbox"/> Live feed organism <input checked="" type="checkbox"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown	Rearing of Sturgeon brood stock in four large scale hatcheries and several farms	X
Acipenser persicus	<input checked="" type="checkbox"/> Direct human consumption <input type="checkbox"/> Live feed organism <input checked="" type="checkbox"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown	Rearing of Sturgeon brood stock in four large scale hatcheries and several farms	X
Acipenser nudi-ven-tris	<input checked="" type="checkbox"/> Direct human consumption <input type="checkbox"/> Live feed organism <input checked="" type="checkbox"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown	Rearing of Sturgeon brood stock in four large scale hatcheries and several farms	X

Species (include information on subspecies or strain in comments if available)	Type of use <i>Please mark all that apply</i>	Is the species (or subspecies) threatened or endangered for example in the IUCN Red List, CITES Appendices or national lists? <i>Please mark appropriate box</i>	Comments <i>Please list any additional information</i>	
Acipenser stellatus	<input checked="" type="checkbox"/> Direct human consumption <input type="checkbox"/> Live feed organism <input checked="" type="checkbox"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown	Rearing of Sturgeon brood stock in four large scale hatcheries and several farms	X
Salmo trutta caspius	<input checked="" type="checkbox"/> Direct human consumption <input type="checkbox"/> Live feed organism <input checked="" type="checkbox"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown	Rearing of in a large scale hatcheries and few farms	X
Artemia urmiana	<input type="checkbox"/> Direct human consumption <input checked="" type="checkbox"/> Live feed organism <input type="checkbox"/> Other	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown	Stocking in lakes and ponds	X
Brachionus plicatilis	<input type="checkbox"/> Direct human consumption <input checked="" type="checkbox"/> Live feed organism <input type="checkbox"/> Other	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown	Maintained at Fisheries Research Institute , Universities fish and shrimp hatcheries	X
Chaetoceros sp.	<input type="checkbox"/> Direct human consumption <input checked="" type="checkbox"/> Live feed organism <input type="checkbox"/> Other	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown	Maintained at Fisheries Research Institute , Universities fish and shrimp hatcheries	X
Isochrysis galbana	<input type="checkbox"/> Direct human consumption <input checked="" type="checkbox"/> Live feed organism <input type="checkbox"/> Other	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown	Maintained at Fisheries Research Institute , Universities fish and shrimp hatcheries	X

Species (<i>include information on subspecies or strain in comments if available</i>)	Type of use <i>Please mark all that apply</i>	Is the species (or subspecies) threatened or endangered for example in the IUCN Red List, CITES Appendices or national lists? <i>Please mark appropriate box</i>	Comments <i>Please list any additional information</i>	
Daphnia moina	<input type="checkbox"/> Direct human consumption <input checked="" type="checkbox"/> Live feed organism <input type="checkbox"/> Other	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown	Maintained at Fisheries Research Institute , Universities fish and shrimp hatcheries	<div style="border: 1px solid black; padding: 2px; text-align: center;">X</div>

Review of existing *ex situ* conservation activities of aquatic genetic resources of farmed aquatic species and their wild relatives *in vitro*.

29. Please list your country's *in vitro* collections and gene banks of the gametes, embryos, tissues, spores and other quiescent forms of farmed aquatic species and their wild relatives, using cryopreservation or other methods of long-term storage. Describe the major examples, identifying the facilities in which the collections are held. Include examples of any such genetic material from your country that is being kept in *in vitro* collections outside your country on behalf of beneficiaries in your country.

Add Row

Species (include information on subspecies or strain if available in comments)	Users and managers <i>List all that apply</i>	Type of <i>ex-situ</i> conservation collection <i>in vitro</i> <i>mark all that apply</i>	Facilities where collection is located <i>mark all that apply</i>	Comments <i>list all breeds, subspecies of the species and any additional information</i>	
Acipenseridae	Fisheries Research Institute	<input checked="" type="checkbox"/> In vitro collection of gametes <input type="checkbox"/> In vitro collection of embryos <input type="checkbox"/> In vitro collection of tissues <input type="checkbox"/> Spores <input type="checkbox"/> Other	<input type="checkbox"/> Aquaculture facilities <input checked="" type="checkbox"/> Research facilities <input type="checkbox"/> Universities <input type="checkbox"/> Zoos and aquaria <input type="checkbox"/> Other	<ul style="list-style-type: none"> • cryopreservation protocols established, for frozen semen of five sturgeon species living specimens 	X

30. Please rank (from 1 – 10) the importance of the following objectives for ex situ conservation of aquatic genetic resources of farmed aquatic species and their wild relatives in your country

Objectives of <i>ex situ</i> conservation	Rank 1=Very Important 10=No importance
Preservation of aquatic genetic diversity	1
Maintain good strains for aquaculture production	1
Meet consumer and market demands	5
To help adapt to impacts of climate change	3
Future breed improvement in aquaculture	2
Other <i>Continue adding row as necessary</i>	<input data-bbox="1047 1444 1291 1495" type="text"/>
Add Row	Remove Row

Chapter 5: Stakeholders with Interests in Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction

The main objective of Chapter 5 is to provide an overview of the perspectives and needs of the principal stakeholders who have interests in aquatic genetic resources of farmed aquatic species and their wild relatives for food and agriculture. Stakeholder groups can be identified from existing institutional knowledge, from sectoral and sub-sectoral consultations conducted during the country reporting process and where necessary from expert opinions. Gender issues pertaining to the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives should be considered, as well as the perspectives and needs of indigenous peoples and local communities.

The specific objectives are:

- To describe the different principal stakeholder groups with interests in aquatic genetic resources of farmed aquatic species and their wild relatives To identify the type(s) of aquatic genetic resources of farmed aquatic species and their wild relatives in which each stakeholder group has interests and why.
- To describe the roles of stakeholder groups and the actions they are taking for the conservation, sustainable use and development of the aquatic genetic resources in which they have interests.
- To describe the further actions that stakeholder groups would like to see taken for the conservation, sustainable use and development of aquatic genetic resources in which they have interests, and the constraints that are hindering those actions, including lack of capacity and perceived threats.

Overview of the principal stakeholder groups who have interests in aquatic genetic resources of farmed aquatic species and their wild relatives

31. Please indicate the principal stakeholder groups who have interests in aquatic genetic resources of farmed aquatic species and their wild relatives including, *inter alia*: fish farmers; fishers in capture fisheries; persons involved in stocking and harvesting in culture-based fisheries; persons employed in postharvest chains; government officials; staff and members of aquaculture associations; managers of aquatic protected areas and others working for the conservation of aquatic ecosystems; researchers; and civil society.

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Fish Farmers	<input type="checkbox"/> Conservation <input checked="" type="checkbox"/> Production <input checked="" type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Breeding <input type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input checked="" type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Fishers	<input type="checkbox"/> Conservation <input checked="" type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input type="checkbox"/> Research <input type="checkbox"/> Marketing <input type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Fish hatchery people	<input type="checkbox"/> Conservation <input checked="" type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Breeding <input type="checkbox"/> Research <input type="checkbox"/> Marketing <input type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
People involved in marketing	<input type="checkbox"/> Conservation <input checked="" type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input checked="" type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Government resource managers	<input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Production <input checked="" type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Breeding <input checked="" type="checkbox"/> Research <input type="checkbox"/> Marketing <input type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input checked="" type="checkbox"/> DNA <input checked="" type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Fishing or aquaculture associations	<input type="checkbox"/> Conservation <input checked="" type="checkbox"/> Production <input checked="" type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input type="checkbox"/> Research <input checked="" type="checkbox"/> Marketing <input checked="" type="checkbox"/> Processing <input type="checkbox"/> Advocacy <input type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Aquatic protected area managers	<input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input checked="" type="checkbox"/> Research <input type="checkbox"/> Marketing <input type="checkbox"/> Processing <input checked="" type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input checked="" type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Policy Makers	<input checked="" type="checkbox"/> Conservation <input checked="" type="checkbox"/> Production <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Breeding <input checked="" type="checkbox"/> Research <input type="checkbox"/> Marketing <input type="checkbox"/> Processing <input checked="" type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Outreach/Extension <input type="checkbox"/> Other (specify) <input type="text"/>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>
Non-Governmental Organizations	<input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Marketing <input type="checkbox"/> Production <input type="checkbox"/> Processing <input type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Advocacy <input checked="" type="checkbox"/> Breeding <input checked="" type="checkbox"/> Outreach/Extension <input checked="" type="checkbox"/> Research <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Intergovernmental Organizations	<input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Marketing <input type="checkbox"/> Production <input type="checkbox"/> Processing <input type="checkbox"/> Feed manufacturing <input checked="" type="checkbox"/> Advocacy <input type="checkbox"/> Breeding <input type="checkbox"/> Outreach/Extension <input checked="" type="checkbox"/> Research <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Donors	<input type="checkbox"/> Conservation <input type="checkbox"/> Marketing <input type="checkbox"/> Production <input type="checkbox"/> Processing <input type="checkbox"/> Feed manufacturing <input type="checkbox"/> Advocacy <input type="checkbox"/> Breeding <input type="checkbox"/> Outreach/Extension <input checked="" type="checkbox"/> Research <input type="checkbox"/> Other (specify) <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	

Stakeholders	Role of stakeholder in regards og AqGR <i>mark all that apply</i>	Genetic resource of main interest <i>mark all that apply</i>	Comments <i>Please provide any information or explanation of stakeholders' role</i>										
Consumers	<table border="0"><tr><td><input type="checkbox"/> Conservation</td><td><input checked="" type="checkbox"/> Marketing</td></tr><tr><td><input type="checkbox"/> Production</td><td><input type="checkbox"/> Processing</td></tr><tr><td><input type="checkbox"/> Feed manufacturing</td><td><input type="checkbox"/> Advocacy</td></tr><tr><td><input type="checkbox"/> Breeding</td><td><input type="checkbox"/> Outreach/Extension</td></tr><tr><td><input type="checkbox"/> Research</td><td><input type="checkbox"/> Other (specify)</td></tr></table> <div data-bbox="867 602 1224 703" style="border: 1px solid black; height: 60px; width: 100%;"></div>	<input type="checkbox"/> Conservation	<input checked="" type="checkbox"/> Marketing	<input type="checkbox"/> Production	<input type="checkbox"/> Processing	<input type="checkbox"/> Feed manufacturing	<input type="checkbox"/> Advocacy	<input type="checkbox"/> Breeding	<input type="checkbox"/> Outreach/Extension	<input type="checkbox"/> Research	<input type="checkbox"/> Other (specify)	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
<input type="checkbox"/> Conservation	<input checked="" type="checkbox"/> Marketing												
<input type="checkbox"/> Production	<input type="checkbox"/> Processing												
<input type="checkbox"/> Feed manufacturing	<input type="checkbox"/> Advocacy												
<input type="checkbox"/> Breeding	<input type="checkbox"/> Outreach/Extension												
<input type="checkbox"/> Research	<input type="checkbox"/> Other (specify)												

a) Please indicate the most important role of women in regards to AqGR

Many graduated women are involved in production and research works.

b) Please indicate the most important role of indigenous and local communities in regards to AqGR

Regional communities are involved in protection of endangered species and also contribute in stock rehabilitation

Chapter 6: National Policies and Legislation for Aquatic Genetic Resources of Farmed Aquatic Species and their Wild Relatives within National Jurisdiction

The main objective of Chapter 6 is to review the status and adequacy of national policies and legislation concerning aquatic genetic resources of farmed aquatic species and their wild relatives including access and benefit sharing.

The specific objectives are as follows:

- To describe the existing national policy and legal framework for the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.
- To review current national policies and instruments for access to aquatic genetic resources of farmed aquatic species and their wild relatives and the fair and equitable sharing of benefits arising from their utilization.
- To identify any significant gaps in policies and legislation concerning aquatic genetic resources of farmed aquatic species and their wild relatives..

Review of national policies and legislation for Aquatic Genetic Resources of farmed aquatic species and their wild relatives within national jurisdiction

32. Please list national legislation, policies and/or mechanisms that address aquatic genetic resources of farmed species and their wild relatives (see question 47 regarding international agreements).

Add Row

National legislation, policy and/or mechanism	Date established	Scope <i>Select all that apply</i>	Comments <i>Please provide any additional information for example whether it has been effective or not; and main sources of information</i>	
Protection and exploitation of fisheries resources Act, 1995	Sep 5, 1995	<input type="checkbox"/> Genes or molecules only <input checked="" type="checkbox"/> Aquaculture <input checked="" type="checkbox"/> Capture fisheries <input checked="" type="checkbox"/> Conservation <input checked="" type="checkbox"/> Intellectual property protection <input checked="" type="checkbox"/> Importation <input checked="" type="checkbox"/> Trade and commerce <input type="checkbox"/> Access and benefit sharing <input type="checkbox"/> Other		X
Biosafty Act	April 14, 2009	<input checked="" type="checkbox"/> Genes or molecules only <input checked="" type="checkbox"/> Aquaculture <input type="checkbox"/> Capture fisheries <input checked="" type="checkbox"/> Conservation <input checked="" type="checkbox"/> Intellectual property protection <input type="checkbox"/> Importation <input checked="" type="checkbox"/> Trade and commerce <input type="checkbox"/> Access and benefit sharing <input type="checkbox"/> Other		X

National legislation, policy and/or mechanism	Date established	Scope <i>Select all that apply</i>	Comments <i>Please provide any additional information for example whether it has been effective or not; and main sources of information</i>	
Guide line for protection and exploitation of fisheries resources Act, 1995	April 22, 1999	<input type="checkbox"/> Genes or molecules only <input checked="" type="checkbox"/> Aquaculture <input checked="" type="checkbox"/> Capture fisheries <input checked="" type="checkbox"/> Conservation <input type="checkbox"/> Intellectual property protection <input type="checkbox"/> Importation <input checked="" type="checkbox"/> Trade and commerce <input checked="" type="checkbox"/> Access and benefit sharing <input type="checkbox"/> Other		X

Review of the current status and gaps in national policies and legislation for the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives

33. Please list any gaps in the coverage or constraints in implementing national legislation, policies and/or mechanisms in regard to aquatic genetic resources.

There isn't any gaps

34. Please indicate any national aquatic genetic resources of farmed aquatic species and their wild relatives for which your country restricts access.

Type of genetic resource (can be species name, DNA, gametes or other descriptor)	Comments <i>Please, provide verifiable main sources of information, effectiveness of the restriction, description of type of restriction and for whom does the restriction apply</i>
DNA	
Stock, breed or variety	
Species	
Other	
Continue adding row as necessary	
Add Row	Remove Row

35. Over the past 10 years, indicate the actions your country has taken to maintain or enhance access to aquatic genetic resources of farmed aquatic species and their wild relatives located outside your country; for example, by establishing germplasm acquisition agreements or material transfer agreements.

Add Row

Action taken to enhance access to aquatic genetic resources outside your country	Type of genetic resource <i>Mark all that apply</i>	Comment <i>for example other types of genetic resources</i>	
Tilapia and Indian major carps: Environmental impact assessment to introduce to the farming system	<input type="checkbox"/> DNA <input type="checkbox"/> Genes <input type="checkbox"/> Gametes <input type="checkbox"/> Tissues <input type="checkbox"/> Embryos <input checked="" type="checkbox"/> Living specimens		X

36. Please indicate any obstacles your country has encountered when trying to access aquatic genetic resources of farmed aquatic species and their wild relatives outside of your country (including access for research purposes).

Obstacles to accessing aquatic genetic resources	Please describe type of genetic resource <i>mark all that apply</i>	Comments <i>please include additional information as needed</i>
Intellectual property protection	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
National laws of your country	<input checked="" type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
National laws of donor country	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
International laws or protocols	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Too expensive	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Material transfer agreements required	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Knowledge gaps	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	
Public perception	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input checked="" type="checkbox"/> Species <input type="checkbox"/> Other	

Obstacles to accessing aquatic genetic resources	Please describe type of genetic resource <i>mark all that apply</i>	Comments <i>please include additional information as needed</i>
Other	<input type="checkbox"/> DNA <input type="checkbox"/> Stock, breed or variety <input type="checkbox"/> Species <input type="checkbox"/> Other	
Continue adding row as necessary		
Add Row		

Chapter 7: Research, Education, Training and Extension on Aquatic Genetic Resources within National Jurisdiction: Coordination, Networking and Information

The main objective of Chapter 7 is to review the status and adequacy of national research, education, training and extension, coordination and networking arrangements and information systems that support the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives for food and agriculture.

The specific objectives are:

- To describe the current status, future plans, gaps, needs and priorities for research, training, extension and education on the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives
- To describe existing or planned national networks for the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.
- To describe existing or planned information systems for the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.

Research

37. Does your national research programme support the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives? If yes, give details of current and/or planned research; if no, explain the main reasons why not in box below.

Please mark appropriate box

- Yes
 No
 Unknown

Please provide details

Under the Department of Fisheries, Strategic Plan for Fisheries Research 2014-2015, studies regarding the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives have been proposed including

- Development of domesticated, genetically improved and disease-free Vanamei shrimp (*P. vannamei*) broodstock
- Development of domesticated, genetically improved and disease-free rainbow trout (*O. mykiss*) broodstock
- Development of domesticated, genetically improved and giant prawn (*Macrobrachium rosenbergii*) broodstock
- Development of domesticated, genetically improved and tilapia broodstock
- Programme on cryopreservation of five species of sturgeon and bony fish

Development of breeding technology of high value fish: *Barbus sharpyi*, *Barbus grypus*, *Barbus esocinus*
 Resource assessment, public stocking and biological conservation of inland fisheries
 Assessment of impact of closed area and season for specific fishing area

38. Please list main institutions, organizations, corporations and other entities in your country that are engaged in field and/or laboratory research related to the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.

Add Row

Main institutions, organizations, corporations and other entities	Area of research <i>Mark all that apply</i>	Comments <i>Please provide any additional information</i>	
Iranian Fisheries organization	<input checked="" type="checkbox"/> Genetic resource management <input type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input checked="" type="checkbox"/> monitoring of aquatic genetic resources <input checked="" type="checkbox"/> Genetic improvement <input checked="" type="checkbox"/> Economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X
Iranian Fisheries Science Research Institute Iran	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input checked="" type="checkbox"/> monitoring of aquatic genetic resources <input checked="" type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input checked="" type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X

Main institutions, organizations, corporations and other entities	Area of research <i>Mark all that apply</i>	Comments <i>Please provide any additional information</i>	
Several Universities: Tehran, Tarbiat modares, Gilan, Mazandaran, Gorgan, Busheher, Homozgan, Esfehan,	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input checked="" type="checkbox"/> monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input checked="" type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input checked="" type="checkbox"/> Other	There are more than 50 fisheries faculties round the country admitting for aquaculture and fish ecology and biology courses	X
International Institute for Sturgeon Research	<input checked="" type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input type="checkbox"/> monitoring of aquatic genetic resources <input checked="" type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input checked="" type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X

Main institutions, organizations, corporations and other entities	Area of research <i>Mark all that apply</i>	Comments <i>Please provide any additional information</i>	
Iran Biological Resources Centre	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input type="checkbox"/> monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input checked="" type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X
National Institute of Genetic Engineering and Biotechnology	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input type="checkbox"/> monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input checked="" type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X

Main institutions, organizations, corporations and other entities	Area of research <i>Mark all that apply</i>	Comments <i>Please provide any additional information</i>	
Agriculture Biotechnology Research Institute	<input type="checkbox"/> Genetic resource management <input checked="" type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input type="checkbox"/> monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input type="checkbox"/> Conservation of aquatic genetic resources <input checked="" type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X
Environment protection Org	<input checked="" type="checkbox"/> Genetic resource management <input type="checkbox"/> Basic knowledge on aquatic genetic resources Characterization and <input checked="" type="checkbox"/> monitoring of aquatic genetic resources <input type="checkbox"/> Genetic improvement <input type="checkbox"/> Economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Conservation of aquatic genetic resources <input type="checkbox"/> Communication on aquatic genetic resources <input type="checkbox"/> Access and distribution of aquatic genetic resources <input type="checkbox"/> Other		X

39. What capacity strengthening is needed to improve national research in support of the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives?

Please rank the following in regard to capacity strengthening.

Capacities	Rank 1=Very Important 10=No importance
Improve basic knowledge on aquatic genetic resources	3
Improve capacities for characterization and monitoring of aquatic genetic resources	3
Improve capacities for genetic improvement	1
Improve capacities for genetic resource management	3
Improve capacities for economic valuation of aquatic genetic resources	2
Improve capacities for conservation of aquatic genetic resources	1
Improve communication on aquatic genetic resources	3
Improve access to and distribution of aquatic genetic resources	3
Add other rows as appropriate and rank <div style="border: 1px solid black; height: 40px; width: 100%;"></div>	<div style="border: 1px solid black; height: 20px; width: 100%;"></div>
Add Row	Remove Row

Please describe any other capacity building needs in regards to aquatic genetic resources

Improve knowledge and awareness on importance of aquatic genetic resources of policy makers.

Education, training and extension

40. Please indicate the extent that education, training and extension in your country covers the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives? List the main institutions involved and the types of courses offered.

Add Row

Institution	Thematic Area	Type of courses mark all that apply	Comments	
Universities: Tehran, Tarbiat modares, Gilan, Mazandaran, Gorgan, Busheher, Homozgan, Esfehan, Azad	Genetic resource management	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension	The course is based on the general knowledge of genetic and is not qualified enough	
	Characterization and monitoring of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension	The course is based on the general knowledge of genetic and is not qualified enough	
	Genetic improvement	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension	The course is based on the general knowledge of genetic and is not qualified enough	X
	Economic valuation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension	The course is based on the general knowledge of genetic and is not qualified enough	
	Conservation of aquatic genetic resources	<input type="checkbox"/> Undergraduate <input checked="" type="checkbox"/> Post-graduate <input type="checkbox"/> Training <input type="checkbox"/> Extension	The course is based on the general knowledge of genetic and is not qualified enough	

Coordination and networking

41. Please list any mechanisms within your country responsible for coordinating the aquaculture, culture-based fisheries and capture fisheries subsectors with the other sectors that use watersheds and coastal ecosystems and have impacts on aquatic genetic resources of wild relatives of farmed aquatic species (e.g., agriculture, forestry, mining, tourism, waste management and water resources).

If no mechanism exists check here:

Add Row	
Name of mechanism	Description of how mechanism operates
National Commissions for Planning and Management of Fisheries and Aquaculture	The commissions are established and work according to Act " Protection and Exploitation pf fisheries Resources". It includes delegation of several national organization whom are involved in fisheries and aquaculture sectors, ie. research, training, investment and support, industries, universities, producers associations, etc.
Vice- presidency for Science and Technology	It is affiliated to Presidency of I.R. Iran and coordinate research strategy in the country and supports researches for new and high tech researches
Fisheries Research Committee	it is affiliated to Fisheries Sciences Research Institute and approves fisheries research projects

42. Please indicate how capacity strengthening can be improved in intersectoral coordination in support of the conservation, sustainable use and development of aquatic genetic resources.

Please rank the following in regards to capacity strengthening.

Capacities	Rank 1=Very Important 10=No importance
Increase awareness in institutions	3
Increase technical capacities of institutions	2
Increase information sharing between institutions	1
Add other rows as appropriate and rank <div data-bbox="211 779 833 936" style="border: 1px solid black; height: 75px; width: 100%;"></div>	<div data-bbox="992 810 1232 863" style="border: 1px solid black; height: 25px; width: 100%;"></div>
Add Row	Remove Row

Please specify in box below

43. Please list any national networks in your country or any international networks your country belongs to that support the conservation, sustainable use and development of aquatic genetic resources.

Add Row

Network	Objectives of the network <i>Please mark all that apply</i> to your country	Comments	
Caspian Sea Aquatic Bio-resources Commission	<input checked="" type="checkbox"/> Improve basic knowledge on aquatic genetic resources <input checked="" type="checkbox"/> Improve capacities for characterization and monitoring of aquatic genetic resources <input type="checkbox"/> Improve capacities for genetic improvement <input type="checkbox"/> Improve capacities for economic valuation of aquatic genetic resources <input checked="" type="checkbox"/> Improve capacities for conservation of aquatic genetic resources <input checked="" type="checkbox"/> Improve communication on aquatic genetic resources <input type="checkbox"/> Improve access to and distribution of aquatic genetic resources	The commission monitor Caspian sea bioresources and aiming conservation and optimal utilization of aquatics. The commission members include Caspian sea five neighboring countries. The meeting held annually and the secretary of the commission circulate every two years	X
RECOFI	<input checked="" type="checkbox"/> Improve basic knowledge on aquatic genetic resources <input checked="" type="checkbox"/> Improve capacities for characterization and monitoring of aquatic genetic resources <input type="checkbox"/> Improve capacities for genetic improvement <input type="checkbox"/> Improve capacities for economic valuation of aquatic genetic resources <input type="checkbox"/> Improve capacities for conservation of aquatic genetic resources <input checked="" type="checkbox"/> Improve communication on aquatic genetic resources <input type="checkbox"/> Improve access to and distribution of aquatic genetic resources	RECOFI include Persian Gulf neighboring countries and aiming coordination of fisheries	X

Network	Objectives of the network <i>Please mark all that apply to your country</i>	Comments	
NACA	<input checked="" type="checkbox"/> Improve basic knowledge on aquatic genetic resources Improve capacities for <input checked="" type="checkbox"/> characterization and monitoring of aquatic genetic resources <input checked="" type="checkbox"/> Improve capacities for genetic improvement Improve capacities for economic <input checked="" type="checkbox"/> valuation of aquatic genetic resources Improve capacities for <input checked="" type="checkbox"/> conservation of aquatic genetic resources <input checked="" type="checkbox"/> Improve communication on aquatic genetic resources Improve access to and <input checked="" type="checkbox"/> distribution of aquatic genetic resources		X
FAO	<input checked="" type="checkbox"/> Improve basic knowledge on aquatic genetic resources Improve capacities for <input checked="" type="checkbox"/> characterization and monitoring of aquatic genetic resources <input checked="" type="checkbox"/> Improve capacities for genetic improvement Improve capacities for economic <input checked="" type="checkbox"/> valuation of aquatic genetic resources Improve capacities for <input checked="" type="checkbox"/> conservation of aquatic genetic resources <input checked="" type="checkbox"/> Improve communication on aquatic genetic resources Improve access to and <input checked="" type="checkbox"/> distribution of aquatic genetic resources		X

Information systems

44. Please list any information systems existing in your country for receiving, managing and communicating information about the conservation, sustainable use and development of aquatic genetic resources of farmed aquatic species and their wild relatives.

Add Row

Name of information system	Type of information stored <i>mark all that apply</i>	Main stakeholders <i>mark all that apply</i>	
Iran Biological Resources Centre	<input checked="" type="checkbox"/> DNA sequence <input checked="" type="checkbox"/> Genes and genotype <input type="checkbox"/> Breeds, strains or stocks <input checked="" type="checkbox"/> Species names <input type="checkbox"/> Production figures <input type="checkbox"/> Distribution <input type="checkbox"/> Level of endangerment <input type="checkbox"/> Other	<input type="checkbox"/> Fish farmers <input type="checkbox"/> Fishers in capture fisheries <input type="checkbox"/> Fish hatchery people <input type="checkbox"/> People involved in marketing <input checked="" type="checkbox"/> Government resource managers <input type="checkbox"/> Fishing or aquaculture associations <input type="checkbox"/> Aquatic protected area managers <input checked="" type="checkbox"/> University and academic people <input type="checkbox"/> Non-Governmental Organizations <input type="checkbox"/> Intergovernmental Organizations <input type="checkbox"/> Policy makers <input type="checkbox"/> Donors <input type="checkbox"/> Consumers <input type="checkbox"/> Politicians <p>Please list other stakeholders as necessary</p> <div style="border: 1px solid black; height: 60px; width: 100%;"></div>	X

Name of information system	Type of information stored <i>mark all that apply</i>	Main stakeholders <i>mark all that apply</i>	
Fisheries Annual Statistic	<input type="checkbox"/> DNA sequence <input type="checkbox"/> Genes and genotype <input type="checkbox"/> Breeds, strains or stocks <input type="checkbox"/> Species names <input checked="" type="checkbox"/> Production figures <input type="checkbox"/> Distribution <input type="checkbox"/> Level of endangerment <input type="checkbox"/> Other	<input checked="" type="checkbox"/> Fish farmers <input checked="" type="checkbox"/> Fishers in capture fisheries <input checked="" type="checkbox"/> Fish hatchery people <input checked="" type="checkbox"/> People involved in marketing <input checked="" type="checkbox"/> Government resource managers <input checked="" type="checkbox"/> Fishing or aquaculture associations <input checked="" type="checkbox"/> Aquatic protected area managers <input checked="" type="checkbox"/> University and academic people <input checked="" type="checkbox"/> Non-Governmental Organizations <input checked="" type="checkbox"/> Intergovernmental Organizations <input checked="" type="checkbox"/> Policy makers <input type="checkbox"/> Donors <input checked="" type="checkbox"/> Consumers <input checked="" type="checkbox"/> Politicians Please list other stakeholders as necessary <div style="border: 1px solid black; height: 50px; width: 100%; margin-top: 10px;"></div>	X

Name of information system	Type of information stored <i>mark all that apply</i>	Main stakeholders <i>mark all that apply</i>	
Iranian Genome Institute	<input checked="" type="checkbox"/> DNA sequence <input checked="" type="checkbox"/> Genes and genotype <input type="checkbox"/> Breeds, strains or stocks <input checked="" type="checkbox"/> Species names <input type="checkbox"/> Production figures <input type="checkbox"/> Distribution <input type="checkbox"/> Level of endangerment <input type="checkbox"/> Other	<input type="checkbox"/> Fish farmers <input type="checkbox"/> Fishers in capture fisheries <input type="checkbox"/> Fish hatchery people <input type="checkbox"/> People involved in marketing <input checked="" type="checkbox"/> Government resource managers <input type="checkbox"/> Fishing or aquaculture associations <input type="checkbox"/> Aquatic protected area managers <input checked="" type="checkbox"/> University and academic people <input type="checkbox"/> Non-Governmental Organizations <input type="checkbox"/> Intergovernmental Organizations <input type="checkbox"/> Policy makers <input type="checkbox"/> Donors <input type="checkbox"/> Consumers <input type="checkbox"/> Politicians <p>Please list other stakeholders as necessary</p> <div data-bbox="1057 1272 1446 1434" style="border: 1px solid black; height: 77px; width: 240px;"></div>	X

45. What capacity strengthening is needed to improve national information systems to support the conservation, sustainable use and development of aquatic genetic resources?

Please describe what capacities need to be strengthened

- Improve information technology and database management
- Improve basic knowledge on aquatic genetic resources
- Improve capacities for characterization and monitoring of aquatic genetic resources
- Improve capacities for genetic improvement
- Improve capacities for economic valuation of aquatic genetic resources
- Improve capacities for conservation of aquatic genetic resources
- Improve communication on aquatic genetic resources
- Improve access to and distribution of aquatic genetic resources

Please describe any other capacity building needs in regards to information systems for aquatic genetic resources

Chapter 8: International Collaboration on Aquatic Genetic Resources of Farmed Aquatic Species and Their Wild Relatives

The main objective of Chapter 8 is to review the mechanisms and instruments through which your country participates in international collaborations on aquatic genetic resources of farmed aquatic species and their wild relatives.

The specific objectives are:

- To identify your country's current participation in bilateral, sub-regional, regional, other international and global forms of collaboration on aquatic genetic resources. List national memberships, status as a Party and other forms of affiliation in agreements, conventions, treaties, international organizations, international networks and international programmes.
- To identify any other forms of international collaboration on aquatic genetic resources.
- To review the benefits from existing forms of international collaboration on aquatic genetic resources.
- To identify needs and priorities for future international collaboration on aquatic genetic resources

International collaboration includes bilateral arrangements and the sharing of particular waters and stocks of wild relatives of farmed aquatic species.

International, regional or sub-regional agreements, conventions and treaties concerning aquatic genetic resources of farmed aquatic species and their wild relatives

46. Please list the international, regional or sub-regional agreements your country subscribes to that cover aquatic genetic resources of farmed species and their wild relatives, such as the Nagoya Protocol² the Convention on Biological Diversity and the Cartagena Protocol and how they have impacted aquatic genetic resources and stakeholders in your country. Examples could include:

² <http://www.cbd.int/abs/nagoya-protocol/signatories/>

- Establishment and management of shared or networked aquatic protected areas as far as wild relatives of farmed aquatic species are concerned
- Aquaculture and culture-based fisheries in transboundary or shared water bodies
- Sharing aquatic genetic material and related information
- Fishing rights, seasons and quotas as far as wild relatives of farmed aquatic species are concerned
- Conservation and sustainable use of shared water bodies and watercourses as far as wild relatives of farmed aquatic species are concerned
- Quarantine procedures for aquatic organisms and for control and notification of aquatic diseases

Add Row

International, Regional, bilateral or Sub-Regional agreement	Year your country ratified or subscribed to the agreement	Impact on aquatic genetic resources	Impact on stakeholders	Comments
Cartagena Protocol	2002	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input checked="" type="radio"/> No effect	X

International, Regional, bilateral or Sub-Regional agreement	Year your country ratified or subscribed to the agreement	Impact on aquatic genetic resources	Impact on stakeholders	Comments	
CITES	1975	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect		X
Convention on wetlands of international importance especially as waterfowl habitat	1975	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect		X
Protocol for the protection of the marine environment against pollution from land based sources	1993	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect		X
Framework convention for the protection of the marine environment of the Caspian sea	2003	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect		X
Biological convention on biodiversity	1996	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input checked="" type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect		X

International, Regional, bilateral or Sub-Regional agreement	Year your country ratified or subscribed to the agreement	Impact on aquatic genetic resources	Impact on stakeholders	Comments	
Convention on climate change	1996	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input type="radio"/> No effect		X
Nagoya Protocol	presented to parliament on 19 October 2014	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input checked="" type="radio"/> No effect	<input type="radio"/> Strongly positive <input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> Strongly negative <input checked="" type="radio"/> No effect	presented to parliament on 19 October 2014	X

47. Please list the priority needs regarding collaboration on conservation and sustainable use of aquatic genetic resources of farmed aquatic species and their wild relatives. Are they being addressed, i.e. are there any critical gaps?

Collaboration is needed in order to ...	Rank 1=Very Important 10=No importance	To what extent are the needs being met	Comments <i>For example any critical gaps</i>
Improve information technology and database management	1	<input type="radio"/> To a great extent <input type="radio"/> To some extent <input checked="" type="radio"/> None <input type="radio"/> Unknown	
Improve basic knowledge on aquatic genetic resources	1	<input type="radio"/> To a great extent <input checked="" type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve capacities for characterization and monitoring of aquatic genetic resources	1	<input type="radio"/> To a great extent <input type="radio"/> To some extent <input checked="" type="radio"/> None <input type="radio"/> Unknown	
Improve capacities for genetic improvement	1	<input type="radio"/> To a great extent <input checked="" type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve capacities for economic valuation of aquatic genetic resources	2	<input type="radio"/> To a great extent <input type="radio"/> To some extent <input checked="" type="radio"/> None <input type="radio"/> Unknown	
Improve capacities for conservation of aquatic genetic resources	1	<input type="radio"/> To a great extent <input checked="" type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Improve communication on aquatic genetic resources	2	<input type="radio"/> To a great extent <input checked="" type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	

Collaboration is needed in order to ...	Rank 1=Very Important 10=No importance	To what extent are the needs being met	Comments <i>For example any critical gaps</i>
To improve access to and distribution of aquatic genetic resources	2	<input type="radio"/> To a great extent <input checked="" type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Other		<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Continue adding row as necessary			
		<input type="radio"/> To a great extent <input type="radio"/> To some extent <input type="radio"/> None <input type="radio"/> Unknown	
Add Row	Remove Row		

48. Please describe the types of collaboration that have been most beneficial for your country, and why?

Improve information technology and database management, Improve communication on aquatic genetic resources, improve access to and distribution of aquatic genetic resources can be beneficial because the most researcher and universities work on this filed and maybe they don't know about each others

49. Is there a need for your country to expand its collaboration concerning the conservation, sustainable use and development of aquatic genetic resources? If yes, give details, including any requirements for capacity strengthening in box below

Yes

No

If yes, please give details

Yes, there is a great need to collaborate with other on the conservation, sustainable use and development of aquatic genetic resources but with proper agreement especially on regional and international protocols.

50. Describe important roles that your country performs within its region (and/or sub-region) and globally in terms of being a keeper, user and sharer of aquatic genetic resources.

Iran has played an important role as a sharer of aquatic genetic resources specifically regarding sturgeons

Submit Form