





Foot-and-Mouth Disease



Quarterly report

July–September



Funded by the European Union



FAO four betters. Better life, better environment, better nutrition, better production.

Vleaming

EuFMD virtual learning

EuFMD's programme, tools and initiatives



animal diseases

Dt EuFMD digital transformation

Tom EuFMD training management system



Sim ExOn Simulation exercises

online

Risk Comms

EuFMD risk communications



Risk monitoring tool for foot-and-mouth and similar transboundary animal diseases

Get prepared Emergency preparedness toolbox

Prioritization of antigen management with international surveillance tool

EuFMDis European foot-and-mouth disease spread model

Vademos FMD vaccine demand

estimation model

5 G Global vaccine security



Vaccine prequalification

PCP Progressive control pathway



PPP Public private partnership

Foot-and-Mouth Disease

Quarterly Report July–September 2023

Food and Agriculture Organization of the United Nations Rome, 2024 Required citation: FAO. 2024. Foot-and-Mouth Disease Quarterly report, July-September 2023. Rome. https://doi.org/10.4060/cc9455en

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations (FAO) concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dashed lines on maps represent approximate border lines for which there may not yet be full agreement. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO in preference to others of a similar nature that are not mentioned.

© FAO, 2024



Some rights reserved. This work is made available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo/legalcode).

Under the terms of this licence, this work may be copied, redistributed and adapted for non-commercial purposes, provided that the work is appropriately cited. In any use of this work, there should be no suggestion that FAO endorses any specific organization, products or services. The use of the FAO logo is not permitted. If the work is adapted, then it must be licensed under the same or equivalent Creative Commons licence. If a translation of this work is created, it must include the following disclaimer along with the required citation: "This translation was not created by the Food and Agriculture Organization of the United Nations (FAO). FAO is not responsible for the content or accuracy of this translation. The original [Language] edition shall be the authoritative edition."

Disputes arising under the licence that cannot be settled amicably will be resolved by mediation and arbitration as described in Article 8 of the licence except as otherwise provided herein. The applicable mediation rules will be the mediation rules of the World Intellectual Property Organization http://www.wipo.int/amc/en/mediation/rules and any arbitration will be conducted in accordance with the Arbitration Rules of the United Nations Commission on International Trade Law (UNCITRAL).

Third-party materials. Users wishing to reuse material from this work that is attributed to a third party, such as tables, figures or images, are responsible for determining whether permission is needed for that reuse and for obtaining permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

Sales, rights and licensing. FAO information products are available on FAO website (www.fao.org/publications) and can be purchased through publications-sales@fao.org. Requests for commercial use should be submitted via: www.fao.org/contact-us/licence-request. Queries regarding rights and licensing should be submitted to: copyright@fao.org.

This publication has been produced with the assistance of the European Union. The contents of this publication are the sole responsibility of FAO and can in no way be taken to reflect the views of the European Union.

This report is version 1

All maps within this document were drawn using the United Nations Map (UNMap) v2020, supplied to the authors by FAO. The following disclaimers apply to the maps in this document.

The designations employed and the presentation of material on this map do not imply the expression of any opinion whatsoever on the part of the Secretariat of the United Nations concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Jammu and Kashmir: Dotted line represents approximately the Line of Control in Jammu and Kashmir agreed upon by India and Pakistan. The final status of Jammu and Kashmir has not yet been agreed upon by the parties.

Sudan and South Sudan: Final boundary between the Republic of Sudan and the Republic of South Sudan has not yet been determined.

Abyei: Final status of the Abyei area is not yet determined.

Falkland Islands (Malvinas): A dispute exists between the Governments of Argentina and the United Kingdom of Great Britain and Northern Ireland concerning sovereignty over the Falkland Islands (Malvinas).

Use of data (including all images) from this document

Copies of all the individual reports cited herein can be obtained from WRLFMD (<u>www.wrlfmd.org</u>) and please seek permission before presentation, publication or other public use of these data.

Contents

| 1. | Hi | ghlights and headlines | 1 |
|-------|-------|--|-----|
| 2. | Ge | neral overview | 2 |
| 3. | Su | mmary of FMD outbreaks and intelligence | |
| 3.1. | | Overview of reports | 3 |
| 3.2. | | Pool 1 (Southeast Asia/Central Asia/East Asia) | 3 |
| 3.3. | | Pool 2 (South Asia) | 4 |
| 3.4. | | Pool 3 (West Eurasia and Near East) | 4 |
| 3.5. | | Pool 4 (North and Eastern Africa) | 6 |
| 3.6. | | Pool 5 (West/Central Africa) | 6 |
| 3.7. | | Pool 6 (Southern Africa) | 6 |
| 3.8. | | Pool 7 (South America) | 7 |
| 3.9. | | Extent of global surveillance | 7 |
| 4. | De | tailed analysis1 | 0 |
| 4.1. | | Pool 1 (Southeast Asia/Central Asia/East Asia) 1 | .0 |
| 4.2. | | Pool 2 (South Asia) 1 | .3 |
| 4.3. | | Pool 3 (West Eurasia and Near East) 1 | .3 |
| 4.4. | | Pool 4 (North and East Africa)1 | .8 |
| 4.5. | | Pool 5 (West/Central Africa) | 20 |
| 4.6. | | Pool 6 (Southern Africa) | 21 |
| 4.7. | | Pool 7 (South America) | 22 |
| 4.8. | | Vaccine matching | 22 |
| Anne | (1: | Sample data2 | 4 |
| Sun | nma | ary of submissions | 24 |
| Clin | ical | samples 2 | 24 |
| Annex | (2: | FMD publications2 | 7 |
| Anne | (3: | Vaccine recommendations3 | 1 |
| Annex | (4: | Brief round-up of EuFMD and WRLFMD activities3 | 3 |
| Cou | irse | s3 | 3 |
| Me | etin | gs3 | \$4 |
| Pro | ficie | ency test scheme organized by WRLFMD 3 | 4 |

Abbreviations

| BVI | Botswana Vaccine Institute |
|---------------|---|
| EIDRA | Emerging Infectious Disease Research Association |
| EuFMD | European Commission for the Control of Foot-and-Mouth Disease |
| FAST reports | foot-and-mouth and similar transboundary animal diseases reports |
| FGBI "ARRIAH" | Federal Governmental Budgetary Institution "Federal Centre for Animal Health" |
| FMD | foot-and-mouth disease |
| FMDV | foot-and-mouth disease virus |
| FMDV GD | foot-and-mouth disease virus genome detected |
| FMDV NGD | foot-and-mouth disease virus genome not detected |
| GF-TAD | Global Framework for the Progressive Control of Transboundary Animal Diseases |
| LVRI | Lanzhou Veterinary Research Institute |
| MEVAC | International Facility for Veterinary Vaccines Production (Egypt) |
| MNFMDL | Malaysian National Foot-and-Mouth Disease Laboratory |
| NT | not tested |
| NVD | no virus detected |
| PIADC | Plum Island Animal Disease Center |
| Pusvetma | Pusat Veteriner Farma (Indonesia) |
| rRT-PCR | real-time reverse transcription polymerase chain reaction |
| SAARC | South Asian Association for Regional Cooperation |
| SADC | Southern African Development Community |
| SAT | Southern African Territories |
| SEACFMD | South-East Asia and China FMD campaign |
| SSARRL | Sub-Saharan Africa Regional Reference Laboratory |
| SVD | swine vesicular disease |
| VETBIS | Veterinary Information System of Türkiye |
| VI | virus isolation |
| WAHIS | World Animal Health Information System (of the WOAH) |
| WOAH | World Organisation for Animal Health |
| WRLFMD | World Reference Laboratory for Foot-and-Mouth Disease |
| | |

Highlights and headlines 1.

Welcome to this quarterly report that describes recent data for foot-and-mouth disease (FMD) outbreaks. I take this opportunity to welcome Dr Dónal Sammin as the new Executive Secretary of the European Commission for the control of Foot-and-Mouth Disease (EuFMD) and look forward to working closely with him in the coming months. During this period, the World Reference Laboratory for FMD (WRLFMD) has reported test results for samples received from Bahrain, Nepal, Nigeria, Qatar, Republic of Korea and Thailand. There have also been new sequence submissions from Ethiopia (BVI, Botswana), Malawi (BVI, Botswana) and Palestine (Kimron Veterinary Institute [Israel]).

Data presented at the recent WOAH/FAO Reference Laboratory Network meeting show that FMD cases due to the emerging SAT2/XIV topotype continue to be reported in Türkiye. SAT2/XIV outbreaks in Anatolia (n=127) comprise new cases detected in western provinces including Kütahya, Isparta and Afyonkarahisar. Elsewhere, serological data for samples collected in Bahrain suggests that SAT2/XIV infection in cattle is more widespread than might be indicated from clinical signs; findings that may help understand the potential for long term maintenance of this lineage in the Near East.

The complexity of FMDV circulation in the Near East (Gulf States and Eastern Mediterranean) has been highlighted by the unexpected detection of the SAT1/I topotype in Qatar (samples collected during April 2023, described in this report). This virus shares closest sequence identity to a virus from Kenya, further reinforcing the epidemiological connections between East Africa and the Near East. Although the FMD viruses detected in Qatar are distinct (with >10 percent nucleotide difference) to those recovered from SAT1/I outbreaks reported in the Comoros earlier in the year, the concurrence of these outbreaks may reflect a general upsurge in SAT 1 in East Africa. At the same time as the SAT2/XIV and SAT1/I outbreaks have been occurring, FMD cases due to the O/ME-SA/PanAsia-2^{ANT-10} lineage have been detected in Israel and Palestine. These events reinforce the importance of the work undertaken by FMD Reference Laboratories to understand global events and recognise new risks. The WOAH/FAO FMD Laboratory <u>Network</u> encourages countries to submit clinical samples for laboratory analyses including sequencing and vaccine matching (testing is free-of-charge), for further information or assistance with shipments, please contact donald.king@pirbright.ac.uk.

Don King, Pirbright, October 2023

Tunisia and Algeria Eastern Mediterranean Bahrain, Iraq, Jordan, <u>Qatar</u> O/ME-SA/PanAsia-2^{ANT-10} **Oman & Türkiye** SAT1/I Libya O/EA-3 SAT2/XIV Pool Pool 1 Pool 5 Pool 7 Pool 4 Pool 2 Pool 6 South Africa Zambia, Namibia, Botswana **United Arab Emirates** Indonesia Malawi & SAT 2 and SAT3 SAT 2 and Oman O/ME-SA/ South Korea Outbreaks in disease <u>Mozambique</u> outbreaks in 2022 SA-2018 (from Pool 2) O/ME-SA/Ind-2001e control zone (6b) O/EA-2 October 2023 Note: New headline events reported July to September 2023 are highlighted in red with endemic pools highlighted in orange. Source: WRLFMD. Map conforms to UN Geospatial. 2023. Map of the World. New York, United States of America [Cited in October 2023]. https://www.un.org/geospatial/content/map-world-1

Figure 1: Recent FMD global outbreaks

2. General overview

Endemic Pools comprise separate ecosystems that maintain independently circulating and evolving foot-and-mouth disease virus (FMDV) genotypes. In the absence of specific reports, it should be assumed that the serotypes indicated below are continuously circulating in parts of the pool area and would be detected if sufficient surveillance was in place.

| POOL | REGION/COUNTRIES | SEROTYPES PRESENT |
|------|--|---|
| 1 | SOUTHEAST ASIA/CENTRAL ASIA/EAST ASIA Cambodia, China, China (Hong Kong SAR), Taiwan Province of China, Indonesia, Democratic People's Republic of Korea, Republic of Korea, Lao People's Democratic Republic, Malaysia, Mongolia, Myanmar, Russian Federation, Thailand, Viet Nam | A, Asia1 and O |
| 2 | <u>SOUTH ASIA</u> Bangladesh, Bhutan, India, Mauritius ¹ , Nepal, Sri Lanka | A, Asia1 and O |
| 3 | WEST EURASIA & NEAR EAST Afghanistan, Armenia, Azerbaijan, Bahrain, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Lebanon, Oman, Pakistan, Palestine, Qatar, Saudi Arabia, Syrian Arab Republic, Tajikistan, Türkiye, Turkmenistan, United Arab Emirates, Uzbekistan | A, Asia1 and O (SAT2) |
| 4 | EASTERN AFRICA Burundi, Comoros, Djibouti, Egypt ³ , Eritrea, Ethiopia, Kenya, Rwanda, Somalia, South Sudan, Sudan, Uganda, United Republic of Tanzania, Yemen | O, A, SAT1, SAT2 and SAT3 |
| | <u>NORTH AFRICA</u> ² Algeria, Libya, Morocco, Tunisia | A and O |
| 5 | WEST/CENTRAL AFRICA Benin, Burkina Faso, Cabo Verde, Cameroon, Central African Republic, Chad, Congo, Côte d'Ivoire, Democratic Republic of the Congo, Equatorial Guinea, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Liberia, Mali, Mauritania, Niger, Nigeria, Sao Tome and Principe, Senegal, Sierra Leone, Togo | O, A, SAT1 and SAT2 |
| 6 | SOUTHERN AFRICA Angola, Botswana, Malawi, Mozambique, Namibia, South Africa, Zambia, Zimbabwe | SAT1, SAT2 and SAT3 (O ⁴ , A) |
| 7 | SOUTH AMERICA Venezuela (Bolivarian Republic of) | O and A |

¹FMD outbreaks in 2016/21 due to O/ME-SA/Ind-2001 demonstrate close epidemiological links between Pool 2 and Mauritius.

²Long-term maintenance of FMDV lineages has not been documented in the Maghreb countries of North Africa and therefore this region does not constitute an Endemic Pool, but data is segregated here since FMD circulation in this region poses a specific risk to FMD-free countries in Southern Europe.

³Egypt represents a crossroads between East African Pool 4 and the Near East (Pool 3). NB: Serotypes SAT1 and SAT3 have not been detected in this country.

⁴Detection of O/EA-2 in southern/western Zambia (2018–2021), Namibia (2021), Malawi (2022) and Mozambique (2022) represent a new incursion into Pool 6.

3. Summary of FMD outbreaks and intelligence

3.1. Overview of reports

The location of information provided in this report can be seen on the map below. More detailed maps and sample data, on a country-by-country basis, can be found in the following sections of this report.




Figure 1: Samples tested by WRLFMD or reported in this quarter. • indicates samples analysed; × indicates outbreaks reported/updated to the WOAH this quarter; \Box indicates reports of FMD from other sources. Shape colours define the serotype detected •O; •A; •C; •Asia1, •SAT1, •SAT2, •SAT3, •FMD not detected, • serotype undetermined/not given in the report.

Source: WRLFMD. Map conforms to UN Geospatial. 2023. *Map of the World*. New York, United States of America. [Cited in October 2023]. https://www.un.org/geospatial/content/map-world-1

3.2. Pool 1 (Southeast Asia/Central Asia/East Asia)

Republic of Korea



On 18 July 2023, a single sample was received from the Animal and Plant Quarantine Agency. It was collected from cattle sampled in Chungcheongbuk-do on 14 May 2023. It was identified as **FMD type O** and genotyping revealed it to belong to the O/ME-SA/Ind-2001e sublineage (see below).

Thailand



On 16 August 2023, a batch of 24 samples (cell culture passaged isolates) were received. They were collected from cattle in various regions between November 2021 and January 2023. They were identified as **FMD type O** (n=17) or **FMD type A** (n=7). Genotyping revealed that 16 of the type O viruses belonged to the ME-SA/Ind-2001e sublineage, while one was closely related to the 1987 Thai vaccine strain; all the type A viruses

belonged to the ASIA/Sea-97 lineage (see below).

3.3. Pool 2 (South Asia)

No new outbreaks of FMD were reported in South Asia.

3.4. Pool 3 (West Eurasia and Near East)

Armenia



Active and passive surveillance is being used in the country. Over 900,000 large and small ruminants were vaccinated against SAT2 in the period between July and September. 500 000 animals were vaccinated with a trivalent vaccine (O, A & Asia1)

FAO EuFMD FAST report Jul-Sep 2023

Georgia



Over 1 million large and small ruminants have been vaccinated in the July to September period. Vaccination comprises 240 000 animals with a monovalent SAT2 vaccine, over 350 000 animals with an O/A/Asia 1/SAT2 vaccine and over 500 000 animals with a O/A/Asia1 vaccine.

FAO EuFMD FAST report Jul-Sep 2023

Iraq



107 cases of FMD were reported from Wasit, Ninawa, Baghdad and Dhiqar Provinces this quarter. Endemic FMDV serotypes of O, A and Asia1 were confirmed, along with SAT2/XIV.

FAO EuFMD FAST report Jul-Sep 2023

Qatar



On 14 July 2023, seven samples were received They had been collected from cattle during April and May 2023 from unspecified locations. They were all identified as **FMD type SAT1** and genotyped as topotype I, being most closely related to a virus collected from Kenya in 2020 (see below).

Oman



The presence of FMDV serotype SAT2, was reported via WAHIS. Twentythree cases of FMD were diagnosed in cattle from Salalah Province, Dhofar province.

WOAH World Animal Health Information System (event ID: 5178) ProMED post: 20230821.8711772

Pakistan



On 21 August 2023, a batch of 52 samples was received. They were collected from cattle and water buffalo in various provinces between January 2022 and February 2023. Eleven were identified as **FMD type O**, six as **FMD type A** and 12 as **FMD type Asia1**; 23 were **NVD** (no virus detected). Genotyping revealed all the type O viruses to belong to the ME-SA/PanAsia-2^{ANT-10} sublineage; the type A viruses belonged to the

ASIA/Iran-05^{FAR-11} sublineage; and the Asia1 viruses belonged to the ASIA/Sindh-08 lineage (see below).

Palestine



On 15 August 2023, an **FMD type O** VP1 sequence was received from the Kimron Veterinary Institute. It was derived from a sample collected from sheep at Yatta (Hebron, West Bank) during August 2023. Genotyping revealed it to belong to the ME-SA/PanAsia-2^{ANT-10} sublineage (see below).

Cattle have been vaccinated with a polyvalent FMD vaccine (including SAT 2), with a target of complete coverage. While the vaccination of sheep (against serotypes O & A) will begin on October.

Samples targeting cattle in sheep in the Jordanian border region have been taken to look for evidence of SAT 2 infection.

FAO EuFMD FAST report Jul-Sep 2023

Türkiye



On 24 August 2023, a batch of 21 samples was received. They were collected from cattle (and one sheep) in various provinces between January and June 2023. Results are pending.


A total of 70 FMD (52 SAT2 and 18 untyped) outbreaks were reported this quarter. Serotype O has not been clinically detected since May.

In the Thrace region, over 25 000 animals have been clinically examined this quarter for FMD with almost 1 200 sera collected for testing by serology. In the buffer zone area, clinical surveillance was achieved in >90 percent of the epi-units. While in SE Anatolia clinical surveillance for early detection was implemented.

The Autumn vaccination campaign stated in September (using a quadrivalent [O, A, Asia1] vaccine and is planned to be completed by mid-November.

FAO EuFMD FAST report Jul-Sep 2023

3.5. Pool 4 (North and Eastern Africa)



Ethiopia



On 19 September 2023, two VP1 sequences were received from the Botswana Vaccine Institute. One was **FMD type O** from a sample collected from cattle in Sebata District, Oromia Province during 2020. This was genotyped as topotype EA-4. The second sequence was of **FMD type A** and was derived from a sample collected from cattle in Kilte Awilailo District, Tigray Province in October 2018. This was genotyped as

AFRICA/G-IV. Both were closely related to samples previously received by the WRLFMD from Ethiopia (see below).

3.6. Pool 5 (West/Central Africa)

Nigeria




On 25 August 2023, a batch of 13 samples was received. They were collected from cattle in Bauchi State during July 2023. Ten were identified as **FMD type O** and three were **FMDV-GD** (genome detected). All serotype O viruses were genotyped as belonging to the EA-3 topotype (see below).

3.7. Pool 6 (Southern Africa)

Malawi



A partial **FMD SAT2** VP1 sequence (543 nt) was received from the Botswana Vaccine Institute. No sample collection details were provided except that it had been collected from cattle during 2023. Genotyping showed that the sequence belonged to topotype II (see below).



3.8. Pool 7 (South America)

No new outbreaks of FMD were reported in South America.

3.9. Extent of global surveillance




Figure 2: Samples received during 2022 from FMD outbreaks (routine surveillance that is undertaken in countries that are FMD-free without vaccination is not shown). Data from presentations given at the WOAH/FAO FMD reference laboratory network annual meeting (<u>https://www.foot-and-mouth.org/Ref-Lab-Network/Network-Annual-Meeting</u>).

Source: WRLFMD. Map conforms to UN Geospatial. 2023. *Map of the World*. New York, United States of America. [Cited in October 2023]. https://www.un.org/geospatial/content/map-world-1.

In regions where FMD is endemic, continuous evolution of the virus generates geographically discrete lineages that are genetically distinct from FMD viruses found elsewhere. This report displays how different FMD lineages circulate in different regions; these analyses accommodate the latest epidemiological intelligence to assess the relative importance of the viral strains circulating within each region (see Table 1, below).

A number of outbreaks have occurred where samples have not been sent to the WRLFMD or other laboratories in the WOAH/FAO FMD Laboratory Network. An up-to-date list and reports of FMD viruses characterised by sequencing can be found at the following website: <u>http://www.wrlfmd.org/country-reports/country-reports-2023</u>.

Results from samples or sequences received at WRLFMD (status of samples being tested) are shown in Table 2 and a complete list of clinical sample diagnostics made by the WRLFMD from July to September 2023 is shown in Annex 1: (Summary of submissions). A record of all samples received by WRLFMD is shown in Annex 1: (Clinical samples).

| Lineage | Southeast / Central / East Asia [Pool 1] | South Asia [Pool 2] | West Eurasia & Near East [Pool 3] | North Africa | Eastern Africa [Pool 4] | West / Central Africa [Pool 5] | Southern Africa [Pool 6] | South America [Pool 7] |
|-------------------|---|------------------------|--|-----------------|-------------------------------|---|--------------------------------|------------------------------|
| O ME-SA PanAsia-2 | | | 28 | | | | | |
| O ME-SA PanAsia | 10 | | | | | | | |
| O SEA Mya-98 | 21.5 | | | | | | | |
| O ME-SA Ind2001 | 40 | 86 ¹ | 5.5 | 2 | | | | |
| O EA or O WA | | | 2.5 | 55 | 55.5 | 65 | 16 | |
| O EURO-SA | | | | | | | | 90 |
| O CATHAY | 10.5 | | | | | | | |
| A ASIA Sea-97 | 18 | | | | | | | |
| A ASIA Iran-05 | 0 | | 25 | | | | | |
| A ASIA G-VII | | 10 | 8 | | | | | |
| A AFRICA | | | | 33 | 22 | 17 | | |
| A EURO-SA | | | | | | | | 10 |
| Asia1 | 0 | 4 | 11 | | | | | |
| SAT 1 | | | | 0 | 8 | 3 | 16 | |
| SAT 2 | | | 20 | 10 | 14 | 15 | 52 | |
| SAT 3 | | | | | 0.5 | | 16 | |
| С | | | | | | | | |

Table 1: Conjectured relative prevalence of circulating FMD viral lineages in each Pool.

¹ Includes cases due to the emerging O/ME-SA/SA-18 lineage that has been recently detected in Pool 2.

Note: For each of the regions, data represent the relative importance of each viral lineage (prevalence score estimated as a percentage [percent] of total FMD cases that occur in domesticated hosts). These scores (reviewed at the WOAH/FAO FMD reference laboratory network meeting in December 2021) can be used to inform the PRAGMATIST tool (see Annex 3). Recent changes to increase risks are shown in **red**, while a reduction in risk is shown in **green**. NB: In response to the FMD cases due to SAT2/XIV, risks in Pool 3 were reviewed and revised in April 2023.

| WRLFMD Batch No. | Date received | Country | Total No. samples | Serotype | No. of samples | No. of sequences | Sequencing status |
|--------------------|---------------|----------------------|----------------------|----------|-------------------|---------------------|----------------------|
| WRLFMD/2023/000044 | 14/07/2023 | Qatar | 7 | SAT 1 | 7 | 7 | Finished |
| WRLFMD/2023/000046 | 18/07/2023 | Republic of Korea | 1 | 0 | 1 | 1 | Finished |
| WRLFMD/2023/000070 | 16/08/2023 | Thailand | 24 | 0 | 17 | 17 | Finished |
| | | | | А | 7 | 7 | |
| WRLFMD/2023/000071 | 21/08/2023 | Pakistan | 50 | 0 | 11 * | 11 | Finished |
| | | | | А | 5 | 6 † | |

Table 2: Status of sequencing of samples or sequences received by the WRLFMD from July to September 2023.

| WRLFMD Batch No. | Date received | Country | Total No. samples | Serotype | No. of samples | No. of sequences | Sequencing status |
|--------------------|---------------|---------|----------------------|----------|-------------------|---------------------|----------------------|
| | | | | Asia1 | 12 * | 12 | |
| | | | | FMDV-GD | 12 | | |
| | | | | NVD | 11 | | |
| WRLFMD/2023/000073 | 3 25/08/2023 | Nigeria | 13 | 0 | 10 | 10 | Finished |
| | | | | FMDV-GD | 3 | | |
| Totals | | | 95 | | 96 | 71 | |

* One sample was determined to have O and Asia1 serotypes.


† One serotype A sample returned two different sequences.


Table 3: VP1 sequences submitted by other FMD laboratories to the WRLFMD from July to September 2023.


| WRLFMD Batch No. | Date received | Country | Serotype | Date Collected | No. of sequences | Submitting laboratory |
|--------------------|---------------|-----------|----------|----------------|---------------------|-----------------------|
| WRLMEG/2023/000026 | 11/08/2023 | Malawi | SAT 2 | 2023 | 1 | BVI |
| WRLMEG/2023/000027 | 15/08/2023 | Palestine | 0 | August 2023 | 1 | KVI |
| | 10/00/2022 | | 0 | 2020 | 1 | |
| WRLMEG/2023/000029 | 19/09/2023 | Ethiopia | А | October 2018 | 1 | BVI |
| | | | | Total | 4 | |

4. Detailed analysis

4.1. Pool 1 (Southeast Asia/Central Asia/East Asia)










4.2. Pool 2 (South Asia)


No samples/sequences received.


4.3. Pool 3 (West Eurasia and Near East)

















4.4. Pool 4 (North and East Africa)





4.5. Pool 5 (West/Central Africa)

4.6. Pool 6 (Southern Africa)



4.7. Pool 7 (South America)

No samples/sequences received.

4.8. Vaccine matching

Antigenic characterisation of FMD field isolates by matching with vaccine strains by 2dmVNT from July to September 2023.

NOTES:

- Vaccine efficacy is influenced by vaccine potency, antigenic match and vaccination regime. Therefore, it is possible that a less than perfect antigenic match of a particular antigen may be compensated by using a high potency vaccine and by administering more than one vaccine dose at suitable intervals. Thus, a vaccine with a weak antigenic match to a field isolate, as determined by serology, may nevertheless afford some protection if it is of sufficiently high potency and is administered under a regime to maximise host antibody responses (Brehm, 2008).
- 2. Vaccine matching data generated in this report only considers antibody responses in cattle after a single vaccination (typically 21 days after vaccination). The long-term performance of FMD vaccines after a second or multiple doses of vaccine should be monitored using post-vaccination serological testing.

| Serotype | 0 | Α | С | Asia1 | SAT 1 | SAT 2 | SAT 3 |
|-------------------|---|---|---|-------|-------|-------|-------|
| Bahrain | - | - | - | - | - | 2 | - |
| Nepal | 3 | - | - | - | - | - | - |
| Qatar | - | - | - | - | 3 | - | - |
| Republic of Korea | 1 | - | - | - | - | - | - |
| Total | 4 | 0 | 0 | 0 | 3 | 2 | 0 |

Table 4: Summary of samples tested by vaccine matching.

Abbreviations used in tables

For each field isolate the r_1 value is shown followed by the heterologous neutralisation titre (r_1 -value / titre). The r_1 values shown below, represent the one-way serological match between vaccine strain and field isolate, calculated from the comparative reactivity of antisera raised against the vaccine in question. Heterologous neutralisation titres for vaccine sera with the field isolates are included as an indicator of cross-protection.

| | Vaccine Match |
|----|---|
| Μ | $r_1 = \ge 0.3$ - suggests that there is a close antigenic relationship between field isolate and vaccine strain. A potent vaccine containing the vaccine strain is likely to confer protection. |
| | No Vaccine Match |
| Ν | $r_1 = < 0.3$ - suggest that the field isolate is antigenically different to the vaccine strain. Where there is no alternative, the use of this vaccine should carefully consider vaccine potency, the possibility to use additional booster doses and monitoring of vaccinated animals for heterologous responses. |
| NT | Not tested against this vaccine |
| | |

NOTE: A "0" in the neutralisation columns indicates that for that particular field virus no neutralisation was observed at a virus dose of a 100 TCID₅₀.

NOTE: This report includes the source of the vaccine virus and bovine vaccinal serum. Vaccines from different manufactures may perform differently and caution should be taken when comparing the data.

Table 5: Vaccine matching studies for O FMDV

| Isolate | Seroty | /pe O | Boeh | 039 ringer Iheim | Boeh | mpos ringer lheim | Bioge | impos énesis igó | Boeh | anisa ringer Iheim | Boeh | Asia 2 ringer Iheim | | R/5/09 ISD |
|---------------|----------|----------|----------------|------------------------|----------------|-------------------------|----------------|------------------------|----------------|--------------------------|----------------|---------------------------|----------------|---------------|
| | Topotype | Lineage | r ₁ | titre | r ₁ | titre | r ₁ | titre | r ₁ | titre | r ₁ | titre | r ₁ | titre |
| O/NEP 58/2021 | ME-SA | Ind-2001 | 0.51 | 1.70 | 0.16 | 1.87 | 0.20 | 2.28 | 0.49 | 2.22 | 0.21 | 1.87 | 0.78 | 2.21 |
| O/SKR 1/2023 | ME-SA | Ind-2001 | 0.93 | 2.02 | 0.77 | 2.23 | 0.88 | 2.74 | 0.74 | 2.23 | 0.98 | 2.37 | 0.80 | 2.24 |
| O/NEP 13/2022 | ME-SA | SA-2018 | 1.00 | 2.02 | 0.40 | 2.28 | 0.51 | 2.65 | 0.63 | 2.33 | 0.57 | 2.35 | 1.00 | 2.32 |
| O/NEP 26/2022 | ME-SA | SA-2018 | 0.66 | 1.82 | 0.23 | 2.03 | 0.20 | 2.29 | 0.32 | 2.04 | 0.32 | 2.10 | 0.68 | 2.15 |

Table 6: Vaccine matching studies for SAT1 FMDV

| Isolate | Serotype | e SAT 2 | Boeh | Rho 78 ringer Iheim |
|------------|----------|---------|----------------|---------------------------|
| | Topotype | Lineage | r ₁ | titre |
| QTR 5/2023 | I (NWZ) | - | 0.39 | 1.85 |
| QTR 6/2023 | I (NWZ) | - | 0.41 | 1.86 |
| QTR 7/2023 | I (NWZ) | - | 0.35 | 1.80 |

Table 7: Vaccine matching studies for SAT 2 FMDV

| Isolate | Serotype | rotype SAT 2 | | Eritrea 98 Boehringer Ingelheim | | Zim 83 ringer Iheim |
|------------|------------------|--------------|-------|---------------------------------------|----------------|---------------------------|
| | Topotype Lineage | | r_1 | titre | r ₁ | titre |
| BAR 2/2022 | XIV | - | 0.40 | 1.50 | 0.39 | 1.85 |
| BAR 7/2022 | XIV | - | 0.53 | 1.62 | 0.53 | 1.99 |

Annex 1: Sample data

Summary of submissions

Table 8: Summary of samples collected and received to WRLFMD July to September 2023

| | Virus isolation in cell culture/ELISA | | | | | | | | | | |
|-------------------|---------------------------------------|---------------------|----|---|----------|----------|----------|-------|----------------------|----------------|----------|
| Country | N ^o of samples | FMD virus serotypes | | | | | | | No Virus Detected | RT-PCR for FMD | |
| | | 0 | A | с | SAT 1 | SAT 2 | SAT 3 | ASIA1 | No V Dete | Positive | Negative |
| Nigeria | 13 | 10 | - | - | - | - | - | - | 3 | 13 | - |
| Pakistan | 50 | 11 | 5 | - | - | - | - | 12 | 23 | 39 | 11 |
| Qatar | 7 | - | - | - | 7 | - | - | - | - | 7 | - |
| Republic of Korea | 1 | 1 | - | - | - | - | - | - | - | 1 | - |
| Thailand | 24 | 17 | 7 | - | - | - | - | - | - | 24 | - |
| TOTAL | 95 | 39 | 12 | 0 | 7 | 0 | 0 | 12 | 26 | 74 | 11 |

Clinical samples

Table 9: Clinical sample diagnostics made by the WRLFMD July to September 2023

| | Results | | | | | | | |
|----------|-----------------|-----------------|---|---------|-----------------------|----------|---------|--------------|
| Country | Received | Reported | WRL for FMD Sample Identification | Animal | Date of Collection | VI/ELISA | RT-PCR | Final report |
| | | | NIG 1/2023 | Cattle | 05-Jul-23 | NVD | FMDV GD | FMDV GD |
| | | 25-Sep- 2023 | NIG 2/2023 | Cattle | 05-Jul-23 | 0 | FMDV GD | 0 |
| | | | NIG 3/2023 | Cattle | 05-Jul-23 | 0 | FMDV GD | 0 |
| | | | NIG 4/2023 | Cattle | 19-Jul-23 | 0 | FMDV GD | 0 |
| | | | NIG 5/2023 | Cattle | 19-Jul-23 | 0 | FMDV GD | 0 |
| | 25 4 | | NIG 6/2023 | Cattle | 19-Jul-23 | 0 | FMDV GD | 0 |
| Nigeria | 25-Aug- 2023 | | NIG 7/2023 | Cattle | 19-Jul-23 | 0 | FMDV GD | 0 |
| | 2025 | | NIG 8/2023 | Cattle | 21-Jul-23 | 0 | FMDV GD | 0 |
| | | | NIG 9/2023 | Cattle | 21-Jul-23 | 0 | FMDV GD | 0 |
| | | | NIG 10/2023 | Cattle | 21-Jul-23 | NVD | FMDV GD | FMDV GD |
| | | | NIG 11/2023 | Cattle | 23-Jul-23 | NVD | FMDV GD | FMDV GD |
| | | | NIG 12/2023 | Cattle | 23-Jul-23 | 0 | FMDV GD | 0 |
| | | | NIG 13/2023 | Cattle | 23-Jul-23 | 0 | FMDV GD | 0 |
| | | | PAK 1/2022 | Buffalo | 15-Jan-22 | NVD | NVD | NVD |
| Dekister | 21-Aug- | 29-sep- | PAK 2/2022 | Cattle | 15-Jan-22 | NVD | NVD | NVD |
| Pakistan | 2023 | 2023 | PAK 3/2022 | Cattle | 18-Jan-22 | NVD | NVD | NVD |
| | | | PAK 4/2022 | Cattle | 22-Jan-22 | NVD | FMDV GD | FMDV GD |

| | Date | 9 | | | | | Results | |
|---------|----------|----------|---|---------|-----------------------|-----------|---------|--------------|
| Country | Received | Reported | WRL for FMD Sample Identification | Animal | Date of Collection | VI/ELISA | RT-PCR | Final report |
| | | | PAK 5/2022 | Buffalo | 07-Feb-22 | 0 | FMDV GD | 0 |
| | | | PAK 6/2022 | Buffalo | 11-Feb-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 7/2022 | Buffalo | 19-Feb-22 | NVD | NVD | NVD |
| | | | PAK 8/2022 | Cattle | 25-Feb-22 | NVD | NVD | NVD |
| | | | PAK 9/2022 | Cattle | 02-Mar-22 | 0 | FMDV GD | 0 |
| | | | PAK 10/2022 | Cattle | 02-Mar-22 | 0 | FMDV GD | 0 |
| | | | PAK 11/2022 | Cattle | 02-Mar-22 | O & Asia1 | FMDV GD | O & Asia1 |
| | | | PAK 12/2022 | Cattle | 05-Mar-22 | 0 | FMDV GD | 0 |
| | | | PAK 13/2022 | Cattle | 07-Mar-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 14/2022 | Cattle | 07-Mar-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 15/2022 | Cattle | 10-Mar-22 | NVD | NVD | NVD |
| | | | PAK 16/2022 | Cattle | 10-Mar-22 | NVD | NVD | NVD |
| | | | PAK 17/2022 | Buffalo | 12-Mar-22 | NVD | NVD | NVD |
| | | | PAK 18/2022 | Buffalo | 25-Mar-22 | 0 | FMDV GD | 0 |
| | | | PAK 19/2022 | Cattle | 07-Apr-22 | NVD | NVD | NVD |
| | | | PAK 20/2022 | Cattle | 18-Apr-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 21/2022 | Buffalo | 19-Apr-22 | 0 | FMDV GD | 0 |
| | | | PAK 22/2022 | Cattle | 23-Apr-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 23/2022 | Cattle | 28-Apr-22 | NVD | NVD | NVD |
| | | | PAK 24/2022 | Cattle | 06-May-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 25/2022 | Cattle | 06-May-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 26/2022 | Cattle | 17-May-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 27/2022 | Cattle | 23-Aug-22 | А | FMDV GD | А |
| | | | PAK 28/2022 | Cattle | 01-Oct-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 29/2022 | Cattle | 01-Oct-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 30/2022 | Cattle | 02-Oct-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 31/2022 | Cattle | 12-Oct-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 32/2022 | Cattle | 12-Oct-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 33/2022 | Cattle | 13-Oct-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 34/2022 | Cattle | 13-Oct-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 35/2022 | Cattle | 14-Oct-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 36/2022 | Cattle | 02-Nov-22 | NVD | NVD | NVD |
| | | | PAK 37/2022 | Cattle | 10-Nov-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 38/2022 | Cattle | 13-Nov-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 39/2022 | Cattle | 22-Nov-22 | Asia1 | FMDV GD | Asia1 |
| | | | PAK 40/2022 | Cattle | 25-Nov-22 | NVD | FMDV GD | FMDV GD |
| | | | PAK 41/2022 | Cattle | 26-Nov-22 | А | FMDV GD | А |
| | | | PAK 1/2023 | Cattle | 03-Jan-23 | 0 | FMDV GD | 0 |
| | | | PAK 2/2023 | Cattle | 03-Jan-23 | 0 | FMDV GD | 0 |
| | | | PAK 3/2023 | Cattle | 03-Jan-23 | NVD | FMDV GD | FMDV GD |
| | | | PAK 4/2023 | Cattle | 01-Feb-23 | А | FMDV GD | А |

| | | te | | | | | Results | |
|----------------------|-----------------|-----------------|---|--------|-----------------------|----------|---------|--------------|
| Country | Received | Reported | WRL for FMD Sample Identification | Animal | Date of Collection | VI/ELISA | RT-PCR | Final report |
| | | | PAK 5/2023 | Cattle | 07-Feb-23 | А | FMDV GD | А |
| | | | PAK 6/2023 | Cattle | 07-Feb-23 | А | FMDV GD | А |
| | | | PAK 7/2023 | Cattle | 10-Feb-23 | 0 | FMDV GD | 0 |
| | | | PAK 8/2023 | Cattle | 11-Feb-23 | NVD | FMDV GD | FMDV GD |
| | | | PAK 9/2023 | Cattle | 22-Feb-23 | 0 | FMDV GD | 0 |
| | | | QTR 1/2023 | Cattle | 23-Apr-23 | SAT1 | FMDV GD | SAT1 |
| | | | QTR 2/2023 | Cattle | 23-Apr-23 | SAT1 | FMDV GD | SAT1 |
| | 4.4.1.1 | 27.64 | QTR 3/2023 | Cattle | 23-Apr-23 | SAT1 | FMDV GD | SAT1 |
| Qatar | 14-Jul- 2023 | 27-Jul- 2023 | QTR 4/2023 | Cattle | 23-Apr-23 | SAT1 | FMDV GD | SAT1 |
| | 2025 | 2025 | QTR 5/2023 | Cattle | 09-May-23 | SAT1 | FMDV GD | SAT1 |
| | | | QTR 6/2023 | Cattle | 14-May-23 | SAT1 | FMDV GD | SAT1 |
| | | | QTR 7/2023 | Cattle | 14-May-23 | SAT1 | FMDV GD | SAT1 |
| Republic of Korea | 18-Jul- 2023 | 24-Jul- 2023 | SKR 1/2023 | Cattle | 14-May-23 | 0 | FMDV GD | 0 |
| | | | TAI 8/2021 | Cattle | 11-Nov-21 | А | FMDV GD | А |
| | | | TAI 9/2021 | Cattle | 11-Nov-21 | А | FMDV GD | А |
| | | | TAI 10/2021 | Cattle | 11-Nov-21 | А | FMDV GD | А |
| | | | TAI 1/2022 | Cattle | 27-Jan-22 | А | FMDV GD | А |
| | | | TAI 2/2022 | Cattle | 16-Mar-22 | А | FMDV GD | А |
| | | | TAI 3/2022 | Cattle | 21-Apr-22 | А | FMDV GD | А |
| | | | TAI 4/2022 | Cattle | 11-Aug-22 | 0 | FMDV GD | 0 |
| | | | TAI 5/2022 | Cattle | 17-Aug-22 | 0 | FMDV GD | 0 |
| | | | TAI 6/2022 | Cattle | 18-Aug-22 | 0 | FMDV GD | 0 |
| | | | TAI 7/2022 | Cattle | 26-Aug-22 | 0 | FMDV GD | 0 |
| | | | TAI 8/2022 | Cattle | 05-Sep-22 | 0 | FMDV GD | 0 |
| The file weat | 16-Aug- | 21-Sep- | TAI 9/2022 | Cattle | 05-Sep-22 | 0 | FMDV GD | 0 |
| Inaliand | Thailand 2023 | 2023 | TAI 10/2022 | Cattle | 08-Sep-22 | 0 | FMDV GD | 0 |
| | | | TAI 11/2022 | Cattle | 13-Sep-22 | 0 | FMDV GD | 0 |
| | | | TAI 12/2022 | Cattle | 19-Sep-22 | 0 | FMDV GD | 0 |
| | | | TAI 13/2022 | Cattle | 28-Sep-22 | 0 | FMDV GD | 0 |
| | | | TAI 14/2022 | Cattle | 30-Sep-22 | А | FMDV GD | А |
| | | | TAI 15/2022 | Cattle | 06-Oct-22 | 0 | FMDV GD | 0 |
| | | | TAI 16/2022 | Cattle | 10-Oct-22 | 0 | FMDV GD | 0 |
| | | | TAI 17/2022 | Cattle | 28-Oct-22 | 0 | FMDV GD | 0 |
| | | | TAI 18/2022 | Cattle | 04-Nov-22 | 0 | FMDV GD | 0 |
| | | | TAI 19/2022 | Cattle | 20-Dec-22 | 0 | FMDV GD | 0 |
| | | | TAI 20/2022 | Cattle | 20-Dec-22 | 0 | FMDV GD | 0 |
| | | | TAI 1/2023 | Cattle | 05-Jan-23 | 0 | FMDV GD | 0 |
| тс | DTAL | | | | 95 | | | |

Annex 2: FMD publications

Recent FMD Publications July to September 2023 cited by Web of Science.

- 1. Arshad, S., S. Raza, R. Rafique, I. Altaf, and A. Sattar. 2023. Lack of antiviral activity of ivermectin against *Foot-and-mouth disease virus* serotype O in BALB/c mice. *Microbial Pathogenesis*, **182**: 5. DOI: 10.1016/j.micpath.2023.106245.
- 2. Aslam, M. and K.A. Alkheraije. 2023. The prevalence of foot-and-mouth disease in Asia. *Frontiers in Veterinary Science*, **10**: 15. DOI: 10.3389/fvets.2023.1201578.
- Bhat, N.A., L. Jeri, D. Karmakar, P. Mipun, P. Bharali, N. Sheikh, C.J. Nongkynrih, and Y. Kumar. 2023. Ethnoveterinary practises of medicinal plants used for the treatment of different cattle diseases: A case study in East Khasi Hill district of Meghalaya, North East India. *Heliyon*, 9(7): 24. DOI: 10.1016/j.heliyon.2023.e18214.
- Biswal, J.K., R. Ranjan, J.K. Mohapatra, M. Rout, H.R. Joshi, and R.P. Singh. 2023. Development of TaqMan probe-based one-step RT-qPCR assay targeting 2b-NSP coding region for diagnosis of foot-and-mouth disease in India. *Current Microbiology*, **80**(8): 11. DOI: 10.1007/s00284-023-03369-y.
- 5. Blacksell, S.D., S. Dhawan, M. Kusumoto, K.K. Le, K. Summermatter, J. O'Keefe, J. Kozlovac, S.S. Almuhairi, I. Sendow, C.M. Scheel, A. Ahumibe, Z.M. Masuku, A.M. Bennett, K. Kojima, D.R. Harper, and K. Hamilton. 2023. The biosafety research road map: the search for evidence to support practices in the laboratory-*Foot-and-mouth disease virus*. Applied Biosafety: 17. DOI: 10.1089/apb.2022.0041.
- 6. Bosso, F.B., V. de Sá Jayme, W.F.P. Teixeira, and G.R.L. de Souza. 2023. Multicriteria analysis model for foot-and-mouth disease risk classification in the state of Goias Brazil (vol 53, e20220669, 2023). *Ciencia Rural*, **53**(11): 1. DOI: 10.1590/01038478crerr20220669.
- Capozzo, A.V., W. Vosloo, T. de los Santos, A.M. Perez, and M. Perez-Filgueira. 2023. Editorial: Foot-and-mouth disease epidemiology, vaccines and vaccination: moving forward. *Frontiers in Veterinary Science*, **10**: 3. DOI: 10.3389/fvets.2023.1231005.
- Dahiya, S.S., S. Subramaniam, J.K. Mohapatra, M. Rout, J.K. Biswal, P. Giri, V. Nayak, and R.P. Singh. 2023. Foot-and-mouth disease virus serotype O exhibits phenomenal genetic lineage diversity in India during 2018-2022. Viruses-Basel, 15(7): 16. DOI: 10.3390/v15071529.
- Dobson, S.J., J.C. Ward, M.R. Herod, D.J. Rowlands, and N.J. Stonehouse. 2023. A highly discriminatory RNA strand- specific assay to facilitate analysis of the role of cis-acting elements in *Foot-and-mouth disease virus* replication. *Journal of General Virology*, **104**(7): 9. DOI: 10.1099/jgv.0.001871.
- Gadir, M., S.M. Azimi, N. Harzandi, B. Hemati, and N. Eskandarzade. 2023. Molecular detection, genetic diversity, and phylogenetic analysis of *Foot-and-mouth disease virus* (FMDV) type O in Iran during 2015-2016. *Iranian Journal of Veterinary Research*, 24(1): 30-36. DOI: 10.22099/ijvr.2022.43156.6284.
- Gao, Y., F. Yong, M.L. Yan, Y.Q. Wei, and X.C. Wu. 2023. MiR-361 and miR-34a suppress *Foot-and-mouth disease virus* proliferation by activating immune response signaling in PK-15 cells. *Veterinary Microbiology*, 280: 10. DOI: 10.1016/j.vetmic.2023.109725.
- 12. Hossain, K.A., H. Anjume, K.M.M. Alam, A. Yeamin, S. Akter, M.A. Hossain, and M.

Sultana. 2023. Emergence of a novel sublineage, MYMBD21 under SA-2018 lineage of *Footand-mouth disease virus* serotype O in Bangladesh. *Scientific Reports*, **13**(1): 12. DOI: 10.1038/s41598-023-36830-w.

- 13. **Kabelo, T.I., E.M. Fana, J.M. Hyera, and K. Lebani**. 2023. A review of foot-and-mouth disease status and control measures in Botswana. *Tropical Animal Health and Production*, **55**(4): 11. DOI: 10.1007/s11250-023-03674-5.
- Khulape, S.A., J.K. Biswal, C. Jana, S. Subramaniam, and R.P. Singh. 2023. Novel panlineage VP1 specific degenerate primers for precise genetic characterization of serotype O *Foot-and-mouth disease virus* circulating in India. *Journal of Veterinary Science*, 24(3): 6. DOI: 10.4142/jvs.22292.
- Kim, J.Y., J.H. Lee, J.M. Yang, S.Y. Lee, S.Y. Park, J.S. Jin, D. Kim, J.W. Park, J.H. Park, S.H. Park, and Y.J. Ko. 2023. Production of foot-and-mouth disease type O and a vaccine antigens on a pilot scale and determination of optimal amount of antigen for monovalent vaccines. *Vaccines*, **11**(7): 10. DOI: 10.3390/vaccines11071156.
- 16. Ko, M.K., H.W. Kim, S.H. Park, J.H. Park, S.M. Kim, and M.J. Lee. 2023. The role of zinc sulfate in enhancing cellular and humoral immune responses to foot-and-mouth disease vaccine. *Virus Research*, **335**: 12. DOI: 10.1016/j.virusres.2023.199189.
- Kumar, V., S. Dahiya, S. Budania, A.K. Gupta, P. Sangwan, A. Lather, P. Kumar, N.K. Kakker, and A. Singh. 2023. Characterization of *Foot-and-mouth disease virus* serotype Ospecific single domain antibody expressed in the pET expression system. *Indian Journal of Microbiology*: 7. DOI: 10.1007/s12088-023-01095-4.
- Lelenguyah, G.L., M.M. Nyangito, O.V. Wasonga, and R.C. Bett. 2023. Spatiotemporal epidemiology of livestock diseases in the variable semi-arid rangelands of northern Kenya. *Tropical Animal Health and Production*, 55(4): 22. DOI: 10.1007/s11250-023-03684-3.
- 19. Lewis, R.A., O.B. Kashongwe, and B.O. Bebe. 2023. Quantifying production losses associated with Foot-and-mouth disease outbreaks on large-scale dairy farms in Rift valley, Kenya. *Tropical Animal Health and Production*, **55**(5): 7. DOI: 10.1007/s11250-023-03707-z.
- 20. Matsui, Y., J. Chottikamporn, S. Ungvanijban, K.B. Seeyo, R. Vitoonpong, N. Suwankitwat, T. Songkasupa, J. Norimine, K. Yamada, L. Chintapitaksakul, and N. Misawa. 2023. Development of a real-time RT-PCR system applicable for rapid and penside diagnosis of foot-and-mouth disease using a portable device, PicoGene® PCR1100. *Journal of Virological Methods*, **319**: 4. DOI: 10.1016/j.jviromet.2023.114753.
- Mburu, C.M., S. Bukachi, H. Majiwa, D. Ongore, M. Baylis, K. Mochabo, E. Fevre, and
 O. Howland. 2023. Prioritization of livestock diseases by pastoralists in Oloitoktok Sub County, Kajiado County, Kenya. *PLOS One*, **18**(7): 16. DOI: 10.1371/journal.pone.0287456.
- 22. Metwally, S., N. Bkear, Y. Badr, B. Elshafey, S.K. Alhag, L.A. Al-Shuraym, G. Batiha, B. Fakhry, and R. Hamada. 2023. A newly emerging serotype a strain in *Foot-and-mouth disease virus* with higher severity and mortality in buffalo than in cattle calves in north Egypt. *Veterinary Sciences*, **10**(8): 14. DOI: 10.3390/vetsci10080488.
- 23. Mielke, S.R., C. Rigney, A.D. Hagerman, T.C. Boyer, A.H. Delgado, J. Arzt, and L.K. Holmstrom. 2023. Assessment of a reconfiguration of the InterSpread Plus US national FMD model as a potential tool to analyze a foot-and-mouth disease outbreak on a single large cattle feedlot in the United States. *Frontiers in Veterinary Science*, **10**: 15. DOI:

10.3389/fvets.2023.1205485.

- Mohapatra, J.K., S.S. Dahiya, S. Subramaniam, M. Rout, J.K. Biswal, P. Giri, V. Nayak, and R.P. Singh. 2023. Emergence of a novel genetic lineage 'A/ASIA/G-18/2019' of *Footand-mouth disease virus* serotype A in India: A challenge to reckon with. *Virus Research*, 333: 10. DOI: 10.1016/j.virusres.2023.199140.
- 25. **Mubarak, A., M.Y. Tipu, A. Aslam, T. Yaqub, and M. Ali**. 2023. *In vitro* adaptation, molecular characterization and tissue tropism of *Foot-and-mouth disease virus* in guinea pigs. *Indian Journal of Animal Research*, **57**(3): 360-365. DOI: 10.18805/ijar.Bf-1537.
- 26. **Onodera, T., A. Sakudo, K. Sugiura, M. Haritani, K. Furusaki, and R. Kirisawa**. 2023. Antiviral agents and disinfectants for foot-and-mouth disease (Review). *Biomedical Reports*, **19**(3): 9. DOI: 10.3892/br.2023.1639.
- Park, H.J., S. Jeong, K.J. Min, H. Jung, S.H. Jo, J.W. Byun, J. Yun, J.M. Lim, H.S. Kim, H.J. Lee, S.Y. Kwon, S.J. Kim, and H.S. Cho. 2023. Plant-derived *Foot-and-mouth disease virus* antibodies fused to horseradish peroxidase are efficient diagnostic reagents. *Plant Biotechnology Journal*: 3. DOI: 10.1111/pbi.14178.
- 28. Raina, A.A., M. Patel, A. Somagond, S. Jeyakumar, R.P.T. Selvan, G.R. Gowane, N. Krishnaswamy, D.H. Joyappa, K. Ramesha, U. Vijayapillai, V. Bhanuprakash, G.K. Gaur, and T. Dutt. 2023. Effect of foot-and-mouth disease vaccination on acute phase response and milk production in the Holstein-Friesian crossbred cow. *Journal of Applied Animal Research*, **51**(1): 495-500. DOI: 10.1080/09712119.2023.2229409.
- 29. Ranjan, R., J.K. Biswal, P.K. Sahoo, J.P. Tripathy, and R.P. Singh. 2023. Diagnostic application of formalin fixed archived tissues for detection of foot-and-mouth disease. *Journal of Virological Methods*, **318**: 6. DOI: 10.1016/j.jviromet.2023.114754.
- 30. **Razak, A., I. Altaf, A.A. Anjum, and A.R. Awan**. 2023. Preparation of purified vaccine from local isolate of *Foot-and-mouth disease virus* and its immune response in bovine calves. *Saudi Journal of Biological Sciences*, **30**(7): 9. DOI: 10.1016/j.sjbs.2023.103709.
- 31. Romey, A., H.G. Ularamu, A. Bulut, S.M. Jamal, S. Khan, M. Ishaq, M. Eschbaumer, G.J. Belsham, C. Bernelin-Cottet, A. Relmy, M. Gondard, S. Benfrid, Y.S. Wungak, C. Hamers, P. Hudelet, S. Zientara, L.B. Kassimi, and S. Blaise-Boisseau. 2023. Field evaluation of a safe, easy, and low-cost protocol for shipment of samples from suspected cases of foot-and-mouth disease to diagnostic laboratories. *Transboundary and Emerging Diseases*, 2023: 15. DOI: 10.1155/2023/9555213.
- 32. Seifu, K., A. Muluneh, Y. Getachew, Y. Jibril, and H. Negussie. 2023. Epidemiological study and dairy farmers' knowledge, attitudes, and practices on foot-and-mouth disease in central Ethiopia. *Heliyon*, **9**(5): 10. DOI: 10.1016/j.heliyon.2023.e15771.
- Shahein, M.A., H.A. Hussein, M.H. Ali, S.M. Ghoniem, O.A. Shemies, A.F. Afify, A.A. Fuoad, A.M. Hassan, M.R. Zaher, N.H. AbouEl Ela, A.R. Habashi, S. Eid, and N.M. Hagag. 2023. Circulating *Foot-and-mouth disease virus* serotype A African-genotype IV in Egypt during 2022. *Veterinary World*, 16(7): 1429-1437. DOI: 10.14202/vetworld.2023.1429-1437.
- 34. Susila, E.B., R.S.D. Daulay, D.N. Hidayati, S.R.B. Prasetyowati, Wriningati, E. Andesfha, S.H. Irianingsih, I.N. Dibia, Faisal, A. Supriyadi, Y. Yupiana, M.M. Hidayat, N. Zainuddin, and H. Wibawa. 2023. Detection and identification of foot-and-mouth disease O/ME-SA/Ind-2001 virus lineage, Indonesia, 2022. Journal of Applied Animal Research, 51(1): 487-494. DOI: 10.1080/09712119.2023.2229414.


- Tesfaye, A.B., G.A. Assefa, L.B. Shishaye, B.M. Abera, N.T. Gebreanenya, G.L. Gebregiorgis, and S. Durr. 2023. Outbreak investigation of foot-and-mouth disease in cattle in Tigray region, Northern Ethiopia. *Frontiers in Veterinary Science*, **10**: 11. DOI: 10.3389/fvets.2023.1157395.
- Wang, J.L. and R. Zhang. 2023. A note on the global dynamics for a diffusive foot-andmouth disease model. *Applied Mathematics Letters*, 145: 6. DOI: 10.1016/j.aml.2023.108737.
- Wang, X.F., S.W. Abdullah, J.E. Wu, J.L. Tang, Y. Zhang, H. Dong, M.Y. Bai, S.M. Wei, S.Q. Sun, and H.C. Guo. 2023. *Foot-and-mouth disease virus* downregulates vacuolar protein sorting 28 to promote viral replication. *Journal of Virology*: 22. DOI: 10.1128/jvi.00181-23.
- Woldemariyam, F.T., D. Negessu, T. Bilata, A. Muluneh, D.S. Gebreweld, I.T. Ebisa, and J. Paeshuyse. 2023. Humoral immune response in calves vaccinated with monovalent vaccines or a trivalent combination thereof and matching of these vaccines to the selected circulating foot-and-mouth disease viruses in Ethiopia. *Vaccines*, **11**(8): 17. DOI: 10.3390/vaccines11081352.
- 39. Wu, X.J., L. Chen, C. Sui, Y. Hu, D.D. Jiang, F. Yang, L.C. Miller, J.T. Li, X.Y. Cong, N. Hrabchenko, C.H. Lee, Y.J. Du, and J. Qi. 2023. 3C(pro) of FMDV inhibits type II interferon-stimulated JAK-STAT signaling pathway by blocking STAT1 nuclear translocation. *Virologica Sinica*, 38(3): 387-397. DOI: 10.1016/j.virs.2023.03.003.
- 40. Yi, C.L., Q.H. Yang, and C.M. Scoglio. 2022. Multilayer network analysis of FMD transmission and containment among beef cattle farms (Sept, 10.1038/s41598-022-19981-0, 2022). *Scientific Reports*, **12**(1): 1. DOI: 10.1038/s41598-022-25505-7.
- Yi, S.W., N.A. Bui, H.S. Lee, V.N. Bui, D.T. Dao, T.H. Nguyen, H.G. Lee, Y.H. Jung, T.Y. Hur, and S.I. Oh. 2023. Age-dependent cytokine expression in response to *Foot-and-mouth disease virus* in bovine peripheral blood mononuclear cells. *Pakistan Veterinary Journal*, 43(1): 209-212. DOI: 10.29261/pakvetj/2023.003.
- 42. **Zhang, H.J., X.W. Wang, M. Qu, Z.Y. Li, X.P. Yin, L.J. Tang, X.T. Liu, and Y.F. Sun**. 2023. *Foot-and-mouth disease virus* structural protein VP3 interacts with HDAC8 and promotes its autophagic degradation to facilitate viral replication. *Autophagy*: 15. DOI: 10.1080/15548627.2023.2233847.
- 43. **Zhang, J.J., W.J. Han, M.Z. Li, R.M. Bai, Z.Y. Tian, W.Z. Yuan, and L.M. Li**. 2023. Histone acetylation regulates BMMCs recognition of *Foot-and-mouth disease virus*-like particles. *International Immunopharmacology*, **121**: 11. DOI: 10.1016/j.intimp.2023.110428.
- 44. **Zhou, Y., Z.J. Luo, and X. Tian**. 2023. The Impact of Animal Disease Outbreaks on China's Meat Imports. *Emerging Markets Finance and Trade*: 27. DOI: 10.1080/1540496x.2023.2223929.


Annex 3: Vaccine recommendations

This report provides recommendations of FMDV vaccines to be included in antigen banks. These outputs are generated with a new tool (called PRAGMATIST) that has been developed in partnership between WRLFMD and EuFMD (<u>http://www.fao.org/3/cb1799en/cb1799en.pdf</u>). These analyses accommodate the latest epidemiological data collected by the WOAH/FAO FMD reference laboratory network regarding FMDV lineages that are present in different *source regions* (see Table 1 in Section 3.9, above), as well as available *in vitro, in vivo* and field data to score the ability of vaccines to protect against these FMDV lineages.

FMD risk profiles for Europe: October 2023:

NB: The two outputs below define FMD risks for Europe which reflect the on-going situation in Pool 3 where FMD cases due to SAT2/XIV have been reported in three countries (Iraq, Jordan and Türkiye). These outputs use Score Area Scores from PRAGMATIST that have been parameterised with data from the FMD EURL meeting in 2017 (A) or the approach describe by Condoleo *et al.*, 2022). The PRAGMATIST figure (below) uses the worst case SAT2 scenario.





NB: Analyses uses best available data, however there are gaps in surveillance and vaccine coverage data

Please contact WRLFMD or EuFMD for assistance to tailor these outputs to other geographical regions. NB: Vaccine-coverage data presented is based on available data and may under-represent the true performance of individual vaccines.

Further information about the PRAGMATIST system has been published recently in *Frontiers in Veterinary Science* - see: <u>https://doi.org/10.3389/fvets.2022.1029075</u>.

Condoleo *et al.*, 2022: Risk monitoring tool for FAST diseases (RMT-FAST): a semi-quantitative framework to estimate the risk of disease introduction. EuFMS Open Session, Marseille. (<u>https://www.eufmd.info/os22</u>)

Annex 4: Brief round-up of EuFMD and WRLFMD activities

Courses

- The WRLFMD will host a two-week practical training course in FMD Diagnostic methods (<u>https://www.pirbright.ac.uk/instructor-led-training/diagnosis-foot-and-mouth-disease</u>) during May 2024.
- A second practical course will be offered at Pirbright during May 2024 to cover FMD postvaccination monitoring through VNT and ELISA (<u>https://www.pirbright.ac.uk/instructor-</u> <u>led-training/fmd-post-vaccination-monitoring-through-vnt-and-elisa</u>).
- The <u>EuFMD's open-access Courses</u> provide convenient self-paced training which you may study anytime, anywhere, free of charge. There are currently 8 courses in English and 1 in Arabic:
 - Introduction to Foot-and-Mouth Disease (available in <u>English</u> and <u>French</u>), introducing foot-and-mouth disease (FMD), its importance, diagnosis, outbreak investigation and the control measures that might apply in a previously free country experiencing an outbreak.
 - Introduction to Lumpy Skin Disease, a short open-access module made available to support countries in Asia and the Pacific facing this rapidly emerging threat.
 - Introduction to Rift Valley Fever aims to build your understanding of Rift Valley fever diagnosis, surveillance, prevention and control.
 - What is the Progressive Control Pathway (available in <u>English</u> and, for anyone who is new to the PCP-FMD, a short e-learning module is also available in <u>Arabic</u>) providing an overview of the Progressive Control Pathway for Foot-and-Mouth Disease (PCP-FMD), the tool used to FMD control under the GF-TADs Global Strategy.
 - Introduction to the Risk-Based Strategic Plan introducing the Risk-Based Strategic Plan (RBSP).
- **Public Private Partnerships in the Veterinary Domain** course, developed in partnership with the World Organisation for Animal Health (WOAH), applying public-private partnerships to the control of FMD and similar transboundary animal diseases.
- Simulation Exercises for Animal Disease Emergencies (available through FAO eLearning academy) aiming at building your understanding of simulation exercises and their value as part of the emergency preparedness cycle.
- A course on **Introduction to the FMD Minimum Biorisk Management Standards** is currently in development. The virtual course will be open access, will target National Competent Authorities, Institute directors for FMD facilities, biorisk managers and laboratory personnel in laboratories handling infectious FMD. The learning objectives will include introduce the importance, implications and responsibilities of implementing the FMD Minimum Biorisk Management Standards.
- Real Time Training in Kenya Induction Course (NTC 33) from 19 to 22 November in Nakuru, Kenya.
- **<u>Real Time Training in Kenya Induction Course (RTC 2)</u>** from 14 to 17 November in Nakuru, Kenya.

Podcasts

We have a constantly updated series of short podcasts relating to the FAST world (http://www.fao.org/eufmd/resources/podcasts/en/).

- A series of videos on foot-and-mouth disease in English, Bulgarian, Greek and Turkish (<u>https://www.fao.org/eufmd/en/</u>).
- Leaflets on FMD in English, Turkish, Bulgarian and Greek, for the Thrace region (<u>https://www.fao.org/publications/card/en/c/CB4903EN</u>).
- Join our Telegram channel to receive EuFMD updates (<u>https://t.me/eufmd</u>).
- Find out who TOM is and why you need him (<u>https://www.eufmd.info/tom-training</u>).

Emergency Preparedness Network

(http://www.fao.org/eufmd/network/en/)

The Emergency Preparedness Network is a forum for emergency preparedness experts to share information and experience. You will regularly receive the latest information on topics related to prevention and control of foot-and-mouth and other similar transboundary animal diseases ("FAST" diseases).

Meetings

- Quadripartite Meeting between the Veterinary Services of Türkiye, Islamic Republic of Iran, Pakistan, Iraq and the European Commission for the Control of Foot-and-Mouth Disease – 14 November 2023
- <u>Risk mapping for early detection and control of foot-and-mouth and other similar</u> <u>transboundary animal diseases (FAST) in North Africa</u> – from 20 November to 22 December 2023.
- Online Coordination meeting: FAST disease programmes in the European neighbourhood and West Eurasian region - EuFMD, FAO SEC, FAO REU and WOAH – 21 November 2023.

Proficiency test scheme organized by WRLFMD

Sample panels are being dispatched for a new PTS (Phase XXXV, supported with funding from EuFMD and Defra). Any interested laboratories should contract the WRLFMD for further information. The progress of this PTS will be described in future quarterly reports.

PROTECT RESPOND CONTROL

MOVE FAST

EuFMD Committees

Executive Committee, Standing Technical Committee (STC), Special Committee for Surveillance and Applied Research (SCSAR), Special Committee on Biorisk Management (SCBRM), Tripartite Groups.

EuFMD Secretariat

Animal Production and Health Division, NSHA / European Commission for the Control of Foot-and-Mouth Disease (EuFMD)

eufmd@fao.org

fao.eufmd.org eufmdlearning.works eufmd-tom.com

Food and Agriculture Organization of the United Nations Rome, Italy





Thinking of the environmental footprint

Together against wasting resources, think twice before printing





CC9455EN/1/03.24