

BONY FISHES

SPARIDAE

Dentex canariensis Steindachner, 1881

Synonyms : *Dentex nufar* Valenciennes, 1830 (*sensu* Poll, 1971).


FAO names : **En** - Canary dentex; **Fr** - Denté à tache rouge; **Sp** - Chacarona de Canarias.

Size : 100 cm, common to 35 cm.

Fishing gear : bottom trawls, bottom set gillnets, hook-and-line.

Habitat : on different types of bottoms of the continental shelf.

Loc.name(s) :

***Dentex congoensis*** Poll, 1954


FAO names : **En** - Congo dentex; **Fr** - Denté congolais; **Sp** - Dentón congolés.

Size : 50 cm, common to 40 cm. .

Fishing gear : bottom trawls, bottom set longlines.

Habitat : found on same types of bottoms as *Dentex macrophthalmus* and *D. angolensis*, to 400 m depth; common between 150 and 200 m depth.

Loc.name(s) :

***Dentex gibbosus*** (Rafinesque, 1810)

Synonyms : *Dentex filus* Valenciennes, 1843.


FAO names : **En** - Pink dentex; **Fr** - Gros denté rose; **Sp** - Sama de pluma.

Size : 100 cm, common to 60 cm.

Fishing gear : bottom trawls, bottom set gillnets, hook-and-line.

Habitat : on rocky and sandy bottoms from 30 to 200 m depth; juveniles in shallower waters, adults on the continental slope.

Loc.name(s) :



BONY FISHES

SPARIDAE

Dentex macrophthalmus (Bloch, 1791)


FAO names : **En** - Large-eye dentex; **Fr** - Denté à gros yeux; **Sp** - Cachucho.

Size : 65 cm, common to 30 cm.

Fishing gear : bottom trawls, bottom set gillnets, hook-and-line.

Habitat : on sandy and rocky bottoms of the continental slope.

Loc.name(s) :



(see Plate XII, 92)

Dentex maroccanus Valenciennes, 1830


FAO names : **En** - Morocco dentex; **Fr** - Denté du Maroc; **Sp** - Sama marroquí.

Size : 45 cm, common to 25 cm.

Fishing gear : bottom trawls, line gear.

Habitat : on different types of bottoms between 20 and 500 m depth. Commonly caught together with *D. macrophthalmus*.

Loc.name(s) :



(see Plate XIII, 93)

Diplodus bellottii (Steindachner, 1882)

Synonyms : *Diplodus senegalensis* Cadenat, 1964.

FAO names : **En** - Senegal seabream; **Fr** - Sparailon africain; **Sp** - Raspallón senegalés.


Size : 18 cm, but rarely exceeding 15 cm.

Fishing gear : bottom trawls, gillnets, beach seines, line gear.

Habitat : found in coastal waters between 30 and 50 m depth.

Remarks : presence in the Gulf of Guinea to be confirmed.

Loc.name(s) :



(see Plate XIII, 94)

BONY FISHES

SPARIDAE

Diplodus cervinus cervinus (Lowe, 1838)

FAO names : En - Zebra seabream;
Fr - Sar à grosses lèvres; Sp - Sargo breado.


Size : 50 cm, common to 35 cm.

Fishing gear : bottom trawls, bottom set gillnets, lines.

Habitat : on sandy and rocky bottoms from 30 to 80 m depth.

Remarks : presence in the Gulf of Guinea to be confirmed.

Loc.name(s) :



(see Plate XIII, 95)

Diplodus puntazzo (Cetti, 1777)


FAO names : En - Sharpsnout seabream; Fr - Sar à museau pointu; Sp - Sargo picudo.

Size : 60 cm, common to 30 cm.

Fishing gear : trawls, trammelnets, lines.

Habitat : on rocky bottoms to 150 m depth.

Loc.name(s) :



(see Plate XIII, 96)

Diplodus sargus cadenati de la Paz, Bauchot & Daget, 1974

Synonyms : *Diplodus sargus typicus* Cadenat, 1964.

FAO names : En - White seabream; Fr - Sar commun du Maroc; Sp - Sargo marroquí


Size : 45 cm, common to 25 cm.

Fishing gear : trawls, trammelnets, beach seines, hook-and-line.

Habitat : on rocky bottoms from the coastline to 100 m depth. Very common throughout the year sometimes in large schol.

Remarks : presence in the Gulf of Guinea to be confirmed.

Loc.name(s) :



Diplodus sargus capensis (Smith, 1846)

BONY FISHES

SPARIDAE

Diplodus vulgaris (E.Geoffroy St. Hilaire, 1817)

FAO names : **En** - Common two-banded seabream; **Fr** - Sar à tête noire; **Sp** - Sargo mojarra.


Size : 45 cm, common to 25 cm.

Fishing gear : bottom trawls, trammelnets, beach seines, hook-and-line.

Habitat : on rocky bottoms at less than 50 m depth.

Remarks : presence in the Gulf of Guinea to be confirmed.

Loc.name(s) :



(see Plate XIV, 98)

Lithognathus mormyrus (Linnaeus, 1758)

Synonyms : *Pagellus mormyrus* (Linnaeus, 1758).


FAO names : **En** - Striped seabream; **Fr** - Marbré; **Sp** - Herrera.

Size : 60 cm, common to 30 cm.

Fishing gear : bottom trawls, beach seines, trammel nets, hook-and-line.

Habitat : on sandy, muddy and vegetated bottoms, to about 50 m depth.

Loc.name(s) :



(see Plate XIV, 99)

Oblada melanura (Linnaeus, 1758)


FAO names : **En** - Saddled seabream; **Fr** - Oblade; **Sp** - Oblada.

Size : 30 cm, common to 20 cm.

Fishing gear : bottom trawls, beach seines, trammel nets, line gear.

Habitat : on rocky or vegetated bottoms to about 30 m depth.

Loc.name(s) :



(see Plate XIV, 100)