

Chapter 6

Bibliography

- ARC** (1980). *The Nutrient Requirements of Farm Livestock*. Farnham Royal: Agricultural Research Council, Commonwealth Agricultural Bureaux.
- Aboud, A.A.O., Owen, E., Reed, J.D. & McAllan, A.B.** (1990). Feeding sorghum stover to Ethiopian sheep: effect of stover variety and amount offered on growth, intake and selection *Animal Production* **50**, 593.
- Ahn, J.H.** (1990). Quality assessment of tropical browse legumes: tannin content and nitrogen degradability. PhD Thesis, University of Queensland.
- Akin, D.E & Rigsby, L.L.** (1985). Influence of phenolic acids on rumen fungi. *Agronomy Journal* **77**, 180–182.
- Akin, D.E., Gordon, G.L.R. & Hogan, J.P.** (1983). Rumen bacterial and fungal degradation of *Digetarian pentzii* grown with or without sulphur. *Applied Environmental Microbiology* **46**, 738–748.
- An, B.X., Khang, D.N., Hieu, L.T. & Preston, T.R.** (1994). Molasses-urea blocks for growing and milking cattle fed forage. In *Improving Animal Production Systems Based on Local Feed Resources*, Proceedings of the 7th AAAP Animal

Science Congress, Bali, Indonesia, 11–16 July 1994. II: pp. 55–66 [Andi Djajonegara and Anggraini Sukmavate, editors]. Indonesia: Ikatan Sarjana Ilmu-ilmu Peternakan.

- Arreaza, C., Choo, B.S. & Leng, R.A.** (1994). University of New England, (unpublished observations).
- Austin, P.J., Suchar, L.A., Robbins, C.T. & Hagerman, A.E.** (1989). Tannin-binding proteins in saliva of deer and their absence in the saliva of sheep and cattle. *Journal of Chemical Ecology* **15**, 1335–1339.
- Ball, F.M. & Leng, R.A.** (1994). University of New England, unpublished observations.
- Bamualim, A., Stachiw, S., Jones, R.J. & Murray, R.M.** (1984). The effect of fresh *Leucaena leucocephala* to post-ruminal digestible protein for sheep fed tropical pasture hay supplemented with urea and minerals. *Proceedings of the Australian Society of Animal Production* **15**, 259–262.
- Barry, T.M.** (1983). The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 3. Rates of body and wool growth. *British Journal of Nutrition* **54**, 211–217.
- Barry, T.N. & Manley, T.R.** (1984). The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 2. Qualitative digestion of carbohydrates and proteins. *British Journal of Nutrition* **51**, 493–504
- Beever, D.E. & Siddons, R.C.** (1986). Digestion and metabolism in the grazing ruminant. In: *Control of Digestion and Metabolism in Ruminants*, Proceedings of an International Symposium held in Banff, Canada, 10–14th September, 1984, pp. 479–497 [L.P. Milligan, W.L. Grovum and A. Dobson, editors]. Englewood Cliffs, New Jersey: Prentice Hall.
- Beever, D.E. & Siddons, R.C.** (1986). Digestion and metabolism in the grazing ruminant. In: *Control of Digestion and Metabolism in Ruminants*, Proceedings of an International Symposium held in Banff, Canada, 10–14th September, 1984, pp. 479–497 [L.P. Milligan, W.L. Grovum and A. Dobson, editors]. Englewood Cliffs, New Jersey: Prentice Hall.
- Benavides, J.E.** (1994). In: *Arborles y Arbustos Forrajeros en América Central*, Informe técnico CATIE No 236, [Jorge Evelio Benavides, editor]. Turrialba, Costa Rica: CATIE.

- Bird, S.H. & Leng, R.A.** (1978). The effects of defaunation of the rumen on the growth of cattle on low-protein high-energy diets. *British Journal of Nutrition* **40**, 163–167.
- Bird, S.H., Hill, M.K. & Leng, R.A.** (1979). The effects of defaunation of the rumen on the growth of lambs on low-protein high-energy diets. *British Journal of Nutrition* **42**, 81–87.
- Boniface, A.N., Murray, R.M. & Hogan, J.P.** (1986). Optimum level of ammonia in the rumen liquor of cattle fed tropical pasture hay. *Proceedings of the Australian Society of Animal Production* **16**, 151–154.
- Boodoo, A.A., Ramjee, R., Hulman, B., Dolberg, F. & Rowe, J.B.** (1988). The effect of supplements of cowfeed and cottonseed cake on milk production in Mauritian villages. In: *Milk and Beef Production in Mauritius*, Proceedings of a seminar organized by The Ministry of Agriculture, Fisheries & Natural Resources and The United Nations Development Programme. pp. 7–15 [A.A. Boodoo, L.K. Ma Poon, B. Rajkomar, J.B. Rowe, F. Dolberg and B. Hulman, editors]. Reduit, Mauritius.
- Borgstrom, G.** (1980). The need for appropriate animal production systems for the tropics. In: *Animal Production Systems for the Tropics*. Stockholm: IFS.
- Bray, A.C. & Till, A.R.** (1975). Metabolism of sulphur in the gastro-intestinal tract. In: *Digestion and Metabolism in the Ruminant*, pp. 243–260 [I.W. McDonald and A.C.I. Warner, editors] Armidale, NSW: University of New England Publishing Unit.
- Broderick, G.A., Wallace, R.J. & McKain, N.** (1988). Uptake of small neutral peptides by mixed rumen micro-organisms *in vitro*. *Journal of the Science of Food and Agriculture* **42**, 109–118.
- Broderick, G.A.** (1995). Desirable characteristics of forage legumes for improving protein utilization in ruminants. *Journal of Animal Science* **73**, 2760–2773.
- Bryant, M.P.** (1973). Nutritional requirements of the predominant rumen cellulolytic bacteria. *Federation Proceedings* **32**, 1809–1813.
- Chen, C.P., Halim, R.A. & Chin, F.Y.** (1992). Fodder trees and fodder shrubs in range and farming systems of the Asian and Pacific region. In: *Legume Trees and Other Fodder Trees as Protein Sources for Livestock*, Proceedings of the FAO Expert Consultation held at the Malaysian Agricultural Research and development Institute in Kuala Lumpur, Malaysia, on 14–18th October, 1991. pp. 11–22. [A. Speedy and P-L. Pugliese, editors]. FAO Publication No. 102.

- Chen, X.B & Gomes, M.J.** (1992). Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives—an overview of the technical details. Occasional Publication, International Feed Resources Unit, Rowett Research Institute, Bucksburn, Aberdeen
- Chesson, A., Stewart, C.S. & Wallace, R.J.** (1982). Influence of plant phenolic acids on growth and cellulolytic activity of rumen bacteria. *Applied Environmental Microbiology* **44**, 597–603.
- Clatworthy, J.N. & Holland, D.G.E.** (1979). Effects of legume reinforcement of veldt on the performance of beef steers. *Proceedings of the Grassland Society of South Africa* **14**, 111–114.
- Cunningham, G.M., Mulham, W.E., Milthorpe, P.L. & Leigh, J.H.** (1981). *Plants of Western New South Wales*. Sydney: NSW Government Printing Office.
- Czerkawski, J.W.** (1985). *An Introduction to Rumen Studies*. Oxford: Pergamon Press.
- Dalzell, S.** (1996). Sampling of condensed tannin analysis of *Leucaena* foliage. *Leucnet News* **2**, 5.
- Dalziel, J.M.** (1948). *The Useful Plants of West Tropical Africa*. London: Crown Agents for Overseas Governments and Administrations.
- Dixon, R.** (1995). Collation of recent information on productivity and use of supplements for breeders in the marginal and harsh regions of northern Australia. Report prepared for Meat Research Committee Project DAQ 098. Swan's Lagoon Research Station, Millaroo, Queensland 4807: Department of Primary Industries.
- Dolberg, F. & Finlayson, P.** (1995). Treated straw for beef production in China. *World Animal Review* **82**, 14–24.
- Fenn, P.D. & Leng, R.A.** (1989). Wool growth and sulphur amino acid entry rate in sheep fed roughage based diets supplemented with bentonite and sulphur amino acids. *Australian Journal of Agricultural Research* **40**, 889–896.
- Goering, H.K. & Waldo, D.R.** (1974). Processing effects on protein utilization by ruminants. In: *Proceedings of the 1974 Cornell Nutrition Conference for Feed Manufacturers*. Ithica, New York: Cornell University Press.
- Goodchild, A.V. & McMeniman, N.P.** (1994). Intake and digestibility of low quality roughages when supplemented with leguminous browse. *Journal of Agricultural Science, Cambridge* **122**, 151–160.

- Gregg, K., Cooper, C.L. Schafer, J., Sharpe, H., Beard, C.E., Allen, G. & Xu, J.** (1994). Detoxification of the plant toxin fluoroacetate by a genetically modified rumen bacterium. *Bio/Technology* **12**(13), 1361–1365.
- Guo Tinsuang & Yang Zhenhai** (1994). Beef fattening with treated straw in China. In *Sustainable Animal Production and the Environment: Proceedings of the 7th AAAP Animal Science Congress, Bali, Indonesia, 11–16 July 1994*. [Andi Djajanegara and Anggraini Sukmawate, editors]. Indonesia: Ikatan Sarjana Ilmu-ilmu Peternakan.
- Gutteridge, R.C. & Shelton, H.M.** (1994). *Forage Legumes in Tropical Agriculture* Oxford: CAB International.
- Hendratno, C., Nolan, J.V. & Leng, R.A.** (1991). The importance of urea-molasses multinutrient blocks for ruminant production in Indonesia. In *Isotope and Related Techniques in Animal Production and Health*, pp. 157–170. Vienna: International Atomic Energy Agency.
- Hennessy, D.W.** (1984). The role of protein in improving production of cattle grazing native pastures in sub-tropical New South Wales. PhD Thesis, University of New England, Armidale, NSW, Australia.
- Hespell, R.B. & Bryant, M.P.** (1979). Efficiency of rumen microbial growth: influence of some theoretical and experimental factors on Y_{ATP} . *Journal of Animal Science* **49**, 1640–1659.
- Holroyd, R.G., Allen, P.J. & O'Rourke, P.K.** (1977). Effect of pasture type and supplementary feeding on the reproductive performance of cattle in the dry tropics of north Queensland. *Australian Journal of Experimental Agriculture and Animal Husbandry* **17**, 197–206.
- Jackson, M.G.** (1981). A new livestock development strategy for India. *World Animal Review* **37**, 2–8.
- Jones, R.J. & Lowry, J.B.** (1984). Australian goats detoxify the goitrogen 3-hydroxy-4(1H)pyridone (DHP) after rumen infusion from an Indonesian goat. *Experientia* **40**, 1435–2436.
- Jones, R.J. & Megarrity, R.G.** (1986). Successful transfer of DHP-degrading bacteria from Hawaiian goats to Australian ruminants to overcome the toxicity of *Leucaena*. *Australian Veterinary Journal* **63**, 259–262.

- Joshi, U.N., Arora, S.K., Parody, R.S., Jutasara, D.S. & Rana, D.S.** (1983). Chemical composition of *Prosopis* leaves to slow the process of anti-nutritional factors responsible for low *in vitro* dry matter digestibility. *Nitrogen Fixing Tree Research Reports* **3**, 20–21.
- Jones, R.M.** (1994). The role of *Leucaena* in improving the productivity of grazing cattle. In *Forage Tree Legumes in Tropical Agriculture*, pp. 232–244 [R.C. Gutteridge and H.M. Shelton, editors]. Wallingford, Oxford: CAB International.
- Kandylis, K.** (1984). The role of sulphur in ruminant nutrition. A review. *Livestock Production Science* **11**, 611–624
- Kanjanapruthipong, J. & Leng, R.A.** (1995). University of New England (unpublished observations).
- Kass, D.L.** (1994). *Erythrina* species—pantropical multipurpose tree legumes. In *Forage Tree Legumes in Tropical Agriculture*, pp. 84–96 [R.C. Gutteridge and H.M. Shelton, editors]. Wallingford, Oxford: CAB International.
- Kellaway, R.C. & Leibholz, J.** (1981). Effects of nitrogen supplements on intake and utilization of low quality forages. In *Recent Advances in Animal Nutrition in Australia—1981*, pp. 66–73 [D.J. Farrell, editor]. Armidale, NSW: University of New England Publishing Unit.
- Kerridge, P.C., Edwards, D.G. & Sale, P.W.G.** (1986). Soil fertility constraints—amelioration and plant adaptation. In: *Forages in Southeast Asian and South Pacific Agriculture* ACIAR Proceedings **12**, 179–187.
- Kumar, R.A. & Singh, M.** (1984). Tannins: their adverse role in ruminant nutrition. *Journal of Agriculture and Food Chemistry* **32(3)**, 447–453.
- Kumar, R.A.** (1983). Chemical and biochemical nature of fodder tree leaf tannin. *Journal of Agriculture and Food Chemistry* **31**, 1364–1366.
- Le Hourou, H.N.** (1980). *Browse in Africa*. Addis Ababa, Ethiopia: ILCA.
- Leng, R.A., Jessop, N & Kanjanapruthipong, J.** (1993). Control of feed intake and the efficiency of utilization of feed by ruminants. In *Recent Advances in Animal Nutrition in Australia*, p. 70–88 [D.J. Farrell, editor]. Armidale, NSW: University of New England Publishing Unit.
- Leng, R.A. & Kunju, P.J.G.** (1988). A new approach on protein nutrition for ruminants. Report published by the National Dairy Development Board, Anand, India.

- Leng, R.A. & Preston, T.R.** (1976). Sugar cane for cattle production: present constraints, perspectives and research priorities. *Tropical Animal Production* **1**, 1–22.
- Leng, R.A., Bird, S.H., Klieve, A., Choo, B.S., Ball, F.M., Asefa, G., Brumby, P., Mudgal, V.D., Chaudry, U.B., Suharyano & Hendratno, N.** (1992). The potential for tree forage supplements to manipulate rumen protozoa to enhance protein to energy ratios in ruminants fed on poor quality forages. In: *Legume Trees and Other Fodder Trees as Protein Sources for Livestock*, FOA Animal Production and Health Paper 102. pp. 177–191 Rome: FAO.
- Leng, R.A., Davis, J. & Hill, M.K.** (1983). An assay for bypass protein. In: *Recent Advances in Animal Nutrition—1983*, pp. 192–194. [D.J. Farrell and Prahm Vohra, editors]. Armidale, NSW: University of New England Publishing Unit.
- Leng, R.A., Kempton, T.J. & Nolan, J.V.** (1977). Non-protein nitrogen and bypass proteins in ruminant diets. *Australian Meat Research Council Review* **33**, 1–21.
- Leng, R.A.** (1981). Modification of rumen fermentation. In: *Nutritional Limits to Animal Production from Pastures*, Proceedings of an International Symposium held at St. Lucia, Queensland, 24–28th August 1981, pp. 427–453 [J.B. Hacker, editor]. Farnham Royal: Commonwealth Agricultural Bureaux.
- Leng, R.A.** (1989). Reducing methane emissions from ruminants in developing countries by using nutritional supplements. A Report prepared for the Environmental Protection Agency of the U.S.A.
- Leng, R.A.** (1990). Factors affecting the utilisation of ‘poor quality’ forages by ruminants particularly under tropical conditions. *Nutrition Research Reviews* **3**, 277–303.
- Leng, R.A.** (1991). Improving ruminant production and reducing methane emissions by strategic supplementation. Report to the U.S. Environmental Protection Agency. Washington, D.C.: EPA.
- Leng, R.A.** (1995). Environmental issues and their potential effects on animal agriculture towards 2005. In *Recent Advances in Animal Nutrition in Australia*, p. 149–159 [J.B. Rowe and J.V. Nolan, editors]. Armidale, NSW: University of New England Publishing Unit.
- Lewis, M., Klopfenstein, T., Britton, R. & Winowiski, T.** (1988). Non-enzymatic browning with sulphite liquor reduces rumen degradation of soybean meal. *University of Nebraska Agricultural Station Report* 48–51.

- Lindsay, J.A. & Loxton, I.D.** (1981). Supplementation of tropical forage diets with protected proteins. In *Recent Advances in Animal Nutrition in Australia—1981*, pp. 1A (abstract) [D.J. Farrell, editor]. Armidale, NSW: University of New England Publishing Unit.
- Lindsay, J.A., Mason, G.W.J. & Toleman, M.A.** (1982). Supplementation of pregnant cows with protected proteins when fed tropical forage diets. *Proceedings of the Australian Society of Animal Production* **14**, 67–78.
- Linzell, J.L.** (1967). The effect of infusions of glucose, acetate and amino acids on hourly milk yield in fed, fasted and insulin-treated goats. *Journal of Physiology (London)* **190**, 347–357.
- Maeng, W.J., Chang, M.B. & Yun, H.S.** (1989). Dilution rates on the efficiency of rumen microbial growth in continuous culture. *Asian-Australian Journal of Animal Science* **2(3)**, 477–480.
- Maeng, W.J., van Nevel C.J., Baldwin, R.L. & Morris, J.G.** (1976). Rumen microbial growth rates and yields: effects of amino acids and protein. *Journal of Dairy Science* **59(1)**, 68–79.
- Mangan, J.L.** (1988). Nutritional effects of tannins in animal feeds. *Nutrition Research Reviews* **1**, 209–231.
- Mannetje, L.** (1984). Nutritive value of tropical and subtropical pastures, with special reference to protein and energy deficiency in relation to animal production. In: *Herbivore Nutrition in the Subtropics and Tropics*, Proceedings of an International Symposium held in Pretoria, South Africa, 5–9th April, 1983, pp. 51–66 [F.M.C. Gilchrist and R.I. Mackie, editors]. Craighall, South Africa: Science Press.
- Marks, S.M. & Yetley, M.J.** (1987). Global food demand patterns over changing levels of economic development. USDA, ERS, Agriculture and Trade Analysis Division (vi) 42pp.
- Marten, G.C. & Ehle, F.R.** (1984). Influence of quality variation in four legume species on weight gains of grazing heifers. *Agronomy Abstracts* p.159.
- Mastika, M. & Cumming, R.B.** (1994). Effect of previous experience and environmental variations on the performance and pattern of feed intake of choice fed and complete fed broilers. In *Recent Advances in Animal Nutrition in Australia*, p. 260–282 [D.J. Farrell, editor]. Armidale, NSW: University of New England Publishing Unit.

- McLennan, S.R., Poppi, D.P & Gulbrandsen, B.** (1995). Supplementation to increase growth rates of cattle in the tropics—protein or energy. In *Recent Advances in Animal Nutrition in Australia*, p. 89–96 [J.B. Rowe and J.V. Nolan, editors]. Armidale, NSW: University of New England Publishing Unit.
- McLeod, M.N.** (1974). Plant tannins—their role in forage quality. *Nutrition Abstracts and Reviews* 44(11), 803–815.
- Mehansho, H., Butler, L.G. & Carlson, D.M.** (1987). Dietary tannins and salivary proline-rich proteins: interactions, induction, and defense mechanisms. *Annual Review of Nutrition* 7, 423–440.
- Merry, R.J., & McAllan, A.B.** (1983). A comparison of the chemical composition of mixed bacteria harvested from the liquid and solid fractions of rumen digesta. *British Journal of Nutrition* 50, 701–709.
- Milford, R.** (1967). Nutritive values and chemical composition of seven tropical legumes and lucerne grown in subtropical south-eastern Queensland. *Australian Journal of Experimental Agriculture and Animal Husbandry* 7, 540–545.
- Minson, D.J.** (1982). Effects of chemical and physical composition of herbage upon intake. In: *Nutritional Limits to Animal Production from Pastures*, Proceedings of an International Symposium held at St. Lucia, Queensland, 24–28th August 1981, pp. 167–182 [J.B. Hacker, editor]. Farnham Royal: Commonwealth Agricultural Bureaux.
- NDDB.** (1989). Annual Report of the National Dairy Development Board, Anand, India.
- Ndlovu, L.R. & Buchanan-Smith, J.G.** (1985). Utilization of poor quality roughages by sheep: effects of alfalfa supplementation on ruminal parameters, fibre digestion and rate of passage from the rumen. *Canadian Journal of Animal Science* 65, 693–703.
- Nolan, J.V. & Leng, R.A.** (1989). Manipulation of the rumen to increase ruminant production. *Proceedings of the FAO/IAEA Coordinated Research Programme on Development of Feeding Strategies for Improving Productivity of Ruminant Livestock in Developing Countries* pp. 149–166. Vienna: International Atomic Energy Agency, Panel Proceedings Series.
- Nolan, J.V., Lee, G.J., Hennessy, D.W. & Leng, R.A.** (1986). Metabolic responses to supplementation in growing ruminants consuming low digestibility fibrous diets. In *Nuclear Techniques in Studies of Animal Production and Health*, pp. 439–455. Vienna: International Atomic Energy Agency.

- Nolan, J.V.** (1975). Quantitative models of nitrogen metabolism in sheep. In *Digestion and Metabolism in the Ruminant*, pp. 416–431 [I.W. McDonald and A.C.I. Warner, editors]. Armidale, NSW: University of New England Publishing Unit.
- Norton, B.W.** (1994a). The nutritive value of tree legumes. In *Forage Tree Legumes in Tropical Agriculture*, pp. 177–191 [R.C.Gutteridge and H.M.Shelton, editors]. Wallingford, Oxford: CAB International.
- Norton, B.W.** (1994b). Tree legumes as dietary supplements for ruminants. In *Forage Tree Legumes in Tropical Agriculture*, pp. 192–201 [R.C.Gutteridge and H.M.Shelton, editors]. Wallingford, Oxford: CAB International.
- Norton, B.W.** (1994c). Anti-nutritive and toxic factors in forage tree legumes. In *Forage Tree Legumes in Tropical Agriculture*, pp. 202–215 [R.C.Gutteridge and H.M.Shelton, editors]. Wallingford, Oxford: CAB International.
- Olafsson, B.L. & Gudmundsson, O.** (1990). Utilization of fisheries byproducts as supplements fed with roughages to ruminants. In: Proceedings of the 2nd Research Co-ordination Meeting on *Development of feeding strategies for improving ruminant productivity in areas of fluctuating nutrient supply through the use of nuclear and related techniques*. October, 1990. Thailand: FAO/IAEA.
- Palmer, B. & Schlink, A.C.** (1992). The effect of drying on the intake and rate of digestion of the shrub legume *Calliandra calothyrsus*. *Tropical Grasslands* **26**, 89–93.
- Palmer, B., Macqueen, D.J. & Bray, R.A.C.** (1995). Opportunities and limitations in *Calliandra*. In: *Leucaena—Opportunities and Limitations*, [H.M. Shelton, C.M. Piggin and J.L. Brewbaker, editors]. ACIAR Proceedings **57**, 179–187.
- Perdok, H.B. & Leng, R.A.** (1990). Effect of supplementation with protein meal on the growth of cattle given a basal diet of untreated or ammoniated rice straw. *Asian-Australian Journal of Agricultural Science* **3**, 269–279.
- Perdok, H.B., Leng, R.A., Bird, S.H., Habib, G. & van Houtert, M.** (1988). Improving livestock production from straw-based diets. In: *Increasing Small Ruminant Productivity in Semi-arid Areas*, pp. 81–91 [E.F. Thomson and F.S. Thomson, editors]. Syria: International Center for Agricultural Research in the Dry Areas.
- Preston, T.R. & Leng, R.A.** (1986). *Matching Ruminant Production Systems with Available Resources in the Tropics and Subtropics*. Armidale: Penambur Books.

- Preston, T.R., Carcano, C., Alvarez, F.J. & Gutierrez D.G.** (1976). Rice polishings as a supplement in a sugar cane diet: effect of level of rice polishings and processing the sugar cane by derinding or chopping. *Tropical Animal Production* **1**, 150–163.
- Pritchard, D.A., Stocks, D., O’Sullivan, B., Martin, P., Hurwood, I.S. & O’Rourke, P.** (1988). The effect of polyethylene glycol (PEG) on wool growth and liveweight of sheep consuming mulga (*Acacia aneura*) diet. *Proceedings of the Australian Society of Animal Production* **17**, 290–294.
- Quirk, M.F., Paton, C.J. & Bushell, J.J.** (1990). Increasing the amount of *Leucaena* on offer gives faster growth rates of grazing cattle in South East Queensland. *Australian Journal of Experimental Agriculture* **30**, 51–54.
- Reed, J.D., Horvath, P.J., Allen, M.S. & van Soest, P.J.** (1985). Gravimetric determination of soluble phenolics including tannins from leaves by precipitation with trivalent ytterbium. *Journal of the Science of Food and Agriculture* **36**, 255–61.
- Robertson, B.M.** (1988). The nutritive value of five browse legumes fed as supplements to goats offered a basal rice straw diet. MAgSc Thesis, University of Queensland.
- Rojas, H. & Benavides, J.** (1994). Producción de leche de cabras alimentadas con pasto y suplementadas con altos niveles de Morera (*Morus* sp.). In: *Arbores y Arbustos Forrajeros en América Central*; Informe técnico CATIE No 236, pp. 305–320 [Jorge Evelio Benavides, editor]. Turrialba, Costa Rica: CATIE.
- Sanchez, M.** (1996). Estudio actual y perspectivas de los pequeños rumiantes en América Tropical. *Xth Seminario Científico de la Estación Experimental de Pasto de Forrajes Indio Hatuey*. Memorias, Central España Republicana. In press.
- Sansoucy, R.** (1995). New developments in the manufacture and utilization of multi-nutrient blocks. *World Animal Review* **82(1)**, 78–83.
- Satter, L.D. & Slyter, L.L.** (1974). Effect of ammonia concentration on rumen microbial protein production *in vitro*. *British Journal of Nutrition* **32**, 199–208
- Sehgal, J.P.** (1984). Tannin content of different top feed leaves and utilization of tannin rich pala (*Ziziphus nummularia*) leaves with concentrates for growing lambs. *Indian Journal of Animal Science* **54**, 126–128.

- Seijas, J., Arrendondo, B., Torrealba, H. & Combellas, J.** (1994). Influence of *Gliricidia sepium*, multinutritional blocks and fish meal on liveweight gain and rumen fermentation of growing cattle in grazing conditions. *Livestock Research for Rural Development* **6**(1), 90–100.
- Shelton, H.M., Piggin, C.M. & Brewbaker, J.L.** (1995). *Leucaena—Opportunities and Limitations*. Canberra: ACIAR Proceedings **57**.
- Smith R.H. & McAllen A.B.** (1971). Nucleic acid metabolism in the ruminant. 3. Amounts of nucleic acids and total and ammonia nitrogen in digesta from the rumen, duodenum and ileum of calves. *British Journal of Nutrition* **25**, 181–190.
- Stephenson, R.G.A., Edwards, J.C. & Hopkins, P.S.** (1987). The use of urea to improve milk yield and lamb survival of merinos in dry tropical environments. *Australian Journal of Agricultural Research* **32**, 497–509.
- Stobbs, T.H.** (1966). Beef production from Uganda pastures containing *Stylosanthes gracilis* and *Centrosoma pubescens*. In: Proceedings of the 9th International Grasslands Congress, pp. 939–942. Sao Paulo, Brazil.
- Stobbs, T.H.** (1969). Animal production from *Hyparrhenia* grassland oversown with *Stylosanthes guyanensis*. *East African Agricultural and Forestry Journal* **35**, 128–134.
- Thompson, D.J.** (1977). The role of legumes in improving the quality of forage diets. In: Proceedings of an International Meeting of Animal Production from Temperate Grasslands, pp. 131–135. Dublin.
- Ulyatt, M.J.** (1980) The feeding value of temperate pastures. In: *Grazing Animals*, pp. 125–141 [F.H.W. Morley, editor] Amsterdam: Elsevier.
- Vaithiyonathan, S. & Singh, M.** (1989). Seasonal changes in tannin content in some top feeds in arid regions. *Indian Journal of Animal Science* **59**(12), 1345–1367.
- Vargas, J.E. & Riviera, J.G.** (1994). Efecto de suplementación con bloque multinutricional sobre el comportamiento productivo y reproductivo en ovejas de pelo africanas. In: *Bloques Multinutricionales*, Proceedings of an International Conference held in Guanare, Venezuela, 29–31st July, 1994, pp. 91–96.
- Viera, D.M., Ivan, M. & Jul, P.Y.** (1983). Rumen ciliate protozoa: effects on digestion in the stomach of sheep. *Journal of Dairy Science* **66**, 1015–1022.

- Waghorn, G.C. & Shelton, I.D.** (1995). Effect of condensed tannins in *Lotus pedunculatus* on the nutritive value of rye grass *Lolium perenne* fed to sheep. *Journal of Agricultural Science* **125**, 291–297.
- Wahyuni, S., Yulianti, E.S., Komara, W., Yates, N.G., Obst, J.M. & Lowry, J.B.** (1982). The performance of ongole cattle offered either grass, sun-dried *Leucaena leucocephala* or varying proportions of each. *Tropical Animal Production* **7**, 275–283.
- Walker, B.** (1987). Animal production from pasture and forages in the tropics. In: Proceedings of the 4th Animal Science Congress of the Asian Australasian Association of Animal Production Societies, Hamilton, New Zealand, pp. 5–8 [T.F. Reardon, J.L. Adam, A.G. Campbell and R.M.W. Sumner, editors] ISBN 0-473-00426-7.
- Webster, A.J.F.** (1989). Bioenergetics, bioengineering and growth. *Animal Production* **48**, 249–269.
- Wheeler, R.A., Norton, B.W. & Shelton, H.M.** (1995). Condensed tannins in *Leucaena* species and hybrids and implications for nutritive value. In: *Leucaena—Opportunities and Limitations*, Proceedings of a workshop held in Bogor, Indonesia, 24–29th January, 1994, pp. 112–118 [F.M. Shelton, C.M. Piggin and J.L. Brewbaker, editors] Canberra: ICIAR.
- Winks, L., Laing, A.R. & Stokoe, J.** (1972). Level of urea for grazing yearling cattle during the dry season in tropical Queensland. *Proceedings of the Australian Society of Animal production* **9**, 258–261.
- Winks, L., Laing, A.R., O'Rourke, P.K. & Wright, G.S.** (1979). Factors affecting response to urea—molasses supplements by yearling cattle in tropical Queensland. *Australian Journal of Experimental Agriculture and Animal Husbandry* **19**, 522–529.
- van Eys, J.E., Mathius, I.W., Pongsapan, P. & Johnson, W.L.** (1986). Foliage of the tree legumes glyricidia, leucaena and sesbania as a supplement to napier grass for growing goats. *Journal of Agricultural Science* **107**, 227–233.
- van Hoven, W.** (1985). The tree's secret weapon. *South African Panorama* **30(3)**, 34–37.
- van Hoven, W.** (1991). Mortalities in Kudu (*Tragelaphus strepsiceros*) populations related to chemical defence of trees. *Revue de Zoologie Africaine* **105**, 141–145.

van Soest, P.J. (1982). *Nutritional Ecology of the Ruminant*. Ithaca: Cornell University Press.