

# Bibliography

- Ahmad Said, S.** 1989. Incidence of attack by beehole borer, *Xyletus ceramicus* Wlk., in *Gmelina arborea* Roxb. plantation in Peninsular Malaysia. *Malaysian Forester*, 52: 61–66.
- Ahmed, S.I. & Sen, S.P.K.** 1990. Bionomics of *Calopepla leayana* Latr. (Coleoptera: Chrysomelidae), a serious defoliator of *Gmelina arborea* Roxb. plantations in India. *Indian Forester*, 116: 71–82.
- Alfaro, R.I.** 1982. Fifty year–old Sitka spruce plantations with a history of intense weevil attack. *Journal of the Entomological Society of British Columbia*, 79: 62–65.
- Alfaro, R.I.** 1989. Stem defects in Sitka spruce induced by Sitka spruce weevil, *Pissodes strobi* (Peck.). In R.I. Alfaro, & S.G. Glover, eds. *Insects affecting reforestation: biology and damage*. Proceedings of a Meeting of the IUFRO Working Group on Insects Affecting Reforestation (S2.07-03) at the 18th International Congress of Entomology, 3–9 July 1988. Vancouver, British Columbia, Canada, Forestry Canada.
- Alfaro, R.I.** 1994. The white pine weevil in British Columbia. In R.I. Alfaro, G. Kiss & R.G. Fraser, eds. *The white pine weevil: biology, damage and management*. Proceedings of a symposium held in Richmond, British Columbia, Canada, 19–21 January 1994. FRDA Report No. 226. Victoria, British Columbia, Canada, British Columbia Ministry of Forests and Lands.
- Allegro, G. & Cagelli, L.** 1996. Susceptibility of *Populus nigra* L. to the woolly poplar aphid (*Phloeomyzus passerinii* Sign.). *Forest Genetics*, 3: 23–26.
- Allegro, G. & Picco, F.** 1992. Poplar clonal preferences of the fall webworm (*Hyphantria cunea* Drury). *Proceedings of the XIV Session of the International Poplar Commission*, Zaragoza, Spain, Vol. 1, pp. 394–400. Rome, FAO.
- Allen, E.A. & Humble, L.H.** 2002. Nonindigenous species introductions: a threat to Canada's forest and forest economy. *Canadian Journal of Plant Pathology*, 24: 103–110.
- Allsop, F.** 1945. *Burma forest pocket book*. Simla, Government of Burma Public Relations Department.
- Amman, G.D., McGregor, M.D. & Dolph, Jr., R.E.** 1990. *Mountain pine beetle*. Forest Insect & Disease Leaflet 2, United States Department of Agriculture (USDA) Forest Service. (available at: [www.barkbeetles.org/mountain/MPBFIDL2.htm](http://www.barkbeetles.org/mountain/MPBFIDL2.htm))
- Ang, L.H. & Maruyama, Y.** 1995. Survival and early growth of *Shorea platyclados*, *Shorea macroptera*, *Shorea assamica* and *Hopea nervosa* in open planting. *Journal of Tropical Forest Science*, 7: 541–557.
- Anselmi, N.** 1986. Resurgence of *Cryptodiaporthe populea* in Italy. *EPP0 Bulletin*, 16(3): 571–583.
- Ashton, P.S.** 1964. *A manual of the Dipterocarp trees of Brunei State*. London, UK, Oxford University Press.
- Asia-Pacific Forest Invasive Species Network (APFISN).** 2006. Coconut leaf beetle (*Brontispa longissima*). *Invasives*, 6: 3–4.
- Australian Centre for International Agricultural Research (ACIAR).** 1996. Minimising disease impacts on eucalypts in South East Asia (ACIAR PN9441). First progress report (annual) to 31 December 1996. Canberra, Australia, ACIAR.
- Awang, K. & Taylor, D., eds.** 1993. *Acacia mangium: growing and utilisation*. MPTS Monograph Series No. 3. Bangkok, Thailand, Winrock International and FAO.
- Bagchee, K.** 1952. *A review of work on Indian tree diseases and decay of timber and methods of control*. Prepared for the 6th British Commonwealth Forestry Conference, Canada. Dehra Dun, India, Forest Research Institute.
- Bagchee, K.** 1953. A new and noteworthy disease of Gamhar (*Gmelina arborea* Linn.) due to *Poria rhizomorpha* sp. nov. *Indian Forester*, 79: 17–24.

- Baker, F.S.** 1921. *Black walnut: its growth and management*. USDA Bulletin, 933. Washington, DC, USDA.
- Bakshi, B.K.** 1971. *Indian Polyporaceae (on trees and timber)*. New Delhi, India, New Delhi Council of Agricultural Research, India.
- Bakshi, B.K.** 1976. *Forest pathology: principles and practice in forestry*. New Delhi, India, Controller of Publications.
- Balasundaran, M., Sharma, J.K., Maria Florence, E.J. & Mohanan, C.** 1995. Leaf spot diseases of teak and their impact on seedling production in nurseries. In *Caring for the Forest in a Changing World*. Proceedings IUFRO XX World Congress, Tampere, Finland, 6–12 August, 1995. Vienna, Austria, Finnish IUFRO World Congress Committee, IUFRO Secretariat.
- Bauer, G.P.** 1987. Reforestation with mahogany (*Swietenia* spp.) in the Caribbean National Forest, Puerto Rico. Unpublished paper presented at *Seminario – Taller de Cooperacion y Manejo de Bosques Tropicales*, August 3–22 1987, Lima, Peru.
- Bauer, L.S., Liub, H., Gould, J.R. & Reardon, R.C.** 2007. Progress on biological control of the emerald ash borer in North America. *Biocontrol News and Information*, 28(3): 51N–54N.
- Beeson, C.F.C.** 1921. The bee-hole borer of teak; a preliminary note on the ecology and economic status of *Duomitus ceramicus*, Wlk., in Burma (Lepidoptera, Cossidae) with suggestions for its control. *Indian Forestry Record*, 8: 105.
- Beeson, C.F.C.** 1941. *The ecology and control of the forest insects of India and the neighbouring countries*. Dehra Dun, India, Vasant Press.
- Beeson, C.F.C.** 1961. *The ecology and control of the forest insects of India and the neighbouring countries*. New Delhi, India, Government of India. (2nd ed.)
- Begum, S.** 1995. Leaf spot and twig blight on *Eucalyptus camaldulensis* Dehnh. caused by *Colletotrichum gloeosporioides* (Penz.) Sacc. in Bangladesh. *Bangladesh Journal of Forest Science*, 24: 30–35.
- Belisario, A.** 1996. The principal diseases of walnut in Italy. *Informatore Fitopatologico*, 46: 20–25.
- Belisario, A. & Corazza, L.** 1996. First report of *Sclerotium rolfsii* on *Juglans* in Europe. *Plant Disease*, 80: 824.
- Belisario, A., Zoina, A., Pezza, L. & Luongo, L.** 1999. Susceptibility of species of *Juglans* to pathovars of *Xanthomonas campestris*. *European Journal of Forest Pathology*, 29: 75–80.
- Bellows, T.S., Meisenbacher, C. & Reardon, R.C.** 1998. *Biological control of arthropod forest pests of the Western United States: A review and recommendations*. USDA Forest Service, FHTET-96-21. Washington, D.C., USA, USDA Forest Service.
- Ben Jamaa, M.L. & Belhaj Salah, S.** 2007. Forest Health & Invasive Species in Tunisia. Expert Meeting to Establish Network on Forest Health and Invasive Species. Organized by DGF/FAO, Hammamet, Tunisia, 11–13 December 2007.
- Benson, D.M.** 2003. Cultural practices and host resistance: two IPM strategies for control of *Phytophthora ramorum* in nurseries. Paper presentation at the sudden oak death online symposium *Sudden oak death: how concerned should you be?*, 21 April–12 May 2003, hosted by the American Phytopathological Society.
- Bhat, M.N. & Hegde, R.K.** 1991. *Lasmeniella guarantica* – a new fungus to India. *Acta Botanica Indica*, 19: 90.
- Billings, R.F., Clarke, S.R., Espino Mendoza, V., Cordon Cabrera, P., Meléndez Figueroa, B., Ramón Campos, J. & Baeza, G.** 2004. Bark beetle outbreaks and fire: a devastating combination for Central America's pine forests. *Unasylva*, 217: 15–21.
- Billings, R.F. & Schmidtke, P.J.** 2002. *Central American southern pine beetle/fire management assessment*. College Station, Texas, USA, USAID. (unpublished report)
- Blackman, R.F. & Eastop, V.F.** 1984. *Aphids on the world's crops. An identification and information guide*. Chichester, UK, Wiley.
- Blackman, R.F. & Eastop, V.F.** 1994. *Aphids on the world's crops. An identification and information guide*. Cambridge, UK, CAB International & Cambridge University Press.

- Boland, D.J., Brooker, M.I.H., Chippendale, G.M., Hall, N., Hyland, B.P.M., Johnston, R.D., Kleinig, D.A. & Turner, J.D. 1984. *Forest trees of Australia*. Melbourne, Australia, Thomas Nelson and CSIRO. (4th ed.)
- Brandt, J.P. 1994. Gypsy moth. Northern Forestry Centre Forestry Leaflet 29, Edmonton, Alberta, Canada, Natural Resources Canada (NRC), Canadian Forest Service (CFS). (available at: <http://cfs.nrcan.gc.ca/factsheets/gypsy-moth-nofc/cat.entomology>)
- Braza, R.D. 1995. Pinhole beetle infestation of *Acacia mangium* logs. *Nitrogen Fixing Tree Research Reports*, 13: 18.
- Browne, P.G. 1968. *Pests and diseases of forest plantation trees*. Oxford, UK, Clarendon Press.
- Burdon, R.D. 2000. *Pinus radiata*. In F. T. Last, ed. *Ecosystems of the World, Vol. 19, Tree Crops*, pp. 99–161. Amsterdam, Netherlands, Elsevier.
- Burschel, P. & Huss J. 1987. *Grundriss des Waldbaus. Ein Leitfaden für Studium und Praxis*. Hamburg, Germany, Paul Parey.
- California Oak Mortality Task Force (COMTF). 2008. Treatment and Management Web page. Available at: <http://nature.berkeley.edu/comtf/html/treatments.html#wildland>
- Canadian Food Inspection Agency (CFIA). 2007. Emerald ash borer Web site. Available at: [www.inspection.gc.ca/english/plaveg/pestrava/agrpla/agrplae.shtml](http://www.inspection.gc.ca/english/plaveg/pestrava/agrpla/agrplae.shtml)
- CFIA. 2008a. CFIA Web site: Emerald ash borer. Available at: [www.inspection.gc.ca/english/plaveg/pestrava/agrpla/survenqe.shtml](http://www.inspection.gc.ca/english/plaveg/pestrava/agrpla/survenqe.shtml)
- CFIA. 2008b. Asian longhorned beetle preferred host trees. Internet document. Available at: [www.inspection.gc.ca/english/plaveg/pestrava/anogla/alhbhostree.shtml](http://www.inspection.gc.ca/english/plaveg/pestrava/anogla/alhbhostree.shtml)
- Canadian Forest Service (CFS). 2006a. *The State of Canada's Forests 2005–2006. Forest industry competitiveness*. Ottawa, Canada, CFS, NRC.
- CFS. 2006b. *Balsam woolly adelgid*. Pest Notes #3. Fredericton, New Brunswick, Canada, Atlantic Forestry Centre, CFS. (available at: <http://cfs.nrcan.gc.ca/files/181>)
- CFS. 2007. *The Mountain Pine Beetle Program*. CFS, NRC, Headquarters, Ottawa, Canada. (available at: <http://warehouse.pfc.forestry.ca/HQ/27367.pdf>)
- Carnegie, A.J., Elderidge, R.H. & Waterson, D.G. 2005. History and management of siren wood wasp in pine plantations in New South Wales, Australia. *New Zealand Journal of Forestry Science*, 35(1): 3–24.
- Carnegie, A.J., Matsuki, M., Haugen, D.A., Hurley, B.P., Ahumada, R., Klasmer, P., Sun, J. & Iede, E.T. 2006. Predicting the potential distribution of *Sirex noctilio* (Hymenoptera: Siricidae), a significant exotic pest of *Pinus* plantations. *Annals of Forest Science*, 63: 119–128.
- Carson, S.D. 1990. A breed of radiata pine resistant to *Dothistroma* needle blight – methods used for development and expected gains. *Phytopathology*, 80: 1007 (abstract).
- Cavey, J.F. 2000. *Anoplophora glabripennis*. North American Forest Commission Exotic Forest Pest Information System (NAFC-ExFor) Pest Report. (available at: [www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=53&langdisplay=english](http://www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=53&langdisplay=english))
- Cavey, J., Passoa, S. & Kucera, D. 1994. Screening aids for exotic bark beetles in the Northeastern United States. NA-TP-11-94. Northeastern Area, USDA Forest Service.
- Centro de Recursos Microbiológicos (CREM). 2008. The *Botryosphaeria* site. Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa. Available at [www.crem.fct.unl.pt/botryosphaeria\\_site/botryosphaeria\\_dothidea\\_2.htm](http://www.crem.fct.unl.pt/botryosphaeria_site/botryosphaeria_dothidea_2.htm)
- Cerezke, H.F. 1991. *Forest tent caterpillar*. Forestry Leaflet 10. Edmonton, Alberta, Canada, NRC, CFS, Northern Forestry Centre. (available at: <http://cfs.nrcan.gc.ca/factsheets/forest-tent-caterpillar>)
- Cerezke, H.F. 1992. *Large aspen tortrix*. Forestry Leaflet 21. Edmonton, Alberta, Canada NRC, CFS, Northern Forestry Centre. (available at: [www.cfs.nrcan.gc.ca/factsheets/aspen-tortrix](http://www.cfs.nrcan.gc.ca/factsheets/aspen-tortrix))
- Chalerempongse, A., Boonthavikoon, T. & Chairuangsirikul, T. 1990. Surveillance of disease and insect damage of teak plantations in Thailand. In C. Hutacharern, K.G. McDicken, M.H. Ivory, & K.S.S. Nair, eds. *Pests and diseases of forest plantations in the Asia-Pacific region*, pp. 224–229. Bangkok, Thailand, FAO Regional Office for Asia and the Pacific.

- Champion, H.G.** 1936. A preliminary survey of forest types of India and Burma. *Indian Forestry Record (N.S.) Silviculture*, 1(1): 286.
- Chandrasekhar, N., Sajeev, T.V., Sudheendrakumar, V.V. & Banerjee, M.** 2005. Population dynamics of the teak defoliator (*Hyblaea puera* Cramer) in Nilambur teak plantations using Randomly Amplified Gene Encoding Primers (RAGEP). *BMC Ecology*, 5: 1.
- Chang, T.T.** 1995. Decline of nine tree species associated with brown root rot caused by *Phellinus noxius* in Taiwan. *Plant Disease*, 79: 962–965.
- Chaplin, G.E.** 1993. *Silvicultural manual for the Solomon Islands*. ODA Forestry Series, No. 1, 305 pp.
- Chey, Y.K.** 1996. Termicide trials on young infested *Gmelina arborea* trees in Segaliud-Lokan, Sabah. *Journal of Tropical Forest Science*, 9: 57–79.
- Chiddawar, P.P.** 1959. Contribution to our knowledge on the Cercosporae of Bombay State I. *Sydowia*, 13: 152–163.
- Chin, F.H.** 1995. *Damping-off in some forest nurseries in Sarawak*. Leaflet No. 2–95. Kuching, Sarawak, Malaysia, Forest Pathology Information.
- Ciesla, W.M.** 1991. Cypress aphid: A new threat to Africa's forests. *Unasylva*, 167(42).
- Ciesla, W.M.** 1998. Worldwide introductions of forest pests: an update. In L. Nshubemuki, ed. 1994. *Leucaena psyllid: a threat to agroforestry in Africa*. Proceedings of a workshop, Dar-es-Salaam, United Republic of Tanzania, 10–24 October 1994. Rome, FAO & Dar-es-Salaam, United Republic of Tanzania Forestry Research Institute.
- Ciesla, W.M.** 2003a. *Cinara cupressivora*. NAFC-ExFor Pest Report. (available at: [www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=161&langdisplay=english](http://www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=161&langdisplay=english))
- Ciesla W.M.** 2003b. European woodwasp: A potential threat to North America's conifer forests. *Journal of Forestry*, 101(2): 18–23.
- Clarke, S.R. & Billings, R.F.** 2003. Analysis of the southern pine beetle suppression program on the national forests in Texas in the 1990s. *Journal of Forestry*, 27(2): 122–129.
- Cock, M.J.W.** 1985. *A review of biological control of pests in the Commonwealth Caribbean and Bermuda up to 1982*. Technical Communication No. 9 of the Commonwealth Institute of Biological Control (CIBC). Slough, UK, Commonwealth Agricultural Bureaux.
- Crous, P.W. & Alfenas, A.C.** 1995. *Mycosphaerella gracilis* and other species of *Mycosphaerella* associated with leaf spots of *Eucalyptus* in Indonesia. *Mycologia*, 87: 121–126.
- Crous, P.W., Slippers, B., Wingfield, M.J., Rheeder, J., Marasas, W.F.O., Philips, A.J.L., Alves, A., Burgess, T., Barber, P. & Groenewald, J.Z.** 2006. Phylogenetic lineages in the *Botryosphaeriaceae*. *Studies in Mycology*, 55(1): 235–253.
- Dajoz, R.** 2000. *Insects and forests. The role and diversity of insects in the forest environment*. Paris, France, Intercept Ltd/Editions Technique et Documentation/Lavoisier Publishing.
- Day, R.K., Kairo, M.T.K., Abraham, Y.J., Kfir, R., Murphy, S.T., Mutitu, K.E. & Chilima, C.Z.** 2003. Biological control of homopteran pests of conifers in Africa. In P. Neuenschwander, C. Borgemeister, & J. Langewald, eds., *Biological control in IPM systems in Africa* pp. 101–112. Wallingford, UK, CAB International.
- Day, R.K., Rudgard, S.A. & Nair, K.S.S.** 1994. *Asian tree pests: An overview*. FORSPA Publication 12, Bangkok, Thailand, FAO.
- Department for Environment, Food and Rural Affairs (DEFRA).** 2005a. *Phytophthora ramorum*. A threat to our trees, woodlands and heathlands. Information sheet. London, UK, Plant Health Division, Department for Environment, Food and Rural Affairs.
- DEFRA.** 2005b. *Phytophthora ramorum*. A practical guide for the nursery stock and garden centre industry. Information sheet. London, UK, Plant Health Division, Department for Environment, Food and Rural Affairs.
- Dick, M.** 1998. Pine pitch canker – the threat to New Zealand. *New Zealand Forestry*, 42: 30–34.
- Diekmann, M., Sutherland, J.R., Nowell, D.C., Morales, F.J. & G. Allard (eds).** 2002. *FAO/IPGRI technical guidelines for the safe movement of germplasm, No. 21. Pinus spp.* Rome, FAO/IPGRI.

- Doran, J.C. & Turnbull, J.W. eds. 1997. Australian trees and shrubs: species for land rehabilitation and farm planting in the tropics. *ACIAR Monographs MN24*. Canberra, Australia, Australian Centre for International Agricultural Research (ACIAR).
- Dosba, F., Lansac, M., Germain, E., Mazy, K. & Rovira, M. 1990. Le virus du cherry leaf roll (CLRv): relation avec le deperissement du noyer et comportement de differentes especes ou hybrides interspecifics de *Juglans*. *Fruits Paris*, 45: 171–175.
- Dubbel, V. 1989. Die Bedeutung des Bodenkontaktes fur die Qualitat des Buchensaatgutes. *Forst und Holz*, 44: 512–516.
- Dubbel, V. 1992. Pilze an Bucheckern. *AFZ, Allgemeine Forstzeitschrift*, 47: 642–645.
- Durst, P.B. 1988. *Eucalyptus robusta* JE Smith. In R.M. Burns, & M. Mosquera, eds. *Useful trees of tropical North America*. North American Forestry Commission Publication No. 3. Washington, DC, USA, North American Forestry Commission.
- Eglitis, A. 2000. *Orthotomicus erosus*. NAFC-ExFor Pest Report. (available at: [www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=9&langdisplay=english](http://www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=9&langdisplay=english))
- El-Gholl, N.E., Alfenas, A.C., Crous, P.W. & Schubert, T.S. 1993. Description and pathogenicity of *Cylindrocladium ovatum* sp. nov. *Canadian Journal of Botany*, 71: 466–470.
- Ellenberg, H. 1986. *Vegetation Mitteleuropas mit den Alpen in ökologischer, dynamischer und historischer Sicht*. 4th ed. Stuttgart, Germany, Ulmer Verlag.
- Erikssona, M., Pouttub A. & Roininena, H. 2005. The influence of windthrow area and timber characteristics on colonization of wind-felled spruces by *Ips typographus* (L.). *Forest Ecology and Management*, 216(1–3): 105–116.
- Etheridge, D.E. & Craig, H.M. 1976. Factors influencing infection and initiation of decay by the Indian paint fungus (*Echinodontium tinctorium*) in western hemlock. *Canadian Journal of Forest Research*, 6: 299–318.
- European and Mediterranean Plant Protection Organization (EPPO)/CAB International (CABI). 1997. *Quarantine pests for Europe*, I.M. Smith, D.G. McNamara, P.R. Scott & M. Holderness, eds. Wallingford, UK, CAB International. (2nd ed.)
- EPPO. 1999. Data sheets on quarantine pests. *EPPO Bulletin*, 29(4): 459–506.
- EPPO. 2005. Data sheets on quarantine pests. *EPPO Bulletin*, 35(3): 1–438.
- EPPO. 2008. EPPO alert list. Available at: [www.eppo.org/QUARANTINE/Alert\\_List/alert\\_list.htm](http://www.eppo.org/QUARANTINE/Alert_List/alert_list.htm)
- Evans, H.F. 1987. Sitka spruce insects: past, present and future. *Proceedings of the Royal Society of Edinburgh, Biological Sciences*, 93: 157–167.
- Fenton, R., Roper, R.E. & Watt, G.R. 1977. *Lowland tropical hardwoods. An annotated bibliography of selected species with plantation potential*. Wellington, New Zealand, Ministry of Foreign Affairs.
- Floyd, R.B. & Hauxwell, C., eds. 2001. *Hypsipyla* shoot borers in Meliaceae. *ACIAR Proceedings No. 97 of an International Workshop*, Kandy, Sri Lanka 20–23 August 1996. Canberra, Australian Centre for International Agricultural Research (ACIAR).
- Food and Agriculture Organization of the United Nations (FAO). 1998. *Assistance for the management of leucaena psyllid*. Africa Region, Kenya and the United Republic of Tanzania. Terminal Statement of project TCP/RAF/4451. Rome.
- FAO. 2000. *Alien species harmful to North American forests*. Document to the 20th session of the North American Forest Commission (NAFC), St. Andrews, New Brunswick, Canada, 12–16 June 2000. Rome.
- FAO. 2001. *Protecting plantations from pests and diseases*. Report based on the work of W.M. Ciesla. Forest Plantation Thematic Papers, Working Paper 10. Forest Resources Development Service, Forest Resources Division. Rome. (unpublished)
- FAO. 2006a. *Global Forest Resources Assessment 2005 – progress towards sustainable forest management*. Forestry Paper No. 147. Rome.
- FAO. 2006b. *Global planted forests thematic study: results and analysis* by A. Del Lungo, J. Ball & J. Carle. Planted Forests and Trees Working Paper 38, Rome.

- FAO. 2007a. *State of the World's Forests 2007*. Rome.
- FAO. 2007b. *Report of the Asia-Pacific Forest Invasive Species Network workshop 22–25 February 2005, Ho Chi Minh City, Viet Nam*. S. Appanah, H.C. Sim, & K.V. Sankaran, eds. RAP PUBLICATION 2007/02. Bangkok, Thailand, FAO Regional Office for Asia and the Pacific.
- Foiles, M.W. 1965. Grand fir, *Abies grandis* (Dougl.) Lindl. In H.A. Fowells, compiler. *Silvics of forest trees of the United States*, pp. 19–24. USDA Agriculture Handbook 271. Washington, DC, USA, USDA.
- Ford, L.B. 1986. El taladrador de *Terminalia* en Costa Rica. *Turrialba*, 36: 248–251.
- Forde, M.B. 1964. Variation in natural populations of *Pinus radiata* in California. Part 1. Sampling methods and branch characters. *New Zealand Journal of Botany*, 2: 213–36.
- Forest Stewardship Council (FSC). 1996. FSC International Standard – FSC Principles and Criteria for Forest Stewardship. Bonn, Germany.
- Funk, D.T., McBride, F.D., Robinson, G.L., Losche, C.K., Roth, P.L. & Thielges, B.A. 1983. Interactive effects of provenance and irrigation treatment on growth and anthracnose incidence of black walnut. In Bart A. Thielges (ed.) *Proceedings. Seventh North American Forest Biology Workshop, Physiology and Genetics of Intensive Culture*, pp. 172–178. Lexington, Kentucky, USA, University of Kentucky.
- Furniss, R.L. & Carolin, V.M. 1977. *Western forest insects*. Miscellaneous Publication 1339. Washington, DC, USA, USDA.
- Geary, T. 1983. Casuarinas in Florida. In S.J. Midgley, J.W. Turnbull & R.D. Johnston, eds. *Casuarina Ecology, Management and Utilization*, pp. 107–109, Proceedings of the 1st International Casuarina Workshop. Melbourne, Australia, CSIRO.
- Geary, T.F., Meskimen, G.F. & Franklin, E.C. 1983. *Growing eucalypts in Florida for industrial wood production*. General Technical Report No. SE–23. Southeastern Forest Experiment Station, USDA Forest Service.
- Ghent, J.H. & Onken, A.H. 2004. Unpublished trip report on assistance to Mongolian Ministry for Nature and Environment for the control of forest defoliators. FAO Project TCP/MON/2902.
- Ghosh, S.K., Balasundaran, M. & Ali, M.I.M. 1984. *Studies on the host-parasite relationship of phanerogamic parasite(s) on teak and their possible control*. KFRI Research Report No. 21. Peechi, Kerala, India, Kerala Forest Research Institute.
- Gibson, I.A.S. 1975. *Diseases of forest trees widely planted as exotics in the tropics and southern hemisphere*. Part 1. *Important members of the Myrtaceae, Leguminosae, Verbenaceae and Meliaceae*. Oxford, UK, Commonwealth Forestry Institute.
- Giorelli, A. & Allegro, G. 1998. I trattamenti per una corretta difesa fitosanitaria del vivaio di pioppo. *Sherwood Foreste ed Alberi Oggi*, 4: 31–37.
- Giorelli, A. & Vietto, L. 1995. Valutazione dell'efficacia di alcuni fungicidi verso le ruggini del pioppo. *Informatore Fitopatologico*, 45: 59–62.
- Giorelli, A. & Vietto, L. 1998. Poplar and Marssonina: 35 years of cohabitation. *Sherwood – Foreste ed Alberi Oggi*, 4: 43–49.
- Global Invasive Species Database (GISD). 2007. *Phytophthora ramorum*. Internet document. Available at: [www.issg.org/database](http://www.issg.org/database)
- Gojkovic, G. & Avramovic, G. 1985. Hemijska zastita topola od gljive *Dothichiza populea* Sacc. et Briard. *Radovi, Institut za Topolarstvo, Novi Sad*, 16: 263–294.
- Grace, J.K., Ewart, D.M. & Tome, C.H.M. 1996. Termite resistance of wood species grown in Hawaii. *Forest Products Journal*, 46: 57–60.
- Greaves, A. 1981. *Gmelina arborea*. *Forestry Abstracts*, 42: 237–258.
- Griffiths, M.W. 2001. The biology and ecology of *Hypsipyla* shoot borers. In R.B. Floyd & C. Hauxwell, eds., *Hypsipyla shoot borers in Meliaceae: proceedings of an international workshop*, Kandy, Sri Lanka, 20–23 August 1996, pp. 74–80. ACIAR Proceedings No. 97. Canberra, Australian Centre for International Agricultural Research (ACIAR).

- Grijpma, P. 1976. Resistance of Meliaceae against the shoot borer *Hypsipyla* with particular reference to *Toona ciliata* M.J. Roem. var. *australis* (F.V. Muell.) In J. Burley & B.T. Styles, eds. *Tropical trees: variation, breeding and conservation*, pp. 69–78. London, UK, Commonwealth Development Corporation.
- Gryzenhout, M., Myburg, H., Van der Merwe, N.A., Wingfield, B.D. & Wingfield, M.J. 2004. *Chrysoporthe*, a new genus to accommodate *Cryphonectria cubensis*. *Studies in Mycology*, 50: 119–142.
- Gryzenhout, M., Rodas, C.A., Mena Portales, J., Clegg, P., Wingfield, B.D. & Wingfield, M.J. 2006. Novel hosts of the *Eucalyptus* canker pathogen *Chrysoporthe cubensis* and a new *Chrysoporthe* species from Colombia. *Mycological Research*, 110(7): 833–845.
- Gupta, R.K. 1993. *Multipurpose trees for agroforestry and wasteland utilisation*. New Delhi, India, Oxford and IBH Publishing Co.
- Haack, R.A. 2004. *Orthotomicus erosus*: A new pine-infesting bark beetle in the United States. *Newsletter of the Michigan Entomological Society*, 49(3/4): 3.
- Haack, R.A., Jendek, E., Liu, H., Marchant, K.R., Petrice, T.R., Poland, T.M. & Ye, H. 2002. The emerald ash borer: a new exotic pest in North America. *Newsletter of the Michigan Entomological Society*, 47(3/4): 1–5.
- Haack, R.A. & Poland, T.M. 2001. Evolving management strategies for a recently discovered exotic forest pest: the pine shoot beetle, *Tomicus piniperda* (Coleoptera). *Biological Invasions*, 3: 307–322.
- Hagle, S.K., Gibson, K.E. & Tunnock, S. 2003. *A field guide to diseases and insect pests of Northern and Central Rocky Mountain conifers*. USDA Forest Service. Publication R1-89-54. Ogden, Utah, USA, USDA. (rev. ed.)
- Hall, J.B. & Swaine, M.D. 1976. Classification and ecology of closed-canopy forest in Ghana. *Journal of Ecology*, 64: 913–951.
- Hanks, L.M., Paine, T.D., Millar, J.G. & Hom, J.L. 1995. Variation among *Eucalyptus* species in resistance to eucalyptus longhorned borer in Southern California. *Entomologia Experimentalis et Applicata*, 74: 185–194.
- Harris, J.W.E. 1978. *Balsam woolly aphid*. Forest Pest Leaflet No. 1. Forestry Canada, Forest Insect and Disease Survey.
- Hartig, T. 1877. *Luft-, Boden- und Pflanzenkunde in ihrer Anwendung auf Forstwirtschaft und Gartenbau*. Stuttgart, Germany, Verlag der Cotta'schen Buchhandlung.
- Haugen, D.A. & Hoebeke, E.R. 2005. Sirex woodwasp – *Sirex noctilio* F. (Hymenoptera: Siricidae). Pest Alert NA-PR-07-05. USDA Forest Service.
- Hawksworth, F.G. & Wiens, D. 1972. Biology and classification of dwarf mistletoes (*Arceuthobium*). USDA Agriculture Handbook 401. Washington, DC, USA, USDA.
- Hedlin, A.F., Yates, H.O., Cibrián Tovar, D., Ebel, B.H., Koerber, T.W. & Merkel, E.P. 1980. *Cone and seed insects of North American Conifers*. Ottawa, Ontario, Canadian Forest Service; Washington, DC, USA, United States Forest Service; Chapingo, Mexico, Universidad Autónoma Chapingo.
- Hepting, G.H. 1971. *Diseases of forest and shade trees of the United States*. USDA Agriculture Handbook 386. Washington, DC, USA, USDA.
- Hermann, R.K. 1987. North American tree species in Europe: transplanted species offer good growth potential on suitable sites. *Journal of Forestry*, 85: 27–32.
- Hermann, R.K. & Lavender, D.P. 1990. *Pseudotsuga menziesii* (Mirb.) Franco. In Burns, R.M. & Honkala, B.H., technical coordinators. *Silvics of North America*, Vol. 1., pp. 527–540. USDA Agriculture Handbook 654. Washington, DC, USA, USDA.
- Hertel, G.D. 1998. *Leucaena psyllid, Heteropsylla cubana* Crawford. (available at: [www.afa.org/html/98-201.html](http://www.afa.org/html/98-201.html))
- Hildebrand, D.M. 2005. *Mycosphaerella pini*. NAFC-ExFor Pest Report. (available at: [www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=39&langdisplay=english](http://www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=39&langdisplay=english))
- Ho, Y.F. & Maznah, O. 1995. Insect pests of *Acacia mangium* sawn timber. *Journal of Tropical Forest Products*, 1: 113–116.

- Hodge, G.R. & Dvorak, W.S. 2000. Differential responses of Central American and Mexican pine species and *Pinus radiata* to infection by the pitch canker fungus. *New Forests*, 19: 241–258.
- Homfray, C.K. 1937. *Nursery and plantation notes for Bengal*. Alipore, Bengal, India, Government Printing Press.
- Houston, D.R. & O'Brien, J.T. 1983. *Beech bark disease*. Forest Insect & Disease Leaflet 75. USDA Forest Service. (available at: [www.na.fs.fed.us/spfo/pubs/fidls/beechnbark/fidl-beech.htm](http://www.na.fs.fed.us/spfo/pubs/fidls/beechnbark/fidl-beech.htm))
- Howard, F.W. & Merida, M.A. 2005. Mahogany shoot borer, *Hypsipyla grandella* (Zeller) (Insecta: Lepidoptera: Pyralidae: Phycitinae). Featured Creatures Series EENY-336. Gainesville, Florida, USA, Entomology and Nematology, Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. (rev. ed.)
- Hu, J.J., Tian, Y.C., Han, Y.F., Li, L. & Zhang, B.E. 2001. Field evaluation of insect-resistant transgenic *Populus nigra* trees. *Euphytica*, 121(2): 123–127.
- Humphreys, N. & Allen, E.A. 1999. Eight-spined spruce bark beetle – *Ips typographus*. Exotic Forest Pest Advisory 3. Victoria, British Columbia, Canada, NRC, CFS, Pacific Forestry Centre.
- Humphreys, N. & Allen, E. 2002. Nun moth – *Lymantria monacha*. Exotic Forest Pest Advisory 6. Victoria, British Columbia, Canada, NRC, CFS, Pacific Forestry Centre.
- Hurley, B.P., Slippers, B. & Wingfield, M.J. 2007. A comparison of control results for the alien invasive woodwasp, *Sirex noctilio*, in the southern hemisphere. *Agricultural and Forest Entomology*, 9(3): 159–171.
- Hurley, J.E., Loo, J.A., DesRochers, P. & Hirvonen, H.E. 2004. *Forest Health in Canada. Atlantic Maritime Ecozone 2003*. Ottawa, Canada, NRC, CFS, Headquarters, Science Branch.
- Hutacharern, C. 1990. Forest insect pests in Thailand. In C. Hutacharern, K.G. McDicken, M.H. Ivory, & K.S.S. Nair, eds. *Pests and diseases of forest plantations in the Asia-Pacific Region*, pp. 75–80. Bangkok, Thailand, RAPA, FAO.
- Hutacharern, C. 1992. Insect pests of acacias: an overview. In K. Awang, & D.A. Taylor, eds. *Tropical acacias in East Asia and the Pacific: Proceedings of the first meeting of COGREDA*, Phuket, Thailand, 1–3 June 1992, pp. 81–85. Bangkok, Thailand, Winrock International Institute for Agricultural Research.
- Hutacharern, C. 1993. Insect pests. In K. Awang, & D. Taylor, eds. *Acacia mangium growing and utilisation*, pp. 163–202. MPTS Monograph Series No. 3. Bangkok, Thailand, Winrock International and FAO.
- Ip, D.W. 1992. *Dutch elm disease*. Forestry Leaflet 19. Edmonton, Alberta, Canada, Natural Resources Canada.
- Jacob, J.P., Devaraj, R. & Natarajan, R. 2007. Outbreak of the invasive gall-inducing wasp *Leptocybe invasa* on eucalypts in India. *Invasives*, 8: 4. Newsletter of the Asia-Pacific Forest Invasive Species Network (APFISN).
- Jacobs, M.R. 1981. *Eucalypts for planting*. Forestry Series No. 11. Rome, FAO. (2nd ed.)
- Jobling, J. 1990. Poplars for wood production and amenity. *Forestry Commission Bulletin*, 92.
- Kadambi, K. 1972. *Silviculture and management of teak*. Bulletin, No. 24. Nacogdoches, Texas, USA, School of Forestry, Stephen F. Austin State University.
- Keiran, M. & Allen, E. 2004. Keeping forest pests from moving around the world. *Unasylva*, 217(55): 29–30.
- Kessler, K.J. 1988. Walnut anthracnose. In L.E. Burde, ed. *Walnut notes*. North Central Forest Experiment Station, USDA.
- Kimoto, T. & Duthie-Holt, M. 2006. *Exotic forest insect guidebook 2006*. Ottawa, Canada, Canadian Food Inspection Agency. (available at: [www.inspection.gc.ca/english/plaveg/pestrava/exot/introe.shtml](http://www.inspection.gc.ca/english/plaveg/pestrava/exot/introe.shtml))
- Kiritani, K. & Morimoto, N. 2004. Invasive insect and nematode pests from North America. *Global Environmental Research*, 8(1): 75–88.

- Kliejunas, J. 2005. *Phytophthora ramorum*. NAFC-ExFor Pest Report. (available at: <http://spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=62&langdisplay=english>)
- Klimetzek, D. 1992. The insect pest threat to forest trees in Central Europe and North America. *Forstwissenschaftliches Centralblatt*, 111: 61–69.
- Klinka, K., Worrall, J., Skoda, L. & Varga, P. 1999. *The distribution and synopsis of ecological and silvical characteristics of tree species of British Columbia's forests*. Coquitlam, British Columbia, Canada, Canadian Cartographics, Ltd.
- Krcmar-Nozic, E., Wilson, B. & Arthur, L. 2000. *The potential impacts of exotic forest pests in North America: A synthesis of research*. Information Report BC-X-387. Victoria, British Columbia, Canada, CFS, Pacific Forestry Centre.
- Lamb, F.B. 1966. *Mahogany of tropical America: its ecology and management*. Ann Arbor, Michigan, USA, University of Michigan Press.
- Langor, D.W. 2003. *Mountain pine beetle*. Forestry Leaflet 36. Edmonton, Alberta, Canada, NRC, CFS, Northern Forestry Centre. (available at: [www.cfs.nrcan.gc.ca/factsheets/pine-beetle-nofc/cat.entomology](http://www.cfs.nrcan.gc.ca/factsheets/pine-beetle-nofc/cat.entomology))
- Lapis, E.B. & Bautista, R.C. 1977. Simulated defoliation of yemane (*Gmelina arborea*) coppice. *Sylvatrop*, 2: 139–145.
- Lapis, E.B. & Genil, Z.N. 1979. Biology of *Ozola minor* Moore (Lepidoptera: Geometridae) a defoliator of yemane (*Gmelina arborea*). *Sylvatrop*, 4: 31–37.
- Lavery, P.B. 1986. *Plantation forestry with Pinus radiata*. Paper No. 12. Christchurch, New Zealand, School of Forestry, University of Canterbury.
- Lázzari, F.N., Trentini, R.F.R. & de Carvalho, R.C.Z. 2004. Occurrence of *Cinara* spp. (Hemiptera, Aphididae) on *Pinus* spp. (Pinaceae), in the county of Lages-SC, Brazil. *Revista Brasileira de Entomologia*, 48(2): 287–289.
- Lee, J.C., Smith, S.L. & Seybold, S.J. 2005. *Mediterranean pine engraver*. Pest Alert R5-PR-016. USDA Forest Service. (available at: [www.fs.fed.us/r5/spf/publications/pestaalerts/Med\\_pine\\_engraver.pdf](http://www.fs.fed.us/r5/spf/publications/pestaalerts/Med_pine_engraver.pdf))
- Lee, S.S. 1993. Diseases. In K. Awang & D. Taylor, eds. *Acacia mangium growing and utilisation*, pp. 203–223. MPTS Monograph Series No. 3. Bangkok, Thailand, Winrock International and FAO.
- Lee, S.S. & Goh, L.K. 1989. Seedling diseases of *Acacia mangium* Willd. and *Gmelina arborea* Roxb. in forest nursery. *Malayan Forester*, 52: 1–7.
- Lenné, J.M. 1992. Diseases of multi-purpose woody legumes in the tropics: a review. *Nitrogen Fixing Tree Research Reports*, 10: 13–29.
- Leuangkhamma, T. & Vongsiharath, V. 2005. Forest invasive species in Lao PDR. In P. McKenzie, C. Brown, S. Jianghua & W. Jian, eds. *The unwelcome guests. Proceedings of the Asia-Pacific Forest Invasive Species Conference*, Kunming, Yunnan Province, China, 17–23 August 2003. Bangkok, Thailand, FAO.
- Liang, Z.E. & Chen, B.Q. 1982. Preliminary study on the susceptibility of *Casuarina equisetifolia* to *Pseudomonas solanacearum* and its relation to the permeability of the cell membrane and peroxidase isoenzymes. *Journal South China Agricultural College*, 3: 28–25.
- Libby, W.J., Bannister, M.H. & Linhart, Y.B. 1968. The pines of Cedros and Guadalupe Islands. *Journal of Forestry*, 66(11): 846–853.
- Liebholt, A.M., Macdonald, W.L., Bergdahl, D. & Mastro, V.C. 1995. Invasion by exotic forest pests: A threat to forest ecosystems. *Forest Science Monographs* 30. Bethesda, Maryland, USA, Society of American Foresters.
- Lindsay, A.D. 1932. Report on Monterey pine (*Pinus radiata* D. Don) in its native habitat. Commonwealth, Australia, *Forestry Bureau Bulletin* 10.
- Lingafelter, S.W. & Hoebeke, E.R. 2002. *Revision of Anoplophora (Cleopectera: Cerambycidae)*. Washington, DC, USA, Entomological society of Washington.
- Linit, M.J. & Stamps, W.T. 1997. *Insects and black walnut: what can we expect in plantation environments?* General Technical Report North No. NC-191, 177–183 pp. Central Forest Experiment Station, USDA Forest Service.

- Little, E.L., Jr. 1979. *Checklist of United States trees (native and naturalized)*. Agriculture Handbook 541. London, UK, UK Department of Agriculture.
- Longwood, F.R. 1961. *Puerto Rican woods. Their machining, seasoning and related characteristics*. USDA Agriculture Handbook 205. Washington, DC, USA, USDA.
- Lorio, P.L. Jr. 1980. Rating stands for susceptibility to SPB. In R.C. Thatcher, J.L. Searcy, J.E. Coster & G.D. Hertel, eds. *The southern pine beetle*, p. 153–163. Technical Bulletin 1631. Washington, DC, USA, USDA Forest Service, Science & Education Administration.
- Luisi, N. & Campanile, D. 1993. Ricerche su aspetti patologici del noce in Italia meridionale. *Monti e Boschi*, 44: 27–30.
- Luna, R.K. 1996. *Plantation trees*. Dehra Dun, India, International Book Distributors.
- Lunderstadt, J. 1992. Stand der Ursachenforschung zum Buchensterben. *Forstarchiv*, 63: 21–24.
- Maloy, O.C. 1967. A review of *Echinodontium tinctorium* Ell. & Ev., the Indian paint fungus. *Bulletin of the Washington Agricultural Experimental Station*, 686. [From abstract in *Review of Applied Mycology*, 47(11): No. 3245 (1968)]
- Marcar, N., Crawford, D., Leppert, P., Jovanovic, T., Floyd, R. & Farrow, R. 1995. *Trees for saltland: a guide to selecting native species for Australia*. Canberra, Australia, CSIRO.
- Marshall, P.T. 1989. Insects that affect growth and quality of black walnut. In J.E. Phelps ed. *The continuing quest for quality: 4th Black walnut symposium*, Carbondale, Illinois, USA, 30 July – 2 August 1989, pp. 193–202. Indianapolis, Indiana, USA, Walnut Council.
- Martineau, R. 1984. *Insects harmful to forest trees*. Forestry Technical Report, No. 32. Canadian Forestry Service.
- Martorell, L.F. 1943. Forests and forest entomology. *Caribbean Forestry*, 4: 132–4.
- Martorell, L.F. 1975. *Annotated food plant catalog of the insects of Puerto Rico*. Río Pedras, Puerto Rico, University of Puerto Rico, Agricultural Experiment Station, Department of Entomology.
- Mathew, G. & Rugmini, P. 1996. Impact of the borer *Alctrogystia cadambae* (Lepidoptera: Cossidae) in forest plantations of teak in Kerala, India. In K.S.S. Nair, J.K. Sharma, & R.V. Varma, eds. *Impact of diseases and insect pests in tropical forests*, pp. 304–310. Peechi, India, KFRI.
- Mathur, R.N. 1960. Pests of teak and their control. *Indian Forestry Record Entomology*, 10: 3.
- Mathur, R.N. & Singh, B. 1960. A list of insect pests of forest plants in India and the adjacent countries. *Indian Forest Bulletin*, 171: 1–130.
- Matthews, S. 2005. *South America invaded: the growing danger of invasive alien species*. The Global Invasive Species Programme (GISP) Secretariat, Cape Town, South Africa. S. Matthews & K. Brand, eds.
- Maziaah, Z. & Norani, A. 1988. Disease of *Gmelina arborea*. Forest Research Institute Malaysia (FRIM) Technical Information, No. 6. Kepong, Malaysia, FRIM.
- McCullough, D.G & Katovich, S.A. 2004. *Emerald ash borer*. Pest alert NA-PR-02-04. USDA Forest Service. (available at: [www.emeraldashborer.info/files/eab.pdf](http://www.emeraldashborer.info/files/eab.pdf))
- Mehrotra, M.D., Pandey, P.C., Chakrabarti, K., Sharma, S. & Hazra, K. 1996. Root and heart rots in *Acacia mangium* plantations in India. *Indian-Forester*, 122: 155–160.
- Mendel, Z. 1987. Major pests of man-made forests in Israel: origin, biology, damage and control. *Phytoparasitica*, 15: 131–137.
- Mendel, Z., Protasov, A., Fisher, N. & La Salle, J. 2004. Taxonomy and biology of *Leptocybe invasa* gen. & sp.n. (Hymenoptera: Eulophidae), an invasive gall inducer on *Eucalyptus*. *Australian Journal of Entomology*, 43(2): 51–63.
- Miller, J.T. & Knowles, F.B. 1994. Introduced forest trees in New Zealand: recognition, role, and seed source. 14. Douglas-fir: *Pseudotsuga menziesii* (Mirbel) Franco. *FRI Bulletin*, 124(14).
- Moldenke, H.N. 1977. A fifth summary of the Verbenaceae, Avicenniaceae, Stilbaceae, Dicrostylidaceae, Symphoremaceae, Nyctanthaceae and Eriocaulaceae of the world as to valid taxa, geographic distribution, and synonymy. *Phytologia*, 36(1): 28–48.

- Montagnini, F., Gonzalez, E., Porras, C. & Rheingans, R. 1995. Mixed and pure forest plantations in the humid neotropics: a comparison of early growth, pest damage and establishment costs. Papers from the IUFRO Tropical Silviculture Subject Group, S1 07 00, IUFRO 20th World Congress, Tampere, Finland, August 1995. *Commonwealth Forestry Review*, 74: 306–314; 385–387.
- Moog, F.A. 1992. *Heteropsylla cubana*: impact on feeding systems in southwest Asia and the Pacific. In A. Speedy & P. Pugliese, eds. *Legume trees and other fodder trees as protein sources for livestock*, pp. 233–243. FAO Animal Production and Health Paper No. 102. Rome, FAO.
- Moran, R.V. 1996. *The flora of Guadalupe Island, Mexico*. Memoirs of the California Academy of Sciences 19. San Francisco, California, USA, California Academy of Sciences.
- Morrison, D.J. 1981. *Armillaria root disease. A guide to diagnosis, development and management in British Columbia*. Report No. BC-X-203. Victoria, British Columbia, Canada, Pacific Forest Research Centre.
- Morrison, D.J., Larock, M.D. & Waters, A.J. 1986. Stump infection by *Fomes annosus* in spaced stands in the Prince Rupert Forest Region of British Columbia. Information Report No. BC-X-285. Victoria, British Columbia, Canada, Pacific Forestry Centre, Canadian Forestry Service.
- Moulaert, Q.A. & Arguedas, G.M. 1993. Insectos herbivoros asociados con diez especies forestales en la Region Huetar Norte de Costa Rica. *Revista Forestal Centroamericana*, 2: 24–26.
- Muchovej, J.J., Albuquerque, F.C. & Ribeiro, G.T. 1978. *Gmelina arborea* – a new host of *Ceratocystis fimbriata*. *Plant Disease Reporter*, 62: 717–719.
- Murphy, S.T., Abraham, Y.J. & Cross, A.E. 1991. Ecology and economic importance of the aphid pests, *Pineus* sp. and *Eulachnus rileyi* on exotic pine plantations in southern and eastern Africa. In FAO. *Exotic aphid pests of conifers: a crisis in African forestry. Workshop Proceedings*. Muguga, Kenya, 3–6 June 1991. Rome, FAO; Muguga, Kenya, Forestry Research Institute; Nairobi, Kenya, International Institute of Biological Control.
- Murray, C.H. 1961. Teak and fire in Trinidad. *Caribbean Forester*, 22: 3–4.
- Myburg, H., Gryzenhout, M., Wingfield, B.D., Stipes, R.J. & Wingfield, M.J. 2004. Phylogenetic relationships of *Cryphonectria* and *Endothia* species, based on DNA sequence data and morphology. *Mycologia*, 96(5): 990–1001.
- Myburg, H., Wingfield, B.D. & Wingfield, M.J. 1999. Phylogeny of *Cryphonectria cubensis* and allied species inferred from DNA analysis. *Mycologia*, 91(2): 243–250.
- Nair, K.S.S. 1987. Life history, ecology and pest status of the sapling borer, *Sahyadrassus malabaricus* (Lepidoptera, Hepialidae). *Entomon*, 12: 167–173.
- Nair, K.S.S. 1988. The teak defoliator in Kerala, India. Chapter 14. In A.A. Berryman, ed. *Dynamics of Forest Insect Populations*, pp. 267–289. New York, New York, USA, Plenum Press.
- Nair, K.S.S. 2001. *Pest outbreaks in tropical forest plantations. Is there a greater risk for exotic tree species?* Bogor, Indonesia, Center for International Forestry Research (CIFOR).
- Nair, K.S.S., Babajan, B., Sajeev T.V., Sudheendrakumar, V.V., Ali, M.I.M., Varma, R.V. & Mohanadas, K. 1997. Field efficacy of nuclear polyhedrosis virus for protection of teak against the defoliator *Hyblaea puera* Crauer (Lepidoptera: Hyblaeidae). *Journal of Biological Control*, 10: 79–85.
- Nair, K.S.S., Sudheendrakumar, V.V., Varma, R.V., Chacko, K.C. & Jayaraman, K. 1996. Effect of defoliation by *H. puera* and *E. machenalis* (Lepidoptera) on volume increment of teak. In K.S.S Nair, J.K. Sharma & R.V. Varma, eds. *Impact of diseases and insect pests in tropical forests*, pp. 257–273. Peechi, India, KFRI.
- Nakabonge, G., Roux, J., Gryzenhout, M. & Wingfield, M.J. 2006. Distribution of *Chrysosporthe* canker pathogens on *Eucalyptus* and *Syzygium* species in Eastern and Southern Africa. *Plant Disease*, 90(6): 734–740.

- Neely, D. 1981. Application of nitrogen fertilizer to control anthracnose of black walnut. *Plant Disease*, 65: 580–581.
- Neely, D. 1986. Total leaf nitrogen correlated with walnut anthracnose resistance. *Journal of Arboriculture*, 12: 312–315.
- Nelson, E.E. & Sturrock, R.N. 1993. Susceptibility of western conifers to laminated root rot (*Phellinus weirii*) in Oregon and British Columbia field tests. *Western Journal of Applied Forestry*, 8: 67–70.
- Newton, A.C., Baker, P., Ramnarine, S., Mesen, J.F. & Leakey, R.R.B. 1993. The mahogany shoot borer – prospects for control. *Forest Ecology and Management*, 57: 301–328.
- Newton, A.C., Leakey, R.R.B. & Mesen, J.F. 1992. Genetic variation in mahoganies: its importance, utilisation and conservation. In *Proceedings of Mahogany Workshop: Review and implications of CITES*. 3–4 February 1992. Washington DC, US, Tropical Forest Foundation. Newton, Leakey, and Mesen.
- Nichols, J.D., Rosemeyer, M.E., Carpenter, F.L. & Kettler, J. 2001. Intercropping legume trees with native timber trees rapidly restores cover to eroded tropical pasture without fertilization. *Forest Ecology and Management* 152: 195–209.
- Nichols, J.F.A. 1987. Damage and performance of the green spruce aphid, *Elatobium abietinum* on twenty spruce species. *Entomologia Experimentalis et Applicata*, 45: 211–217.
- Offord, H.R. 1964. Diseases of Monterey Pine in native stands of California and in plantations of western North America. *U.S. Forest Service Research Paper* No. PSW-14. Berkeley, California, USA, Pacific Southwest Forest and Range Experiment Station, USDA Forest Service.
- Ohmart, C.P. 1982. Destructive insects of native and planted *Pinus radiata* in California, and their relevance to Australian forestry. *Australian Forest Research*, 12: 151–161.
- Oka, A.G. & Vaishampayan. 1981. White grub menace in teak nurseries in Maharashtra. In G. K., Veeresh, ed. *Progress in soil biology and ecology of India*. Bangalore, India, University of Agricultural Sciences.
- Old, K.M., Lee, S.S. & Sharma, J.K., eds. 1997. *Diseases of tropical acacias*. Proceedings of an International Workshop, Subanjeriji, South Sumatra, Indonesia, 28 April – 3 May 1996. Jakarta, Indonesia, Center for International Forestry Research (CIFOR).
- Oldfield, S., Lusty, C. & MacKinnon, A. 1998. *The world list of threatened trees*. Cambridge, UK, World Conservation Press.
- Oliver, W.W. 1992. *Plantation forestry in the South Pacific: A compilation and assessment of practices*. Field document 8. Port Vila, Vanuatu, FAO/UNDP, South Pacific Forestry Development Programme .
- Orlinski, A.D. 2000. *Dendrolimus sibiricus*. NAFC-ExFor Pest Report. (available at: [www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=45&langdisplay=english](http://www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=45&langdisplay=english))
- Orlinski, A.D. 2004. *Ips subelongatus*. NAFC-ExFor Pest Report. (available at: [www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=132&langdisplay=english](http://www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=132&langdisplay=english))
- Pacific Forestry Centre (PFC) and Laurentian Forestry Centre (LFC). 2007. The white pine weevil homepage. NRC, CFS. (available at: [www.pfc.forestry.ca/entomology/weevil/index\\_e.html](http://www.pfc.forestry.ca/entomology/weevil/index_e.html))
- Pan, H.Y., 2005. *Review of the Asian longhorned beetle research, biology, distribution and management in China*. Forest Health & Biosecurity Working Papers FBS/6E. Rome, FAO.
- Patti, J.H. & Fox, R.C. 1981. Seasonal occurrence of *Cimara* spp. and *Essigella pini* Wilson on loblolly pine, *Pinus taeda* L. *Journal of Georgia Entomological Society*, 16: 96–105.
- Payne, T.L. 1980. Life history and habits. In R.C. Thatcher, J.L. Searcy, J.E. Coster & G.D. Hertel, eds. *The southern pine beetle*, p. 7–28. Technical Bulletin 1631. Washington, DC, USDA Forest Service, Science & Education Administration.
- Penteado, S.R.C. 1995. Métodos de amostragem para avaliação de *Sirex noctilio* F., 1793 (Hymenoptera: Siricidae) e de seus inimigos naturais, em *Pinus taeda* L. e aspectos do controle biológico. Tese de Mestrado. Curitiba, Universidade Federal do Paraná.

- Perry, J.P., Jr. 1991. *The pines of Mexico and Central America*. Portland, Oregon, USA, Timber Press.
- Peterson, E.B., Peterson, N.M., Weetman, G.F. & Martin, P.J. 1997. Ecology and management of Sitka spruce, emphasizing its natural range in British Columbia. Vancouver, British Columbia, Canada, UBC Press.
- Peterson, G.W. 1982. *Dothistroma needle blight of pines*. Forest Insect & Disease Leaflet 143. USDA Forest Service. (available at: [www.na.fs.fed.us/spfo/pubs/fidls/dothistroma/doth.htm](http://www.na.fs.fed.us/spfo/pubs/fidls/dothistroma/doth.htm))
- Peterson, G.W. & Smith, R.S. Jr., eds. 1975. Forest nursery diseases in the United States. USDA Agriculture Handbook, 470. Washington, DC, USA, USDA.
- Phillips, C. 1992. *Eucalyptus* weevil. Fact Sheet Number 7. Primary Industries and Resources SA (PIRSA), Government of South Australia. (available at: [www.pir.sa.gov.au/\\_data/assets/pdf\\_file/0014/32900/Number\\_7\\_Eucalyptus\\_Weevil.pdf](http://www.pir.sa.gov.au/_data/assets/pdf_file/0014/32900/Number_7_Eucalyptus_Weevil.pdf))
- Pinyopusarerk, K., Williams, E.R., Luangviriyasaeng, V. & Puriyakorn, B. 1996b. Geographic variation in growth and morphological traits of *Casuarina equisetifolia*. In K. Pinyopusarerk, J.W. Turnbull & S.J. Midgely, eds. *Recent Casuarina Research and Development. Proceedings of the 3rd International Casuarina Workshop*, Da Nang, Viet Nam, 4–7 March 1996, pp. 143–151. Canberra, Australia, CSIRO.
- Pongpanich, K., Luangviriyasaeng, V. & Dudzinski, M.J. 1996. Diseases in international provenance trials of *Casuarina equisetifolia* in Thailand. In K. Pinyopusarerk, J.W. Turnbull, & S.J. Midgely, S. eds. *Recent Casuarina research and development. Proceedings of the 3rd International Casuarina Workshop*, Da Nang, Viet Nam, 4–7 March 1996, pp. 86–92. Canberra, Australia, CSIRO.
- Powell, W. & Parry, W.H. 1976. Effects of temperature on overwintering populations of the green spruce aphid *Elatobium abietinum*. *Annals of Applied Biology*, 82: 209–219.
- Poynton, R.J. 1960. *Notes on exotic forest trees in South Africa*. Bulletin 38. Pretoria, Union of. South Africa, Department of Forestry. (2nd ed. rev)
- Poynton, R.J. 1979. *Report to the Southern African Regional Commission for the Conservation and Utilization of the Soil (SARCCUS) on tree planting in southern Africa*. Vol. 2. *The eucalypts*. Department of Forestry, South Africa.
- Pratt, J.E. 1979a. *Fomes annosus* butt-rot of Sitka spruce II. Loss of strength of wood in various categories of rot. *Forestry*, 52: 31–45.
- Pratt, J.E. 1979b. *Fomes annosus* butt rot of Sitka spruce III. Losses in yield and value of timber in diseased trees and stands. *Forestry*, 52: 113–127.
- Ramirez-Sanchez, J. 1964. Preliminary investigations into the biology, ecology and control of *Hypsipyla grandella*. *Boletín Instituto. Forestal. Latino-Americano de Investigación y Capacitación*, 16: 54–77.
- Rao, Y.S. 1997. Keynote address. In S.C. Basha, C. Mohanan & S. Sankar eds. *Proceedings of International Teak Symposium 1991*, pp. 1–6. Thiruvananthapuram, India, Kerala Forest Department.
- Rasip, A.G. & Lokmal, N. 1994. Six year growth and survival rate of *Shorea macrophylla* planted under pine plantations. In Wickneswari *et al.*, eds. *Proceedings International Workshop, Bio-Refor*, pp. 79–82, Kangar, Malaysia.
- Rawlings, G.B. 1955. Epidemics in *Pinus radiata* forests in New Zealand. *New Zealand Journal of Forestry*, 7: 53–7.
- Rethinam, P. & Singh, S.P. 2007. Current status of the coconut beetle outbreaks in the Asia-Pacific region. In S. Appanah, H.C. Sim & K.V. Sankaran, eds. *Report of the Asia-Pacific Forest Invasive Species Network workshop*, Ho Chi Minh City, Viet Nam, 22–25 February 2005, pp. 1–23. RAP Publication 2007/02. Bangkok, Thailand, FAO.
- Rink, G., Weber, B.C., Baines, D.M. & Funk, D.T. 1991. Acrobasis shoot moth (Lepidoptera: Pyralidae) infestation-tree height link in a young black walnut plantation. *Great Lakes Entomologist*, 24: 21–25.

- Rivera, A.C. & Carbone, S.S. 2000. The effect of three species of *Eucalyptus* on growth and fecundity of the *Eucalyptus* snout beetle (*Gonipterus scutellatus*). *Forestry*, 73(1): 21–29.
- Roberts, H. 1969. *Forest insects of Nigeria with notes on their biology and distribution*. Paper No. 44. Oxford, UK, Commonwealth Forestry Institute.
- Roy, D.F. 1966. Silvical characteristics of Monterey pine (*Pinus radiata* D. Don). USDA Forest Service, Research Paper PSW-31. Berkeley, California, USA, Pacific Southwest Forest and Range Experiment Station.
- Ruskin, F.R. 1983. *Firewood crops. Shrub and tree species for energy production*. Volume 2. Washington, DC, USA, National Academy of Sciences.
- Sands, D.P.A. & Murphy, S.T. 2001. Prospects for biological control of *Hypsipyla* spp. with insect agents. In R.B. Floyd & C. Hauxwell, eds., *Hypsipyla shoot borers in Meliaceae. Proceedings of an international workshop*, Kandy, Sri Lanka, 20–23 August 1996, pp. 121–130. ACIAR Proceedings No. 97. Canberra, Australia, Australian Centre for International Agricultural Research (ACIAR).
- Savill, P.S. 1991. *The silviculture of trees used in British forestry*. Wallingford, UK, CAB International.
- Schlesinger, R.C. & Funk, D.T. 1977. *Manager's handbook for black walnut*. USDA Forest Service General Technical Report, No. NC-38. St. Paul, Minnesota, USA, North Central Forest Experiment Station.
- Schmidt, G.H., Mirchev P. & Tsankov, G. 1997. The egg parasitoids of *Thaumetopoea pityocampa* in the Atlas Mountains near Marrakech (Morocco). *Phytoparasitica*, 25(4): 275–281.
- Schwerdtfeger, F. 1981. *Die Waldkrankheiten. Ein Lehrbuch der Forstpathologie und des Forstschutzes*. Hamburg, German Federal Republic, Verlag Paul Parey. (4th ed. rev.)
- Scott, C.W. 1960. *Pinus radiata*. FAO Forest & Forest Product Studies No. 14. Rome, FAO.
- Seaby, D.A. & Mowat, D.J. 1993. Growth changes in 20-year-old Sitka spruce *Picea sitchensis* after attack by the green spruce aphid *Elatobium abietinum*. *Forestry*, 66: 371–379.
- Sen Sarma, P.K. & Thapa, R.S. 1981. Recent advances in forest entomology in India. In T.N., Ananthkrishnan, ed. *Recent Advances in Entomology in India*, pp. 21–36. Madras, India, Entomology Research Institute, Loyola College.
- Sharma, J.K. 1994. *Pathological investigations in forest nurseries and plantations in Vietnam*. Final Report VIE/92/022. Hanoi, Viet Nam, FAO.
- Sharma, J.K. & Mohanan, C. 1991. Epidemiology and control of diseases of *Eucalyptus* caused by *Cylindrocladium* spp. in Kerala. KFRI Research Report 70. Peechi, Kerala, Forest Research Institute.
- Sharma, J.K., Mohanan, C. & Florence, E.J.M. 1985. *Disease survey in nurseries and plantations of forest tree species grown in Kerala*. KFRI Research Report 36. Peechi, Kerala, Forest Research Institute.
- Shi, J. 2005. *Bursaphelenchus xylophilus* M-type (have mucros); R-type (no mucros). NAFC-ExFor Pest Report. (available at: [www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=169&langdisplay=english](http://www.spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=169&langdisplay=english))
- Sinclair, W.A. & Lyon, H.H. 2005. *Diseases of trees and shrubs*. Ithaca, New York, USA, Cornell University Press.
- Slippers, B., Crous, P.W., Denman, S., Coutinho, T.A., Wingfield, B.D. & Wingfield, M.J. 2004. Combined multiple gene genealogies and phenotypic characters differentiate several species previously identified as *Botryosphaeria dothidea*. *Mycologia*, 96(1): 83–101.
- Slippers, B., Johnson, G.I., Crous, P.W., Coutinho, T.A., Wingfield, B.D. & Wingfield, M.J. 2005. Phylogenetic and morphological re-evaluation of the *Botryosphaeria* species causing diseases of *Mangifera indica*. *Mycologia*, 97(1): 99–110.
- Smith, R.H. 1971. *Red turpentine beetle*. Forest Pest Leaflet 55. USDA Forest Service, (available at: [www.barkbeetles.org/rtb/rtbFIDL55.htm](http://www.barkbeetles.org/rtb/rtbFIDL55.htm))
- Sniezko, R.A. 2006. Resistance breeding against nonnative pathogens in forest trees – current successes in North America. *Canadian Journal of Plant Pathology*, 28: S270–S279.

- Spaulding, P.** 1961. *Foreign diseases of forest trees of the world. An annotated list.* USDA Agriculture Handbook 197. Washington, DC, USA, USDA.
- Stone, C. & Bacon, P.E.** 1995. Leaf dynamics and insect herbivory in a *Eucalyptus camaldulensis* forest under moisture stress. *Australian Journal of Ecology*, 20: 473–481.
- Storer, A.J., Gordon, T.R., Wood, D.L. & Bonello, P.** 1997. Pitch canker disease of pines: current and future impacts. *Journal of Forestry*, 95: 21–26.
- Straw, N.A.** 1995. Climate change and the impact of green spruce aphid, *Elatobium abietinum* (Walker), in the UK. *Scottish Forestry*, 49: 14–145.
- Styles, B.T.** 1981. Swietenioideae. In *Flora Neotropica Monograph* No. 28: Meliaceae. Bronx, New York, USA, New York Botanical Garden.
- Sudheendrakumar, V.V., Ali, M.I.M. & Varma, R.V.** 1988. Nuclear Polyhedrosis Virus of the teak defoliator *Hyblaea puera*. *Journal of Invertebrate Pathology*, 51: 307–308.
- Suharti, M. & Hadi, S.** 1974. *Wilt disease of Dalbergia latifolia in Malang forest district, E. Java.* Laporan, Lembaga Penelitian Hutan [Report, Forest Research Institute] 194.
- Sun, J.-H., Clarke, S.R., Kang, L. & Wang, H.-B.** 2005. Field trials of potential attractants and inhibitors for pine shoot beetles in the Yunnan Province, China. *Annals of Forest Science*, 62: 9–12.
- Sutherland, J.R. & van Eerden, E.** 1980. Diseases and insect pests in British Columbia forest nurseries. Joint Report No. 12. Victoria, Canada, British Columbia, Ministry of Forests and Canadian Forestry Service.
- Swedish Forest Agency.** 2007. *The Swedish forest. A compilation of facts on forests, forestry and the forest industries in Sweden*, Jönköping, Sweden.
- Tewari, D.N.** 1992. *A monograph on teak (Tectona grandis Linn. f.)*. Dehra Dun, India, International Book Distributors.
- Thatcher, R.C. & Barry, P.J.** 1982. Southern pine beetle. Forest Insect & Disease Leaflet 49. USDA Forest Service. (available at: [www.barkbeetles.org/spb/SPBFIDL49.htm](http://www.barkbeetles.org/spb/SPBFIDL49.htm))
- Thomas, C.S. & Hart, J.H.** 1986. Relationship between year of infection, tree age, tree growth, and Nectria canker of black walnut in Michigan. *Plant Disease*, 70: 1121–4.
- Thomas, D.F.** 2005. Invasive species in the United States of America 2003. In P. McKenzie, C. Brown, S. Jianghua & W. Jian, eds. *The unwelcome guests. Proceedings of the Asia-Pacific Forest Invasive Species Conference*, Kunming, Yunnan Province, China, 17–23 August 2003. Bangkok, Thailand, FAO.
- Tkacz, B., Moody, B. & Villa Castillo, J.** 2007. Forest health status in North America. *The Scientific World Journal*, 7(S1): 28–36.
- Tree Protection Co-operative Programme (TPCP).** 2002a. *Botryosphaeria canker and dieback of Eucalyptus*. TPCP Pamphlet. (available at: [www.fabinet.up.ac.za/tpcp/pamphlets/pdf/botryosphaeria.pdf](http://www.fabinet.up.ac.za/tpcp/pamphlets/pdf/botryosphaeria.pdf))
- TPCP.** 2002b. *Cryphonectria canker of Eucalyptus*. TPCP Pamphlet. (available at: [www.fabinet.up.ac.za/tpcp/pamphlets/pdf/cryphonectria.pdf](http://www.fabinet.up.ac.za/tpcp/pamphlets/pdf/cryphonectria.pdf))
- TPCP.** 2005. Pest alert. Blue gum chalcid. *Tree Protection News*, 10: 13. (available at: [www.fabinet.up.ac.za/tpcp/Leptocybe\\_alert](http://www.fabinet.up.ac.za/tpcp/Leptocybe_alert))
- TPCP.** *Sirex woodwasp*. TPCP Pamphlet, prepared by B.P. Hurley. (available at: [www.fabinet.up.ac.za/tpcp/pamphlets/pdf/sirex.pdf](http://www.fabinet.up.ac.za/tpcp/pamphlets/pdf/sirex.pdf))
- Troup, R.S.** 1921. *The Silviculture of Indian trees*. Vol. II. Oxford, UK, Oxford University Press.
- Troup, R.S. & Joshi, H.B.** 1983. *Troup's The Silviculture of Indian Trees*. Vol. IV. *Leguminosae*. Delhi, India, Controller of Publications.
- Unger, L.S.** 1993. *Mountain pine beetle*. Forest Pest Leaflet 76. NRC, CFS, Victoria, British Columbia, Canada. (available at: [warehouse.pfc.forestry.ca/pfc/3315.pdf](http://warehouse.pfc.forestry.ca/pfc/3315.pdf))
- United Kingdom (UK) Forestry Commission.** *Oak processionary moth* *Thaumetopoea processionea* (*Notodontoidea Thaumetopoeidae*). Tree Pest Advisory Note. Farnham, Surrey, Forest Research, UK Forestry Commission.
- United Kingdom (UK) Forestry Commission.** 2008. *Phytophthora kernoviae*, Plant health Web site. Available at: [www.forestry.gov.uk/forestry/infd-66jlg](http://www.forestry.gov.uk/forestry/infd-66jlg)

- United Nations Economic Commission for Europe (UNECE) Timber Committee. Storm damage overview Web site. Available at: [www.unece.org/trade/timber/storm/storm.htm](http://www.unece.org/trade/timber/storm/storm.htm).
- United States Department of Agriculture-Animal and Plant Health Inspection Service (USDA-APHIS). 2007. *Organism pest risk analysis: risks to the conterminous United States associated with the woodwasp, Sirex noctilio Fabricius, and the symbiotic fungus, Amylostereum areolatum (Fries: Fries) Boidin*.
- USDA Forest Service. 1989. *Insects and diseases of trees in the South*. Forest Health Protection, R8-PR16.
- University of California. 2000. *Pest notes: Eucalyptus longhorned borers* by T.D. Paine, J.G. Millar & S.H. Dreistadt, UC ANR Publication 7425. University of California, Division of Agriculture and Natural Resources. (available at: [www.ipm.ucdavis.edu/PDF/PESTNOTES/pneucalyptuslonghornedborer.pdf](http://www.ipm.ucdavis.edu/PDF/PESTNOTES/pneucalyptuslonghornedborer.pdf))
- University of Illinois Extension. 2000. *Armillaria root rot of trees and shrubs*. Report on Plant Disease (RPD) No. 602. Chicago, Illinois, USA; Chicago, College of Agricultural, Consumer and Environmental Sciences, University of Illinois (available at: [web.aces.uiuc.edu/vista/pdf\\_pubs/602.pdf](http://web.aces.uiuc.edu/vista/pdf_pubs/602.pdf))
- van Kraayenoord, C.W.S. 1959. The Chilean or semi-evergreen Lombardy poplar. *Farm For. Wellington*, 1: 88–99.
- van Sambeek, J.W. & Schlesinger, R.C. 1988. Twig and stem borers. In L.E. Burde, ed. *Walnut Notes*. St. Paul, Minnesota, USA, North Central Forest Experiment Station, USDA.
- Varma, R.V. 1991. White grub damage and its control in teak nurseries. *Proceedings International Teak Symposium*. Trivandrum, India.
- Vega Gonzalez, L.E. 1987. Growth of *Cedrela odorata* managed within a secondary shrub vegetation or in initial association with agricultural crops. CONIF-Informa No. 10. San Jose de Guaviare, Colombia.
- Vega, J.M., Moneo, I., Armentia, A., Fernández, A., Vega, J., de la Fuente, R., Sánchez, P. & Sanchís, M.E. 1999. Allergy to the pine processionary caterpillar (*Thaumetopoea pityocampa*). *Clinical and Experimental Allergy*, 29: 1418–1423.
- Veldmann, G. 1978. *Einfluß biotischer Schadfaktoren auf das Gelingen von Buchen-Naturverjüngungen*. Dresden, Germany, Dissertation Technische Universität Dresden.
- Vietto, L. & Giorcelli, A. 1996. Il punto sulla defogliazione primaverile del pioppo. *Sherwood-Foreste ed Alberi Oggi*, 2: 43–49.
- Vité, J.P., Lühl, R., Hughes, P.R. & Renwick, J.A.A. 1975. Pine bark beetles of the genus *Dendroctonus*: pest problems in Central America. *FAO Plant Protection Bulletin*, 23: 178–184.
- Wagner, M.R., Atuahene, S.K.N. & Cobbinah, J.R. 1991. Forest entomology in West Tropical Africa: forest insects of Ghana. *Series Entomologica*, 47.
- Walker, K. 2006. Sirex woodwasp (*Sirex noctilio*) Pest and Diseases Image Library. (available at: [www.padil.gov.au](http://www.padil.gov.au))
- Wallner, W. 1997. Global gypsy: the moth that gets around. In K.O. Britton, ed. *Proceedings of the Conference on Exotic Pests of Eastern Forests*, April 8–10 1997. Nashville, Tennessee, USA, Tennessee Exotic Pest Plant Council/USDA Forest Service.
- Wallner, W.E. 1996. Invasive pests (biological pollutants) and US forests: whose problem, who pays? *EPPO Bulletin*, 26: 167–180.
- Wallner, W.E. 2000a. *Lymantria dispar*. NAFC-ExFor Pest Report. (available at: [www.spfnc.fs.fed.us/exfor/data/pestreports.cfm?pestidval=11&langdisplay=english](http://www.spfnc.fs.fed.us/exfor/data/pestreports.cfm?pestidval=11&langdisplay=english))
- Wallner, W.E. 2000b. *Lymantria monacha*. NAFC-ExFor Pest Report. (available at: [www.spfnc.fs.fed.us/exfor/data/pestreports.cfm?pestidval=7&langdisplay=english](http://www.spfnc.fs.fed.us/exfor/data/pestreports.cfm?pestidval=7&langdisplay=english))
- Warkentin, D.L., Overhulser, D.L., Gara, R.I. & Hinckley, T.M. 1992. Relationships between weather patterns, Sitka spruce (*Picea sitchensis*) stress, and possible tip weevil (*Pissodes strobi*) infestation levels. *Canadian Journal of Forest Research*, 22: 667–673.
- Watson, G.W., Voegtlin, D.J., Murphy, S.T. & Footitt, R.G. 1999. Biogeography of the *Cinara cupressi* complex (Homoptera: Aphididae) on cupressaceae, with description of a pest species introduced into Africa. *Bulletin of Entomological Research*, 89(3): 271–283.

- Weber, B.C. 1988. Walnut caterpillars and other defoliators. In L.E. Burde, ed. *Walnut Notes*. St. Paul, Minnesota, USA, North Central Forest Experiment Station, USDA.
- Weilun, Y. & Wen, L. 2005. *Review of tree selection and afforestation for control of Asian longhorned beetle in North China*. Forest Health & Biosecurity Working Papers FBS/7E. Rome, FAO.
- Westfall, J. & Ebata, T. 2008. 2007 summary of forest health conditions in British Columbia. Pest Management Report Number 15. Victoria, British Columbia, Canada, British Columbia Ministry of Forests and Range, Forest Practices Branch.
- White, K.J. 1991. *Teak: some aspects of research and development*. RAPA Publication No. 17. Bangkok, Thailand, RAPA, FAO.
- Williams, R.E., Shaw III, C.G., Wargo, P.M. & Sites, W.H. 1986. *Armillaria root disease*. Forest Insect & Disease Leaflet 78. USDA Forest Service. (available at: [www.na.fs.fed.us/spfo/pubs/fidls/armillaria/armillaria.htm](http://www.na.fs.fed.us/spfo/pubs/fidls/armillaria/armillaria.htm))
- Wood, S.L. 1982. The bark and ambrosia beetles of North and Central America (Coleoptera: Scolytidae), a taxonomic monograph. *Great Basin Naturalist Memoirs*, 6.
- Wylie, F.R. 2001. Control of *Hypsipyla* spp. shoot borers with chemical pesticides: a review. In R.B. Floyd & C. Hauxwell, eds., *Hypsipyla shoot borers in Meliaceae. Proceedings of an international workshop*, Kandy, Sri Lanka 20–23 August 1996, pp. 109–115. ACIAR Proceedings No. 97. Canberra, Australia, Australian Centre for International Agricultural Research (ACIAR).
- Yan, Z., Sun, J., Don, O. & Zhang, Z. 2005. The red turpentine beetle, *Dendroctonus valens* LeConte (Scolytidae): an exotic invasive pest of pine in China. *Biodiversity and Conservation*, 14(7): 1735–1760.
- Yang, Y.Q. & Li, J.S. 1982. *Control of pests and diseases in forests*. Henan, China, Henan Science and Technology Press.
- Yang, Y.Q., Zhou, Y.J. & Gao, G.Y. 1975. Preliminary investigation on insect pests and diseases of Paulownia in Henan Province. *Bulletin of Science Technology of Henan Agriculture College*, 1: 1–5.
- Zhu, Z.H., Chao, C.J., Lu, X.Y. & Xiong, Y.G. 1986. *Paulownia in China: cultivation and utilization*. Singapore, Asian Network for Biological Sciences.

