

12 REFERENCES

- Abramowich and Stegun, I., 1966.** *Handbook of mathematical functions*. Oxford, Dover Books.
- Addison, J.T., 1989.** Annex 2 of the Report of the Working Group on Nephrops stocks. ICES CM 1989/Assess:18.
- Beverton, R.J.H. and Holt, S., 1957.** On the Dynamics of Exploited fish populations. *UK Minist. Agric. Fish. Food. Fish. Invest. (Ser. 2)* 19:533p.
- Beyer, J.E. and Lassen, H., 1994.** The effect of size-selective mortality on the size-at-age of Baltic herring. *DANA* 10. 203-234
- Bhattacharya, C.G., 1967.** A simple method of resolution of a distribution into Gaussian components. *Biometrics* 23:115-135
- Caddy, J.F. and Mahon, R., 1995.** Reference points for fish stock assessment. *FAO Fish. Tech. Pap.* 347. (plus errata sheet).
- Chatfield, C., 1984.** *The analysis of Time Series: An Introduction*. London, Chapman and Hall.
- Chen Y., Jackson, D.A. and Paloheimo, J. E., 1994.** Robust regression analysis of fisheries data. *Can. J. Fish. Aquat. Sci.* 51:1420-1429.
- Chen, Y. and Paloheimo, J. E., 1995.** A robust regression analysis of recruitment in fisheries. *Can. J. Fish. Aquat. Sci.* 52:993-1006
- Christensen, V. and Pauly, D., 1992.** ECOPATH II - A software for balancing steady-state models and calculating network characteristics. *Ecol. Modelling* 61:169-185.
- Conser, R., 1993.** A brief history of ADAPT. *Northw. Atl. Fish. Org. Sci. Coun. Studies* 17:83-87
- Cook, R. M., Sinclair, A. and Stefansson, G., 1997.** Potential collapse of North Sea cod stocks. *Nature* 385(6616):521-522.
- Cushing, D., 1981.** *Fisheries Biology: a study in population dynamics*. (2nd ed.) Madison, Univ. Wisconsin Press.
- Darby, C.D. and Flatman, S., 1994.** Virtual Population Analysis: Version 3.1 (Windows/DOS), User Guide. *Inf. Techn. Ser., MAFF Direct. Fish. Res., Lowestoft* (1): 85 p.
- Deriso, R.B., 1980.** Harvesting strategies and parameter estimation for an age structured model. *Can. J. Fish. Aquat. Sci.* 37:268-282
- Deriso, R.B., Quinn II, T.J. and Neal, P.R., 1985.** Catch-age analysis with auxiliary information. *Can. J. Fish. Aquat. Sci.* 42:815-824
- Diggle, P.J., 1990.** *Time Series, A Biostatistical Introduction*. Oxford, Clarendon Press.
- Doubleday, W.G., 1976.** A least squares approach to analyzing catch at age data. *Res. Bull. Int. Comm. NW Atl. Fish.* 12: 69-81.
- Efron, B. and Tibshirani, R., 1993.** *An introduction to the bootstrap*. London, Chapman & Hall.
- Elliott, J. M., 1983.** Some methods for the statistical analysis of samples of benthic invertebrates. *Sci. Publ. Freshwat. Biol. Assoc., Ambleside U.K.* 25 :144p.

- Fournier, D.A., Sibert, J.R., Majkowski, J. and Hampton, J., 1990.** MULTIFAN: a likelihood-based method for estimating growth parameters and age composition from multiple length frequency data illustrated using data from southern bluefin tuna (*Thunnus maccoyii*). *Can. J. Fish. Aquat. Sci.* 47:301-317.
- Fry, F.E.J., 1949.** Statistics of a lake trout fishery. *Biometrics* 5:27-67.
- Gallucci, V.F., Saila, S.B., Gustafson, J. and Rothschild, B.J., 1996.** *Stock assessment: quantitative methods and applications for small/scale fisheries.* CRC Press. Lewis Publishers.
- Gavaris, S., 1988.** An adaptive framework for the estimation of population size. *CAFSAC Res. Doc.* 88/129 (mimeo)
- Gayanilo, Jr., F.C., Sparre, P. and Pauly, D., 1996.** The FAO-ICLARM stock assessment tools (FiSAT). User's manual. *FAO Computerised Information Series (Fisheries)* No. 8
- Gulland, J.A., 1965.** Estimation of mortality rates. Annex to Arctic fisheries working group report ICES C.M. Doc. 3 (mimeo)
- Halliday, R.G. and Pinhorn, A.T., 1996.** North Atlantic fishery management systems: A comparison of management methods and resource trends. *J. Northwest Atl. Fish. Sci.* 20: 3-135.
- Harding, J.P., 1949.** The use of probability paper for the graphical analysis of polymodal frequency distributions. *J. Mar. Biol. Assoc. U.K.* 28:141-153.
- Hasselblad, V. and Tomlinson, P.K., 1971.** NORMSEP. Normal distribution separator. In: N.J. Abramson (Comp.), Computer programs for fish stock assessment. *FAO. Fish. Tech. Pap.* 101:11(1)2.1-11(1)2.10
- Hilborn, R. and Walters, C.J., 1992.** *Quantitative fisheries stock assessment.* New York, Chapman and Hall. 570p. (with programs on diskette).
- Hoening, J.M. and Heisey, D.M., 1987.** Use of a log-linear model with the EM algorithm to correct estimates of stock composition and to convert length to age. *Trans. Am. Fish. Soc.* 116(2): 232-243.
- Holden, M.J. and Raitt, D.F.S. (eds.), 1974.** Manual of fisheries science. Part 2. Methods of resource investigations and their application. *FAO Fish. Tech. Pap.* 115 Rev.1:214 p. Issued also in French and Spanish.
- ICES, 1995a.** Report of the Working Group on Methods of Fish Stock Assessment. Copenhagen, *ICES Coop. Res. Rep.* 199.
- ICES, 1995b.** Guidance to assessment working groups from ACFM and the Secretariat. Copenhagen, ICES, 29 pp.
- ICES, 1997.** Report of the Comprehensive Fishery Evaluation Working Group. CM 1997/Assess:15 (Mimeo).
- ICES, 1998.** Report of the Study Group on the Precautionary Approach to Fisheries Management. CM. 1998/ACFM:10/REF:D (Mimeo).
- Jones, R., 1984.** Assessing the effects of changes in exploitation pattern using length composition data (with notes on VPA and cohort analysis) *FAO Fish. Tech. Pap.* 256:118p..
- Jones, R. and Van Zalinge, N.P., 1981.** Estimates of mortality rate and population size for shrimp in Kuwait waters. *Kuwait Bull. Mar. Sci.*,2:273-288

- Kendall, M.G. and Stuart, A., 1977.** *The advanced theory of statistics*. New York, Hafner.
- Kimura, D.K., 1981.** Standardised measures of relative abundance based on modelling log(CPUE), and their application to Pacific Ocean perch (*Sebastes alutus*). *J. Cons. Int. Explor. Mer*, 37:130-136.
- King, M., 1995.** *Fisheries Biology, Assessment and Management*. Oxford, UK, Fishing News Books. Blackwell Science Ltd.
- Large, P.A., 1992.** Use of a multiplicative model to estimate relative abundance from commercial CPUE data. *ICES J. Mar. Sci.*, 49:253-261.
- Lassen, H., 1983.** Estimation of stock size and fishing mortality when data on catches and on stock abundance are available. ICES C.M. 1984/D:16 (mimeo).
- Lassen, H., 1988.** Splitting length distributions into peaks and the clean class concept. *ICLARM Fishbyte* 6(1): 11-14.
- Lehmann, E. L., 1983.** *Theory of point estimation*. New York, J. Wiley & Sons.
- Lewy, P. and Lassen, H., 1997.** Should total landings be used to correct estimated catch in numbers or in mean weight at age ? *ICES J. Mar. Sci.* 54.
- MacCall, A. D., 1986.** Virtual Population Analysis for non-homogeneous populations and a family of approximations including improvements on Pope's Cohort Analysis. *Can J. Fish. Aquat. Sci.* 43:2406-2409.
- MacDonald, P.D.M. and Pitcher, T.J., 1979.** Age-groups from size frequency data: a versatile and efficient method of analysing distribution mixtures. *Can J. Fish. Aquat. Sci.* 36:987-1001.
- Magnusson, K., 1995.** An overview of the multispecies VPA - theory and applications. *Rev. Fish Biol. Fish.* 5:195-212.
- Manly, B.F.J., 1996.** *Randomization, bootstrap and Monte Carlo methods in biology*. (2nd ed.) London, Chapman & Hall.
- McCullagh, P. and Nelder, J.A., 1983.** *Generalized Linear Models*. London, Chapman and Hall.
- Megrey, B. A., 1989.** Review and comparison of age-structured stock assessment models from theoretical and applied points of view. *American Fisheries Society Symposium* 6: 8-48.
- Mesnil, B., 1989.** Computer programs for fish stock assessment. ANACO: Software for the analysis of catch data by age group on IBM PC and compatibles. *FAO Fish. Tech. Pap.* (101) Suppl. 3:73 p. (with programs on diskettes, also issued in French in 1988)
- Method, R. D., 1990.** Synthesis Model: An Adaptable framework for analysis of diverse stock assessment data. *Int. North Pacific Fish. Comm. Bull.* 50: 259-269
- Mohn, R.K., 1993.** Bootstrap estimates of ADAPT parameters, their projection in risk analysis and their retrospective patterns pp. 173-184. In: Smith S.J., Hunt, J.J. and Rivard, D. (eds.). Risk evaluation and biological reference points for fisheries management. *Can Spec. Publ. Fish. Aquat. Sci.* 120;442p.
- Mohn, R.K. and Cook, R., 1993.** Introduction to Sequential Population Analysis. *NAFO Sci. Council Studies* 17.

- Pascoe, S. and Robinson, C., 1996.** Measuring changes in technical efficiency over time using catch and stock information. *Fish. Res.* 28:305-319
- Patterson, K.R., 1998a.** Integrated Catch at Age Analysis Version 1.4. ICA and ICP User's Manual. FRS Marine Laboratory P.O. Box 101. Victoria Road, Aberdeen AB11 9DB, UK, 78p.
- Patterson, K.R. 1998b.** Assessing fish stock when catches are misreported: model, simulation tests, and application to cod, haddock, and whiting in the ICES area. *ICES J. Mar. Sci.* 55(5): 878-891.
- Patterson, K.R. and Melvin, G. 1995.** Integrated catch at age analysis, Version 1.2. *Scottish Fisheries Research Report* 58:60p.
- Pauly, D., 1987.** A review of the ELEFAN system for analysis of length frequency data in fish and aquatic invertebrates. *ICLARM Conf. Proc.* 13:7-34
- Pennington, M., 1983.** Efficient Estimators of abundance, for fish and plankton surveys. *Biometrics* 39:281-286.
- Pennington, M., 1986.** Some statistical techniques for estimating abundance indices from trawl surveys. *Fish. Bull.* 84:519-526.
- Pope, J.G., 1972.** An investigation in the accuracy of the Virtual Population Analysis using cohort analysis. *Res. Bull. Int. Comm. NW Atlantic Fish.* 9:65-74
- Pope, J.G. and Shepherd, J.G., 1982.** A simple method for the consistent interpretation of catch-at-age data. *J. Cons. int. Explor. Mer,* 40: 176-184.
- Press, W.H., Flannery, B.P., Teukolsky, S.A. and Vetterling, W.T., 1989.** *Numerical recipes in Pascal. The art of scientific computing.* Cambridge, Mass., Cambridge University Press.
- Punt, A. E. and Hilborn, R., 1996.** Biomass dynamic models. User's manual. *FAO computerized Information Series (Fisheries)* 10:62 p.
- Punt, A.E. and Hilborn, R. 1997.** Fisheries stock assessment and decision analysis: The Bayesian approach. *Rev. Fish. Biol. Fish.* 7: 35-63.
- Ricker, W. E., 1954.** Stock and recruitment. *J.Fish. Res. Board Can.* 11:559-623
- Ricker, W.E., 1975.** Computation and interpretation of biological statistics of fish populations. *Bull. Fish. Res. Board Can.* 191:382p.
- Rijndorp, A.D., 1993.** Fisheries as large scale experiments on life-history evolution: disentangling phenotypic and genetic effects in changes in maturation and reproduction of North Sea Plaice, *Pleuronectes platessa* L., *Oecologia* 96:391-401
- Rivard, D., 1983.** APL programs for stock assessment (revised). *Can Tech. Rep. Fish. Quat. Sci.* 1091:146p.
- SAS, 1993.** Statistics User Guide. Version 6. Cary, NC, SAS Institute Inc.
- Schnute J., 1985.** A General Theory for Analysis of Catch and Effort Data. *Can J. Fish. Aquat. Sci.* 42:414-429
- Serchuk, F.M., Kirkegaard, E. and Daan, N., 1996.** Status and trends of the major roundfish, flatfish, and pelagic fish stocks in the North Sea: thirty-year overview. ICES International Symposium on Changes in the North Sea Ecosystem and Their Causes: Aarhus 1975. London, UK Academic Press. *ICES Mar. Sci. Symp.* 203.

- Shepherd, J. G., 1983.** A versatile new stock-recruitment relationship for fisheries, and the construction of sustainable yield curves. *J. Cons. Int. Explor. Mer.* 40(1)
- Shepherd, J.G., 1987.** Towards a method for short-term forecasting of catch rates based on length compositions. In: Pauly, D. and Morgan, G.R. (eds.) Length Based Methods in Fisheries Research. Proceedings of the International Conference on the Theory and Application of Length Based Methods for Stock Assessment. 11-16 February 1985 Mazzara Del Vallo, Italy vol. 13 pp. 167-176
- Shepherd, J.G., 1991.** Simple methods for short term forecasting of catch and biomass. *ICES J. Mar. Sci.* 48:67-78
- Shepherd, J.G., 1999.** Extended survivors analysis: an improved method for the analysis of catch-at-age data and abundance indices. *ICES J. Mar. Sci.* 56: 584-591.
- Sparre, P., 1991.** Introduction to multispecies virtual population analysis. *ICES mar. Sci. Symp.*, 193:12-21.
- Sparre, P. and Venema, S.C., 1998.** Introduction to tropical fish stock assessment, Part 1 – Manual. *FAO Fish Tech. Pap.* 306/1 (Rev.2): 407p.
- Squires, D., 1994.** Sources of growth in marine fishing industries. *Marine Policy*, 18:5-18.
- Stefansson, G., 1997.** Notes on the dynamics of fish populations.pp. 5-67. In: Nygård, K. and Lassen, H. (eds). Fish stock assessment methods – VPA and management strategies. A report from the North Atlantic Network for Fisheries Research Laboratories. Copenhagen, Nordic Council of Ministers. Tema Nord 1997, 557:105p.
- Tanaka, S., 1956.** A method for analyzing the polymodal frequency distribution and its application to the length distribution of porgy, *Taitus tumifrons* (T. & S.). *Bull. Tokai Reg. Res. Lab.* 14:1-12
- Taylor, C.C., 1953.** Nature of variability in trawl catches. *Fishery Bull. Fish Wildl. Serv. U.S.* 54: 145-166.
- Vetter, E.F., 1988.** Estimation of natural mortality in fish stocks: A review. *Fishery Bulletin* 86 (1): 25-43.
- Virtala, M. Kuikka, S. and Arjas, E., 1998.** Stochastic virtual population analysis. *ICES J. Mar. Sci.* 55: 892-904.
- Walters, C.J. and Punt, A.E., 1994.** Placing odds on sustainable catch using virtual population analysis and survey data. *Can. J. Fish. Aquat. Sci.* 51:946-58.