

21 REFERENCES

- Alió, J.J., Boada, M., Granadillo, L., Altuve, D., Briceño, L., Marcano, J. and Tineo, N., 1990. Disponibilidad de postlarvas de camarones peneidos en la región oriental de Venezuela. Informe Técnico. FONAIAP, Cumaná, Venezuela.
- Alió, J.J., Die, D., Ferreira, L., Gooriesingh, K., Kuruvilla, S., Maharaj, L., Marcano, L., Ramnarine, I. and Richardson-Drakes, A., 1999. *Penaeus subtilis* stock within the Orinoco and Gulf of Paria region. 153-167
- Alió, J.J., Marcano, L., Páez J.C., Altuve, D.E. and Ehrhardt, N.M, 1999. Evaluation of the white shrimp (*Penaeus schmitti*) stock within the Orinoco delta and Gulf of Paria region. *FAO Fish. Rep. No. 600*: 141-152
- Alio, J.J., Marcano, L., Soomai, S., Phillips, T., Altuve, D., Die, D. and Cochrane, K., 1999. Analysis of industrial trawl and artisanal fisheries of whitemouth croaker, *Micropogonias furnieri*, of Venezuela and Trinidad and Tobago in the Gulf of Paria and Orinoco River Delta. *FAO Fish. Rep. No. 628:xxx-xxx*. (This document)
- Altuve, D. E., Alió, J. J. and Marcano, L. A., 1995. Preliminary results on the artisanal fishery of penaeid shrimps in the northeastern coast of the Gulf of Paria, Venezuela. Third Workshop on the biological and economical modelling of the shrimp resources on the Guyana-Brazil shelf. Paramaribo, Suriname, June, 1992. *FAO Fish. Rep. No. 526 (Supplement)*:128-188.
- Altuve, D.E.; Alvarez, R., Majaraj, L., Páez, J.C., Ehrhardt, N., Marcano, L. and Alió, J.J., 1998. Analysis of industrial and artisanal trawl fisheries of white srhimp, *Penaeus schmitti*, of the Gulf of Paria and Atlantic margin of Venezuela. Preliminary results. CFRAMP/FAO/DANIDA II Stock Assessment Workshop on the Shrimp and Groundfish Resources of the Guianas – Brazil shelf. Liliendaal, Guyana, May, 18-29, 1998.
- Alvarez, R.; D.E. Altuve; J.J. Alió; L.A. Marcano; K. Cochrane and M Tandstad, 1998. *Micropogonias furnieri* within the Orinoco and the Gulf of Paria region. Second CFRAMP and FAO/DANIDA Project Stock Assessment Workshop on the Shrimp and Groundfish Fishery on the Guianas – Brazil shelf, Liliendaal, Guyana, May 1998.
- Anderson, L.G., 1975. Analysis of open-access commercial exploitation and maximum economic yield in biologically and technologically interdependent fisheries. *J. Fish. Res. Bd. Can.* 32: 1825-1842.
- Aquatic Biological Consultancy Service Limited,.1983. Shrimp and fish resources of the Cooperative Republic of Guyana. Volume 1.
- Aragão, J.A N.; Silva, K. C. A; Die, D., 1998. Stock assessment of the industrial pink shrimp (*Penaeus subtilis*) fishery in Northern Brazil, using biodynamics models. In press
- Baranov, F.I., 1918. On the question of the biological basis of fisheries. *Nauchn. Issled. Ikhtiol. Inst. Izv.*, 1:81-128 (in Russian)
- Barbieri, L.R., Chittenden, M.E. and Jones, C.M., 1994. Age, growth and mortality of Atlantic croaker, *Micropogonias undulatus*, in the Chesapeake Bay region, with a discussion of apparent geographic changes in population dynamics. *Fishery Bull.*, Washington. 92: 1-12.
- Beckley, L.E. and Fennessy, S.T., 1996. The beach-seine fishery off Durban, KwaZulu-Natal. *S. Afr. J. Zool.* 31: 186-192.
- Beckman, D.W., Stanley, A.L, Render, J.H. and Wilson, C.A., 1990. Age and growth of black drum in Louisiana waters of the Gulf of Mexico. *Trans. Am. Fish. Soc.* 119: 537-544.

- Beckman, D.W., Wilson, C.A. and Stanley, A.L., 1989.** Age and growth of red drum, *Sciaenops ocellatus*, from offshore waters of the northern Gulf of Mexico. *Fishery Bull.* 87: 17-28.
- Beverton, R.J.H. and Holt, S.J., 1956.** The theory of fishing. *In: Sea fisheries: Their Investigation in the United Kingdom. Edited by M. Graham, Arnold, London.* pp. 561-441.
- Beverton R.J.H. and Holt, S.J., 1957.** On the dynamics of exploited fish populations. *Fish. Invest. Min. Agri., Fish. and Food (GB). Ser. II. 19.* 533 pp.
- Bianchi, G., 1992.** Demersal assemblages of tropical continental shelves. Thesis: University of Bergen, Bergen, Norway. 217p.
- Blay, J. and Asabere-Ameyaw, A., 1993.** Assessment of the fishery of a stunted population of the cichlid, *Sarotherodon melanotheron* (Rüppel), in a "closed" lagoon in Ghana. *J. Appl. Ichthyol.* 9: 1-11.
- Booth, J A., 1999.** An introduction to multifishery-multispecies per-recruit modelling that incorporates parameter variability into the assessment framework. Department of Ichthyology and Fisheries Science, Rhodes University, South Africa. 9p
- Booth A.J. and Buxton C.D., 1997.** Management of the panga *Pterogymnus lanarius* (Pisces: Sparidae) on the Agulhas Bank, South Africa using per-recruit models. *Fish. Res.* 32: 1-11.
- Booth, A.J. and Punt, A.E., 1998.** Evidence for rebuilding in the panga stock on the Agulhas Bank, South Africa. *Fish. Res.* 34: 403-421.
- Buckland, S.T., 1984.** Monte Carlo confidence intervals. *Biometrics* 40: 811-817.
- Butterworth, D.S., De Oliveira, J.A.A. and Cochrane, K.L., 1993.** Current initiatives in refining the management procedure for the South African anchovy resource. Proceedings of the International Symposium on Management Strategies for Exploited Fish Populations, Alaska Sea Grant College Program, 439-473.
- Butterworth, D.S., Hughes, G.S. and Strumpfer, F., 1990.** VPA with *Ad hoc* tuning: implementation for disaggregated fleet data, variance estimation and application to the Namibian stock of Cape horse mackerel *Trachurus trachurus capensis*. *S. Afr. J. mar. Sci.* 9: 327-357.
- Butterworth, D.S., Punt, A.E., Borchers, D.L., Pugh, J.B. and Hughes, G.S., 1989.** A manual of mathematical techniques for line-fish assessment. *S. Afr. Nat. Sci. Prog. Rep.* 160: 1-89.
- Caddy, J.F., 1996.** A checklist for fisheries resource management issues seen from the perspective of the FAO Code of Conduct for Responsible Fisheries. *FAO Fish. Circ.*, 917, 22p.
- Caddy, J.F., 1998.** Deciding on precautionary management measures for stock and appropriate limit reference points (LRPs) as a basis for a multi-LRP harvest law. Paper presented in NAFO Scientific Council Meeting, March 1998
- Caddy, J.F. and Mahon, R., 1995.** Reference points for fisheries management. *FAO Fish. Tech. Pap.* No. 347.
- Caddy, J.F. and Seijo, J.C., 1998.** Application of a spatial to model to explore rotating harvest strategies. *Spec. Pub. Can. J. Fish and Aquat Sci.*
- Cervigón, F., 1993.** Los peces marinos de Venezuela. Vol. 2. Segunda Edición, Edit. Fundación Científica Los Roques, Caracas, 499p.
- Cervignon, F. et al., 1993.** FAO species identification sheets for fishery purposes. Field guide to the commercial marine and brackish-water resources of the northern coast of South America. Rome, FAO. 513p.

- Chakalall, B., 1980.** The artisanal fishery of Guyana. Georgetown, Guyana. 27p
- Chakalall, B and Dragovich, 1980.** The artisanal fishery of Guyana. Southeast Fisheries Center, Miami, USA. (Ms.),27p
- Charlier, P., 1993.** Fisheries Information System in Suriname. Preliminary analysis of first year's results and guidelines for fisheries management. Suriname Fisheries Report no 2. Fisheries Department, Suriname, July 1993.
- Chien, Y.-H. and Condrey, R.E., 1985.** A modification of the DeLury method for use when natural mortality is not negligible. *Fish. Res.* 3: 23-28.
- Clark, W.G., 1991.** Groundfish exploitation rates based on life history parameters. *Can. J. Fish. Aquat. Sci.* 48: 734-750.
- Damasceno, F.G., 1988.** Tentativa de avaliação da participação de peixes na pesca industrial do camarão no Norte do Brasil. (unpublished report).
- Defeo, O. and Seijo, J.C., 1999.** Yield-mortality models: a precautionary bio-economic approach. *Fisheries Research* 840:1-10.
- Deriso, R.B., 1987.** Optimal F_{0.1} criteria and their relationship to maximum sustainable yield. *Can. J. Fish. Aquat. Sci.* 44 (Suppl. 2): 339-348.
- Deriso, R.B. Quinn, T.J. and Neal, P.R., 1985.** Catch-age analysis with auxiliary information. *Can. J. Fish. Aquat. Sci.* 42: 815-824.
- Díaz de León, A. and Seijo, J.C., 1992.** Multiple criterion optimisation for the control and management of a tropical fishery. *Mar. Res. Econ.*, 7:23-40.
- Die, D.J. and Caddy, J.F., 1997.** Sustainable yield indicators from biomass: are there appropriate reference points for use in tropical fisheries? *Fish. Res.*, 32:69-78.
- Dintheer, Ch. and Rosé, J., 1989.** Distribution spatio-temporelle de *Penaeus subtilis* au large de la Guyane française. Bien fondé de l'interdiction de pêche dans les 30 mètres et propositions d'aménagement. Rapport de convention IFREMER, Cayenne: 88pp.
- Djama, T. and Pitcher, T.J., 1997.** The differential effects of changing management regimes on yields from two fisheries exploiting the same resources. *Fish. Res.* 29: 33-37.
- Ehrhardt N., 1986.** The biological and economic modelling of the shrimp resources on the Guianas-Brazil shelf. Summary report of the workshops on the biological and economic modelling of the shrimp resources on the Guianas-Brazil shelf. Miami, Florida, (USA), 26-29 June 1986, 16p. 17 fig., 4 Tables.
- Ehrhardt, N; Aragão, J.A N.; Silva, K. C. A, 1998.** Stock assessment of the industrial pink shrimp (*Penaeus subtilis*) fishery in Northern Brazil. In press.
- Ehrhardt, N.M. and Arena, G.J., 1977.** Dinamica de poblacion de la corvina blanca (*Micropogon opercularis*) en el Rio de la Plata y su frente oceanico. *Inf. Tec. Inst. Nac. Pesca. Montevideo.*, 8:43 pp.
- Ehrhardt, N.M. and Legault, C.M., 1996.** Tuned Length-based Cohort Analysis (TLCA) Computer Program. Crustacean Stock Assessment Techniques Incorporating Uncertainty. Report of the CFRAMP/FAO/DANIDA Stock Assessment Workshop on the Shrimp and Groundfish Fisheries of the Guiana-Brazil Shelf, Port of Spain, Trinidad, January 8th - 12th, 1996.
- Ehrhardt, N.M. and Legault, C.M., 1997.** Crustacean stock assessment techniques incorporating uncertainty. *FAO Fish. Rep.* No. 544, Suppl.:111-131
- Fabres, B., Maharaj, L. and Ferreira, L., 1995.** The shrimp fishery of Trinidad and Tobago. National Report of Trinidad and Tobago. *FAO Fish. Rep.* No. 526 Suppl.:30-51
- FAO, 1995a.** Code of Conduct for Responsible Fisheries. FAO, Rome. 41 p.

- FAO, 1995b.** National report and selected papers presented at the third workshop on the biological and economic modelling of the shrimp resources of the Guiana-Brazil Shelf, 22-25 June 1992, Suriname. *FAO Fish. Rep.* No. 256 Suppl. 200p.
- FAO, 1995c.** Precautionary Approach to Fisheries. Part 1: Guidelines on the precautionary approach to capture fisheries and species introductions. *FAO Fish. Tech. Rep.* 350/1. 52 p.
- FAO, 1997a.** Meeting report of the CFRAMP/FAO/DANIDA Stock Assessment Workshop on the Shrimp and Groundfish Fishery on the Brazil-Guianas shelf. Port of Spain, Trinidad and Tobago. 7-18 April 1997. FI:GCP/INT/575/DEN Report No. 34. 27p
- FAO, 1997b.** National Reports and Selected Papers presented at the fourth meeting of the WECAFC *Ad hoc* Shrimp and Groundfish Working Group of the Guiana-Brazil Continental Shelf and CFRAMP Shrimp and Groundfish Sub-project Specification Workshop, 8-12 January 1996, Trinidad and Tobago. *FAO Fish. Rep.* No. 544 Suppl. 248 p.
- FAO, 1999a.** Technical reports on shrimp and fish prepared at the second CFRAMP / FAO / DANIDA Stock Assessment Workshop on the Shrimp and Groundfish Fishery on the Brazil-Guiana Shelf, 18-29 May, Guyana. FI: GCP/INT/575/DEN. Report on Activity 46. Suppl. 1. FAO, Rome. 167 p.
- FAO, 1999b.** Country reports presented at the second CFRAMP/FAO/DANIDA stock assessment workshop on the shrimp and groundfish fishery on the Brazil-Guiana shelf, 18-29 May, Guyana. FI: GCP/INT/575/DEN. Report on Activity 46. Suppl. 2. FAO, Rome. 87 p.
- FAO, 1999c.** Future Challenges in World Fisheries and Aquaculture. COFI/99/Inf.15. FAO, Rome. 7 p.
- Ferreira, L.A., 1998.** Economic analysis of the shrimp trawl fishery of Trinidad and Tobago with management implications. MMM Graduate Project, Dalhousie University, Nova Scotia, Canada. 114p.
- Fischer, W., 1978.** FAO Species Identification Sheets for Fishery Purposes. Western Central Atlantic Fishing Area 31. Volume VI.
- Fonteles-Filho, A.A. and Oliveira, P.R., 1983.** Influência do recrutamento sobre a produção do Pargo, *Lutjanus purpureus* Poey, no Norte e Nordeste do Brasil. Anais do III Congresso Brasileiro de Engenharia de Pesca, Manaus, p.334-348.
- Fox, W.W., 1970.** An exponential surplus-yield model for optimising exploited fish populations. *Trans. Am. Fish. Soc.* 99:80-88.
- García, S. M., 1996a.** The precautionary approach to fisheries and its implications for fisheries research, technology and management: an updated review. *FAO Fish. Tech. Pap.*, (350/2): 1-75.
- García, S. M., 1996b.** Indicators for sustainable development in fisheries. Paper presented at the 2nd World Fisheries Congress. Workshop on Fisheries Sustainability Indicators. Brisbane, Australia, August 1996. 28p.
- Gayanilo, F.C., Sparre, P. and Pauly, D., 1995.** The FAO-ICLARM Stock Assessment Tools (FISAT) User's Guide. *FAO Computerized Information Series (Fisheries)* 8 126p.
- Gesteira, T.C.V. and Ivo, C.T.C., 1973.** Estudo da reprodução e fecundidade do Pargo, *Lutjanus purpureus* Poey, do Norde e Nordeste do Brasil. *Arq. Ciên. Mar* 13 (2): 109-112.
- Griffiths, M.H., 1997a.** The application of per-recruit models to *Argyrosomus inodorus*, an important South African sciaenid fish. *Fish. Res.* 30: 103-115.

- Griffiths, M.H., 1997b.** Management of South African dusky kob *Argyrosomus japonicus* (Sciaenidae) based on per-recruit models. *S. Afr. J. mar. Sci.* 18: 213-228.
- Griffiths, M.H. and Hecht, T., 1995.** Age and growth of South African dusky kob *Argyrosomus japonicus* (Sciaenidae) based on otoliths. *S. Afr. J. mar. Sci.* 16: 119-128.
- Griffiths, M.H. and Hecht, T. 1996.** Age and growth of South African silver kob *Argyrosomus inodorus* (Sciaenidae) with evidence for separate stocks. *S. Afr. J. mar. Sci.* 17: 37-48.
- Gulland, J.A. and Boerema, L.K., 1973.** Scientific advice on catch levels. *Fish. Bull.* 71: 325-335.
- Gutherez, E.J. and P.A. Thompson, Jr., 1977.** Sciaenid stocks of the western central Atlantic between Chesapeake Bay, Virginia and the Amazon river, Brazil. Paper presented at 2nd Annual Tropical and Sub-Tropical Fisheries Technological Conference of the Americas, April 1977. Biloxi, Miss, 13p.
- Guyana Department of Fisheries and GTA Consultants Inc., 1994.** Draft Fisheries Background Report for Guyana Fisheries Technical Assistance Project.
- Henry, C. and Martin, L., 1992.** Description of the artisanal gillnet fishery of Trinidad. Technical Report of the FAO/UNDP: TRI/91/001/TR6, Establishment of Data Collection Systems and Assessment of the Fisheries Resources.
- Hilborn, R. and Peterman, R., 1996.** The development of scientific advice with incomplete information in the context of the precautionary approach. *FAO Fish. Tech. Pap.* (350/2): 77-101.
- Hilborn, R. and Walters, C.J., 1992.** *Quantitative fisheries stock assessment. Choice, dynamics and uncertainty.* Chapman and Hall, New York. 570p.
- IBAMA, 1992.** Relatório da III Reunião do Grupo Permanente de Estudos (GPE), sobre Camarão da Costa Norte do Brasil - Realizada em Tamandaré-Pe, de 17 a 20/03/92, IBAMA (mimeografado).
- Isaac, V. J., Dias Neto, J. and Damasceno, F. G., 1992a.** Camarão-rosa da costa norte: biologia, dinâmica e administração pesqueira. Coleção Meio Ambiente. Série Estudos - Pesca no. 1. Instituto do Meio Ambiente e dos Recursos Naturais Renováveis (IBAMA). Brasília: IBAMA, 191 p.
- Isaac, V. J., Dias-Neto, J. and Damasceno, F. G., 1992b.** Biologia, dinâmica e administração pesqueira do camarão rosa, *Penaeus subtilis*, da Costa Norte do Brasil, 144 p.
- Ivo, C.T.C. and Handson, A.J., 1982.** Aspectos da biologia e dinâmica populacional do Pargo, *Luftjanus purpureus* Poey, no Norte e Nordeste do Brasil. *Arq. Ciên. Mar, Fortaleza*, 22(1/2): 1-41.
- Japp, D.W., Sims, P. and Smale, M.J., 1994.** A review of the fish resources of the Agulhas Bank. *S. Afr. J. Sci.* 90: 123-134.
- Jones, R., 1981.** The use of length composition data in fish stock assessment (with notes on VPA and cohort analysis). *FAO Fish. Circ.* No. 734.
- Lowe-McConnell, R.H., 1966.** The sciaenid fishes of British Guiana. *Bull. Mar. Sci.* 16(1): 20-57.
- Lum Young, P., Ferreira, L. and Maharaj, L., 1992a.** Preliminary stock assessment for the shallow water shrimp trawl fishery in the "Special Fishing Area" adjacent to the mouth of the Orinoco River (Venezuela). Technical Report of the Project for the Establishment of Data Collection Systems and Assessment of the Fisheries Resources. FAO/UNDP:TRI/91/001/TR9. Port of Spain (Trinidad). 58 p.

- Lum Young, P., Ferreira, L. and Maharaj, L., 1992b.** Morphometric relationships for five species of western Atlantic shrimp occurring in the Trinidad and Tobago trawl fishery. Technical report of the Project for the Establishment of Data Collection Systems and Assessment of the Fisheries Resources. FAO/UNDP:TRI/91/001/TR13. Port of Spain (Trinidad and Tobago). July, 1992: 31 p.
- Mace, P.M., 1994.** Relationships between common biological points used as thresholds and targets of fisheries management strategies. *Can. J. Fish. Aquat. Sci.* 51: 110-122.
- Mace, P. and Sissenwine, M.P., 1993.** How much spawning per recruit is enough? In: S.J. Smith, J.J. Hunt and D. Rivard eds. Risk evaluation and biological reference points for fisheries management. *Can. Spec. Publ. Fish. Aquat. Sci.* 120: 101-118.
- MAFF, 1995.** Virtual population analysis (Version Windows 95 trial), CEFAS, UK.
- Magnusson, K.G., 1995.** An overview of the multispecies VPA-theory and applications. *Rev. Fish Biol. Fish.* 5: 195-212.
- Maharaj, L., Ferreira, L. and Lum Young, P., 1993.** Description of the Shrimp Trawl Fishery of Trinidad. Technical report of the project for the Establishment of Data Collection Systems and Assessment of the Fisheries Resources. FAO/UNDP:TRI/91/001/TR5. Port of Spain, Trinidad and Tobago, 16p.
- Manickchand-Heileman, S.C. and Ehrhardt, N.M., 1996.** Energy budget of female whitemouth croaker *Micropogonias furnieri*, determined from field data in Trinidad, West Indies. *Bull. Mar. Sci.* 58(2) 385-392.
- Manickchand-Heileman, S. and Julien-Flus, M., 1990.** Species composition, seasonality and reproductive activity of a demersal fish stock in Trinidad, W.I. *Caribb. Mar. Stud.* 1(1): 11-21.
- Manickchand-Heileman, S. and Kenny, J.S., 1990.** Reproduction, age and growth of the Whitemouth croaker, *Micropogonias furnieri*, (Desmarest 1823) in Trinidad waters. *Fish. Bull.* 88: 523-529.
- Marcano L.A. and Alio, J.J., 1996.** Venezuelan shrimp fisheries in the Atlantic margin of Guayana. Technical report of Venezuela presented at the fourth meeting of the WECAFC *Ad hoc* shrimp and groundfish working group on the Guiana - Brazil continental shelf. Port of Spain, Trinidad, January 1996.
- Marcano, L.A., Alió, J.J. and Altuve, D.E., 1997.** Technical report of Venezuela: Venezuela shrimp fisheries on the Atlantic margin of Guayana (revised version 1994). Pp: 77-92 in: National reports and selected papers presented at the Joint Meeting of the CFRAMP Shrimp and Groundfish Subproject Specification Workshop and the Fourth Meeting of the WECAFC *Ad hoc* Shrimp and Groundfish Working Group of the Guianas-Brazil Continental Shelf. Port of Spain, Trinidad and Tobago, 8-12 January 1996. *CARICOM Fish. Res. Doc.* No. 22:281 p.
- Menezes, M.F. and Gesteira, T.C.V., 1974.** Idade e crescimento do Pargo, *Lutjanus purpureus* Poey, do Norte e Nordeste do Brasil. *Arq. Ciên. Mar, Fortaleza*, 14(2) 81-83.
- Ministry of Agriculture, Department of Fisheries, 1996.** Annual Report 1995. 42 p.
- Mitchell, C.L., 1982.** Bio-economics in multispecies exploitation in fisheries: management implications. *Can. Spec. Publ. Fish. Aquat. Sci.* 59: 157-162.
- Murawski, S.A., 1984.** Mixed-species yield-per-recruit analysis accounting for technological interactions. *Can. J. Fish. Aquat. Sci.* 41: 897-916.
- Murphy, M.D. and Taylor, R.G., 1989.** Reproduction and growth of black drum, *Pogonias cromis*, in northeast Florida. *NE Gulf Sci.* 10: 127-137.

- Neiva, G. de S. and Wise, J.P., 1964.** The biology and fishery of the seabob shrimp of Santos Bay, Brazil. *Proc. Gulf Caribbean Fish. Inst. 16th Session*:131 - 139.
- Novoa, D., J. Mendoza, Marcano, L. and Cárdenas, J.J., 1998.** El atlas pesquero marítimo de Venezuela. Edic. MAC-SARPA, Caracas, 197 p.
- Pauly, D., 1980.** On the interrelationships between natural mortality, growth parameters and mean environmental temperature in 175 fish stocks. *J. Cons. Int. Explor. Mer.* 39: 175-192.
- Pereiro, J.A., 1992.** Some conceptual remarks on yield per recruit. *Fish. Res.* 13: 423-428.
- Pérez, E., 1996.** Análisis de riesgo e incertidumbre en la pesquería de *Mesodesma donacium* en Bahía de Coquimbo (Chile, IV región). M. Sc. Dissertation. CINVESTAV-IPN, México. 82 pp.
- Pérez, E. and Defeo, O., 1996.** Estimación de riesgo e incertidumbre en modelos de producción captura-mortalidad. *Biol. Pesq. (Chile)* 25: 3-15.
- Pérez, A., Puga, R. and Rodríguez, J., 1984.** The stock assessment and management of Cuban shrimp stocks. In: Matthews, C.P. Proceedings of the shrimp and fin fisheries management workshop, 9 - 11 October 1983: final report. Kuwait Institute for Scientific Research; Safat (Kuwait). *KISR Tech. Rep.* 1(1366): 48 - 119.
- Pérez, A., Venta, G. and Puga, R., 1980.** Crecimiento del camarón rosado, *Penaeus notialis*, y el camarón blanco, *Penaeus schmitti*, en la ensenada de La Broa, Cuba. *Rev. Cub. Inv. Pesq.* 5(1):66-83.
- Perodou J.B., 1994.** Dynamique de la population exploitée de vivaneau rouge (*Lutjanus purpureus*) de Guyane. Complémentarité des analyses globale et structurale. Thèse de docteur de l'Université de Lille.(in press) 261 p.
- Peterman, R.M. and Steer, G.J., 1981.** Relation between sportfishing catchability coefficients and salmon abundance. *Trans. Amer. Fish. Soc.* 110: 585-593.
- Pikitch, E.K., 1987.** Use of a mixed-species yield-per-recruit model to explore the consequences of various management policies for the Oregon flatfish fishery. *Can. J. Fish. Aquat. Sci.* 44: 349-359.
- Pope, J.G. and Shepherd, J.G., 1985.** A comparison of the performance of various methods for tuning VPAs using effort data. *J. Cons. perm. Int. Explor. Mer* 42: 129-151.
- Prevost E., 1989.** La pêche du vivaneau en Guyane française: étude comparative et évaluation des trois techniques (ligne à main, nasse, chalut) Rapport DRV 89.036-RH/Cayenne 1989 p
- Pulfrich, A. and Griffiths, C.L., 1988.** The fishery for hottentot *Pachymetopon blochii* Val. in the south-western Cape. *S. Afr. J. mar. Sci.* 7: 227-241.
- Punt, A.E., 1993.** The use of spawner-biomass-per-recruit in the management of linefisheries. *Spec. Publ. Oceanogr. Res. Inst., Durban*, 2: 80-89.
- Punt, A.E., 1994.** Assessments of the stocks of Cape hakes *Merluccius* spp. off South Africa. *S. Afr. J. mar. Sci.* 14: 133-149.
- Punt A.E. and Hilborn, R., 1996.** BIODYN. Biomass dynamic models - User's manual. *FAO Computerised Information Series (Fisheries)*, 10. 62p.
- Quinn, T.J. II, Fagen, R.M and Zheng, J., 1990.** Threshold management policies for exploited populations. *Can. J. Fish. Aquat. Sci.* 47: 2016-2029.
- Robson, D.S., 1966.** Estimation of the Relative Fishing Power of Individual Ships. *ICNAF Res. Bull.* No. 3. pp. 5-13.

- Rocha, J.M. and Barbosa, F. I., 1977.** Algumas relações biométricas para o camarão-rosa (*Penaeus aztecus subtilis*, Farfante, 1967) da costa norte do Brasil. PDP Doc. Téc. 26:12p
- Ross, J.L., Stevens, T.M. and Vaughan, D.S., 1995.** Age growth, mortality and reproductive biology of red drum in North Carolina waters. *Trans. Am. Fish. Soc.* 124: 37-54.
- Sales, R., 1998.** Identificação dos estoques de Pargo *Lutjanus purpureus* Poey do Norte e Nordeste do Brasil. Departamento de Engenharia de Pesca, Universidade Federal do Ceará, 90 p.
- Schaefer M.B., 1954.** Some aspects if the dynamics of populations important to the management of the commercial marine fisheries. *Inter-Am. Trop. Tuna Comm. Bull.* 1:25-56.
- Schnute J., 1977.** Improved estimates from the Schaefer production model: theoretical considerations. *J. Fish. Res. Board Can.* 34: 583-603.
- Seijo, J.C., 1993.** Individual transferable grounds in a community managed artisanal fishery. *Mar. Res. Econ.* 8:78-81.
- Seijo, J.C., Caddy, J.F. and Euán, J., 1994.** SPATIAL: space-time dynamics in marine fisheries, a bio-economic software package for sedentary species. *FAO Comp. Inf. Ser. Fish.* (6): 116pp
- Seijo, J.C., Defeo, O. and Salas, S., 1998.** Fisheries bio-economics: theory, modelling and management. *FAO Fish. Tech. Pap.*, No. 368, 108p.
- Shepherd, D. and Charles, R., 1996.** National Report Guyana. Paper presented at the joint CFRAMP Shrimp and Groundfish Subproject specification Workshop and 4th meeting of the WECAFC *Ad hoc* working group on the Biological and Economic modeling of the Shrimp and Groundfish Resources on the Guiana-Brazil Shelf, Trinidad, January 8th - 12th. 41 p.
- Shepherd, D. and Erhardt, N., 1999.** Assessment of brown shrimp (*Penaeus subtilis*) in the Guyana Shrimp Fishery. **This volume.**
- Shepherd, D., Ehrhardt, N., Charles, R. and Phillips, T., 1999.** Assessment of the brown shrimp (*Penaeus subtilis*) in the Guyana shrimp fishery. *FAO Fish Rep.* 600:113-124
- Shepherd, D., Hackett, A. and Charles, R., 1999.** National report of Guyana: Shrimp and groundfish fisheries of Guyana. *FAO Fish. Rep.* 600:17-38
- Shim, D.J., 1981.** A contribution of the biology of *Cynoscion jamaicensis* (Pisces: Sciaenidae) in the coastal waters of Trinidad. Thesis: University of the West Indies, St. Augustine, (Trinidad and Tobago). M. Phil. University of the West Indies; St Augustine (Trinidad and Tobago). 148 p.
- Shotton, R., 1995.** Attitudes to risk relative to decisions on levels of fish harvest. ICES CM T: 54. ICES, Copenhagen.
- Shotton, R. and Francis, R.I.C.C., 1997.** "Risk" in fisheries management: a review. *Can. J. Fish. Aquat. Sci.* 54: 1699-1715.
- Sissenwine, M.P. and Shepherd, J.G., 1987.** An alternative perspective on recruitment overfishing and biological reference points. *Can. J. Fish. Aquat. Sci.* 44: 913-918.
- Smith, V.L., 1969.** On models of commercial fishing. *J. Polit. Econ.* 77: 181-198.
- Sparre, P., 1991.** Introduction to multispecies virtual population analysis. *ICES Marine Science Symposium*, 193: 301-319.
- Sparre, P and Venema, S.C., 1992.** Introduction to tropical fish assessment. Part 1. Manual. *FAO Fish. Tech. Pap.* 306, Rev.1. Rome, FAO 376 p.

- Sparre, P.J. and Willmann, R., 1993.** Software for bio-economic analysis of fisheries. BEAM 4. Analytical bio-economic simulation of space-structured multi-species and multi-fleet fisheries. Volume 1: Description of model. Volume 2: User's manual. *FAO Computerized Information Series (Fisheries)*. No. 3. Vol. 1:186p. Vol 2:46p.
- Stevenson D.K., 1981.** A review of the marine resource of the Western Central Atlantic Fisheries Commission (WECAFC) region. *FAO Fish. Tech. Pap.* 211 132p.
- Studart-Gomes, P. R and Vieira, I. A., 1987.** A pesca industrial de camarão rosa no Norte do Brasil, in: Associação dos Engenheiros de Pesca do Estado do Ceará, Ed. in: V Congresso Brasileiro de Engenharia de Pesca, 419-434.
- SUDAM / UFMA, 1981.** O camarão na área de Tutóia – Maranhão. Superintendência do Desenvolvimento da Amazônia – SUDAM / Universidade Federal do Maranhão – UFMA.
- SUDEPE, 1985.** Relatório da segunda reunião do Grupo de Trabalho e Treinamento (GTT) sobre Avaliação de Estoques – realizada no período de 29 de junho a 24 de julho de 1981, em Tamandaré/Pe. Brasília, Sér. Doc. Téc. 34:439 p.
- SUDEPE, 1986.** Relatório da II Reunião do Grupo Permanente de Estudos (GPE) de camarão da costa Norte do Brasil – Subgrupo de biologia pesqueira e tecnologia de pesca – realizada no período de 12 a 15/05, em Belém/Pa. SUDEPE/PDP (mimeo)
- Talbot, A., Benfield, M. and Morton, L., 1996.** The collection of biological data, identification and biology of selected shrimp and groundfish species on the Guiana/Brazil continental shelf area. Trinidad and Tobago. Report of the FAO/CFRAMP Stock Assessment Workshop. Port of Spain, Trinidad and Tobago. 8-12 January 1996. 51p.
- Thompson, A.B. and Allison, E.H., 1997.** Potential yield estimates of unexploited pelagic fish stocks in Lake Malawi. *Fish. Manag. Ecol.* 4: 31-48.
- Trinidad Fisheries Division Trawler Gear Survey, 1991.** Ministry of Agriculture, Land and Marine Resources, Fisheries Division.
- UN Convention on the Law of the Sea, 1982.** UN Division of Ocean Affairs and Law of the Sea, UN, New York.
- UN/FAO, 1998.** International Fisheries Instruments with Index. UN Division of Ocean Affairs and Law of the Sea, New York. 110 p.
- Venaille L., 1984.** La pêcherie de crevettes *Penaeus* du plateau Guyano-brésilien. Science et Peche, *Bull. Inst. Pêches Maritimes* 297: 1-18.
- Vieira, I.J.V., Studart-Gomes, P.R., Cintra, I.H.A., Rodrigues, M.J.J., 1977.** Análise bio-econômica dos defesos do camarão-rosa (*Penaeus subtilis*) na costa Norte do Brasil.. Belém: FCAP. Serviço de Documentação e Informação, 33p
- Wilimovsky, N.J., 1979.** Perspectives of minimal data requirement for aquatic resource management in developing countries.pp.78-86.In S.B. Saila and P.M. Roedel (Eds.). stock Assessment for Tropical Small-Scale Fisheries. ICMRD-URI, Kingston.198 p.
- Ximenes, M.O.C. and Fonteles-Filho, A.A., 1998.** Estudo da idade e crescimento do Pargo, *Lutjanus purpureus* Poey (PISCES:Lutjanidae), no Norte e Nordeste do Brasil. *Arq. Ciên. Mar* 27: 69-81, 1988.