

Figure 1. Map of the Malacca Straits and the sampling locations

Figure 2.

The production of mackerels, by country.





Figure 3a.

The production of *R. brachysoma* and *R. kanagurta*, by country.





Figure 3b. The production of Decapterus spp., by country

Figure 4.

Mean catch rates of *R. brachysoma*, January-April 1985.






Figure 6.

Mean catch rates of *R. brachysoma*, September-December 1985.




Figure 7.

Mean catch rates of *Ft. kanagurta*, January-April 1985.




Figure 8.

Mean catch rates of *A. kanagurta*, May-August 1985.






Figure 9.

Mean catch rates of *R. kanagurta*, September-December 1985.




Figure 10.

Mean catch rates of Decapтерus spp., January-April 1985.




Figure 11.

Mean catch rates of *Decapтерus spp.*, May-August 1985.





Figure 12.

Mean catch rates of *Decapterus Spp* September December 1985






Figure 13. Restructured frequencies and growth curves (ELEFAN I analysis) for *R. kanagurta* on the west coast of Thailand (Areas I, II & III combined).




Figure 14. Restructured frequencies and growth curves (ELEFAN/analysis) for *A. brachysoma* on the west coast of Thailand (Areas II and III combined).




Figure 15,

Hypothetical migratory pattern for *R. brachysoma*.




Figure 16.

Hypothetical migratory pattern for *R. konagurta*.