

16 REFERÉNCIAS

- Alagaraja, K.**, 1984. Simple methods for estimation of parameters for assessing exploited fish stocks. *Indian J.Fish.*, 31:177-208
- Allan, K.R. and G.P. Kirkwood**, 1988. Marine mammals, pp. 251-269. In: J.A. Gulland (ed.), *Fish population dynamics: the implications for management*, Chichester, John Wiley and Sons Ltd., 422 p.
- Allen, G.R.**, 1985. FAO species catalogue. Vol. 6. Snappers of the world. An annotated and illustrated catalogue of lutjanid species known to date. *FAO Fish.Synop.*, (125)Vol.6:208 p.
- Alverson, D.L. (ed.)**, 1971. Manual of methods for fisheries resource survey and appraisal. Part 1. Survey and charting of fisheries resources. *FAO Fish.Tech.Pap.*, (102):80 p.
- Alverson, D.L. and W.T. Pereyra**, 1969. Demersal fish explorations in the northeastern Pacific Ocean - An evaluation of exploratory fishing methods and analytical approaches to stock size and yield forecasts. *J.Fish.Res. Board Can.*, 26:1985-2001
- Amaratunga, T.**, 1983. The role of cephalopods in the marine ecosystem. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêches/FAO Doc.Téc.Pesca*, (231):379-415
- Andersen, K.P. and E. Ursin**, 1977. A multispecies extension to the Beverton and Holt theory of fishing, with accounts of phosphorus circulation and primary production. *Medd.Dan.Fisk.- og Havunders.(Ny Ser.)*, 7:319-435
- Appeldoorn, R.S.**, 1987. Modification of a seasonally oscillating growth function for use with mark-recapture data. *J.Cons.CIEM*, 43:194-198
- Ault, J.S. and N.M. Ehrhardt**, 1991. Correction to the Beverton and Holt Z-estimator for truncated catch length-frequency distributions. *ICLARM Fishbyte*, 9(1):37-39
- Australian Journal of Marine and Freshwater Research**, 1987. Prawn ecology and biology. *Aust.J.Mar.Freshwat.Res.*, 38(1):190 p.
- Bagenal, T.B. (ed.)**, 1974. Ageing of fish. Proceedings of an international symposium on the ageing of fish held at the Univ. of Reading, England 19-20 July 1973. Old Woking, Surrey, England, Unwin Bros. Ltd., 234 p.
- Bakhayokho, M.**, 1983. Biology of the cuttlefish *Sepia officinalis hierredda* off the Senegal coast. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêches/FAO Doc.-Téc.Pesca.*, (231):204-263
- Bakun, A., J. Beyer, D. Pauly, J.G. Pope and G.D. Sharp**, 1982. Ocean sciences in relation to living resources. *Can.J.Fish.Aquat.Sci.*, 39: 1059-1070
- Baranov, F.I.**, 1914. The capture of fish by gillnets. *Mater.Poznaniyu Russ.Rybолов.* 3(6):56-99 (Partially translated from Russian by W.E. Ricker)
- Baranov, F.I.**, 1918. On the question of the biological basis of fisheries. *Nauchn.Issled.Ikhtiol.Inst.Izv.*, 1:81-128 (in Russian)
- Baranov, F.I.**, 1926. On the question of the dynamics of the fishing industry. *Nauchn.Byull.Rybn.Khoz.*, 8(1925):7-11 (in Russian)
- Baranov, F.I.**, 1948. Theory and assessment of fishing gear. Moscow, Pishchepromizdat. English version issued as Theory of fishing with gill nets. Transl. from Russian by Ontario Department of Land and Forests, Toronto, 45 p.

Bard, F.X., 1984. Le listao de l'Atlantique. 3. Resultats des campagnes de marquages effectuées de 1980 à 1982. *Pêche Marit.*, 1275:319-324

Bard, F.X., P. Cayre and T. Diouf, 1988. Les migrations. *FAO Doc.Tech. Pêches*, (292):111-156

Bayliff, W.H. and K.N. Holland, 1986. Materials and methods for tagging tuna and billfishes, recovering the tags and handling the recapture data. *FAO Fish.Tech.Pap.*, (279):36 p.

Beamish, R.J. and G.A. McFarlane, 1983. The forgotten requirement for age validation in fisheries biology. *Trans.Am.Fish.Soc.*, 112(6):735-743

Beddington, J.R. and J.G. Cooke, 1983. The potential yield of fish stocks. *FAO Fish.Tech.Pap.*, (242):47 p.

Berkeley, S.A., 1983. Atlantic swordfish stock structure data and suggestions for its interpretation. *Collect.Vol.Sci.Pap.ICCAT/Recl.Doc.Sci.CICTA/- Colecc.Doc.Cient.CICAA*, 18(3):839-845

Berkeley, S.A. and E.D. Houde, 1980. Swordfish, *Xiphias gladius*, dynamics in the Straits of Florida. *ICES C.M.* 1980/H:59:11 p. (mimeo)

Bertalanffy, L. von, 1934. Untersuchungen über die Gesetzlichkeiten des Wachstums. 1. Allgemeine Grundlagen der Theorie. *Roux'Arch.Entwicklungs-mech.Org.*, 131:613-653

Beverton, R.J.H., 1963. Maturation, growth and mortality of clupeid and engraulid stocks in relation to fishing. *Rapp.P.-v.Réun.CIEM*, 154:44-67

Beverton, R.J.H. and S.J. Holt, 1956. A review of methods for estimating mortality rates in exploited fish populations, with special reference to sources of bias in catch sampling. *Rapp.P.-v.Réun.CIEM*, 140:67-83

Beverton, R.J.H. and S.J. Holt, 1957. On the dynamics of exploited fish populations. *Fish.Invest.Minist.Agric.Fish.Food G.B.(2 Sea Fish.)*, 19: 533 p.

Beverton, R.J.H. and S.J. Holt, 1959. A review of the lifespans and mortality rates of fish in nature, and their relation to growth and other physiological characteristics. pp. 142-180 In: G.E.W. Wolstenholme and M. O'Connor (eds) CIBA Foundation, colloquia on ageing. Vol. 5. The lifespan of animals, London, Churchill, Vol.5.

Beverton, R.J.H. and S.J. Holt, 1966. Manual of methods for fish stock assessment. Part 2. Tables of yield functions. Manuel sur les méthodes d'évaluation des stocks ichtyologiques. Partie 2. Tables de fonctions de rendement. Manual de métodos para la evaluación de los stocks de peces. Parte 2. Tablas de funciones de rendimiento. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêches/FAO Doc.Téc.Pesca*, (38)Rev.1:67 p.

Beyer, J. and P. Sparre, 1983. Modelling exploited fish stocks. In Application of ecological modelling in environmental management. Part A, edited by S.E. Jørgensen. Amsterdam, Elsevier Scientific Publishing Co., pp. 485-582

Shattacharya, C.G., 1967. A simple method of resolution of a distribution into Gaussian components. *Biometrics*, 23:115-135

Blaber, S.J.M. and T.G. Blaber, 1980. Factors affecting the distribution of juvenile estuarine and inshore fish. *J.Fish Biol.*, 17:143-162

Booke, H.E., 1981. The conundrum of the stock concept - are nature and nurture definable in fishery science? *Can.J.Fish.Aquat.Sci.*, 38:1479-1480

Boonyubol, M. and V. Hongskul, 1978. Demersal resources and exploitation in the Gulf of Thailand, 1960-1975. In Report on the Workshop on the demersal resources of the Sunda Shelf, Penang, Malaysia. Manila, South China Sea Fisheries Development and Coordinating programme, SCS/GEN/77/13: 56-70

Brander, K., 1988. Multispecies fisheries of the Irish Sea. In Fish population dynamics: the implications for management, edited by J.A. Gulland, Chichester, John Wiley and Sons Ltd., pp. 303-328

Brêthes, J.-C. et R.N. O'Boyle (éditeurs), 1990. Méthodes d'évaluation des stocks halieutiques. Projet CIEO-860060, Centre international d'exploitation des océans, Halifax (Nouvelle-Écosse, Canada): 963 p. (2 Volumes)

Brody, S., 1927. Growth rates. *Bull.Univ.Miss.Agric.Exp.Sta.*, (97)

Brothers, E.B., 1980. Age and growth studies on tropical fishes. In Stock assessment for tropical small-scale fisheries. Proceedings of an International Workshop held 19-21 September at the University of Rhode Island, Kingston, R.I., edited by S.B. Saila and P. Roedel International Center for Marine Resource Development, University of Rhode Island, pp. 119-136

Butler, M.J.A., C. Le Blanc, J.A. Belbin and J.L. MacNeill, 1986. Marine resource mapping: an introductory manual. *FAO Fish.Tech.Pap.*, (274):256 p.

Caddy, J.F., 1980. Surplus production models, pp.29-55. In: Selected lectures from the CIDA/FAO/CECAF seminar on fishery resource evaluation. Casablanca, Morocco, 6-24 March 1978: Rome, FAO Canada Funds-in-Trust, FAO/TF/INT (c)180 Suppl., 166 p. Issued also in French

Caddy, J.F., 1982. Some considerations relevant to the definition of shared stocks and their allocation between adjacent economic zones. *FAO Fish.Circ.*, (749):44 p. Issued also in Spanish

Caddy, J.F. (ed.), 1983. Advances in assessment of world cephalopod resources. Progrès réalisés dans l'évaluation des ressources mondiales de céphalopodes. Progresos realizados en la evaluación mundial de cefalópodos. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêche/FAO Doc.Téc.Pesca*, (231):452 p.

Caddy, J.F., 1983a. The cephalopods: factors relevant to their population dynamics and to the assessment and management of stocks. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêche/FAO Doc.Téc.Pesca*, (231): 416-452

Caddy, J.F., 1987. Size-frequency analysis for crustacea: moult increment and frequency models for stock assessment. *Kuwait Bull.Mar.Sci.*, (9):43-61

Caddy, J.F., 1987a. Types of resource sharing relevant to Lesser Antilles stocks. *FAO Fish.Rep.*, (383):115-124

Caddy, J.F., 1989. Marine invertebrate fisheries: their assessment and management. New York, John Wiley and Son Inc., Interscience, 752 p.

Caddy, J.F. and J. Csirke, 1983. Approximations to sustainable yield for exploited and unexploited stocks. *Océanogr.Trop.*, 18(1):3-15

Caddy, J.F. and S. Garcia, 1986. Fisheries thematic mapping - a pre-requisite for intelligent management and development of fisheries. *Océanogr.Trop.*, 21(1):31-52

Caddy, J.F. and R. Mahon, 1995. Reference points for fisheries management. *FAO Fish. Tech. Pap.* (347), 83 p.

Carey, F.G. and R.J. Olson, 1982. Sonic tracking experiments with tunas. *Collect.Vol.Sci.Pap.ICCAT/Recl.Doc.Sci.CICTA/Colecc.Doc.Cient.CICAA*, 17: 458-466

Carpenter, K.E., 1988. FAO species catalogue. Vol. 8. Fusilier fishes of the world. An annotated and illustrated catalogue of caesionid species known to date. *FAO Fish.Synop.*, (125)Vol.8:75 p.

Carpenter, K.E. and G.R. Allen, 1989. FAO species catalogue Vol. 9. Emperor fishes and large-eye breams of the world (Family Lethrinidae). An annotated and illustrated catalogue of lethrinid species known to date. *FAO Fish.Synop.*, (125)Vol.9: 118 p., 8 colour plates

Cassie, R.M., 1954. Some uses of probability paper in the analysis of size frequency distributions. *Aust.J.Mar.Freshwat.Res.*, 5:513-522

CECAF, 1978. Report of the Ad hoc working group on hake (*Merluccius merluccius*, *Merluccius senegalensis*, *Merluccius cadenati*) in the northern zone of CECAF held at the Instituto Español de Oceanografía, Santa Cruz de Tenerife, Canary Islands, Spain, 5-9 June 1978. *CECAF/ECAF Ser.*, (48/9): 93 p. Issued also in French

Chapman, D.G., 1961. Statistical problems in dynamics of exploited fisheries populations. Proc. 4th Berkeley Symp.Math.Stat. and Probability. *Cont.Biol. and Probl.Med.*, 4:153-168. Univ.Calif. Press

Chapman, D.G. and D.S. Robson, 1960. The analysis of a catch curve. *Biometrics*, 16(3):354-368

Chevallier, P. et A. Laurec, 1990. Logiciels pour l'évaluation des stocks de poisson. ANALEN: Logiciel d'analyse des données de capture par classes de taille et de simulation des pêches multi-engins avec analyse de sensibilité. *FAO Doc.Tech.Pêches*, (101) Suppl.4:124 p. (with programs on diskettes)

Chikuni, S., 1983. Cephalopod resources in the Indo-Pacific region. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêches/FAO Doc.Téc.Pesca*, (231):264-305

CIDA/FAO/CECAF, 1980. Selected lectures from the CIDA/FAO/CECAF seminar on fishery resource evaluation. Casablanca, Morocco, 6-24 March 1978. Rome, FAO, Canada Funds-in-Trust, FAO/TF/INT 180(c) Suppl.:166 p.

Clark, W.G., 1981. Restricted least-squares estimates of age composition from length composition. *Can.J.Fish.Aquat.Sci.*, 38:297-307

Cloern, J.E. and F.H. Nichols, 1978. A von Bertalanffy growth model with a seasonally varying coefficient. *J.Fish.Res.Board Can.*, 35:1479-1482

Cochet, Y. et B. Gilly, 1990. Logiciels pour l'analyse bioéconomique des pêches. BEAM 3: Simulation bioéconomique analytique de pêches de crevettes tropicales avec recrutement fixe ou aléatoire. *FAO Doc.Tech.Pêches*, (310.2):57 p.

Cochran, W.G., 1977. Sampling techniques. New York, John Wiley and Sons, Inc., 428 p. 3rd ed.

Cohen, D.M., T. Inada, T. Iwamoto and N. Scialabba, 1990. FAO species catalogue Vol. 10. Gadiform fishes of the world (Order Gadiformes). An annotated and illustrated catalogue of cods, hakes, grenadiers and other gadiform fishes known to date. *FAO Fish.Synop.*, (125)Vol.10:442 p.

Colette, B.B. and C.E. Nauen, 1983. FAO species catalogue. Vol. 2. Scombrids of the world. An annotated and illustrated catalogue of tunas, mackerels, bonitos and related species known to date. *FAO Fish.Synop.*, (125)Vol.2:137 p.

Compagno, L.J.V., 1984. FAO species catalogue. Vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Part 1. Hexanchiformes to Lamniformes. *FAO Fish.Synop.*, (125)Vol.4, Pt.1:249 p.

- Compagno, L.J.V.**, 1984a. FAO species catalogue. Vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Part 2. Carcharhiniformes. *FAO Fish.Synop.*, (125)Vol.4,Pt.2:251-655
- Coppola, S.R., S.M. Garcia and R. Willmann**, 1992. Software for bio-economic analysis of fisheries BEAM 1 and BEAM 2. Simple bio-economic analytical simulation models for sequential fisheries on tropical shrimp using age groups or commercial categories. *FAO Computerized Information Series (Fishes)*, No. 1. Rome, FAO. 61 p. (with programs on diskettes)
- Csirke, J.**, 1980. Recruitment in the Peruvian anchovy and its dependence on the adult population. *Rapp.P.-v.Réun.CIEM*, 177:307-313
- Csirke, J.**, 1980a. Introducción a la dinámica de poblaciones de peces. *FAO Doc.Téc.Pesca*, (192):82 p.
- Csirke, J.**, 1988. Small shoaling pelagic fish stocks. pp. 271-302 In: J.A. Gulland (ed.), *Fish population dynamics: the implications for management*, Chichester, John Wiley and Sons Ltd., 422 p.
- Csirke, J. and G.D. Sharp (eds)**, 1984. Reports of the expert consultation to examine changes in abundance and species composition of neritic fish resources, San José, Costa Rica, 18-29 April 1983. *FAO Fish.Rep.*, (291) Vol.1:102 p.
- Cushing, D.H.**, 1968. *Fisheries biology: a study in population dynamics*. Madison, University of Wisconsin Press, 200 p.
- Cushing, D.H.**, 1988. The study of stock and recruitment. pp. 105-128 In: J.A. Gulland (ed.), *Fish population dynamics: the implications for management*, Chichester, John Wiley and Sons Ltd., 422 p.
- Daan, N. and M.P. Sissenwine**, 1991. Multispecies models relevant to management of living resources. Proceedings of a Symposium held in The Hague, 2-4 October 1989. *ICES Mar.Sci.Symp.*, (193): 358 p.
- Dall, W., B.J. Hill, P.C. Rothlisberg and D.J. Staples**, 1990. The biology of the Penaeidae. *Advances in marine biology* Vol. 27, 489 p. London, Academic Press Ltd.
- Dawson, W.A.**, 1986. Changes in western mackerel (*Scomber scombrus*) spawning stock composition during the spawning season. *J.Mar.Biol.Assoc.U.K.*, 66:367-383
- Dayaratne, P. and J. Gjøsaeter**, 1986. Age and growth of four *Sardinella* species from Sri Lanka. *Fish.Res.*, 4:1-33
- Deriso, R.B.**, 1980. Harvesting strategies and parameter estimation for an age-structured model. *Can.J.Fish.Aquat.Sci.*, 37:268-282
- Derzhavin, A.N.**, 1922. The stellate sturgeon (*Acipenser stellatus Pallas*), a biological sketch. *Byulleten' Bakinskoi Ikhtiologicheskoi Stantsii*, 1: 1-393 (In Russian)
- Dickson, W.**, 1974. A review of the efficiency of bottom trawls. Bergen, Norway, Institute of Fisheries Technology and Research, 44 p.
- Doubleday, W.G.**, 1980. Survey methods for resource evaluation. pp. 65-71 In: Selected lectures from the CIDA/FAO/CECAF seminar on fishery resource evaluation. Casablanca, Morocco, 6-24 March 1978. Rome, FAO, Canada Funds-in-Trust, FAO/TF/INT 180(c) Suppl., 166 p.
- Doubleday, W.G. (ed.)**, 1981. Manual on groundfish surveys in the Northwest Atlantic. *NAFO Sci.Counc.Stud.*, (2):7-55

Dwiponggo, A., 1979. Review of the demersal resources and fisheries in the Java Sea. IPFC:RRD/II/79/Inf.12. Paper presented at the SCORRAD Meeting, 1979, Hong Kong

Edser, T., 1908. Note on the number of plaice at each length in certain samples from the southern part of the North Sea, 1906. *J.R.Stat.Soc.*, 71:686-690

Edwards, E.F. and B.A. Megrey (eds), 1989. Mathematical analysis of fish stock dynamics. *American Fisheries Society Symposium*, 6:210 p. + appendices

Edwards, R.R.C., 1985. Growth rates of Lutjanidea (snappers) in tropical Australian waters. *J.Fish Biol.*, 26:1-4

Ehrhardt, N.M., P.S. Jacquemin, F. García, G. González, J.M. López, J. Ortiz and A. Solís, 1983. On the fishery and biology of the giant squid *Dosidicus gigas* in the Gulf of California, Mexico. *FAO Fish. Tech.Pap./FAO Doc.Tech. Pêches/FAO Doc.Téc.Pesca*, (231):306-339

Elliott, J.M., 1971. Some methods for the statistical analysis of samples of benthic invertebrates. *Sci.Publ.Freshwat.Biol.Assoc., Ambleside, U.K.*, (25): 144 p.

Eltink, A.T.G.W., 1987. Changes in age-size distribution and sex ratio during spawning and migration of western mackerel (*Scomber scombrus* L.). *J.Cons.CIEM*, 44:10-22

Fabens, A.J., 1965. Properties and fitting of the von Bertalanffy growth curve. *Growth*, 29:265-289

FAO, 1978. Models for fish stock assessment. Partial translation of the annex to the report of the second FAO/CNEXO Training Centre on methods for fish stock assessment, Brest (France), 26 July-27 August 1976. Original French edition 164 p. *FAO Fish.Circ.*, (701): 122 p.

FAO, 1978a. Some scientific problems of multispecies fisheries. Report of the expert consultation on management of multispecies fisheries, Rome, 20-23 September 1977. *FAO Fish.Tech.Pap.*, (181):42 p.

FAO/IOP, 1978b. FAO catalogue of fishing gear designs. Catalogue FAO de plans d'engins de pêche. Catalogo de la FAO de planos de aparajos de pesca. Farnham, Surrey, Fishing News Books for FAO, 159 p.

FAO/IOP, 1979. Report of the FAO/IOP Workshop on the fishery resources of the western Indian Ocean south of the equator. Rome, FAO/UNDP, Indian Ocean Programme, IOFC/DEV/79/45:102 p.

FAO/UNDP, 1975. FAO regional fishery survey and development project, Doha (Qatar). Report of the Ad hoc working group on survey technique and strategy. Rome, FAO, FI:DP/REM/71/278/1: 45 p.

Fischer, W. (ed.), 1978. FAO species identification sheets for fishery purposes. Western Central Atlantic. (fishing area 31). Rome FAO, 7 vols: pag.var

Fischer, W. and G. Bianchi (eds), 1984. FAO species identification sheets for fishery purposes. Western Indian Ocean (fishing area 51). Prepared and printed with the support of the Danish International Development Agency (DANIDA). Rome, FAO, 6 vols. pag.var

Fischer, W., G. Bianchi and W.B. Scott (eds), 1981. FAO species identification sheets for fishery purposes. Eastern Central Atlantic; fishing areas 34, 47(in part). Canada Funds-in-Trust. Ottawa, Department of Fisheries and Oceans Canada, by arrangement with the Food and Agriculture Organization of the United Nations, 7 vols: pag.var.

Fischer, W. and J.C. Hureau (eds), 1985. FAO species identification sheets for fishery purposes. Southern Ocean (Fishing areas 48, 58 and 88) (CCAMLR Convention Area). Prepared and published with the support of the Commission for the Conservation of Antarctic Marine Living Resources. Rome, FAO, 2 vols:470 p. Issued also in French and Spanish.

Fischer, W., M. Schneider et M.-L. Bauchot, (réacteurs), 1987. Fiches FAO d'identification des espèces pour les besoins de la pêche. (Révision 1). Méditerranée et Mer Noire. Zone de pêche 37. Publication préparée par la FAO, résultat d'un accord entre la FAO et la Commission des Communautés Européennes (Project GCP/INT/422/EEC) financée conjointement par ces deux organisations. Rome, FAO, 2 vols:1532 p.

Fischer, W. and P.J.P. Whitehead (eds), 1974. FAO species identification sheets for fishery purposes. Eastern Indian Ocean (fishing area 57) and Western Central Pacific (fishing area 71). Rome, FAO, 4 vols:pag.var.

Flowers, J.M., 1978. A data processing and basic analysis system for demersal fisheries surveys. Regional fishery survey and development project. Rome, FAO, FI:DP/REM/71/278/4: 151 p.

Fogarty, M.J., 1985. Statistical considerations in the design of trawl surveys. FAO Fish.Circ., (786):21 p.

Fonteneau, A., 1982. Eléments pour l'aménagement des pêches d'albacore (*Thunnus albacares*) de l'Atlantique. Collect.Vol.Sci.Pap.ICCAT/Recl.Doc. Sci.CICTA/Colecc.Doc.Cient.CICAA, 17:79-163

Fonteneau, A. et J. Marcille (réacteurs), 1988. Ressources, pêche et biologie des thonidés tropicaux de l'Atlantique centre est. FAO Doc.Tech.Pêches, (292):391 p.

Ford, E., 1933. An account of the herring investigations conducted at Plymouth during the years from 1924 to 1933. J.Mar.Biol.Assoc.U.K., 19: 305-384

Forsbergh, E.D., 1980. Synopsis of biological data on the skipjack tuna, *Katsuwonus pelamis* (Linnaeus, 1758), in the Pacific Ocean. Spec.Rep. I-ATTC, (2):295-360

Fox, W.W. Jr., 1970. An exponential surplus-yield model for optimizing exploited fish populations. Trans.Am.Fish.Soc., 99:80-88

Francis, R.C., 1974. Relationship of fishing mortality to natural mortality at the level of maximum sustainable yield under the logistic stock production model. J.Fish.Res.Board Can., 31:1539-1542

Fréon, P., 1984. La variabilité des tailles individuelles à l'intérieur des cohortes et des bancs de poissons. 1. Observations et interprétation. Oceanol.Acta, 7(4):457-468

Fréon, P., C. Mullon and G. Pichon, 1992. CLIMPROD: Experimental interactive software for choosing and fitting surplus production models including environmental variables. FAO Computerized Information Series (Fisheries) No. 5. Rome, FAO, 82 p.(with programs on diskette)

Fry, F.E.J., 1949. Statistics of a lake trout fishery. Biometrics, 5:27-67

Garcia, S., 1985. Reproduction, stock assessment models and population parameters in exploited penaeid shrimp populations. pp. 139-158 In: P.C. Rothlisberg, B.J. Hill and D.J. Staples (eds), Second Australian national prawn seminar, Kooralbyn (Australia), 22-26 Oct. 1984. Cleveland, Queensland, Australia, NPS2, 361 p.

Garcia, S., 1988. Tropical penaeid prawns. pp. 219-249. In: J.A. Gulland (ed.) Fish population dynamics: the implications for management, Chichester, John Wiley and Sons Ltd., 422 p.

Garcia, S. and L. Le Reste, 1981. Life cycles, dynamics, exploitation and management of coastal penaeid shrimp stocks. FAO Fish.Tech.Pap., (203): 215 p. Issued also in French and Spanish.

Garcia, S., P. Sparre and J. Csirke, 1987. A note on rough estimators of fisheries resources potential. ICLARM Fishbyte, 5(2):11-16

Garcia, S., P. Sparre and J. Csirke, 1989. Estimating surplus production and maximum sustainable yield from biomass data when catch and effort time series are not available. Fish.Res., 8:13-23

Garcia, S. and N.P. van Zalinge, 1982. Shrimp fishing in Kuwait: methodology for a joint analysis of the artisanal and industrial fisheries. pp. 119-142 In: Report on the Workshop on assessment of the shrimp stocks of the west coast of the Gulf between Iran and the Arabian Peninsula. Fisheries development in the Gulf. Rome, FAO, FI:DP/RAB/80/015/1, 163 p.

Garrod, D.J., 1961. The selection characteristics of nylon gill nets for *Tilapia esculenta* Graham. J.Cons.CIEM, 26(2):191-203

Garrod, D.J., 1988. North Atlantic cod: fisheries and management to 1986. pp. 185-218 In: J.A. Gulland (ed.), Fish population dynamics: the implications for management, Chichester, John Wiley and Sons Ltd., 422 p.

Gavaris, S. and S.J. Smith, 1987. Effect of allocation and stratification strategies on precision of survey abundance estimates for Atlantic cod (*Gadus morhua*) on the eastern Scotian Shelf. J.Northwest Atl.Fish.Sci., 7:137-144

Gayanilo Jr., F.C., M. Soriano and D. Pauly, 1988. A draft guide to the COMPLEAT ELEFAN. ICLARM Software Project 2.: 65 p. and diskettes

Gayanilo Jr., F.C., P. Sparre and D. Pauly, 1994. The FAO-ICLARM Stock Assessment Tools (FISAT) User's guide. FAO Computerized Information Series (Fisheries) No. 8 Rome, FAO, 124 p. and 3 diskettes.

Gerking, S.D., 1953. Evidence for concepts of home range and territory in stream fishes. Ecology, 34:347-365

Gislason, H. and Th. Helgason, 1985. Species interaction in assessment of fish stocks with special application to the North Sea. Dana, 5:1-44

Gislason, H. and P. Sparre, 1987. Some theoretical aspects of the implementation of multispecies virtual population analysis in ICES. ICES C.M. 1987/G:51 (mimeo)

Gjøsæter, J.P., P. Dayaratne, O.A. Bergstad, H. Gjøsæter, M.I. Sousa and I.M. Beck, 1983. Ageing tropical fish by primary growth rings in their otoliths. Bergen, University of Bergen, 67 p. Issued also in 1984 as: FAO Fish.Circ., (776):54 p.

Goeden, G.B., 1978. A monograph of the coral trout, *Plectropomus leopardus* (Lacépède). Res.Bull.Fish.Serv.Queensl., (1):42 p.

Graham, M., 1935. Modern theory of exploiting a fishery and application to North Sea trawling. *J.Cons.CIEM*, 10(3):264-274

Grosslein, M.D. and A. Laurec, 1982. Bottom trawl surveys design, operation and analysis. *CECAF/ECAF Ser.*, (81/22):25 p. Issued also in French

Gulland, J.A., 1955. On the estimation of population parameters from marked members. *Biometrika*, 42:269-270

Gulland, J.A., 1961. The estimation of the effect on catches of changes in gear selectivity. *J.Cons.CIEM*, 26(2):204-214

Gulland, J.A., 1965. Estimation of mortality rates. Annex to Arctic fisheries working group report ICES C.M. Doc. 3 (mimeo)

Gulland, J.A., 1966. Manual of sampling and statistical methods for fisheries biology. Part 1. Sampling methods. *FAO Man.Fish.Sci.*, (3):87 p. Issued also in French and Spanish

Gulland, J.A., 1969. Manual of methods for fish stock assessment. Part 1. Fish population analysis. *FAO Man.Fish.Sci.*, (4):154 p. Issued also in French and Spanish

Gulland, J.A. (comp.), 1971. The fish resources of the ocean. West Byfleet, Surrey, Fishing News (Books), Ltd., for FAO, 255 p. Revised edition of *FAO Fish.Tech.Pap.*, (97):425 p. (1970)

Gulland, J.A., 1975. Manual of methods for fisheries resources survey and appraisal. Part 5. Objectives and basic methods. *FAO Fish.Tech.Pap.*, (145):29 p.

Gulland, J.A., 1983. Fish stock assessment: a manual of basic methods. Chichester, U.K., Wiley Interscience, FAO/Wiley series on food and agriculture, Vol.1:223 p.

Gulland, J.A. (ed.), 1988. Fish population dynamics: the implications for management. Chichester, John Wiley and Sons Ltd., 422 p. 2nd ed.

Gulland, J.A., 1988a. The problems of population dynamics and contemporary fishery management. pp. 383-406 In: J.A. Gulland (ed.), *Fish population dynamics: the implications for management*, Chichester, John Wiley and Sons Ltd., 422 p.

Gulland, J.A. and D. Harding, 1961. The selection of *Clarias mossambicus* (Peters) by nylon gill nets. *J.Cons.CIEM*, 26:215-222

Gulland, J.A. and S.J. Holt, 1959. Estimation of growth parameters for data at unequal time intervals. *J.Cons.CIEM*, 25(1):47-49

Gulland, J.A. and A.A. Rosenberg, 1992. A review of length-based approaches to assessing fish stocks. *FAO Fish.Tech.Pap.*, (323):100 p.

Gulland, J.A. and B.J. Rothschild, (eds), 1984. Penaeid shrimps - their biology and management. Farnham, Surrey, England, Fishing News Books Limited, 308 p.

Gunderson, D.R. and P.H. Dygert, 1988. Reproductive effort as a predictor of natural mortality rate. *J.Cons.CIEM*, 44:200-209

Hald, A., 1952. Statistical theory with engineering applications. New York, Wiley, 783 p.

Hamley, J.M., 1975. Review of gillnet selectivity. *J.Fish.Res.Board Can.*, 32:1943-1969

- Hamley, J.M. and H.A. Regier**, 1973. Direct estimates of gillnet selectivity to walleye (*Stizostedion vitreum vitreum*). *J.Fish.Res.Board Can.*, 30:817-830
- Hanumara, R.C. and N.A. Hoenig**, 1987. An empirical comparison of a fit of linear and non-linear models for seasonal growth in fish. *Fish.Res.*, 5:359-381
- Harden Jones, F.R.**, 1968. Fish migration. London, Arnold, 325 p.
- Harden Jones, F.R.**, 1984. A view from the ocean. In Mechanisms of migration in fishes, edited by J.D. McCleave et al. New York, Plenum Press, pp. 1-26
- Harding, J.P.**, 1949. The use of probability paper for the graphical analysis of polymodal frequency distributions. *J.Mar.Biol.Assoc.U.K.*, 28:141-153
- Hasselblad, V.**, 1966. Estimation of parameters for a mixture of normal distributions. *Technometrics*, 8:431-444
- Hasselblad, V. and P.K. Tomlinson**, 1971. NORMSEP. Normal distribution separator. In: N.J. Abramson (Comp.), Computer programs for fish stock assessment. *FAO Fish.Tech.Pap.*, (101):11(1)2.1-11(1)2.10
- Heincke, F.**, 1913. Investigations on the plaice. General report. 1. The plaice fishery and protective regulations. Part. I. *Rapp.P.-v.Réun.CIEM*, 17A:1-153 + Annexes
- Helgason, T. and H. Gislason**, 1979. VPA-analysis with species interaction due to predation. ICES C.M. 1979/G:52:10 p. (mimeo)
- Helgason, T., and H. Gislason**, 1979. VPA-analysis with species interaction due to predation. ICES, C.M. 1979/G:52. (mimeo)
- Hemmingsen, A.**, 1960. Energy metabolism as related to body size and respiratory surfaces, and its evaluation. *Rept. Steno Mem. Hosp.*, 9:1-110.
- Hilborn, R. and C.J. Walters**, 1992. Quantitative fisheries stock assessment. Choice, dynamics and uncertainty. Chapman and Hall, Inc., London, New York: 570 p. (with programs on a diskette)
- Hoenig, J.M.**, 1983. Empirical use of longevity data to estimate mortality rates. *Fish.Bull.NOAA/NMFS*, 81(4):898-903
- Holden, M.J. and D.F.S. Raith** (eds), 1974. Manual of fisheries science. Part 2. Methods of resource investigations and their application. *FAO Fish.Tech.Pap.*, (115)Rev.1:214 p. Issued also in French and Spanish
- Holland, K., R. Brill, S. Ferguson, R. Chang and R. Yost**, 1985. A small vessel technique for tracking pelagic fish. *Mar.Fish.Rev.*, 47(4):26-32
- Holt, S.J.**, 1962. The application of comparative population studies to fishery biology - an exploration. pp:51-69 In: E.D. Le Cren and M.W. Holdgate (eds), The exploitation of natural animal populations, British Ecological Society Symposium Number Two, Oxford, Blackwell Scientific Publications, 383 p.
- Holt, S.J.**, 1963. A method for determining gear selectivity and its application. *ICNAF Spec.Publ.*, (5):106-115
- Holt, S.J.**, 1965. A note on the relationship between mortality rate and the duration of life in an exploited fish population. *ICNAF Res.Bull.*, (2):73-75
- Holthuis, L.B.**, 1980. FAO species catalogue. Vol. 1. Shrimps and prawns of the world. An annotated catalogue of species of interest to fisheries. *FAO Fish.Synop.*, (125)Vol.1:271 p.

Holthuis, L.B., 1991. FAO species catalogue. Vol. 13 Marine lobsters of the world. An annotated catalogue of species of interest to fisheries known to date. *FAO Fish.Synop.*, (125)Vol.13:292 p.

Hoydal, K., C.J. Rørvik and P. Sparre, 1980. A method for estimating the effective mesh size and the effect of changes in gear parameters. ICES C.M. 1980/G:28:33 p. (mimeo)

Hoydal, K., C.J. Rørvik and P. Sparre, 1982. Estimation of effective mesh sizes and their utilization in assessment. *Dana*, 2:69-95

Hunter, J.R., A.W. Argue, W.H. Bayliff, A.E. Dizon, A. Fonteneau, D. Goodman and G.R. Seckel, 1986. The dynamics of tuna movements: an evaluation of past and future research. *FAO Fish.Tech.Pap.*, (277):78 p.

I-ATTC (Inter-American Tropical Tuna Commission/Comisión Interamericana del Atún Tropical), 1984. Annual report of the Inter-American Tropical Tuna Commission. Informe anual de la Comisión Interamericana del Atún Tropical, 1983. *Annu.Rep.I-ATTC/Inf.Anu.CIAT*, (1983):272 p.

ICES, 1979. Report of the North Sea round fish working group, Charlottenlund, 7-11 May 1979. ICES, C.M. 1979/G:7 (mimeo)

ICES, 1980. Report of the North Sea round fish working group, Copenhagen, 14-18 April 1980. ICES, C.M. 1980/G:8 (mimeo)

ICES, 1981. Report of the Ad hoc working group on the use of effort data in assessment, Copenhagen, 2-6 March 1981. ICES C.M. 1981/G:5 (mimeo)

ICES, 1984. Report of the Ad hoc multispecies assessment working group, Copenhagen, 18-22 June 1984. ICES C.M. 1984/Assess:20:99 p. (mimeo)

ICES, 1986. Report of the Ad hoc multispecies assessment working group, Copenhagen, 13-19 November 1985. ICES C.M. 1986/Assess:9:141 p. (mimeo)

ICES, 1987. Report of the Ad hoc multispecies assessment working group, Copenhagen, 12-18 November 1986. ICES C.M. 1987/Assess:9 (mimeo)

ICOD (International Centre for Ocean Development), 1991. A guide to the management and operation of marine research and survey vessels. Halifax, International Centre for Ocean Development: 18 sections, 1441 p.

Ihsen, P.E., H.E. Booke, J.M. Casselman, J.M. McGlade, N.R. Payne and F.M. Utter, 1981. Stock identification: materials and methods. *Can.J.Fish.Aquat.Sci.*, 38:1838-1855

Ingles, J. and D. Pauly, 1984. An atlas of the growth, mortality and recruitment of Philippine fishes. *ICLARM Tech.Rep.*, (13):127 p.

Isaac, V. J., 1990. The accuracy of some length-based methods for fish population studies. *ICLARM Tech. Rep.* (27): 81 p.

Isarankura, A.P., 1971. Assessment of stocks of demersal fish off the west coast of Thailand and Malaysia. FAO/UNDP, Indian Ocean Programme, Rome, IOC/DEV/71/20:20 p.

Jamieson, G.S. and N. Bourne (eds), 1986. North Pacific Workshop on stock assessment and management of invertebrates. *Can.Spec. Publ.Fish.Aquat.Sci.*, (92):430 p.

Jensen, J.W., 1986. Gillnet selectivity and the efficiency of alternative combinations of mesh sizes for some freshwater fish. *J.Fish.Biol.*, 28: 637-646

- Jones, R.**, 1961. The assessment of the long term effects of changes in gear selectivity and fishing effort. *Mar.Res.Scot.*, 2:19 p.
- Jones, R.**, 1963. Some theoretical observations on the escape of haddock from a codend. *ICNAF Spec.Publ.*, (5):116-127
- Jones, R.**, 1974. Assessing the long term effects of changes in fishing effort and mesh size from length composition data. *ICES C.M. 1974/F: 33:13* p. (mimeo)
- Jones, R.**, 1976. Mesh regulation in the demersal fisheries of the South China Sea area. Manila, South China Sea Fisheries Development and Coordinating Programme, *SCS/76/WP/34*: 75 p.
- Jones, R.**, 1977. Tagging: theoretical methods and practical difficulties. pp. 46-66 In: J.A. Gulland (ed.), *Fish population dynamics: the implications for management*, New York, Wiley Interscience, 422 p.
- Jones, R.**, 1984. Assessing the effects of changes in exploitation pattern using length composition data (with notes on VPA and cohort analysis). *FAO Fish.Tech.Pap.*, (256):118 p.
- Jones, R. and N.P. van Zalinge**, 1981. Estimates of mortality rate and population size for shrimp in Kuwait waters. *Kuwait Bull.Mar.Sci.*, 2: 273-288
- Juanicó, M.**, 1983. Squid maturity scales for population analysis. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêches/FAO Doc.Téc.Pesca*, (231):341-378
- Julien-Flüs, M.**, 1988. A study of growth parameters and mortality rates of *Scomberomorus brasiliensis* from coastal areas of Trinidad, West Indies. *FAO Fish.Rep.*, (389):385-400
- Karlsen, L. and B.A. Bjarnasson**, 1986. Small-scale fishing with driftnets. *FAO Fish.Tech.Pap.*, (284):64 p. (Also issued in Spanish)
- Kimura, D.K.**, 1977. Logistic model for estimating selection ogives from catches of codends whose ogives overlap. *J.Cons.CIEM*, 38(1):116-119
- Kleiber, P.M., A.W. Argue and R.E. Kearney**, 1983. Investigation of skipjack stock for management purposes. *Collect.Vol.Sci.Pap.ICCAT/Recl.Doc.Sci.CICTA/Colecc.Doc.Cient. CICAA* 18(3):794-811
- Klima, E.F.**, 1976. An assessment of the fish stocks and fisheries of the Campeche Bank. *WECAF Stud.*, (5):24 p.
- Lablache, G. and G. Carrara**, 1988. Population dynamics of emperor red snapper, *Lutjanus sebae*, with notes on the demersal fishery on the Mahé Plateau, Seychelles. *FAO Fish.Rep.*, (389):171-192
- Lange, A.M.T. and M.P. Sissenwine**, 1983. Squid resources of the Northwest Atlantic. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêches/FAO Doc.Téc.Pesca*, (231):21-54
- Larkin, P.A.**, 1972. The stock concept and management of Pacific salmon. H.R. MacMillan lectures in fisheries. Vancouver, University of British Columbia Press, 231 p.
- Larkin, P.A.**, 1977. An epitaph for the concept of maximum sustainable yield. *Trans.Am.Fish.Soc.*, 106(1):1-11
- Larkin, P.A.**, 1988. Pacific salmon. pp. 153-183 In: J.A. Gulland (ed.), *Fish population dynamics: the implications for management*, Chichester, John Wiley and Sons Ltd., 422 p.

Laurec, A. et J.-C. LeGuen, 1981. Dynamique des populations marines exploitées. Tome I. Concepts et Modèles. CNEXO Rapports Scientifiques et Techniques (45):117 p.

Losse, G.F. and A. Dwippongo, 1977. Report on the Java Sea south east monsoon trawl survey, June-December 1976. Jakarta, Marine Fisheries Research Report (Special report). Contribution of the Demersal Fisheries Project No. 3:119 p.

Ludwig, D., 1987. Estimation of delay-difference model parameters from catch-effort data. *Coop.Fish.Res.Unit.Rep.Ser.Univ.B.C.*

Ludwig, D. and C.J. Walters, 1985. Are age-structured models appropriate for catch-effort data? *Can.J.Fish.Aquat.Sci.*, 42:1066-1072

Macdonald, P.D.M. and T.J. Pitcher, 1979. Age-groups from size-frequency data: a versatile and efficient method of analyzing distribution mixtures. *J.Fish.Res.Board Can.*, 36:987-1001

Mackett, D.J., 1973. Manual of methods for fisheries resource survey and appraisal. Part 3. Standard methods and techniques for demersal fisheries resource surveys. *FAO Fish.Tech.Pap.*, (124):39 p.

MacLean, J.A. and D.O. Evans, 1981. The stock concept, discreteness of fish stocks and fisheries management. *Can.J.Fish.Aquat.Sci.*, 38:1889-1898

MacLennan, C.N. (ed.), 1992. Fishing gear selectivity. Fisheries Research, Special issue. *Fish.Res.*, 13(3):201-352

Mahon, R. (ed.), 1987. Report and proceedings of the expert consultation on shared fishery resources of the Lesser Antilles region. Mayaguez, Puerto Rico, 8-12 September 1986. *FAO Fish.Rep.*, (383):278 p.

Mahon, R. and S. Mahon, 1987. Seasonality and migration of pelagic fishes in the eastern Caribbean. *FAO Fish.Rep.*, (383):192-273

Márquez M., R., 1990. FAO species catalogue Vol. 11. Sea turtles of the world. An annotated and illustrated catalogue of sea turtle species known to date. *FAO Fish.Synop.*, (125) Vol.11:81 p.

Marten, G.G., 1978. Calculating mortality rates and optimum yields from length samples. *J.Fish.Res.Board.Can.*, 35(2):197-201

Marten, G.G. and J.J. Polovina, 1982. A comparative study of fish yields from various tropical ecosystems. pp.255-285 In: D. Pauly and G.I. Murphy (eds), 1982. Theory and management of tropical fisheries. Proceedings of the ICLARM/CSIRO workshop on the theory and management of tropical multispecies stocks, 12-21 January 1981, Cronulla, Australia. *ICLARM Conf.Proc.*, (9):360 p.

Mather, F.J., H.L. Clark and J.M. Mason, 1975. Synopsis of the biology of the white marlin *Tetrapterus albidus* Poey (1861). *NOAA Tech.Rep.NMFS (Spec.Sci.Rep.-Fish.Ser.)*, (675)Pt.3, Species Synopses:55-94

Mather, F.J., J.M. Mason and H.L. Clark, 1974. Results of sailfish tagging in the Western North Atlantic Ocean. *NOAA Tech.Rep.NMFS SSRF (Spec.Sci.Rep.-Fish.Ser.)*, (675)Pt.2. Proceedings of the international billfish symposium, Kailua-Kona, Hawaii, 9-12 August 1992. Review and contributed papers:194-210

Mather, F.J., J.M. Mason and H.L. Clark, 1974a. Migrations of white marlin and blue marlin in the Western North Atlantic Ocean - tagging results since May, 1970. *NOAA Tech.Rep.NMFS (Spec.Sci.Rep.-Fish.Ser.)*, (675) Pt.2. Proceedings of the international billfish symposium, Kailua-Kona, Hawaii, 9-12 August 1992. Review and contributed papers:211-222

Matsumoto, W.M., R.A. Skillman and A.E. Dizon, 1984. Synopsis of biological data on skipjack tuna, (*Katsuwonus pelamis*). FAO Fish.Synop., (136): 92 p. Issued also as NOAA Tech.Rep.NMFS Circ., (451):92 p.

McCombie, A.M. and F.E.J. Fry, 1960. Selectivity of gill nets for lake whitefish *Coregonus clupeaformis*. Trans.Am.Fish.Soc., 89:176-184

McNew, R.W. and R.C. Summerfelt, 1978. Evaluation of a maximum-likelihood estimator for analysis of length-frequency distributions. Trans.Am.Fish.Soc., 107(5):730-736

Megrey, B.A., 1989. Review and comparison of age-structured stock assessment models from theoretical and applied points of view. American Fisheries Society Symposium, 6:8-48

Mesnil, B., 1989. Computer programs for fish stock assessment. ANACO: Software for the analysis of catch data by age group on IBM PC and compatibles. FAO Fish.Tech.Pap.,(101) Suppl.3:73 p. (with programs on diskettes, also issued in French in 1988)

Mohamed, K.H., N.P. van Zalinge, R. Jones, M. El-Musa, M. Al-Hossaini and A.R. Abdul-Chaffar, 1979. Mark-recapture experiments on the Gulf shrimp, *Penaeus semisulcatus*, De Haan, in Kuwait waters. Shrimp stock evaluation and management project, Kuwait. Report TF/KUW-6/R-10:59 p. (mimeo) (Also issued in 1981 as KISR Tech.Rep. (401):62 p.)

Morales-Nin, B., 1991. Determinación del crecimiento de peces óseos en base a la microestructura de los otolitos. [Determination of growth of bony fishes based on micro-structures in the otoliths]. FAO Doc.Téc.Pesca, (322):58 p. (Also issued in English)

Moreau, J., C. Bambino and D. Pauly, 1986. Indices of overall fish growth performance of 100 tilapia (Cichlidae) populations. pp. 201-206 In: J.L. Maclean, L.B. Dizon and L.V. Hosillos (eds), The first Asian fisheries forum, Manila, Philippines, Asian Fisheries Society.

Munro, J.L., 1974. The mode of operation of Antillean fish traps and the relationships between ingress, escapement, catch and soak. J.Cons.CIEM, 35(3):337-350

Munro, J.L., 1982. Estimation of the parameters of the von Bertalanffy growth equation from recapture data at variable time intervals. J.Cons.CIEM, 40:199-200

Munro, J.L. (ed.), 1983. Caribbean coral reef fishery resources. ICLARM Stud.Rev., (7):276 p.

Munro, J.L., 1983a. Progress in coral reef fisheries research, 1973-1982. ICLARM Stud. Rev., (7): 249

Munro, J.L. and D. Pauly, 1983. A simple method for comparing growth of fishes and invertebrates. ICLARM Fishbyte, 1(1):5-6

Munro, J.L. and R. Thompson, 1983. The Jamaican fishing industry. ICLARM Stud.Rev., (7):10-14

Munro, J.L. and R. Thompson, 1983a: Areas investigated, objectives and methodology. ICLARM Stud.Rev., (7):15-25

Murawski, S.A., 1984. Mixed species yield-per-recruitment analyses accounting for technological interactions. Can.J.Fish.Aquat.Sci., 41:897-916

Murphy, G.I., 1966. Population biology of the pacific sardine (*Sardinops caerulea*). Proc.Calif.Acad.Sci., 34:1-84

Murphy, G.I., 1977. Clupeoids. pp.283-308 In: J.A. Gulland (ed.) Fish population dynamics: the implications for management. New York, Wiley Interscience, 422 p.

Murphy, G.I., 1982. Recruitment of tropical fishes. pp.141-148 In: D. Pauly and G.I. Murphy (eds) 1982. Theory and management of tropical fisheries. Proceedings of the ICLARM/CSIRO workshop on the theory and management of tropical multispecies stocks, 12-21 January 1981, Cronulla, Australia. ICLARM Conf. Proc., (9):360 p.

Naamin, N. and S. Noer, 1980. The status of the shrimp fishery in the Arafura Sea. In Report of the Workshop on the biology and resources of penaeid shrimps in the South China Sea area. Part 1. Manila, South China Sea Fisheries Development and Coordinating Programme, SCS/GEN/80/26:13-32

Nakamura, I., 1985. FAO species catalogue. Vol. 5. Billfishes of the world. An annotated and illustrated catalogue of marlins, sailfishes, spearfishes and swordfishes known to date. FAO Fish. Synop., (125) Vol. 5: 65 p.

Nédélec, C., 1982. Definition and classification of fishing gear categories. FAO Fish. Tech. Pap., (222):51 p. Issued also in French and Spanish

Nishikawa, Y., et al., 1985. Average distribution of larvae of oceanic species of Scombroide fishes, 1956-1981. Far Seas Fish. Res. Lab., S Series (12):99 p.

Osako, M. and M. Murata, 1983. Stock assessment of cephalopod resources in the Northwestern Pacific. FAO Fish. Tech. Pap./FAO Doc. Tech. Pêches/FAO Doc. Téc. Pesca, (231):55-144

Oxenford, H.A. and W. Hunte, 1986. Migration of the dolphin (*Coryphaena hippurus*) and its implications for fisheries management in the Western Central Atlantic. Proc. Gulf. Caribb. Fish. Inst., 37:95-111

Packard, A., 1966. Optional convergence between cephalopods and fish: an exercise in functional anatomy. Arch. Zool. Ital., 51:523-543

Paloheimo, J.E., 1958. A method of estimating natural and fishing mortalities. J. Fish. Res. Board Can., 15(4):749-758

Paloheimo, J.E., 1961. Studies on estimation of mortalities. I. Comparison of a method described by Beverton and Holt and a new linear formula. J. Fish. Res. Board Can., 18(5):645-662

Paloheimo, J.E., 1980. Estimation of mortality rates in fish populations. Trans. Am. Fish. Soc., 109:378-386

Paloheimo, J.E. and E. Cadima, 1964. On statistics of mesh selection. ICNAF Serial No. 1394/Doc. No. 98

Panella, G., 1971. Fish otoliths: daily growth layers and periodical patterns. Science, Wash., 137(4002):1124-1127

Parrish, B.B. (ed.), 1973. Fish stocks and recruitment. Proceedings of a symposium held in Aarhus 7-10 July 1970. Rapp. P.-v. Réun. CIEM, (164):372 p.

Paulik, G.J., 1963. Estimates of mortality rates from tag recoveries. Biometrics, 19:28-57

Pauly, D., 1979. Theory and management of tropical multispecies stocks: a review with emphasis on the Southeast Asian demersal fisheries. ICLARM Stud. Rev., (1):35 p.

Pauly, D., 1980: A selection of simple methods for the assessment of tropical fish stocks. *FAO Fish.Circ.*, (729):54 p. Issued also in French. Superseded by Pauly, D., 1983. *FAO Fish.Tech.Pap.*, (234), 52 p.

Pauly, D., 1980a: A new methodology for rapidly acquiring basic information on tropical fish stocks: growth, mortality and stock-recruitment relationships. pp. 154-72 In: S.B. Saila and P. Roedel (eds) Stock assessment for tropical small-scale fisheries. Proceedings of an International Workshop held 19-21 September 1979, Kingston, University of Rhode Island, International Center for Marine Resource Development,

Pauly, D., 1980b: On the interrelationships between natural mortality, growth parameters, and mean environmental temperature in 175 fish stocks. *J.Cons.CIEM*, 39(2):175-192

Pauly, D., 1981: Tropical stock assessment package for programmable calculators and micro-computers. *ICLARM Newsl.*, 4(3):10-13

Pauly, D., 1983. Some simple methods for the assessment of tropical fish stocks. *FAO Fish.Tech.Pap.*, (234):52 p. Issued also in French and Spanish

Pauly, D., 1983a. Length-converted catch curves. A powerful tool for fisheries research in the tropics. (Part I). *ICLARM Fishbyte*, 1(2):9-13

Pauly, D., 1984. Fish population dynamics in tropical waters: a manual for use with programmable calculators. *ICLARM Stud.Rev.*, (8):325 p.

Pauly, D., 1984a. Length-converted catch curves. A powerful tool for fisheries research in the tropics. (Part II). *ICLARM Fishbyte*, 2(1):17-19

Pauly, D., 1984b. Length-converted catch curves. A powerful tool for fisheries research in the tropics. (III: Conclusion). *ICLARM Fishbyte*, 2(3):9-10

Pauly, D., 1987. A review of the ELEFAN system for analysis of length-frequency data in fish and aquatic invertebrates. *ICLARM Conf.Proc.*, (13):7-34

Pauly, D., 1988. Fisheries research and the demersal fisheries of Southeast Asia. pp. 329-348 In: J.A. Gulland (ed.), *Fish population dynamics: the implications for management*, Chichester, John Wiley and Sons Ltd., 422 p.

Pauly, D., 1990. Can we use traditional length-based fish stock assessment when growth is seasonal? *Fishbyte*, 8(3):29-32

Pauly, D. and J.F. Caddy, 1985. A modification of Bhattacharya's method for the analysis of mixtures of normal distributions. *FAO Fish.Circ.*, (781):16 p.

Pauly, D. and N. David, 1981. ELEFAN I, a BASIC program for the objective extraction of growth parameters from length-frequency data. *Meeresforschung*, 28(4):205-211

Pauly, D. and G. Gaschütz, 1979. A simple method for fitting oscillating length growth data, with a program for pocket calculators. ICES C.M. 1979/G:24:26 p. (mimeo)

Pauly, D. and G.R. Morgan (eds), 1987. Length-based methods in fisheries research. *ICLARM Conf.Proc.*, (13):468 p.

Pauly, D. and J.L. Munro, 1984. Once more on the comparison of growth in fish and invertebrates. *ICLARM Fishbyte*, 2(1):21

Pauly, D. and G.I. Murphy (eds) 1982. Theory and management of tropical fisheries. Proceedings of the ICLARM/CSIRO workshop on the theory and management of tropical multispecies stocks, 12-21 January 1981, Cronulla , Australia. *ICLARM Conf.Proc.*, (9):360 p.

Pauly, D. and N.A. Navaluna, 1983. Monsoon-induced seasonality in the recruitment of Philippine fishes. *FAO Fish.Rep.*, (291) Vol.3:823-833

Pauly, D., M.Soriano-Bartz, J.Moreau and A. Jarre-Teichmann, 1992. A new model accounting for seasonal cessation of growth in fishes. *Austr.J.Mar. Freshwat.Res.* 43(5): 1151-1156 (special issue on age determination and growth in fish and other aquatic animals)

Pauly, D. and P.Sparre, 1991. A note on the development of a new software package, the FAO-ICLARM Stock Assessment Tools (FiSAT). *ICLARM Fishbyte*, 9(2):47-49

Pearson, K., 1894. Contribution to the mathematical theory of evolution. *Philos.Trans.R.Soc.Lond.(Ser.A.)*, 185:71-110

Penn, J.W., 1984. The behavior and catchability of some commercially exploited penaeids and their relationship to stock and recruitment. pp. 173-186 In: J.A. Gulland and B.J. Rothschild (eds), *Penaeid shrimps - their biology and management*, edited by. Farnham, Surrey, England, Fishing News Books Ltd.,

Pennington, M., 1983. Efficient estimators of abundance, for fish and plankton surveys. *Biometrics*, 39:281-286

Petersen, C.G.J., 1892. Fiskenes biologiske forhold i Holbaek Fjord, 1890-91. *Beret.Danm.Biol.St.*, 1890(1):121-183. (in Danish)

Peterson, I. and S.J. Wroblewski, 1984. Mortality rate of fishes in the pelagic ecosystem. *Can.J.Fish.Aquat.Sci.*, 41:1117-1120

Pitcher, T.J. and P.D.M. Macdonald, 1973. Two models for seasonal growth in fishes. *J.Appl.Ecol.*, 10:597-606

Polovina, J.J., 1984. An overview of the ECOPATH model. *ICLARM Fishbyte*, 2(2):5-7

Polovina, J.J., 1984a. Model of the coral reef ecosystem. Part I. The ECOPATH model and its application to French frigate shoals. *Coral Reefs*, 3(1):1-11

Pope, J.A., A.R. Margetts, J.M. Hamley and E.F. Akyüz, 1975. Manual of methods for fish stock assessment. Pt3. Selectivity of fishing gear. *FAO Fish.Tech.Pap.*, (41)Rev.1:65 p.

Pope, J.G., 1972. An investigation of the accuracy of virtual population analysis using cohort analysis. *Res.Bull.ICNAF*, (9):65-74

Pope, J.G., 1979. Stock assessment in multispecies fisheries with special reference to the trawl fisheries in the Gulf of Thailand. Manila. South China Sea Development and Coordinating Programme, SCS/DEV/79/19:106 p.

Pope, J.G., 1979a. A modified cohort analysis in which constant natural mortality is replaced by estimates of predation levels. ICES C.M. 1979/H:16:7 p. (mimeo)

Pope, J.G., 1980. Assessment of multispecies resources. In Selected lectures from the CIDA/FAO/CECAF seminar on fishery resource evaluation. Casablanca, Morocco, 6-24 March 1978. Rome, FAO, Canada Funds-in-Trust, FAO/TF/INT 180(c) Suppl.:93-137

- Pope, J.G.**, 1980a. Phalanx analysis: an extension on Jones' length cohort analysis to multispecies cohort analysis. ICES C.M. 1980/G:19:18 p. (mimeo)
- Pope, J.G.**, 1988. Collecting fisheries assessment data. pp. 63-82 In: J.A. Gulland (ed.), Fish population dynamics: the implications for management, Chichester, John Wiley and Sons Ltd., 422 p.
- Postel, E.**, 1955. Contribution a l'étude de la biologie de quelques Scombridae de l'Atlantique tropico-oriental. *Ann.Stn.Oceanogr.Salambo*, (10):167 p.
- Powell, D.G.**, 1979. Estimation of mortality and growth parameters from the length frequency of a catch. *Rapp.P.-v.Réun.CIEM*, 175:167-169
- Pütter, A.**, 1920. Studien über physiologische Ähnlichkeit. VI. Wachstumsähnlichkeiten. *Pflüger Arch.Ges.Physiol.*, 180:298-340
- Raj, D.**, 1968. Sampling theory. New York, McGraw-Hill.
- Ralston, S.**, 1982. Influence of hook size in the Hawaiian deep-sea handline fishery. *Can.J.Fish.Aquat.Sci.*, 39:1297-1302
- Randall, J.E.**, 1962. Tagging reef fishes in the Virgin Islands. *Proc.Gulf Caribb.Fish.Inst.*, 14:201-241
- Rao, C.R.**, 1965. Linear statistical interference and its applications. New York, John Wiley, 625 p. 2nd ed.
- Regier, H.A. and D.S. Robson**, 1966. Selectivity of gill nets, especially to lake whitefish. *J.Fish.Res.Board Can.*, 23:423-454
- Ricker, W.E.**, 1954. Stock and recruitment. *J.Fish.Res.Board Can.*, 11: 559-623
- Ricker, W.E.**, 1973. Linear regressions in fishery research. *J.Fish.Res.Board Can.*, 30:409-434
- Ricker, W.E.**, 1975. Computation and interpretation of biological statistics of fish populations. *Bull.Fish.Res.Board Can.*, (191):382 p.
- Riedel, D.**, 1963. Contribution to the experimental determination of the selection parameter of gill nets. *Arch.Fischereiwiss.*, 14:85-97
- Rikhter, V.A. and V.N. Efanov**, 1976. On one of the approaches to estimation of natural mortality of fish populations. *ICNAF Res.Doc.*, 76/VI/8: 12 p.
- Robson, D.S.**, 1966. Estimation of relative fishing power of individual ships. *Res.Bull.ICNAF*, (3):5-14
- Robson, D.S. and D.G. Chapman**, 1961. Catch curves and mortality rates. *Trans.Am.Fish.Soc.*, 90(2):181-189
- Rodríguez, A.**, 1977. Contribución al conocimiento de la biología y pesca del langostino, *Penaeus kerathurus* (Forskål 1775) del golfo de Cádiz (Región Sudatlántica española). *Invest.Pesq.Barc.*, 41(3):603-635
- Roper, C.F.E., M.J. Sweeney and C.E. Nauen**, 1984. FAO species catalogue. Vol. 3. Cephalopods of the world. An annotated and illustrated catalogue of species of interest to fisheries. *FAO Fish.Synop.*, (125)Vol.3:277 p.
- Rosenberg, A.A. and J.R. Beddington**, 1988. Length-based methods of fish stock assessment. pp. 83-103 In: J.A. Gulland (ed.), Fish population dynamics: the implications for management. Chichester, John Wiley and Sons Ltd., 422 p.

Rothlisberg, P.C., B.J. Hill and D.J. Staples (eds), 1985. Second Australian national prawn seminar. Cleveland, Queensland. Australia, NPS2:361 p.

Rudstam, L.G., J.J. Magnuson and W.M. Tonn, 1984. Size selectivity of passive fishing gear: a correction for encounter probability applied to gill nets. *Can.J.Fish.Aquat.Sci.*, 41:1252-1255

Russ, G.R., 1991. Coral reef fisheries: effects and yields. pp. 601-635 In: P.E. Sale (ed.), *The ecology of fishes on coral reefs*. San Diego, Academic Press, Inc.

Russell, B.C., 1990. FAO species catalogue Vol. 12. Nemipterid fishes of the world (Threadfin breams, whiptail breams, monocle breams, dwarf monocle breams and coral breams) Family Nemipteridae. An annotated and illustrated catalogue of nemipterid species known to date. *FAO Fish.Synop.* (125) Vol.12: 149 p.+ 8 colour plates

Russell, E.S., 1931. Some theoretical considerations on the "overfishing" problem. *J.Cons.CIEM*, 6:1-20

Saeger, J., P. Martosubroto and D. Pauly, 1976. First report of the Indonesian-German demersal fisheries project (Result of a trawl survey in the Sunda Shelf area). Jakarta, Marine Fisheries Research Report (Special report). Contribution of the Demersal Fisheries Project no. 1:46 p.

Saila, S.B. and P. Roedel (eds), 1980. Stock assessment for tropical small-scale fisheries. Proceedings of an International Workshop held 19-21 September 1979, at the University of Rhode Island, Kingston R.I., International Center for Marine Resources Development, University of Rhode Island, 198 p.

Sainsbury, K.J., 1988. The ecological basis of multispecies fisheries, and management of a demersal fishery in tropical Australia. pp. 349-382 In: J.A. Gulland (ed.), *Fish population dynamics: the implications for management*, Chichester, John Wiley and Sons Ltd., 422 p.

Sale, P.F. (ed.), 1991. *The ecology of fishes on coral reefs*. San Diego, Academic Press, Inc., 754 p.

Sato, T. and H. Hatanaka, 1983. A review of assessment of the Japanese distant-water fisheries for cephalopods. *FAO Fish.Tech.Pap./FAO Doc.Tech. Pêches/FAO Doc.Téc.Pesca*, (231):145-180

Saville, A. (ed.), 1977. Survey methods of appraising fisheries resources. *FAO Fish.Tech.Pap.*, (171):76 p.

Saville, A. (ed.), 1980. The assessment and management of pelagic fish stocks. A symposium held in Aberdeen, 3-7 July 1978. *Rapp.P.-v.Réun. CIEM*, 177:517 p.

Schaefer, M., 1954. Some aspects of the dynamics of populations important to the management of the commercial marine fisheries. *Bull.I-ATTC/Bol. CIAT*, 1(2):27-56

Schaefer, M., 1957. A study of the dynamics of the fishery for yellowfin tuna in the eastern tropical Pacific Ocean. *Bull.I-ATTC/Bol. CIAT*, 2:247-268

Schnute, J., 1985. A general theory for analysis of catch and effort data. *Can.J.Fish.Aquat.Sci.*, 42:414-429

Schnute, J., 1987. A general fishery model for a size-structured fish population. *Can.J.Fish.Aquat.Sci.*, 44(5):924-940

Schnute, J. and D. Fournier, 1980. A new approach to length-frequency analysis: growth structure. *Can.J.Fish.Aquat.Sci.*, 37:1337-1351

SCSP (South China Sea Development Programme), 1978. Report on the workshop on the demersal resources of the Sunda Shelf, Part 1. Manila, South China Sea Fisheries Development and Coordinating Programme, SCS/GEN/77/12:44 p.

Seber, G.A.F., 1973. The estimation of animal abundance and related parameters. London, Griffin, 506 p.

Sharp, G.D., 1978. Behavioral and physiological properties of tunas and their effects on vulnerability to fishing gear. pp. 397-449 In: G.D. Sharp and A.E. Dizon (eds), The physiological ecology of tunas. New York, Academic Press, 485 p.

Sharp, G.D. and J. Csirke (eds), 1983. Proceedings of the expert consultation to examine changes in abundance and species composition of neritic fish resources. San José, Costa Rica, 18-29 April 1983. Actas de la consulta de expertos para examinar los cambios en la abundancia y composición por especies de recursos de peces neríticos. San José, Costa Rica, 18-29 abril 1983. FAO Fish.Rep./FAO Inf.Pesca, (291): Vol.2:1-553 and/y Vol.3:557-1224

Sharp, G.D. and A.E. Dizon (eds), 1978. The physiological ecology of tunas. New York, Academic Press, 485 p.

Shepherd, J.G., 1987. A weakly parametric method for estimating growth parameters from length composition data. pp. 113-119 In: D. Pauly and G. Morgan (eds), Length-based methods in fisheries research. ICLARM Conf.Proc. 13:468 p.

Shepherd, J.G., 1988. Fish stock assessments and their data requirements. pp. 35-62 In: J.A. Gulland (ed.), Fish population dynamics: the implications for management, Chichester, John Wiley and Sons Ltd., 422 p.

Shindo, S., 1973. General review of the trawl fishery and the demersal fish stocks of the South China Sea. FAO Fish.Tech.Pap., (120):49 p.

Sickle, J. van, 1977. Mortality rates from size distributions: the application of a conservation law. Oecologia, Berl., 27:311-318

Sinclair, M., 1988. Marine populations: An essay on population regulation and speciation. Books in recruitment fishery oceanography. Washington Sea Grant Program. University of Washington Press, Seattle and London: 252 p.

Sissenwine, M.P., 1978. Is MSY an adequate foundation for optimum yield? Fisheries, 3(6):22-24 and 37-42

Sissenwine, M.P., M.J. Fogarty and W.J. Overholtz, 1988. Some fisheries management implications of recruitment variability. pp. 129-152 In: J.A. Gulland (ed.), Fish population dynamics: the implications for management, Chichester, John Wiley and Sons Ltd., 422 p.

Smith, T.D., 1988. Stock assessment methods: the first fifty years. pp. 1-33 In : J.A. Gulland (ed.), Fish population dynamics: the implications for management, Chichester, John Wiley and Sons Ltd., 422 p.

Sokal, R.R. and F.J. Rohlf, 1981. Biometry. The principles and practice of statistics in biological research. San Francisco, California, Freeman and Company, 2nd ed.

Som, R.K., 1973. A manual of sampling techniques. London, Heinemann Educational Books Ltd., 384 p.

Sousa, M.I., 1988. Sources of bias in growth and mortality estimation of migratory pelagic fish stocks, with emphasis on *Decapterus russelli* (Carangidae) in Mozambique. FAO Fish.Rep., (389):288-307

- Spain, J.D.**, 1982. BASIC microcomputer models in biology. Reading, Massachusetts. Addison-Wesley Publishing Company, 354 p.
- Sparre, P.**, 1979. Some necessary adjustments for using the common methods in eel assessment. *Rapp.P.-v.Réun.CIEM*, 174:41-44
- Sparre, P.**, 1979a. Some remarks on the application of yield/recruit curves in estimation of maximum sustainable yield. ICES C.M. 1979/G:41:21 p. (mimeo)
- Sparre, P.**, 1980. A goal function of fisheries (Legion analysis). ICES C.M. 1980/G:40:81 p. (mimeo)
- Sparre, P.**, 1983. Legion analysis game and simulation program (LAGS). NAFO SCR Doc. 83/IX/71/Ser.No. N736:49 p.
- Sparre, P.**, 1984. A computer program for estimation of food suitability coefficients from stomach content data and multispecies VPA. ICES C.M. 1984/G:25:60 p. (mimeo)
- Sparre, P.**, 1987. Computer programs for fish stock assessment. Length-based fish stock assessment for Apple II computers. *FAO Fish.Tech.Pap.*, (101) Suppl.2:218 p.
- Sparre, P.**, 1987a. A method for the estimation of growth, mortality and gear selection/recruitment parameters from length-frequency samples weighted by catch per effort *ICLARM Conf.Proc.*, (13):75-102
- Sparre, P.**, 1990. Can we use traditional length-based fish stock assessment when growth is seasonal? *ICLARM Fishbyte*, 8(3):29-32
- Sparre, P.**, 1991. Introduction to multispecies virtual population analysis. *ICES Mar.Sci.Symp.* (193):12-21
- Sparre, P. and R. Willmann**, 1992. Software for bio-economic analysis of fisheries. BEAM4. Analytical bio-economic simulation of space-structured multi-species and multi-fleet fisheries. Volume 1: Description of model. Volume 2: User's manual. *FAO Computerized Information Series (Fisheries)*, No. 3: Vol.1:186 p. Vol.2: 46 p. and one diskette
- SPC (South Pacific Commission)**, 1984. An assessment of the skipjack and baitfish resources of northern Mariana Islands, Guam, Palau, Federated States of Micronesia and Marshall Islands. *Final Ctry Rep.Skipjack Surv. Assess. Programme S.Pac.Comm.*, (18):111 p.
- Stéquert, B. and F. Marsac**, 1986. La pêche de surface de thonidés tropicaux dans l'océan Indien. *FAO Doc.Tech.Pêches*, (282):213 p.
- Strømme, T.**, 1992. NAN-SIS: Software for fishery survey data logging and analysis. User's manual. *FAO Computerized Information Series (Fisheries)*, No. 4. Rome, FAO. 103 p.
- Sturm, M.G. de L.**, 1974. Aspects of the biology of the Spanish mackerel, *Scomberomorus maculatus* (Mitchell) in Trinidad, West Indies. Trinidad, University of the West Indies, Ph.D. Thesis
- Sukhatme, R.V. and B.V. Sukhatme**, 1970. Sampling theory of surveys with applications. Ames, Iowa, Iowa State University Press, 452 p.
- Sund, P.N., M. Blackburn and F. Williams**, 1981. Tunas and their environment in the Pacific Ocean: A review. *Oceanogr.Mar.Biol.*, 19:443-512

- Tanaka, S.**, 1953. Precision of age-composition of fish estimated by double sampling method using the length for stratification. *Bull.Jap.Soc.Sci.Fish.*, 19:657-670
- Tanaka, S.**, 1960. Studies on the dynamics and the management of fish populations. *Bull.Tokai.Reg.Fish.Res.Lab.*, (28):1-200 (In Japanese)
- Taylor, C.C.**, 1960. Temperature, growth and mortality - the Pacific cockle. *J.Cons.CIEM*, 26:117-124
- Thompson, D.W.**, 1910. The works of Aristotele. Vol. 4. Oxford, Clarendon Press.
- Thompson, W.F. and F.H. Bell**, 1934. Biological statistics of the Pacific halibut fishery. 2. Effect of changes in intensity upon total yield and yield per unit of gear. *Rep.Int.Fish. (Pacific Halibut) Comm.*, (8):49 p.
- Tiews, K. and P. Caces-Borja**, 1965. On the availability of fish of the family Leiognathidae Lacépède in Manila Bay and San Miguel Bay and on their accessibility to controversial fishing gears. *Philipp.J.Fish.*, 7(1):59-85
- Tiurin, P.V.**, 1962. The natural mortality factor and its importance in regulating fisheries. *Vopr.Ikhtiol.*, (2):403-427 (in Russian)
- Troadec, J.-P.**, 1977. Méthodes semi-quantitatives d'évaluation. *FAO Circ. Pêches*, (701):131-141
- Troadec, J.-P.**, 1980. Utilization of resource survey results in stock assessment. pp. 139-152 In: Selected lectures from the CIDA/FAO/CECAF seminar on fishery resource evaluation. Casablanca, Morocco, 6-24 March 1978. Rome, FAO, Canada Funds-in-Trust, FAO/TF/INT 180(c) Suppl.
- Ursin, E.**, 1968. A mathematical model of some aspects of fish growth, respiration and mortality. *J.Fish.Res.Board Can.*, 24:2355-2453
- Ursin, E.**, 1982. Stability and variability in the marine ecosystem. *Dana*, 2:51-67
- Ursin, E.**, 1984. The tropical, the temperate and the arctic seas as media for fish production. *Dana*, 3:43-60
- Vakily, J.M., M.L. Palomares and D. Pauly**, 1986. Computer programs for fish stock assessment: Applications for the HP 41 CV calculator. Produced with the cooperation of the International Center for Living Aquatic Resources Management (ICLARM). *FAO Fish.Tech.Pap.*, (101)Suppl.1:255 p.
- Venema, S.C., J.M. Christensen and D. Pauly** (eds), 1988. Contributions to tropical fisheries biology. Papers prepared by the participants at the FAO/DANIDA Follow-up Training Courses on fish stock assessment in the tropics. Hirtshals, Denmark, 5-30 May 1986 and Manila, Philippines, 12 January-6 February 1987. *FAO Fish.Rep.*, (389):519 p.
- Venema, S.C., J.M. Christensen and D. Pauly**, 1988a. Training in tropical fish stock assessment: a narrative of experience. *FAO Fish.Tech.Pap.*, (389):1-15
- Walford, L.A.**, 1946. A new graphic method of describing the growth of animals. *Biol.Bull.Mar.Biol.Lab.Woods Hole*, 90:141-147
- Weber, W. and A.A. Jothy**, 1977. Observations on the fish *Nemipterus* spp. (Family: Nemipteridae) in the coastal waters of East Malaysia. *Arch. Fischerreiwiss.*, 28(2/3):109-122

Wetherall, J.A., J.J. Polovina and S. Ralston, 1987. Estimating growth and mortality in steady-state fish stocks from length-frequency data. *ICLARM Conf.Proc.*, (13):53-74

Whitehead, P.J.P., 1985. FAO species catalogue. Vol. 7. Clupeoid fishes of the world (Suborder Clupeoidea). An annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, shads, anchovies and wolf-herrings. Part 1. Chirocentridae, Clupeidae and Pristigasteridae. *FAO Fish.Synop.*, (125)Vol.7, Pt.1:303 p.

Whitehead, P.J.P., G.J. Nelson and T. Wongratana, 1988. FAO species catalogue. Vol. 7. Clupeoid fishes of the world (Suborder Clupeoidei). An annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, shads, anchovies and wolf-herrings. Part 2. Engraulididae. *FAO Fish. Synop.*, (125)Vol.7.Pt.2.:305-579

Williams, T.P., 1986. Ageing manual for Kuwait fish. KISR 1915. MB-44. Kuwait Institute for Scientific Research.

Willmann, R. and S.M. Garcia, 1985. A bio-economic model for the analysis of sequential artisanal and industrial fisheries for tropical shrimp (with a case study of Suriname shrimp fisheries). *FAO Fish.Tech.Pap.*, (270): 49 p. Issued also in French and Spanish

Worms, J., 1983. World fisheries for cephalopods: a synoptic overview. *FAO Fish.Tech.Pap./FAO Doc.Tech.Pêches/FAO Doc.Téc.Pesca*, (231):1-20

Wyatt, J.R., 1983. The biology, ecology and bionomics of the squirrel-fishes, Holocentridae. *ICLARM Stud.Rev.*, (7):50-58

Yates, G.T., 1983. Hydromechanics of body and caudal fin propulsion. pp. 177-213 In: P.W. Webb and D. Weihs (eds), *Fish biomechanics*, New York, Praeger Publishers

Yonimori, T., 1982. Study of tuna behaviour, particularly their swimming depths by use of sonic tags. *Newslett. Enyo (Far Seas) Fish.Res.Lab.Shimizu*, (44):1-5. Translated from Japanese

Yuen, H.S.H., 1970. Behavior of skipjack tuna, *Katsuwonus pelamis*, as determined by tracking with ultrasonic devices. *J.Fish.Res.Board Can.*, 27(11):2071-2079

Zalinge, N. van and P. Sparre, 1986. Pakistan. Statistical systems and proposed sampling scheme. Rome, FAO, FI:DP/PAK/77/003, Field Document 6

Zambia/Zimbabwe SADC Fisheries Project, 1993. Working group on the assessment of the inshore fisheries stocks of Lake Kariba. Kariba, Zimbabwe, Project Report No. 26:59 p.

Ziegler, B., 1979. Growth and mortality rates of some fishes of Manila Bay, Philippines, as estimated from analysis of length-frequencies. Thesis. Kiel University, 115 p.