

5. BIBLIOGRAPHY

- Abe, T., and M. Asai. 1975. Records of *Evoxymetopon poeyi* from Japan. *Uo*, 25:1-3.
- Abe, T., and T. Kobata. 1974. Observations on some fishes of Sagami Bay. Part II. *Uo*, 21:1-3.
- Abe, T., K. Minoshima, and T. Kobata. 1974. Observations on some fishes of Sagami Bay. Part III. *Uo*, 22:1-3.
- Ahlstrom, E.H. 1971. Kinds and abundance of fish larvae in the eastern tropical Pacific, based on collection made on EASTROPAC I. *Fish. Bull.*, 69(1):3-78.
- Alexander, W.B. 1916. History of zoology in western Australia. Part II. *J. Roy. Soc. W Austr.*, 1:83-1 49.
- Alexander, W.B. 1917. Description of new species of fish of the genus *Evoxymetopon poeyi*. *J. Roy.Soc. W. Austr.*, 2:104-1 05.
- Alcock, A.W. 1894. An account of a recent collection of bathybial fishes from Bay of Bengal and from the Laccadive Sea. *Asiatic Soc. Bengal.*, 63(2):115-1 37.
- Alcock, A.W.1899. *A descriptive catalogue of the Indian deep-seafishes in the Indian Museum*. Being a revised account of the dep-sea fishes collected by the Royal Indian marine Survey Ship "Investigator". Calcutta. 211 p.
- Anderson, M.E., and G.M. Cailliet. 1975. Occurrence of the rare North Pacific frostfish, *Benthodesmus elongatus pacificus* Parin and Becker, 1970, in Monterey Bay, California. *Calif Fish Game*, 61(3):149-152.
- Andrianov, D.P., L.A. Lisovenko, A.N. Kotlyar, and A.A. Abramov. 1990. Data on reproduction of some near-bottom fishes of the Nazca and Sala y Gomez Submarine Ridges. *Trudy Inst. Okeanol.*, 125:58-96 (in Russian).
- Andriashev, A.P. 1960. Families of fishes new to the Atlantic. I. *Paradiplospinus antarcticus*, gen. et sp. n. (Pisces, Trichiuridae). *Zool. Zhurn.*, 39(2):244-249 (in Russian).
- Angot, M. 1951. Observations sur la faune marine et la pêche aux îles Saint-Paul et Amsterdam. *Mém Inst. Sci. Madagascar*, Ser. A, 6(1):1 -51.
- Aoyama, T. 1960. Studies on the structure of fish shoals by means of fish finder.I. Echo patches of hair-tail observed at the middle area of the East China Sea, in February 1959.*Bull. Jap. Soc. Sci. Fish.*, 26(12):1162-1166 (in Japanese).
- Backus, R.H., J.E. Craddock, R.L. Haedrich', and D.L. Shores. 1969. Mesopelagicfishes and thermal fronts in the western Sargasso Sea. *Mar. Biol.*, 3(2):87-106.
- Backus, R.H., G.W. Mead, R.L. Headrich, and A.W. Ebeling. 1965. The mesopelagic fishes collected during cruise 17 of the R/V "Chain", with a method for analyzing faunal transects. *Bull. Mus. Comp. Zool. Harv.*, 134(5):139-158.
- Baird, G.G., and J.L. McKoy. 1988. *Papers from the workshop to review fish stock assessments for the 1987-88 New Zealand fishing year*. Fish. Res. Center, Wellington. 300 p.
- Barnard, K.H. 1925. A monograph of the marine fishes of South Africa. Part I. *Ann. S. Afr: Mus.*, 21(1):1-417.
- Barnard, K.H. 1927. A monograph of the marine fishes of South Africa. Part II. *Ann. S. Afr Mus.*, 21(2):417-1 065.
- Bartlett, M.R., and R.H. Backus. 1962. A catch of the rare gempylid *Lepidocybium flavobrunneum* (Smith) in the Bahamas. *Copeia*, 4:845-847.
- Bean, T.H. 1887. Description of a new species of *Thyrsitops (T.violaceus)* from the fishing banks off the New England coast. *Proc. U.S. Nat. Mus.*, 10:51 3-514.
- Beaufort, L.E. de, and W.M. Chapman. 1951. *The fishes of the Indo-Australian Archipelago*. Vol. 9. E.J. Brill, Leiden. 484 p.

- Becker, V.E. 1985. Distribution of the Myctophidae and biogeographical boundary in between the Saint Paul and Amsterdam Islands. *Vopr. Ikhtiol.*, 25(2):348-351 (in Russian).
- Becker, V.E., and S.A. Evseenko. 1986. Distribution of the mesopelagic fishes and biogeographical boundaries in South Pacific. *Vopr. Ikhtiol.*, 26(6):890-901 (in Russian).
- Belyanina, T.N. 1975. Preliminary results of the study of ichthyoplankton of the Caribbean Sea and Gulf of Mexico. *Trudy Inst. Okeanol.*, 100:127-146 (in Russian).
- Belyanina, T.N. 1982. Larvae of midwater fishes in the western tropical Pacific Ocean and the seas of the Indo-Australian Archipelago. *Trudy Inst. Okeanol.*, 118:5-42 (in Russian).
- Bigelow, H.B., and W.C. Schroeder, 1953. Fishes of the Gulf of Maine. *Fish. Bull. Fish Wild. Serv.*, 53: 1-577.
- Blackburn, M. 1957. The relation between the food of the Australian barracuda, *Thyrsites atun* (Euphrasen), and recent fluctuations in the fisheries. *Austr. J. Mar. Freshwat. Res.*, 8(1):29-54.
- Bleeker, P. 1856. Beschrijvingen van nieuwe en weinig bekende vischsoorten van Amboina, verzameld op eene reis door den Molukschen Archipel gedaan in het gevolg van Gouverneur-Generaal Duymaer van Twist. *Act. Soc. Sci. Indo-Neerl.*, 1: 1-80.
- Bleeker, P. 1860a. Over eenige vischsoorten van de Kaap de Goede Hoop. *Nat. Tijdschr. -Ned. Indië*, 21:49-80.
- Bleeker, P. 1860b. Dertiende bijdrage tot de kennis der vischfauna van Borneo. *Act. Soc. Sci. Indo-Neerl.*, 8(4): 1-64.
- Bleeker, P. 1862. Sixième mémoire sur la fauna ichthyologique de l'île Batjan. *Versl. Akad. Amsterdam* 14:99-112.
- Bloch, M.E., and J.G. Schneider. 1801. *M.E. Blochii Systema Zchthyologiae iconibus CX illustratum. Post obitum auctoris opus inchoatum absolvit, correxit, interpolavit.* J.G. Schneider, Saxo Berolini. 584 p. and 110 pls.
- Boltachev, A.P. 1986. Some peculiarities of the distribution and behaviour of *Diplospinus multistriatus* Maul (Gempylidae) in the Southeast Atlantic. *Vopr. Ikhtiol.*, 26(5):715-719 (in Russian).
- Bonnaterre, J.P. 1788. *Ichthyologie. Tableau encyclopédique et méthodique des trois règnes de la nature.* Paris. 215 p.
- Borets, L.A. 1986. Ichthyofauna of Northwest and Hawaiian ridges. *Vopr. Ikhtiol.*, 26(2):208-220 (in Russian).
- Bory de Saint-Vincent, G.J.B.M. 1804. *Voyages dans les quatre principales îles des mers d'Afrique.* Paris, 3 vols. + atlas.
- Brauer, A. 1906. Die Tiefseefische. 1. Systematischer Teil. *Wiss. Ergebn. Deutsch. Tiefsee-Exped. Valdivia. Bd.*, 15(1):1-432.
- Briggs, J.C. 1974. *Marine zoogeography.* New York. 475 p.
- Bussing, W.A. 1965. Studies of the midwater fishes of the Peru-Chile Trench. In: G.A. Llano (ed.), *Biology of Antarctic Seas II. Antarct. Res. Ser.*, 5:185-227.
- Cantraine, F.J. 1835. Sur un Poisson nouveau trouvé dans le canal de Messine en janvier 1833. *Bull. Acad. R. Belg. Cl. Sci.*, 2(1):23-24; 2(4):207-209.
- Capello, F. de B. 1867. Catálogo dos peixes de Portugal que existem no Museu de Lisboa. *J. Sci. Math. Phys. Nat.*, 1(3):233-264, 307-313.
- Capello, F. de B. 1867. Peixes novos de Portugal e da Africa occidental, e caracteres distinctivos d'outras especies já conhecidas. *J. Sci. Math. Phys. Nat.*, 1(2):154-169.
- Cervigón, F.M. 1966. *Los peces marinos de Venezuela.* Vol. 2 (Mon. 12), p. 449-951. Fundación La Salle, Caracas. 951 p.
- Chirichigno, N.F. 1974. Clave para identificar los peces marinos del Perú, *Inf. Inst. Mar Peru'*, 44:1-387.

- Chu, Y.T., and H. Wu. 1962. Description of a new genus and new species of a trichiurid fish off China. *Acta Zool. Sinica*, 14(2):219-223.
- Clark, M.R. 1988. Records of fish from the West Norfolk Ridge, north-west of New Zealand. *N.Z.J. Zool.*, 15(3):415-421.
- Clarke, F.E. 1879. On some new fishes. *Trans. Proc. N.Z. Inst.*, 11:291-295.
- Clarke, T.A., and P.J. Wagner. 1976. Vertical distribution and other aspects of the ecology of certain mesopelagic fishes taken near Hawaii. *Fish. Bull.*, 74(3):635-645.
- Clemens, H.B., and J.C. Nowell. 1963. Fishes collected in the eastern Pacific during tuna cruises 1952 through 1959. *Calif Fish Game*, 49(4):240-264.
- Cocco, A. 1829. Su di alcuni nuovi pesci del mar di Messina. *G. Sci. Lett. Art. Sicilia*, 26(77):138-147.
- Collett, R. 1887. *Aphanopus minor*; en ny dybvandsfisk af Trichiuridernes familie fra Grønland. *Forh. VidenskSelsk. Krist.*, 1886, 19:1-7.
- Collette, B.B., and C.E. Nauen. 1983. FAO species catalogue. Vol. 2. Scombrids of the world. An annotated and illustrated catalogue of tunas, mackerels, bonitos and related species known to date. *FAO Fish. Synop.*, 125, Vol. 2, 137 p.
- Collette, B.B., T. Potthoff, W.J. Richards, S. Ueyanagi, J.L. Russo, and Y. Nishikawa. 1984. Scombroidei: Development and relationships. In: *Ontogeny and systematics of fishes. ASIH Spec. Publ.*, 1:591-620.
- Cuvier, G. 1829. *Le règne animal distribué d'après son organisation, pour servir de base à d'histoire naturelle des animaux et l'introduction à l'anatomie comparée*. Vol. 2. Paris. 532 p. Second Edition.
- Cuvier, G., and A. Valenciennes, 1831. *Histoire naturelle des poissons*. Vol. 7. F.G. Levrault, Paris-Strasbourg. 531 p.
- Cuvier, G., and A. Valenciennes, 1832. *Histoire naturelle des poissons*. Vol. 8. F.G. Levrault, Paris-Strasbourg. 509 p.
- Duarte-Bello, P.P. 1959. Catalogo de peces cubanos. *Monographia Villanueva*, 6:1-208.
- Duhamel, G. 1984. Ichtyofaune d'un haut-fond (34°54'S, 53°14'E) de l'Océan Indien sud-ouest. *Cybium*, 8(4):91-94.
- Dutt, S., and V. Thankam. 1966. Two new species of trichiurid fish from Waltair. *J. Bombay Nat. Hist. Soc.*, 63(3):755-758.
- Eschmeyer, W.N. 1990. *Catalog of the genera of recent fishes* California Academy of Sciences, San Francisco. 697 p.
- Euphrasen, B.A. 1788. Beskrifning på trenne fiskar. *K. Svenska Vetensk Akad. Handl. Stockholm*, 9:51-55.
- Euphrasen, B.A. 1791. *Scomber atun och Echeneis tropica*. *K. Svenska Vetensk. Akad. Handl.*, 15:223-227.
- Evseenko, S.A., and V.P. Serebryakov. 1974. The larvae of *Diplospinus multistriatus* Maul (Pisces, Gempylidae) from the Northwest Atlantic. *Vopr. Ikhtiol.*, 14(1):111-116 (in Russian).
- FAO. 1978. Yearbook of Fishery Statistics, 1976. Catches and Landings (Vol. 46). *FAO Statistics Series*, No. 25.
- FAO. 1980: Yearbook of Fishery Statistics, 1978. Catches and Landings (Vol. 50). *FAO Statistics Series*, No. 38.
- FAO. 1982. Yearbook of Fishery Statistics, 1980. Catches and Landings (Vol. 54). *FAO Statistics Series*, No. 52.
- FAO. 1992. Yearbook of Fishery Statistics, 1990. Catches and Landings (Vol. 70). *FAO Statistics Series*, No. 105.

- Fitch, J. E., and D. W. Gotshall. 1972. First record of the black scabbardfish, *Aphanopus carbo*, from the Pacific Ocean with notes on other Californian trichiurid fishes. *Bull. South. Calif. Acad. Sci.*, 72 [71?]:12-18.
- Fitch, J.E., and R.J. Lavenberg. 1968. *Deep-water teleostean fishes of California*. University of California Press, Berkley. 155 p.
- Fitch, J. E., and S. A. Schultz. 1978. Some rare and unusual occurrences of fishes off California and Baja California. *Calif. Fish. Game*, 64(2):74-92.
- Forssskål, P. 1775. *Descriptions animalium, avium, amphibiorum, piscium, insectorum, vermium; quae in itinere orientali observavit*. Hauniae. 164 p,
- Forster, G. R., J. R. Badcock, M. R. Longbottom, N. R. Merrett, and K. S. Thomson. 1970. Results of the Royal Society Indian Ocean Deep Slope Fishing Expedition. *Proc. Roy. Soc. Lond.*, 175:364-404.
- Fourmanoir, P. 1969. Contenus stomacaux d'Alepisaurus (Poissons) dans le sud-ouest Pacifique. *Cah. ORSTOM, Sér.Océanogr* , 7(4):51-59.
- Fourmanoir, P. 1970. Notes ichtyologiques (III). *Cah. ORSTOM, Sér Océanogr*, 8(3):35-46.
- Fourmanoir, P. 1971 a. Liste des espèces de poissons contenus dans les estomacs de thons jaunes, *Thunnus albacares* (Bonnaterre, 1788) et de thons blancs, *Thunnus alalunga* (Bonnaterre, 1788). *Cah. ORSTOM, Sér Océanogr*, 9(2):109-118.
- Fourmanoir, P. 1971 b. Notes ichtyologiques (III). *Cah. ORSTOM, Sér. Océanogr.*, 9(2):267-278.
- Fourmanoir, P. 1979. Decouverte de très jeunes *Ruvettus pretiosus* Cocco dans un estomac de "Poissons lancette", *Alepisaurus ferox* et de "Maquereau-frégate", *Auxis thazard* presence d'Antopterus en eau tropicale. *Cah. Indo-Pac.*, 1(4):445-446.
- Fourmanoir, P. 1981. Poissons (premiere liste). Results des campagnes MUSORSTOM. I. Philippinos (18-28 Mars 1976). *Coll. Mém. ORSTOM*, 91:86-102.
- Fourmanoir. P. 1982. Repartition géographique de quelques poissons de la pente récifale externe des îles Indo-Pacifiques. *Cybiuim*, 6(3):91-96.
- Fourmanoir, P., and M. Griessinger. 1971. Poissons de Rangiroa. *Cah. ORSTOM, Sér Océanogr.*, 9(4):425-489.
- Fourmanoir, P., and J. Rivaton. 1979. Poissons de la pente récifale externe de Nouvelle-Calédonie et des Nouvelles-Hebrides. *Cah. Indo-Pac.*, 1(4):405-443.
- Fowler, H. W. 1905. New, rare, or little known scombroids, 1. *Proc. Acad. Nat. Sci. Philad.*, 56:757-771.
- Fowler, H. W. 1929. New and little known fishes from the Natal coast. *Ann. Natal. Mus.*, 6(2):245-264.
- Fowler, H. W. 1938. Descriptions of new fishes obtained by the U. S. Bureau of Fisheries Steamer "Albatross", chiefly in the Philippine seas and adjacent waters. *Proc. U.S. Nat. Mus.*, 85(3032):31-135.
- Franca, P. da. 1969. Sobre a distribuição dos Trichiuridae (Pisces, Perciformes) que ocorrem na costa de Angola. *Notas Cent. Biol. Aquat. Trop.*, 16:1-19.
- Franz, V. 1910. Die japanischen Knochenfische der Sammlungen Haberer und Doflein. *Abh. Bayer Akad. Wiss., Suppl.*, 4(1):1-135.
- Fujii, E. 1983. Scombridae, Gempylidae, Trichiuridae, p. 407-416. In: *Fishes trawled off Surinam and French Guiana*. Japan Marine Fishery Resource Research Center, Tokyo. 519 p.
- Garman, S. 1899. The fishes. In: Reports on an exploration off the west coast of Mexico, Central and South America, and off the Galapagos Islands in charge of Alexander Agassiz, by the U.S. Fish Commission Steamer "Albatross" during 1891, Lieut.-Commander Z.L. Tanner, U.S.A. commanding. No. XXVI. *Mem. Mus. Comp. Zool. Harv.*, 24:1-431.
- Gilbert, C.H. 1917. On the occurrence of *Benthodesmus atlanticus* Goode and Bean on the coast of British Columbia. *Smithson. Misc. Coll.*, 66(18):1-2.

- Gilchrist, J.D.F., and C. von Bonde. 1924. Deep-sea fishes procured by the S.S. "Pickle" (Part II). Rep. *Fish. Mar Biol. Surv. Un. S. Afr.* (1922), 3(Spec. Rep. 7):1-24.
- Gill, T.N. 1862. On the limits and arrangements of the family of scombroids. *Proc. Acad. Nat. Sci. Philad.*, 1862, 14:124-127.
- Gill, T.N. 1863. Synopsis of the family of Lepturoids, and description of a remarkable new generic type. *Proc. Acad. Nat. Sci. Philad.*, 1863:224-229.
- Gill, T.N. 1893. A comparison of antipoddl faunas. *Mem. Nat. Acad. Sci.*, 6:91-124.
- Gloerfelt-Tarp T., and P.L. Kailola. 1984. *Trawled fishes of southern Indonesia and northwestern Australia*. Tien Wah Press, Singapore. 406 p.
- Golovan, G.A. 1978. Composition and distribution of the ichthyofauna of the continental slope of northwestern Africa. *Trudy Inst. Okeanol.*, 111:195-258 (in Russian).
- Golovan, G. A., and N. P. Pakhorukov. 1988. Species composition, distribution and behaviour of fishes in the areas of Vavilov Ridge and Equator Seamount. In: *Biogeographical Structure in the ureas of Underwater Rises*. Naukova Dumka, Kiev (in Russian).
- Goode, G.B., and T.H. Bean. 1882. *Benthodesmus*, a new genus of deep-sea fishes allied to *Lepidopus*. *Proc. U.S. Natn. Mus.*, 4:379-383.
- Goode, G.B., and T.H.. Bean. 1896. Oceanic ichthyology. *Mem. Mus. Comp. Zool. Harvard*, 22:1-553.
- Goode, G.B., and T.H. Bean. 1896. Oceanic ichthyology, a treatise on the deep-sea and pelagic fishes of the world, based chiefly upon the collectins made by steamers "Blake", "Albatross" and "Fish Hawk" in the northwestern Atlantic. *Spec. Bull. U.S. Nat. Mus.*, 1895:1-553.
- Gorbunova, N.N. 1977. Larvae of some trichiurid fishes (Osteichthyes: Gempylidae, Trichiuridae). *Trudy Inst. Okeanol.*, 109:133-148 (in Russian).
- Gorbunova, N.N. 1982. Larvae of trichiurid fishes from collection of the International Mexican Biological Centre (Pisces: Gempylidae, Trichiuridae). *Trudy Inst. Okeanol.*, 118:85-1 06 (in Russian).
- Goüan, A. 1770. *Historia piscium, sisteas ipsorum anatomen externam, internam, atque genera in classes et ordines redacta*. Strasbourg, 228 p.
- Graham, D. H. 1956. *A treasure of New Zealand fishes*. A.H. and A.W. Reed, Wellington. 424 p.
- Gray, J.E. 1831. Description of twelve new genera of fish, discovered by Gen. Hardwicke, in India, the greater part in the British Museum. *Zool. Misc.*, 1831:7-10.
- Grey, M. 1953. Fishes of the family Gempylidae, with records of *Nesiarchus* and *Epinnula* from the western Atlantic and description of two new subspecies of *Epinnula orientalis*. *Copeia*, 3:135-141.
- Grey, M. 1955. Notes on a collection of Bermuda deep-sea fishes. *Fieldiana Zool.*, 37:265-302.
- Grey, M. 1959. Deep sea fishes from the Gulf of Mexico with the description of a new species *Squalogadus intermedius* (Macrouridae). *Fieldiana Zool.*, 39(29):323-346.
- Grey, M. 1960. Description of a western Atlantic specimen of *Scomberolabrax heterolepis* and notes on fishes of the family Gempylidae. *Copeia*, 3:210-215.
- Griffin, L.T. 1927. Studies in New Zealand fishes. *Trans. N.Z. Inst.*, 58:136-150.
- Günther, A. 1860. *Catalogue of the Acanthopterygian fishes in the collection of the British Museum*. 2. *Squamipinnes, Cirrhitidae, Triglidae, Trachinidae, Polynemidae, Sphyraenidae, Trichiuridae, Scombridae, Carangidae, Xiphiidae*. London. 548 p.
- Günther, A. 1877. Preliminary notes on new fishes collected in Japan during the expedition of H.M.S. "Challenger". *Ann. Mag. Nat. Hist.*, Ser 4, 20:433-446.
- Günther, A. 1887. Report of the deep-sea fishes collected by H.M.S. "Challenger" during the years 1873-76. *Rep. Scient. Results. Voyage Challenger Zool.*, 22:1-268.
- Gupta, M.V. 1966. Two new species of ribbon fishes of the genus *Trichiurus* Linnaeus (Pisces: Trichiuridae) from the Hooghly estuarine system. *Proc. Zool. Soc. Calcutta*, 19:169-171.

- Gupta, M.V. 1967. Studies on the taxonomy, biology and fishery of ribbon fishes (Trichiuridae) of the Hooghly estuarine system. 2. Biology of *Trichiurus savala* Cuvier. *Proc. Zool. Soc. Calcutta*, 20:153-170.
- Gupta, M.V., 1968. Studies on the taxonomy, biology and fishery of ribbon fishes (Trichiuridae) of the Hooghly estuarine system. *Proc. Zool. Soc. Calcutta*, 21:35-50.
- Gushchin, A.V., and E.I. Kukuev, 1981. On composition of ichthyofauna of the northern part of the Middle-Atlantic Ridge, p. 36-40. In: N.V. Parin (ed.), *Fishes of the open ocean*. Inst. Okeanol., Moscow. 119 p. (in Russian).
- Haedrich, R.L. 1964. Food habits and young stages of North Atlantic *Alepisaurus* (Pisces, Iniomi). *Breviora*, 201 :1-15.
- Haedrich R.L., and J.G. Nielsen. 1966. Fishes eaten by *Alepisaurus* (Pisces, Iniomi) in the southeastern Pacific Ocean. *Deep-Sea Res.*, 13:909-919.
- Hatanaka, H. 1990. *Thyrstites atun*. Fishery and biology, p. 306-307. In: *Fishes collected by the R/V Shinkai Maru around New Zealand*. Japan Marine Fishery Resource Research Center, Tokyo. 410 p.
- Herre, A.W. 1953. Check list of Philippine fishes. *Res. Rep. U.S. Fish. Wildl. Serv.*, 20:1-977.
- Holten, H.S. 1802. *Trichiurus gladius*, en ny fisk fra Portugal. *Skrivter Naturh. Selsk. Kjøbenhavn*, 5: 19-26.
- Howe, K.M., D.L. Stein, and C.E. Bond. 1980. First records off Oregon of the pelagic fishes *Paralepis atlantica*, *Gonostoma atlanticus* and *Aphanopus carbo*, with notes on the anatomy of *Aphanopus carbo*. *Fish. Bull.*, 77(3):700-703.
- Hubbs, C.L., W.I. Follett, and L.J. Dempster. 1979. List of the fishes of California. *Occ. Pap. Calif Acad. Sci.*, 133:1-51.
- Hubbs, C.L., and C. Hubbs. 1941. Pacific cutlassfish, *Trichiurus nitens* Garman. *Calf Fish Game*, 27(1):29-30.
- Hutchins, B., and R. Swainston. 1986. *Sea fishes of southern Australia*. Swainston Publ., Perth. 180 p.
- James, P.S.B.R. 1961, Comparative osteology of the ribbon-fishes of the family Trichiuridae from Indian waters with remarks on their phylogeny. *J. Mar Biol. Ass. India*, 3: 215-248.
- James, P.S.B.R. 1967. *The ribbon-Fishes of the family Trichiuridae of India*. Marine Biological Association of India, Mandapam Camp. 288 p.
- Johnson. G. D. 1986. Scombroid phylogeny: An alternative hypothesis. *Bull. Mar Sci.*, 39(1):1-41.
- Johnson, J.Y. 1862. Descriptions of some new genera and species of fishes obtained at Maderia. *Proc. Zool. Soc. Lond.*, 1862(2):167-180.
- Johnson, J.Y. 1865. Descriptions of a new genus of trichiuroid fishes obtained at Madeira (*Nealotus tripes*), with remarks on the genus *Dicrotus* Günther, and on some allied genera of Trichiuridae. *Proc. Zool. Soc. Lond.*, 1865(2):434-437.
- Jones, S. 1960. On the snake mackerel, *Gempylus serpens* Cuvier from the Laccadive Sea. *J. Mar. Biol. Assoc. India*, 2(1):85-88.
- Jordan, D.S., and B.W. Evermann. 1896, The fishes on North and Middle America, a descriptive catalogue of the species of fish-like vertebrates found in the waters of North America, north of isthmus of Panama. *Bull. U.S. Nat. Mus.*, 47(Part I):1 -1240
- Jordan, D.S., and E.K. Jordan. 1922. A list of the fishes of Hawaii, with notes and descriptions of new species. *Mem. Carneg. Mus.*, 10(1):1 -92.
- Jordan, D.S., and J-O. Snyder. 1901'. Descriptions of nine new species of fishes contained in museums of Japan. *J. Coll. Soc. Imp. Univ. Tokyo*, 15:301-311.
- Kamohara, T. 1936. Supplementary note on the fishes collected in the vicinity of Koci-shi (x). *Zool. Mag. (Japan)*, 48(11):929-935 (in Japanese).
- Kamohara, T. 1938. Gempylidae of Japan. *Annot. Zool. Jap.*, 17(1):45-50.

- Kamohara, T. 1940. *Scombroidei, exclusive of carangiformes*. Fauna Nipponica, Sanseido, Tokyo. 255 p. (in Japanese).
- Kamohara, T. 1952. Revised descriptions of the offshore bottom fishes of Prov. Tosa, Shikoku, Japan. *Rep. Kochi. Univ. (Nat. Sci.)*, 3:1-122.
- Kamohara, T. 1967. *Fishes of Japan in color*. Osaka. 135 p.
- Karrer, C. 1973. Über Fische aus dem Südostatlantik. *Mit. Zool. Mus. Berlin*, 49(1):191-251.
- Karrer, C. 1975. Über Fische aus dem Südostatlantik (Teil 2). *Mit. Zool. Mus. Berlin*, 51(1):63-82.
- Kishinouye, K. 1926. A new aberrant form of the Cybiidae from Japan. *J. Coll. Agric. Imp. Univ. Tokyo*, 7(4):377-382.
- Klunzinger, C.B. 1884. *Die Fische des Rothen Meeres. Eine Kritische Revision mit Bestimmungstabellen*. Teil. I. Acanthopteri veri Owen, Stuttgart. 133 p.
- Konovalenko, I.I., and N.V. Parin. 1985. The first record of *Nesiarchus nasutus* Johnson (Gempylidae) in the southeast Pacific, *Vopr Ikhtiol.*, 25(3):513-515 (in Russian).
- Kotlyar, A.N., and N.V. Parin. 1990. Otoliths and age of bottom and near-bottom fishes from the Nazca and Sala y Gomez Submarine Ridges. *Trudy Inst. Okeanol.*, 125:97-1 26 (in Russian).
- Kukuev, E.I. 1982. Fish fauna of the Corner Mountains and New England Submarine Ridge in the western North Atlantic, p. 92-1 09. In: N.V. Parin (ed.), *Poorly known fishes of the open ocean*. Inst. Okeanol, Moscow. 140 p. (in Russian).
- Kyushin K., K. Amaoka, K. Nakaya, H. Ida, Y. Tanino, and T. Senta. 1982. *Fishes of the south China Sea*, Japan Marine Fishery Resource Research Center, Tokyo. 333 p.
- Lacepede, B. 1800. *Histoire naturelle des poissons*. Vol. 2, Paris. 632 p.
- Last, P.R., E.O.G. Scott, and F.H. Talbot. 1983. *Fishes of Tasmania*. Tasm. Fish. Dev. Auth., Hobart. 563 p.
- Legand, M., P. Bourret, P. Fourmanoir, R. Grandperrin, A. Michel, P. Rancurel, R. Repelin, and C. Roger. 1972. Relations trophiques et distributions verticales en milieu pelagique dans l'Océan Pacifique intertropical. *Cah. ORSTOM, Sér Océanogr.*, 10(4):301-393.
- Leim, A.H., and W.B. Scott, 1966. Fishes of the Atlantic coast of Canada. *Bull. Fish. Res. Board Canada*, 155:1- 485.
- Lesson, R.P. 1831. Poissons, p. 66-238, and pl. I-38 in Atlas. In: L.I. Duperrey, *Voyage autour du monde sur la Coguille pendant les années 1822, 1823, 1824 et 1825....*, Zoologie. Vol. 2, pt. 1. Paris. 471 p.
- Linnaeus, C. 1758. *Systema Naturae*. 10th Edition, Vol. 1. Holmiae. 824 p.
- Lloris, D. 1986. Ictiofauna demersal y aspectos biogeograficos de la costa sudoccidental de Africa (SWA/Namibia). *Monogr Zool. Mar.*, 1:9-432.
- Lopez, M.I., and W.A. Bussing. 1982. Lista provisional de los peces marinos de la Costa Pacifica de Costa Rica. *Rev. Biol. Trop.*, 30(1):5-26.
- Lowe, R.T. 1834. Characters of a new genus *Leirus*, and of several new species of fishes from Madeira. *Proc. Zool. Soc. Lond.*, 1:142-144.
- Lowe, R.T. 1838. A synopsis of the fishes of Madeira; with the principal synonyms, Portugese names, and characters of the new genera and species. *Trans. Zool. Soc. Lond.*, 2(3):173-200.
- Lowe, R.T. 1839. A supplement to a synopsis of the fishes of Madeira. *Proc. Zool. Soc. London*, 7:76-92.
- Machida, Y. 1985. Scombridae, Gempylidae, Trichiuridae, p. 532-541. In: *Fishes of the Okinawa trough and the adjacent waters*. Japan Fisheries Resource Conservation Association, Tokyo. Vol. II:41 8-781 p.
- Mago, F.L. 1970. *Lista de los Peces de Venezuela, incluyendo un estudio preliminar sobre la ictiogeografía del país*. Ministr. Agricult. Cria., Caracas. 283 p.

- Maksimov, V.P. 1970. Data on the biology of *Lepidocybium flavobrunneum* Smith in the Eastern Atlantic. *Vopr Ikhtiol.*, 10(1):50-57 (in Russian).
- Masuda, H., K. Amaoka, C. Araga, T. Uyeno, and T. Yoshino (eds). 1984. *The fishes of the Japanese Archipelago*. Tokai University Press, Tokyo. Vol. 1, 376 p. and Vol. 2, 460 p.
- Matsubara, K., and T. Iwai. 1952. Studies on some Japanese fishes of the family Gempylidae. *Pacific Sci.*, 6(3):193-212.
- Matsubara, K., and T. Iwai. 1958. Anatomy and relationships of the Japanese fishes of the family Gempylidae. *Mem. Coll. Agric. Kyoto Univ.*, Spec. No.:23-54.
- Maul, G.E. 1948. Quatro peixes novos dos mares da Madeira. *Bolm Mus. Munic. Funchal*, 3(6):41-55.
- Maul, G.E. 1950. A espada preta. *Pub. Liga Protec. Natur, Lisboa*. 4:1-10.
- Maul, G.E. 1953. Rediscovery of the trichiurid fish *Benthodesmus simonyi* (Steindachner) off Madeira. *Proc. Zool. Soc. Lond.*, 123:167-170.
- May, J.L., and J.G.H. Maxwell. 1986. *Trawl fish from temperate waters of Australia*. CSIRO, Hobart. 492 p.
- McCoy, F. 1873. On a new Australian species of *Thyrsites*. *Ann. Mag. Nat. Hist.*, Ser. 4., 11 (65):338-339.
- McCoy, F. 1874. Note of *Thyrsites microps* (McCoy). *Monthly Notice Pap. Proc. Roy. Soc. Tasm.*, Sept., 1873:50.
- Mead, G.W. 1951. First record of the gempylid fish *Epinnula orientalis* from American waters. *Copeia*, 4:301.
- Mead, G.W., and F.H. Taylor. 1953. A collection of oceanic fishes from off northeastern Japan. *J. Fish. Res. Board Canada*, 10(8):560-582.
- Merrett, N. R. 1968. *Lepidocybium flavobrunneum* (Smith, 1849) from the western Indian Ocean. *J. Nat. Hist.*, 2:201-204.
- Mikhailin, S.V. 1976a. On the methods of age determination of the frostfish of the south-eastern Atlantic. *Trudy AtlantNIRO*, Kaliningrad, 69:51-58 (in Russian).
- Mikhailin, S.V. 1976b. Characters of distribution of some members of the families Gempylidae and Trichiuridae in the south-western African waters. *Vopr Ikhtiol.*, 16(2):362-365 (in Russian).
- Mikhailin, S.V. 1977. The intraspecific variability of the frostfish, *Lepidopus caudatus*. *Vopr Ikhtiol.*, 17(2):226-236 (in Russian).
- Mikhailin, S.V. 1978. Feeding of frostfish, *Lepidopus caudatus* (Euphr.) in the south-eastern Atlantic Ocean. *Trudy AtlantNIRO*, Kaliningrad, 74:49-57 (in Russian).
- Mikhailin, S.V. 1982. Materials on the distribution and biology of *Lepidopus xantusi* Goode et Bean and *Trichiurus nitens* Garman (Trichiuridae) in the Southeast Pacific, *Vopr Ikhtiol.*, 22(5):730-737 (in Russian).
- Mikhailin, S.V. 1983. On intraspecific variations of the principal meristic characters in *Diplospinus multistriatus* Maul (Gempylidae, Perciformes). *Vopr Ikhtiol.*, 23(3):366-372 (in Russian).
- Misu, H. 1961. Studies on the fisheries biology of the ribbon fish (*Trichiurus lepturus* Linné) in the East China and Yellow Seas. 3. Distribution, Migration and Consideration of Population. *Contr. Seikai Reg. Fish. Res. Lab.*, 141:115-131 (in Japanese).
- Montague, G. 1811. An account of five rare species of British fishes. *Mem. Wern. Nat. Hist. Soc. Edinb.*, 1808-1810, 1:79-101.
- Movillo, J., and N. Bahmonde. 1971. Contenido gástrico y relaciones tróficas de *Thyrsites atun* (Euphrasen) en San Antonio, Chile. *Bol. Mus. Nat. Hist. Nat.*, 29:289-338.
- Munro, I.S.R. 1949. The rare gempylid fish, *Lepidocybium flavobrunneum* (Smith). *Proc. R. Soc. Queensland*, 60(3):31-41.
- Munro, I.S.R. 1958. The fishes of the New Guinea Region. *Papua New Guinea Agric. J.*, 10(4):97-369.

- Nakamura, I. 1977. Gempylidae, Istiophoridae, Trichiuridae. In: W. Fischer (ed.), *FAO Species Identification Sheets for Fishery Purposes. Western Central Atlantic, fishing area 31*. Vols. 1-7, (pag.var.).
- Nakamura, I. 1980. New record of a rare gempylid, *Thyrsitoides marleyi*, from the Sea of Japan. *Jap. J. Ichthyol.*, 26(4):357-360.
- Nakamura, I. 1981. Gempylidae, Istiophoridae, Trichiuridae. In: W. Fischer, G. Bianchi, and W.B. Scott (eds), *FAO Species Identification Sheets for Fishery Purposes. Eastern Central Atlantic, fishing area 34,47 (inpart)*. Food and Agriculture Organization of the United Nations, Roma. Vols 1-7, (pag.var.).
- Nakamura, I. 1982a. Lateral line of *Diplospinus multistriatus* (Teleostei:Gempylidae). *Biol. Soc. Washington*, 95(2):408-411.
- Nakamura, I. 1982b. Scombrolabracidae, Gempylidae, Trichiuridae, p. 260-267. In: *Fishes of the Kyushu-Palau Ridge and Tosa Bay*. Japan Fisheries Resource Conservations Associaton, Tokyo. 435 p.
- Nakamura, I. 1984a. Gempylidae, Istiophoridae, Trichiuridae, Xiphiidae. In: W. Fischer, and G. Bianchi (eds), *FAO Species Identification Sheets for Fishery Purposes. Western Indian Ocean, fishing area 51*. Food and Agricultural Organization of the United Nations, Rome. Vols 1-6, (pag.var.).
- Nakamura, I. 1984b. Scombrolabracidei, Scombroidei, p. 224-228. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno, and T. Yoshino (eds), *The fishes of the Japanese Archipelago*. Tokai University Press, Tokyo. 437 p.
- Nakamura, I., 1985. FAO Species Catalogue. Vol. 5. *Billfishes of the world. An annotated and illustrated catalogue of marlins, sailfishes, spearfishes and swordfishes known to date*. FAO Fish. Synop., No. 125:1-65.
- Nakamura, I. (ed.). 1986a. *Important fishes trawled off Patagonia*. Japan Marine Fishery Resource Research Center, Tokyo. 369 p.
- Nakamura, I. 1986b. Scombroidei, Xiphiodei, p. 296-305. In: *Fishes. Illustrated books for organisms*. Sekaibukasha, Tokyo. 431 p. (in Japanese).
- Nakamura, I. 1986c. Scombrolabracidae, Gempylidae, Trichiuridae, p. 825-830. In: M.M. Smith, and P.C. Heemstra (eds), *Smith's Sea Fishes*. Macmillan South Africa, Johannesburg. 1047 p.
- Nakamura, I. 1989a. Introduction to Scombriform fishes. 1. Concept of Scombriform fishes. *Aquabiology*, 61:96-101 (in Japanese).
- Nakamura, I. 1989b. Introduction to Scombriform fishes. 2. Systematics of Scombriform fishes. *Aquabiology*, 62:185-190 (in Japanese).
- Nakamura, I. 1989c. Introduction to Scombriform fishes. 3. Methods of measuring and counting, and external features of Scombriform fishes. *Aquabiology*, 63:272-277 (in Japanese).
- Nakamura, I. 1990a. Gempylidae, Trichiuridae, Scombrolabracidae, Scombridae, p. 304-311. In: *Fishes collected by the R/V Shinkai Maru around New Zealand*. Japan Marine Fishery Resources Research Center, Tokyo. 410 p.
- Nakamura, I. 1990b. Gempylidae, Scombridae, p. 402-405. In: *Fishes of the southern Ocean*. J.L.B. Smith Institute of Ichthyology, Grahamstown. 462 p.
- Nakamura, I. 1990c. Introduction to Scombriform fishes. 4. Body form with gross external morphology. *Aquabiology*, 69:276-281 (in Japanese).
- Nakamura, I. 1990d. Introduction to Scombriform fishes. 5. Gross morphology of lateral line system. *Aquabiology*, 70:364-371 (in Japanese).
- Nakamura, I. 1990e. Introduction to Scombriform fishes. 6. Body color and makings. *Aquabiology*, 71:448-456 (in Japanese).
- Nakamura, I. 1991a. Introduction to Scombriform fishes. 7. Nostril and olfactory organ. *Aquabiology*, 73:90-97 (in Japanese).
- Nakamura, I. 1991 b. Introduction to Scombriform fishes. 8. Mouth and snout region. *Aquabiology*, 74:168-173 (in Japanese).

- Nakamura, I. 1991c. Introduction to Scombriform fishes. 9. Teeth. *Aquabiology*, 75:249-225 (in Japanese).
- Nakamura, I. 1991d. Introduction to Scombriform fishes. 10. Gill. *Aquabiology*, 76:330-337 (in Japanese).
- Nakamura, I. 1991e. Introduction to Scombriform fishes. 11. Neumerical characters on opercular region. *Aquabiology*, 77:460-464 (in Japanese).
- Nakamura, I. 1992a. Introduction to Scombriform fishes. 12. Fins. *Aquabiology*, 78:7-11 (in Japanese).
- Nakamura, I. 1992b. Introduction to Scombriform fishes. 13. Dorsal fin and anal fin. *Aquabiology*, 79:94-99 (in Japanese).
- Nakamura, I. 1992c. Introduction to Scombriform fishes. 14. Pelvic fins. *Aquabiology*, 81 :in press (in Japanese).
- Nakamura, I., and J. R. Paxton. 1977. A juvenile gempylid fish, *Neulotus tripes*, from eastern Australia. *Aust. Zool.*, 19(2):178-184.
- Nakamura, I., and E. Fujii. 1983. A new genus and species of Gempylidae (Pisces: Perciformes) from Tonga Ridge. *Seto Mar. Biol. Lab.*, 27(4/6):173-191.
- Nakamura, I., E. Fujii, and T. Arai. 1983. First record of the gempylid, *Nesiarchus nasutus* from Japan and the Sulu Sea. . *Jap. J. Ichthyol.*, 29(7):337-344.
- Nakamura, I., B.F. Webb, and G.A. Tunncliffe. 1981. First record of a rare gempylid fish, *Nesiarchus nasutus*, (Teleostei; Gempylidae) from New Zealand. *Rec. Canterbury Mus.*, 9(7):337-344.
- Narayano Rao, K.V. 1965. On a record of *Epinnula orientalis* Gilchrist and Von Bonde, a bathypelagic fish, from the Konkan coast. *J. Mar: Biol. Ass, India*, 7(1):217-218.
- Nelson, J.S. 1984. *Fishes of the world*. Second edition, John Wiley and Sons, New York. 523 p.
- Nishikawa, Y. 1987. Studies on the early life history of gempylid fishes. *Bull. Far Seas Fish. Res. Lab.*, 24:1-1 54 (in Japanese).
- Nishikawa, Y., and I. Nakamura. 1978. Postlarvae and juveniles of the gempylid fish, *Neopinnula orientalis* (Gilchrist and von Bonde) from the North Arabia Sea. *Bull. Far Seas Fish. Res. Lab.*, 16:75-91.
- Noronha, A.C. 1926. Description of a new genus and species of deep water gempylid fish, *Diplogonurus maderensis*. *Ann. Curneg. Mus.*, 16(3-4):381-383.
- Norman, J.R. 1939. Fishes. *Sci. Rep. John Murray Exped., Lond.*, 7(1):1-116.
- Norman, J.R. 1966. *A draft synopsis of the orders, families and genera of recent fishes and fish-like vertebrates*. British Museum (Natural History), London. 649 p. (Unpubl. photo offset copy).
- Ochiai, A., and M. Tanaka. 1988. *Ichthyology* Vol. 2 (New edition). Koseisha-Koseikaku, Tokyo. 1140 p. (in Japanese).
- Ogilby, J.D. 1899. Additions to the fauna of Lord Howe Island. *Proc. Linn. Soc. New South Wales*, 23:730-745.
- Okamura, O. (ed.). 1985. *Fishes of the Okinawa Trough and the adjacent waters*. Vol. II. Japan Fishery Resource Conservation Association, Tokyo. 780 p.
- Okamura, 'O., K. Amaoka, and F. Mitani (eds). 1982. *Fishes of the Kyushu-Palau Ridge and Tosa Bay*. Japan Fishery Resource Conservation Association, Tokyo. 435 p.
- Pakhorukov, N.P. 1981. Deep-sea bottom fishes of the Whale Ridge and adjacent area, p. 19-31. In: N.V. Parin (ed.), *Fishes of the open ocean*. Inst. Okeanol, Moscow. 119 p. (in Russian).
- Parin, N.V. 1967. On the distribution and biology of *Gempylus serpens* Cuv. (Pisces, Gempylidae) in the Pacific and Indian Oceans. *Vopr Ikhtiol.*, 7(6):990-1000 (in Russian).
- Parin, N.V. 1975. Changes of pelagic ichthyocoenes along the Equator in the Pacific Ocean between 96° and 155°W. *Trudy Inst. Okeanol.*, 102:313-334 (in Russian).

- Parin, N.V. 1976a. Two new species of the genus *Benthodesmus* (Trichiuridae, Osteichthyes) from the western tropical Pacific Ocean. *Trudy Inst. Okeanol.*, 104:191-194 (in Russian).
- Parin, N.V. 1976b. Comparative analysis of mesopelagic ichthyocoenes on four polygons in the western tropical Pacific. *Trudy Inst. Okeanol.*, 104:195-205.
- Parin, N.V. 1978. New records of midwater fishes from off New Guinea and Tonga Islands with descriptions of two new species of *Eustomias* (family Melanostomiidae) and *Benthodesmus* (family Trichiuridae). *Trudy Inst. Okeanol.*, 111:156-168.
- Parin, N.V. 1983. *Aphanopus mikhailini* sp.n. and *A. intermedius* sp.n. (Trichiuridae, Perciformes) - two new species of scabbardfishes from the temperate waters of Southern Hemisphere and Tropical Atlantic. *Vopr. Ikhtiol.*, 23(3):355-366 (in Russian).
- Parin, N.V. 1986. Gempylidae, Trichiuridae, p. 967-973, 976-980, Vol. II. In: P.J.P. Whitehead, M.-L. Bauchot, J.-C. Hureau, J. Nielsen, and E. Tortonese (eds), *Fishes of the North-eastern Atlantic and the Mediterranean*. UNESCO, Paris. 490 p.
- Parin, N.V. 1988. *Fishes of the open ocean*. Nauka, Moscow. 272 p. (in Russian).
- Parin, N.V. 1989. A review of the genus *Rexea* (Gempylidae) with descriptions of three new species. *Vopr. Ikhtiol.*, 29(1):3-23 (in Russian).
- Parin, N.V. 1990a. Improved diagnosis of the genus *Rexichthys* and its place in the system of the family Gempylidae. *Vopr. Ikhtiol.*, 30(4):531-536 (in Russian).
- Parin, N.V., 1990b. Preliminary review of fish fauna of the Nazca and Sala y Gomez Submarine Ridges (southeastern Pacific Ocean). *Trudy Inst. Okeanol.*, 125:6-36 (in Russian).
- Parin, N.V. 1990c. Gempylidae. Trichiuridae, p. 965-977. In: J.C. Quéro, J.C. Hureau, C. Karrer, A. Post, and L. Saldanha (eds), *Check-list of the fishes of the eastern tropical Atlantic*. JNICT, Lisbon. Vol. II. 560 p.
- Parin, N.V., A.P. Andriashev, O.D. Borodulina, and V.M. Tchuvasov. 1974. Midwater fishes of the south-western Atlantic Ocean. *Trudy Inst. Okeanol.*, 98:76-140 (in Russian).
- Parin, N.V., and D.A. Astakhov. 1987. *Rexichthys johnpaxtoni* - a new fish of the family Gempylidae from the Tasman Sea. *Vopr. Ikhtiol.*, 27(1):149-151 (in Russian).
- Parin, N.V., and V.E. Becker. 1970. Materials for a revision of the trichiuroid fishes of the genus *Benthodesmus*, with the description of four new species and one new subspecies. *Proc. Biol. Soc. Washington*, 83(33):351-364.
- Parin, N.V., and V.E. Becker. 1972. Materials on taxonomy and distribution of some trichiuroid fishes (Pisces: Trichiuroidei: Scombroidei: Trichiuridae). *Trudy Inst. Okeanol.*, 93:110-204 (in Russian).
- Parin, N.V., V.E. Becker, O.D. Borodulina, and V.M. Tchuvasov. 1973. Deep-sea pelagic fishes of the south-eastern Pacific Ocean. *Trudy Inst. Okeanol.*, 94:71-172 (in Russian).
- Parin, N.V., V.E. Becker, O.D. Borodulina, E.S. Karmovskaya, B.I. Fedoryako, Y.N. Shcherbachev, G.N. Pokhilskaia, and V.M. Tchuvasov. 1977. Midwater fishes in the western tropical Pacific Ocean and the seas of Indo-Australian Archipelago. *Trudy Inst. Okeanol.*, 107:68-188 (in Russian).
- Parin, N.V., O.D. Borodulina, I.I. Konovalenko, and A.N. Kotlyar. 1990a. Oceanic pelagic fishes of the south-eastern Pacific (composition of fauna and geographical distribution). *Trudy Inst. Okeanol.*, 125:192-222 (in Russian).
- Parin, N.V., and B.B. Collette. 1993. Results of the research cruises of FRV "Walther Herwig" to South America. LXIX. *Lepidopus altifrons*, a new species of cutlassfish (Scombroidei:Trichiuridae) from the western Atlantic Ocean. *Archiv. Fischereiwiss.*, 41(3):(in press).
- Parin, N.V., and G.A. Golovan. 1976. Pelagic deep-sea fishes of the families characteristic of the open ocean collected over the continental slope off west Africa. *Trudy Inst. Okeanol.*, 104:250-276 (in Russian).

- Parin, N.V., G.A. Golovan, N.P. Pakhorukov, Y.I. Sazonov, and Y.N. Shcherbachev. 1981. Fishes from the Nazca and Sala y Gomez Submarine Ridges collected in cruise of R/V "Ikhtandr", p. 5-18. In: N.V. Parin (ed.), *Fishes of the open ocean*. Inst. Okeanol, Moscow. 119p. (in Russian).
- Parin, N.V., T.A. Gorelova, and O.D. Borodulina. 1990b. Feeding, and trophic relationships of fishes inhabiting the Nazca and Sala y Gomez Submarine Ridges. *Trudy Inst. Okeanol.*, 125:37-57 (in Russian).
- Parin, N.V., and A.N. Kotlyar. 1991. Record of *Epinnula magistralis* in the Indian Ocean. *Vopr. Ikhtiol.*, 31(6):1004-1005 (in Russian).
- Parin, N.V., and S.V. Mikhailin. 1981. A new cutlassfish, *Lepidopus dubius* Parin, and Mikhailin (Trichiuridae), from the eastern tropical Atlantic. *Vopr. Ikhtiol.*, 21(3):403-410 (in Russian).
- Parin, N.V., and S.V. Mikhailin. 1982a. *Lepidopus calcar*, a new trichiurid fish from the Hawaiian underwater ridge. *Jap. J. Ichthyol.*, 29(1):27-29.
- Parin, N.V., and S.V. Mikhailin. 1982b. *Tentoriceps cristatus* (Klunzinger) (Trichiuridae) in the Indian Ocean, p. 48-54. In: N.V. Parin (ed.), *Poorly known fishes of the open ocean*. Inst. Okeanol, Moscow. 140 p. (in Russian).
- Parin, N.V., and J.R. Paxton. 1990. Australia's East Coast gemfish. *Aust. Fish.*, 49(5):115.
- Parin, N.V., G.N. Pokhilskaia, Y.I. Sazonov, and B.I. Fedoryako. 1976. Rare and poorly known midwater fishes from the Central and Eastern Equatorial Pacific Ocean. *Trudy Inst. Okeanol.*, 104:206-236 (in Russian).
- Parin, N.V., and V.G. Prutko. 1985. Thalassal mesobenthopelagic ichthyocoen over the equator submarine rise in the western tropical Indian Ocean. *Okeanologiya*, 25(6):1017-1020 (in Russian).
- Parin, N.V., and Y.I. Sazonov. 1982. Deepsea fishes collected during the cruise of R/V "Professor Mesyatsev" off Peru in 1972, p. 79-91. In: N.V. Parin (ed.), *Poorly known fishes of the open sea*. Inst. Okeanol, Moscow. 140 p. (in Russian).
- Parin, N.V., Y.I. Sazonov, and S.V. Mikhailin. 1978. Deep-sea pelagic fishes in the collection of R/V "Fiolent" in the Gulf of Guinea and adjacent areas, *Trudy Inst. Okeanol.*, 111:169-184 (in Russian).
- Paulin, C.D., and G. Habib. 1980. First record of *Lepidocybium flavobrunneum* (Pisces: Gempylidae) from New Zealand. *N.Z.J. Mar. Freshwat. Res.*, 14(4):405-407.
- Paulin, C.D., A.L. Stewart, C.D. Roberts, and P.J. McMillan. 1989. New Zealand fish. A complete guide. *Nat. Mus. N.Z. Misc. Ser.*, 19:1-279.
- Pavlov, Y.P., and D.P. Andrianov. 1986. A preliminary list of the fishes from the Mill Rise. *Vopr. Ikhtiol.*, 26(4):552-559 (in Russian).
- Peden, A. 1974. Rare fishes, including first records of thirteen species, from British Columbia. *Syesis*, 7:47-62.
- Peden, A. 1980. Rare captures of two fishes, *Benthodesmus* and *Paralepis*, off British Columbia. *Syesis*, 12:179-180.
- Permitin, Y.I., 1969. New data on the specific composition and distribution of fish fauna in the Scotia Sea. *Vopr. Ikhtiol.*, 9(2):221-239 (in Russian).
- Poey, F. 1854. Nuevo género de peces escobrideos, *Epinnula magistralis* Poey, fasc 1 p. 281-463. In: *Memorias sobre la historia natural de la isla de Cuba, acompañadas de sumarios latinos y extractos en frances*. Habana. Vol. 1. 441 p.
- Poey, F. 1860. XLIX Poissons de Cuba, espèces nouvelles, p. 115-356. In: *Memorias sobre la historia natural de la isla de Cuba, acompañadas de sumarios latinos y extractos en frances*. Habana. Vol. 2.
- Phillipps, W.J. 1932. Notes on new fishes from New Zealand. *N.Z.J. Sci. Technol.*, 13(4):226-234.
- Piotrovsky, A.S., 1979. On the range of the black scabbardfish *Aphanopus carbo* Lowe (Trichiuridae) in the Indian Ocean. *Vopr. Ikhtiol.*, 19(5):931-932 (in Russian).

- Portsev, P.I., and Y.K. Nikolaev. 1984. The first record of *Lepidopus caudatus* (Euphrasen) (Trichiuridae) in the Black Sea. *Vopr. Ikhtiol.*, 24(2):328-329 (in Russian).
- Quero, J.-C. 1973. Sur la capture de trois espèces de Gempylides (Pisces, Percomorphi, Trichiuroidea) par les chalutiers de la Rochelle. *Ann. Soc. Sci. Nat. Charente-Marit*, 5(5-9):337-343.
- Rafinesque, C.S. 1810. *Caratteri di alcuni nuovi generi e nuove specie di animali (principalmente di pesci)*. Palermo. 105 p.
- Ramsay, E.P., and J.D. Ogilby. 1887. Notes on the genera of Australian fishes. *Proc. Linn. Soc. N.S.W.*, 2(2):181-184, 561-564.
- Randall, J.E., and A.C. Egaña. 1984. Native names of Easter Island fishes, with comments on the origin of the Rapanui people. *Oceas. Pap. B.P. Bishop Mus.*, 25(12):1-16.
- Richardson, J. 1839. Description of fishes collected at Port Arthurin Van Diemen's Land. *Proc. Zool. Soc. Lond.*, 7:95-100.
- Richardson, J. 1842. Report on the present state of ichthyology of New Zealand. *Rep. Br. Ass. Advmt. Sci.* (12th meet.), 1842:12-30.
- Risso, A. 1810. *Ichthyologie de Nice, ou histoire naturelle des poissons du département des Alpes Maritimes* F. Schoell. Paris. 388 p.
- Robertson, D.A. 1975; A key to the planktonic eggs of some New Zealand marine teleosts. *Fish. Res. Div. Occas. Pub.*, 9:1-19.
- Robertson, D.A. 1980. Spawning of the frostfish, *Lepidopus caudatus* (Pisces: Trichiuridae), in New Zealand waters. *N.Z.J. Mar. Freshwat. Res.*, 14(2):129-136.
- Rosenblatt, R.H., and R.R. Wilson. 1987. Cutlassfishes of the genus *Lepidopus* (Trichiuridae), with two new eastern Pacific species. *Jap. J. Ichthyol.*, 33(4):342-351.
- Rowling, K.R. 1987. The need for catch controls in the gemfish industry. NSW Department of Agriculture, Fisheries, *Fisheries Res. Inst. Intern. Rep.*, 26:1-8.
- Russo, J.L.. 1983. *Interrelationships of the gempylid fishes (Teleostei, Scombroidei)*. Unpubl Ph.D. Dissertation, George Washington Univ., Washington, D.C., 248 p.
- Saemundsson, B. 1907. Zoologiske Meddelelser fra Island. X. *Vidensk. Meddr. dansk. naturh. Foren.*, 59:19-27.
- Sainsbury, K.J., P.J. Kailola, and G.G. Leyland. 1985. *Continental Shelf fishes of northern and north-western Australia*. Clouston & Hall and Peter Powhall Fisheries Information Service. Canberra, 375 p.
- Sauvage, H.E. 1882. Description de quelques poissons de la collection du Muséum d'histoire naturelle. *Bull. Soc. Philomath.*, Paris, 6(Ser. 7):168-176.
- Schmidt, P.J. 1931. Fishes of Japan, collected in 1901. *Trudy Tikhook. Komisi. Akad. Nauk SSSR.*, 2:1-176.
- Schultz, L.P., and S. Springer. 1956. *Lepidocybium flavobrunneum*, a rare gempylid fish new to the fauna of the Gulf of Mexico. *Copeia*, 1:65.
- Scott, T.D. 1962. *The marine and fresh water fishes of South Australia*. Adelaide. 338 p.
- Scott, T.D., C.J.M. Glover, and R.V. Southcott. 1980. *The marine and freshwater fishes of South Australia*. Adelaide. 392 p.
- Sebastian, M.J., and Rao P. Vedavyasa. 1963. On the feeding habits of the snake mackerel *Gempylus serpens* (Cuvier), with some remarks on the specimens collected off the Indian coast. *J. Mar. Biol. Ass. India*, 5(2):322.
- Seale, A.F. 1906. Fishes of the South Pacific. *Occ. Pap. Bernice P. Bishop Mus.*, 4(1):1-89, figs 1-23.
- Senta, T. 1975. Redescription of trichiurid fish *Tentoriceps cristatus* and its occurrence in the south China Sea and the Straits of Malacca. *Jap. J. Ichthyol.*, 21(4):175-182.

- Senta, T. 1977. Records of the crested hairtail, *Tentoriceps cristatus* from the Philippine waters. *Bull. Fac. Fish. Nagasaki Univ.*, 42:21-23.
- Shaw, G. 1803. *General zoology or systematic natural history*. Vol. 4, London. 632 p.
- Shcherbachev, Y.N. 1987. A preliminary list of thalassobathial fishes from the tropical and subtropical Indian Ocean. *Vopr. Ikhtiol.*, 27(1):3-11 (in Russian).
- Shcherbachev, Y.N., A.N. Kotlyar, and A.A. Abramov. 1989. Fish fauna and fish resources of submarine rises in the Indian Ocean, p. 159-185. In: *Biological resources of the Indian Ocean*. Nauka, Moscow. (in Russian).
- Shcherbachev, Y.N., E.I. Kukuev, and V.I. Shlibanov. 1985. Fishes of bottom and near bottom ichthyofaunas of seamounts in the southern Mid-Atlantic Ridge. *Vopr. Ikhtiol.*, 25(1):35-50 (in Russian).
- Shcherbachev, Y.N., N.V. Parin, N.P. Pakhorukov, and A.S. Piotrovsky. 1986. Mesobenthic and mesobenthopelagic fishes from submarine rises in the western Indian Ocean. *Trudy Inst. Okeanol.*, 121:195-214 (in Russian).
- Shiokawa, T. (ed.). 1988. *Managements of ribbon fish resources in the Central Japan Sea*. Japan Fisheries Resource Conservation Association, Tokyo. 102 p. (in Japanese).
- Shuntov, V.P. 1979. *Ichthyofauna of Southwest Pacific Ocean*. Pishchevaya Prom., Moscow. 193 p. (in Russian).
- Silas, E.G., and M. Rajagopalan. 1974. Studies on demersal fishes of the deep neritic waters and the continental slope 2 on *Trichiurus auriga* Klunzinger, with notes on its biology. *J. Mar Biol. Ass. India*, 16(1):253-274.
- Sloane, H. 1707. A voyage to Jamaica. In: *A voyage to the islands Madeira, Barbados, Nieves, S. Christophers and Jamaica, with the natural history of the herbs and trees, fishes, birds, . . . of the last of those islands*. 2 vol., London, 1:1-256.
- Smith, A. 1849. *Illustrations of the zoology of South Africa, consisting chiefly of figures and descriptions of the objects of natural history collected during an expedition into the interior of South Africa in 1834-1836*. London. Vol. 4. 77 p.
- Smith, J.L.B. 1949. *The sea fishes of southern Africa*. Central News Agency, Johannesburg. 580 p.
- Smith, J.L.B. 1968. New and interesting fishes from deepish water off Durban, Natal and southern Mozambique. *Invest. Rep. Oceanogr. Res. Inst.*, 19:1-30.
- Snyder, J.O. 1911. Description of new genera and species of fishes from Japan and the Ryukyu Islands. *Proc. U.S. Nat. Mus.*, 40(1836):525-549.
- Snyder, J.O. 1912. Japanese shore fishes collected by the United States Bureau of Fisheries steamer "Albatross" expedition of 1906. *Proc. U.S. Nat. Mus.*, 42(1909):395-450.
- Steindachner, F. 1891. Ichthyologische Beiträge. XV. Über einige seltene und neue Fischarten aus dem canarischen Archipel. *Sitzber. K. Akad. Wiss. Wien*, 10(1):343-374.
- Strasburg, D.W. 1964. Postlarval scombroid fishes of the genera *Acanthocybium*, *Nealotus* and *Diplospinus* from the central Pacific Ocean. *Pacific Sci.*, 18(2):174-185.
- Swainson, W. 1839. *The natural history and classification of fishes, amphibians and reptiles, or monocardian animals*. London. Vol. 2. 448 p.
- Temminck, C.J., and H. Schlegel. 1844. Pisces. In: P.F. Siebold, *Fauna Japonica, sive descriptio animalium, quae in itinere per Japoniam suscepto, annis 1823-30 collegit, notis, observationibus et adunbrationibus illustravit P.F. Siebold*. Lugduni Batavorum, Lugduni Batavorum. 325 p.
- Templeman, W., and H.J. Squires. 1963. Three records of the black scabbard fish, *Aphanopus carbo* Lowe, from the Canadian region of the western Atlantic. *J. Fish. Res. Board Canada*, 20(3):273-278.
- Tucker, D.W. 1950. The biology of *Aphanopus carbo* Lowe. *Rep. Challenger Soc., Lond.*, 3(2):26.

- Tucker, D.W. 1953. The fishes of the genus *Benthodesmus* (family Trichiuridae). *Proc. Zool. Soc. Lond.*, 123: 171-197.
- Tucker, D.W. 1955. Studies on trichiuroid fishes 2. *Benthodesmus tenuis* (Günther) collected by the "Expedition Oceanographique Belge dans les eaux côtières de l'Atlantique Sud (1948-1949)", with additional notes on the genus *Benthodesmus*. *Bull. Inst. Roy. Sci. Natur: Belg.*, 31(64):1-26.
- Tucker, D.W. 1956. Studies on the trichiuroid fishes. 3. A preliminary revision of the family Trichiuridae. *Bull. Brit. Mus. Nat. Hist., Zool.*, 4(3):73-130.
- Tucker, D.W. 1957. Studies on the trichiuroid fishes. 4. A specimen of *Evoxymetopon taeniatum* (Poey) Gill, from the Gulf of Mexico. *Ann. Mug. Nat. Hist., Ser. 12*, 10(144):425-428.
- Tucker, D.W., and C. Palmer. 1949. New British records of two rare deep-sea fishes: *Oxynotus paradoxus* Frade and *Aphanopus carbo* Lowe. *Nature, Lond.*, 146(4178):930-931.
- Uchida, K. 1940. Note on a rare fish *Evoxymetopon taeniatum* from Korea. *Zool. Mag.*, 52(7):260-262 (in Japanese).
- Uchida, R.N., and D.T. Tagami. 1984. Groundfish fisheries and research in the vicinity of seamounts in the North Pacific Ocean. *Mar. Fish. Rev.*, 46(2):1-17.
- Uyeno, T., K. Matsuura, and E. Fujii. 1983. *Fishes trawled off Suriname and French Guiana*. Japan Marine Fisheries Resource Research Center, Tokyo. 519 p.
- Van del Hoeven, J. 1855. *Handbook der dierkunde; tweede verbeterde uitgave met bijroegsels en aanmerkingen door Leuckart*. Amsterdam, 3. vol. 1849-1856, 1855:188-419.
- Vandelli, D. 1797. Florae et faunae Lusitanicae specimen. *Mem. R. Acad. Sci. Lisbon*, 1:37-79.
- Voss, N.A. 1954. The postlarval development of the fishes of the family Gempylidae from the Florida Current: *I. Nesiarchus* Johnson and *Gempylus* Cuv. and Val. *Bull. Mar Sci. Gulf Caribb.*, 4(2):120-159.
- Waite, E.R. 1904. Additions to the fish fauna of Lord Howe Island, No. 4. *Rec. Aust. Mus.*, 5(3):135-186, 3 pls.
- Waite, E.R. 1911a. Additions of the fauna of New Zealand. No. II. *Proc. N.Z. Inst.*, 43(2):9-51.
- Waite, E.R. 1911 b. Scientific results of the New Zealand Government Trawling Expedition, 1907. Pisces. Part. II. *Rec. Canterbury Mus.*, 1(3):157-272.
- Wass, R.C. 1984. An annotated checklist of the fishes of Samoa. *NOAA Techn. Rep. NMFS SSRF*, 781:1-43.
- Weber, M. 1913. Die Fische der Siboga-Expedition. *Siboga Exped.*, 57:1-710.
- Wheeler, A. 1969. *The fishes of the British Isles and North-West Europe*. Macmillan, London, Melbourne and Toronto. 613 p.
- Whitley, G.P. 1933. Studies in ichthyology. No. 7. *Rec. Aust. Mus.*, 19(1):60-112.
- Whitley, G.P. 1948. Studies in ichthyology. No. 13. *Rec. Aust. Mus.*, 22(1):70-94.
- Withell, A.F., and J.W.J. Wankowsky. 1989. Age and growth estimates for pinkling, *Genypterus blacodes* (Schneider), and gemfish, *Rexea solandri* (Cuvier), from eastern Bass Strait, Australia. *Aust. J. Mar Freshwater Res.*, 49:215-226.
- Wongratana, T. 1980. An occurrence of *Thyrsoitoides marleyi* Fowler in the Andaman Sea (Pisces: Gempylidae). *Nat. Hist. Bull. Siam Soc.*, 28:137-146.
- Zilanov, V.K., and L.I. Shepel. 1975. A contribution to the ecology of black scabbardfish *Aphanopus carbo* Lowe in the North Atlantic. *Vopr. Ikhtiol.*, 15(4):737-739 (in Russian).