

#### 4. BIBLIOGRAPHY

- Aboussouan, A. 1980. Description d'une larve géante "rubaniforme", attribuée au genre *Brotulotaenia* (Pisces, Gadiformes, Ophidioidei, Ophidiidae) et récolté a l'est des Nouvelles Hébridés. *Cybium*, 3(10):51-64.
- Alcock, A. 1889. Natural history notes from H.M. Indian Marine Survey Steamer "Investigator". - No. 13. On the bathybial fishes of the Bay of Bengal and neighbouring waters, obtained during the seasons 1885-1889. *Ann.Mag.Nat.Hist.*, 6(4):376-399.
- Alcock, A. 1890a. Natural history notes from H.M. Indian Marine Survey Steamer "Investigator". - No. 16. On the bathybial fishes collected in the Bay of Bengal during the season 1889-90. *Ann.Mag.Nat.Hist.*, 6(6):197-222.
- Alcock, A. 1890b. Natural history notes from H.M. Indian Marine Survey Steamer "Investigator". - No. 18. On the bathybial fishes of the Arabian Sea, obtained during the season 1889-90. *Ann.Mag.Nat.Hist.*, 6(6):295-311.
- Alcock, A. 1890c. Natural history notes from H.M. Indian Survey Steamer "Investigator". - No. 20. On some undescribed shore-fishes from the Bay of Bengal. *Ann.Mag.Nat.Hist.*, 6(6):425-443.
- Alcock, A. 1891. Natural history notes from H.M. Indian Marine Survey Steamer "Investigator". - Ser. II, No. 1. On the results of deep-sea dredging during the season 1890-91. *Ann.Mag.Nat.Hist.*, 6(6):16-34.
- Alcock, A. 1892a. *Illustrations of the Zoology of H.M. Indian Marine Survey Steamer INVESTIGATOR*. Part. I, plates I-VII.
- Alcock, A. 1892b. Natural history notes from H.M. Indian Marine Survey Steamer "Investigator". - Ser.II, No. 5. On the bathybial fishes collected during the season of 1891-92. *Ann.Mag.Nat.Hist.*, 6(10):345-365.
- Alcock, A. 1893. New species of *Lophius*, *Physiculus*, *Neobythites*, *Odontostomus*, and *Congromuraena*. *J.Asiatic Soc.Bengal*, 62:177-184.
- Alcock, A. 1894. Natural history notes from H.M. Indian Marine Survey Steamer "Investigator". - No. 11. An account of a recent collection of bathybial fishes from the Bay of Bengal and from the Laccadive Sea. *J.Asiatic Soc.Bengal*, 58(2):115-140.
- Alcock, A. 1895. Natural History notes from H.M. Indian Survey Steamer "Investigator". - Ser.II, No. 18. On a new species of viviparous fish of the family Ophidiidae. *Ann.Mag.Nat.Hist.*, 6(16):144-146.
- Alcock, A. 1896. A supplementary list of the marine fishes of India, with descriptions of 2 new genera and 8 new species. *J.Asiatic.Soc.Bengal*, 65:301-338.
- Alcock, A. 1898. Natural history notes from H. M. Indian Survey Steamer "Investigator". - Ser. II, No. 25. A note on the deep-sea fishes, with descriptions of some new genera and species, including another probably viviparous ophidioid. *Ann.Mag.Nat.Hist.*, 7(2):136-156.
- Ambrose, D.A. 1996. Ophidiiformes, 512-545. In H.G. Moser (ed.): *The early stages of fishes in the California current region*. California Cooperative Oceanic fisheries Investigations. Atlas No. 33:1-1489.

- Ancona-Lopez, A.A. 1956. Ocorrencia de *Carapus* Raf. (= *Fierasfer* Oken) no Brazil (Teleostei-Carapidae). *Pap.Avulsos Dep.Zool.(Sao Paulo)*, 12:389-398.
- Aoyagi, H. 1952. Studies on the coral fishes of the Riu-kiu Islands. VIII. Gobiesocidae, Limnichthidae, Parapercidae, Brotulidae, Bothidae, and Soleidae. *Zool.Mag.*, 61:233-236.
- Arai, R. 1969. *Bythites matsubarai*, a new brotulid fish from Japan. *Japan.J.Ichthyol.*, 16:74-77.
- Arambourg, C. 1967. Résultats scientifiques de la mission C. Arambourg en Syrie et en Iran (1938-1939). II. Les poissons Oligocènes de l'Iran. *Not.Mém.Moyen-Orient, Mus.Nat.Hist. Nat.Paris*, 8:11-210.
- Arnold, D.C. 1956. A systematic revision of the fishes of the teleost family Carapidae (Percomorphi, Blennioidea), with descriptions of two new species. *Bull.British Mus.(Nat. Hist.)*, 4(6):245-307.
- Ayres, W.D. 1854. (Description of new fishes from California). *Proc.Calif.Acad.Sci.*, 1:3-22.
- Ayres, W.D. 1860. (Descriptions of new species of fishes). *Proc.Calif.Acad.Sci.*, 2:52-64.
- Balanov, A.A. and V.V. Fedorov. 1996. About some deep-sea fishes new to the Bering Sea. *J.Ichthyol.*, 36(4):313-316.
- Barnard, K.H. 1927. A monograph of the marine fishes of South Africa. Part II. *Ann.S.Afr.Mus.*, 21:419-1065.
- Barnard, K.H. 1934. New records and descriptions of two new species of South African marine fishes. *Ann.Mag.Nat.Hist.*, 10(13):228-234.
- Bini, G. 1969. *Atlante dei pesci delle coste Italiane*. Vol. VII:1-200.
- Bleeker, P. 1854. Lets over visshen levende in zweesterren en over eene nieuwe soort van *Oxybelus*. *Nat.Tijdschr.Ned.-Ind.*, 7:162-163.
- Bleeker, P. 1855. Bijdrage tot di kennis der ichthyologische fauna van de Batoe Islanden. *Nat.Tijdschr. Ned.-Ind.*, 8:305-328.
- Bleeker, P. 1856. Vijrae bijdrage tot de kinnis der ichthyologische fauna van de Banda-eilander. *Nat. Tijdschr.Ned.-Ind.*, 11:93-110.
- Bleeker, P. 1858. Vierde bijdrage tot de kennis der ichthyologische fauna van Japan. *Act.Soc.Sci. Indo-Nederlandicae*, 3:1-46.
- Bloch, M.E. and J.G. Schneider. 1801. *Systema ichthyologiae iconobus ex illustratum*. Berlin, 584 pp.
- Boeseman, M. 1960. Notes on marine fishes from the Netherlands Antilles, with the description of a new species, *Eutyx tumidifrons* (Brotulidae). *Zool.Med.*, 37:11-16.
- Böhlke, J. 1955. The brotulid fish genus *Petrotyx* from the Great Bahama Bank. *Acad.Nat.Sci.Phila. Not.Nat.*, 273:1-6.
- Böhlke, J.E. 1957. A new shallow-water ophidioid fish from the Great Bahama Bank. *Acad.Nat.Sci. Phila.Not.Nat.*, 295:1-8.
- Böhlke, J.E. and C.C.G. Chaplin. 1968. *Fishes of the Bahamas and adjacent tropical waters*. Livingston Publ. Comp., Wynnewood, Pa., 771 pp.

- Böhlke, J.E. and D.M. Cohen. 1966. A new shallow water ophidoid fish from the West Atlantic. *A cad. Nat.Sci.Phila.Not.Nat.*, 396:1-8.
- Böhlke, J.E. and C.R. Robins. 1959. Studies on fishes of the family Ophidiidae. II. Three new species from the Bahamas. *Proc.Acad.Nat.Sci.Philad.*, 111:37-52.
- Bougis, P. and M. Ruivo. 1954. Recherches sur le poisson de profondeur *Benthocometes robustus* (Goode et Bean) (= *Pteridium armatum*, Doederlein) (Brotulidae). *Vie et Milieu*, suppl. 3:155-209.
- Brauer, A. 1906. Die Tiefsee-Fische. 1. Systematischer Teil. *Wiss.Ergeb.Disch.Tiefsee-Exped.*, 15(1):1-420.
- Breder, C.M. 1936. Scientific results of the second oceanographic expedition of the PAWNEE 1926. Heterosomata to Pediculati. *Bull.Bing.Oceanogr.Coll.*, 2(3):1-56.
- Brunnich, M.T. 1768. *Ichthyologia Massiliensis, sitens piscium descriptiones eorumque apud incolas nomina*. Accedunt Spolia Maris Adriatici. Hafniae et Lipsiae, 110 pp.
- Byrne, L.W. 1906. A new species of *Pteridium* (Scopoli) from the North-east Atlantic. *Ann.Mag.Nat.Hist.*, 7(18):448-450.
- Carrasson, M. and J. Matallanas. 1990. Preliminary data about the feeding habits of some deep-sea Mediterranean fishes. *J.Fish.Biol.*, 36:461-463.
- Carter, H.J. 1983. *Apagesoma edentatum*, a new genus and species of ophidiid fish from the western North Atlantic. *Bull.Mar.Sci.*, 33:94-101.
- Carter, H.J. and D.M. Cohen. 1985. *Monomitopus magnus*, a new species of deep-sea fish (Ophidiidae) from the western North Atlantic. *Bull.Mar.Sci.*, 36:86-95.
- Carter, H.J. and J.A. Musick. 1985. Sexual dimorphism in the deep-sea fish *Barathrodemus manatinus* (Ophidiidae). *Copeia*, 1985:69-73.
- Carter, H.J. and K.J. Sulak. 1984. A new species and a review of the deep-sea fish genus *Porogadus* (Ophidiidae) from the western North Atlantic. *Bull.Mar.Sci.*, 34:358-379.
- Cervigón, F. 1991. *Los peces marinos de Venezuela*. Second edition.
- Chan, W. L. 1966. A new genus and species of deep-sea brotulid from the South China Sea. *Japan. J. Ichthyol.*, 14:4-8.
- Chirichigno F.N. 1974. Clave para identificar los peces marinos del Peru. *Inf.Inst.Mar Péru*, 44:1-387.
- Cohen, D.M. 1961. A new genus and species of deepwater ophidiid fish from the Gulf of Mexico. *Copeia*, 1961:288-292.
- Cohen, D.M. 1963. A new genus and species of bathypelagic ophidoid fish from the western North Atlantic. *Breviora*, 196:1-8.
- Cohen, D.M. 1964a. A review of the ophidoid fish genus *Luciobrotula* with the description of a new species from the western North Atlantic. *Bull.Mar.Sci.*, 14:387-398.
- Cohen, D.M. 1964b. A review of the ophidoid genus *Oligopus* with the description of a new species from West Africa. *Proc.U.S.Nat.Mus.*, 116:1-22.

- Cohen, D.M. 1966. A new tribe and a new species of ophidioid fish. *Proc.Biol.Soc.Wash.*, 79:189-204.
- Cohen, D.M. 1973. Viviparous ophidioid fish genus *Calamopteryx*: new species from western Atlantic and Galapagos. *Proc.Biol.Soc.Wash.*, 86:339-350.
- Cohen, D.M. 1974. A review of the pelagic ophidioid fish genus *Brotulataenia* with descriptions of two new species. *Zool.J.Linn.Soc.*, 55:119-149.
- Cohen, D.M. 1981a. New and rare ophidiiform fishes from the eastern Atlantic: Canary Islands to the Cape of Good Hope. *Proc.Biol.Soc.Wash.*, 94:1085-1103.
- Cohen, D.M., 1981b. *Saccogaster melanomycter* (Ophidiiformes: Bythitidae), a new fish species from the Caribbean. *Proc.Biol.Soc.Wash.*, 94:374-377.
- Cohen, D.M. 1982. The deepsea fish genus *Enchelybrotula* (Ophidiidae): description of a new species, notes on distribution, and osteology. *Bull.Mar.Sci.*, 32:99-111.
- Cohen, D.M. 1986. Bythitidae, pp. 354-356. In: M.M. Smith and P.C. Heemstra (eds): *Smiths' Sea Fishes*. J.L.B. Smith Inst. of Ichthyology, Grahamstown, 1047 pp.
- Cohen, D.M. 1987. Notes on the bythitid fish genus *Saccogaster* with a new species from the Gulf of Mexico. *Nat.Hist.Mus. Los Angeles Co.Contrib.Sci.*, 385:1-4.
- Cohen, D.M., D.A. Hensley and J.J. Kimmel III. 1991. The deepsea ophidiid fish genus *Lamprogrammus*, a senior synonym of *Bassobythites*, with notes on the synonymy and distribution of *L. brunswigi*. *Japan.J.Ichthyol.*, 38:125-132.
- Cohen, D.M. and J.B. Hutchins. 1982. Description of a new *Dinematichthys* (Ophidiiformes: Bythitidae) from Rottneest Island, Western Australia. *Rec.West.Aust.Mus.*, 9(4):341-347.
- Cohen, D.M. and J.E. McCosker. 1998. A new species of bythitid fish, genus *Lucifuga*, from the Galapagos Islands. *Bull.Mar.Sci.*, 63:179-187.
- Cohen, D.M. and J.G. Nielsen. 1972. A review of the viviparous ophidioid fishes of the genus *Saccogaster*. *Proc.Biol.Soc.Wash.*, 85:445-468.
- Cohen, D.M. and J.G. Nielsen. 1978. Guide to the identification of genera of the fish order Ophidiiformes with a tentative classification of the order. *NOAA Tech. Rep. NMFS Circ.*, 417:1-72.
- Cohen, D.M. and J.G. Nielsen. 1982. *Spottobrotula amaculata*, a new ophidiid fish from the Philippines. *Copeia*, 1982:497-500.
- Cohen, D.M. and C.R. Robins. 1970. A new ophidioid fish (genus *Lucifuga*) from a limestown sink, New Providence Island, Bahamas. *Proc.Biol.Soc.Wash.*, 83:133-144.
- Cohen, D.M. and C.R. Robins. 1986. A review of the ophidiid fish genus *Sirembo* with a new species from Australia. *Mem. Qd. Mus.*, 22:252-263.
- Cohen, D.M. and B.A. Rohr. 1993. Description of a giant circumglobal *Lamprogrammus* species (Pisces: Ophidiidae). *Copeia*, 1993:470-475.
- Cohen, D.M., R.H. Rosenblatt and H.G Moser. 1990. Biology and description of a bythitid fish from deep-sea thermal vents in the tropical eastern Pacific. *Deep-Sea Research*, 37:267-283.
- Cohen, D.M. and J.P. Wourms. 1976. *Microbrotula randalli*, a new viviparous fish from Samoa and New Hebrides, whose embryos bear trophotaeniae. *Proc.Biol.Soc.Wash.*, 89:81-98.

- Cuvier, G. 1815. Observations et recherches critiques sur différentes poissons de la Méditerranée et, à leur occasion, sur des Poissons des autres mers, plus ou moins liés avec eux. *Mem. Mus.Natl.Hist.Nat.*, 1:119.
- Cuvier, G. L. 1829. *Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux, et l'introduction l'anatomie comparée*. Second edition, 2:1-406. Paris.
- Dawson, C.E. 1966. *Gunterichthys longipennis*, a new species of ophidioid fish from the northern Gulf of Mexico. *Proc.Biol.Soc.Wash.*, 79:205-214.
- Dawson, C.E. 1971. Supplemental observations on *Gunterichthys longipennis*, a northern Gulf of Mexico brotulid fish. *Copeia*, 1971:154-167.
- Day, F. 1888. *Fishes of India*. Suppl. London, pp. 779-816.
- de Astarola, J.M.D. and D.E. Figueroa. 1993. Las especies del género *Genypterus* (Pisces, Ophidiiformes) presentes en aguas argentinas. *Univ. Católica del Norte, Fac. Ciencias del Mar, Ser. Occ.*, 2:47-56.
- DeKay, J.E. 1842. Zoology of New York; or the New York State Fauna; comprising detailed descriptions of all animals observed within the state of New York, with brief notices of those occasionally found near its borders. *In Natural History of New York, Part 4. Fishes*, 415 pp.
- Doederlein, P. 1886. Descrizione zoologico-zootomica di una novella specie de pesce del mar di Sicilia, *Pteridium armatum* Dod. *Nat.Sicil.*, 5:73-80.
- Diaz Perez, P.A. 1988. *Lucifuga teresinarum* sp. nov. Nueva especie Cubano de peces troglobios (Ophidiiformes, Bythitidae). *Revista Biol.*, 2:37-43.
- Dollo, M.L. 1906. *Neobythites brucei*, poisson abyssal nouveau recuilli par l'Expédition Antarctique Nationale Ecosaise. Note préliminaire. *Proc.R.Soc.Edinbourg*, 26:172-182.
- Eigenmann, C.H. 1909. Cave vertebrates of America. *Carnegie Inst. Wash. Publ.*, 104, 241 pp.
- Eschmeyer, W.N. 1998. *Catalog of fishes*. California Academy of Sciences. Special publication No. 1 of the Center for Biodiversity Research and Information. Vols. 1-3:1-2905.
- Evermann, B.W. and W.C.Kendall. 1898. Descriptions of new or little known species of fishes from the United States. *Bull.U.S.Fish Comm.*(1897), 17:125-133.
- Fahay, M.P. 1992. Development and distribution of cusk eel eggs and larvae in the Middle Atlantic Bight with a description of *Ophidion robinsi* n.sp. (Teleostei: Ophidiidae). *Copeia*, 1992(3):799-819.
- Fischer, J.G. 1885. Ichthyologische und herpetologische Bemerkungen. *Jahrb.Hamburg wiss.Anst.*, 2:49-119.
- Filippi, F. de, and A. Kolliker. 1856. Ueber de Schwimmblase des *Oligopus ater* Risso. *Z.Wiss Zool.*, 7:170-171.
- Fitch, J.E. and R.J. Lavenberg. 1968. *Deep-water fishes of California*. University of California Press, 155 pp.
- Follett, W.I. 1970. Benthic fishes cast ashore by giant waves near Pt. Joe, Monterey County, California. *Proc.Calif.Acad.Sci.*, (4)37:473-488.

- Fourmanoir, P. and J. Rivaton. 1979. Poissons de la pente récifale externe de Nouvelle-Calédonie et des Nouvelles-Hébrides. *Cahiers de l'Indo-Pac.*, 1:405-443.
- Fowler, H.W. 1900. Contributions to the ichthyology of the tropical Pacific. *Proc. Acad. Nat. Sci. Phila.*, (1900):493-528.
- Fowler, H.W. 1925. New taxonomic names of West African marine fishes. *Am. Mus. Novitates*, 162:1-5.
- Fowler, H.W. 1927. Fishes of the tropical central Pacific. *Bull. Bishop Mus.*, 38:1-38.
- Fowler, H.W. 1934. Fishes obtained by Mr. H.W. Bell-Marley chiefly in Natal and Zululand in 1929 to 1932. *Proc. Acad. Nat. Sci. Philad.*, 86:405-514.
- Fowler, H.W. 1938. The fishes of the George Vanderbilt South Pacific Expedition, 1937. *Monogr. Acad. Nat. Sci. Philad.*, 2:1-349.
- Fowler, H.W. 1941. Notes on Florida fishes with descriptions of seven new species. *Proc. Acad. Nat. Sci. Philad.*, 93:81-106.
- Fowler, H.W. 1946. A collection of fishes obtained in the Riu Kiu Islands by Captain Ernest R. Tinkham A.U.S. *Proc. Acad. Nat. Sci. Philad.*, 98:123-218.
- Fowler, H.W. 1948. Description of a new cusk (*Otophidium grayi*) from the east coast of Florida. *Not. Nat. Philad.*, 204:1-4.
- Fowler, H.W. and H. Steinitz. 1956. Fishes from Cyprus, Iran, Israel and Oman. *Bull. Res. Council Israel* 5B, 260-292.
- Garman, S. 1899. The fishes. *Mem. Mus. comp. Zool. Harv.*, 24:1-431.
- Garman, S. 1900. Additions to the ichthyological fauna of the Bermudas, from the collections of the Yale expedition of 1898. *Trans. Conn. Acad.*, 10:510-512.
- Gasco, F. 1870. Intorno ad un nuovo genere di pesci. *Bull. Assoc. Nat. Med. Napoli*, 1870:59-61.
- Gibbs, M.A. 1991. Notes on the distribution and morphology of the rubynose brotula (*Cataetyx rubrirostris*) off Central California. *Calif. Fish and Game*, 77:149-152.
- Giglioli, E.H. 1883. Intorno a due nuovi pesci dal Golfo di Napoli. *Zool. Anz.*, 6:397-400.
- Gilbert, C.H. 1890. Preliminary report on the fishes collected by the steamer Albatross on the Pacific Coast of North America during the year 1889, with descriptions of 12 new genera and ninety-two new species. *Proc. U.S. Natl. Mus.*, 13:49-126.
- Gilbert, C.H. 1891. Descriptions of thirty-four new species of fishes collected in 1888 and 1889, principally among the Santa Barbara Islands and the Gulf of California. *Proc. U.S. Natl. Mus.*, 14:539-566.
- Gilbert, C.H. 1905. Part II, Section II. The deepsea fishes, pp. 577-713. In D.S. Jordan and B.W. Evermann (eds.). *The aquatic resources of the Hawaiian Islands*. *Bull. U.S. Fish. Comm.*, 23.
- Gilchrist, J.D.F. 1903. Descriptions of new South African fishes. *Mar. Invest. S. Afr.*, 2:203-211.
- Gilchrist, J.D.F. and C. von Bonde. 1924. Deep-sea fishes procured by the S.S. "Pickle" (pt. 2). *Union S. Afr. Fish Mar. Biol. Surv.* 1922, Spec. Rept. VII: 1-24.

- Gill, T.N. 1861a. Catalogue of the fishes of the western coast of North America. *Proc.Acad.Nat.Sci.Philad.* (1861), suppl., 63 pp.
- Gill, T.H. 1861b. Notes on some genera of fishes on the western coast of North America. *Proc.Acad.Nat.Sci.Philad.*, (1861):164-168.
- Gill, T.N. 1862. Notice of a collection of the fishes of California, presented to the Smithsonian Institution, by Mr. Samuel Hubbard. *Proc.Acad.Nat.Sci.Philad.* (1862):274-282.
- Gill, T.N. 1863a. Descriptions of the genera of gadoid and brotuloid fishes of western North America. *Proc.Acad.Nat.Sci.Philad.*, 15:242-254.
- Gill, T.N. 1863b. Description of a new generic type of ophidioids. *Proc.Acad.Nat.Sci.Philad*, 15:209-211.
- Gill, T.N. 1864. On the affinity of several doubtful British fishes. *Proc.Acad.Nat.Sci.Philad*, 16:199-208.
- Gill, T.N. 1884. Diagnosis of new genera and species of deep-sea fish-like vertebrates. *Proc.U.S.Natl.Mus.*, 6:253-260.
- Gill, T.N. 1895. The genus *Leptophidium*. *Amer.Nat.*, 29(338): 167-168.
- Girard, C.F. 1858a. Fishes. *In General report upon zoology of the several Pacific railroad routes, 1852*. U.S. Senate Misc. Doc., 78:400 pp.
- Girard, C.F. 1858b. Notes upon various new genera and new species in the museum of the Smithsonian Institution, and collected in connection with the United States and Mexican Boundary survey: Major William Emory, Commissioner. *Proc.Acad.Nat.Sci.Philad*, 10:167-171.
- Goode, G.B. and T.H. Bean. 1883. Reports on the results of dredging under the supervision of Alexander Agassiz, on the east coast of the United States, during the summer of 1880, by the U. S. Coast Survey steamer "Blake". XIX. Report on the fishes. *Bull.Mus.Comp.Zool.Harvard Coll.*, 10:183-226.
- Goode, G.B. and T.H. Bean. 1885a. Description of *Lepophidium cervinum* and *L. marmoratum*, new fishes from deep water off the Atlantic and Gulf coasts. *Proc.U.S.Natl.Mus.*, 8(533): 422-424.
- Goode, G.B. and T.H. Bean. 1885b. Description of new fishes obtained by the United States Fish Commission mainly from deep water off the Atlantic and Gulf coasts. *Proc.U.S.Natl.Mus.*, 8:589-605.
- Goode, G.B. and T.H. Bean. 1886. Description of thirteen species and two genera of fishes from the "Blake" collection. *Bull.Mus.Comp.Zool.Harvard Coll.*, 12:153-170.
- Goode, G.B. and T.H. Bean. 1896. Oceanic Ichthyology. *U.S.Natl.Mus.Spec.Bull.* 2, 553 pp.
- Gordon, D.J., D.F. Markle and J.E. Olney. 1984. Ophidiiformes: Development and relationships, pp. 308-319. *In* H.G. Moser et al. (ed.): *Ontogeny and systematics of fishes*. Special publ., No. 1. American Society of Ichthyologists and Herpetologists, 760 pp.
- Gosline, W.A. 1953. Hawaiian shallow-water fishes of the family Brotulidae, with the description of a new genus and notes on brotulid anatomy. *Copeia*, 1953:215-225.

- Gosline, W.A. 1954. Fishes killed by the 1950 eruption of Mauna Loa. II. Brotulidae. *Pac.Sci.*, 8:68-83.
- Gregory, W.K. 1959. *Fish skulls - a study of the evolution of natural mechanisms*. Lundberg, Florida, 481 pp.
- Grey, M. 1951. Additions to the fish fauna of Bermuda, with the description of *Grammonus mowbrayi*, a new brotulid. *Copeia*, 1951:153-161.
- Grey, M. 1958. Descriptions of abyssal benthic fishes from the Gulf of Mexico. *Fieldiana Zool.*, 39(16):149-183.
- Guichenot, A. 1848. Peces de Chile. In C. Gay: *Historia fisica y politica de Chile*, Zoologia, 2: 149-183.
- Günther, A. 1862. *Catalogue of the fishes in the British Museum*, 4:1-534.
- Günther, A. 1867. Additions to the knowledge of Australian reptiles and fishes. *Ann.Mag.Nat.Hist.*, 3(20):45-68.
- Günther, A. 1877. Preliminary notes on new fishes collected in Japan during the expedition of H.M.S. "Challenger". *Ann.Mag.Nat.Hist.*, 4(20):433-446.
- Günther, A. 1878. Preliminary notices of deep-sea fishes collected during the voyage of H.M.S. Challenger. *Ann.Mag.Nat.Hist.*, 5(2):17-28.
- Günther, A. 1880. Report on the shore fishes procured during the voyage of H.M.S. Challenger in the years 1873-1876. In *Report on the scientific results of the voyage of H.M.S. Challenger during the years 1873-76. Zoology*. Vol. 1 (part 6): 1-82.
- Günther, A. 1887. Report on the deep-sea fishes collected by H. M. S. Challenger during the years 1873-76. *Zool.Challenger Exped.*, 5(22):1-335.
- Günther, A. 1909. Andrew Garrett's Fische der Südsee. *Jour. Mus.Godeffroy*, 6:261-388.
- Harbison, G.R., K.L. Smith and R.H. Backus. 1973. *Stygiomedusa fabulosa* from the North Atlantic, its taxonomy, with a note on its natural history. *J.Mar.Biol.Assoc.U.K.*, 53:615-617.
- Harry, R.R. 1951. A new cusk-eel of the genus *Ophidion* from California with notes on the genus. *Stanford Ichthyol.Bull.*, 4(1): 30-35.
- Heller, E. and R.E. Snodgrass. 1903. Papers from the Hopkins Stanford Galapagos Expedition, 1898-1899. XV. New fishes. *Proc.Acad.Sci.Wash.*, 5:189-229.
- Hart, J. L. 1973. Pacific Fishes of Canada. *Bull.Fish.Res.Board Canada*, 180:1-740.
- Herre, A.W. 1935. New fishes obtained by the Crane Pacific Expedition. *Publ.Field Mus.Zool.*, 18:383-438.
- Herre, A.W. 1953. Check list of Philippine fishes. U. S. Fish and Wildlife Service, *Res. Rep.*, 20:1-977.
- Herre, A.W. and E.S. Herald. 1951. Noteworthy additions to the Philippine fish fauna with descriptions of a new genus and species. *Philipp.J.Sci.*, 79:309-399.
- Hildebrand, S.F. and O. Barton. 1949. A collection of fishes from Talara, Perú. *Smithson.Misc.Collect.*, 111(10):1-36.

- Howell Rivero, L. 1934. Nuevo genero de peces para Cuba. *Mem.Soc.Cubano.Hist.Nat.*, 8:69-72.
- Howes, G.J. 1992. Notes on the anatomy and classification of ophidiiform fishes with particular reference to the abyssal genus *Acanthonus* Günther, 1878. *Bull.Br.Mus.nat.Hist.(Zool.)*, 58:95-131.
- Howes, G.J. 1997. Observations on the head anatomy of the abyssal ophidiiform genus *Typhlonus* Günther, 1878, with comments on its phylogenetic relationships. *South African J.Sci.*, 93:574-578.
- Hubbs, C.L. 1916. Notes on the marine fishes of California. *Univ.Calif.Publ.Zool.*, 16(13):153-169.
- Hubbs, C.L. 1938. Fishes from the caves of Yucatan. *Carnegie Inst. Wash. Publ.*, 491:153-169.
- Hubbs, C.L. 1944. Species of the circumtropical fish genus *Brotula*. *Copeia*, 1944:162-178.
- Hureau, J.-C. and J.G. Nielsen. 1981. Les poissons Ophidiiformes des campagnes du n. o. "Jean Charcot" dans l'Atlantique et la Méditerranée. *Cybium*, 5:3-27.
- Hureau, J.-C., J.C. Staiger and J.G. Nielsen. 1979. A new species of deep-sea brotulid fish, *Typhlonus delosommatus*, from the tropical Atlantic Ocean. *Bull.Mar.Sci.*, 29:272-277.
- Hutton, F.W. 1875. Contributions to the ichthyology of New Zealand. *Trans.N.Z.Inst.*, 8:209-218.
- Jenkins, O.P. 1901. Descriptions of fifteen new species of fishes from the Hawaiian Islands. *Bull.U.S. Fish Comm.*, 19(1899):387-404.
- Jones, J.M. 1874. A new fish. *The Zool.*, 9:3837-3838.
- Jordan, D.S. 1885. A catalogue of the fishes known to inhabit the waters of North America, north of the Tropic of Cancer, with notes on species discovered in 1883 and 1884. *Rep.U.S.Fish Comm.*, 13: 789-793. (1887, separate issued 1885).
- Jordan, D.S. 1919. The genera of fishes, pt. II. *Stanford Univ.Publ.Univ.Ser.*, 36:167-284.
- Jordan, D.S. and C.H. Bollman. 1890. Descriptions of new species collected at the Galapagos Islands and along the coast of the United States and Colombia, 1877-88. *Proc.U.S.Natl.Mus.*, 12(770):149-183.
- Jordan, D.C. and B.F. Evermann. 1896. A check-list of the fishes and fish-like vertebrates of North and Middle America. *Rep.Comm.U.S.Fish Comm.* for 1895, 584 pp.
- Jordan, D.S. and B.F. Evermann. 1898. The fishes of North and Middle America. *Bull.U.S.natn.Mus.*, 47(III):2183-3136.
- Jordan, D.S. and B.F. Evermann. 1902. Notes on a collection of fishes from the Island of Formosa. *Proc.U.S.Natl.Mus.*, 25:315-368.
- Jordan, D.S. and B.W. Evermann, 1903. Descriptions of new genera and species of fishes from the Hawaiian Islands. *Bull.U.S.Fish Comm.*, 22:161-208.
- Jordan, D.S. and H.W. Fowler. 1902. A review of the ophidioid fishes of Japan. *Proc.U.S.Natl.Mus.*, 25:743-766.
- Jordan, D.S. and C.H. Gilbert, 1882a. Descriptions of thirty-three new species of fishes from Mazatlan, Mexico. *Proc.U.S.Natl.Mus.*, 4:338-365.

- Jordan, D.S. and C.H. Gilbert. 1882b. Notes on fishes observed about Pensacola, Florida, and Galveston, Texas, with descriptions of new species. *Proc. U.S. Natl. Mus.*, 5:241-307.
- Jordan, D.S. and C.H. Gilbert. 1883. Description of two new species of fishes (*Aprion ariommus* and *Ophidium beani* from Pensacola, Florida. *Proc. U.S. Natl. Mus.*, 6(355):142-144.
- Jordan, D. S. and C. L. Hubbs. 1925. Record of fishes obtained by David Starr Jordan in Japan, 1922. *Mem. Carnegie Mus.*, 10:93-346.
- Jordan, D.S. and J.O. Snyder. 1901. List of fishes collected in 1883 and 1885 by Pierre Louis Jouy and preserved in the United States National Museum, with description of six new species. *Proc. U.S. Natl. Mus.*, 23:740-769.
- Jordan, D.S. and W.F. Thompson. 1914. Record of fishes obtained in Japan in 1911. *Mem. Carnegie Mus.*, 6:205-313.
- Kamohara, T. 1936. Supplementary note on the fishes collected in the vicinity of Kocho-shi (IX). *Zool. Mag., Tokyo*, 48(6):306-311 (in Japanese with English summary).
- Kamohara, T. 1938. *On the offshore bottom-fishes of Prov. Tosa, Shikoku, Japan*. Maruzen, Tokyo, 86 pp.
- Kaup, J.J. 1856a. Einiges über die Unterfamilie Ophidinae. *Arch. Naturgesch.*, 22:93-100.
- Kaup, J.J. 1856b. *Catalogue of the apodal fish in the collection of the British Museum*. London, 163 pp.
- Kaup, J.J. 1858. Übersicht der Familie Gadidae. *Arch. Naturgesch.*, 24:85-93.
- Kaup, J.J. 1860. On some new genera and species of fishes collected by Doctors Keferstein and Heckle at Messina. *Ann. Mag. Nat. Hist.*, 6:270-273.
- Klausewitz, W. and F. Uiblein. 1994. Tiefenwasser- und Tiefseefische aus dem Roten Meer. XVII. *Oligopus robustus*, a new record for the Red Sea, with comparative studies on specimens from the Gulf of Aden (Pisces: Ophidiiformes: Bythitidae). *Senckenbergiana maritima*, 25:21-28.
- Klunzinger, C.B. 1872. Zur Fischfauna von Süd-Australien. *Arch. Naturgesch.*, 38(1):17-47,
- Kotthaus, A. 1979. Fische des Indischen Ozeans, XXI. "Meteor" *Forsch.-Ergebnisse*, Reihe D(28):6-54.
- Koefoed, E. 1927. Fishes from the Sea Bottom. *Rep. Sci. Res. "Michael Sars" N. Atlantic Deep-Sea Exped. 1910*, 4(1):1-147.
- Last, P.R., E.O.G. Scott and F.H. Talbot. 1983. *Fishes of Tasmania*. Tasmanian Fisheries Development Authority, 563 pp.
- Lay-son, J.C. 1984. Contribution to the taxonomy of *Genypterus blacodes* (Schneider, 1801) (Osteichthyes, Ophidiiformes). *Cienc. y Tec. del Mar. CONA*, 8:27-39.
- Lea, R.N. 1980. *Systematics and zoogeography of cusk-eels of the family Ophidiidae, subfamily Ophidiinae, from the eastern Pacific*. Ph.d., University of Miami, 188 pp.
- Lea, R.N. 1995. Ophidiidae. Brótolas, congriperlas. In W. Fischer, F. Krupp, W. Schneider, C. Sommer, K.E. Carpenter, and V.H. Niem (eds). *Guia FAO para la identificación de especies para los fines de la pesca. Pacifico centro-oriental*, FAO, Rome, pp. 1342-1348.

- Lea, R.N. 1997. A new and unique ophidiine cusk-eel from the Panamic region of the eastern North Pacific. *Bull.Mar.Sci.*, 60(3):960-965.
- Lea, R.N. and P. Béarez. 1999. Occurrence of *Chilara taylori* (Ophidiidae) from Ecuadorian waters. *Cybium*, 23(1):99-100.
- Lee, R.S. 1974. *Thalassobathia nelsoni*, a new species of bathypelagic fish from Chilean waters. *Copeia*, 1974:629-632.
- Linnaeus, C. 1758. *Systema naturae sive regna tria naturae secundum classes, ordines, genera, species, cum charecteribus, differentiis synonymis, locis*. 10th edition, Vol. 1. Holmiae Salvii, 824 pp.
- Linnaeus, C. 1766. *Systema naturae sive regna tria naturae secundum classes, ordines, genera, species, cum charecteribus, differentiis synonymis, locis*. Laurentii Salvii, Holmiae. Twelfth edition, (pt.1), 532 pp.
- Lowe, R.T. 1843. Notices of fishes newly observed or discovered in Madeira during the years 1840, 1841 and 1842. *Proc.Zool.Soc.London*, 1843 (pt. 11):81-95.
- Lloyd, R.E. 1909. A description of the deep-sea fish caught by the R.I.M.S. "Investigator" since the year 1900, with supposed evidence of mutation in *Malthopsis*. *Mem. Indian Mus.*, 2:139-180.
- Machida, Y. 1984. Ophidiidae. In *Fishes of the Okinawa Trough and adjacent waters*. Vol. I. Japan. Fish. Res. Conservation Ass. 414 pp.
- Machida, Y. 1989a. A new deep-sea ophidiid fish, *Bassozetus levistomatus*, from the Izu-Bonin Trench, Japan. *Japan.J.Ichthyol.*, 36:187-189.
- Machida, Y. 1989b. First record of the deep-sea fish *Xyelacyba myersi* (Ophidiidae, Ophidiiformes) from Japan. *Japan.J.Ichthyol.*, 36:120-125.
- Machida, Y. 1990. A new ophidiid species, *Hoplobrotula badia*, from Sagami Bay, Central Japan. *Japan.J.Ichthyol.*, 37:209-214.
- Machida, Y. 1992. Comments on the scientific and Japanese names of small bythitid species inhabiting coral reefs. *Japan.J.Ichthyol.*, 39:270-271
- Machida, Y. 1993a. *Dipulus norfolkanus*, a new shallow-water bythitid fish from Australia (Ophidiiformes). *Japan.J.Ichthyol.*, 40:43-46.
- Machida, Y. 1993b. Two new genera and species of the subfamily Brosmophycinae (Bythitidae, Ophidiiformes) from northern Australia. *Japan.J.Ichthyol.*, 39:281-286.
- Machida, Y. 1994. Descriptions of three new and one resurrected species of the bythitid genus *Dinematichthys* (Ophidiiformes). *Japan.J.Ichthyol.*, 40:451-464.
- Machida, Y. 1996. *Parabrosmolus novaeguineae*, a new genus and species of the subfamily Brosmophycinae from Papua New Guinea (Bythitidae, Ophidiiformes). *Ichthyol.Res.*, 43:47-151.
- Machida, Y. 1997. *Hastatobythites arafurensis*, a new bythitid genus and species from Australia (Bythitidae, Ophidiiformes). *Ichthyol.Res.*, 44:385-388.
- Machida, Y. and O. Okamura. 1992. Revision of the bathyal fish genus *Homostolus* (Ophidiiformes, Ophidiidae). *Japan.J.Ichthyol.*, 38:341-347.

- Machida, Y. and O. Okamura. 1993. The sympatric occurrence of the carapid fishes *Pyramodon ventralis* and *P. lindas* in Japanese waters. *Japan.J.Ichthyol.*, 40:153-160.
- Machida, Y., H. Wu, J. Zhong and H. Endo. 1997. Notes on a specimen of the deep-sea pelagic fish *Brotulotaenia nielseni* from the South China Sea (Ophidiidae). *Ichthyol.Res.*, 44:421-424.
- Machida, Y. and T. Yochida. 1984. First record of *Brosmophycis pautzkei* (Bythitidae, Ophidiiformes) from Japan. *Mem.Fac.Sci.Kochi Univ.Ser.D (Biol.)*, 5:37-41.
- Mann F., G. 1954. *La vida de los peces en aguas chilenas*. Min. de Agricultura, Chile, 339 pp.
- Markle, D.F. 1989. Aspects of character homology and phylogeny of the Gadiformes, pp. 59-88. In D.M. Cohen (ed.): *Papers on the systematics of gadiform fishes*. Los Angeles Co. *Mus.Nat. Hist.Sci.Ser.*, 32:1-262.
- Markle, D.F. and J.E. Olney. 1990. Systematics of the pearlfishes (Pisces: Carapidae). *Bull.Mar.Sci.*, 47:269-410.
- Markle, D.F., J.T. Williams and J.E. Olney. 1983. Description of a new species of *Echiodon* (Teleostei: Carapidae) from the Antarctic and adjacent seas. *Proc.Biol.Soc.Wash.*, 96:745-657.
- Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds). 1984. *The fishes of the Japanese Archipelago*. Tokai Univ. Press, 437 pp., 370 pls.
- Matallanas, J. 1990. *Ophidion lozanoi*, (Pisces: Ophidiiformes) an undescribed ophidiid from the north east Atlantic. *J.Fish.Biol.*, 37(3):449-453.
- Matsubara, K. 1943. *Ichthyological annotations from the depth of the Sea of Japan*. I-VII. *J. Sigenkagaku Kenkyusyo*, 1:37-81.
- Matsubara, K. 1953. On a new pearl-fish, *Carapus owasianus*, with notes on the genus *Jordanicus* Gilbert. *Japan.J.Ichthyol.*, 3:29-32.
- Mayer, R.F. and T.T. Nalbant. 1972. Additional species of fishes in the fauna of Peru Trench. Results of the 11th cruise of R/V "Anton Bruun", 1965. *Rev. Roum.Biol.-Zoologie*, 17:159-165.
- McCulloch, A.R. and E.R. Waite. 1918. Some new and little-known fishes from South Australia. *Rec. S. Aust. Mus. Adelaide*, 1:39-78.
- Mead, G.W., E. Bertelsen and D.M. Cohen. 1964. Reproduction among deep-sea fishes. *Deep-Sea Res.*, 11:569-596
- Meek, S.E. and S.F. Hildebrand, 1928. The marine fishes of Panama. Part III. *Publ. Field Mus. Nat. Hist. (Zool.)*, 15:709-1045.
- Menni, R.C. and H.L. López. 1974. Presencia en la Argentina de *Raneya fluminensis* (Miranda-Ribeiro, 1903) Robins, 1961. *Neotropica*, 20:1-6.
- Meyer-Rochow, V.B. 1970. *Cataetyx memoriabilis* n. sp.- ein neuer Tiefsee-Ophidiide aus dem südöstlichen Atlantik. *Abh. Verh. Naturwiss. Ver. Hamburg (NF)*, 14:37-53.
- Miranda-Ribeiro, A. de. 1903. Pescas do "Annie". *A Lavoura, Bol. Soc. Nac. Agric. Rio de Janeiro*, 1903 (nos. 4-7):1-53.
- Müller, J. 1842. Fortsetzung der Untersuchungen über die Schwimmblase der Fische mit Bezug auf einige neue Fischgattungen. *Ber.Verh.Preuss Akad.Wiss.*, 1842:202-210.

- Müller, J. 1845. Untersuchungen über die Fische, Schluss der vergleichende Anatomie der Myxinoiden. *Abh.Preuss.Akad.Wiss.*, 1843:109-170.
- Nakamura, I. 1986. Ophidiidae. In I. Nakamura (ed.): *Important fishes trawled off Patagonia*. Japan Marine Fishery Resources Center for Tokyo, pp. 142-149.
- Nalbant, T.T. 1981. A study of the subterranean species of *Lucifuga* from Cuba, with the description of *Lucifuga simile* sp. n. (Pisces, Ophidiiformes, Bythitidae). *Res.Exped. Biospel Cubano-Roumaines a Cuba*, 3:185-190.
- Nalbant, T.T. and R.F. Mayer. 1971. New and rare species of fishes from the Peru-Chile Trench, collected during the 11th cruise of R/V "Anton Bruun" (1965). *Rev.Roum.Biol.-Zool.*, 16(5):315-324.
- Nelson, J.S. 1994. *Fishes of the world*. Third edition, 600 pp.
- Nichols, J.T. and C.M. Breder, Jr. 1922. *Otophidium welshi*, a new cusk eel, with notes on two others from the Gulf of Mexico. *Proc.Biol.Soc. Wash.*, 35:13-16.
- Nielsen, J.G. 1965. On the genera *Acanthonus* and *Typhlonus* (Pisces, Brotulidae). *Galathea Rept.*, 8:33-47.
- Nielsen, J.G. 1969. Systematics and biology of the Aphyonidae (Pisces, Ophioidea). *Galathea Rept.*, 10:7-88.
- Nielsen, J.G. 1971. Redescription of the genus *Selachophidium* (Pisces, Brotulidae) with two new species. *Arch.Fischereiwiss.*, 22:17-33.
- Nielsen, J.G. 1972. Rare Northeast Atlantic aphyonid fishes (Ophidioidei). "Meteor" *Forsch.-Ergebnisse*, Reihe D. No. 12:52-55.
- Nielsen, J.G. 1974. *Aphyonus bolini*, a new deep sea fish from the South China Sea (Pisces, Ophidioidei, Aphyonidae). *Steenstrupia*, 3:179-182.
- Nielsen, J.G. 1975a. A review of the oviparous ophidioid fishes of the genus *Leucicorus*, with description of a new Atlantic species. *Trudy Inst.Okeanol.*, 101:106-123. (Translation 74 from NOAA, Washington D. C.).
- Nielsen, J.G. 1975b. List of ophidioid fishes from the 14th cruise of the "Akademik Kurchatov" with a new species of *Aphyonus*. *Trudy Inst.Okeanol.*, 100:348-353.
- Nielsen, J.G. 1977. The deepest living fish *Abyssobrotula galathea*. A new genus and species of oviparous ophidioids (Pisces, Brotulidae). *Galathea Rept.*, 14:41-48.
- Nielsen, J.G. 1980. *Holcomycteronus* Garman, 1899: An ophidiid genus distinct from *Bassogigas* Goode and Bean, 1896 (Pisces, Ophidiiformes). *Steenstrupia*, 6:17-20.
- Nielsen, J.G. 1984a. *Parasciadonus brevibrachium* n. gen. et sp. - An abyssal aphyonid from the Central Atlantic (Pisces, Ophidiiformes). *Cybium*, 1984, 8(1):39-44.
- Nielsen, J.G. 1984b. Two new, abyssal *Barathronus* spp. from the North Atlantic (Pisces, Aphyonidae). *Copeia*, 1984(3):579-584.
- Nielsen, J.G. 1986. *Leptobrotula breviventralis*, a new bathyal fish genus and species from the Indo-West Pacific (Ophidiiformes, Ophidiidae). *Copeia*, 1986:166-170.
- Nielsen, J.G. 1995. A review of the species of the genus *Neobythites* (Pisces: Ophidiidae) from the western Indian Ocean, with descriptions of seven new species. *Ichthyol.Bull.*, 2:1-19.

- Nielsen, J.G. 1997. Deepwater ophidiiform fishes from off New Caledonia with six new species. In B. Séret (ed.), Résultats des Campagnes MUSORSTOM, 16. *Mém.natn.Hist.nat.*, vol. 170:1-33.
- Nielsen, J.G. 1999. Atlantic occurrence of the genus *Neobythites* (Pisces, Ophidiidae) with three new species. *Bull.Mar.Sci.Gulf and Carib.*
- Nielsen, J.G. and G. Bini. 1972. A Mediterranean record of the West Atlantic fish, *Lepophidium cervinum* (Ophidiidae). *Copeia*, 1972(3):597-599.
- Nielsen, J.G. and D.M. Cohen. 1968. Redescription of *Bellottia apoda* Giglioli, 1883 (Pisces, Ophidioidea). *Proc.Linn.Soc.London*, 179:99-106.
- Nielsen, J.G. and D.M. Cohen. 1973. A review of the viviparous ophidioid fishes of the genera *Bythites* Reinhardt and *Abythites* New (Pisces, Ophidioidei). *Steenstrupia*, 3:71-88.
- Nielsen, J.G. and D.M. Cohen. 1986. *Melodichthys*, a new genus with two new species of upper bathyal bythitids (Pisces, Ophidiiformes). *Cybium*, 1986, 10:381-387.
- Nielsen, J.G. and R.J. Eagle. 1974. Description of a new species of *Barathronus* (Pisces, Aphyoniidae) and four specimens of *Sciadonus* sp. from the eastern Pacific. *J.Fish.Res.Board Can.*, 31:1067-1072.
- Nielsen, J.G. and S. Evseenko. 1989. Larval stages of *Benthocometes robustus* (Ophidiidae) from the Mediterranean. *Cybium*, 13:7-12.
- Nielsen, J.G. and J.-C. Hureau. 1980. Revision of the ophidiid genus *Spectrunculus* Jordan and Thompson, 1914, a senior synonym of *Parabassogigas* Nybelin, 1957 (Pisces, Ophidiiformes). *Steenstrupia*, 6:149-169.
- Nielsen, J.G., A. Jespersen and O. Munk. 1968. Spermatophores in Ophidioidea (Pisces, Percomorphi), *Galathea Rept.*, 9:230-254.
- Nielsen, J.G. and Y. Machida. 1988. Revision of the Indo-Pacific fish genus *Glyptophidium* (Ophidiiformes, Ophidiidae). *Japan.J.Ichthyol.*, 35:289-319.
- Nielsen, J.G. and O. Nybelin. 1963. Brotulidae (Pisces, Percomorpha) from tropical West Africa. *Atl. Rep.*, 7:195-213.
- Nielsen, J.G. and J.-C. Quero. 1991. Quelques Ophidiiformes de l'île de la Réunion: description d'une espèce nouvelle. *Cybium*, 15:193-198.
- Nielsen, J.G. and M.E. Retzer. 1994. Two new bathyal *Neobythites* spp. from the Caribbean Sea (Pisces, Ophidiidae). *Copeia*, 1994:992-995.
- Nielsen, J.G. and F. Uiblein. 1993. Tiefenwasser und Tiefseefische aus dem Roten Meer. XVI. A new species of *Neobythites* from the NW Indian Ocean and the Red Sea. *Senckenbergiana maritima*, 23:109-113.
- Nielsen, J.G. and N.R. Merrett. (in press). Revision of the cosmopolitan deep-sea genus *Bassozetus* (Pisces, Ophidiidae) with two new species. *Galathea Rept.*, 18.
- Norman, J.R. 1939. Fishes. *The John Murray Expedition 1933-34 scientific reports*, 7(1):1-116.
- Nybelin, O. 1957. Deep-sea bottom-fishes. *Rep. Swed. deep Sea Exped.*, 2 (Zool. No. 20):247-345.
- Nybelin, O. and M. Poll. 1958. Brotulidae des cotes africaines de l'Atlantique Sud avec description d'une espèce nouvelle de *Lamprogrammus*. *Inst.Roy.Sci.Nat.Belg.Bull.*, 34(19):1-7.

- Ogilby, D. 1896. Descriptions of two new genera and species of Australian fishes. *Proc.Linn.Soc. N.S.W.*, 21:136-142.
- Ogilby, D. 1897. New genera and species of Australian fishes. *Proc.Linn.Soc.N.S.W.*, 22:65-95.
- Ogilby, D. 1898. Additions to the fauna of Lord Howe Island. *Proc.Linn.Soc.N.S.W.*, 23:730-745.
- Ogilby, J.D. 1922. Three new Queensland fishes. *Mem.Qld.Mus.*, 7:301-304.
- Oken, L. 1817. V. Kl. Fische. *In Isis oder Encyclopädische Zeitung*, v. 8:1779-1782 (for 1179-1182).
- Okiyama, M. and H. Kato. 1997. A pelagic juvenile of *Barathronus pacificus* (Ophidiiformes: Aphyonidae) from the Southwest Pacific, with notes on its metamorphosis. *Ichthyol.Res.*, 44:222-226.
- Osorio, B. 1917. Nota sobre alguna especies de peixes que vivem no Atlantico occidental. *Arq.Univ. Lisboa*, 4:103-131.
- Parr, A.E. 1933. Deepsea Berycomorphi and Percomorphi from the waters around the Bahama and Bermuda Islands. *Bull.Bingham Oceanogr.Coll.*, 3(6):1-51.
- Parr, A.E. 1934. Report on experimental use of a triangular trawl for bathypelagic collecting with an account of the fishes obtained and a revision of the family Cetomimidae. *Bull.Bingham Oceanogr.Coll.*, 4(6):1-59.
- Patterson, C. and D.E. Rosen. 1989. The Paracanthopterygii revisited: order and disorder, pp. 5-36. *In* D.M. Cohen (ed.): *Papers on the systematics of gadiform fishes. Science ser. No. 32.* Nat. Hist. Mus. Los Angeles County:1-262.
- Paulin, C.D. 1995. Description of a new genus and two new species of bythitid fishes, and a redescription of *Bidenichthys consobrinus* (Hutton) from New Zealand. *J.Nat.Hist.*, 29:249-258.
- Paulin, C. D. and C.D. Roberts. 1989. A new genus and species of bythitid Fish (Teleostei: Ophidiiformes) from New Zealand. *J.Nat.Hist.*, 23:355-361.
- Peters, W. 1855. Uebersicht der in Mossambique beobachteten Fische. *Arch.Naturgesch.*, 21:234-282.
- Petit, M.G. 1934. Un fierasfer nouveau de Madagascar. *Bull.Hist.Nat.Paris*, 2:393-397.
- Philippi, R.A. 1857. Ueber einige Chilenische Vögel und Fische. *Arch.Naturgesch.*, 23(1):212-272.
- Poey, F. 1861. *Memorias sobre la historia natural de las Isla de Cuba, acompañadas de sumarios Latinos y extractos en Francés*, 2:337-442.
- Popta, C.M.L. 1912. Fortsetzung der Beschreibung von neuen Fischarten der Sunda-Expedition. *Notes Leyden Mus.*, 34:185-193.
- Poll, M. and N. Leleup. 1965. Un poisson aveugle nouveau de famille des Brotulidae. *Bull.Acad. R. Belge cl.Sci.*, 5(51):464-474.
- Poll, M. and J.J. Van Mol. 1966. Au sujet d'une espèce inconnue de brotulidae littoral de isles Galapagos, apparentee à la espèce aveugle *Caecogilbia galapagosensis* Poll et Leleup. *Bull Acad.R.Belge cl.Sci*, 5(52):1444-1451.
- Putnam, F.W. 1874. Notes on Ophidiidae and Fierasferidae, with descriptions of new species from America and the Mediterranean. *Proc.Boston Soc.Nat.Hist.*, 16:339-348.

- Radcliffe, L. 1913. Descriptions of seven new genera and thirty-one new species of fishes of the families Brotulidae and Carapidae from the Philippine Islands and the Dutch East Indies. *Proc.U.S.Natl.Mus.*, 44:135-176.
- Rafinesque, C.S. 1810. *Indice d'Ittiologia Siciliana*. Mesina, 70 pp.
- Rass, T.C. 1955. Deep-sea fishes of the Kurile-Kamchatka Trench. *Trudy Okean. Inst.*, 12:328-339.
- Reed, E.P. 1962. El congrio chileno. *Anales de la Acad. Chilena de Ciencias Naturales*, 5:131-134.
- Regan, C.T. 1903a. Description of a new fish of the genus *Genypterus*, with notes on the allied species. *Ann.Mag.Nat.Hist.*, 7:11(66):599-600.
- Regan, C.T. 1903b. On a collection of fishes made by Dr. Goeldi at Rio Janeiro. *Proc.Zool.Soc. London*, 2 (pt. 1):59-68.
- Regan, C.T. 1914. Fishes. British Antarctic ('Terra Nova') expedition, 1910. *Nat.Hist.Rep.Zoology*, vol. 1:1-54.
- Regan, C.T. 1921. New fishes from deep water off the coast of Natal. *Ann.Mag.Nat.Hist.*, 2(7):412-420.
- Reid, E.D. 1940. A new genus and species of pearl fish, family Carapidae, from off Gorgona Island, Colombia. *Allen Hancock Pacific Exped.*, 9:47-50.
- Reinhardt, J. 1835. {Preliminary Report}. *Overs. K. Danske Vidensk. Selsk. Forh. 1834-35*:1-40.
- Reinhardt, J. 1837. *Ichthyologiske bidrag til den grønlandske fauna*. 1. Copenhagen, 122 pp.
- Rendahl, H. 1921. Results of Dr. E. Mjoberg's Swedish Scientific Expeditions to Australia, 1910-1913. XXVIII, Fische. K. *Svenska Vetensk. Akad. Handl.*, 61:1-24.
- Richardson, J. 1846. Ichthyology, pp. 1-139. *In The zoology of the voyage of HMS "Erebus" and "Terror" under the command Capt. Sir J. C. Ross during 1839-43*. London.
- Richardson, J. 1848. Fishes. *In* A. Adams. *The Zoology of the Voyage of H.M.S. "Samarang" under the command of Captain Sir Edward Belcher during the years 1843-1846*. London, 28 pp.
- Risso, A. 1810. *Ichthyologie de Nice, ou histoire naturelle des poissons du departement des Alpes Maritimes*. F. Schoell, Paris, 388 pp.
- Risso, A. 1826. *Histoire naturelle de principales productions de l'Europe Meridionale*. Levrault, Paris, 480 pp.
- Robins, C.R. 1957. Effects of storms on the shallow-water fish fauna of southern Florida with new records of fishes from Florida. *Bull.Mar.Sci.Gulf and Carib.*, 7(3):266-275.
- Robins, C.R. 1959a. Studies on fishes of the family Ophidiidae.- I. A new species of *Lepophidium* from the Caribbean Sea. *Bull.Mar.Sci.Gulf and Carib.*, 8(4):360-368 (1958).
- Robins, C.R. 1959b. Studies on fishes of the family Ophidiidae.- III. A new species of *Lepophidium* from Barbados. *Breviora*, 104:1-7.
- Robins, C.R. 1960. Studies on fishes of the family Ophidiidae.- V. *Lepophidium pheromystax*, a new Atlantic species allied to *Lepophidium jeanna* Fowler. *Bull.Mar.Sci.Gulf and Carib.*, 10(1):83-95.

- Robins, C.R. 1961. Studies on fishes of the family Ophidiidae. VI. Two new genera and a new species from American waters. *Copeia*, 1961(2):212-221.
- Robins, C.R. 1962. Studies on fishes of the family Ophidiidae. VII. The Pacific species of *Lepophidium*. *Copeia*, 1962(3):487-498.
- Robins, C.R. 1985. The status of the ophidiid fish *Ophidium brasiliense* Kaup. *Japan.J.Ichthyol.*, 31:441-443.
- Robins, C.R. 1991. Two new species of *Ophidion* (Pisces: Ophidiidae) from remote islands of the eastern Pacific. *Contr.Sci.Nat.Hist. Mus.Los Angeles Co.*, 427:1-11.
- Robins, C.R. and R.N. Lea. 1978. Fishes of the family Ophidiidae. IX. Analysis of geographic variation in *Lepophidium microlepis* with descriptions of two new subspecies. *Bull.Mar.Sci.*, 28(4):716-727.
- Robins, C.R. and J.G. Nielsen. 1970. *Snyderidia bothrops*, a new tropical amphiantlantic species (Pisces: Carapidae). *Stud.Trop.Oceanogr.*, 4:285-293.
- Robins, C.R. and G.C. Ray. 1986. *A Field Guide to Atlantic Coast Fishes*. Houghton Mifflin Co., Boston, 354 pp.
- Rose, J.A. 1961. Anatomy and sexual dimorphism of the swim bladder and vertebral column in *Ophidion holbrookii* (Pisces: Ophidiidae). *Bull.Mar.Sci.Gulf and Carib.*, 11(2):280-308.
- Rosen, D.E. 1985. An essay on euteleostean classification. *Am.Mus.Nov.*, 2827:1-57.
- Rosenblatt, R.H. 1961. A new pearlfish (Family Carapidae) from the Gulf of California. *Proc.Biol.Soc.Wash.*, 74:207-212.
- Roule, L. 1913. Notice préliminaire sur *Grimaldichthys profundissimus*, nov.gen., nov.sp. Poisson abyssal recueilli a 6.035 mètres de profondeur dans l'Océan Atlantique par S.A.S. le Prince de Monaco. *Bull.Inst.Océanogr.Monaco*, 261:1-8.
- Roule, L. 1916. Notice préliminaire sur quelques espèces nouvelles ou rares des poissons provenant des croisières de S.A.S. le Prince de Monaco. *Bull.Inst.Océanogr.Monaco*, 320:1-31.
- Schultz, L.P. 1938. A new species of fish of the family Disparichthyidae from off Cuba. *J. Wash. Acad.Sci.*, 28:492-494.
- Schultz, L.P. 1960. Suborder Ophidina. In L. P. Schultz, W. M. Chapman, E. Lachner, and L. P. Woods: Fishes of the Marshall and Marianas Islands. *Bull.U.S.Nat.Mus.*, 202(2):382-396.
- Sedor, N.A and D.M. Cohen. 1987. New bythitid fish, *Dinematichthys minyomma*, from the Caribbean Sea. *Nat.Hist.Mus.Los Angeles County, Contrib.Sci.*, 385:5-10.
- Seret, B. 1988. Captures nouvelles de *Penopus microphthalmus* (Vaillant, 1888), et statut de *Penopus macdonaldi* Goode and Bean, 1896 (Pisces, Ophidiidae). *Cybium*, 12:281-286.
- Shcherbachev, Y.N. 1976. New species of the family Aphyonidae from the Indian Ocean (Pisces, Ophidioidea). *Vopr.Ikhtiol.*, 16:162-165.
- Shcherbachev, Y.N. 1980. A preliminary review of deep-sea ophidiids (Ophidiidae, Ophidiiformes) of the Indian Ocean. *Trudy Okean.Inst.*, 110:105-176. (Translated 1981).

- Smith, A. 1847. Pisces. *In* *Illustrations of the Zoology of South Africa; consisting chiefly of figures and descriptions of the objects of natural history collected during an expedition into the interior of South Africa in 1834-36*. Smith, Elder and Co., London (unpaginated).
- Smith, J.L.B. 1934. Marine fishes of seven genera new to South Africa. *Trans.Roy.Soc.S.Africa*, 22:89-90.
- Smith, J.L.B. 1935. New and little known fishes from South Africa. *Rec.Albany Mus.*, 4:169-235.
- Smith, J.L.B. 1943. Interesting new fishes of three genera new to South Africa, with a note on *Mobula diabolis* (Shaw). *Trans.Roy.Soc.S.Africa*, 30:67-77.
- Smith, J.L.B. 1947. Brief revisions and new records of South African marine fishes. *Ann.Mag.Nat Hist.*, Ser. 11(14):335-346.
- Smith, J.L.B. 1955. The fishes of the family Carapidae in the western Indian Ocean. *Ann.Mag.Nat Hist.*, 12:401-416.
- Smith, M.M. and P.C. Heemstra (eds.). 1986. *Smiths' sea fishes*. J.L.B. Smith Inst. of Ichthyology, Grahamstown, 1047 pp.
- Staiger, J.C. 1972. *Bassogigas profundissimus* (Pisces, Brotulidae) from the Puerto Rico Trench. *Bull.Mar.Sci.*, 22:26-33.
- Steindachner, F. and L. Döderlein. 1887. Beiträge zur Kenntniss der Fische Japan's (IV). *Denksch. K. Akad. Wiss. Wien, Math.-Wiss. cl.*, 53:257-296.
- Suarez, S.S. 1975. The reproductive biology of *Ogilbia cayorum*, a viviparous brotulid fish. *Bull. Mar.Sci.*, 25:143-173.
- Swainson, W.R. 1839. *The natural history and classification of fishes, amphibians and reptiles, or monocardian animals*. London, vol. 2:1-448.
- Tanaka, S. 1908. Descriptions of eight new species of fishes from Japan. *Ann.Zool.Jap.*, 7:27-46.
- Temminck, C.J. and H. Schlegel. 1846. Pisces, pp. 173-269. *In* P. F. von Siebold, (ed.). *Fauna Japonica*, part 5. Leiden.
- Thompson, W. 1837. Notes relating to the natural history of Ireland, with a description of a new genus of fishes (*Echiodon*). *Proc.Zool.Soc.London*, 5:52-63.
- Torre y Huerta, C. de la. 1930. Un pez de nueva especie, el "*Benthocometes claudiei* Torre" cogida en el tubo de la planta de M. Claude. *Rev.Soc.Geogr.Cuba*, 3:170-171.
- Tortonese, E. 1954. On *Ophidion vassali* Risso type of a new genus of ophidiid fishes (*Parophidion*) *Pubbl.Staz.Zool.Napoli*, 25(2):372-379.
- Trotter, E.S. 1926. Brotulid fishes from the Arcturus Oceanographic Expedition. *Zoologica* (N.Y.), 8:107-125.
- Tschudi, J.J. von. 1846. Ichthyology. *In* *Untersuchungen über die Fauna Peruana*. Scheitlin and Zollikofer, St. Gallen, 33 pp.
- Turner, C.L. 1946. Male secondary sexual characters of *Dinematichthys ilucoeteoides*. *Copeia*, 1946:192-196.
- Vaillant, L. 1888. *Expéditions scientifiques du Travailleur et du Talisman pendant les années 1880, 1881, 1882, 1883. Poissons*. Paris, 406 pp.

- Vaillant, L. 1893. Sur un nouveau genre de poissons, voisin de *Fierasfer*. *C.R.Acad.Sci.Paris*, 117:745-746.
- Vaillant, L. and H.E. Sauvage. 1875. Note sur quelques espèces nouvelles de poissons des Iles Sandwich. *Rev. et Mag.Zool.*, 38(sèr. 3, vol. 3):278-287.
- Van Mol, J.J. 1967. Écologie comparée de deux espèces de brotulidae (Pisces) des îles Galapagos: *Caecogilbia deroyi* Poll et Van Mol et *Caecogilbia galapagosensis* Poll et Leleup 1965. *Bull.Acad R. Belge. cl. Sci.*, 5(53):232-248.
- Waite, E.R. 1905. Notes on fishes from Western Australia. *Rec.Aust.Mus.*, 6:55-82.
- Weber, M. 1905. *Fierasfer Sluiteri* n. sp. *Tijdschr. Nederl. Dierk. Ver.*, (2)9, p. 4.
- Weber, M. 1913. *Die Fische der Siboga-Expedition*. Brill, Leiden, 710 pp.
- Whitley, G.P. 1936. More ichthyological miscellanea. *Mem.Qld.Mus.*, 11:23-51.
- Whitley, G.P. 1941. Ichthyological notes and illustrations. *Austral.Zool.*, 10:1-50.
- Whitley, G.P. 1951. New fish names and records. *Proc.R.Zoo.Soc.N.S.W.*, 1949-50:61-68.
- Williams, J.T. 1984. Studies on *Echiodon* (Pisces: Carapidae), with description of two new Indo-Pacific species. *Copeia*, 1984:410-422.
- Williams, J.T. and R.L. Shipp. 1982. A new species of the genus *Echiodon* (Pisces: Carapidae) from the eastern Gulf of Mexico. *Copeia*, 1982:845-851.
- Wood-Mason, J. and A. Alcock. 1891. Natural history notes from H. M. Indian Marine Survey Steamer "Investigator". Ser. II, No. 1. On the results of deep-sea dredging during the season 1890-91. *Ann.Mag.Nat.Hist.*, 6(8):16-34.
- Woods, L.P. and R.H. Kanazawa. 1951. New species and new records of fishes from Bermuda. *Fieldiana Zool.*, 31 (53):629-644.
- Wourms, J.P. and O. Bayne. 1973. Development of the brotulid fish *Dinematichthys ilucoeteoides*. *Copeia*, 1973:32-40.
- Wourms, J.P. and D.M. Cohen. 1975. Trophotaeniae, embryonic adaptations, in the viviparous ophidioid fish *Oligopus longhursti*: a study of museum specimens. *J.Morphol.*, 147:385-402.
- Zugmayer, E. 1911. Diagnoses de poissons nouveaux provenant des campagnes du yacht "Princess-Alice" (1901-1910). *Bull.Inst.Océanogr.Monaco*, 193:1-14.