

Annex 3

ANNEX 3: INTERNATIONAL ESTIMATED DAILY INTAKES OF PESTICIDE RESIDUES

AZOXYSTROBIN (229)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.2 mg/kg bw

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person					
			A		B		C		D		E		F	
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake
VS 0620	Artichoke globe	1.8	0.0	0.0	10.0	18.0	2.1	3.8	0.1	0.2	0.8	1.4	0.1	0.2
VS 0621	Asparagus	0.01	0.0	0.0	1.1	0.0	0.6	0.0	0.2	1.2	0.0	0.0	0.1	0.0
FI 0327	Banana	0.03	38.8	1.2	17.4	0.5	16.0	0.5	6.6	21.5	0.6	33.8	1.0	1.0
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, excl beer)	0.08	40.6	3.2	0.0	0.0	93.9	7.5	0.0	0.0	0.0	0.0	3.8	0.3
-	Barley beer	0.002	18.3	0.0	84.1	0.2	4.1	0.0	66.0	243.1	0.5	161.3	0.3	0.3
FB 0264	Blackberries	1	0.0	0.0	0.1	0.1	0.0	0.0	0.3	0.1	0.1	0.3	0.3	0.3
FB 0020	Blueberries	1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.8	0.8	0.8
FB 4079	Boysenberry	1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.3	0.3
VB 0402	Brussels sprouts	1.2	0.0	0.0	0.1	0.1	2.8	3.4	5.5	1.5	1.8	1.9	2.3	2.3
VA 0035	Bulb vegetables	2.2	8.5	18.7	60.3	132.7	37.7	82.9	37.2	81.8	70.0	16.7	36.7	36.7
VB 0041	Cabbages, Head	1.2	1.2	1.4	14.4	17.3	2.7	3.2	16.4	19.7	18.5	18.5	22.2	22.2
VS 0624	Celery	0.43	0.0	0.0	0.9	0.4	0.0	0.0	2.0	0.9	1.5	0.6	0.0	0.0
VC 0423	Chayote	0.17	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
FC 0001	Citrus fruit (incl lemon juice, incl mandarin juice, excl orange juice, incl grapefruit juice, incl NES juice)	4.9	15.7	76.9	96.7	473.9	55.3	270.9	25.3	123.9	23.4	114.9	16.2	79.5
SO 0691	Cotton seed (for oil processing only)	0.01	5.6	0.1	30.6	0.3	10.6	0.1	41.3	0.4	0.0	0.0	1.9	0.0
FB 0265	Cranberries	0.23	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.6	0.1
VC 0424	Cucumber	0.17	0.3	0.1	12.7	2.2	5.9	1.0	11.5	2.0	6.1	1.0	7.1	1.2
FB 0021	Currants, red, black, white	1	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2	3.1	3.1	2.0	2.0
FB 0266	Dewberries, incl boysenberry & loganberry	1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.3	0.3
DH 0170	Dried herbs	152	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
MO 0105	Edible offal (mammalian)	0.01	3.9	0.0	14.4	0.1	5.2	0.1	11.8	0.1	11.7	0.1	7.6	0.1
VO 0440	Egg plant (= aubergine)	0.35	1.7	0.6	17.5	6.1	12.3	4.3	1.7	0.6	0.8	0.3	0.4	0.1
PE 0112	Eggs	0	2.5	0.0	29.7	0.0	25.1	0.0	24.5	0.0	37.8	0.0	27.4	0.0
FB 0267	Elderberries	1	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
VB 0042	Flowerhead brassicas	1.2	0.2	0.2	11.1	13.3	3.6	4.3	0.4	0.5	7.7	9.2	4.1	4.9
VC 0425	Gherkin	0.17	0.3	0.1	12.7	2.2	5.9	1.0	11.5	2.0	6.1	1.0	7.1	1.2
FB 0268	Gooseberries	1	0.0	0.0	12.0	12.0	0.0	0.0	0.6	0.6	1.1	1.1	0.2	0.2
FB 0269	Grape (excl dried, excl juice, excl wine)	0.53	1.9	1.0	9.2	4.9	23.8	12.6	9.8	5.2	0.0	0.0	0.0	0.0

Annex 3

AZOXYSTROBIN (229)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.2 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person											
			A diet	intake	B diet	intake	C diet	intake	D diet	intake	E diet	intake	F diet	intake		
JF 0269	Grape juice	0.19	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	1.4	0.3	1.0	0.2
DF 0269	Grape, dried (= currants, raisins and sultanas)	0.24	0.0	0.0	0.4	0.7	2.9	0.7	0.4	0.1	0.4	0.1	2.3	0.6	1.7	0.4
HH 0720	Herbs	23	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
DH 1100	Hops, dry	11	0.1	1.1	0.1	1.1	0.1	1.1	0.1	1.1	0.1	1.1	0.3	3.3	0.1	1.1
VB 0405	Kohlrabi	1.2	0.3	0.4	0.1	0.1	0.1	0.1	0.0	0.0	5.5	6.6	12.3	14.8	1.9	2.3
VP 0060	Legume vegetables	1	6.1	6.1	23.0	23.0	23.0	18.0	18.0	18.0	12.8	12.8	26.9	26.9	5.3	5.3
-	Lettuce (head, leaf)	0.28	0.1	0.0	21.5	6.0	2.3	0.6	2.3	0.6	0.2	0.1	5.5	1.5	18.0	5.0
CF 1255	Maize flour	0.01	68.9	0.7	15.4	0.2	51.3	0.5	51.3	0.5	16.6	0.2	14.7	0.1	2.0	0.0
GC 0645	Maize (excl flour, excl oil, incl beer)	0.01	0.0	0.0	1.4	0.0	51.4	0.5	51.4	0.5	11.9	0.1	0.2	0.0	0.2	0.0
OR 0645	Maize oil, edible	0.06	0.1	0.0	4.0	0.2	2.3	0.1	2.3	0.1	0.5	0.0	0.9	0.1	0.2	0.0
MF 0100	Mammalian fats (except milk fats)	0.01	0.8	0.0	10.0	0.1	0.9	0.0	0.9	0.0	6.6	0.1	11.8	0.1	3.7	0.0
FI 0345	Mango (incl juice, incl pulp)	0.05	6.3	0.3	1.0	0.1	4.6	0.2	4.6	0.2	0.2	0.0	0.7	0.0	0.3	0.0
MM 0095	Meat from mammals other than marine mammals	0.01	27.7	0.3	116.5	1.2	38.5	0.4	38.5	0.4	55.1	0.6	90.2	0.9	131.3	1.3
VC 0046	Melons, except watermelon	0.02	3.6	0.1	26.7	0.5	22.6	0.5	22.6	0.5	11.5	0.2	5.6	0.1	2.0	0.0
ML 0106	Milks (excl processed products)	0.01	68.8	0.7	190.6	1.9	79.4	0.8	79.4	0.8	302.6	3.0	179.6	1.8	237.9	2.4
GC 0647	Oats (incl rolled)	0.08	1.4	0.1	0.6	0.0	0.2	0.0	0.2	0.0	4.2	0.3	5.7	0.5	8.9	0.7
VO 0442	Okra	0.35	3.9	1.4	1.0	0.4	5.3	1.9	5.3	1.9	0.1	0.0	0.0	0.0	0.0	0.0
JF 0004	Orange juice	0.39	0.0	0.0	2.1	0.8	4.4	1.7	4.4	1.7	1.4	0.5	16.2	6.3	22.6	8.8
FI 0350	Papaya	0.02	5.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
OR 0697	Peanut oil, edible	0.03	1.7	0.1	0.8	0.0	0.5	0.0	0.5	0.0	0.1	0.0	1.4	0.0	0.4	0.0
SO 0697	Peanut, shelled (excl oil)	0.01	1.5	0.0	1.3	0.0	1.0	0.0	1.0	0.0	0.5	0.0	0.8	0.0	0.5	0.0
VO 0051	Peppers	0.35	1.4	0.5	29.9	10.5	13.0	4.6	13.0	4.6	6.3	2.2	6.2	2.2	4.0	1.4
TN 0675	Pistachio nut	0.44	0.0	0.0	0.7	0.3	0.5	0.2	0.5	0.2	0.9	0.4	0.3	0.1	0.0	0.0
FI 0354	Plantain	0.03	275.7	8.3	1.7	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.0
DF 0014	Plum, dried (prunes)	0.14	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	0.1	0.6	0.1
PM 0110	Poultry meat	0	7.1	0.0	58.5	0.0	31.9	0.0	31.9	0.0	24.0	0.0	61.0	0.0	27.3	0.0
PO 0111	Poultry, Edible offal of	0	0.4	0.0	0.4	0.0	1.7	0.0	1.7	0.0	0.1	0.0	0.6	0.0	0.2	0.0
FB 0272	Raspberries, red, black	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.8	0.9	0.9	0.2	0.2
GC 0649	Rice (incl husked, excl polished)	0.68	46.3	31.5	0.3	0.2	3.4	2.3	3.4	2.3	9.1	6.2	4.3	2.9	0.6	0.4
CM 1205	Rice, polished (incl flour)	0.06	29.8	1.8	20.9	1.3	60.8	3.6	60.8	3.6	16.1	1.0	5.6	0.3	8.1	0.5
VR0075	Root and tuber vegetables	0.23	528.2	121.5	352.8	81.1	78.5	18.0	78.5	18.0	270.3	62.2	324.1	74.5	261.3	60.1
GC 0650	Rye (incl flour)	0.01	0.1	0.0	3.7	0.0	0.3	0.0	0.3	0.0	24.3	0.2	25.8	0.3	45.8	0.5

Annex 3

AZOXYSTROBIN (229)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.2 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person									
			A diet	intake	B diet	intake	C diet	intake	D diet	intake	E diet	intake	F diet	intake
VD 0541	Soya bean (dry, excl oil)	0.06	0.9	0.1	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
OR 0541	Soya bean oil, refined	0.05	1.6	0.1	6.5	0.3	6.0	0.3	4.0	0.2	6.3	0.3	7.0	0.4
VC 0431	Squash, summer (= courgette, zucchini)	0.17	0.0	0.0	8.3	1.4	11.4	1.9	7.3	1.2	3.2	0.5	0.3	0.1
FS 0012	Stone fruit (excl dried plums, incl dried apricots)	0.74	0.7	0.5	44.1	32.6	14.1	10.4	26.6	19.7	26.3	19.4	8.3	6.1
FB 0275	Strawberry	1.3	0.0	0.0	5.0	6.5	2.0	2.6	1.7	2.2	5.2	6.8	4.1	5.3
VR 0596	Sugar beet	0.08	0.0	0.0	40.7	3.3	0.0	0.0	0.1	0.0	6.0	0.5	0.1	0.0
SO 0702	Sunflower seed (excl oil)	0.04	0.0	0.0	13.1	0.5	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0
OR 0702	Sunflower seed oil, edible	0.01	0.3	0.0	13.1	0.1	8.6	0.1	12.3	0.1	8.8	0.1	2.2	0.0
VO 0448	Tomato (excl juice, excl paste, incl peeled)	0.35	3.3	1.2	179.2	62.7	103.5	36.2	54.1	18.9	7.8	2.7	3.9	1.4
JF 0448	Tomato juice	0.13	5.2	0.7	0.5	0.1	0.4	0.1	2.1	0.3	6.9	0.9	15.2	2.0
-d	Tomato paste	0.91	0.5	0.5	1.3	1.2	3.5	3.2	1.0	0.9	3.8	3.5	4.5	4.1
TN 0085	Tree nuts	0.01	4.2	0.0	21.5	0.2	3.9	0.0	3.0	0.0	5.5	0.1	10.2	0.1
GC 0653	Triticale (incl flour)	0.01	0.0	0.0	115.8	1.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0
VC 0432	Watermelon	0.02	6.1	0.1	43.1	0.9	47.1	0.9	25.8	0.5	4.4	0.1	6.0	0.1
GC 0654	Wheat (excl bulgur wholemeal, excl flour)	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
CM 0654	Wheat bran, unprocessed	0.004	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.003	63.4	0.2	296.3	0.9	327.5	1.0	300.0	0.9	181.6	0.5	166.2	0.5
CP 1211	White bread	0.001	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.0	0.0
CP 1212	Wholemeal bread	0.001	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.0	0.0
-	Wine	0.36	1.3	0.5	76.8	27.6	1.1	0.4	15.4	5.5	68.8	24.8	25.6	9.2
VC 0433	Winter squash (= pumpkin)	0.02	0.0	0.0	0.5	0.0	1.5	0.0	7.3	0.1	0.0	0.0	0.3	0.0
VS 0469	Witloof chicory (sprouts)	0.05	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	1.6	0.1	0.0	0.0
Total intake (µg/person)=			282.2	60	953.7	60	508.1	398.6	423.6	274.2	60	60	12000	274.2
Body weight per region (kg bw) =			60	60	60	60	60	60	60	60	60	60	60	60
ADI (µg/person)=			12000	12000	12000	12000	12000	12000	12000	12000	12000	12000	12000	12000
%ADI=			2.4%	2%	7.9%	8%	4.2%	3.3%	3.5%	3.3%	4%	4%	2.3%	2.3%
Rounded %ADI=			2%	2%	8%	8%	4%	3%	4%	3%	4%	4%	2%	2%

Annex 3

AZOXYSTROBIN (229) International Estimated Daily Intake (IEDI) ADI = 0 - 0.2 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day			Intake = daily intake: µg/person											
			G diet	H diet	intake	I diet	intake	J diet	intake	K diet	intake	L diet	intake	M diet	intake		
VS 0620	Artichoke globe	1.8	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.8
VS 0621	Asparagus	0.01	3.7	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	0.0
FI 0327	Banana	0.03	21.4	0.6	36.6	1.1	11.4	0.3	9.2	0.3	70.2	2.1	40.5	1.2	32.6	1.0	1.0
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, excl beer)	0.08	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0
-	Barley beer	0.002	21.9	0.0	102.7	0.2	29.5	0.1	12.6	0.0	100.9	0.2	82.2	0.2	218.8	0.4	0.4
FB 0264	Blackberries	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.3	0.3	0.3
FB 0020	Blueberries	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	1.3
FB 4079	Boysenberry	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
VB 0402	Brussels sprouts	1.2	3.4	4.1	0.4	0.5	0.0	0.0	0.0	0.0	0.5	0.6	7.9	9.5	0.3	0.4	0.4
VA 0035	Bulb vegetables	2.2	31.6	69.5	29.6	65.1	9.7	21.3	19.6	43.1	25.7	56.5	47.2	103.8	33.1	72.8	72.8
VB 0041	Cabbages, Head	1.2	10.0	12.0	1.0	1.2	7.2	8.6	1.0	1.2	1.4	1.7	23.9	28.7	17.0	20.4	20.4
VS 0624	Celery	0.43	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	1.0	0.4	0.0	0.0	4.2	1.8	1.8
VC 0423	Chayote	0.17	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	-
FC 0001	Citrus fruit (incl lemon juice, incl mandarin juice, excl orange juice, incl grapefruit juice, incl NES juice)	4.9	16.9	83.0	155.0	759.5	8.6	42.1	42.5	208.3	220.5	1080.3	28.9	141.5	30.1	147.3	147.3
SO 0691	Cotton seed (for oil processing only)	0.01	6.3	0.1	4.4	0.0	6.3	0.1	8.8	0.1	9.4	0.1	34.4	0.3	7.5	0.1	0.1
FB 0265	Cranberries	0.23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.6	0.6
VC 0424	Cucumber	0.17	7.9	1.3	0.6	0.1	0.2	0.0	0.0	0.0	0.4	0.1	5.5	0.9	5.3	0.9	0.9
FB 0021	Currants, red, black, white	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FB 0266	Dewberries, incl boysenberry & loganberry	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.1
DH 0170	Dried herbs	152	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	-
MO 0105	Edible offal (mammalian)	0.01	4.8	0.0	10.7	0.1	4.0	0.0	4.0	0.0	6.5	0.1	6.6	0.1	5.6	0.1	0.1
VO 0440	Egg plant (= aubergine)	0.35	20.1	7.0	0.1	0.0	0.6	0.2	6.3	2.2	0.5	0.2	6.3	2.2	0.7	0.2	0.2
PE 0112	Eggs	0	22.1	0.0	71.5	0.0	16.6	0.0	5.1	0.0	17.6	0.0	35.2	0.0	57.4	0.0	0.0
FB 0267	Elderberries	1	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	-
VB 0042	Flowerhead brassicas	1.2	9.6	11.5	7.9	9.5	0.6	0.7	0.2	0.2	0.9	1.1	1.1	1.3	8.0	9.6	9.6
VC 0425	Gherkin	0.17	7.9	1.3	0.6	0.1	0.2	0.0	0.0	0.0	0.4	0.1	5.5	0.9	5.3	0.9	0.9
FB 0268	Gooseberries	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0
FB 0269	Grape (excl dried, excl juice, excl wine)	0.53	1.2	0.6	2.6	1.4	0.0	0.0	0.2	0.1	0.0	0.0	3.7	2.0	0.0	0.0	0.0
JF 0269	Grape juice	0.19	0.0	0.0	0.1	0.0	1.0	0.2	0.0	0.0	0.6	0.1	0.4	0.1	3.6	0.7	0.7

Annex 3

AZOXYSTROBIN (229) International Estimated Daily Intake (IEDI) ADI = 0 - 0.2 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diet: g/person/day			Intake = daily intake: µg/person			J diet intake	K diet intake	L diet intake	M diet intake
			G diet intake	H diet intake	I diet intake	J diet intake	K diet intake	L diet intake				
DF 0269	Grape, dried (= currants, raisins and sultanas)	0.24	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.4	0.1	0.6
HH 0720	Herbs	23	ND	-	ND	-	ND	-	ND	ND	-	ND
DH 1100	Hops, dry	11	0.0	0.0	0.1	1.1	0.1	0.1	0.1	0.1	1.1	0.6
VB 0405	Kohlrabi	1.2	3.4	4.1	0.0	0.0	0.3	0.4	0.5	7.9	9.5	0.8
VP 0060	Legume vegetables	1	19.6	19.6	6.2	6.2	6.9	6.0	1.7	29.5	29.5	26.3
-	Lettuce (head, leaf)	0.28	2.4	0.7	7.0	2.0	0.1	0.6	2.0	2.4	0.7	5.1
CF 1255	Maize flour	0.01	28.8	0.3	248.8	2.5	206.7	2.1	46.2	10.5	0.1	21.5
GC 0645	Maize (excl flour, excl oil, incl beer)	0.01	0.6	0.0	0.0	0.0	0.1	0.0	7.7	0.0	0.0	19.4
OR 0645	Maize oil, edible	0.06	0.1	0.0	0.6	0.0	1.8	0.1	1.0	1.6	0.1	1.8
MF 0100	Mammalian fats (except milk fats)	0.01	2.2	0.0	18.6	0.2	0.5	0.0	5.7	4.5	0.0	18.2
FI 0345	Mango (incl juice, incl pulp)	0.05	12.7	0.6	26.2	1.3	6.1	0.3	9.2	8.0	0.4	1.9
MM 0095	Meat from mammals other than marine mammals	0.01	54.8	0.5	89.4	0.9	30.6	0.3	82.1	61.1	0.6	158.3
VC 0046	Melons, except watermelon	0.02	7.5	0.2	6.1	0.1	0.7	0.0	2.5	6.9	0.1	12.4
ML 0106	Milks (excl processed products)	0.01	66.0	0.7	121.1	1.2	81.6	0.8	207.7	57.0	0.6	287.9
GC 0647	Oats (incl rolled)	0.08	0.2	0.0	2.0	0.2	0.8	0.1	3.5	0.7	0.1	7.6
VO 0442	Okra	0.35	4.1	1.4	1.0	0.4	7.0	2.5	1.1	3.9	1.4	0.2
JF 0004	Orange juice	0.39	0.2	0.1	1.0	0.4	3.5	1.4	1.3	6.4	2.5	56.8
FI 0350	Papaya	0.02	1.3	0.0	11.5	0.2	1.6	0.0	14.5	1.0	0.0	0.6
OR 0697	Peanut oil, edible	0.03	3.0	0.1	0.3	0.0	1.5	0.0	0.3	0.0	0.0	0.4
SO 0697	Peanut, shelled (excl oil)	0.01	0.7	0.0	1.4	0.0	1.3	0.0	0.2	0.7	0.0	6.0
VO 0051	Peppers	0.35	8.7	3.0	22.4	7.8	8.4	2.9	3.3	5.3	1.9	8.9
TN 0675	Pistachio nut	0.44	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2
FI 0354	Plantain	0.03	1.8	0.1	51.2	1.5	93.3	2.8	39.2	1.1	0.0	1.9
DF 0014	Plum, dried (prunes)	0.14	0.1	0.0	0.2	0.0	0.0	0.0	0.2	0.2	0.0	0.6
PM 0110	Poultry meat	0	17.6	0.0	131.3	0.0	25.1	0.0	145.9	27.7	0.0	115.1
PO 0111	Poultry, Edible offal of	0	0.4	0.0	1.0	0.0	1.9	0.0	0.7	1.0	0.0	0.3
FB 0272	Raspberries, red, black	1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5
GC 0649	Rice (incl husked, excl polished)	0.68	1.4	1.0	1.0	0.7	2.3	1.6	20.1	9.2	6.2	0.4
CM 1205	Rice, polished (incl flour)	0.06	250.3	15.0	42.2	2.5	23.8	1.4	97.6	248.1	14.9	22.8
VR0075	Root and tuber vegetables	0.23	139.1	32.0	109.8	25.3	409.6	94.2	145.3	127.0	29.2	225.6
GC 0650	Rye (incl flour)	0.01	0.4	0.0	0.0	0.0	0.2	0.0	0.1	0.9	0.0	0.8

Annex 3

AZOXYSTROBIN (229) International Estimated Daily Intake (IEDI) ADI = 0 - 0.2 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diet: g/person/day		Intake = daily intake: µg/person								
			G diet intake	H diet intake	I diet intake	J diet intake	K diet intake	L diet intake	M diet intake				
VD 0541	Soya bean (dry, excl oil)	0.06	1.8	0.1	0.0	0.0	3.2	0.2	0.1	0.0	0.0	0.0	0.0
OR 0541	Soya bean oil, refined	0.05	4.3	0.2	10.6	0.5	2.0	0.1	1.4	0.1	19.5	1.0	0.5
VC 0431	Squash, summer (= courgette, zucchini)	0.17	2.4	0.4	1.5	0.3	0.0	0.0	0.0	0.0	3.8	0.6	2.2
FS 0012	Stone fruit (excl dried plums, incl dried apricots)	0.74	6.7	5.0	4.3	3.2	1.4	1.0	0.1	0.1	4.9	3.6	4.9
FB 0275	Strawberry	1.3	0.0	0.0	1.8	2.3	0.1	0.1	0.0	0.0	0.3	0.4	6.2
VR 0596	Sugar beet	0.08	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
SO 0702	Sunflower seed (excl oil)	0.04	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1
OR 0702	Sunflower seed oil, edible	0.01	1.1	0.0	3.6	0.0	5.6	0.1	0.1	0.0	1.5	0.0	0.2
VO 0448	Tomato (excl juice, excl paste, incl peeled)	0.35	23.1	8.1	22.3	7.8	12.5	4.4	5.6	2.0	33.2	11.6	1.3
JF 0448	Tomato juice	0.13	0.0	0.0	0.8	0.1	0.1	0.0	7.2	0.9	0.0	0.0	2.4
-d	Tomato paste	0.91	0.1	0.1	2.1	1.9	0.6	0.5	0.4	0.4	0.6	0.5	1.4
TN 0085	Tree nuts	0.01	16.3	0.2	15.7	0.2	9.7	0.1	1.9	0.0	19.1	0.2	29.0
GC 0653	Triticale (incl flour)	0.01	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VC 0432	Watermelon	0.02	39.3	0.8	14.0	0.3	2.5	0.1	13.6	0.3	8.4	0.2	14.5
GC 0654	Wheat (excl bulgur wholemeal, excl flour)	0.01	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
CM 0654	Wheat bran, unprocessed	0.004	ND	-	ND	-	ND	-	ND	-	ND	-	ND
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.003	133.0	0.4	60.1	0.2	52.4	0.2	32.2	0.1	87.7	0.3	79.6
CPI211	White bread	0.001	0.0	0.0	2.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
CPI212	Wholemeal bread	0.001	0.0	0.0	2.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
-	Wine	0.36	1.0	0.4	0.9	0.3	6.8	2.4	0.1	0.0	3.4	1.2	3.6
VC 0433	Winter squash (= pumpkin)	0.02	2.4	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.6	0.0	2.2
VS 0469	Witloof chicory (sprouts)	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total intake (µg/person)=			286.7	911.0	201.4	404.4	1278.4	408.5	443.2				
Body weight per region (kg bw) =			55	60	60	60	60	55	60				
ADI (µg/person)=			11000	12000	12000	12000	12000	11000	12000				
%ADI=			2.6%	7.6%	1.7%	3.4%	10.7%	3.7%	3.7%				
Rounded %ADI=			3%	8%	2%	3%	10%	4%	4%				

Annex 3

BUPROFEZIN (173) International Estimated Daily Intake (IEDI) ADI = 0 - 0.009 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	diet correction factor	Diets: g/person/day						Intake = daily intake: µg/person						
				A		B		C		D		E		F		
				diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	
FC 0001	Citrus fruit (excl lemon juice, excl mandarin juice, excl orange juice, excl grapefruit juice, excl NES juice)	0.04	0.7	15.7	0.4	86.5	2.4	52.6	1.5	24.2	0.7	16.2	0.5	12.0	0.3	
-	Citrus juice NES	0.13	1	0.0	0.0	1.7	0.2	0.1	0.0	0.0	0.0	1.1	0.1	0.3	0.0	
VC 0424	Cucumber	0.035	1	0.3	0.0	12.7	0.4	5.9	0.2	11.5	0.4	6.1	0.2	7.1	0.2	
JF 0203	Grapefruit juice	0.13	1	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.0	1.1	0.1	0.2	0.0	
-d	Lemon juice	0.13	1	0.0	0.0	0.9	0.1	0.1	0.0	0.0	0.0	0.2	0.0	0.4	0.1	
-	Mandarin + mandarin-like hybrid juice	0.13	1	0.0	0.0	1.4	0.2	0.9	0.1	0.4	0.1	0.7	0.1	0.9	0.1	
FI 0345	Mango (incl juice, incl pulp)	0.01	0.7	6.3	0.0	1.0	0.0	4.6	0.0	0.2	0.0	0.7	0.0	0.3	0.0	
JF 0004	Orange juice	0.13	1	0.0	0.0	2.1	0.3	4.4	0.6	1.4	0.2	16.2	2.1	22.6	2.9	
VO 0448	Tomato (excl juice, excl paste, excl peeled)	0.24	1	1.3	0.3	178.4	42.8	102.8	24.7	53.4	12.8	1.6	0.4	0.0	0.0	
JF 0448	Tomato juice	0.053	1	5.2	0.3	0.5	0.0	0.4	0.0	2.1	0.1	6.9	0.4	15.2	0.8	
-d	Tomato paste	0.22	1	0.5	0.1	1.3	0.3	3.5	0.8	1.0	0.2	3.8	0.8	4.5	1.0	
-d	Tomato, peeled	0.041	1	0.1	0.0	0.4	0.0	0.5	0.0	0.4	0.0	4.9	0.2	3.2	0.1	
Total intake (µg/person)=				1.2	46.8	27.9	14.5	5.0	5.7	5.0	60	60	60	540	540	
Body weight per region (kg bw) =				60	60	60	60	60	60	60	60	60	60	60	60	60
ADI (µg/person)=				540	540	540	540	540	540	540	540	540	540	540	540	540
%ADI=				0.2%	8.7%	5.2%	2.7%	0.9%	1.1%	0.9%	2.7%	0.9%	0.9%	1.1%	1.1%	1.1%
Rounded %ADI=				0%	9%	5%	3%	1%	1%	1%	3%	1%	1%	1%	1%	1%

Annex 3

BUPROFEZIN (173)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.009 mg/kg bw

Codex Code	Commodity	STMIR or STMIR-P mg/kg	diet correction factor	Diets: g/person/day Intake = daily intake: µg/person														
				G diet intake	H diet intake	I diet intake	J diet intake	K diet intake	L diet intake	M diet intake								
FC 0001	Citrus fruit (excl lemon juice, excl mandarin juice, excl orange juice, excl grapefruit juice, excl NES juice)	0.04	0.7	15.1	0.4	153.9	4.3	3.4	0.1	41.7	1.2	218.9	6.1	23.1	0.6	18.0	0.5	
-	Citrus juice NES	0.13	1	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.0	
VC 0424	Cucumber	0.035	1	7.9	0.3	0.6	0.0	0.2	0.0	0.0	0.0	0.4	0.0	5.5	0.2	5.3	0.2	
JF 0203	Grapefruit juice	0.13	1	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.0	0.0	0.0	0.3	0.0	2.4	0.3	
-d	Lemon juice	0.13	1	0.3	0.0	0.0	0.0	1.0	0.1	0.3	0.0	0.0	0.0	0.5	0.1	2.6	0.3	
-	Mandarin + mandarin-like hybrid juice	0.13	1	0.5	0.1	0.5	0.1	0.1	0.0	0.0	0.0	0.7	0.1	1.4	0.2	0.0	0.0	
FI 0345	Mango (incl juice, incl pulp)	0.01	0.7	12.7	0.1	26.2	0.2	6.1	0.0	12.7	0.1	9.2	0.1	8.0	0.1	1.9	0.0	
JF 0004	Orange juice	0.13	1	0.2	0.0	1.0	0.1	3.5	0.5	0.0	0.0	1.3	0.2	6.4	0.8	56.8	7.4	
VO 0448	Tomato (excl juice, excl paste, excl peeled)	0.24	1	22.8	5.5	4.1	1.0	12.3	3.0	1.8	0.4	32.8	7.9	0.4	0.1	27.3	6.6	
JF 0448	Tomato juice	0.053	1	0.0	0.0	0.8	0.0	0.1	0.0	7.2	0.4	0.0	0.0	2.4	0.1	45.2	2.4	
-d	Tomato paste	0.22	1	0.1	0.0	2.1	0.5	0.6	0.1	0.4	0.1	0.6	0.1	1.4	0.3	1.2	0.3	
-d	Tomato, peeled	0.041	1	0.2	0.0	14.5	0.6	0.2	0.0	0.0	0.0	0.3	0.0	0.8	0.0	1.2	0.0	
Total intake (µg/person)=				6.4	6.8	6.8	6.8	4.0	2.2	14.5	2.6	18.0	18.0	18.0	18.0	18.0	18.0	
Body weight per region (kg bw) =				55	60	60	60	60	60	60	60	60	60	60	60	60	60	60
ADI (µg/person)=				495	540	540	540	540	540	540	540	540	540	540	540	540	540	540
%ADI=				1.3%	1.3%	1.3%	1.3%	0.7%	0.4%	2.7%	0.5%	3.3%	3.3%	3.3%	3.3%	3.3%	3.3%	
Rounded %ADI=				1%	1%	1%	1%	1%	0%	3%	1%	3%	3%	3%	3%	3%	3%	

Annex 3

CARBOFURAN (096) International Estimated Daily Intake (IEDI) ADI = 0 - 0.001 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person																													
			A diet	intake	B diet	intake	C diet	intake	D diet	intake	E diet	intake	F diet	intake																								
FI 0327	Banana	0.1	38.8	3.9	17.4	1.7	16.0	1.6	6.6	0.7	21.5	2.2	33.8	3.4																								
SM 0716	Coffee beans, roasted	0.005	0.4	0.0	6.0	0.0	0.5	0.0	0.6	0.0	9.4	0.0	16.4	0.1																								
VC 0424	Cucumber	0.05	0.3	0.0	12.7	0.6	5.9	0.3	11.5	0.6	6.1	0.3	7.1	0.4																								
MO 0097	Edible offal of cattle, pigs & sheep	0.05	3.2	0.2	13.3	0.7	3.5	0.2	11.0	0.6	11.7	0.6	7.5	0.4																								
MM 0095	Meat from mammals other than marine mammals: 20% as fat	0.05	5.5	0.3	23.3	1.2	7.7	0.4	11.0	0.6	18.0	0.9	26.3	1.3																								
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.05	22.2	1.1	93.2	4.7	30.8	1.5	44.1	2.2	72.2	3.6	105.0	5.3																								
VC 0046	Melons, except watermelon	0.02	3.6	0.1	26.7	0.5	22.6	0.5	11.5	0.2	5.6	0.1	2.0	0.0																								
ML 0106	Milks (excl processed products)	0.05	68.8	3.4	190.6	9.5	79.4	4.0	302.6	15.1	179.6	9.0	237.9	11.9																								
JF 0004	Orange juice	0.001	0.0	0.0	2.1	0.0	4.4	0.0	1.4	0.0	16.2	0.0	22.6	0.0																								
FC 0004	Orange, sweet, sour + orange-like hybrid (excl juice)	0.05	4.2	0.2	54.1	2.7	30.1	1.5	11.9	0.6	0.2	0.0	0.5	0.0																								
VR 0589	Potato (incl flour, frozen, starch, tapioca)	0.05	19.1	1.0	160.8	8.0	61.2	3.1	243.6	12.2	230.1	11.5	204.7	10.2																								
SO 0495	Rape seed (excl oil)	0.05	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0																								
GC 0649	Rice (incl husked, excl polished)	0.025	46.3	1.2	0.3	0.0	3.4	0.1	9.1	0.2	4.3	0.1	0.6	0.0																								
VC 0431	Squash, summer (= courgette, zucchini)	0.05	0.0	0.0	8.3	0.4	11.4	0.6	7.3	0.4	3.2	0.2	0.3	0.0																								
GS 0659	Sugar cane	0.1	30.9	3.1	43.1	4.3	51.3	5.1	0.1	0.0	5.5	0.6	0.0	0.0																								
SO 0702	Sunflower seed (excl oil)	0.1	0.0	0.0	13.1	1.3	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0																								
VO 0447	Sweet corn (corn-on-the-cob)	0.03	7.3	0.2	1.0	0.0	0.1	0.0	0.5	0.0	3.3	0.1	3.6	0.1																								
Total intake (µg/person)=			14.6						35.8						18.8						33.3						29.2						33.1					
Body weight per region (kg bw) =			60						60						60						60						60						60					
%ADI=			24.3%						59.6%						31.3%						55.5%						48.6%						55.2%					
Rounded %ADI=			20%						60%						30%						60%						50%						60%					

Annex 3

CARBOFURAN (096)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.001 mg/kg bw

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day												Intake = daily intake: µg/person											
			G		H		I		J		K		L		M		N		O		P					
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake				
FI 0327	Banana	0.1	21.4	2.1	36.6	3.7	11.4	1.1	9.2	0.9	70.2	7.0	40.5	4.1	32.6	3.3										
SM 0716	Coffee beans, roasted	0.005	0.0	0.0	1.3	0.0	0.1	0.0	0.0	0.0	0.8	0.0	0.3	0.0	7.0	0.0										
VC 0424	Cucumber	0.05	7.9	0.4	0.6	0.0	0.2	0.0	0.0	0.0	0.4	0.0	5.5	0.3	5.3	0.3										
MO 0097	Edible offal of cattle, pigs & sheep	0.05	4.0	0.2	10.4	0.5	3.5	0.2	2.7	0.1	6.4	0.3	6.2	0.3	5.4	0.3										
MM 0095	Meat from mammals other than marine mammals: 20% as fat	0.05	11.0	0.5	17.9	0.9	6.1	0.3	5.7	0.3	16.4	0.8	12.2	0.6	31.7	1.6										
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.05	43.8	2.2	71.5	3.6	24.5	1.2	22.9	1.1	65.7	3.3	48.9	2.4	126.6	6.3										
VC 0046	Melons, except watermelon	0.02	7.5	0.2	6.1	0.1	0.7	0.0	1.4	0.0	2.5	0.1	6.9	0.1	12.4	0.2										
ML 0106	Milks (excl processed products)	0.05	66.0	3.3	121.1	6.1	81.6	4.1	102.4	5.1	207.7	10.4	57.0	2.9	287.9	14.4										
JF 0004	Orange juice	0.001	0.2	0.0	1.0	0.0	3.5	0.0	0.0	0.0	1.3	0.0	6.4	0.0	56.8	0.1										
FC 0004	Orange, sweet, sour + orange-like hybrid (excl juice)	0.05	7.0	0.4	117.1	5.9	2.0	0.1	2.4	0.1	200.7	10.0	0.5	0.0	0.2	0.0										
VR 0589	Potato (incl flour, frozen, starch, tapioca)	0.05	52.7	2.6	57.1	2.9	50.1	2.5	4.3	0.2	54.7	2.7	41.0	2.1	168.0	8.4										
SO 0495	Rape seed (excl oil)	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0										
GC 0649	Rice (incl husked, excl polished)	0.025	1.4	0.0	1.0	0.0	2.3	0.1	29.6	0.7	92.0	2.3	9.2	0.2	0.4	0.0										
VC 0431	Squash, summer (= courgette, zucchini)	0.05	2.4	0.1	1.5	0.1	0.0	0.0	0.0	0.0	3.8	0.2	2.2	0.1	2.5	0.1										
GS 0659	Sugar cane	0.1	26.2	2.6	1.5	0.2	33.8	3.4	5.5	0.6	18.6	1.9	3.0	0.3	20.2	2.0										
SO 0702	Sunflower seed (excl oil)	0.1	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.8	0.2										
VO 0447	Sweet corn (corn-on-the-cob)	0.03	0.2	0.0	2.4	0.1	2.2	0.1	3.3	0.1	1.7	0.1	2.8	0.1	11.2	0.3										
Total intake (µg/person)=			14.7	23.9	13.1	9.4	39.1	13.5	37.5																	
Body weight per region (kg bw) =			55	60	60	60	60	60	60																	
ADI (µg/person)=			55	60	60	60	60	60	60																	
%ADI=			26.7%	39.9%	21.8%	15.6%	65.1%	24.5%	62.5%																	
Rounded %ADI=			30%	40%	20%	20%	70%	20%	60%																	

Annex 3

CHLORANTRANILIPROLE (230) International Estimated Daily Intake (IEDI) ADI = 0 - 2 mg/kg bw

Codex Code	Commodity	STMIR or STMIR-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person					
			A		B		C		D		E		F	
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake
VS 0624	Celery	2.1	0.0	0.0	0.9	1.9	0.0	0.0	4.2	1.5	3.2	0.0	0.0	
GC 0080	Cereal grains	0.01	356.9	3.6	713.9	7.1	763.0	7.6	504.5	365.2	3.7	328.7	3.3	
OR 0691	Cotton seed oil, edible	0.0122	0.9	0.0	4.9	0.1	1.7	0.0	6.6	0.0	0.0	0.3	0.0	
MO 0105	Edible offal (mammalian)	0	3.9	0.0	14.4	0.0	5.2	0.0	11.8	11.7	0.0	7.6	0.0	
VO 0440	Egg plant	0.06	1.7	0.1	17.5	1.2	12.3	0.8	1.7	0.8	0.1	0.4	0.0	
PE 0112	Eggs	0	2.5	0.0	29.7	0.0	25.1	0.0	24.5	37.8	0.0	27.4	0.0	
VC 0045	Fruiting vegetables, Cucurbits	0.065	26.6	1.7	107.5	7.0	95.9	6.2	82.2	25.4	1.7	23.2	1.5	
FB 0269	Grape (incl dried, juice, wine)	0.119	3.7	0.4	128.5	15.3	27.1	3.2	33.1	107.5	12.8	44.0	5.2	
VL 0053	Leafy vegetables	7.3	5.8	42.3	45.6	332.9	10.9	79.6	26.8	18.7	136.5	38.9	284.0	
MM 0095	Meat from mammals other than marine mammals	0	27.7	0.0	116.5	0.0	38.5	0.0	55.1	90.2	0.0	131.3	0.0	
ML 0106	Milks (excl processed products)	0	68.8	0.0	190.6	0.0	79.4	0.0	302.6	179.6	0.0	237.9	0.0	
VO 0442	Okra	0.066	3.9	0.3	1.0	0.1	5.3	0.3	0.1	0.0	0.0	0.0	0.0	
VO 0051	Peppers	0.066	1.4	0.1	29.9	2.0	13.0	0.9	6.3	6.2	0.4	4.0	0.3	
FP 0009	Pome fruit (incl apple juice)	0.07	0.5	0.0	84.1	5.9	21.9	1.5	45.2	61.7	4.3	46.2	3.2	
PM 0110	Poultry meat	0	7.1	0.0	58.5	0.0	31.9	0.0	24.0	61.0	0.0	27.3	0.0	
PO 0111	Poultry, Edible offal of	0	0.4	0.0	0.4	0.0	1.7	0.0	0.1	0.6	0.0	0.2	0.0	
VR0075	Root and tuber vegetables	0.01	528.2	5.3	352.8	3.5	78.5	0.8	270.3	324.1	3.2	261.3	2.6	
FS 0012	Stone fruit	0.2	0.7	0.1	44.7	8.9	14.1	2.8	26.9	27.7	5.5	10.0	2.0	
VO 0448	Tomato (incl juice, paste, peeled)	0.066	11.8	0.8	185.0	12.2	118.0	7.8	60.7	31.6	2.1	40.9	2.7	
Total intake (µg/person)=			54.8	398.0	111.6	230.0	173.4	304.8						
Body weight per region (kg bw) =			60	60	60	60	60	60						
ADI (µg/person)=			120 000	120 000	120 000	120 000	120 000	120 000						
%ADI=			0.0%	0.3%	0.1%	0.2%	0.1%	0.3%						
Rounded %ADI=			0%	0%	0%	0%	0%	0%						

Annex 3

CYHALOTHRIN (146) (including Lambda-cyhalothrin)

ADI = 0 - 0.02 mg/kg bw

International Estimated Daily Intake (IEDI)

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person					
			A		B		C		D		E		F	
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake
FS 0240	Apricot (incl dried)	0.1	0.3	0.0	6.2	0.6	3.9	0.4	3.2	0.3	2.0	0.2	0.8	0.1
VS 0621	Asparagus	0.01	0.0	0.0	1.1	0.0	0.6	0.0	0.2	0.0	1.2	0.0	0.1	0.0
GC 0640	Barley (incl pot, pearled, flour and grits, beer)	0.02	40.6	0.8	16.8	0.3	93.9	1.9	13.2	0.3	48.6	1.0	36.1	0.7
FB 0018	Berries and other small fruits	0.02	3.8	0.1	145.8	2.9	29.1	0.6	41.0	0.8	118.3	2.4	53.0	1.1
VA 0035	Bulb vegetables	0.05	8.5	0.4	60.3	3.0	37.7	1.9	37.2	1.9	31.8	1.6	16.7	0.8
VB 0041	Cabbages, Head	0.08	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
MO 1280	Cattle kidney	0.03	0.4	0.0	4.4	0.1	0.0	0.0	0.9	0.0	0.0	0.0	0.6	0.0
MO 1281	Cattle liver	0.008	0.4	0.0	4.4	0.0	1.7	0.0	0.9	0.0	1.0	0.0	0.6	0.0
FS 0013	Cherries	0.125	0.0	0.0	6.8	0.9	0.9	0.1	6.2	0.8	3.6	0.5	0.4	0.1
FC 0001	Citrus fruit (incl juice)	0.01	15.7	0.2	100.5	1.0	63.2	0.6	27.8	0.3	52.6	0.5	56.9	0.6
VO 0440	Egg plant	0.03	1.7	0.1	17.5	0.5	12.3	0.4	1.7	0.1	0.8	0.0	0.4	0.0
VB 0042	Flowerhead brassicas	0.215	0.2	0.0	11.1	2.4	3.6	0.8	0.4	0.1	7.7	1.7	4.1	0.9
VC 0045	Fruiting vegetables, Cucurbits	0.01	26.6	0.3	107.5	1.1	95.9	1.0	82.2	0.8	25.4	0.3	23.2	0.2
VP 0060	Legume vegetables	0.02	6.1	0.1	23.0	0.5	18.0	0.4	12.8	0.3	26.9	0.5	5.3	0.1
GC 0645	Maize (incl flour, incl germ, incl oil, incl beer)	0.01	82.7	0.8	148.4	1.5	135.9	1.4	31.8	0.3	33.3	0.3	7.5	0.1
MF 0100	Mammalian fats (except milk fats)	1	0.8	0.8	10.0	10.0	0.9	0.9	6.6	6.6	11.8	11.8	3.7	3.7
FI 0345	Mango (incl juice, pulp)	0.03	6.3	0.2	1.0	0.0	4.6	0.1	0.2	0.0	0.7	0.0	0.3	0.0
MM 0095	Meat from mammals other than marine mammals: 20% as fat	1	5.5	5.5	23.3	23.3	7.7	7.7	11.0	11.0	18.0	18.0	26.3	26.3
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.04	22.2	0.9	93.2	3.7	30.8	1.2	44.1	1.8	72.2	2.9	105.0	4.2
ML 0106	Milks (excl processed products)	0.08	68.8	5.5	190.6	15.2	79.4	6.4	302.6	24.2	179.6	14.4	237.9	19.0
FS 0245	Nectarine	0.1	0.0	0.0	0.5	0.1	3.3	0.3	1.8	0.2	2.8	0.3	1.6	0.2
GC 0647	Oats (incl rolled)	0.01	1.4	0.0	0.6	0.0	0.2	0.0	4.2	0.0	5.7	0.1	8.9	0.1
SO 0088	Oilseed	0.01	22.3	0.2	65.2	0.7	35.4	0.4	52.0	0.5	62.1	0.6	39.4	0.4
VO 0442	Okra	0.03	3.9	0.1	1.0	0.0	5.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0
FT 0305	Olive (table olives, only)	0.125	0.0	0.0	4.8	0.6	0.8	0.1	0.4	0.1	1.0	0.1	0.8	0.1
OR 0305	Olive oil, refined	0.077	0.0	0.0	14.3	1.1	3.9	0.3	0.0	0.0	1.5	0.1	0.8	0.1
OR 5330	Olive oil, residue oil	0.091	0.1	0.0	2.3	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0
FS 0247	Peach	0.1	0.2	0.0	24.8	2.5	3.3	0.3	1.8	0.2	5.4	0.5	1.6	0.2

Annex 3

CYHALOTHRIN (146) (including Lambda-cyhalothrin)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person									
			A diet	A intake	B diet	B intake	C diet	C intake	D diet	D intake	E diet	E intake	F diet	F intake
VO 0051	Peppers	0.03	1.4	0.0	29.9	0.9	13.0	0.4	6.3	0.2	6.2	0.2	4.0	0.1
FS 0014	Plum (incl dried)	0.02	0.1	0.0	5.9	0.1	2.5	0.1	7.3	0.1	6.9	0.1	2.6	0.1
FP 0009	Pome fruit (incl apple juice)	0.08	0.5	0.0	84.1	6.7	21.9	1.8	45.2	3.6	61.7	4.9	46.2	3.7
GC 0656	Popcorn	0.01	0.1	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0
VD 0070	Pulses	0.01	54.5	0.5	62.9	0.6	51.4	0.5	36.8	0.4	49.4	0.5	47.9	0.5
GC 0649	Rice (husked + polished)	0.295	91.0	26.8	31.6	9.3	94.6	27.9	33.2	9.8	12.7	3.7	12.7	3.7
CM 1206	Rice bran, unprocessed	0.065	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
VR0075	Root and tuber vegetables	0	528.2	0.0	352.8	0.0	78.5	0.0	270.3	0.0	324.1	0.0	261.3	0.0
GC 0650	Rye (incl flour)	0.01	0.1	0.0	3.7	0.0	0.3	0.0	24.3	0.2	25.8	0.3	45.8	0.5
MO 1288	Sheep kidney	0.03	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
MO 1289	Sheep liver	0.008	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
GS 0659	Sugar cane	0.02	30.9	0.6	43.1	0.9	51.3	1.0	0.1	0.0	5.5	0.1	0.0	0.0
DM 0659	Sugar cane molasses	0.001	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
VO 1275	Sweet corn kernels (incl corn on the cob + frozen + preserved)	0.03	14.7	0.4	2.0	0.1	0.2	0.0	1.2	0.0	6.5	0.2	7.2	0.2
VO 0448	Tomato (excl juice, paste, peeled)	0.03	1.3	0.0	178.4	5.4	102.8	3.1	53.4	1.6	1.6	0.0	0.0	0.0
JF 0448	Tomato juice	0.002	5.2	0.0	0.5	0.0	0.4	0.0	2.1	0.0	6.9	0.0	15.2	0.0
-d	Tomato paste	0.007	0.5	0.0	1.3	0.0	3.5	0.0	1.0	0.0	3.8	0.0	4.5	0.0
TN 0085	Tree nuts	0.01	4.2	0.0	21.5	0.2	3.9	0.0	3.0	0.0	5.5	0.1	10.2	0.0
GC 0653	Triticale (incl flour)	0.01	0.0	0.0	115.8	1.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0
GC 0654	Wheat (incl bulgur wholemeal, flour)	0.01	88.4	0.9	396.3	4.0	426.5	4.3	390.2	3.9	236.3	2.4	216.0	2.2
CM 0654	Wheat bran, unprocessed	0.045	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
Total intake (µg/person)=			45.6		101.7		66.3		70.5		70.4		69.1	
Body weight per region (kg bw) =			60		60		60		60		60		60	
ADI (µg/person)=			1200		1200		1200		1200		1200		1200	
%ADI=			3.8%		8.5%		5.5%		5.9%		5.9%		5.8%	
Rounded %ADI=			4%		8%		6%		6%		6%		6%	

Annex 3

CYHALOTHTRIN (146) (including Lambda-cyhalothrin) International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person												
			G diet	intake	H diet	intake	I diet		J diet		K diet		L diet		M diet		
							intake										
FS 0240	Apricot (incl dried)	0.1	0.2	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1
VS 0621	Asparagus	0.01	3.7	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.1	0.0
GC 0640	Barley (incl pot, pearled, flour and grits, beer)	0.02	5.9	0.1	20.5	0.4	5.9	0.1	2.5	0.1	20.2	0.4	16.8	0.3	43.8	0.9	0.9
FB 0018	Berries and other small fruits	0.02	2.8	0.1	6.6	0.1	11.8	0.2	0.3	0.0	8.6	0.2	17.1	0.3	69.4	1.4	1.4
VA 0035	Bulb vegetables	0.05	31.6	1.6	29.6	1.5	9.7	0.5	19.6	1.0	25.7	1.3	47.2	2.4	33.1	1.7	1.7
VB 0041	Cabbages, Head	0.08	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	-
MO 1280	Cattle kidney	0.03	0.0	0.0	0.9	0.0	0.4	0.0	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0
MO 1281	Cattle liver	0.008	0.0	0.0	0.9	0.0	0.4	0.0	0.2	0.0	0.7	0.0	0.0	0.0	0.4	0.0	0.0
FS 0013	Cherries	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	2.5	0.3	0.3
FC 0001	Citrus fruit (incl juice)	0.01	17.3	0.2	156.8	1.6	14.9	0.1	42.5	0.4	222.8	2.2	40.4	0.4	132.3	1.3	1.3
VO 0440	Egg plant	0.03	20.1	0.6	0.1	0.0	0.6	0.0	6.3	0.2	0.5	0.0	6.3	0.2	0.7	0.0	0.0
VB 0042	Flowerhead brassicas	0.215	9.6	2.1	7.9	0.7	14.9	0.1	18.0	0.2	18.7	0.2	39.1	0.4	44.2	0.4	0.4
VC 0045	Fruiting vegetables, Cucurbits	0.01	69.7	0.7	25.9	0.3	14.9	0.1	6.0	0.1	1.7	0.0	29.5	0.6	26.3	0.5	0.5
VP 0060	Legume vegetables	0.02	19.6	0.4	6.2	0.1	6.9	0.1	6.0	0.1	63.1	0.6	58.6	0.6	85.5	0.9	0.9
GC 0645	Maize (incl flour, incl germ, incl oil, incl beer)	0.01	35.2	0.4	298.6	3.0	248.1	2.5	57.4	0.6	5.7	5.7	4.5	4.5	18.2	18.2	18.2
MF 0100	Mammalian fats (except milk fats)	1	2.2	2.2	18.6	18.6	0.5	0.5	0.8	0.8	5.7	5.7	8.0	0.2	1.9	0.1	0.1
FI 0345	Mango (incl juice, pulp)	0.03	12.7	0.4	26.2	0.8	6.1	0.2	12.7	0.4	9.2	0.3	8.0	0.2	1.9	0.1	0.1
MIM 0095	Meat from mammals other than marine mammals: 20% as fat	1	11.0	11.0	17.9	17.9	6.1	6.1	5.7	5.7	16.4	16.4	12.2	12.2	31.7	31.7	31.7
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.04	43.8	1.8	71.5	2.9	24.5	1.0	22.9	0.9	65.7	2.6	48.9	2.0	126.6	5.1	5.1
ML 0106	Milks (excl processed products)	0.08	66.0	5.3	121.1	9.7	81.6	6.5	102.4	8.2	207.7	16.6	57.0	4.6	287.9	23.0	23.0
FS 0245	Nectarine	0.1	1.7	0.2	1.7	0.2	0.0	0.0	0.0	0.0	1.0	0.1	1.7	0.2	1.4	0.1	0.1
GC 0647	Oats (incl rolled)	0.01	0.2	0.0	2.0	0.0	0.8	0.0	0.0	0.0	3.5	0.0	0.7	0.0	7.6	0.1	0.1
SO 0088	Oilseed	0.01	26.2	0.3	19.8	0.2	24.9	0.2	39.9	0.4	7.4	0.1	62.7	0.6	29.9	0.3	0.3
VO 0442	Okra	0.03	4.1	0.1	1.0	0.0	7.0	0.2	15.9	0.5	1.1	0.0	3.9	0.1	0.2	0.0	0.0
FT 0305	Olive (table olives, only)	0.125	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.6	0.1	0.0	0.0	1.0	0.1	0.1
OR 0305	Olive oil, refined	0.077	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	1.6	0.1	0.1
OR 5330	Olive oil, residue oil	0.091	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
FS 0247	Peach	0.1	1.7	0.2	1.7	0.2	1.1	0.1	0.1	0.0	1.0	0.1	1.7	0.2	10.2	1.0	1.0
VO 0051	Peppers	0.03	8.7	0.3	22.4	0.7	8.4	0.3	9.4	0.3	3.3	0.1	5.3	0.2	8.9	0.3	0.3

Annex 3

CYHALOTHRIN (146) (including Lambda-cyhalothrin) International Estimated Daily Intake (IEDI) ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diet: g/person/day		Intake = daily intake: µg/person									
			G diet intake	H diet intake	I diet intake	J diet intake	K diet intake	L diet intake	M diet intake					
FS 0014	Plum (incl dried)	0.02	3.3	0.1	0.0	0.1	0.0	0.0	0.0	0.6	1.5	0.0	2.2	0.0
FP 0009	Pome fruit (incl apple juice)	0.08	20.9	1.7	1.0	3.4	0.3	0.1	0.0	11.7	24.9	2.0	45.4	3.6
GC 0656	Popcorn	0.01	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.0	1.4	0.0
VD 0070	Pulses	0.01	41.9	0.4	0.9	35.9	0.4	45.2	0.5	160.0	59.5	0.6	140.1	1.4
GC 0649	Rice (husked + polished)	0.295	376.9	111.2	64.3	19.0	11.2	74.3	21.9	238.4	381.3	112.5	34.6	10.2
CM 1206	Rice bran, unprocessed	0.065	ND	-	ND	-	-	ND	-	ND	ND	-	ND	-
VR0075	Root and tuber vegetables	0	139.1	0.0	109.8	0.0	409.6	0.0	444.6	145.3	127.0	0.0	225.6	0.0
GC 0650	Rye (incl flour)	0.01	0.4	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.9	0.0	0.8	0.0
MO 1288	Sheep kidney	0.03	ND	-	ND	-	ND	-	ND	ND	ND	-	ND	-
MO 1289	Sheep liver	0.008	ND	-	ND	-	ND	-	ND	ND	ND	-	ND	-
GS 0659	Sugar cane	0.02	26.2	0.5	1.5	0.0	33.8	0.7	5.5	18.6	3.0	0.1	20.2	0.4
DM 0659	Sugar cane molasses	0.001	ND	-	ND	-	ND	-	ND	ND	ND	-	ND	-
VO 1275	Sweet corn kernels (incl corn on the cob + frozen + preserved)	0.03	0.4	0.0	4.9	0.1	4.5	0.1	3.3	1.7	5.6	0.2	18.1	0.5
VO 0448	Tomato (excl juice, paste, peeled)	0.03	22.8	0.7	4.1	0.1	12.3	0.4	1.8	32.8	1.0	0.0	27.3	0.8
JF 0448	Tomato juice	0.002	0.0	0.0	0.8	0.0	0.1	0.0	7.2	0.0	2.4	0.0	45.2	0.1
-d	Tomato paste	0.007	0.1	0.0	2.1	0.0	0.6	0.0	0.4	0.6	1.4	0.0	1.2	0.0
TN 0085	Tree nuts	0.01	16.3	0.2	15.7	0.2	9.7	0.1	1.9	19.1	29.0	0.3	5.6	0.1
GC 0653	Triticale (incl flour)	0.01	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GC 0654	Wheat (incl bulgur wholemeal, flour)	0.01	172.9	1.7	79.0	0.8	68.1	0.7	41.9	114.1	103.4	1.0	234.2	2.3
CM 0654	Wheat bran, unprocessed	0.045	ND	-	ND	-	ND	-	ND	ND	ND	-	ND	-
Total intake (µg/person)=			144.2	82.0	82.0	32.9	42.8	122	147.0	108.9				
Body weight per region (kg bw) =			55	60	60	60	60	60	55	60				
ADI (µg/person)=			1100	1200	1200	1200	1200	1200	1100	1200				
%ADI=			13.1%	6.8%	6.8%	2.7%	3.6%	10.2%	13.4%	9.1%				
Rounded %ADI=			10%	7%	7%	3%	4%	10%	10%	9%				

Annex 3

CYPERMETHRIN (119)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person						
			A		B		C		D		E		F		
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	
VS 0620	Artichoke globe	0.023	0.0	0.0	10.0	0.2	2.1	0.0	0.1	0.0	0.0	0.8	0.0	0.1	0.0
VS 0621	Asparagus	0.01	0.0	0.0	1.1	0.0	0.6	0.0	0.2	0.0	0.0	1.2	0.0	0.1	0.0
VB 0400	Broccoli	0.02	0.0	0.0	0.7	0.0	1.2	0.0	0.1	0.0	0.0	4.2	0.1	4.0	0.1
VB 0402	Brussels sprouts	0.02	0.0	0.0	0.1	0.0	2.8	0.1	5.5	0.1	1.5	1.5	0.0	1.9	0.0
VB 0041	Cabbages, Head	0.02	1.2	0.0	14.4	0.3	2.7	0.1	16.4	0.3	15.4	15.4	0.3	18.5	0.4
FT 0289	Carambola	0.02	ND	-	ND	-	ND	-	ND	-	ND	ND	-	ND	-
VB 0404	Cauliflower	0.02	0.1	0.0	5.2	0.1	1.2	0.0	0.1	0.0	1.7	1.7	0.0	0.1	0.0
GC 0080	Cereal grains	0.035	356.9	12.5	713.9	25.0	763.0	26.7	504.5	17.7	365.2	365.2	12.8	328.7	11.5
SB 0716	Coffee beans (incl green, incl extracts, incl roasted)	0.05	3.1	0.2	12.6	0.6	2.9	0.1	1.4	0.1	10.1	10.1	0.5	18.0	0.9
MO 0105	Edible offal (mammalian)	0.014	3.9	0.1	14.4	0.2	5.2	0.1	11.8	0.2	11.7	11.7	0.2	7.6	0.1
VO 0440	Egg plant (= aubergine)	0.01	1.7	0.0	17.5	0.2	12.3	0.1	1.7	0.0	0.8	0.8	0.0	0.4	0.0
PE 0112	Eggs	0.001	2.5	0.0	29.7	0.0	25.1	0.0	24.5	0.0	37.8	37.8	0.0	27.4	0.0
VC 0045	Fruiting vegetables, Cucurbits	0.01	26.6	0.3	107.5	1.1	95.9	1.0	82.2	0.8	25.4	25.4	0.3	23.2	0.2
FB 0269	Grape (excl dried, incl juice, excl wine)	0.01	1.9	0.0	9.4	0.1	24.0	0.2	9.9	0.1	2.0	2.0	0.0	1.4	0.0
DF 0269	Grape, dried (= currants, raisins and sultanas)	0.033	0.0	0.0	2.9	0.1	0.4	0.0	0.4	0.0	2.3	2.3	0.1	1.7	0.1
VL 0053	Leafy vegetables	0.07	5.8	0.4	45.6	3.2	10.9	0.8	26.8	1.9	18.7	18.7	1.3	38.9	2.7
VA 0384	Leek	0.01	0.3	0.0	5.3	0.1	0.0	0.0	0.2	0.0	4.6	4.6	0.0	1.5	0.0
VP 0060	Legume vegetables	0.22	6.1	1.3	23.0	5.1	18.0	4.0	12.8	2.8	26.9	26.9	5.9	5.3	1.2
FI 0345	Mango (incl juice, incl pulp)	0.19	6.3	1.2	1.0	0.2	4.6	0.9	0.2	0.0	0.7	0.7	0.1	0.3	0.1
MM 0095	Meat from mammals other than marine mammals: 20% as fat	0.15	5.5	0.8	23.3	3.5	7.7	1.2	11.0	1.7	18.0	18.0	2.7	26.3	3.9
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.014	22.2	0.3	93.2	1.3	30.8	0.4	44.1	0.6	72.2	72.2	1.0	105.0	1.5
ML 0106	Milks (excl processed products)	0.011	68.8	0.8	190.6	2.1	79.4	0.9	302.6	3.3	179.6	179.6	2.0	237.9	2.6
SO 0088	Oilseed	0.05	22.3	1.1	65.2	3.3	35.4	1.8	52.0	2.6	62.1	62.1	3.1	39.4	2.0
VO 0442	Okra	0.08	3.9	0.3	1.0	0.1	5.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0
FT 0305	Olive (incl oil)	0.05	0.0	0.0	76.3	3.8	20.3	1.0	0.4	0.0	8.5	8.5	0.4	4.8	0.2
VA 0385	Onion, Bulb (= dry + green onion)	0.01	5.5	0.1	49.5	0.5	33.0	0.3	31.3	0.3	23.2	23.2	0.2	14.6	0.1
FI 0350	Papaya	0.135	5.1	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0
VO 0444	Peppers, Chilli	0.495	0.7	0.3	14.9	7.4	4.1	2.0	3.2	1.6	3.1	3.1	1.5	2.0	1.0
VO 0445	Peppers, sweet (incl. pim(°)ento)	0.05	0.7	0.0	14.9	0.7	8.8	0.4	3.2	0.2	3.1	3.1	0.2	2.0	0.1

Annex 3

CYPERMETHRIN (119) International Estimated Daily Intake (IEDI) ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person		D		E		F		
			A diet	B intake	C diet	C intake	D diet	D intake	E diet	E intake	F diet	F intake	
DF 0014	Plum, dried (prunes)	1.9	0.0	0.0	0.4	0.0	0.0	0.1	0.2	0.5	1.0	0.6	1.1
FP 0009	Pome fruit (incl apple juice)	0.205	0.1	84.1	17.2	21.9	4.5	45.2	9.3	61.7	12.6	46.2	9.5
PM 0110	Poultry meat: 10% as fat	0.008	0.0	5.9	0.0	3.2	0.0	2.4	0.0	6.1	0.0	2.7	0.0
PM 0110	Poultry meat: 90% as muscle	0.002	0.0	52.7	0.1	28.7	0.1	21.6	0.0	54.9	0.1	24.6	0.0
PO 0111	Poultry, Edible offal of	0.002	0.0	0.4	0.0	1.7	0.0	0.1	0.0	0.6	0.0	0.2	0.0
VD 0070	Pulses	0.05	2.7	62.9	3.1	51.4	2.6	36.8	1.8	49.4	2.5	47.9	2.4
GC 0649	Rice (incl husked, incl polished)	0.57	51.9	31.6	18.0	94.6	53.9	33.2	18.9	12.7	7.2	12.7	7.2
VR0075	Root and tuber vegetables	0.01	528.2	352.8	3.5	78.5	0.8	270.3	2.7	324.1	3.2	261.3	2.6
FS 0012	Stone fruit (excl dried plums, incl dried apricots)	0.59	0.7	44.1	26.0	14.1	8.3	26.6	15.7	26.3	15.5	8.3	4.9
FB 0275	Strawberry	0.01	0.0	5.0	0.1	2.0	0.0	1.7	0.0	5.2	0.1	4.1	0.0
GS 0659	Sugar cane	0.05	30.9	43.1	2.2	51.3	2.6	0.1	0.0	5.5	0.3	0.0	0.0
VO 0447	Sweet corn (corn-on-the-cob)	0	7.3	1.0	0.0	0.1	0.0	0.5	0.0	3.3	0.0	3.6	0.0
VO 0448	Tomato (excl juice, incl paste, excl peeled)	0.05	5.2	183.9	9.2	116.9	5.8	57.6	2.9	16.9	0.8	17.9	0.9
JF 0448	Tomato juice	0.015	5.2	0.5	0.0	0.4	0.0	2.1	0.0	6.9	0.1	15.2	0.2
-d	Tomato, peeled	0.006	0.1	0.4	0.0	0.5	0.0	0.4	0.0	4.9	0.0	3.2	0.0
CM 0654	Wheat bran, unprocessed	0.084	ND	ND	-	ND	-	ND	-	ND	-	ND	-
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.015	63.4	296.3	4.4	327.5	4.9	300.0	4.5	181.6	2.7	166.2	2.5
-	Wine	0.001	1.3	0.0	76.8	0.1	1.1	15.4	0.0	68.8	0.1	25.6	0.0
Total intake (µg/person)=			83.7	143.5	126.1	90.5	79.2	60.3					
Body weight per region (kg bw) =			60	60	60	60	60	60					
ADI (µg/person)=			1200	1200	1200	1200	1200	1200					
%ADI=			7.0%	12.0%	10.5%	7.5%	6.6%	5.0%					
Rounded %ADI=			7%	10%	10%	8%	7%	5%					

Annex 3

Annex 3

CYPERMETHRIN (119)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person												
			G diet	H diet	I diet	I intake	J diet	J intake	K diet	K intake	L diet	L intake	M diet	M intake			
VS 0620	Artichoke globe	0.023	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VS 0621	Asparagus	0.01	3.7	0.0	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0
VB 0400	Broccoli	0.02	3.2	0.1	7.8	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1
VB 0402	Brussels sprouts	0.02	3.4	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.2	0.3	0.0
VB 0041	Cabbages, Head	0.02	10.0	0.2	1.0	0.0	0.0	7.2	0.1	1.0	0.0	0.0	0.0	23.9	0.5	17.0	0.3
FT 0289	Carambola	0.02	ND	-	ND	-	ND	-	-	ND	-	-	-	ND	-	ND	-
VB 0404	Cauliflower	0.02	3.2	0.1	0.1	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.4	0.0	1.4	0.0
GC 0080	Cereal grains	0.035	617.0	21.6	487.1	17.0	389.4	13.6	13.5	385.7	13.5	440.2	15.4	567.7	19.9	409.9	14.3
SB 0716	Coffee beans (incl green, incl extracts, incl roasted)	0.05	0.2	0.0	7.0	0.4	0.5	0.0	0.0	0.2	0.0	0.0	0.3	5.7	0.3	12.4	0.6
MO 0105	Edible ofial (mammalian)	0.014	4.8	0.1	10.7	0.1	4.0	0.1	0.1	4.0	0.1	6.5	0.1	6.6	0.1	5.6	0.1
VO 0440	Egg plant (= aubergine)	0.01	20.1	0.2	0.1	0.0	0.6	0.0	0.0	6.3	0.1	0.5	0.0	6.3	0.1	0.7	0.0
PE 0112	Eggs	0.001	22.1	0.0	71.5	0.1	16.6	0.0	0.0	5.1	0.0	17.6	0.0	35.2	0.0	57.4	0.1
VC 0045	Fruiting vegetables, Cucurbits	0.01	69.7	0.7	25.9	0.3	14.9	0.1	18.0	0.2	0.0	18.7	0.2	39.1	0.4	44.2	0.4
FB 0269	Grape (excl dried, incl juice, excl wine)	0.01	1.2	0.0	2.7	0.0	1.4	0.0	0.2	0.2	0.0	0.8	0.0	4.3	0.0	5.0	0.1
DF 0269	Grape, dried (= currants, raisins and sultanas)	0.033	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	2.6	0.1
VL 0053	Leafy vegetables	0.07	40.8	2.9	12.0	0.8	12.5	0.9	9.5	9.5	0.7	5.4	0.4	50.0	3.5	39.9	2.8
VA 0384	Leek	0.01	0.8	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.0
VP 0060	Legume vegetables	0.22	19.6	4.3	6.2	1.4	6.9	1.5	6.0	6.0	1.3	1.7	0.4	29.5	6.5	26.3	5.8
FI 0345	Mango (incl juice, incl pulp)	0.19	12.7	2.4	26.2	5.0	6.1	1.2	12.7	2.4	2.4	9.2	1.7	8.0	1.5	1.9	0.4
MM 0095	Meat from mammals other than marine mammals: 20% as fat	0.15	11.0	1.6	17.9	2.7	6.1	0.9	5.7	5.7	0.9	16.4	2.5	12.2	1.8	31.7	4.7
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.014	43.8	0.6	71.5	1.0	24.5	0.3	22.9	0.3	0.3	65.7	0.9	48.9	0.7	126.6	1.8
ML 0106	Milks (excl processed products)	0.011	66.0	0.7	121.1	1.3	81.6	0.9	102.4	1.1	207.7	2.3	2.3	57.0	0.6	287.9	3.2
SO 0088	Oilseed	0.05	26.2	1.3	19.8	1.0	24.9	1.2	39.9	2.0	7.4	0.4	0.4	62.7	3.1	29.9	1.5
VO 0442	Okra	0.08	4.1	0.3	1.0	0.1	7.0	0.6	15.9	1.3	1.1	1.1	0.1	3.9	0.3	0.2	0.0
FT 0305	Olive (incl oil)	0.05	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.1	1.5	0.1	9.0	0.5
VA 0385	Onion, Bulb (= dry + green onion)	0.01	17.4	0.2	27.9	0.3	7.3	0.1	16.0	0.2	22.8	0.2	0.2	34.5	0.3	30.1	0.3
FI 0350	Papaya	0.135	1.3	0.2	11.5	1.6	1.6	0.2	13.7	1.8	14.5	2.0	2.0	1.0	0.1	0.6	0.1
VO 0444	Peppers, Chilli	0.495	8.7	4.3	13.0	6.4	4.2	2.1	4.7	2.3	1.7	0.8	0.8	2.6	1.3	4.4	2.2

Annex 3

CYPERMETHRIN (119)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person		J diet	J intake	K diet	K intake	L diet	L intake	M diet	M intake
			G diet	H intake	I diet	I intake								
VO0445	Peppers, sweet (incl. pim(i)ento)	0.05	0.0	0.0	9.4	0.5	4.2	0.2	4.7	1.7	0.1	0.1	4.4	0.2
DF0014	Plum, dried (prunes)	1.9	0.1	0.2	0.2	0.4	0.0	0.0	0.0	0.2	0.4	0.4	0.6	1.1
FP0009	Pome fruit (incl apple juice)	0.205	20.9	4.3	12.3	2.5	3.4	0.7	0.1	11.7	2.4	24.9	45.4	9.3
PM0110	Poultry meat: 10% as fat	0.008	1.8	0.0	13.1	0.1	2.5	0.0	0.5	14.6	0.1	2.8	11.5	0.1
PM0110	Poultry meat: 90% as muscle	0.002	15.8	0.0	118.2	0.2	22.6	0.0	4.2	131.3	0.3	24.9	103.6	0.2
PO0111	Poultry, Edible offal of	0.002	0.4	0.0	1.0	0.0	1.9	0.0	0.0	0.7	0.0	1.0	0.3	0.0
VD0070	Pulses	0.05	41.9	2.1	91.8	4.6	35.9	1.8	45.2	160.0	8.0	59.5	140.1	7.0
GC0649	Rice (incl husked, incl polished)	0.57	376.9	214.8	64.3	36.7	38.0	21.7	74.3	238.4	135.9	381.3	34.6	19.7
VR0075	Root and tuber vegetables	0.01	139.1	1.4	109.8	1.1	409.6	4.1	444.6	145.3	1.5	127.0	225.6	2.3
FS0012	Stone fruit (excl dried plums, incl dried apricots)	0.59	6.7	4.0	4.3	2.5	1.4	0.8	0.1	4.9	2.9	4.9	17.7	10.4
FB0275	Strawberry	0.01	0.0	0.0	1.8	0.0	0.1	0.0	0.0	0.3	0.0	6.2	5.9	0.1
GS0659	Sugar cane	0.05	26.2	1.3	1.5	0.1	33.8	1.7	5.5	18.6	0.9	3.0	20.2	1.0
VO0447	Sweet corn (corn-on-the-cob)	0	0.2	0.0	2.4	0.0	2.2	0.0	3.3	1.7	0.0	2.8	11.2	0.0
VO0448	Tomato (excl juice, incl paste, excl peeled)	0.05	23.3	1.2	12.6	0.6	14.6	0.7	7.2	35.2	1.8	5.9	45.0	2.3
JF0448	Tomato juice	0.015	0.0	0.0	0.8	0.0	0.1	0.0	7.2	0.0	0.0	2.4	45.2	0.7
-d	Tomato, peeled	0.006	0.2	0.0	14.5	0.1	0.2	0.0	0.0	0.3	0.0	0.8	1.2	0.0
CM0654	Wheat bran, unprocessed	0.084	ND	-	ND	-	ND	-	ND	ND	-	ND	ND	-
CF1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.015	133.0	2.0	60.1	0.9	52.4	0.8	32.2	87.7	1.3	79.6	180.1	2.7
-	Wine	0.001	1.0	0.0	0.9	0.0	6.8	0.0	0.1	3.4	0.0	3.6	31.0	0.0
Total intake (µg/person)=			273.2	90.0			56.5	78.8		183.3		273.3		96.5
Body weight per region (kg bw) =			55	60			60	60		60		55		60
ADI (µg/person)=			1100	1200			1200	1200		1200		1100		1200
%ADI=			24.8%	7.5%			4.7%	6.6%		15.3%		24.8%		8.0%
Rounded %ADI=			20%	7%			5%	7%		20%		20%		8%

Annex 3

DIMETHOATE (027) International Estimated Daily Intake (IEDI) ADI= 0 - 0.002 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person						
			A		B		C		D		E		F		
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	
VS 0620	Artichoke globe	0.1	0.0	0.0	10.0	1.0	2.1	0.2	0.1	0.0	0.8	0.1	0.0	0.1	0.0
VS 0621	Asparagus	0.22	0.0	0.0	1.1	0.2	0.6	0.1	0.2	0.0	1.2	0.3	0.0	0.1	0.0
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, incl beer)	0.405	40.6	16.4	16.8	6.8	93.9	38.0	13.2	5.3	48.6	19.7	36.1	14.6	14.6
VB 0402	Brussels sprouts	0.35	0.0	0.0	0.1	0.0	2.8	1.0	5.5	1.9	1.5	0.5	1.9	0.7	0.7
VB 0403	Cabbage, Savoy 1/	0.77	1.2	0.9	14.4	11.1	2.7	2.1	16.4	12.6	15.4	11.9	18.5	14.2	14.2
VB 0404	Cauliflower	0.025	0.1	0.0	5.2	0.1	1.2	0.0	0.1	0.0	1.7	0.0	0.1	0.0	0.0
VS 0624	Celery	0.2	0.0	0.0	0.9	0.2	0.0	0.0	2.0	0.4	1.5	0.3	0.0	0.0	0.0
FS 0013	Cherries	1.425	0.0	0.0	6.8	9.7	0.9	1.3	6.2	8.8	3.6	5.1	0.4	0.6	0.6
FC 0001	Citrus fruit (incl lemon juice, incl mandarin juice, excl orange juice, incl grapefruit juice, incl NES juice)	0.27	15.7	4.2	96.7	26.1	55.3	14.9	25.3	6.8	23.4	6.3	16.2	4.4	4.4
PE 0112	Eggs	0	2.5	0.0	29.7	0.0	25.1	0.0	24.5	0.0	37.8	0.0	27.4	0.0	0.0
VL 0482	Lettuce, head	0.13	0.1	0.0	12.3	1.6	1.3	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0
FI 0345	Mango (incl juice, incl pulp)	0.36	6.3	2.3	1.0	0.4	4.6	1.7	0.2	0.1	0.7	0.3	0.3	0.1	0.1
MM 0095	Meat from mammals other than marine mammals	0	27.7	0.0	116.5	0.0	38.5	0.0	55.1	0.0	90.2	0.0	131.3	0.0	0.0
ML 0107	Milk of cattle, goats & sheep (excl processed products)	0	52.7	0.0	189.5	0.0	65.7	0.0	295.6	0.0	179.6	0.0	237.9	0.0	0.0
FT 0305	Olive (table olives, only)	2.24	0.0	0.0	4.8	10.8	0.8	1.8	0.4	0.9	1.0	2.2	0.8	1.8	1.8
OR 0305	Olive oil, refined	0.059	0.0	0.0	14.3	0.8	3.9	0.2	0.0	0.0	1.5	0.1	0.8	0.0	0.0
JF 0004	Orange juice	0.49	0.0	0.0	2.1	1.0	4.4	2.2	1.4	0.7	16.2	7.9	22.6	11.1	11.1
FP 0230	Pear	0.57	0.1	0.1	22.3	12.7	2.8	1.6	4.8	2.7	10.7	6.1	6.8	3.9	3.9
VP 0063	Peas (green pods and/or immature seeds)	0.265	0.1	0.0	2.9	0.8	6.0	1.6	0.6	0.2	9.7	2.6	5.2	1.4	1.4
VO 0445	Peppers, sweet (incl. pim(t)ento)	0.28	0.7	0.2	14.9	4.2	8.8	2.5	3.2	0.9	3.1	0.9	2.0	0.6	0.6
VR 0589	Potato (incl flour, frozen, starch, tapioca)	0.11	19.1	2.1	160.8	17.7	61.2	6.7	243.6	26.8	230.1	25.3	204.7	22.5	22.5
PM 0110	Poultry meat	0	7.1	0.0	58.5	0.0	31.9	0.0	24.0	0.0	61.0	0.0	27.3	0.0	0.0
PO 0111	Poultry, Edible offal of	0	0.4	0.0	0.4	0.0	1.7	0.0	0.1	0.0	0.6	0.0	0.2	0.0	0.0
PF 0111	Poultry, fats	0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0
MO 0822	Sheep, edible offal of	0	0.4	0.0	1.3	0.0	1.7	0.0	1.0	0.0	0.7	0.0	0.4	0.0	0.0
VR 0596	Sugar beet	0.11	0.0	0.0	40.7	4.5	0.0	0.0	0.1	0.0	6.0	0.7	0.1	0.0	0.0
VR 0506	Turnip, garden	1.1	0.0	0.0	0.1	0.1	0.8	0.9	2.0	2.2	0.6	0.7	14.0	15.4	15.4
GC 0654	Wheat (excl bulgur wholemeal, excl flour)	0.021	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
-d	Wheat bulgur wholemeal	0.027	5.5	0.1	10.2	0.3	0.7	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.014	63.4	0.9	296.3	4.1	327.5	4.6	300.0	4.2	181.6	2.5	166.2	2.3	2.3

Annex 3

DIMETHOATE (027)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.002 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day			Intake = daily intake: µg/person			F diet intake
			A diet intake	B diet intake	C diet intake	D diet intake	E diet intake	F diet intake	
	Total intake (µg/person)=		27.3	11.4.2	81.5	74.7	93.5	93.6	
	Body weight per region (kg bw) =		60	60	60	60	60	60	
	ADI (µg/person)=		120	120	120	120	120	120	
	%ADI=		22.8%	95.2%	67.9%	62.2%	77.9%	78.0 %	
	Rounded %ADI=		20%	100%	70%	60%	80%	80%	

Note 1: Because no consumption data are available for Savoy cabbage, the STMR of Savoy cabbage was applied to head cabbage (VB 0041) consumption.

DIMETHOATE (027)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.002 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day			Intake = daily intake: µg/person			M diet intake							
			G diet intake	H diet intake	I diet intake	J diet intake	K diet intake	L diet intake								
VS 0620	Artichoke globe	0.1	0.0	0.1	0.0	0.0	0.0	0.0	1.0	0.1						
VS 0621	Asparagus	0.22	0.8	0.3	0.1	0.2	0.0	0.0	0.5	0.1	0.2					
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, incl beer)	0.405	5.9	2.4	20.5	8.3	5.9	2.4	2.5	1.0	20.2	8.2	16.8	6.8	43.8	17.7
VB 0402	Brussels sprouts	0.35	3.4	1.2	0.4	0.1	0.0	0.0	0.0	0.0	0.5	0.2	7.9	2.8	0.3	0.1
VB 0403	Cabbage, Savoy 1/	0.77	10.0	7.7	1.0	0.8	7.2	5.5	1.0	0.8	1.4	1.1	23.9	18.4	17.0	13.1
VB 0404	Cauliflower	0.025	3.2	0.1	0.1	0.0	0.3	0.0	0.1	0.0	0.6	0.0	0.4	0.0	1.4	0.0
VS 0624	Celery	0.2	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	1.0	0.2	0.0	0.0	4.2	0.8
FS 0013	Cherries	1.425	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	2.5	3.6
FC 0001	Citrus fruit (incl lemon juice, incl mandarin juice, excl orange juice, incl grapefruit juice, incl NES juice)	0.27	16.9	4.6	155.0	41.9	8.6	2.3	42.5	11.5	220.5	59.5	28.9	7.8	30.1	8.1
PE 0112	Eggs	0	22.1	0.0	71.5	0.0	16.6	0.0	5.1	0.0	17.6	0.0	35.2	0.0	57.4	0.0
VL 0482	Lettuce, head	0.13	2.4	0.3	7.0	0.9	0.2	0.0	0.6	0.1	2.0	0.3	2.4	0.3	15.7	2.0
FI 0345	Mango (incl juice, incl pulp)	0.36	12.7	4.6	26.2	9.4	6.1	2.2	12.7	4.6	9.2	3.3	8.0	2.9	1.9	0.7
MM 0095	Meat from mammals other than marine mammals	0	54.8	0.0	89.4	0.0	30.6	0.0	28.6	0.0	82.1	0.0	61.1	0.0	158.3	0.0
ML 0107	Milk of cattle, goats & sheep (excl processed products)	0	48.0	0.0	121.1	0.0	80.8	0.0	94.7	0.0	207.7	0.0	56.1	0.0	287.9	0.0
FT 0305	Olive (table olives, only)	2.24	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.6	1.3	0.0	0.0	1.0	2.2

Annex 3

DIMETHOATE (027)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.002 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day										Intake = daily intake: µg/person														
			G diet	H intake	H diet	I intake	I diet	I intake	J diet	J intake	K diet	K intake	L diet	L intake	M diet	M intake											
OR 0305	Olive oil, refined	0.059	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.1		
JF 0004	Orange juice	0.49	0.2	0.1	1.0	0.5	3.5	1.7	0.0	0.0	0.0	0.0	0.0	1.3	0.6	6.4	3.1	56.8	27.8								
FP 0230	Pear	0.57	6.4	3.6	1.9	1.1	1.2	0.7	0.0	0.0	0.0	0.0	0.0	1.8	1.0	6.9	3.9	7.8	4.4								
VP 0063	Peas (green pods and/or immature seeds)	0.265	3.9	1.0	1.6	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.9	0.2	1.0	0.3	8.6	2.3								
VO 0445	Peppers, sweet (incl. pim(i)jento)	0.28	0.0	0.0	9.4	2.6	4.2	1.2	4.7	1.3	1.7	0.5	2.6	0.7	4.4	1.2											
VR 0589	Potato (incl flour, frozen, starch, tapioca)	0.11	52.7	5.8	57.1	6.3	50.1	5.5	4.3	0.5	54.7	6.0	41.0	4.5	168.0	18.5											
PM 0110	Poultry meat	0	17.6	0.0	131.3	0.0	25.1	0.0	4.7	0.0	145.9	0.0	27.7	0.0	115.1	0.0											
PO 0111	Poultry, Edible offal of	0	0.4	0.0	1.0	0.0	1.9	0.0	0.0	0.0	0.7	0.0	1.0	0.0	0.3	0.0											
PF 0111	Poultry, fats	0	0.1	0.0	8.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	4.2	0.0											
MO 0822	Sheep, edible offal of	0	0.3	0.0	0.3	0.0	0.6	0.0	0.8	0.0	0.2	0.0	0.0	0.0	0.4	0.0											
VR 0596	Sugar beet	0.11	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.0											
VR 0506	Turnip, garden	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.1	0.0	0.0	0.4	0.0											
GC 0654	Wheat (excl bulgur wholemeal, excl flour)	0.021	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0											
-d	Wheat bulgur wholemeal	0.027	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0											
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.014	133.0	1.9	60.1	0.8	52.4	0.7	32.2	0.5	87.7	1.2	79.6	1.1	180.1	2.5											
Total intake (µg/person)=			34.1		73.6		22.5		20.2		84.9		53.2		107.7												
Body weight per region (kg bw) =			55		60		60		60		60		55		60												
ADI (µg/person)=			110		120		120		120		120		110		120												
%ADI=			31.0		61.3		18.7%		16.8		70.7		48.4		89.7%												
Rounded %ADI=			30%		60%		20%		20%		70%		50%		90%												

Note 1: Because no consumption data are available for Savoy cabbage, the STMR of Savoy cabbage was applied to head cabbage (VB 0041) consumption.

Annex 3

ETHOXYQUIN (035) International Estimated Daily Intake (IEDI) ADI = 0 - 0.005 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person							
			A diet	B diet	C diet	D diet	E diet	F diet	intake	intake		
FP 0230	Pear	5	0.1	0.5	22.3	111.5	2.8	14.0	4.8	10.7	6.8	34.0
	Total intake (µg/person)=		0.5		111.5		14.0		24.0		53.5	34.0
	Body weight per region (kg bw) =		60		60		60		60		60	60
	ADI (µg/person)=		300		300		300		300		300	300
	%ADI=		0.2%		37.2%		4.7%		8.0%		17.8%	11.3%
	Rounded %ADI=		0%		40%		5%		8%		20%	10%

ETHOXYQUIN (035) International Estimated Daily Intake (IEDI) ADI = 0 - 0.005 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person									
			G diet	H diet	I diet	J diet	K diet	L diet	M diet	intake	intake	intake	intake	
FP 0230	Pear	5	6.4	32.0	1.9	9.5	1.2	6.0	0.0	0.0	1.8	6.9	7.8	39.0
	Total intake (µg/person)=		32.0		9.5		6.0		0.0		9.0		34.5	39.0
	Body weight per region (kg bw) =		55		60		60		60		60		55	60
	ADI (µg/person)=		275		300		300		300		300		275	300
	%ADI=		11.6%		3.2%		2.0%		0.0%		3.0%		12.5%	13.0%
	Rounded %ADI=		10%		3%		2%		0%		3%		10%	10%

Annex 3

IMIDACLOPRID (206)

International Estimated Daily Intake (IEDI)

ADI = 0 – 0.06 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person					
			A diet	intake	B diet	intake	C diet	intake	D diet	intake	E diet	intake	F diet	intake
FP 0226	Apple (excl juice)	0.07	0.3	0.0	56.3	3.9	18.4	1.3	38.3	2.7	40.6	2.8	28.3	2.0
JF 0226	Apple juice	0.046	0.0	0.0	2.8	0.1	0.1	0.0	1.1	0.1	6.8	0.3	7.4	0.3
DF 0226	Apple, dried	0.061	ND	-	ND	-	-	-	ND	-	ND	-	ND	-
FS 0240	Apricot (incl dried)	0.12	0.3	0.0	6.2	0.7	3.9	0.5	3.2	0.4	2.0	0.2	0.8	0.1
FI 0327	Banana	0.01	38.8	0.4	17.4	0.2	16.0	0.2	6.6	0.1	21.5	0.2	33.8	0.3
VP 0061	Beans except broad bean & soya bean (green pods & immature seeds)	0.4	1.0	0.4	17.4	7.0	7.5	3.0	0.9	0.4	16.4	6.6	0.1	0.0
FB 0264	Blackberries	0.89	0.0	0.0	0.1	0.1	0.0	0.0	0.3	0.3	0.1	0.1	0.3	0.3
FB 0020	Blueberries	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.8	0.7
FB 4079	Boysenberry	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.3	0.3
VB 0400	Broccoli	0.08	0.0	0.0	0.7	0.1	1.2	0.1	0.1	0.0	4.2	0.3	4.0	0.3
VB 0402	Brussels sprouts	0.08	0.0	0.0	0.1	0.0	2.8	0.2	5.5	0.4	1.5	0.1	1.9	0.2
VB 0041	Cabbages, Head	0.08	1.2	0.1	14.4	1.2	2.7	0.2	16.4	1.3	15.4	1.2	18.5	1.5
VB 0404	Cauliflower	0.08	0.1	0.0	5.2	0.4	1.2	0.1	0.1	0.0	1.7	0.1	0.1	0.0
GC 0080	Cereal grains	0.05	356.9	17.8	713.9	35.7	763.0	38.2	504.5	25.2	365.2	18.3	328.7	16.4
FS 0244	Cherries, sweet	0.14	0.0	0.0	5.4	0.8	0.9	0.1	3.5	0.5	2.1	0.3	0.4	0.1
FC 0001	Citrus fruit (excl lemon juice, excl mandarin juice, excl orange juice, excl grapefruit juice, excl NES juice)	0.05	15.7	0.8	86.5	4.3	52.6	2.6	24.2	1.2	16.2	0.8	12.0	0.6
-	Citrus juice NES	0.014	0.0	0.0	1.7	0.0	0.1	0.0	0.0	0.0	1.1	0.0	0.3	0.0
SB 0716	Coffee beans (incl green, incl extracts, incl roasted)	0.35	3.1	1.1	12.6	4.4	2.9	1.0	1.4	0.5	10.1	3.5	18.0	6.3
FB 0265	Cranberries	0.05	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.6	0.0
VC 0424	Cucumber	0.31	0.3	0.1	12.7	3.9	5.9	1.8	11.5	3.6	6.1	1.9	7.1	2.2
FB 0278	Currants, black	0.89	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.0	1.6	1.4	1.0	0.9
FB 0021	Currants, red, black, white	0.89	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.0	3.1	2.8	2.0	1.8
FB 0279	Currants, red, white	0.89	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.0	1.6	1.4	1.0	0.9
FB 0266	Dewberries, incl boysen- & loganberry	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.3	0.3
MO 0105	Edible offal (mammalian)	0.06	3.9	0.2	14.4	0.9	5.2	0.3	11.8	0.7	11.7	0.7	7.6	0.5
VO 0440	Egg plant (= aubergine)	0.05	1.7	0.1	17.5	0.9	12.3	0.6	1.7	0.1	0.8	0.0	0.4	0.0
PE 0112	Eggs	0.003	2.5	0.0	29.7	0.1	25.1	0.1	24.5	0.1	37.8	0.1	27.4	0.1
FB 0267	Elderberries	0.89	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
FB 0268	Gooseberries	0.89	0.0	0.0	12.0	10.7	0.0	0.0	0.6	0.5	1.1	1.0	0.2	0.2

Annex 3

IMIDACLOPRID (206)

International Estimated Daily Intake (IEDI)

ADI = 0 – 0.06 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person					
			A diet	intake	B diet	intake	C diet	intake	D diet	intake	E diet	intake	F diet	intake
FB 0269	Grape (incl dried, excl juice, incl wine)	0.11	3.7	0.4	128.4	14.1	27.0	3.0	33.0	3.6	105.5	11.6	42.6	4.7
JF 0269	Grape juice	0.08	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	1.4	0.1	1.0	0.1
DH 1100	Hops, dry	0.7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.1
VA 0384	Leek	0.05	0.3	0.0	5.3	0.3	0.0	0.0	0.2	0.0	4.6	0.2	1.5	0.1
VL 0482	Lettuce, head	0.9	0.1	0.1	12.3	11.1	1.3	1.2	0.1	0.1	0.1	0.1	0.0	0.0
FI 0345	Mango (incl juice, incl pulp)	0.05	6.3	0.3	1.0	0.1	4.6	0.2	0.2	0.0	0.7	0.0	0.3	0.0
MM 0095	Meat from mammals other than marine mammals: 20% as fat	0.007	5.5	0.0	23.3	0.2	7.7	0.1	11.0	0.1	18.0	0.1	26.3	0.2
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.012	22.2	0.3	93.2	1.1	30.8	0.4	44.1	0.5	72.2	0.9	105.0	1.3
VC 0046	Melons, except watermelon	0.05	3.6	0.2	26.7	1.3	22.6	1.1	11.5	0.6	5.6	0.3	2.0	0.1
ML 0106	Milks (excl processed products)	0.018	68.8	1.2	190.6	3.4	79.4	1.4	302.6	5.4	179.6	3.2	237.9	4.3
FS 0245	Nectarine	0.12	0.0	0.0	0.5	0.1	3.3	0.4	1.8	0.2	2.8	0.3	1.6	0.2
VA 0385	Onion, Bulb (= dry + green onion)	0.05	5.5	0.3	49.5	2.5	33.0	1.7	31.3	1.6	23.2	1.2	14.6	0.7
FS 0247	Peach	0.12	0.2	0.0	24.8	3.0	3.3	0.4	1.8	0.2	5.4	0.6	1.6	0.2
SO 0697	Peanut, shelled (incl oil)	0.12	5.4	0.6	3.1	0.4	2.1	0.3	0.7	0.1	4.0	0.5	1.4	0.2
FP 0230	Pear	0.38	0.1	0.0	22.3	8.5	2.8	1.1	4.8	1.8	10.7	4.1	6.8	2.6
VD 0072	Peas (dry) (= field pea + cowpea)	0.62	6.8	4.2	1.3	0.8	1.0	0.6	2.3	1.4	4.6	2.9	3.4	2.1
VP 0063	Peas (green pods and/or immature seeds)	0.6	0.1	0.1	2.9	1.7	6.0	3.6	0.6	0.4	9.7	5.8	5.2	3.1
VP 0064	Peas, shelled (immature seeds only)	0.58	0.0	0.0	0.9	0.5	6.0	3.5	0.6	0.3	9.7	5.6	3.2	1.9
VO 0051	Peppers	0.15	1.4	0.2	29.9	4.5	13.0	2.0	6.3	0.9	6.2	0.9	4.0	0.6
FS 0014	Plum (incl dried)	0.05	0.1	0.0	5.9	0.3	2.5	0.1	7.3	0.4	6.9	0.3	2.6	0.1
PM 0110	Poultry meat: 10% as fat	0.0004	0.7	0.0	5.9	0.0	3.2	0.0	2.4	0.0	6.1	0.0	2.7	0.0
PM 0110	Poultry meat: 90% as muscle	0.001	6.4	0.0	52.7	0.1	28.7	0.0	21.6	0.0	54.9	0.1	24.6	0.0
PO 0111	Poultry, Edible offal of	0.007	0.4	0.0	0.4	0.0	1.7	0.0	0.1	0.0	0.6	0.0	0.2	0.0
SO 0495	Rape seed (incl oil)	0.05	0.9	0.0	1.8	0.1	2.5	0.1	1.9	0.1	35.7	1.8	26.1	1.3
FB 0272	Raspberries, red, black	0.89	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.6	0.9	0.8	0.2	0.2
VR 0075	Root and tuber vegetables	0.05	528.2	26.4	352.8	17.6	78.5	3.9	270.3	13.5	324.1	16.2	261.3	13.1
FB 0273	Rose hips	0.89	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
VC 0431	Squash, summer (= courgette, zucchini)	0.31	0.0	0.0	8.3	2.6	11.4	3.5	7.3	2.3	3.2	1.0	0.3	0.1
FB 0275	Strawberry	0.17	0.0	0.0	5.0	0.9	2.0	0.3	1.7	0.3	5.2	0.9	4.1	0.7
SO 0702	Sunflower seed (incl oil)	0.05	0.7	0.0	44.5	2.2	20.5	1.0	29.6	1.5	21.2	1.1	5.4	0.3

Annex 3

IMIDACLOPRID (206)

International Estimated Daily Intake (IEDI)

ADI = 0 – 0.06 mg/kg bw

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person											
			A diet	B diet	C diet	D diet	E diet	F diet	intake	intake	intake	intake	intake	intake						
VO 0447	Sweet corn (corn-on-the-cob)	0.01	7.3	0.1	1.0	0.0	0.1	0.0	0.5	0.0	3.3	0.0	0.0	3.6	0.0					
VO 0448	Tomato (excl juice, excl paste, incl peeled)	0.08	3.3	0.3	179.2	14.3	103.5	8.3	54.1	4.3	7.8	0.6	3.9	0.3						
JF 0448	Tomato juice	0.11	5.2	0.6	0.5	0.1	0.4	0.0	2.1	0.2	6.9	0.8	15.2	1.7						
-d	Tomato paste	0.458	0.5	0.2	1.3	0.6	3.5	1.6	1.0	0.5	3.8	1.7	4.5	2.1						
TN 0085	Tree nuts	0.01	4.2	0.0	21.5	0.2	3.9	0.0	3.0	0.0	5.5	0.1	10.2	0.1						
VC 0432	Watermelon	0.05	6.1	0.3	43.1	2.2	47.1	2.4	25.8	1.3	4.4	0.2	6.0	0.3						
Total intake (µg/person)=			57.2						92.6						108.9					
Body weight per region (kg bw) =			60						60						60					
ADI (µg/person)=			3600						3600						3600					
%ADI=			1.6%						2.6%						3.0%					
Rounded %ADI=			2%						3%						3%					

IMIDACLOPRID (206)

International Estimated Daily Intake (IEDI)

ADI = 0 – 0.06 mg/kg bw

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day			Intake = daily intake: µg/person			Diets: g/person/day			Intake = daily intake: µg/person			Diets: g/person/day			Intake = daily intake: µg/person		
			G diet	H diet	I diet	intake	intake	intake	J diet	K diet	L diet	intake	intake	intake	M diet	N diet	O diet	intake	intake	intake
FP 0226	Apple (excl juice)	0.07	14.3	1.0	9.4	0.7	2.1	0.1	0.0	0.0	0.0	0.0	8.8	0.6	16.6	1.2	27.8	1.9		
JF 0226	Apple juice	0.046	0.1	0.0	0.5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.9	0.0	5.7	0.3		
DF 0226	Apple, dried	0.061	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-		
FS 0240	Apricot (incl dried)	0.12	0.2	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.1	0.1		
FI 0327	Banana	0.01	21.4	0.2	36.6	0.4	11.4	0.1	9.2	0.1	40.5	0.4	70.2	0.7	40.5	0.4	32.6	0.3		
VP 0061	Beans except broad bean & soya bean (green pods & immature seeds)	0.4	2.6	1.0	2.6	1.0	1.0	0.4	0.5	0.2	2.8	1.1	0.6	0.2	2.8	1.1	9.8	3.9		
FB 0264	Blackberries	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.3	0.3		
FB 0020	Blueberries	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2		
FB 4079	Boysenberry	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0		
VB 0400	Broccoli	0.08	3.2	0.3	7.8	0.6	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.4	0.0	6.6	0.5		
VB 0402	Brussels sprouts	0.08	3.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	7.9	0.6	0.5	0.0	7.9	0.6	0.3	0.0		
VB 0041	Cabbages, Head	0.08	10.0	0.8	1.0	0.1	7.2	0.6	1.0	0.1	23.9	1.9	1.4	0.1	23.9	1.9	17.0	1.4		

Annex 3

IMIDACLOPRID (206)

International Estimated Daily Intake (IEDI)

ADI = 0 – 0.06 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person		J diet intake	K diet intake	L diet intake	M diet intake	
			G diet	H diet	I diet intake	J diet intake					
VB 0404	Cauliflower	0.08	3.2	0.3	0.1	0.0	0.0	0.0	0.4	1.4	0.1
GC 0080	Cereal grains	0.05	617.0	30.9	487.1	24.4	385.7	19.3	567.7	409.9	20.5
FS 0244	Cherries, sweet	0.14	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	0.2
FC 0001	Citrus fruit (excl lemon juice, excl mandarin juice, excl orange juice, excl grapefruit juice, excl NES juice)	0.05	15.1	0.8	153.9	7.7	41.7	2.1	23.1	18.0	0.9
-	Citrus juice NES	0.014	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0
SB 0716	Coffee beans (incl green, incl extracts, incl roasted)	0.35	0.2	0.1	7.0	2.5	0.2	0.1	5.7	12.4	4.3
FB 0265	Cranberries	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.1
VC 0424	Cucumber	0.31	7.9	2.4	0.6	0.2	0.0	0.0	5.5	5.3	1.6
FB 0278	Currants, black	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FB 0021	Currants, red, black, white	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FB 0279	Currants, red, white	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FB 0266	Dewberries, incl boysen- & loganberry	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MO 0105	Edible offal (mammalian)	0.06	4.8	0.3	10.7	0.6	4.0	0.2	6.6	5.6	0.3
VO 0440	Egg plant (= aubergine)	0.05	20.1	1.0	0.1	0.0	6.3	0.3	6.3	0.7	0.0
PE 0112	Eggs	0.003	22.1	0.1	71.5	0.2	16.6	0.0	35.2	57.4	0.2
FB 0267	Elderberries	0.89	ND	-	ND	-	ND	-	ND	ND	-
FB 0268	Gooseberries	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FB 0269	Grape (incl dried, excl juice, incl wine)	0.11	2.6	0.3	4.7	0.5	10.3	1.1	10.3	53.8	5.9
JF 0269	Grape juice	0.08	0.0	0.0	0.1	0.0	1.0	0.0	0.4	3.6	0.3
DH 1100	Hops, dry	0.7	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.6	0.4
VA 0384	Leek	0.05	0.8	0.0	0.2	0.0	0.0	0.0	0.3	0.1	0.0
VL 0482	Lettuce, head	0.9	2.4	2.2	7.0	6.3	0.2	0.2	2.4	15.7	14.1
FI 0345	Mango (incl juice, incl pulp)	0.05	12.7	0.6	26.2	1.3	6.1	0.3	8.0	1.9	0.1
MM 0095	Meat from mammals other than marine mammals; 20% as fat	0.007	11.0	0.1	17.9	0.1	6.1	0.0	12.2	31.7	0.2
MM 0095	Meat from mammals other than marine mammals; 80% as muscle	0.012	43.8	0.5	71.5	0.9	24.5	0.3	48.9	126.6	1.5
VC 0046	Melons, except watermelon	0.05	7.5	0.4	6.1	0.3	0.7	0.0	6.9	12.4	0.6
ML 0106	Milks (excl processed products)	0.018	66.0	1.2	121.1	2.2	81.6	1.5	57.0	287.9	5.2
FS 0245	Nectarine	0.12	1.7	0.2	1.7	0.2	0.0	0.0	1.7	1.4	0.2

Annex 3

IMIDACLOPRID (206)

International Estimated Daily Intake (IEDI)

ADI = 0 – 0.06 mg/kg bw

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person											
			G diet	H diet	I intake	I diet	J intake	J diet	K intake	K diet	L intake	L diet	M intake	M diet		
VA 0385	Onion, Bulb (= dry + green onion)	0.05	17.4	0.9	27.9	1.4	7.3	0.4	16.0	0.8	22.8	1.1	34.5	1.7	30.1	1.5
FS 0247	Peach	0.12	1.7	0.2	1.7	0.2	1.1	0.1	0.1	0.0	1.0	0.1	1.7	0.2	10.2	1.2
SO 0697	Peanut, shelled (incl oil)	0.12	7.6	0.9	2.1	0.3	4.7	0.6	21.8	2.6	0.9	0.1	0.7	0.1	6.9	0.8
FP 0230	Pear	0.38	6.4	2.4	1.9	0.7	1.2	0.5	0.0	0.0	1.8	0.7	6.9	2.6	7.8	3.0
VD 0072	Peas (dry) (= field pea + cowpea)	0.62	1.8	1.1	2.2	1.4	3.2	2.0	26.7	16.6	1.5	0.9	1.8	1.1	1.8	1.1
VP 0063	Peas (green pods and/or immature seeds)	0.6	3.9	2.3	1.6	1.0	0.4	0.2	0.0	0.0	0.9	0.5	1.0	0.6	8.6	5.2
VP 0064	Peas, shelled (immature seeds only)	0.58	3.9	2.3	1.6	0.9	0.0	0.0	0.0	0.0	0.4	0.2	1.0	0.6	0.8	0.5
VO 0051	Peppers	0.15	8.7	1.3	22.4	3.4	8.4	1.3	9.4	1.4	3.3	0.5	5.3	0.8	8.9	1.3
FS 0014	Plum (incl dried)	0.05	3.3	0.2	1.4	0.1	0.1	0.0	0.0	0.0	0.6	0.0	1.5	0.1	2.2	0.1
PM 0110	Poultry meat: 10% as fat	0.0004	1.8	0.0	13.1	0.0	2.5	0.0	0.5	0.0	14.6	0.0	2.8	0.0	11.5	0.0
PM 0110	Poultry meat: 90% as muscle	0.001	15.8	0.0	118.2	0.1	22.6	0.0	4.2	0.0	131.3	0.1	24.9	0.0	103.6	0.1
PO 0111	Poultry, Edible offal of	0.007	0.4	0.0	1.0	0.0	1.9	0.0	0.0	0.0	0.7	0.0	1.0	0.0	0.3	0.0
SO 0495	Rape seed (incl oil)	0.05	9.9	0.5	5.9	0.3	0.3	0.0	1.0	0.1	0.0	0.0	15.5	0.8	9.9	0.5
FB 0272	Raspberries, red, black	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.5	0.4
VR0075	Root and tuber vegetables	0.05	139.1	7.0	109.8	5.5	409.6	20.5	444.6	22.2	145.3	7.3	127.0	6.4	225.6	11.3
FB 0273	Rose hips	0.89	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
VC 0431	Squash, summer (= courgette, zucchini)	0.31	2.4	0.7	1.5	0.5	0.0	0.0	0.0	0.0	3.8	1.2	2.2	0.7	2.5	0.8
FB 0275	Strawberry	0.17	0.0	0.0	1.8	0.3	0.1	0.0	0.0	0.0	0.3	0.1	6.2	1.1	5.9	1.0
SO 0702	Sunflower seed (incl oil)	0.05	2.7	0.1	8.8	0.4	13.5	0.7	0.2	0.0	3.6	0.2	0.6	0.0	10.4	0.5
VO 0447	Sweet corn (corn-on-the-cob)	0.01	0.2	0.0	2.4	0.0	2.2	0.0	3.3	0.0	1.7	0.0	2.8	0.0	11.2	0.1
VO 0448	Tomato (excl juice, excl paste, incl peeled)	0.08	23.1	1.8	22.3	1.8	12.5	1.0	5.6	0.4	33.2	2.7	1.3	0.1	41.7	3.3
JF 0448	Tomato juice	0.11	0.0	0.0	0.8	0.1	0.1	0.0	7.2	0.8	0.0	0.0	2.4	0.3	45.2	5.0
-d	Tomato paste	0.458	0.1	0.0	2.1	1.0	0.6	0.3	0.4	0.2	0.6	0.3	1.4	0.6	1.2	0.5
TN 0085	Tree nuts	0.01	16.3	0.2	15.7	0.2	9.7	0.1	1.9	0.0	19.1	0.2	29.0	0.3	5.6	0.1
VC 0432	Watermelon	0.05	39.3	2.0	14.0	0.7	2.5	0.1	13.6	0.7	8.4	0.4	14.5	0.7	13.6	0.7
Total intake (µg/person)=			68.8		70.4		52.9		71.7		63.1		64.3		106.0	
Body weight per region (kg bw) =			55		60		60		60		60		60		60	
ADI (µg/person)=			3300		3600		3600		3600		3600		3300		3600	
%ADI=			2.1%		2.0%		1.5%		2.0%		1.8%		1.9%		2.9%	
Rounded %ADI=			2%		2%		1%		2%		2%		2%		3%	

Annex 3

MALATHION (049)		International Estimated Daily Intake (IEDI)												ADI = 0 - 0.3 mg/kg bw	
Codex Code	Commodity	STMIR or STMIR-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person				Intake = daily intake: µg/person				ADI		
			A diet	B intake	B diet	B intake	C diet	C intake	D diet	D intake	E diet	E intake	F diet	F intake	
FP 0226	Apple (incl juice)	0.11	0.3	0.0	60.5	6.7	18.5	2.0	39.9	4.4	50.8	5.6	39.4	4.3	
VS 0621	Asparagus	0.305	0.0	0.0	1.1	0.3	0.6	0.2	0.2	0.1	1.2	0.4	0.1	0.0	
VD 0071	Beans (dry)	0.36	15.8	5.7	6.1	2.2	1.7	0.6	6.3	2.3	1.8	0.6	5.0	1.8	
VP 0061	Beans except broad bean & soya bean (green pods & immature seeds)	0.31	1.0	0.3	17.4	5.4	7.5	2.3	0.9	0.3	16.4	5.1	0.1	0.0	
FB 0020	Blueberries	2.27	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	0.7	0.8	1.8	
FC 0001	Citrus fruit (incl lemon juice, incl mandarin juice, incl orange juice, incl grapefruit juice, incl NES juice)	0.02	15.7	0.3	100.5	2.0	63.2	1.3	27.8	0.6	52.6	1.1	56.9	1.1	
OR 0691	Cotton seed oil, edible	3.06	0.9	2.8	4.9	15.0	1.7	5.2	6.6	20.2	0.0	0.0	0.3	0.9	
VC 0424	Cucumber	0.02	0.3	0.0	12.7	0.3	5.9	0.1	11.5	0.2	6.1	0.1	7.1	0.1	
FB 0269	Grape (incl dried, incl juice, incl wine)	0.16	3.7	0.6	128.5	20.6	27.1	4.3	33.1	5.3	107.5	17.2	44.0	7.0	
GC 0645	Maize (incl flour, incl oil, incl beer)	0.01	82.7	0.8	148.4	1.5	135.9	1.4	31.8	0.3	33.3	0.3	7.5	0.1	
VL 0485	Mustard greens	0.07	0.3	0.0	0.3	0.0	0.0	0.0	5.5	0.4	0.0	0.0	1.9	0.1	
-	Onion, dry	0.23	4.3	1.0	45.6	10.5	27.4	6.3	30.2	6.9	22.1	5.1	12.2	2.8	
VO 0051	Peppers	0.01	1.4	0.0	29.9	0.3	13.0	0.1	6.3	0.1	6.2	0.1	4.0	0.0	
VL 0502	Spinach	0.35	0.0	0.0	5.0	1.8	1.1	0.4	0.1	0.0	2.6	0.9	0.1	0.0	
VA 0389	Spring onion	0.52	0.3	0.2	1.0	0.5	1.4	0.7	0.3	0.2	0.3	0.2	0.6	0.3	
FB 0275	Strawberry	0.25	0.0	0.0	5.0	1.3	2.0	0.5	1.7	0.4	5.2	1.3	4.1	1.0	
VO 0447	Sweet corn (corn-on-the-cob)	0.01	7.3	0.1	1.0	0.0	0.1	0.0	0.5	0.0	3.3	0.0	3.6	0.0	
VO 0448	Tomato (excl juice, incl paste, incl peeled)	0.25	5.3	1.3	184.4	46.1	117.5	29.4	58.1	14.5	23.0	5.7	21.9	5.5	
JF 0448	Tomato juice	0	5.2	0.0	0.5	0.0	0.4	0.0	2.1	0.0	6.9	0.0	15.2	0.0	
VR 0506	Turnip, garden	0.05	0.0	0.0	0.1	0.0	0.8	0.0	2.0	0.1	0.6	0.0	14.0	0.7	
GC 0654	Wheat (incl bulgur wholemeal, excl flour)	10	6.0	59.8	11.1	111.1	0.8	7.5	0.2	2.0	0.2	2.2	0.0	0.0	
CM 0654	Wheat bran, unprocessed	25	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.87	63.4	54.5	296.3	254.8	327.5	281.7	300.0	258.0	181.6	156.2	166.2	142.9	
CP1211	White bread	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.0	0.2	
CP1212	Wholemeal bread	1.2	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	1.0	1.2	
Total intake (µg/person)=			127.4		480.4		344.0		316.8		202.9		172.2		
Body weight per region (kg bw) =			60		60		60		60		60		60		
ADI (µg/person)=			18000		18000		18000		18000		18000		18000		
%ADI=			0.7%		2.7%		1.9%		1.8%		1.1%		1.0%		
Rounded %ADI=			1%		3%		2%		2%		1%		1%		

Annex 3

MALATHION (049)		International Estimated Daily Intake (IEDI)										ADI = 0 - 0.3 mg/kg bw					
Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person					K diet		L diet		M diet			
			intake	H diet	intake	I diet	intake	J diet	intake	K diet	intake	L diet	intake	M diet	intake		
FP 0226	Apple (incl juice)	0.11	14.4	1.6	10.1	1.1	2.2	0.2	0.0	0.0	9.8	1.1	17.9	2.0	36.3	4.0	
VS 0621	Asparagus	0.305	3.7	1.1	0.3	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.5	0.2	1.1	0.3	
VD 0071	Beans (dry)	0.36	3.4	1.2	25.5	9.2	7.8	2.8	2.1	0.8	44.7	16.1	5.5	2.0	7.3	2.6	
VP 0061	Beans except broad bean & soya bean (green pods & immature seeds)	0.31	2.6	0.8	2.6	0.8	1.0	0.3	0.5	0.2	0.6	0.2	2.8	0.9	9.8	3.0	
FB 0020	Blueberries	2.27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.0	
FC 0001	Citrus fruit (incl lemon juice, incl mandarin juice, incl orange juice, incl grapefruit juice, incl NES juice)	0.02	17.3	0.3	156.8	3.1	14.9	0.3	42.5	0.9	222.8	4.5	40.4	0.8	132.3	2.6	
OR 0691	Cotton seed oil, edible	3.06	1.0	3.1	0.7	2.1	1.0	3.1	1.4	4.3	1.5	4.6	5.5	16.8	1.2	3.7	
VC 0424	Cucumber	0.02	7.9	0.2	0.6	0.0	0.2	0.0	0.0	0.0	0.4	0.0	5.5	0.1	5.3	0.1	
FB 0269	Grape (incl dried, incl juice, incl wine)	0.16	2.6	0.4	4.8	0.8	11.7	1.9	0.3	0.0	6.8	1.1	10.9	1.7	58.8	9.4	
GC 0645	Maize (incl flour, incl oil, incl beer)	0.01	35.2	0.4	298.6	3.0	248.1	2.5	57.4	0.6	63.1	0.6	58.6	0.6	85.5	0.9	
VL 0485	Mustard greens	0.07	3.4	0.2	0.4	0.0	2.4	0.2	0.3	0.0	0.5	0.0	7.9	0.6	0.3	0.0	
-	Onion, dry	0.23	16.8	3.9	8.6	2.0	6.9	1.6	12.1	2.8	18.6	4.3	23.8	5.5	28.4	6.5	
VO 0051	Peppers	0.01	8.7	0.1	22.4	0.2	8.4	0.1	9.4	0.1	3.3	0.0	5.3	0.1	8.9	0.1	
VL 0502	Spinach	0.35	9.4	3.3	0.4	0.1	0.0	0.0	0.0	0.0	0.2	0.1	4.3	1.5	2.0	0.7	
VA 0389	Spring onion	0.52	0.1	0.1	4.8	2.5	0.1	0.1	1.0	0.5	1.0	0.5	2.7	1.4	0.6	0.3	
FB 0275	Strawberry	0.25	0.0	0.0	1.8	0.5	0.1	0.0	0.0	0.0	0.3	0.1	6.2	1.6	5.9	1.5	
VO 0447	Sweet corn (corn-on-the-cob)	0.01	0.2	0.0	2.4	0.0	2.2	0.0	3.3	0.0	1.7	0.0	2.8	0.0	11.2	0.1	
VO 0448	Tomato (excl juice, incl paste, incl peeled)	0.25	23.5	5.9	30.7	7.7	14.9	3.7	7.2	1.8	35.6	8.9	6.9	1.7	46.5	11.6	
JF 0448	Tomato juice	0	0.0	0.0	0.8	0.0	0.1	0.0	7.2	0.0	0.0	0.0	2.4	0.0	45.2	0.0	
VR 0506	Turnip, garden	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.1	0.0	0.0	0.4	0.0	
GC 0654	Wheat (incl bulgur wholemeal, excl flour)	10	0.0	0.0	0.9	8.7	0.0	0.0	0.0	0.4	0.1	0.9	0.0	0.0	0.1	0.7	
CM 0654	Wheat bran, unprocessed	25	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.87	133.0	114.4	60.1	51.7	52.4	45.1	32.2	27.7	87.7	75.4	79.6	68.5	180.1	154.9	
CP1211	White bread	0.2	0.0	0.0	2.2	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
CP1212	Wholemeal bread	1.2	0.0	0.0	2.2	2.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total intake (µg/person)=			136.9	96.7	62.0	40.0	118.4	105.8	206.1								
Body weight per region (kg bw) =			55	60	60	60	60	60	60	60	60	60	60	60	60	60	60
ADI (µg/person)=			16500	18000	18000	18000	18000	18000	18000	18000	18000	18000	18000	18000	18000	18000	18000
%ADI=			0.8%	0.5%	0.3%	0.2%	0.7%	0.6%	0.6%	0.2%	0.7%	0.6%	0.6%	0.6%	0.6%	0.6%	0.6%
Rounded %ADI=			1%	1%	0%	0%	1%	1%	0%	0%	1%	1%	1%	1%	1%	1%	1%

Annex 3

MANDIPROPAMID (231)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.2 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day												
			Intake = daily intake: µg/person												
			G diet intake	H diet intake	I diet intake	J diet intake	K diet intake	L diet intake	M diet intake						
VB 0400	Broccoli	0.435	3.2	1.4	7.8	3.4	0.0	0.0	0.0	0.0	0.3	0.1	0.4	0.2	2.9
VB 0041	Cabbages, Head	0.01	10.0	0.1	1.0	0.0	7.2	0.1	1.0	0.0	1.4	0.0	23.9	0.2	0.2
VS 0624	Celery	2.7	0.0	0.0	0.3	0.8	0.0	0.0	0.0	0.0	1.0	2.7	0.0	0.0	11.3
VC 0424	Cucumber	0.02	7.9	0.2	0.6	0.0	0.2	0.0	0.0	0.0	0.4	0.0	5.5	0.1	5.3
FB 0269	Grape (excl dried, excl juice, excl wine)	0.51	1.2	0.6	2.6	1.3	0.0	0.0	0.2	0.1	0.0	0.0	3.7	1.9	0.0
JF 0269	Grape juice	0.14	0.0	0.0	0.1	0.0	1.0	0.1	0.0	0.0	0.6	0.1	0.4	0.1	3.6
DF 0269	Grape, dried (= currants, raisins and sultanas)	1.68	0.0	0.0	0.2	0.3	0.2	0.3	0.0	0.0	0.3	0.5	0.4	0.7	4.4
VL 0053	Leafy vegetables	5.65	40.8	230.5	12.0	67.8	12.5	70.6	9.5	53.7	5.4	30.5	50.0	282.5	39.9
VC 0046	Melons, except watermelon	0.115	7.5	0.9	6.1	0.7	0.7	0.1	1.4	0.2	2.5	0.3	6.9	0.8	12.4
-	Onion, dry	0.01	16.8	0.2	8.6	0.1	6.9	0.1	12.1	0.1	18.6	0.2	23.8	0.2	28.4
-	Onion, green (= shallot, Welsh, spring onion, others)	0.48	0.6	0.3	19.3	9.3	0.4	0.2	3.9	1.9	4.2	2.0	10.7	5.1	1.7
VO 0051	Peppers	0.12	8.7	1.0	22.4	2.7	8.4	1.0	9.4	1.1	3.3	0.4	5.3	0.6	8.9
VR 0589	Potato (incl flour, frozen, starch, tapioca)	0.01	52.7	0.5	57.1	0.6	50.1	0.5	4.3	0.0	54.7	0.5	41.0	0.4	168.0
VC 0431	Squash, summer (= courgette, zucchini)	0.04	2.4	0.1	1.5	0.1	0.0	0.0	0.0	0.0	3.8	0.2	2.2	0.1	2.5
VO 0448	Tomato (excl juice, excl paste, excl peeled)	0.06	22.8	1.4	4.1	0.2	12.3	0.7	1.8	0.1	32.8	2.0	0.4	0.0	27.3
JF 0448	Tomato juice	0.059	0.0	0.0	0.8	0.0	0.1	0.0	7.2	0.4	0.0	0.0	2.4	0.1	45.2
-	Wine	0.366	1.0	0.4	0.9	0.3	6.8	2.5	0.1	0.0	3.4	1.2	3.6	1.3	31.0
Total intake (µg/person)=			237.5	87.7	76.3	57.7	40.7	294.4	265.8						
Body weight per region (kg bw) =			55	60	60	60	55	60	60						
ADI (µg/person)=			1100	1200	1200	12000	1100	1200	1200						
%ADI=			0	0	0	12000	0	0	0						
Rounded %ADI=			2.2%	0.7%	0.6%	0.5%	0.3%	2.7%	2.2%						
			2%	1%	1%	0%	3%	0%	2%						

Annex 3

METHOMYL (094)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person					
			A		B		C		D		E		F	
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake
FP 0226	Apple (excl juice)	0.09	0.3	0.0	56.3	5.1	18.4	1.7	38.3	3.4	40.6	3.7	28.3	2.5
JF 0226	Apple juice	0.026	0.0	0.0	2.8	0.1	0.1	0.0	1.1	0.0	6.8	0.2	7.4	0.2
VS 0621	Asparagus	0.33	0.0	0.0	1.1	0.4	0.6	0.2	0.2	0.1	1.2	0.4	0.1	0.0
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, incl beer)	0.14	40.6	5.7	16.8	2.4	93.9	13.1	13.2	1.8	48.6	6.8	36.1	5.1
VD 0071	Beans (dry)	0.02	15.8	0.3	6.1	0.1	1.7	0.0	6.3	0.1	1.8	0.0	5.0	0.1
VP 0061	Beans except broad bean & soya bean (green pods & immature seeds)	0.005	1.0	0.0	17.4	0.1	7.5	0.0	0.9	0.0	16.4	0.1	0.1	0.0
VD 0523	Broad bean (dry)	0.02	7.3	0.1	2.1	0.0	6.9	0.1	0.0	0.0	0.4	0.0	0.1	0.0
FC 0001	Citrus fruit (excl lemon juice, excl mandarin juice, excl orange juice, excl grapefruit juice, excl NES juice)	0.034	15.7	0.5	86.5	2.9	52.6	1.8	24.2	0.8	16.2	0.6	12.0	0.4
-	Citrus juice NES	0.004	0.0	0.0	1.7	0.0	0.1	0.0	0.0	0.0	1.1	0.0	0.3	0.0
VD 0526	Common bean (dry)	0.02	2.0	0.0	4.5	0.1	0.2	0.0	0.7	0.0	0.2	0.0	5.0	0.1
VP 0526	Common bean (green pods and/or immature seeds)	0.055	0.5	0.0	4.7	0.3	4.1	0.2	0.0	0.0	13.1	0.7	0.0	0.0
OR 0691	Cotton seed oil, edible	0.006	0.9	0.0	4.9	0.0	1.7	0.0	6.6	0.0	0.0	0.0	0.3	0.0
VC 0045	Fruiting vegetables, Cucurbits	0.02	26.6	0.5	107.5	2.2	95.9	1.9	82.2	1.6	25.4	0.5	23.2	0.5
FB 0269	Grape (excl dried, excl juice, excl wine)	0.01	1.9	0.0	9.2	0.1	23.8	0.2	9.8	0.1	0.0	0.0	0.0	0.0
JF 0269	Grape juice	0.0198	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	1.4	0.0	1.0	0.0
DF 0269	Grape, dried (= currants, raisins and sultanas)	0.018	0.0	0.0	2.9	0.1	0.4	0.0	0.4	0.0	2.3	0.0	1.7	0.0
JF 0203	Grapefruit juice	0.004	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.0	1.1	0.0	0.2	0.0
-d	Lemon juice	0.004	0.0	0.0	0.9	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.4	0.0
-	Lettuce (head, leaf)	0.01	0.1	0.0	21.5	0.2	2.3	0.0	0.2	0.0	5.5	0.1	18.0	0.2
VD 0534	Lima bean (dry)	0.02	0.0	0.0	0.2	0.0	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0
GC 0645	Maize (incl flour, excl oil, incl beer)	0.02	82.7	1.7	1.4	0.0	51.4	1.0	31.8	0.6	0.2	0.0	0.2	0.0
OR 0645	Maize oil, edible	0.004	0.1	0.0	4.0	0.0	2.3	0.0	0.5	0.0	0.9	0.0	0.2	0.0
-	Mandarin + mandarin-like hybrid juice	0.004	0.0	0.0	1.4	0.0	0.9	0.0	0.4	0.0	0.7	0.0	0.9	0.0
FS 0245	Nectarine	0.05	0.0	0.0	0.5	0.0	3.3	0.2	1.8	0.1	2.8	0.1	1.6	0.1
GC 0647	Oats (incl rolled)	0.02	1.4	0.0	0.6	0.0	0.2	0.0	4.2	0.1	5.7	0.1	8.9	0.2
-	Onion, dry	0.068	4.3	0.3	45.6	3.1	27.4	1.9	30.2	2.1	22.1	1.5	12.2	0.8
JF 0004	Orange juice	0.004	0.0	0.0	2.1	0.0	4.4	0.0	1.4	0.0	16.2	0.1	22.6	0.1
FS 0247	Peach	0.05	0.2	0.0	24.8	1.2	3.3	0.2	1.8	0.1	5.4	0.3	1.6	0.1
FP 0230	Pear	0.09	0.1	0.0	22.3	2.0	2.8	0.3	4.8	0.4	10.7	1.0	6.8	0.6

Annex 3

METHOMYL (094)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person									
			A diet	B intake	C diet	C intake	D diet	D intake	E diet	E intake	F diet	F intake		
VP0063	Peas (green pods and/or immature seeds)	0.46	0.1	0.0	2.9	1.3	6.0	2.8	0.6	0.3	9.7	4.5	5.2	2.4
VO0051	Peppers	0.1	1.4	0.1	29.9	3.0	13.0	1.3	6.3	0.6	6.2	0.6	4.0	0.4
FS0014	Plum (incl dried)	0.08	0.1	0.0	5.9	0.5	2.5	0.2	7.3	0.6	6.9	0.6	2.6	0.2
VR0589	Potato (incl flour, frozen, starch, tapioca)	0	19.1	0.0	160.8	0.0	61.2	0.0	243.6	0.0	230.1	0.0	204.7	0.0
OR0541	Soya bean oil, refined	0.04	1.6	0.1	6.5	0.3	6.0	0.2	4.0	0.2	6.3	0.3	7.0	0.3
VO0448	Tomato (incl juice, excl paste, incl peeled)	0.0085	9.8	0.1	179.8	1.5	104.0	0.9	56.7	0.5	16.4	0.1	22.9	0.2
GC0654	Wheat (excl bulgur wholemeal, excl flour)	0.14	0.0	0.0	ND	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
CM0654	Wheat bran, unprocessed	0.27	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
CF1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.003	63.4	0.2	296.3	0.9	327.5	1.0	300.0	0.9	181.6	0.5	166.2	0.5
CF1210	Wheat germ	0.13	0.0	0.0	1.3	0.2	0.0	0.0	1.3	0.2	0.9	0.1	1.2	0.2
-	Wine	0.0531	1.3	0.1	76.8	4.1	1.1	0.1	15.4	0.8	68.8	3.7	25.6	1.4
Total intake (µg/person)=			9.9			32.1	29.4		15.6		26.5		16.5	
Body weight per region (kg bw) =			60			60	60		60		60		60	
ADI (µg/person)=			1200			1200	1200		1200		1200		1200	
%ADI=			0.8%			2.7%	2.4%		1.3%		2.2%		1.4%	
Rounded %ADI=			1%			3%	2%		1%		2%		1%	

METHOMYL (094)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STMR or STMR-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person											
			G diet	H intake	I diet	I intake	J diet	J intake	K diet	K intake	L diet	L intake	M diet	M intake		
FP0226	Apple (excl juice)	0.09	14.3	1.3	9.4	0.8	2.1	0.2	0.0	0.0	8.8	0.8	16.6	1.5	27.8	2.5
JF0226	Apple juice	0.026	0.1	0.0	0.5	0.0	0.1	0.0	0.0	0.0	0.7	0.0	0.9	0.0	5.7	0.1
VS0621	Asparagus	0.33	3.7	1.2	0.3	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.5	0.2	1.1	0.4
GC0640	Barley (incl pot, incl pearled, incl flour & grits, incl beer)	0.14	5.9	0.8	20.5	2.9	5.9	0.8	2.5	0.4	20.2	2.8	16.8	2.4	43.8	6.1
VD0071	Beans (dry)	0.02	3.4	0.1	25.5	0.5	7.8	0.2	2.1	0.0	44.7	0.9	5.5	0.1	7.3	0.1
VP0061	Beans except broad bean & soya bean (green pods & immature seeds)	0.005	2.6	0.0	2.6	0.0	1.0	0.0	0.5	0.0	0.6	0.0	2.8	0.0	9.8	0.0

Annex 3

METHOMYL (094) International Estimated Daily Intake (IEDI) ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person		J diet		K diet		L diet		M diet		
			intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	
VD 0523	Broad bean (dry)	0.02	0.8	0.0	1.2	0.0	0.0	0.0	0.1	0.3	0.0	0.1	0.0	5.3	0.1
FC 0001	Citrus fruit (excl lemon juice, excl mandarin juice, excl orange juice, excl grapefruit juice, excl NES juice)	0.034	15.1	0.5	153.9	5.2	3.4	0.1	1.4	218.9	7.4	23.1	0.8	18.0	0.6
-	Citrus juice NES	0.004	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.0
VD 0526	Common bean (dry)	0.02	0.4	0.0	14.8	0.3	1.0	0.0	0.3	44.7	0.9	0.6	0.0	0.9	0.0
VP 0526	Common bean (green pods and/or immature seeds)	0.055	0.0	0.0	1.9	0.1	0.0	0.0	0.0	0.3	0.0	1.8	0.1	8.0	0.4
OR 0691	Cotton seed oil, edible	0.006	1.0	0.0	0.7	0.0	1.0	0.0	1.4	1.5	0.0	5.5	0.0	1.2	0.0
VC 0045	Fruiting vegetables, Cucurbits	0.02	69.7	1.4	25.9	0.5	14.9	0.3	18.0	18.7	0.4	39.1	0.8	44.2	0.9
FB 0269	Grape (excl dried, excl juice, excl wine)	0.01	1.2	0.0	2.6	0.0	0.0	0.0	0.2	0.0	0.0	3.7	0.0	0.0	0.0
JF 0269	Grape juice	0.0198	0.0	0.0	0.1	0.0	1.0	0.0	0.0	0.6	0.0	0.4	0.0	3.6	0.1
DF 0269	Grape, dried (= currants, raisins and sultanas)	0.018	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.3	0.0	0.4	0.0	2.6	0.0
JF 0203	Grapefruit juice	0.004	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.3	0.0	2.4	0.0
-d	Lemon juice	0.004	0.3	0.0	0.0	0.0	1.0	0.0	0.3	0.0	0.0	0.5	0.0	2.6	0.0
-	Lettuce (head, leaf)	0.01	2.4	0.0	7.0	0.1	0.2	0.0	0.6	2.0	0.0	2.4	0.0	18.2	0.2
VD 0534	Lima bean (dry)	0.02	0.4	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	0.0
GC 0645	Maize (incl flour, excl oil, incl beer)	0.02	35.2	0.7	298.6	6.0	248.1	5.0	57.4	63.1	1.3	0.0	0.0	19.4	0.4
OR 0645	Maize oil, edible	0.004	0.1	0.0	0.6	0.0	1.8	0.0	0.0	1.0	0.0	1.6	0.0	1.8	0.0
-	Mandarin + mandarin-like hybrid juice	0.004	0.5	0.0	0.5	0.0	0.1	0.0	0.0	0.7	0.0	1.4	0.0	0.0	0.0
FS 0245	Nectarine	0.05	1.7	0.1	1.7	0.1	0.0	0.0	0.0	1.0	0.1	1.7	0.1	1.4	0.1
GC 0647	Oats (incl rolled)	0.02	0.2	0.0	2.0	0.0	0.8	0.0	0.0	3.5	0.1	0.7	0.0	7.6	0.2
-	Onion, dry	0.068	16.8	1.1	8.6	0.6	6.9	0.5	12.1	18.6	1.3	23.8	1.6	28.4	1.9
JF 0004	Orange juice	0.004	0.2	0.0	1.0	0.0	3.5	0.0	0.0	1.3	0.0	6.4	0.0	56.8	0.2
FS 0247	Peach	0.05	1.7	0.1	1.7	0.1	1.1	0.1	0.1	1.0	0.1	1.7	0.1	10.2	0.5
FP 0230	Pear	0.09	6.4	0.6	1.9	0.2	1.2	0.1	0.0	1.8	0.2	6.9	0.6	7.8	0.7
VP 0063	Peas (green pods and/or immature seeds)	0.46	3.9	1.8	1.6	0.7	0.4	0.2	0.0	0.9	0.4	1.0	0.5	8.6	4.0
VO 0051	Peppers	0.1	8.7	0.9	22.4	2.2	8.4	0.8	9.4	3.3	0.3	5.3	0.5	8.9	0.9
FS 0014	Plum (incl dried)	0.08	3.3	0.3	1.4	0.1	0.1	0.0	0.0	0.6	0.0	1.5	0.1	2.2	0.2
VR 0589	Potato (incl flour, frozen, starch, tapioca)	0	52.7	0.0	57.1	0.0	50.1	0.0	4.3	54.7	0.0	41.0	0.0	168.0	0.0
OR 0541	Soya bean oil, refined	0.04	4.3	0.2	10.6	0.4	2.0	0.1	1.4	19.5	0.8	9.2	0.4	22.0	0.9
VO 0448	Tomato (incl juice, excl paste, incl peeled)	0.0085	23.1	0.2	23.3	0.2	12.6	0.1	14.6	33.2	0.3	4.3	0.0	98.2	0.8
GC 0654	Wheat (excl bulgur wholemeal, excl flour)	0.14	0.0	0.0	0.9	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
CM	Wheat bran, unprocessed	0.27	ND	-	ND	-	ND	-	ND	ND	-	ND	-	ND	-

Annex 3

METHOMYL (094)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.02 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day			Intake = daily intake: µg/person										
			G diet intake	H diet intake	I diet intake	J diet intake	K diet intake	L diet intake	M diet intake	e						
0654																
CF1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.003	133.0	60.1	0.2	52.4	0.2	32.2	0.1	87.7	0.3	79.6	0.2	180.1	0.5	
CF1210	Wheat germ	0.13	0.1	48.1	6.3	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	
-	Wine	0.0531	1.0	0.9	0.0	6.8	0.4	0.1	0.0	3.4	0.2	3.6	0.2	31.0	1.6	
Total intake (µg/person)=			11.8	27.9	9.3	5.5	18.5	10.4	24.7							
Body weight per region (kg bw) =			55	60	60	60	60	60	60	60	60	60	60	60	60	60
ADI (µg/person)=			1100	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
%ADI=			1.1%	2.3%	0.8%	0.5%	1.5%	0.9%	0.5%	2%	1.5%	0.9%	0.9%	2.1%	2.1%	2%
Rounded %ADI=			1%	2%	1%	0%	2%	1%	0%	2%	1%	1%	1%	2%	2%	2%

Annex 3

PROFENOFOS (171) International Estimated Daily Intake (IEDI) ADI = 0 - 0.03 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	diet correction factor	Diets: g/person/day		Intake = daily intake: µg/person									
				A diet	B intake	C diet	D intake	E diet	F intake	D diet	E intake	F diet	F intake		
FI 0345	Mango (incl juice, incl pulp)	0.06	1	6.3	0.4	1.0	0.1	4.6	0.3	0.2	0.0	0.7	0.0	0.3	0.0
-	Assorted (sub)tropical fruits NES (excl passion fruit)*	2.1	1	5.2	10.9	6.5	13.7	1.2	2.5	0.0	0.0	16.8	35.3	0.0	0.0
VO 0448	Tomato (incl juice, incl paste, incl peeled)	1.3	1	11.8	15.3	185.0	240.5	118.0	153.4	60.7	78.9	31.6	41.1	40.9	53.2
OR 0691	Cotton seed oil, edible	0.14	1	0.9	0.1	4.9	0.7	1.7	0.2	6.6	0.9	0.0	0.0	0.3	0.0
MM 0095	Meat from mammals other than marine mammals	0	1	27.7	0.0	116.5	0.0	38.5	0.0	55.1	0.0	90.2	0.0	131.3	0.0
MF 0100	Mammalian fats (except milk fats)	0	1	0.8	0.0	10.0	0.0	0.9	0.0	6.6	0.0	11.8	0.0	3.7	0.0
MO 0105	Edible offal (mammalian)	0	1	3.9	0.0	14.4	0.0	5.2	0.0	11.8	0.0	11.7	0.0	7.6	0.0
PM 0110	Poultry meat	0	1	7.1	0.0	58.5	0.0	31.9	0.0	24.0	0.0	61.0	0.0	27.3	0.0
PF 0111	Poultry, fats	0	1	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.4	0.0	0.1	0.0
PO 0111	Poultry, Edible offal of	0	1	0.4	0.0	0.4	0.0	1.7	0.0	0.1	0.0	0.6	0.0	0.2	0.0
ML 0106	Milks (excl processed products)	0	1	68.8	0.0	190.6	0.0	79.4	0.0	302.6	0.0	179.6	0.0	237.9	0.0
PE 0112	Eggs	0	1	2.5	0.0	29.7	0.0	25.1	0.0	24.5	0.0	37.8	0.0	27.4	0.0

* Mangosteen

Total intake (µg/person)=

Body weight per region (kg bw) =

ADI (µg/person)=

%ADI=

Rounded %ADI=

26.8	254.9	156.4	79.8	76.4	53.2
60	60	60	60	60	60
1800	1800	1800	1800	1800	1800
1.5%	14.2%	8.7%	4.4%	4.2%	3.0%
1%	10%	9%	4%	4%	3%

Annex 3

PROFENOFOS (171)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.03 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	diet correction factor	Diets: g/person/day		Intake = daily intake: µg/person											
				G diet	H diet	I diet	J diet	K diet	L diet	M diet	intake	intake	intake	intake			
FI 0345	Mango (incl juice, incl pulp)	0.06	1	12.7	0.8	26.2	1.6	6.1	0.4	12.7	0.8	9.2	0.6	8.0	0.5	1.9	0.1
-	Assorted (sub)tropical fruits NES (excl passion fruit)*	2.1	1	5.7	12.0	4.7	9.9	2.4	5.0	1.1	2.3	13.1	27.5	47.2	99.1	0.7	1.5
VO 0448	Tomato (incl juice, incl paste, incl peeled)	1.3	1	23.5	30.6	31.7	41.2	15.0	19.5	16.2	21.1	35.6	46.3	9.9	12.9	103.0	133.9
OR 0691	Cotton seed oil, edible	0.14	1	1.0	0.1	0.7	0.1	1.0	0.1	1.4	0.2	1.5	0.2	5.5	0.8	1.2	0.2
MM 0095	Meat from mammals other than marine mammals	0	1	54.8	0.0	89.4	0.0	30.6	0.0	28.6	0.0	82.1	0.0	61.1	0.0	158.3	0.0
MF 0100	Mammalian fats (except milk fats)	0	1	2.2	0.0	18.6	0.0	0.5	0.0	0.8	0.0	5.7	0.0	4.5	0.0	18.2	0.0
MO 0105	Edible offal (mammalian)	0	1	4.8	0.0	10.7	0.0	4.0	0.0	4.0	0.0	6.5	0.0	6.6	0.0	5.6	0.0
PM 0110	Poultry meat	0	1	17.6	0.0	131.3	0.0	25.1	0.0	4.7	0.0	145.9	0.0	27.7	0.0	115.1	0.0
PF 0111	Poultry, fats	0	1	0.1	0.0	8.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	4.2	0.0
PO 0111	Poultry, Edible offal of	0	1	0.4	0.0	1.0	0.0	1.9	0.0	0.0	0.0	0.7	0.0	1.0	0.0	0.3	0.0
ML 0106	Milks (excl processed products)	0	1	66.0	0.0	121.1	0.0	81.6	0.0	102.4	0.0	207.7	0.0	57.0	0.0	287.9	0.0
PE 0112	Eggs	0	1	22.1	0.0	71.5	0.0	16.6	0.0	5.1	0.0	17.6	0.0	35.2	0.0	57.4	0.0

* Mangosteen

Total intake (µg/person)=

Body weight per region (kg bw) =

ADI (µg/person)=

%ADI=

Rounded %ADI=

43.4	52.8	24.3	74.6	113.2	135.7
55	60	60	60	55	60
1650	1800	1800	1800	1650	1800
2.6%	2.9%	1.4%	4.1%	6.9%	7.5%
3%	3%	1%	4%	7%	8%

Annex 3

PROTHIOCONAZOLE (232) International Estimated Daily Intake (IEDI) ADI = 0 - 0.01 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day			Intake = daily intake: µg/person											
			A diet	intake	B diet	intake	C diet	intake	D diet	intake	E diet	intake	F diet	intake			
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, incl beer)	0.01	40.6	0.4	16.8	0.2	93.9	0.9	13.2	0.1	48.6	0.5	36.1	0.4			
CM 0081	Bran, unprocessed of cereal grain (except buckwheat, canihua, quinoa)	0.024	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-			
MO 0105	Edible offal (mammalian)	0.05	3.9	0.2	14.4	0.7	5.2	0.3	11.8	0.6	11.7	0.6	7.6	0.4			
MF 0100	Mammalian fats (except milk fats)	0.01	0.8	0.0	10.0	0.1	0.9	0.0	6.6	0.1	11.8	0.1	3.7	0.0			
MM 0095	Meat from mammals other than marine mammals	0.01	27.7	0.3	116.5	1.2	38.5	0.4	55.1	0.6	90.2	0.9	131.3	1.3			
ML 0106	Milks (excl processed products)	0.004	68.8	0.3	190.6	0.8	79.4	0.3	302.6	1.2	179.6	0.7	237.9	1.0			
GC 0647	Oats (incl rolled)	0.01	1.4	0.0	0.6	0.0	0.2	0.0	4.2	0.0	5.7	0.1	8.9	0.1			
SO 0697	Peanut, shelled (incl oil)	0.01	5.4	0.1	3.1	0.0	2.1	0.0	0.7	0.0	4.0	0.0	1.4	0.0			
SO 0495	Rape seed (incl oil)	0.01	0.9	0.0	1.8	0.0	2.5	0.0	1.9	0.0	35.7	0.4	26.1	0.3			
GC 0650	Rye (incl flour)	0.01	0.1	0.0	3.7	0.0	0.3	0.0	24.3	0.2	25.8	0.3	45.8	0.5			
GC 0653	Triticale (incl flour)	0.01	0.0	0.0	115.8	1.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0			
GC 0654	Wheat flour (incl bulgur wholemeal, excl flour)	0.01	6.0	0.1	11.1	0.1	0.8	0.0	0.2	0.0	0.2	0.0	0.0	0.0			
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.004	63.4	0.3	296.3	1.2	327.5	1.3	300.0	1.2	181.6	0.7	166.2	0.7			
CF 1210	Wheat germ	0.02	0.0	0.0	1.3	0.0	0.0	0.0	1.3	0.0	0.9	0.0	1.2	0.0			
Total intake (µg/person)=			1.2			5.5			3.3			4.1			4.3		
Body weight per region (kg bw) =			60			60			60			60			60		
ADI (µg/person)=			600			600			600			600			600		
%ADI=			0.2%			0.9%			0.6%			0.7%			0.8%		
Rounded %ADI=			0%			1%			1%			1%			1%		

Annex 3

PROTHIOCONAZOLE (232)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.01 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day										M diet intake				
			G diet intake	H diet intake	I diet intake	J diet intake	K diet intake	L diet intake	M diet intake								
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, incl beer)	0.01	5.9	0.1	20.5	0.2	5.9	0.1	2.5	0.0	20.2	0.2	16.8	0.2	43.8	0.4	
CM 0081	Bran, unprocessed of cereal grain (except buckwheat, canihua, quinoa)	0.024	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	
MO 0105	Edible offal (mammalian)	0.05	4.8	0.2	10.7	0.5	4.0	0.2	4.0	0.2	6.5	0.3	6.6	0.3	5.6	0.3	
MF 0100	Mammalian fats (except milk fats)	0.01	2.2	0.0	18.6	0.2	0.5	0.0	0.8	0.0	5.7	0.1	4.5	0.0	18.2	0.2	
MIM 0095	Meat from mammals other than marine mammals	0.01	54.8	0.5	89.4	0.9	30.6	0.3	28.6	0.3	82.1	0.8	61.1	0.6	158.3	1.6	
ML 0106	Milks (excl processed products)	0.004	66.0	0.3	121.1	0.5	81.6	0.3	102.4	0.4	207.7	0.8	57.0	0.2	287.9	1.2	
GC 0647	Oats (incl rolled)	0.01	0.2	0.0	2.0	0.0	0.8	0.0	0.0	0.0	3.5	0.0	0.7	0.0	7.6	0.1	
SO 0697	Peanut, shelled (incl oil)	0.01	7.6	0.1	2.1	0.0	4.7	0.0	21.8	0.2	0.9	0.0	0.7	0.0	6.9	0.1	
SO 0495	Rape seed (incl oil)	0.01	9.9	0.1	5.9	0.1	0.3	0.0	1.0	0.0	0.0	0.0	15.5	0.2	9.9	0.1	
GC 0650	Rye (incl flour)	0.01	0.4	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.0	0.9	0.0	0.8	0.0	
GC 0653	Triticale (incl flour)	0.01	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
GC 0654	Wheat (incl bulgur wholemeal, excl flour)	0.01	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	
CF 1211	Wheat flour (incl macaroni, bread, pastry, starch, gluten)	0.004	133.0	0.5	60.1	0.2	52.4	0.2	32.2	0.1	87.7	0.4	79.6	0.3	180.1	0.7	
CF 1210	Wheat germ	0.02	0.1	0.0	48.1	1.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	
Total intake (µg/person)=			1.9	3.6	1.2	1.3	2.6	1.8	4.6	1.8	1.8	1.8	1.8	1.8	1.8	1.8	
Body weight per region (kg bw) =			55	60	60	60	60	60	60	60	60	60	60	60	60	60	60
ADI (µg/person)=			550	600	600	600	600	600	600	600	600	600	600	600	600	600	600
%ADI=			0.3%	0.6%	0.2%	0.2%	0.4%	0.2%	0.2%	0.2%	0.4%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%
Rounded %ADI=			0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Annex 3

SPINETORAM (233)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.05 mg/kg bw

Codex Code	Commodity	STMIR or STMIR-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person							
			A diet	intake	B diet	intake	C diet	intake	D diet	intake	E diet	intake	F diet	intake		
FC 0004	Orange, sweet, sour + orange-like hybrid (excl juice)	0.0435	4.2	0.2	54.1	2.4	30.1	1.4	11.9	0.5	0.2	0.0	0.5	0.0	0.0	
JF 0004	Orange juice	0.003	0.0	0.0	2.1	0.0	4.4	0.0	1.4	0.0	16.2	0.0	0.0	22.6	0.1	
TN 0085	Tree nuts	0.02	4.2	0.1	21.5	0.4	3.9	0.1	3.0	0.1	5.5	0.1	10.2	0.2	0.2	
FP 0009	Pome fruit (excl apple juice)	0.025	0.5	0.0	79.9	2.0	21.8	0.5	43.6	1.1	51.5	1.3	35.1	0.9	0.9	
JF 0226	Apple juice	0.011	0.0	0.0	2.8	0.0	0.1	0.0	1.1	0.0	6.8	0.1	7.4	0.1	0.1	
VR 0596	Sugar beet	0.01	0.0	0.0	40.7	0.4	0.0	0.0	0.1	0.0	6.0	0.1	0.1	0.0	0.0	
VO 0448	Tomato (incl juice, incl paste, incl peeled)	0.02	11.8	0.2	185.0	3.7	118.0	2.4	60.7	1.2	31.6	0.6	40.9	0.8	0.8	
VL 0482	Lettuce, head	0.895	0.1	0.1	12.3	11.0	1.3	1.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0	
VL 0483	Lettuce, leaf	0.895	0.0	0.0	9.2	8.2	1.0	0.9	0.1	0.1	5.4	4.8	18.0	16.1	16.1	
MM 0095	Meat from mammals other than marine mammals: 20% as fat	0.046	5.5	0.3	23.3	1.1	7.7	0.4	11.0	0.5	18.0	0.8	26.3	1.2	1.2	
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.00625	22.2	0.1	93.2	0.6	30.8	0.2	44.1	0.3	72.2	0.5	105.0	0.7	0.7	
MO 0105	Edible offal (mammalian)	0.00625	3.9	0.0	14.4	0.1	5.2	0.0	11.8	0.1	11.7	0.1	7.6	0.0	0.0	
ML 0106	Milks (excl processed products)	0.00925	68.8	0.6	190.6	1.8	79.4	0.7	302.6	2.8	179.6	1.7	237.9	2.2	2.2	
Total intake (µg/person)=			1.8			43.2	8.9	6.8	10.3							
Body weight per region (kg bw) =			60			60	60	60	60							
ADI (µg/person)=			3000			3000	3000	3000	3000							
%ADI=			0.1%			1.4%	0.3%	0.2%	0.3%							
Rounded %ADI=			0%			1%	0%	0%	0%							

Annex 3

SPINETORAM (233)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.05 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day			Intake = daily intake: µg/person											
			G diet	H diet	I intake	J diet	K diet	L diet	M diet	J intake	K intake	L intake	M intake				
FC 0004	Orange, sweet, sour + orange-like hybrid (excl juice)	0.0435	7.0	117.1	5.3	2.0	0.1	0.1	2.4	0.1	200.7	9.0	0.5	0.0	0.0		
JF 0004	Orange juice	0.003	0.2	1.0	0.0	3.5	0.0	0.0	0.0	0.0	1.3	0.0	6.4	0.0	56.8		
TN 0085	Tree nuts	0.02	16.3	15.7	0.3	9.7	0.2	1.9	0.0	0.0	19.1	0.4	29.0	0.6	5.6		
FP 0009	Pome fruit (excl apple juice)	0.025	20.8	11.6	0.3	3.3	0.1	0.1	0.0	0.0	10.7	0.3	23.6	0.6	36.9		
JF 0226	Apple juice	0.011	0.1	0.5	0.0	0.1	0.0	0.0	0.0	0.0	0.7	0.0	0.9	0.0	5.7		
VR 0596	Sugar beet	0.01	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	14.3		
VO 0448	Tomato (incl juice, incl paste, incl peeled)	0.02	23.5	31.7	0.6	15.0	0.3	16.2	0.3	35.6	0.7	9.9	9.9	0.2	103.0		
VL 0482	Lettuce, head	0.895	2.4	7.0	6.3	0.2	0.2	0.6	0.5	2.0	1.8	2.4	2.4	2.1	15.7		
VL 0483	Lettuce, leaf	0.895	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5		
MM 0095	Meat from mammals other than marine mammals: 20% as fat	0.046	11.0	17.9	0.8	6.1	0.3	5.7	0.3	16.4	0.8	12.2	12.2	0.6	31.7		
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0.00625	43.8	71.5	0.4	24.5	0.2	22.9	0.1	65.7	0.4	48.9	48.9	0.3	126.6		
MO 0105	Edible offal (mammalian)	0.00625	4.8	10.7	0.1	4.0	0.0	4.0	0.0	6.5	0.0	6.6	6.6	0.0	5.6		
ML 0106	Milks (excl processed products)	0.00925	66.0	121.1	1.1	81.6	0.8	102.4	0.9	207.7	1.9	57.0	57.0	0.5	287.9		
Total intake (µg/person)=			7.3	21.5	2.2	2.9	17.1	38.9	7.1	38.9	7.1	38.9	7.1	38.9	7.1		
Body weight per region (kg bw) =			55	60	60	60	60	60	60	60	60	60	60	60	60	60	
ADI (µg/person)=			2750	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	
%ADI=			0.3%	0.7%	0.1%	0.1%	0.6%	1.3%	0.3%	0.6%	0.3%	0.6%	0.3%	0.3%	1.3%	1.3%	
Rounded %ADI=			0%	1%	0%	0%	1%	0%	0%	1%	0%	1%	0%	0%	1%	1%	

Annex 3

SPIROTE/TRAMAT (234) International Estimated Daily Intake (IEDI) ADI = 0 - 0.05 mg/kg bw

Codex Code	Commodity	STM or STM-P mg/kg	Diets: g/person/day						Intake = daily intake: µg/person					
			A		B		C		D		E		F	
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake
JF 0226	Apple juice	0.082	0.0	0.0	2.8	0.2	0.1	0.0	1.1	0.1	6.8	0.6	7.4	0.6
VB 0041	Cabbages, Head	0.23	1.2	0.4	14.4	4.9	2.7	0.9	16.4	5.6	15.4	5.2	18.5	6.3
VS 0624	Celery	0.58	0.0	0.0	0.9	0.6	0.0	0.0	2.0	1.4	1.5	1.1	0.0	0.0
FS 0013	Cherries	1.6	0.0	0.0	6.8	10.9	0.9	1.4	6.2	9.9	3.6	5.8	0.4	0.6
FC 0001	Citrus fruit (incl lemon juice, incl mandarin juice, incl orange juice, incl grapefruit juice, incl NES juice)	0.33	15.7	5.2	100.5	33.2	63.2	20.9	27.8	9.2	52.6	17.4	56.9	18.8
MO 0105	Edible offal (mammalian)	0.014	3.9	0.1	14.4	0.2	5.2	0.1	11.8	0.2	11.7	0.2	7.6	0.1
VB 0042	Flowerhead brassicas	0.50	0.2	0.1	11.1	5.3	3.6	1.7	0.4	0.2	7.7	3.7	4.1	2.0
VO 0050	Fruiting vegetables other than cucurbits	0.43	33.5	14.4	236.9	101.9	148.9	64.0	70.2	30.2	50.4	21.7	53.9	23.2
VC 0045	Fruiting vegetables, Cucurbits	0.057	26.6	1.5	107.5	6.1	95.9	5.5	82.2	4.7	25.4	1.4	23.2	1.3
FB 0269	Grape (excl dried, excl juice, excl wine)	0.41	1.9	0.8	9.2	3.7	23.8	9.5	9.8	3.9	0.0	0.0	0.0	0.0
JF 0269	Grape juice	0.27	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	1.4	0.4	1.0	0.3
DF 0269	Grape, dried (= currants, raisins and sultanas)	1.1	0.0	0.0	2.9	3.2	0.4	0.4	0.4	0.4	2.3	2.5	1.7	1.9
DH 1100	Hops, dry	5.2	0.1	0.6	0.1	0.6	0.1	0.6	0.1	0.6	0.3	1.7	0.1	0.6
-d	Lettuce and similar (incl witloof chicory sprouts)	3.7	0.2	0.2	23.8	28.6	3.6	4.3	0.6	0.7	11.9	14.3	18.0	21.6
MF 0100	Mammalian fats (except milk fats)	0	0.8	0.0	10.0	0.0	0.9	0.0	6.6	0.0	11.8	0.0	3.7	0.0
MM 0095	Meat from mammals other than marine mammals: 20% as fat	0	5.5	0.0	23.3	0.1	7.7	0.0	11.0	0.0	18.0	0.1	26.3	0.1
MM 0095	Meat from mammals other than marine mammals: 80% as muscle	0	22.2	0.0	93.2	0.2	30.8	0.1	44.1	0.1	72.2	0.1	105.0	0.2
ML 0106	Milks (excl processed products)	0	68.8	0.3	190.6	0.8	79.4	0.3	302.6	1.2	179.6	0.7	237.9	1.0
VL 0485	Mustard greens	3.7	0.3	0.8	0.3	0.8	0.0	0.0	5.5	13.8	0.0	0.0	1.9	4.8
FS 0245	Nectarine	1.6	0.0	0.0	0.5	0.4	3.3	2.5	1.8	1.4	2.8	2.1	1.6	1.2
FS 0247	Peach	1.6	0.2	0.2	24.8	18.8	3.3	2.5	1.8	1.4	5.4	4.1	1.6	1.2
VO 0444	Peppers, Chilli	0.95	0.7	0.7	14.9	14.5	4.1	4.0	3.2	3.1	3.1	3.0	2.0	1.9
FS 0014	Plum (excl dried)	1.6	0.1	0.0	5.3	1.9	2.5	0.9	7.0	2.5	5.5	2.0	0.9	0.3
DF 0014	Plum, dried (prunes)	3.5	0.0	0.0	0.2	0.2	0.0	0.0	0.1	0.1	0.5	0.5	0.6	0.6
FP 0009	Pome fruit (excl apple juice)	0.17	0.5	0.1	79.9	12.8	21.8	3.5	43.6	7.0	51.5	8.2	35.1	5.6
VR 0589	Potato (incl flour, frozen, starch, tapioca)	0.12	19.1	2.3	160.8	19.3	61.2	7.3	243.6	29.2	230.1	27.6	204.7	24.6
VL 0502	Spinach	3.7	0.0	0.0	5.0	8.0	1.1	1.8	0.1	0.2	2.6	4.2	0.1	0.2

Annex 3

SPIROTETRAMAT (234)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.05 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person										
			A diet	B diet	intake	intake	C diet	D diet	E diet	F diet	intake	intake	intake	intake	
JF 0448	Tomato juice	0.27	5.2	0.5	1.4	0.1	0.1	0.4	0.1	2.1	0.6	6.9	1.9	15.2	4.1
-d	Tomato paste	3.2	0.5	1.3	1.6	4.2	3.5	11.2	1.0	1.0	3.2	3.8	12.2	4.5	14.4
TN 0085	Tree nuts	0.084	4.2	0.4	0.4	21.5	1.8	3.9	0.3	3.0	0.3	5.5	0.5	10.2	0.9
-	Wine	0.23	1.3	0.3	0.3	76.8	19.2	1.1	0.3	15.4	3.9	68.8	17.2	25.6	6.4
Total intake (µg/person)=			31.2		302.4		144.2		134.9		160.2		144.5		
Body weight per region (kg bw) =			60		60		60		60		60		60		
ADI (µg/person)=			3000		3000		3000		3000		3000		3000		
%ADI=			1.0%		10.1%		4.8%		4.5%		5.3%		4.8%		
Rounded %ADI=			1%		10%		5%		4%		5%		5%		

SPIROTETRAMAT (234)

International Estimated Daily Intake (IEDI)

ADI = 0 - 0.05 mg/kg bw

Codex Code	Commodity	STM or STM-R-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person										
			G diet	H diet	intake	intake	I diet	J diet	K diet	L diet	M diet	intake	intake		
JF 0226	Apple juice	0.082	0.1	0.0	0.5	0.0	0.1	0.0	0.0	0.7	0.1	0.9	0.1	5.7	0.5
VB 0041	Cabbages, Head	0.23	10.0	3.4	1.0	0.3	7.2	2.4	1.0	0.3	1.4	23.9	8.1	17.0	5.8
VS 0624	Celery	0.58	0.0	0.0	0.3	0.2	0.0	0.0	0.0	1.0	0.7	0.0	0.0	4.2	3.0
FS 0013	Cherries	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	2.5	4.0
FC 0001	Citrus fruit (incl lemon juice, incl mandarin juice, incl orange juice, incl grapefruit juice, incl NES juice)	0.33	17.3	5.7	156.8	51.7	14.9	4.9	42.5	14.0	73.5	40.4	13.3	132.3	43.7
MO 0105	Edible offal (mammalian)	0.014	4.8	0.1	10.7	0.1	4.0	0.1	4.0	0.1	6.5	6.6	0.1	5.6	0.1
VB 0042	Flowerhead brassicas	0.5	9.6	4.6	7.9	3.8	0.6	0.3	0.2	0.1	0.9	1.1	0.5	8.0	3.8
VO 0050	Fruiting vegetables other than cucurbits	0.43	57.2	24.6	60.1	25.8	35.5	15.3	51.1	22.0	42.2	31.5	13.5	134.8	58.0
VC 0045	Fruiting vegetables, Cucurbits	0.057	69.7	4.0	25.9	1.5	14.9	0.8	18.0	1.0	18.7	39.1	2.2	44.2	2.5
FB 0269	Grape (excl dried, excl juice, excl wine)	0.41	1.2	0.5	2.6	1.0	0.0	0.0	0.2	0.1	0.0	3.7	1.5	0.0	0.0
JF 0269	Grape juice	0.27	0.0	0.0	0.1	0.0	1.0	0.3	0.0	0.0	0.6	0.4	0.1	3.6	1.0
DF 0269	Grape, dried (= currants, raisins and sultanas)	1.1	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.3	0.4	0.4	2.6	2.9
DH 1100	Hops, dry	5.2	0.0	0.0	0.1	0.6	0.1	0.6	0.1	0.6	0.1	0.6	0.1	0.6	3.3
-d	Lettuce and similar (incl witloof chicory)	3.7	7.1	8.5	7.0	8.4	0.6	0.7	1.9	2.3	2.0	7.1	8.5	30.6	36.7

Annex 3

TEBUCONAZOLE (189)		International Estimated Daily Intake (IEDI)												ADI = 0 - 0.03 mg/kg bw	
Codex Code	Commodity	STM or STM-R mg/kg	Diets: g/person/day		Intake = daily intake: µg/person				Intake = daily intake: µg/person				F diet		
			A diet	intake	B diet	intake	C diet	intake	D diet	intake	E diet	intake	F diet	intake	
JF 0226	Apple juice	0.08	0.0	0.0	2.8	0.2	0.1	0.0	1.1	0.1	6.8	0.5	7.4	0.6	
DF 0226	Apple, dried	0.19	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	
VS 0620	Artichoke globe	0.15	0.0	0.0	10.0	1.5	2.1	0.3	0.1	0.0	0.8	0.1	0.1	0.0	
FI 0327	Banana 1/	0.01	38.8	0.4	17.4	0.2	16.0	0.2	6.6	0.1	21.5	0.2	33.8	0.3	
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, incl beer)	0.06	40.6	2.4	16.8	1.0	93.9	5.6	13.2	0.8	48.6	2.9	36.1	2.2	
VP 0526	Common bean (pods and/or immature seeds)	0.49	0.0	0.0	2.7	1.3	4.5	2.2	0.2	0.1	0.4	0.2	0.0	0.0	
VB 0400	Broccoli	0.07	0.0	0.0	0.7	0.0	1.2	0.1	0.1	0.0	4.2	0.3	4.0	0.3	
VB 0401	Broccoli, Chinese	0.07	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	
VB 0402	Brussels sprouts	0.07	0.0	0.0	0.1	0.0	2.8	0.2	5.5	0.4	1.5	0.1	1.9	0.1	
VB 0041	Cabbages, Head	0.07	1.2	0.1	14.4	1.0	2.7	0.2	16.4	1.1	15.4	1.1	18.5	1.3	
VR 0577	Carrot	0.11	0.6	0.1	15.1	1.7	8.1	0.9	13.9	1.5	27.1	3.0	28.4	3.1	
VB 0404	Cauliflower	0.07	0.1	0.0	5.2	0.4	1.2	0.1	0.1	0.0	1.7	0.1	0.1	0.0	
FS 0013	Cherries 1/	0.76	0.0	0.0	6.8	5.2	0.9	0.7	6.2	4.7	3.6	2.7	0.4	0.3	
SB 0716	Coffee beans (excl green, excl extracts, excl roasted)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
SM 0716	Coffee beans, roasted	0.2	0.4	0.1	6.0	1.2	0.5	0.1	0.6	0.1	9.4	1.9	16.4	3.3	
VC 0424	Cucumber 1/	0.035	0.3	0.0	12.7	0.4	5.9	0.2	11.5	0.4	6.1	0.2	7.1	0.2	
MO 0105	Edible offal (mammalian)	0.2	3.9	0.8	14.4	2.9	5.2	1.0	11.8	2.4	11.7	2.3	7.6	1.5	
PE 0112	Eggs	0	2.5	0.0	29.7	0.0	25.1	0.0	24.5	0.0	37.8	0.0	27.4	0.0	
FB 0267	Elderberries	0.345	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	
VA 0381	Garlic	0.02	0.4	0.0	3.9	0.1	3.8	0.1	3.7	0.1	1.0	0.0	0.6	0.0	
FB 0269	Grape (excl dried, excl juice, excl wine) 2/	2	1.9	3.8	9.2	18.5	23.8	47.6	9.8	19.6	0.0	0.0	0.0	-0.1	
JF 0269	Grape juice 3/	0.42	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	1.4	0.6	1.0	0.4	
DF 0269	Grape, dried (= currants, raisins and sultanas) 3/	3	0.0	0.0	2.9	8.7	0.4	1.2	0.4	1.2	2.3	6.9	1.7	5.1	
DH 1100	Hops, dry	9.65	0.1	1.0	0.1	1.0	0.1	1.0	0.1	1.0	0.3	2.9	0.1	1.0	
VB 0405	Kohlrabi	0.07	0.3	0.0	0.1	0.0	0.0	0.0	5.5	0.4	12.3	0.9	1.9	0.1	
VA 0384	Leek	0.195	0.3	0.1	5.3	1.0	0.0	0.0	0.2	0.0	4.6	0.9	1.5	0.3	
VL 0482	Lettuce, head	0.98	0.1	0.1	12.3	12.1	1.3	1.3	0.1	0.1	0.1	0.1	0.0	0.0	
GC 0645	Maize (excl flour, excl oil, excl beer)	0.1	0.0	0.0	1.4	0.1	51.4	5.1	11.9	1.2	0.2	0.0	0.2	0.0	
FI 0345	Mango (incl juice, incl pulp)	0.02	6.3	0.1	1.0	0.0	4.6	0.1	0.2	0.0	0.7	0.0	0.3	0.0	
MM 0095	Meat from mammals other than marine mammals	0	27.7	0.0	116.5	0.0	38.5	0.0	55.1	0.0	90.2	0.0	131.3	0.0	
VC 0046	Melons, except watermelon	0.02	3.6	0.1	26.7	0.5	22.6	0.5	11.5	0.2	5.6	0.1	2.0	0.0	
ML 0106	Milks (excl processed products)	0	68.8	0.0	190.6	0.0	79.4	0.0	302.6	0.0	179.6	0.0	237.9	0.0	

Annex 3

TEBUCONAZOLE (189)		International Estimated Daily Intake (IEDI)												ADI = 0 - 0.03 mg/kg bw	
Codex Code	Commodity	STM or STM-R mg/kg	Diets: g/person/day		Intake = daily intake: µg/person		C		D		E		F		
			diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake	
GC 0647	Oats (excl rolled) 1/	0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
VA 0385	Onion, Bulb (= dry + green onion)	0.05	5.5	0.3	49.5	2.5	33.0	1.7	31.3	1.6	23.2	1.2	14.6	0.7	
FI 0350	Papaya	0.18	5.1	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
FS 0247	Peach 1/	0.21	0.2	0.0	24.8	5.2	3.3	0.7	1.8	0.4	5.4	1.1	1.6	0.3	
SO 0697	Peanut, shelled (excl oil)	0.04	1.5	0.0	1.3	0.0	1.0	0.0	0.5	0.0	0.8	0.0	0.5	0.0	
VO 0445	Peppers, sweet (incl. pim(i)vento) 1/	0.14	0.7	0.1	14.9	2.1	8.8	1.2	3.2	0.4	3.1	0.4	2.0	0.3	
FS 0014	Plum (excl dried)	0.055	0.1	0.0	5.3	0.3	2.5	0.1	7.0	0.4	5.5	0.3	0.9	0.0	
DF 0014	Plum, dried (prunes)	0.18	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.5	0.1	0.6	0.1	
FP 0009	Pome fruit (excl apple juice)	0.19	0.5	0.1	79.9	15.2	21.8	4.1	43.6	8.3	51.5	9.8	35.1	6.7	
PM 0110	Poultry meat	0	7.1	0.0	58.5	0.0	31.9	0.0	24.0	0.0	61.0	0.0	27.3	0.0	
PO 0111	Poultry, Edible offal of	0	0.4	0.0	0.4	0.0	1.7	0.0	0.1	0.0	0.6	0.0	0.2	0.0	
SO 0495	Rape seed (excl oil)	0.09	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	
OR 0495	Rape seed oil, edible	0.064	0.3	0.0	0.7	0.0	1.0	0.1	0.7	0.0	13.7	0.9	10.0	0.6	
GC 0649	Rice (excl husked, excl polished)	0.275	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	
GC 0650	Rye (excl flour) 3/	0.05	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
VD 0541	Soya bean (dry, excl oil)	0.02	0.9	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
OR 0541	Soya bean oil, refined	0.001	1.6	0.0	6.5	0.0	6.0	0.0	4.0	0.0	6.3	0.0	7.0	0.0	
VC 0431	Squash, summer (= courgette, zucchini) 2/	0.02	0.0	0.0	8.3	0.2	11.4	0.2	7.3	0.1	3.2	0.1	0.3	0.0	
VO 0447	Sweet corn (corn-on-the-cob)	0.1	7.3	0.7	1.0	0.1	0.1	0.0	0.5	0.1	3.3	0.3	3.6	0.4	
VO 0448	Tomato (excl juice, excl paste, excl peeled)	0.19	1.3	0.3	178.4	33.9	102.8	19.5	53.4	10.1	1.6	0.3	0.0	0.0	
JF 0448	Tomato juice	0.10	5.2	0.5	0.5	0.0	0.4	0.0	2.1	0.2	6.9	0.7	15.2	1.5	
-d	Tomato paste	0.16	0.5	0.1	1.3	0.2	3.5	0.6	1.0	0.2	3.8	0.6	4.5	0.7	
-d	Tomato, peeled	0.05	0.1	0.0	0.4	0.0	0.5	0.0	0.4	0.0	4.9	0.2	3.2	0.1	
VC 0432	Watermelon	0.02	6.1	0.1	43.1	0.9	47.1	0.9	25.8	0.5	4.4	0.1	6.0	0.1	
GC 0654	Wheat (excl bulgur wholemeal, excl flour) 2/	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
-	Wine 3/	0.5	1.3	0.7	76.8	38.4	1.1	0.6	15.4	7.7	68.8	34.4	25.6	12.8	
Total intake (µg/person)=			12.9		158		98.5		65.6		78.7		44.6		
Body weight per region (kg bw) =			60		60		60		60		60		60		
ADI (µg/person)=			1800		1800		1800		1800		1800		1800		
%ADI=			0.7%		8.8%		5.4%		3.6%		4.4%		2.5%		
Rounded %ADI=			1%		9%		5%		4%		4%		2%		

1/ STM from the 1997 JMPR; 2/ Codex MRL recommended at the 1994 JMPR; 3/ PF from the 1997 JMPR applied to grape MRL

Annex 3

TEBUCONAZOLE (189) ADI = 0 - 0.03 mg/kg bw

Codex Code	Commodity	STMIR or STMIR-P mg/kg	International Estimated Daily Intake (IEDI)																
			Diets: g/person/day						Intake = daily intake: µg/person										
			G diet	G intake	H diet	H Intake	I diet	I intake	J diet	J intake	K diet	K intake	L diet	L intake	M diet	M intake			
JF 0226	Apple juice	0.08	0.1	0.0	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.7	0.1	0.9	0.1	5.7	0.5
DF 0226	Apple, dried	0.19	ND	-	ND	-	-	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-
VS 0620	Artichoke globe	0.15	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.2
FI 0327	Banana 1/	0.01	21.4	0.2	36.6	0.4	11.4	0.1	0.1	9.2	0.1	9.2	0.1	70.2	0.7	40.5	0.4	32.6	0.3
GC 0640	Barley (incl pot, incl pearled, incl flour & grits, incl beer)	0.06	5.9	0.4	20.5	1.2	5.9	0.4	0.4	2.5	0.2	2.5	0.2	20.2	1.2	16.8	1.0	43.8	2.6
VP 0526	Common bean (pods and/or immature seeds)	0.49	0.2	0.1	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	7.9	3.9
VB 0400	Broccoli	0.07	3.2	0.2	7.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	6.6	0.5
VB 0401	Broccoli, Chinese	0.07	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	-	ND	-	ND	-
VB 0402	Brussels sprouts	0.07	3.4	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	7.9	0.6	0.3	0.0
VB 0041	Cabbages, Head	0.07	10.0	0.7	1.0	0.1	7.2	0.5	1.0	1.0	0.1	1.4	0.1	1.4	0.1	23.9	1.7	17.0	1.2
VR 0577	Carrot	0.11	5.4	0.6	7.9	0.9	2.5	0.3	0.3	3.5	0.4	4.1	0.5	4.1	0.5	8.6	0.9	19.4	2.1
VB 0404	Cauliflower	0.07	3.2	0.2	0.1	0.0	0.3	0.0	0.0	0.1	0.0	0.6	0.0	0.6	0.0	0.4	0.0	1.4	0.1
FS 0013	Cherries 1/	0.76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	2.5	1.9
SB 0716	Coffee beans (excl green, excl extracts, excl roasted)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SM 0716	Coffee beans, roasted	0.2	0.0	0.0	1.3	0.3	0.1	0.0	0.0	0.0	0.0	0.8	0.2	0.8	0.2	0.3	0.1	7.0	1.4
VC 0424	Cucumber 1/	0.035	7.9	0.3	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	5.5	0.2	5.3	0.2
PE 0112	Eggs	0	22.1	0.0	71.5	0.0	16.6	0.0	0.8	5.1	0.0	17.6	0.0	17.6	0.0	35.2	0.0	57.4	0.0
MO 0105	Edible offal (mammalian)	0.2	4.8	1.0	10.7	2.1	4.0	0.8	4.0	4.0	0.8	6.5	1.3	6.5	1.3	6.6	1.3	5.6	1.1
FB 0267	Elderberries	0.345	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	-	ND	-	ND	-
VB 0042	Flowerhead brassicas	0.07	9.6	0.5	7.9	0.4	0.6	0.0	0.0	0.2	0.0	0.9	0.0	0.9	0.0	1.1	0.1	8.0	0.4
VA 0381	Garlic	0.02	6.4	0.1	1.2	0.0	0.1	0.0	0.0	0.3	0.0	1.9	0.0	1.9	0.0	5.0	0.1	2.5	0.1
FB 0269	Grape (excl dried, excl juice, excl wine) 3/	2	1.2	2.4	2.6	5.2	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	3.7	7.4	0.0	-0.1
JF 0269	Grape juice4/	0.42	0.0	0.0	0.1	0.0	1.0	0.4	0.0	0.0	0.0	0.6	0.3	0.6	0.3	0.4	0.2	3.6	1.5
DF 0269	Grape, dried (= currants, raisins and sultanas) 4/	3	0.0	0.0	0.2	0.6	0.2	0.6	0.0	0.0	0.0	0.3	0.9	0.3	0.9	0.4	1.2	2.6	7.8
DH 1100	Hops, dry	9.65	0.0	0.0	0.1	1.0	0.1	1.0	1.0	0.1	1.0	0.1	1.0	0.1	1.0	0.1	1.0	0.6	5.8
VB 0405	Kohlrabi	0.07	3.4	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.5	0.0	7.9	0.6	0.7	0.0
VA 0384	Leek	0.195	0.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.0
VL 0482	Lettuce, head	0.98	2.4	2.4	7.0	6.9	0.2	0.2	0.2	0.6	0.6	2.0	2.0	2.0	2.0	2.4	2.4	15.7	15.4
GC 0645	Maize (excl flour, excl oil, excl beer)	0.1	0.6	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.7	0.8	0.7	0.8	0.0	0.0	19.4	1.9
FI 0345	Mango (incl juice, incl pulp)	0.02	12.7	0.3	26.2	0.5	6.1	0.1	0.1	12.7	0.3	9.2	0.2	9.2	0.2	8.0	0.2	1.9	0.0
MM 0095	Meat from mammals other than marine mammals	0	54.8	0.0	89.4	0.0	30.6	0.0	0.0	28.6	0.0	82.1	0.0	82.1	0.0	61.1	0.0	158.3	0.0
VC 0046	Melons, except watermelon	0.02	7.5	0.2	6.1	0.1	0.7	0.0	0.0	1.4	0.0	2.5	0.1	2.5	0.1	6.9	0.1	12.4	0.2
ML 0106	Milks (excl processed products)	0	66.0	0.0	121.1	0.0	81.6	0.0	0.0	102.4	0.0	207.7	0.0	207.7	0.0	57.0	0.0	287.9	0.0

Annex 3

TEBUCONAZOLE (189)		International Estimated Daily Intake (IEDI)												ADI = 0 - 0.03 mg/kg bw		
Codex Code	Commodity	STMIR or STMIR-P mg/kg	Diets: g/person/day		Intake = daily intake: µg/person		I		J		K		L		M	
			diet	intake	diet	Intake	diet	intake	diet	intake	diet	intake	diet	intake	diet	intake
GC 0647	Oats (excl rolled) 1/	0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0
VA 0385	Onion, Bulb (= dry + green onion)	0.05	17.4	0.9	27.9	1.4	7.3	0.4	16.0	0.8	22.8	1.1	34.5	1.7	30.1	1.5
FI 0350	Papaya	0.18	1.3	0.2	11.5	2.1	1.6	0.3	13.7	2.5	14.5	2.6	1.0	0.2	0.6	0.1
FS 0247	Peach 1/	0.21	1.7	0.4	1.7	0.4	1.1	0.2	0.1	0.0	1.0	0.2	1.7	0.4	10.2	2.1
SO 0697	Peanut, shelled (excl oil)	0.04	0.7	0.0	1.4	0.0	1.3	0.0	3.6	0.1	0.2	0.0	0.7	0.0	6.0	0.2
VO 0444	Peppers, Chili	1.4	8.7	12.2	13.0	18.2	4.2	5.9	4.7	6.6	1.7	2.4	2.6	3.6	4.4	6.2
VO 0445	Peppers, sweet (incl. pim(ijento)	0.14	0.0	0.0	9.4	1.3	4.2	0.6	4.7	0.7	1.7	0.2	2.6	0.4	4.4	0.6
FS 0014	Plum (excl dried)	0.055	3.0	0.2	0.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.9	0.1	0.5	0.0
DF 0014	Plum, dried (prunes)	0.18	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.6	0.1
FP 0009	Pome fruit (excl apple juice)	0.19	20.8	3.9	11.6	2.2	3.3	0.6	0.1	0.0	10.7	2.0	23.6	4.5	36.9	7.0
PM 0110	Poultry meat	0	17.6	0.0	131.3	0.0	25.1	0.0	4.7	0.0	145.9	0.0	27.7	0.0	115.1	0.0
PO 0111	Poultry, Edible offal of	0	0.4	0.0	1.0	0.0	1.9	0.0	0.0	0.0	0.7	0.0	1.0	0.0	0.3	0.0
SO 0495	Rape seed (excl oil)	0.09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
OR 0495	Rape seed oil, edible	0.064	3.8	0.2	2.3	0.1	0.1	0.0	0.4	0.0	0.0	0.0	6.0	0.4	3.8	0.2
GC 0649	Rice (excl husked, excl polished)	0.275	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0
GC 0650	Rye (excl flour) 3/	0.05	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.9	0.0	0.0	0.0
VD 0541	Soya bean (dry, excl oil)	0.02	1.8	0.0	0.0	0.0	0.0	0.0	3.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0
OR 0541	Soya bean oil, refined	0.001	4.3	0.0	10.6	0.0	2.0	0.0	1.4	0.0	19.5	0.0	9.2	0.0	22.0	0.0
VC 0431	Squash, summer (= courgette, zucchini) 3/	0.02	2.4	0.0	1.5	0.0	0.0	0.0	0.0	0.0	3.8	0.1	2.2	0.0	2.5	0.1
VO 0447	Sweet corn (corn-on-the-cob)	0.1	0.2	0.0	2.4	0.2	2.2	0.2	3.3	0.3	1.7	0.2	2.8	0.3	11.2	1.1
VO 0448	Tomato (excl juice, excl paste, excl peeled)	0.19	22.8	4.3	4.1	0.8	12.3	2.3	1.8	0.4	32.8	6.2	0.4	0.1	27.3	5.2
JF 0448	Tomato juice	0.10	0.0	0.0	0.8	0.1	0.1	0.0	7.2	0.7	0.0	0.0	2.4	0.2	45.2	4.5
-d	Tomato paste	0.16	0.1	0.0	2.1	0.3	0.6	0.1	0.4	0.1	0.6	0.1	1.4	0.2	1.2	0.2
-d	Tomato, peeled	0.05	0.2	0.0	14.5	0.7	0.2	0.0	0.0	0.0	0.3	0.0	0.8	0.0	1.2	0.0
VC 0432	Watermelon	0.02	39.3	0.8	14.0	0.3	2.5	0.1	13.6	0.3	8.4	0.2	14.5	0.3	13.6	0.3
GC 0654	Wheat (excl bulgur wholemeal, excl flour)	0.05	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
-	Wine 4/	0.5	1.0	0.5	0.9	0.5	6.8	3.4	0.1	0.1	3.4	1.7	3.6	1.8	31.0	15.5
Total intake (µg/person)=			21.0	31.3	12.6	9.6	24.0	30.0	87.5							
Body weight per region (kg bw) =			55	60	60	60	60	55	60							
ADI (µg/person)=			1650	1800	1800	1800	1800	1650	1800							
%ADI=			1.3%	1.7%	0.7%	0.5%	1.4%	1.8%	4.9%							
Rounded %ADI=			1%	2%	1%	1%	1%	2%	5%							

1/ STMIR from the 1997 JMPR; 2/ residue from the contribution of hops in the beer composition; 3/Codex MRL recommended at the 1994 JMPR; 4/ PF from the 1997 JMPR applied to grape MRL