PAAT

Programme Against African Trypanosomiasis



INDEX

Volume 30 Parts 1–2 (2007) Numbers 14020–14340



TSETSE AND TRYPANOSOMIASIS INFORMATION



DFID
Department for
International
Development













Programme
Against
African
Trypanosomiasis

INDEX

Volume 30 Parts 1–2 (2007) Numbers 14020–14340

TSETSE AND TRYPANOSOMIASIS INFORMATION

Edited by James Dargie Bisamberg Austria The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations (FAO) concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO in preference to others of a similar nature that are not mentioned.

All rights reserved. Reproduction and dissemination of material in this information product for educational or other non-commercial purposes are authorized without any prior written permission from the copyright holders provided the source is fully acknowledged. Reproduction of material in this information product for resale or other commercial purposes is prohibited without written permission of the copyright holders. Applications for such permission should be addressed to:

Chief

Electronic Publishing Policy and Support Branch Communication Division

FAO

Viale delle Terme di Caracalla, 00153 Rome, Italy or by e-mail to: copyright@fao.org

TSETSE AND TRYPANOSOMIASIS INFORMATION

The Tsetse and Trypanosomiasis Information periodical has been established to disseminate current information on all aspects of tsetse and trypanosomiasis research and control to institutions and individuals involved in the problems of African trypanosomiasis. This service forms an integral part of the Programme Against African Trypanosomiasis (PAAT) and is jointly sponsored by the Food and Agriculture Organization of the United Nations (FAO), the International Atomic Energy Agency (IAEA), the Inter-African Bureau for Animal Resources of the African Union (AU-IBAR), the World Health Organization (WHO), the Research Department for Livestock Production and Veterinary Medicine of the Centre de Coopération Internationale en Recherche Agronomique pour le Développement (CIRAD-EMVT), the British Government's Department for International Development (DFID) and the Institute of Tropical Medicine, Antwerp (ITM).

The half-yearly periodical is prepared for publication, in both English and French editions, by the Food and Agriculture Organization of the United Nations. Each annual volume consists of two parts and an index. Subscription is free for all recipients engaged in trypanosomiasis research and control, and requests for enrolment may be sent to: Ms Maria Grazia Solari, AGAH, FAO, Viale delle Terme di Caracalla, 00153 Rome, Italy (fax +39 06 5705 5749; e-mail MariaGrazia.Solari@fao.org).

Since the value of this information service depends to a great extent on the receipt of relevant material from research workers, campaign planners and organisers and field workers themselves, readers are requested to submit news items and copies of scientific papers and reports to the Editor: Dr James D. Dargie, Brunnstubengasse 43, 2102 Bisamberg, Austria (tel. +43 2262 61735; e-mail j. dargie@aon.at).

We regret that we are unable to supply photocopies of the papers quoted in the quarterly.

Distribution dates and copy deadlines

Copy deadline for news items		Distribution (English and French editions)	
Part 1	15 April	July/August	
Part 2	15 October	January/February	

CONTENTS

	Page
SUBJECT INDEX	1
AUTHOR INDEX	22

SUBJECT INDEX

Numbers refer to the abstract and bibliographic reference numbers appearing in the *Tsetse and Trypanosomiasis Information*, volume 30 part 1(2007) and *Tsetse and Trypanosomiasis Information* 30 part 2 (2007).

acaricides

footbath treatment to control Ambylomma variegatum, 14030

acivicin

effect on *T. brucei* in mice, 14108 homologous recombination, 14131

Agrilus planipennis 14182

Albizia zygia see drugs, natural products alpha 2 macroglobulin

kinetics of production in rats infected with *T. lewisi*, 14245

alphacypermethrin 14041

alpha-difluoromethylornithine (DFMO)

see drugs and trypanosome infection in humans

Amblyomma variegatum 14030

American trypanosomiasis see

trypanosomiasis in humans (South America)

amplified fragment length

polymorphism (AFLP) see genetic

characterization methods

anaemia 14082, 14085, 14090, 14099, 14101, 14235, 14238

Anaplasmosis

ELISA for detection, 14094

animal models *see* typanosomiasis in humans

Annona senegalensis see drugs, natural products

Anopheles gambiae

comparison of laboratory-reared and wild insects, 14175

Anoplophora glabripennis 14182

antibodies see also immune responses

egg yolk (IgY) 14046

IgM monoclonal, 14093

IgM and mice immunity, 14095

IgG, 14051

antigenic variation *see* immune response and *Trypanosoma brucei*

apolipoprotein L-I (APOL1) see immune

responses and trypanosomiasis in humans

area of low pest prevalence 14169 area-wide integrated pest management

agricultural trade, 14169 commercialization, 14176

crop planting, 14182

feasibility studies, 14176

GIS, global positioning systems and remote sensing, 14168

insecticide treatments, 14182

lessons from programmes with SIT component, 14188

sterile insect technique (SIT) 14182 strategies, 14176

successes and failures, 14176

Argentina

monoclonal antibody for *T. evansi* infections in horses, 14093

arsonoliposomes *see also* drugs trypanocidal activity of, 14283

attacin

refractoriness of tsetse to infection, 14195

Babesia bovis, B. bigemina, and Anaplasma marginale

cross reactions with *T. vivax* ELISA, 14092

bio-economic model 14210 biotechnology

ethical, legal and social implications in Africa, 14184

Bolivia

T. vivax in cattle, 14082

Botswana

effects of deltamethrin spraying on bird populations, 14212

bovine radiation hybrid map 14238 Brazil

spatial distribution of T. cruzi and T. chromatography sample preparation for pesticides in evansi. 14232 T. vivax antibody ELISA for .. Africa, 14186 trypanosomiasis in cattle, 14092 **Burkina Faso** chromosomal nuclear positioning see diffusion model for G. p. gambiensis, gene expression clades 14286 14203 drug use by small-scale livestock climate change see vector-borne diseases. keepers, 14239 transmission mapping animal trypanosomosis risk, Cochliomvia hominivorax 14182 14206 combination chemotherapy 14073. parasites of camels, 14081 14273 see also drugs comparative genomics 14303 population structure of G. p. gambiensis, Côte d'Ivoire Butyrospermum paradoxum see drugs, genetic characterization of T. brucei s.1, natural products populations of G. p. palpalis, 14208 counterfeit products see drugs Culicidae Cameroon DNA barcodes, 14038 see also molecular characterisation blood parasites of chickens, 14079 HIV-1 group M retrovirus, 14055 Cussonia zimmermannii see drugs, trypanosomosis and drug resistance, natural products cyclophosphamide 14245 14233 cyclic adenosine monophosphate cysteine protease inhibitors see drugs. (cAMP) cytochrome transcripts 14135 signalling 14268 cytoplasmic incompatibility 14189 transformation of T. brucei slender to stumpy forms, 14146 card agglutination test for trypanosomiasis (CATT) **DB289** 14021, see drugs for T. evansi in humans, 14056 deltamethrin for humans and animals, 14227 effects on bird populations in Botswana, cattle breeds treatment of cattle, 14045 tsetse control using pyrethroid footbaths, Boran, 14255 N'Dama, 14086, 14255 14041 **Democratic Republic of Congo** Zebu, 14234 civil conflict and sleeping sickness, diseases other than trypanosomiasis Anaplasmosis, 14050, 14094 14047 biting flies 14028 costs of human trypanosomiasis in a East Coast fever 14050 rural community, 14072 human genetic diversity and foot and mouth 14050 ticks 14030 susceptibility to human African West Nile virus 14023 trypanosomiasis, 14217 melarsoprol versus eflornithine Chagas disease see trypanosomiasis in humans (American) treatment, 14064

transmission of human trypanosomiasis, 14052	cysteine protease inhibitors, 14246 enolase, 14269
treatment failure, IgM synthesis, CSF-	enzymes in spermidine synthesis,
IgM and IL-10, 14070	14263
differentiation	glycosome import pathway, 14138
long slender to short stumpy <i>T. brucei</i>	nucleoside transport activities, 14128
using troglitazone, 14135	phosphodiesterases, 14153
difluoromethylornithine (DFMO) see	polyamine biosynthetic enzymes,
drugs, effornitihine and trypanosomiais	14156, 14164, 14262, 14263
in humans	pyridoxal 5'-phosphate enzymes,
diminazene aceturate see drugs	14256
Djallonké sheep	spermidine synthase, 14281
genetic and phentypic parameters of	tRNA synthetases, 14314
bodyweight, 14087 DNA	trypanosome alternative oxidase, 14155
polymorphisms	trypanothione reductase and
genes coding for cytokines, 14217	synthetase inhibitors, 14110,
sequence data for <i>T. gallinarum</i> in	14112
chickens, 14079	commercial trypanocides
mitochondrial cytochrome oxidase	diamidines
gene, 14038 see Culicidae	mechanisms of action, 14113
dogs see trypanosomiasis in dogs	diminazene aceturate
dromedary camels see trypanosomiais in	resistance in Cameroon, 14233
camels	resistance of T. b. rhodesiense
drugs	isolates, 14230
barriers to development, 14075, 14229	diminazene diaceturate
combination therapy, 14065, 14073,	LC-MS for confirmation, 14121
14074, 14273	eflornithine
community participation in The Gambia,	efficacy compared with melarsoprol
14214	14064
development of new drugs, 14031	homidium chloride
discovery and comparative genomics,	control of counterfeit products
14303	using HPLC, 14242
review of existing and pipeline drugs for	metabolism in hepatocytes, 14107
human infections, 14229	sensitivity of T. b. rhodesiense,
productivity assessment of drugs by	14230
livestock keepers, 14239	T. congolense resistance and
strategies: targets versus targeting,	karyotype profiles, 14126
14071	melarsamine hydrochloride
training farmers in rational use, 14241	cross resistance between arsenical
use of SRA gene to identify resistant	and diamidine drugs, 14260
isolates, 14288	melarsen oxide
targets	sensitivity of T. b. gambiense
adenosine analogues, 14146	isolates, 14291
adenosine 3', 5' monophosphate	melarsoprol
signalling mechanisms, 14268	combined with eflornithine for
CTP synthetase, 14108	treating T. b. brucei, 14074

	2517
combined with nifurtimox for	analogues of 5'-(methylthio)-
treating T. b. gambiense, 14074	adenosine, 14280
combined with substance P receptor	2, N6-disubstituted adenosine
antagonist, 14273	analogues, 14272
comparison with effornithine for	arsonoliposomes, 14284
treating late stage Gambian	bisbenzofuran cations, 14258
trypanosomiasis, 14064	diazabicyclic tropolone derivatives,
equivalence used alone or in	14266
combination with nifurtimox,	diphenyl furans and aza analogues,
14065	14113
induced encephalopathy, 14066,	epimers of bicycle[2.2.2]octan-2-ol
14067	derivatives, 14277
treatment of pre-school children,	5-fluoroucil, 14109
14067	megazol derivatives, 14120
treatment of woman after African	phosphate prodrugs of 4-phospho-
safari, 14061	D-erythronohydoxamic acid,
sensitivity of T. b. rhodesiense,	14274
14230	piperazine-linked bisbenzamidines
nifurtimox	
	and bisbenzamidoxime, 14265
combined with effornithine for	quaternary napthalimide
treating T. b. gambiense, 14074	derivatives, 14116
introduction of, 14020	quinuclidine derivatives, 14261
combined with melarsoprol for <i>T. b.</i>	natural products
gambiense infections, 14065	Albizia zygias stem bark against T. b.
pentamidium	rhodesiense, 14118
in pre-school children, 14067	Annona senegalensis leaf extract
treatment against late stage	activity against T. b. brucei,
gambiense infections, 14263	14119
treatment failure, South Sudan,	Butyrospermum paradoxum stem bark
14291	against T. brucei and T.
treatment of woman after African	T. congolense, 14114
safari, 14061	Cussonia zimmermannii
treatment in Nigeria, 14227	polyacetylenes, 14278
pyrimethamine	Holarrhena africana fractions, 14270
review: chemotherapeutic strategies	Landolphia uniflora extracts, 14257
against T. brucei, 4071	review: natural products as anti-
suramin	trypanosomal drugs (American
distribution across the blood-brain	trypanosomiasis), 14282
and blood-CSF interfaces in	Strychnos spinosa leaf triterpenoids
mice, 14275	and sterols, 14264
treatment failure and intrathecal	resistance
IgM synthesis, 14070	contributions of TbAT1 and Tb
treatment of black bears, 14085	MRPA, 14111
treatment of woman after African	inhibitory drug concentrations using
safari, 14061	³ H-hypoxanthine, 14240
experimental trypanocides	mechanisms of resistance, 14020
acivicin, 14108	multiple resistance of <i>T. b.</i>
401V10111, 17100	manapie resistance of 1. o.

rhodesiense 14230
panels of resistant reference strains,
14240
pentamidine transporter and crossresistance between arsenical and
diamidine drugs, 14260
pharmacokinetics
DB289 in rats and monkeys, 14115

editosome 14304, 14305 electrospray liquid chromatographymass spectrometry 14121 enzyme-linked immunosorbent assay (ELISA)

detection of trypanosomiasis and anaplasmosis, 14094 IgY for host determination, 14046

T. vivax detection, 14092

epidemiology see also transmission and trypanosomiasis in humans, animal hosts and tsetse antibody response to salivary proteins as epidemiological tool, 14051

civil conflict, 14047

G. m. submorsitans in the Ghibe River

Valley, 14224 host genetics, 14217

host preferences, 14225

human genetic diversity, 14032

human practices, 14183

learning and tsetse host choice, 14048 livestock farmers' perception, 14050

parasitic and other transmissible diseases, 14032

roles of cattle, goats and pigs, 14053 role of season, 14226

socio-economic and cultural activities, 14220

Edmund Sergent 14218 eflornithine see drugs epimastigotes

Equatorial Guinea

spatial and temporal variability of tsetse population in the Mbini focus, 14204 equines *see* trypanosomiasis in horses

eradication

optimisation of programmes, 14215 via age-structured culling, 14023

using SIT, 14176, 14182, 14202,14211, 14215

Ethiopia

control of tsetse in southern Rift Valley, 14209
Ethiopia's fly factory, 14190
factory flies and wild flies, 14191
importance of *G. m. submorsitans*, 14224

Field's stain 14226 fluorescent fragment length barcoding(FFLB)

species identification of trypanosomes, 14285

fluorescent markers 14207 functional genomics

training centre in Africa, 14171

genetically engineered vectors

control of mosquitoes, 14185 energetic limitations of insects, see Anopheles gambiae

genetics *see also* trypanotolerance diversity

biodiversity of CYP51 in trypanosomes, 14123

comparative phylogeography of *T. rangeli*, 14290

diversity of trypanosomes in field caught tsetse, 14216

diversity of trypanosome isolates to drugs, 14288

epidemiology of parasitic and other transmissible diseases, 14032

genetic characterisation of *T. brucei* s.1, 14289

genetic diversity in *Glossina* pallidipes, 14039

genetically differentiated populations of *G. p. palpalis*, 14208

genetic variability of T. evansi, 14125

genotypic and phenotypic identification of new trypanosome characterisation of T. b. gambiense species, 14285 isolates, 14291 general review: resolving species problems, 14138 loop-mediated isothermal amplification karyotype profiles of T. congolense, 14126 (LAMP) diagnosis of trypanosome infections, multiple displacement amplification for population genetic analysis, 14243 14293 microsatellites population genetic structure of T. b. genetic variability of T. evansi, 14125 gambiense, 14336 multiple displacement amplification population structuring of G. p. (MDA) palpalis, 14202 detection and genotyping of resolution of the species problem. trypanosome species, 14150, 14293 14138 polymerase chain reaction (PCR) detection of salivary gland susceptibility to human African trypanosomiasis, 14217 hypertrophy virus, 14200 systematic strategy for large-scale diagnosis of T. congolense in a dog, analysis of genotype phenotype 14235 correlations, 14313 detection of T. vivax in cattle, 14082 genome evolution of host choice in Diptera, amplification, 14150 14196 evolution, 14035 identification and diversity of geographic information systems (GIS) trypanosome species in tsetse, optimisation of tsetse eradication 14216 programmes, 14215 inter-simple sequence repeat (ISSR) area-wide control of insect pests, 14168 anchored PCR use in Ethiopia, 14209 genetic variability of T. evansi genetic characterisation isolates, 14125 amplified fragment length multiplex PCR polymorphism (AFLP) to distinguish T. b. brucei from T. population structure of T. b. b. rhodesiense, 14294 gambiense, 14336 real time PCR cDNA library screening for detection of RNA editing, characterisation of salivary proteins 14304 from tsetse, 14199 spliced leader gene (SL) intergenic characterisation of T. brucei s.1, sequences 14289 phylogeography of T. rangeli and Rhodinius, 14290 DNA barcodes species identification of Indian identification of trypanosomes in wild tsetse 14127 mosquitoes, 14038 expressed sequence tags(EST) using SRA gene to identify T. b. genes related to trypanotolerance, rhodesiense in cattle and warthogs, 14076 fluorescent fragment length barcoding using SRA gene to detect T. b. identification of trypanosomes in rhodesiense in humans and Tanzania, 14216 domestic animals, 14288

combined with RFLP for diagnosis of 14224 livestock trypanosomiasis, 14053 Glossina pallidipes diagnosis of trypanosomosis in cattle, control with insecticide treated cattle, 14234 14045 serial analysis of gene copulation behaviour, 14192 expression(SAGE) technology critical thermal limits, 14197 bovine transcriptome analysis, 14086 host determination using IgY ELISA, geomatics 14025 14046 Glossina austeni in Kenya, 14050 control with protective netting, South role of attacin in susceptibility to Africa, 14042 trypanosomes, 14195 cuticular hydrocarbons, 14193 in Kenya, 14050 effect of guaiacol and analogues, 14213 strategy for area-wide control in South Africa, 14211 host preferences in Kenva, 14225 Glossina brevipalpis in southern Rift Valley of Ethiopia, control with protective netting, South 14209 Africa, 14042 inter-population variations in cuticular in Kenya, 14050 lipid mass and dessication rates, strategy for area wide control in South 14193 Africa, 14211 polymorphic microsatellites, 14039 refractoriness, 14195 Glossina fuscipes fuscipes and Wolbachia infections, 14189 responses to baited Nzi traps, 14043 host determination using IgY ELISA, responses to guiaiacol, 14044 seasonal variations in Tanzania, 14226 14046 Glossina longipennis thermal tolerance, 14198 responses to baited Nzi traps, 14043 Glossina palpalis gambiensis Glossina morsitans allele frequencies, 14202 characteristics of saliva, 14199 control with pyrethroid foot baths, Glossina morsitans centralis metabolic rate, 14040 diffusion model, 14203 Glossina morsitans submorsitans effect of T. b. brucei on head proteome, age prevalence of T. congolense and T. vivax, 14221 population structure according to landscape fragmentation, 14202 effects of guaicol and analogues, 14213, 14194 Glossina palpalis palpalis alterations in CNS during infections expression of fat body genes after infection with T. b. brucei, 14194 with trypanosomes, 14222 genetic structure of populations, 14208 in Adamaoua region of Cameroon, spatial and temporal variability of 14233 in eastern Zambia, 14234 population, 14204 iron binding proteins, 14037 Glossina swynnertoni seasonal variations in Tanzania, 14226 responses to guaiacol, 14044 responses to baited Nzi traps 14043 Glossina tachinoides role in livestock trypanosomiasis in control with pyrethroid footbaths, 14041 eastern Zambia, 14053 in Adamaoua region of Cameroon, transferrin expression, 14034 14233 vertebrate hosts in the Ghibe Valley, glycosylphosphatidylinositol (GPI) see

also immune response anchored proteins of procyclic *T. brucei*, 14033 anchored VSG, 14251

guaiacol

reprellancy to savannah tsetse 14044

heat shock proteins 14136 Hippoboscoidea 14197 HIV-1 group M spread through blood sampling, 14055 HLA polymorphism 14032 Holarrhena Africana see drugs, natural products

homidium chloride *see* drugs, commercial trypanocides

high pressure liquid chromatography (HPLC)

control of potentially counterfeit isometamidium products, 14242

human high density lipoprotein (HDL) *see* immune response/innate immunity

IFN-gamma *see* immune response/ innate immunity

IgM *see* immune response/innate immunity

immune response/innate immunity see

also pathogenesis of trypanosomiasis in humans and trypanotolerance general reviews, 14105, 14252 humans

involvement of host genetics, 14217

T. b. rhodesiense: elevated IgM in CSF 14061

role of macrophage-like (M) cells in parasite control and immunopathology, 14252

mice

- T. brucei: activation of VSG genes by recombination into expression sites, 14131
- T. brucei: antigenic variation and silent information regulator 2-related proteins, 14129

T. brucei: antigenic variation: from silent to noisy VSG genes, 14148

- T. b. brucei: apolipoprotein L-1 and trypanolysis, 14062
- T. brucei: beta-d-glucosylhydroxymethyluracil (base J) function in regulation of antigenic variation, !4322
- T. brucei: CpG oligodeoxy
 nucleotide enhanced innate
 resistance and acquired
 immunity, 14097
 T. brucei: cysteine pentase inhib
- *T. brucei*: cysteine peptase inhibitor and virulence. 14334
- T. brucei: gene conversion as essential mechanism for antigenic variation, 14250
- *T. brucei*: GPI treatment reduces immunopathology, 14251
- T. brucei: link between telomere growth and VSG switching rates, 14310
- T. b. brucei: SRA transfected ..cells alter intracellular trafficking of TLF, 14104
- *T. brucei*: telomere mode of VSG silencing, 14139
- *T. brucei*: VSG gene silent archive, 14327
- *T. brucei*: VSG repertoires are strain specific, 14321
- *T. b. brucei* and *T. evansi*: interleukin- 12p70 necessary for resistance, 14244
- T. congolense: control of nitric oxide synthase, 14247
- T. congolense: macrophage-derived TNF crucial for NO-mediated killing, 14247
- T. congolense: MHC class II immune responses and IL-10 function, 14103
- T. congolense: paraoxanose 1 prolongs survival, 14096
- T. congolense: protection with TGF

beta1, 14099

T. congolense and T. brucei: restricted role of CD1d immune responses, 14102

T. congolense: role of regulatory T cells 14237

T. evansi: beta tubulin: .protection against T. evansi, T. equiperdium and T. b. brucei, 14098

T. evansi: IgM –mediated control, 14095

T. evansi: infection linked to lack of apolipoprotein L-1, 14063

T. evansi: limited VAT repertoire of single stock, 14106

rats

T. lewisi: alpha2 macroglobulin prolongs infections, 14245

IFN-gamma *see also* immune response /innate immunity

cell priming and inflammatory response, 14255

IgM see immune response/innate immunity

immunoaffinity absorption 14254 India

human trypanosomiasis caused by *T. evansi.* 14056

interleukin 10 (IL-10) see immune response/innate immunity insecticides

mechanisms of resistance, 14179 impregnated odour-baited targets, 14211 insecticide pour-on for tsetse control .in Gambia, 14214

risk assessment for personnel, 14178 integrated pest management (IPM) see

area-wide integrated pest management interferon-gamma see immune

response/innate immunity

International Plant Protection Convention (IPPC) 14169 introduced species 14182 isometamidium chloride see drugs, commercial trypanocides

Kenya

bloodmeal sources using IgY ELISA, 14046

epidemiology of bovine trypanosomiasis, 14050

host preferences by *G. pallidipes*, 14225 influence of socio-economic and cultural activities on risk of rhodesian sleeping sickness, 14220

socio-economic impact of camel trypanosomiasis, 14084

T. b. rhodesiense in cattle and warthogs, 14076

kinetoplastids see heat shock proteins

landscape fragmentation, 14202 Landolphia uniflora 14257 linkage disequilibrium 14089 loop-mediated isothermal amplification (LAMP) 14243 lysosome 14253

magnetic resonance imaging 14066 malaria

transmission and human practices, 14183

Malawi

trypanosomiasis in a soldier, 14058 **Mali**

drug use by small scale livestock keepers, 14239

training farmers in rational drug use, 14241

mapping African animal trypanosomosis risk through landscape approach, 14206

marker-assisted selection

for bovine trypanotolerance, 14086 mark-release-recapture 14203 melarsamine hydrochloride see drugs, commercial trypanocides melarsen oxide see drugs, commercial trypanocides
melarsoprol see drugs, commercial
trypanocides
membrane potential 14135

microsatellite genotyping see molecular

microsomal elongase pathway (ELO)

for fatty acid synthesis in *T. brucei*, 14160

Millennium Development Goals

Chagas disease as constraint to achievement in Latin America, see trypanosomiasis in humans (American)

mitochondrial markers 14135 mobile targets 14211

model simulations

characterisation

climate-health, 14024

molecular characterisation see genetic characterisation

molecular markers *see* molecular characterisation

mono-pyramidal traps

control of *G. p. palpalis* in Equatorial Guinea, 14204

mosquitoes

DNA barcodes, 14038
genetically engineered vectors, 14185
physiological fitness of free-living and
laboratory-reared males, 14175
multiple-criteria evaluation (MCE),
prioritisation of tsetse control, 14215
multiple displacement amplification

(MDA) see molecular characterisation multiplex PCR see molecular characterisation

Nagana 14104
natural products see drugs
natural killer (NK) cells
N'Dama see cattle breeds and
trypanotolerance
neglected diseases 14166
Nepal

trypanosomiasis in cattle, buffaloes and

dogs, 14077 **nifurtimox** *see* drugs, commercial trypanocides

Nigeria

surveillance for human sleeping sickness, 14227

nitric oxide *see* immune response/innate immunity

octenol

baits for Nzi traps, 14043

Oecomys mamorae

14232. *see also T. vivax* and *T. evansi* **ornithine decarboxylase (ODC)**

inhibitor of DFMO, 14281, 14263 see also drugs

packed cell volume see anaemia P2 nucleoside transporter 14272 Pakistan

T. evansi in horses and camels 14080

Pan African Tsetse and Trypanosomosis Eradication Campaign (PATTEC)

impact of fragmentation of landscapes on tsetse population structure, 14202

pentamidine *see* drugs, commercial trypanocides

permethrin *see* insecticides, risk assessment for personnel, 14178

peroxins, 14137

pest - free areas 14169

pest risk analysis 14169 phenotypic variation

microarray and QTL data, 14313

piperazine-linked bisbenzamidines see drugs

polyamine biosynthesis see drug targets polymerase chain reaction see molecular characterisation

prodrug DB 289 *see* drugs, pharmacokinetics

programmed cell death 14163 protective netting 14042 protein signatures 14174

pulsed field gel electrophoresis

determining chromosome profiles, 14126

pyrethroid foot baths 14041 **pyrimethamine** *see* drugs

quantitative trait locus (QTL) 14238 quaternary naphthalimide derivatives see drugs, experimental trypanocides quinuclidine derivatives

see drugs, experimental trypanocides

real time polymerase chain reaction

(RT-PCR) see molecular

characterisation

refractoriness

role of humoral immune response, 14195 possible application of tsetse symbionts

14189

regulatory T cells (Tregs)

suppression of type 1 inflammatory response, 14237

Republic of the Congo

melarsoprol versus effornithine treatment, 14064

reservoir hosts

human sleeping sickness, 14227

reverse genetics 14195 ribosomal DNA (rDNA)

18S. 14287

18S and 28S alpha, 14285

ribosomal RNA (rRNA)

ITS-1 region, 14127, 14216 5S, 14319 5.8S and 18S, 14243 small subunit(SSU), 14286

RNA editing 14155, 14305

cytochrome c oxidase III, 14154 RNA binding proteins, 14330 structural integrity of editosomes, 14130 substrate determinants, 14133 using recombinant proteins, 14144

RNA interference (RNAi)

ablation of phosphodiesterases, 14153 attacin repression by double stranded RNA, 14195

delayed kinetoplast division, 14317 deletion of acyl carrier protein and ..beta acyl carrier protein synthase, 14160 of flagellum attachment tone protein, 14340

depletion of peroxins 5 and 7 and growth inhibition in bloodstream and procyclic *T. brucei*, 14137

depletion of *T. brucei* mitochondrial.pre- mRNAs, 14145 effects on nuclear RNA binding proteins, 14319

for mutant induction, 14316 growth of *T. brucei* in low iron medium, 14324

for tryptophanyl-tRNA synthetase silencing, 14314

knockdown of *Glossina* transferrin transcripts, 106

of polo-like kinases, 14317

of zinc metalloprotease in *T. brucei*, 14315

silencing of *T. brucei* adenosine kinase, 14325

targeting *T. brucei* motile flagellar genes 14132

tetracyclin induced, 14281

characterisation

restriction fragment length
polymorphism (RFLP) see molecular

salivary gland expression library 14199 satellites for epidemiology 14167 surface enhanced laser desorption ionnisation (SELDI) 14174 sentinel herd surveillance systems 14078

sequential aerosol technique (SAT) 14211, 14086

serial analysis of gene expression (SAGE) 14086 silent information regulator 2 (Sir2)characterization of T. b. gambiense, related proteins or sirtuins 14129 **skin features** see trypanosomiasis in isolation and propagation of T. b. gambiense, 14124 humans T. b. gambiense treatment in pre-school sleeping sickness see trypanosomiasis in humans children, 14067 Sodalis glossinidius suppression subtractive hybridisation to improve SIT, 14189 (SSH) libraries 14194 relation to endosymbiont of slender suramin see drugs, commercial pigeon louse, 14205 trypanocides surface enhanced laser desorption South Africa control of livestock trypanosomosis. ionization (SELDI) 14174 14042 surra see T. evansi strategy for area-wide control of tsetse. surveillance see epidemiology 14211 symbionts see Sodalis, Wigglesworthia **Southern Tsetse Eradication Project** and Wolhachia (STEP) 14209 Spain natural infections of Trypanosoma spp. in wild rabbits, 14236 tabanids species identification see molecular control with Nzi traps, 14028 characterisation and genetic diversity responses to baited Nzi traps, 14043 spermidine see drugs, targets Tanzania spliced-leader gene (SL) 14290 characterization of T. b rhodesiense. Sanitary and Phytosanitary Agreement (SPS) 14169 identification of trypanosome species in serum resistance associated gene (SRA) tsetse, 14216 see also immune mechanisms/innate seasonal variation in human African trypanosomiasis, 14226 immunity SRA-PCR for detection of T. b. PCR for species identification in tsetse, rhodesiense, 14091 14127 characterisation of T. b. rhodesiense targets see drugs isolates from Tanzania, 14288 telomere sterile insect technique (SIT) 14168, deletion and VSG silencing, 14139 telomeric expression sites (ES) 14310 14169, 14173, 14182, 14185, 14188, TGF-beta I see immune response/innate 14209, 14211 see also area-wide pest immunity management Stomoxys The Gambia responses to baited Nzi traps 14028, community participation in trypanosomosis control, 14214 Thrichomys pachyurus 14232 Strychnos spinosa, see drugs, natural transmission products substance P (SP) 14273 alterations in arthropod vectors and vertebrate hosts, 14177 succinate dehydrogenase 14135 antioxidants and establishment of Sudan

genotypic and phenotypic

sika deer 14287

trypanosomes in tsetse, 14223	and innate resistance and acquired
blocking vaccines, 14049	immunity of mice 14097
by fleas in wild rabbits, 14236	crystal structure of
by transfusion, 14022, 14170	phosphofructokinase, 14149
civil conflict, 14047	CTP synthetase as drug target, 59
,	
IgG response to saliva from tsetse,	cysteine peptase inhibitor and
14051	differentiation and virulence, 14334
impacts of climate change, 14024	cytokinesis of bloodstream form,
learning and host choice, 14048	14399
parasite manipulation, 14177	drug resistance, 14111
skin as interface, 14021	drug targets and drug targeting 14071
T. evansi in humans, 14056	editosomes, 14305
T. vivax and T. evansi in Brazilian	endocytosis activation as adaptation
Pantanal, 14232	to mammalian host, 14329
transmission risk	effect of cysteine protease inhibitors
socio-economic and cultural influences,	on cell morphology and division,
14220	14159
treatment/ treatment failure see drugs	effect of dihydroxyacetone, 14338
trypanocides/ trypanocide resistance see	effect of GPI - based treatment of
drugs	infections in mice, 14251
Trypanosoma brucei see also drugs and	effects of 6-phosphogluconate
immune response/innate immunity	dehydrogenase inhibitors, 14274
in cattle	effect on TNF and IL-6 cytokines in
Serengeti, Tanzania	infected mice, 14251
in Uganda, 14091	enolase as drug target, 14269
in goats	epimastigote forms, 14161
general review, 14038	fatty acid synthesis, 14143
in warthogs	F-box protein mRNAs, 14318
Serengeti, Tanzania	flagellar adhesion and cell growth,
adenosine kinase, 14325	14337
antigenic variation, 14129	flagellar motility, 14132
antigenic variation and activation of	flagellum attachment zone filament
VSG genes, 14131	structure, 14340
aromatic amino acid catabolism,	free GPI glycolipids, 14033
14152	functional genomics, 14132
biodiversity of CYP51, 14123	functions of RNA binding proteins,
CD1d immune responses in mice,	14320
14102	functions of zinc metalloprotease,
cell cycle regulation, 14142	14315
cell cycle stage specific markers,	gene conversion and antigenic
14335	variation, 14250
characterization of TFIIH homologue,	GPI- anchored proteins 14033
14147	histone modifications, 14326
conditional I-SceI meganuclease	import of proteins into glycosomes,
cleavage	14137
deletion of a single telomere, 14139	induction of cytokinesis defect, 14311
CpG oligodeoxynucleotide treatment	inhibition of oxygen uptake by KCN,

14135 trypanothione reductase effects, inhibitors of cysteine proteinases, 14112 tryptophanyl-tRNA synthetases intracellular iron utilization and silencing, 14314 use of multiple displacement cellular morphology, 14324 lysosomal function and endocytosis, amplification of DNA, 14150 14331 VSG gene repertoires, 14321 microsomal elongases and fatty acid VSG gene silent archive, 14327 synthesis, 14143 Trypanosoma brucei brucei see also migration across blood-brain barrier immune response/innate immunity in mice, 14249 alterations induced in head proteome mitochondrial fatty acid synthesis, of tsetse vector, 14222 14160 characterization of ecto-nucleoside triphosphate diphosphohydrolase mitochondrial gene expression, 14140 mitochondrial tRNA import, 14300 activity, 14134 new membrane bound eukarvotic competition between strains in the initiation factor 2, 14328 tsetse fly, 14207 novel phospholipases 14157 discrimination from T. b. rhodesiense. nuclear architecture and gene expression, 14151 effect of disubstituted adenosine nucleoside transporter, 14128 analogues, 14272 phosphodiesterases, 14153 effect of extracts of Landolphia procyclin mRNAs of epimastigote uniflora, 14257 effect of H. africana in infected mice, forms 14161 properties of spermidine synthase. 14270 14281 effect of human serum on lysosome, pyrimidine transport 14109 14253 regulation of telomeric DNA TLF killing, 14254 glyxcosylation, 14322 effect of piperazine-linked purine salvage machinery, 14071 bisbenzamidines, 14265 regulation of gene expression, 14151 5-fluorouracil as potential trypanocide GPI-based treatment 14109 RNA editing, 14130, 14145 genes and iron metabolism, 14327 5S rRNA abundance and ribosomal inhibition of cell death in tsetse, assembly, 14319 14223 roles of cyclin in controlling cell inhibition of growth and respiration cycle progression, 14141 using inhibitors of alternative role of polo-like kinases, 14317 oxidase, 14155 significance of tryparedoxin for intracellular trafficking of host hydroxyperoxide detoxification, immune response molecules, 14104 14307 roles of haptoglobin related protein telomere deletion, 14139 and apolipoprotein L1 in telomere length, 14310 trypanolysis, 14062 transformation of slender to stumpy role of IFN-gamma production in forms, 14146 resistance of mice, 14244 troglitazone and differentiation, trypanosome maturation, 14049 14135 Trypanosoma brucei gambiense see also

trypanosomiasis in humans, drugs and analogues, 14272 immune response/innate immunity effect of piperazine linked bisbenzamidines, 14265 fevers, chills and rash after African antibody IgG response to saliva safari, 14061 from vectors and non-vectors, in vitro effects of H. africana, 14051 14270 diagnostic potential of TGSGP, in cattle and warthogs, 14076 14312 in a soldier, 14058 diagnosis using LAMP, 14243 melarsoprol resistance, 14230 drug combinations in Uganda. multiple drug resistance, 14230 14074 treatment with melarsoprol, 14066 genetic diversity, 14289 Trvpanosoma congolense see also genotypic and phenotypic trypanosomiasis in cattle, drugs and characterization, 14291 immune response/innate immunity human African trypanosomiasis in in cattle a rural community, 14072 Kenya, Zambia, 14050, 14053 in pre-school children, 14067 in pigs in tsetse midguts, 14052 Zambia, 14053 isolation and propagation, 14124 in a dog population genetic structure using United Kingdom, 14235 AFLP, 14336 age prevalence in G. m. morsitans. resistance to melarsamine hydrochloride, 14260 CD1d immune responses in mice role of endocrine disorders in 14102 infections, 14228 diagnosis using LAMP, 14243 skin features, 14059 effect of GPI treatment on infection surveillance in Abraka focus, in mice, 14252 Nigeria, 14227 effect of transforming growth factor treatment failure in Democratic on mice infections, 14099 Republic of Congo, 14070 karyotype profiles, 14126 treatment with melarsoprol versus MHC class II restricted immune eflorinthine, 14064 responses in mice, 14103 treatment with melarsoprol and nitric oxide mediated killing in nifurtimox, 14065 mice, 14247 use of SRA gene as marker to paraoxonase 1 in protection of distinguish from T. b. mice, 14096 rhodesiense, 14288 resistance to isometamidium and Trypanosoma brucei rhodesiense see also role of apolpoprotein A-II and trypanosomiasis in humans, drugs, role of T cells in immune response immune response/innate immunity of mice, 14237 activity of root bark extracts of semen sialic acid and alpha -L-Cussonia zimmermannii, 14278 fucosidase levels in infected characterization of isolates, 14288 sheep, 14100 detection using SRA-associated trypanotolerance OTLs in mice, gene, 14091 14238 effects of disubstituted adenosine Trypanosoma cruzi see also

trypanosomiasis in humans (American) detection in horses, 14093 achieving the Millennium VAT repertoire, 14106 Development Goals, 14172 aromatic amino acid catabolism. Trypanosoma vivax 14152 in cattle diagnosis using LAMP, 14243 Kenya donor testing for blood transfusions, epidemiology, 14050 14171 prevalence in Bolivia, 14082 roles of IFN-gamma, nitric oxide and age prevalence in G. m. morsitans, IgG in control, 14248 14221 spatial distribution in Brazilian detection of antibodies using ELISA, Pantanal, 14232 14092 leaving group activation in nucleoside transmission by transfusion, 14022 trend of vectors towards domesticity, hydrolase, 14298 trypanosome CTP synthetase as drug 14165 Trypanosoma equiperdum see also drugs target, 14108 activity of megazol derivatives, 14120 Trypanosoma gallinarum reference strains for drug screening. in chickens in Uganda and Cameroon, 14240 14079 Trypanosoma evansi see also Typanosoma lewisi trypanosomiasis in humans, drugs and activity of alpha 2 macroglobulin in immune response/innate immunity infected rats, 14245 antigen repertoire, 14106 Trvpanosoma pacifica apolipoprotein L-1, 14063 multiplication in English sole, 14301 beta tubulin and protection against Trypanosoma pleuronectidium T. evansi, T. equiperdium and T. in cod, 14122 brucei in mice, 14098 Trypanosoma rangeli effect of GPI treatment on phylogeny using polymorphism of infections in mice, 14252 spliced leader gene, 14290 genetic variability, 14125 Trvpanosoma theileri in Himalayan black bears, 14085 energy metabolism in bloodstream in horses and camels in Punjab forms, 14339 region, 14080 trypanosome lytic factor (TLF) see in humans in India, 14056 immune response/innate immunity oxidative stress in rats, 14101 trypanosomiasis in black bears reference strains for drug screening, clinical features and treatment, 14085 14240 trypanosomiasis in buffaloes role of IFN-gamma in resistance of prevalence in Makwanpur district Nepal, mice, 14244 14077 role of IgM in immunity of mice, trypanosomiasis in camels 14095 prevalence in the Punjab region spatial distribution in Brazilian Pakistan, 14080 Pantanal, 14232 review: parasites of camels, 14081 TNF, gamma interferon and nitric socio-economic impact, 14084 oxide in infected animals, 14095 trypanosomiasis in cattle

countries

use of monoclonal antibody for

Burkina Faso, 14041, 14239 Bolivia, 14082	prevalence in Makwanpur district, 14077
Brazil, 14092, 14232	prevalence in the Serengeti, 14076
Cameroon, 14233	note in the anidemial are of livestock
East Africa, 14210	role in the epidemiology of livestock
Ethiopia, 14209	trypanosomaisis in Zambia, 14227
Kenya, 14050	spatial distribution in the Brazilian
Mali, 14239, 14241	Pantanal, 14232
Nepal, 14077	immunity/innate resistance
Pakistan, 14080	comparative genome analysis of
South Africa 14042, 14211	trypanotolerance QTL, 14238
Tanzania, 14076	improving accuracy of selection for
Uganda, 14091	trypanotolerance, 14088
The Gambia, 14214	transcriptone analysis, 14086
Zimbabwe, 14045	trypanosomiasis in chickens
Zambia, 14215, 14227, 14234	prevalence in Uganda and Cameroon,
control	14079
area-wide control, 14211	trypanosomiasis in deer
detecting anaemia and improving	isolation, 14287
treatment, 14215	trypanosomiasis in dogs
investments in pour-on insecticides	clinical signs and diagnosis, 14235
and drugs, 14214	prevalence, 14077
management of tsetse and bovine	trypanosomiasis in fish 14301, 14122
infections, 14210	trypanosomiasis in goats
pyrethroid footbaths, 14041	genetic and phenotypic parameters of
protective netting, 14042	body weight in West African Dwarf
restricted application of insecticides,	goats, 14087
14045, 14209	global status, 14083
risk and drug resistance, 14233	trypanosomiasis in horses
training farmers in rational drug use	diagnosis of T. evansi using ELISA,
14241	14093
treatment by small-scale livestock	prevalence in the Punjab region, 14080
keepers, 14239	trypanosomiasis in humans (African)
diagnosis	countries
development and use of an ELISA for	Burkina Faso, 14289
epidemiological surveys, 14092	Côte d'Ivoire, 14289
diagnosis by amplification of the SRA	Democratic Republic of Congo,
gene, 14091	14051, 14052, 14064, 14070,
epidemiology	14072, 14075
epidemiology in Kwale district, 14050	India, 14056
GIS and multiple criteria evaluation	Kenya, 14046, 14061, 14220, 14225,
for optimisation of eradication,	14230
14215	Malawi, 14058
prevalence in the Bolivian Pantanal,	Nigeria, 14227
14082	Sudan 14067, 14291
prevalence in the Ghibe Valley,	Tanzania, 14061, 14226, 14288
14227	Uganda, 14047, 14230
	<i>S</i> , ,

14069, 14091, 14074	treatment see also drugs
clinical features/ pathogenesis	animal models 14026
anorexia, 14228	barriers to drug development, 14075,
animal models, 14026	14229
chancre, 14058	causes & mechanisms of drug
erythema, 14058	resistance, 14020
elevated CSF IgM, 14061	challenges of chemotherapy, 14229
encephalopathy, 14065, 14066, 14067	chemotherapeutic strategies, 14071
fever, 14058, 14061	combination therapy, 14065, 14073,
hypotension, 14228	14074, 14273
interleukin-10, 14061	costs, 14072
intrathecal IgM synthesis, 14070	development of new drugs, 14031
lymphadenopathy, 14058	diamidines, 14113
microhaemorrhages, 14066	diminazine aceturate, 14230, 14233
role of endocrine disorders in <i>T. b</i> .	discovery and comparative genomics,
gambiense infections	14303
skin features, rash 14059, 14061	melarsamine hydrochloride, 14260
diagnosis	melarsen oxide, 14291
development of LAMP, 14243	melarsoprol, 14061, 14064, 14065,
T. b. rhodesiense 14091	14067, 14074, 14230, 14273
T. evansi in India, 14056	multiple drug resistance in T. b.
epidemiology	rhodesiense isolates, 14230
civil conflict, 14047	nifurtimox, 14020, 14065, 14074
divergence between east and west	pentamidium, 14061, 14067, 14227,
Africa, 14027	14263, 14291
human/vector relationships, 14051	public-private partnerships, 14069
influence of socio-economic and	pyrimethrine, 14071
cultural factors on risk of	review: existing and pipeline drugs
Rhodesian sleeping sickness,	for human infections, 14229
14220	strategies: targets versus targeting,
role of human genetic diversity,	14071
14032	toxicity and cost, 14075
seasonal variations, 14226	resistance of <i>T. b. rhodesiense</i>
surveillance in Abraka focus, 14227	isolates, 14230
transmission in Kinshasha, 14052	suramin, 14061, 14070, 14275
transmission risk of Rhodesian	trypanosomiasis in humans (American)
sleeping sickness, 14225	human genetic diversity and
bloodmeal sources using IgY ELISA	epidemiology, 14032
in Kenya, 14046	impediment to achieving the
immune response/innate immunity	Millennium Development Goals in
involvement of host genetics, 14217	Latin America, 14172
trypanolysis and apolipoprotein L-1,	links with human rights violations,
14062, 14063	14166
isolate characterisation	overview: new natural product-based
T. b. rhodesiense, 14288	drugs, 14282
T. brucei, s.1 14289	transmission by transfusion, 14022
T. b. gambiense, 14291	trypanosomiasis in mice see also under
	J F

trypanosome species	infections, 14101
Trypanosoma brucei:	trypanosomiasis in sheep
CD1d immune responses, 14102	semen sialic acid and modulation of
	alpha-L-fucosidase activity, 14100
CpG oligodeoxynucleotide	trypanotolerance
treatment and innate resistance	genes, 14086
and acquired immunity,14097	QTL, 14238
effect of GPI - based treatment of	role of T cells, 14237
infections, 14251	selection of bulls 14088
effect on TNF and IL-6 cytokines,	selection in sheep and goats, 14087
14251	genome analysis, 14238
migration across blood-brain	tsetse see also under different Glossina
barrier, 14249	species
transformation of slender to stumpy	control
forms, 14146	area-wide, 14173, 14209, 14211
VSG gene repertoires, 14321	baited Nzi traps, 14043
VSG gene silent archive, 14327	eco-social analysis of management,
Trypanosoma brucei brucei:	14210
activity of H. africana, 14270	genetically-engineered insects,
role of IFN-gamma production in	14185
resistance, 14244	GIS and multiple crirteria
trypanosome maturation, 14049	evaluation for optimising
Trypanosoma congolense:	eradication, 14215
effect of GPI treatment, 14252	insecticide treated cattle 14045
effect of transforming growth factor,	protective netting, 14042
14099	pyrethroid footbaths, 14041
MHC class II restricted immune	repellency of 4-alkyl-substituted
responses, 14103	analogue of guaiacol, 14213
nitric oxide mediated killing, 14247	using symbionts, 14189
paraoxonase 1 in protection, 14096	distribution, ecology, behaviour and
resistance to isometamidium and	population studies
role of apolpoprotein A-II and	copulation behaviour, 14192
role of T cells in immune response,	diffusion model, 14203
14237	genetically distinct populations,
trypanotolerance QTLs, 14238	14208
Trypanosoma evansi:	learning and host choice, 14048
immunisation with beta tubulin,	mapping densities: landscape
14098	approach, 14206
effect of GPI treatment, 14252	population dynamics modelling
role of IFN-gamma in resistance,	14040
14244	population structuring, 14202
role of IgM in immunity, 14095	seasonal variations in population
trypanosomiasis in rabbits	14226
natural infection rates in wild animals,	spatial and temporal variability
14236	of populations, 14204
trypanosomiasis in rats	physiology and biochemistry
antioxidant status and T. evansi	characteristics of saliva, 14199

critical thermal limits, 14198 lipid mass and dessication, 14193 metabolic rate, 14040

molecular characteristics of iron binding proteins, 14037 molecular aspects of transferrin expression, 14034 thermal tolerance, 14197 tsetse-host interactions alterations in head proteome induced by trypanosome infection, 14222 antioxidants and establishment of trypanosomes, 14223 epizootiological importance in Ghibe Valley, 14224 expression of fat body genes after infection with trypanosomes, 14194 GPI-anchored proteins, GPI glycolipids and colonisation by trypanosomes, 14033 host determination using an egg yolk (IgY) ELISA, 14046 host preference, 14225 manipulation by trypanosomes, 14147 refractoriness, 14195 trypanosome maturation, 14049

Uganda

detection of *T. b. rhodesiense* using SRA-PCR 14091 human sleeping sickness and civil conflict, 14047 private-public partnerships for sleeping sickness control, 14069 treatment of human infections with drug combinations 14074

United Kingdom

trypanosome infection in a dog, 14235 **vector**

control campaigns mapping tsetse densities, 14206

management empowering farmers in integrated vector management, 14187

risk assessments for exposure to insecticides, 14178

vector-borne disease

early warning 14167 eradication via age-structured culling 14023

genetically engineered vectors, 14185 human practices and malaria transmission, 14183

impacts of climate change/ warming 14025, 14029

parasitic manipulations, 14177 vertical transmission, 14181 vectorial transmission, 14218 sentinel surveillance systems, 14078

variant surface glycoprotein (VSG) see

also immune response/innate immunity exchange to procyclin during differentiation 14334 gene silent archive, 14327 release from procyclic trypanosomes, 14315

sequence divergence between trypanosome strains, 14321

warthog

host for *G. m. submorsitans* and *G. pallidipes*, 14224

West African Dwarf goat 14087

genetic and phenotypic parameters of bodyweight, 14087 see trypanotolerance

Wigglesworthia glossinidia brevipalpis see symbionts

Wolbachia

and cytoplasmic incompatibility, 14189

working oxen and equids

health and husbandry improvements, 14180

Zambia

age prevalence of trypanosomes in female *G. m. morsitans*, 14221 role of cattle, goats and pigs in epidemiology of livestock trypanosomiasis, 14053
trypanosomosis incidence in cattle, 14234
MCE for tsetse control
prioritisation, 14215
temperature tolerance of *G. pallidipes*, 14198
Zimbabwe
deltamethrin treatment of cattle, 14045