## CODEX ALIMENTARIUS COMMISSION





Viale delle Terme di Caracalla, 00153 Rome, Italy - Tel: (+39) 06 57051 - Fax: (+39) 06 5705 4593 - E-mail: codex@fao.org - www.codexalimentarius.net

Agenda Item 6a

CX/PR 12/44/5 CORRIGENDUM April 2012

# JOINT FAO/WHO FOOD STANDARDS PROGRAMME CODEX COMMITTEE ON PESTICIDE RESIDUES

44<sup>th</sup> Session Shanghai, P.R. China, 23 - 28 April 2012

## DRAFT AND PROPOSED DRAFT MAXIMUM RESIDUE LIMITS IN FOODS AND FEEDS AT STEPS 7 AND 4

The following has been corrected for the listed compounds:

- 189 Tebuconazole
- 1. The commodity name for FB 0267 should be **Elderberries**, not Elderberry.
- 229 Azoxystrobin
- 2. The ADI has been amended to 0-0.2 mg/kg in line with the 2011 JMPR evaluation.
- 249 Isopyrazam
- 3. The proposed MRL for AS 0640 Barley straw and fodder, dry (3 mg/kg) have been amended to reflect the 2011 JMPR evaluation.
- 251 Saflufenacil
- 4. The proposed MRL for AS 0640 barley straw and fodder, dry (0.05 mg/kg); AS 0651 Sorghum straw and fodder, dry (0.05 mg/kg); and AS 0654 Wheat straw and fodder, dry (0.05 mg/kg) have been amended to reflect the 2011 JMPR evaluation.

E

PART 1

LIST OF MAXIMUM RESIDUE LIMITS FOR PESTICIDES IN FOOD AND ANIMAL FEEDS

(At Various Steps of the Codex Procedure)

### Part 1: Pesticides with MRLs

#### 189 Tebuconazole

Main Uses: Fungicide JMPR: 94, 97R

ADI: 0-0.03 mg/kg body weight 2011 Acute RfD: 0.3 mg/kg body weight (2011)

Residue: Definition of the residue (for compliance with the MRL and for estimation of dietary intake) for plant and animal commodities: tebuconazole.

The residue is fat-soluble.

Note: (42-62): The Committee noted the acute intake concern expressed by the EU and decided to retain all the draft MRLs at Step 7, awaiting the outcome of the JMPR evaluation for

toxicology (2010) and residues (2011).(42-62)

(	Comm Code	nodity Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB	0267	Elderberries	2			7	08	43			The Committee noted the acute intake concern expressed by the EU and decided to retain all the draft MRLs at Step 7, awaiting the outcome of the JMPR evaluation for toxicology (2010) and residues (2011) (42-62).
FB	0267	<b>Elderberries</b>	1.5			3	11	44			

### 229 Azoxystrobin

Main Uses: Acaricide

JMPR:

ADI: 0-0.2 mg/kg body weight 2011

Acute RfD: Unnecessary (2011)

Residue: Definition of the residue (for compliance with the MRL for plant and animal commodities and for estimation of dietary intake for plant and animal

commodities): azoxystrobin.

The residue is fat-soluble.

#### 249 Isopyrazam

Main Uses: Fungicide

JMPR:

ADI: 0–0.06 mg/kg body weight 2011 Acute RfD: 0.3 mg/kg body weight (2011)

Residue: Definition of the residue (for compliance with MRL) for plant commodities: isopyrazam (sum of syn-isomer and anti-isomer).

Definition of the residue for estimation of dietary intake for plant commodities: sum of isopyrazam and 3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid [9-(1-hydroxyl-1-methylethyl)-(1RS, 4RS, 9RS)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]amide expressed as isopyrazam.

Definition of the residue (for compliance with the MRL the estimation of dietary intake) for animal commodities: isopyrazam (sum of syn-isomer and anti-

isomer). The residue is fat-soluble.

Comm	nodity									
Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AS 0640	Barley straw and fodder, Dry	 <mark>3</mark>			3	11	44			

#### 251 Saflufenacil

Main Uses: Herbicide

JMPR:

ADI: 0-0.05 mg/kg body weight Acute RfD: Unnecessary (2011)

Residue: Definition of the residue (for compliance with MRL and for estimation of dietary intake) for plant and animal commodities: saflufenacil.

The residue is not fat-soluble.

Commodity Code Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AS 0651 Sorghum straw and fodder, Dry	0.05 0.05 0.05			3 3 3	11 11 11	44 44 44			