codex alimentarius commission

FOOD AND AGRICULTURE **ORGANIZATION**

WORLD HEALTH **ORGANIZATION**

OF THE UNITED NATIONS

JOINT OFFICE: Via delle Terme di Caracalla 00100 ROME Tel.: 52251 Telex: 625825-625853 FAO I Cables: Foodagri Rome Facsimile: (6)5225.4593

ALINORM 97/24A

JOINT FAO/WHO FOOD STANDARDS PROGRAMME

CODEX ALIMENTARIUS COMMISSION Twenty-second Session Geneva, 23 - 28 June 1997

REPORT OF THE 29TH SESSION OF THE CODEX COMMITTEE ON PESTICIDE RESIDUES The Hague, 7 - 12 April 1997

Note: This report incorporates Codex Circular Letter CL 1997/8-PR.

codex alimentarius commission

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS

WORLD HEALTH ORGANIZATION

JOINT OFFICE: Via delle Terme di Caracalla 00100 ROME Tel.: 52251 Telex: 625825-625853 FAO I Cables: Foodagri Rome Facsimile: (6)5225.4593

CX 4/40.2

CL 1997/8-PR May 1997

TO:

- Codex Contact Points

- Participants at the Twenty-ninth Session of the Codex Committee on Pesticide Residues

- Interested International Organizations

FROM:

Chief, Joint FAO/WHO Food Standards Programme FAO, Via delle Terme di Caracalla, 00100 Rome, Italy

SUBJECT: DISTRIBUTION OF THE REPORT OF THE TWENTY-NINTH SESSION OF THE CODEX COMMITTEE ON PESTICIDE RESIDUES (ALINORM 97/24A)

The report of the Twenty-ninth Session of the Codex Committee on Pesticide Residues (CCPR) is attached. It will be considered by the Twenty-second Session of the Codex Alimentarius Commission to be held in Geneva from 23 - 28 June 1997.

PART A: MATTERS FOR ADOPTION BY THE 22ND SESSION OF THE CODEX ALIMENTARIUS COMMISSION

The following matters will be brought to the attention of the 22nd Session of the Codex Alimentarius Commission for adoption (ALINORM 97/24A, Annex II):

- 1. Draft Maximum Residue Limits at Step 8; and
- 2. Proposed Draft Maximum Residue Limits at Step 5/8

Governments wishing to propose amendments or to comment on the Draft MRLs and Proposed Draft MRLs, including revised ones, should do so in writing in conformity with the Guide to the Consideration of Standards at Step 8 of the Procedure for the Elaboration of Codex Standards Including Consideration of Any Statements Relating to Economic Impact (Codex Alimentarius Procedural Manual, Ninth Edition, pp. 33-35) to the Chief, Joint FAO/WHO Food Standards Programme, FAO, Via delle Terme di Caracalla, 00100 Rome, Italy (fax, +39 6 52254593; e-mail, codex@fao.org), not later than 31 May 1997.

3. Proposed Draft Maximum Residue Limits at Step 5

Governments wishing to propose amendments or to submit comments regarding the implications which the Proposed Draft Maximum Residue Limits may have for their economic interest should do so in writing in conformity with the Procedures for the Elaboration of Codex Standards and Related Texts (at Step 5) (Codex Alimentarius Procedural manual, Ninth Edition, pp. 28-29) to the Chief, Joint FAO/WHO Food Standards Programme, FAO, Via delle Terme di Caracalla, 00100 Rome, Italy (fax, +39 6 52254593; e-mail, codex@fao.org), not later than 31 May 1997.

4. DELETION OF CODEX MRLs

Governments wishing to comment on proposed deletion (not including that of Codex MRLs replaced by the revised MRLs) should do so in writing to the Chief, Joint FAO/WHO Food Standards Programme, FAO, Via delle Terme di Caracalla, 00100 Rome, Italy (fax, +39 6 52254593; e-mail, codex@fao.org), not later than 31 May 1997.

PART B: REQUEST FOR INFORMATION AND DATA TO BE SENT TO JOINT FAO/WHO MEETING ON PESTICIDE RESIDUES

RESIDUES AND TOXICOLOGICAL DATA REQUIRED BY JMPR FOR PESTICIDES SCHEDULED FOR EVALUATION OR PERIODIC RE-EVALUATION

Governments and interested international organizations are invited to send inventory of data for pesticides on the agenda of the JMPR. Inventories of information on use patterns or good agricultural practices, residue data, national MRLs, etc. should be sent to FAO Joint Secretary of the JMPR, Plant protection Service, AGP, FAO, Via delle Terme di Caracalla, 00100 Rome, Italy, well before 30 November of a year before a JMPR meeting where a pesticide of concern is scheduled to be evaluated and, submission of residue data should be well before the end of February of the same year as the JMPR meeting. Toxicological data should be sent to Dr. J.L. Herrman, International Programme on Chemical Safety, WHO, CH-1211 Geneva 27, Switzerland not later than one year before the JMPR meeting (see Appendix III).

Those countries specified under individual compounds concerning matters related to the FAO Panel of the JMPR (GAP, residue evaluation, etc.) on specific pesticide/commodity(ies) or concerning toxicological matters are invited to send information of data availability and/or toxicological data (for deadlines see the paragraph above).

SUMMARY AND CONCLUSIONS

The Twenty-ninth Session of the Codex Committee on Pesticide Residues reached the following conclusions:

MATTERS FOR CONSIDERATION BY THE COMMISSION

The Committee recommended to the Commission:

- Draft MRLs for adoption at Step 8, Proposed Draft MRLs at Step 5/8 and Proposed Draft MRLs at Step 5 (Annex II);
- Proposed Draft Revised Recommended Methods of Sampling for the Determination of Pesticide Residues for Compliance with MRLs for adoption at Step 5 (Appendix II);
- Priority List of Pesticides for new and periodic evaluations by he JMPR for endorsement (Appendix III);
- deletion of certain existing Codex MRLs (Annex II); and
- initiation of work on "national regulatory practices to facilitate the Use of Codex Maximum Residue Limits for Pesticides" which would replace "Recommended National Regulatory Practices to Facilitate Acceptances and Use of Codex Maximum Limits for Pesticide Residues in Foods (CAC/PR 9-1985)" (para. 102).

MATTERS OF INTEREST TO THE COMMISSION

The Committee:

- agreed that at present there was no need to establish MRLs/EMRLs for fish (paras. 5-7);
- requested the Codex Committee on Nutrition and Foods for Special Dietary Uses to clarify their concerns about the pesticide residue provision of the Proposed Draft Revised Standard for Processed Cereal-Based Foods for Infants and Young Children and to provide the exact wording it wished to include in the standard for consideration by this Committee (para. 8);
- recognized the need for further coordination between the JMPR and JECFA, and the CCPR and CCRVDF, as well as at the national level, for elaborating MRLs for compounds used both as pesticides and veterinary drugs (paras. 9-12);
- agreed not to pursue the elaboration of harmonized guidelines for the establishment of temporary tolerances at the national level, or any of the other recommendations or proposals outlined in the document on residue management initiatives in Codex (paras. 13-16):
- noted the brief oral summaries of the Joint FAO/WHO Consultations on Risk Management and on Food Consumption and Exposure Assessment of Chemicals and agreed to discuss the final report of the latter at its next session (paras. 17-18, 32-33);
- noted the report on general considerations by the 1996 JMPR and recommended that FAO and WHO give a high priority to the work of the JMPR and publish reports and evaluations in a timely manner (paras. 19-22);
- welcomed the publication of the Revised Guidelines for Predicting Dietary Intake of Pesticide Residues, supported the general principles of the Guidelines and agreed that the revised Guidelines should be reviewed in the future in the light of experience from operating them and developments in the area of exposure assessment (paras. 23-28);
- encouraged the JMPR and governments to perform IEDI and NEDI calculations respectively on a routine basis (para. 31);

- agreed that if best possible dietary intake estimates of a pesticide using 5 regional diets do not exceed the ADI, the Committee should advance MRLs for this pesticide; and if they exceed the ADI, hold the MRLs and request additional information needed to refine dietary intake estimates to enable the Committee to decide what actions should be taken (para. 40);
- agreed that a discussion paper for consideration at the next session, which should examine the need for criteria for setting EMRLs and what need to be considered if criteria were to be established (paras. 80-81);
- agreed to bring to the attention of the CCMAS and CCRVDF the Proposed Draft Revised Recommended Methods of Sampling for the Determination of Pesticide Residues for Compliance with MRLs as amended by the Committee (para. 84);
- agreed to maintain MRLs for abamectin set at or about the limit of determination at 0.01 mg/kg (para. 87);
- supported the proposal of the CCRVDF that the Commission request FAO and WHO to give consideration to convening an expert consultation on method validation for food control purposes (para. 88); and
- endorsed several recommendations regarding problems relative to pesticide residues in food in developing countries (paras. 96-99)

TABLE OF CONTENTS

_	Paragraphs
Introduction	
Opening of the Session	
ADOPTION OF THE AGENDA	
APPOINTMENT OF THE RAPPORTEURS	
Matters Referred to the Committee	
Residue Management Initiatives in Codex	13 - 16
SUMMARY REPORT OF THE JOINT FAO/WHO EXPERT CONSULTATION ON RISK	
Management	17 - 18
Report on General Consideration by the 1996 Joint FAO/WHO Meeting	
ON PESTICIDE RESIDUES	19 - 22
Consideration of Intake of Pesticide Residues:	
Draft Revised Guidelines for Predicting Dietary Intake of Pesticide Residues	
Worked Example of Intake Estimate According to the Revised Guidelines	29 - 31
Summary Report of the Joint FAO/WHO Consultation on Food Consumption	
and Exposure Assessment	
Report of Pesticide Residue Intake Studies at International and national Level	34 - 39
Consideration of Maximum Residue Limits and Extraneous Maximum	
RESIDUE LIMITS IN FOOD AND ANIMAL FEEDS	
MRLs Kept at Step 7 Due to Dietary Intake Issues	
MAXIMUM RESIDUE LIMITS	
Azinphos-methyl (002)	43
Chlorfenvinphos (014)	
Chlorpyrifos (017)	
Diazinone (022)	•
Dicofol (026)	
Dimethoate (027)	
Diquat (031)	
Ethion (036)	•
Ethoxyquin (035)	
Fenthion (039)	
Methidathion (051)	
Parathion (058)	52
Parathion-methyl (059)	
Quintozene (064)	54
Bromopropylate (070)	
Disulfoton (074)	57
Dichlorofluanid (082)	58
Dicloran (083)	59
Chlorpyrifos-methyl (090)	
Cartap (097)	
Methamidophos (100)	61
Dithiocarbamates (105)	
Ethephon (106)	65 - 66
Fenbutatin oxide (109)	67
Iprodione (111)	
Phorate (112), Tecnazene (115), Methacrifos (125)	
Phenothrin (127)	69

Isofen	phos (131), Triadimefon (133), Metalaxyl (138), Triazophos (143)	±
Oxyde	meton-methyl (166)	70
Triadir	menol (168), Profenofos (171)	±
	one (172)	•
Buprof	fezin (173)	72
Abame	ectin (177)	73
	nrin (178)	
	non (180)	
	nazole (187)	
Cletho	dim (187)	76
Fenpro	ppimorph (188)	<i>7</i> 7
	onazole (189)	
	mol (192)	
	roximate (193)	
EXTRAÑE	OUS MAXIMUM RESIDUE LIMITS	80 - 81
	ATIONS FOR METHODS OF ANALYSIS AND SAMPLING:	
Revision of	Recommended methods of Sampling for the Determination of	
	Residues {	82 - 84
Revision of	the List of Recommended Methods of Analysis for Pesticide Residues	• •
	er Matters Related to Methods of Analysis for Pesticide Residues	85 - 89
	NT OF CODEX PRIORITY LISTS OF PESTICIDES	
	LATIVE TO PESTICIDE RESIDUES IN FOOD IN DEVELOPING COUNTRIES	
	ESS AND FUTURE WORK	
DATE AND PLA	ACE OF NEXT SESSION	103
	LIST OF ANNEXES	
Annex I	CAR O CARAC CITATION OF WORK	Pages
ANNEX I	SUMMARY STATUS OF WORK	
	THICS OF WILLS GOINGIDERED	10
	LIST OF APPENDICES	_
A mara mara T	LICT OF DARWONANTO	Pages
APPENDIX I	LIST OF PARTICIPANTS PROPOSED DRAFT REVISED RECOMMENDED METHODS OF SAMPLING	24
Appendix II		
	FOR THE DETERMINATION OF PESTICIDE RESIDUES FOR COMPLIANCE	
A nom = 177	WITH MRLs	50
Appendix III		
	REEVALUATION BY IMPR	67

LIST OF ABBREVIATIONS

(used in this Report)

CCFAC CCFICS	Codex Committee on Food Additives and Contaminants
CCFICS	Codex Committee on Food Import and Export Inspection and Certification Systems
CCGP	Codex Committee on General Principles
CCMAS	Codex Committee on Methods of Analysis and Sampling
CCNFSDU	Codex Committee on Nutrition and Foods for Special Dietary Uses
CCPR	Codex Committee on Pesticide Residues
CCRVDF	Codex Committee on Residues of Veterinary Drugs in Foods
FAO	Food and Agriculture Organization of the United Nations
JECFA	Joint FAO/WHO Expert Committee on Food Additives
JMPR	Joint FAO/WHO Meeting on Pesticide Residues
WHO	World Health Organization
ADI	Acceptable Daily Intake
CXL	Codex Maximum Residue Limit for Pesticide
GAP	Good agricultural practice
EMRL	Extraneous Maximum Residue Limit
IEDI	International Estimated Daily Intake
MRL	Maximum Residue Limit
1711 (1)	Manimum 100000 Dillic

SPS Agreement Agreement on the Application of Sanitary and Phytosanitary Measures TBT Agreement Agreement on Technical Barriers to Trade

National Estimated Daily Intake

Supervised Trials Median Residue

Theoretical Maximum Daily Intake

NEDI

STMR

TMDI

REPORT OF THE TWENTY-NINTH SESSION OF THE CODEX COMMITTEE ON PESTICIDE RESIDUES

INTRODUCTION

The Codex Committee on Pesticide Residues (CCPR) held its 29th Session in The Hague, The Netherlands, from 7-12 April 1997. Dr. W.H. van Eck of the Netherlands Ministry of Health, Welfare and Sport chaired the Session. The Session was attended by 44 Member countries, 1 Observer country and 16 international organizations. The list of participants is attached as Appendix I to this Report.

OPENING OF THE SESSION (Agenda Item 1)

The Session was opened by Mr. R.B.J.C. van Noort, Director-General, National Institute of Public Health and the Environment. He welcomed the Committee to The Hague and gave an overview of the various Expert Consultations held over the last few years on the role of risk analysis in establishing Codex standards. He mentioned in particular the progress made in estimating dietary intake of pesticide residues and its consequences for the JMPR and CCPR.

ADOPTION OF THE AGENDA (Agenda Item 2)

The Committee adopted the Provisional Agenda with the understanding that it would consider whether to retain "Recommended National Regulatory Practice to Facilitate Acceptance and Use of Codex Maximum Limits for Pesticide Residues in Foods" under Agenda Item 13, Other Business and Future Work.

APPOINTMENT OF RAPPORTEURS (Agenda Item 3)

Mr. C.W. Cooper (USA) and Mr. J.R. Mascall (UK) were appointed as rapporteurs.

MATTERS REFERRED TO THE COMMITTEE² (Agenda Item 4)

- MAXIMUM RESIDUE LIMITS OF PESTICIDES IN FISH
- The Committee recalled that the 21st Session of the Codex Alimentarius Commission had referred to it a proposal to elaborate MRLs in fish. The Committee at its last Session had discussed this proposal briefly and agreed to send a circular letter3 requesting information on the need for MRLs in fish.
- The establishment of MRLs for chemicals used as pesticides in feed or aquaculture, and EMRLs for chemicals previously registered as pesticides is the responsibility of this Committee, while that for MRLs for chemicals used as veterinary drugs in aquaculture is the responsibility of the CCRVDF.
- Several delegations and WHO reported that surveys demonstrated that the estimated intakes of pesticide residues, especially certain organochlorine compounds, were low. Some delegations expressed the view that there might be a need to elaborate EMRLs for persistent organochlorine compounds in fish in the future; however, the limited data availability was pointed out. The Committee agreed that at present there was no need to establish MRLs/EMRLs for fish as there were neither significant problems in trade of fish nor apparent health concerns arising from uses of

CL 1996/37-PR.

¹ CX/PR 97/1.

CX/PR 97/2 (including comments from Australia, Canada, Denmark, France, South Africa, Spain and USA in response to CL 1996/37-PR on the need to establish MRLs for fish), CX/PR 97/2-Add.1 (CRD 4; comments from Norway), CX/PR 97/2- Add.2 (CRD 6; comments from Germany). 3

pesticides in aquaculture, or from environmental contamination. The Committee also agreed that it might consider this issue in the future.

- PESTICIDE RESIDUE PROVISION OF THE PROPOSED DRAFT REVISED STANDARD FOR PROCESSED CEREAL-BASED FOODS FOR INFANTS AND YOUNG CHILDREN
- 8. The Committee noted that a proposal was made at the 20th Session of the CCNFSDU to include specific requirements for pesticide residues in the above standard⁴. The Committee decided to request the CCNFSDU to clarify their concerns and to provide the exact wording it wished to include in the standard for consideration by this Committee.

MAXIMUM RESIDUE LIMITS FOR VETERINARY DRUGS

- 9. The Committee noted that the CCRVDF at its Tenth Session advanced a number of MRLs for abamectin, cypermethrin and α -cypermethrin in animal products to Step 5^5 .
- 10. It was pointed out that the way in which the CCRVDF established MRLs included some differences compared with the CCPR, e.g., fat solubility of compounds was not taken into consideration; and the tissue "muscle" was not defined in relation to fat. The separate residue definitions for cypermethrin and α -cypermethrin, as opposed to the consolidated definition for cypermethrin (sum of isomers) agreed by the CCPR, would not be practical in control laboratories.
- 11. It was recognized that further coordination would be needed between the JMPR and JECFA, and the CCPR and CCRVDF, as well as at the national level, for elaborating MRLs for compounds used both as pesticides and veterinary drugs. It was stressed that general information exchange between the JMPR and JECFA was necessary, e.g., when one body reviews a compound, another body's evaluation, where available, should be included in the data package.
- 12. The Chairperson offered to suggest better coordination between the JECFA and JMPR, including possible informal joint meeting, when reporting on CCPR activities at the forthcoming Commission Session. The Committee encouraged Member countries to comment on the above MRLs at Step 5.

RESIDUE MANAGEMENT INITIATIVES IN CODEX⁶ (Agenda Item 5)

- 13. The document was prepared by Australia on the basis of discussions held at the 43rd Session of the Executive Committee⁷. Since the Executive Committee Session, the 10th Session of the CCRVDF and the 5th Session of the CCFICS had examined an original and a revised document respectively and decided not to pursue the recommendations further⁸.
- 14. The Delegation of Australia stated that the paper explored various options for further facilitating international trade by elaborating appropriate guidelines which, while not compromising the level of public health protection, could be applied in situations when either Codex MRLs were non existent or importing countries apply default tolerances (frequently zero or near to zero) which were not science-based.
- 15. Several delegations expressed serious concerns as to the general direction of the document. It was suggested that those issues raised in the document, which concentrated on bilateral arrangements between countries, were outside the mandate of Codex. Moreover, the proposals seemed to transfer the burden of proof of the safety of food from the producer and exporter to the importer, and would undermine the role of Codex in developing comprehensive MRLs to protect the consumer and to facilitate trade.

⁴ ALINORM 97/26, para. 84 and Appendix VIII.

⁵ ALINORM 97/31A, Appendix V.

⁶ CX/PR 97/3.

⁷ ALINORM 97/3, paras. 34 - 38.

⁸ ALINORM 97/31A, paras. 67-69 and ALINORM 97/30A, paras. 46-50.

16. The Committee agreed not to pursue the elaboration of harmonized guidelines for the establishment of temporary tolerances at the national level, or any of the other recommendations or proposals contained in the document.

SUMMARY REPORT OF THE JOINT FAO/WHO EXPERT CONSULTATION ON RISK MANAGEMENT (Agenda Item 6)

- 17. The Chairperson noted that the Joint FAO/WHO Expert Consultation on the Application of Risk Management to Food Safety Matters was held at the FAO Headquarters from 28-31 January 1997. The Consultation considered the application of risk management to food safety matters. It considered risks arising from both chemical and biological agents, and developed and reconfirmed definitions of a number of key terms, identified elements of risk management and developed general principles of food safety risk management.
- 18. The Consultation stressed the need for interaction between risk assessment and risk management while keeping these two elements of the risk analysis process structurally separate. It was necessary for risk managers, such as those represented by the CCPR, to pose clear and concise questions to risk assessors in order to allow risk assessors to respond effectively to their needs.

REPORT ON GENERAL CONSIDERATIONS BY THE 1996 JOINT FAO/WHO MEETING ON PESTICIDE RESIDUES (Agenda item 7)

- 19. The 1996 JMPR had considered: the prediction of dietary intake of pesticide residues; the relationship between Codex MRLs for pesticide, good agricultural practice (GAP) and food safety; estimation of extraneous residue limits; estimation of group maximum residue levels; use by the WHO Core Assessment Group of national evaluations of studies; and the interaction of pesticides.
- 20. Delegations and organizations welcomed the comments of JMPR on the potential interactions of pesticides, and encouraged the JMPR to give more attention to this area and to follow relevant research work so that advances in knowledge on such interaction could be used in evaluating pesticides. One delegation welcomed the use by the WHO Core Assessment Group of national evaluations of studies, and encouraged the FAO Panel to follow this approach.
- 21. Concern was expressed about the continuing problem of the late publication of JMPR reports and evaluations, which impedes the work of the Committee. The Committee recommended that FAO and WHO give a high priority to the work of the JMPR and publish reports and evaluations in a timely manner.
- 22. The Committee was informed that the FAO Manual on Submission and Evaluation of Residue Data had been completed and would be submitted for publication soon. The Manual contains all consolidated general principles that are currently being applied by the FAO Panel. It gives full information required for the estimation of residue levels of new compounds as well as those considered within the periodic review programme or re-evaluated for some specific reason. The Manual will improve the transparency of the work of the JMPR and promote consistency in submission of comprehensive data packages and in their evaluation.

CONSIDERATION OF INTAKE OF PESTICIDE RESIDUES (Agenda Item 8)

- (a) Draft Revised Guidelines for Predicting Dietary Intake of Pesticide Residues¹⁰
- 23. It was noted that the draft revised Guidelines were before the Committee for comment, but that no action was necessary by the Committee as WHO would publish the Guidelines under the auspices of GEMS/Food. Nonetheless, because the procedures described in the revised Guidelines

Pesticide residues in food - 1996. FAO Plant Production and Protection Paper 140.

¹⁰ CL 1996/33-PR, CX/PR 97/5 (comments from Australia, Japan, New Zealand, Slovak Republic, Spain and Consumers International), CX/PR 97/5-Add.1 (comments from France and the UK), CX/PR 97/5-Add.2 (comments from the UK), and CX/PR 97/5-Add. 3 (comments from Germany).

were being implemented by the JMPR for the purpose of international exposure assessment, the Committee was invited to comment on the risk assessment policies embodied in the Guidelines.

- 24. There was broad support in principle for the improvement in the estimation of residues by the use of the STMR levels in predicting dietary intake of pesticides. However, some delegations expressed reservations about whether the STMR levels would provide a sufficient margin of safety for consumers and especially for subgroups such as infants, children and farmers. It was explained that for a number of reasons, including actual measurement of residues in food as consumed, the STMR should still be considered an overestimate of residue levels.
- 25. Some delegations were concerned that the use of the TMDI at the international and national levels in the Guidelines might be misconstrued by some governments and consumers. One delegation raised questions about resource implications needed to implement the Guidelines at the international and national levels, though other delegations were already using the Guidelines. The WHO Representative noted that the Guidelines place emphasis on the use of the best available information, but that further clarification would be provided to communicate the screening function of the TMDI. The TMDI was described as a cost-effective means for focusing resources on pesticides of greatest concern. The presentation of models from complex to simple would help convey the concept that estimating exposure is a continuum of increasing accuracy, but would probably not promote understanding of the underlying principles of dietary exposure assessment.
- 26. The Observer from the EC stated that the use of average consumption in calculating the National TMDI (NTMDI) was not acceptable and that it was prerogative of countries or a group of countries to choose a model for own assessments. The WHO Representative noted that "average" referred to the national food balance sheet data, known to overestimate food consumption, and which was therefore believed to be protective of sensitive sub-groups. Countries were encouraged to undertake total diet studies to validate their exposure assessment models, and reassure consumers that levels of pesticide residues in food do not exceed established safe limits. This would include using individual food consumption information, where available, in order to protect infants, children and other sub-groups of interest. However, special studies, such as biomonitoring, would be needed for farmers because their exposure patterns are not easily modelled. In response to the concern on the body weight used in exposure assessment at the international level, the WHO representative noted that necessary measures would be taken to reflect different body weights in regions.
- 27. Consumers International also supported the Guidelines as an improvement in the dietary exposure assessment of pesticide residues, but expressed concerns that overall risk to the consumer from pesticide residues was underestimated, since exposure through drinking water and non-dietary exposures were not given sufficient emphasis, and since a number of issues related to hazard characterization of pesticide residues were not adequately addressed in their view. It was noted that many of the issues raised would be addressed by the JMPR, which included explicit consideration of multimedia exposures.
- 28. The Committee extended its appreciation to WHO and all that cooperated in the preparation of the revised Guidelines and looked forward to its publication. The Committee requested that WHO take both written and oral comments into consideration in addition to most of the editorial suggestions that the WHO Representative noted would be incorporated. Delegations were invited to provide their comments within the next few months to WHO if they had not already done so. The Committee agreed that the Guideline should be reviewed in the future in the light of experience from operating them and also from further developments in the area of exposure assessment, such as methods for estimating acute hazards in food.

- (b) Worked Example of Intake Estimate According to the Revised Guidelines¹¹
- 29. Mr. D. Hamilton (Australia) presented the paper and noted that the worked example illustrated practical methodology on best chronic exposure estimations following the recommendations of the Joint FAO/WHO Consultation on Revision of the Guidelines for Predicting Dietary Intake of Pesticide Residues (1995) and the JMPR FAO Panel Workshop (1996) using residue data on parathion-methyl. He stated that using real data required certain decision making, and highlighted the following points:
 - Concept of STMR;
 - Different residue definitions for enforcement and dietary intake purposes;
 - How to deal with residue trial data which include levels below the limit of determination;
 - How to estimate STMRs in various cases;
 - Edible portion levels and processing factors; and
 - Results of IEDI calculations.
- 30. The Committee welcomed the paper as useful guidance and reference material in performing IEDI/NEDI estimations. Some delegations indicated that they had already implemented the recommendations of the above Consultation and Workshop. The Committee noted that the 1996 JMPR had fully endorsed the methodology contained in the paper.
- 31. The JMPR and governments were encouraged to perform IEDI and NEDI calculations respectively on a routine basis. It was agreed that, if necessary, the Committee might revisit this issue in the future. Noting that the methodology was applicable for chronic exposure assessment, the Committee felt that there would be a need to address a methodology for acute exposure assessment pending the report of the Joint FAO/WHO Consultation on Food Consumption and Exposure Assessment of Chemicals (para. 32).
- (c) SUMMARY REPORT OF THE JOINT FAO/WHO CONSULTATION ON FOOD CONSUMPTION AND EXPOSURE ASSESSMENT OF CHEMICALS
- 32. The Joint FAO/WHO Consultation on Food Consumption and Exposure Assessment of Chemicals was held in Geneva from 10-14 February 1997. Mr. C. Warfield (Canada), co-rapporteur of the Consultation, noted that it reviewed and recommended the revision of regional diets used by GEMS/Food for dietary exposure assessments; recommended a procedure for performing acute dietary exposure assessments for adoption by Codex committees; promoted a consistent approach to national and international dietary exposure assessment for all food chemicals and Codex committees; promoted a consistent and transparent approach in conducting dietary exposure assessments, which required good communication between the exposure assessor and the risk manager; and gave special consideration to the needs of developing countries by recognizing the special requirements of such countries.
- 33. The Committee agreed to discuss the final report of the Consultation at its next Session, with the understanding that a discussion as to the possible elaboration of guidelines for acute dietary exposure assessment could be held at that time.
- (d) REPORT ON PESTICIDE RESIDUE INTAKE STUDIES AT INTERNATIONAL AND NATIONAL LEVEL
- Progress Report by WHO on Prediction of Dietary Intake of Pesticide Residues¹²
- 34. The Representative of WHO presented the referenced papers. The TMDI and, when STMR levels and processing factors were available, the IEDI were evaluated based on the procedures described in the draft Guidelines (CL 1996/33-PR)(paras. 23-31).

11 CX/PR 97/6 (prepared at the request of the Codex Secretariat).

¹² CX/PR 97/8, CRD 1 (detailed calculations for predicting intakes) and CRD 10 (intake calculations for diquat and ethion).

- 35. Calculations were performed for pesticides evaluated by the 1996 JMPR, except for those for which all MRLs had been proposed for withdrawal or no MRLs had been proposed. Of the 23 pesticides considered, 14 had TMDIs and/or IEDIs none of which exceeded the ADI for all regional diets: acephate, aldicarb, bifenthrin, 2,4-D, diazinon, DDT¹³, fenarimol, flumethrin, haloxyfop, maleic hydrazide, methamidophos, propoxur, tebufenozide, and teflubenzuron.
- 36. The TMDI and, in some cases, the IEDI, based on incomplete information, exceeded the ADI for the following, and further information on STMRs and processing factors needed to be reviewed before full IEDIs could be calculated: carbaryl, carbofuran, dimethoate, disulfoton, mevinphos, phorate, thiram and ziram.
- 37. In the case of thiram and ziram, the prediction of dietary intake was based on an approach which recognizes a common mechanism of toxicity for the dithiocarbamates (105) as a group that included mancozeb, maneb, metiram, propineb, thiram, zineb and ziram. A toxic equivalence correction factor was used to accommodate the different ADIs established by the JMPR for individual dithiocarbamates. In addition, another correction factor was applied to account for differences in molecular weight of the various dithiocarbamates. The Committee agreed, in principle, with the approach, but some delegations requested more time to consider it further. WHO would prepare an improved exposure assessment for dithiocarbamates for the next Session with a more detailed explanation of the procedure and rationale behind the decision steps. (para. 62)

Report from National Governments¹⁴

- 38. The Delegation of the United Kingdom introduced preliminary results of national research into variability of residues. He stated that random occurrence of high level residues had been detected but that even the highest residues were unlikely to lead to adverse health effects. The Delegation invited international cooperation as the problem was likely to be global in scope. He stated that the issue was of concern for registration of pesticides, as opposed to enforcement of MRLs.
- 39. The Delegation of Australia reported on their national market basket study, conducted for 86 pesticides/contaminants.

CONSIDERATION OF MAXIMUM RESIDUE LIMITS AND EXTRANEOUS MAXIMUM RESIDUE LIMITS IN FOOD AND ANIMAL FEEDS (Agenda Item 9)

- MRLs Kept at Step 7 Due to Dietary Intake Issues¹⁵
- 40. With the assistance of the ad boc Working Group on Acceptances, chaired by Dr. D. Lunn (New Zealand), the Committee examined the referenced documents. Following the endorsement of CX/PR 97/10 by the Working Group, the Committee welcomed the principles outlined in this paper as they addressed both consumer protection and trade facilitation in a well balanced manner. It was recognized that a clear distinction was made in the paper between international and national responsibilities and between chronic and acute exposure. The Committee agreed to implement the following proposals immediately with the understanding that it would review their operation in three years time allowing experience to be gained both at the CCPR and national level:
 - 1. (a) when considering draft MRLs, the JMPR/CCPR should concentrate on international dietary intake assessments (using the regional diets) based on the best use of available data;
 - (b) when this estimate of dietary intake does not exceed the ADI in any of the regional diets, the draft MRLs should advance through the Step Procedure. Member countries

14 CRD 2 (UK report on unit to unit variation of pesticide residues in fruits and vegetables).

¹³ Based on the provisional tolerable daily intake (PTDI) and EMRLs.

¹⁵ CX/PR 97/10, CX/PR 97/10-Add.1, CX/PR 97/10-Add.2 (containing comments from Australia, Canada, Denmark, New Zealand, South Africa, UK and USA in response to CL 1996/36-PR), CX/PR 97/10-Add.2 (comments from Germany) and CRD 9 (report of the Working Group on Acceptances).

- which cannot accept a particular MRL for national dietary intake reasons, can use the Codex Acceptance Procedure to indicate their non-acceptance of the Codex MRL;
- (c) if this "best estimate" of dietary intake for one or more regional diets exceeds the ADI, and further refinement of the intake estimation at the international level is not possible, the CCPR should not recommend advancement of the draft MRL but should, instead, reflect on possible risk management measures;
- 2. Recognizing that there was a need to make a clear distinction between chronic and acute exposure, and that there were ongoing initiatives to develop methodology for acute exposure assessments, the CCPR should consider elaborating procedures in this area once the report of the Joint FAO/WHO Consultation on Food Consumption and Exposure Assessment of Chemicals became available;
- 3. With respect to the compounds MRLs for which were held at Step 7C, and recognizing the need to avoid imposing an excessive workload on the JMPR, the CCPR should review these compounds on a case by case basis, taking account of the following principles:
 - (a) reviews should utilize the new IEDI methodology recommended by the Joint FAO/WHO Consultation on Revision of the Guidelines for Predicting Dietary Intake of Pesticide Residues;
 - (b) STMRs should normally be estimated on the basis of existing data available to the FAO Panel of the JMPR;
 - (c) requests by the CCPR to the JMPR to re-examine these MRLs should be subject to confirmation that manufacturers can re-submit the data;
 - (d) STMR estimations may only need to be conducted for those commodities which contribute significantly to dietary intake concern;
 - (e) where a periodic review is already scheduled for the near future, the CCPR should normally await the outcome of that review, rather than asking the JMPR to conduct a specific assessment;
- 4. For future evaluations, the CCPR should advise manufacturers that data submissions to the JMPR should routinely include best estimates of dietary intake for the regional diets; and
- 5 Whilst recognizing that WHO can provide details of the regional diets, the CCPR should invite FAO/WHO to provide further guidance on estimating dietary intake and estimating STMRs, to manufacturers and other interested parties.
- 41. After thanking the members of the Working Group for their efforts in completing the assigned tasks the Committee agreed that no further meeting would be necessary.

MAXIMUM RESIDUE LIMITS¹⁶

42. Based on the above decision, the Committee agreed to either advance or hold the draft MRLs for the pesticides stated below, which had been held at Step 7C:

Pesticide	MRLs at Step 7	Note
Azinphos-methyl (002), Diazinone (022) and	Advanced to Step 8	According to Point 1(b) of para. 40.
Triazophos (143)		01 pmm (0.

CX/PR 97/9, CX/PR 97/9-Add.1-1 (comments from Canada, Denmark, Egypt, France, Germany, The Netherlands, South Africa, Spain, EC), CX/PR 97/9-Add.1-2 (comments from UK and USA), CX/PR 97/9-Add.1-3 (comments from Indonesia), and CX/PR 97/9-Add.3 (comments from France). The status of the MRLs discussed is contained in Annex II along with government comments/reservations. For review schedule of the individual compounds, refer Appendix III of this report.

Pesticide	MRLs at Step 7	Note
Methidathion (051), Chlorpyriphos-methyl (090) and Phorate (172)	Held at Step 7C ¹⁸ ; IEDI or best possible estimates requested from manufacturers; if the ADI is exceeded only slightly, governments to consider this fact in relation to the IEDI concept	According to Point 1(c) & 3 of para. 40.
Disulfoton (074)	Held at Step 7B	Pending the 1998 JMPR evaluation, including STMR and processing data
Methacriphos (125)	Deleted	No longer supported

AZINPHOS-METHYL (002)

43. The Committee advanced all MRLs at Step 7C to Step 8 not awaiting new data (para. 42).

CHLORFENVINPHOS (014)

44. The Committee noted the recommendation of the 1996 JMPR to delete all CXLs and future availability of data on several commodities. The manufacturer was requested to advise the Joint Secretaries in writing when and what data would be available to the JMPR. The Committee agreed to full discussion at its next session.

CHLORPYRIFOS (017)

45. The Committee agreed to consider at its next Session an MRL for citrus fruits at 1 mg/kg proposed by the Delegations of USA and Spain.

DIAZINONE (022) (Annex II & para. 42)

DICOFOL (026)

46. The Committee noted that dicofol should be scheduled for JMPR residue evaluation. Information from the manufacturer, including refined intake estimations, was requested for a full discussion at the next session of the Committee (para. 42).

DIMETHOATE (027)

47. The Committee noted that residue data for all commodities specified in the footnote in CX/PR 97/9 would be available for periodic review by the 1998 JMPR.

DIQUAT (031)

48. Since the TMDI exceeded the ADI for 3 out of 5 regional diets the Committee returned the MRLs to Step 6 (para. 42).

ETHION (034) (Annex II)

ETHOXYQUIN (035)

49. The Committee postponed the deletion of the CXL for pear pending the JMPR evaluation as it was informed by the United States that new toxicology and residue data on pear would be provided.

FENTHION (039)

50. The Committee decided to retain the CXLs for meat and milk for 4 years according to the Periodic Review Procedure awaiting data on animal feeding studies.

¹⁷ The draft MRLs had been adopted at Step 5 and advanced to Step 6 by the Executive Committee at its 43rd Session.

¹⁸ The draft MRLs for diquat were returned to Step 6.

METHIDATHION (051)

51. The TMDI ranged from 30% to 170% of the ADI (para. 42). Delegations were requested to consider the relatively small excess of the ADI in relation to the new Guidelines and the underlying principles of the IEDI-concept, noting in particular that apple, grape, pear, tomato and olive oil, virgin were the main contributors to dietary intake.

PARATHION (058)

52. The Committee kept the MRL for apple at Step 7B pending the 1997 JMPR evaluation of studies on apples.

PARATHION-METHYL (059)

53. The IEDI did not exceed the ADI for any regional diets (paras. 29-31). The Committee agreed to consider MRLs for feedingstuffs and associated commodities next year taking into account the relevant sections (animal transfer studies) of the FAO Manual and previous JMPR Reports.

QUINTOZENE (064)

54. The Committee recommended the CXL for banana for deletion as the use for banana was not supported, and retained the other CXLs for 4 years according to the Periodic Review Procedure. The Committee noted that data on lettuce, head and potato would be submitted for evaluation by the 1998 JMPR.

BROMOPROPYLATE (070)

- 55. The JMPR, in establishing a MRL for citrus fruits, had followed the general policy for group MRLs outlined in the report of the 1996 JMPR. Recognizing that the database was limited, the Committee advanced the MRL to Step 8.
- 56. The Committee was informed by the Observer from the EC that minimum data requirements for MRL setting were being elaborated in cooperation with the OECD and would be available for the 1998 JMPR.

DISULFOTON (074)

57. The Committee was informed that additional data would be available (para. 42).

DICHLOFLUANID (082)

58. The Committee noted that this compound would not be supported beyond 2000 but an alternative compound tolylfluanid (162) would be instead. It was proposed that the current CXLs be retained until the registration of dichlorfluanid expires.

DICLORAN (083)

59. The Committee retained the CXLs carrot, lettuce, head, onion, bulb, peach, plums (including prunes), strawberry and tomato as supporting data for these commodities would be available for the 1998 JMPR. The Delegations of the Netherlands and Spain stated that data on strawberry would be available. For grapes, written confirmation on information availability was requested from the manufacturer. The Committee recommended to delete other CXLs.

CHLORPYRIFOS-METHYL (090)

60. The Committee requested the manufacturer to review all residue and processing studies available on cereal commodities and to estimate IEDI (para. 42). The Committee postponed the decision on cereal commodities pending this review.

CARTAP (097) (Annex II)

METHAMIDOPHOS (100)

61. The Committee maintained the MRL for pome fruits at Step 7 pending the 1997 JMPR evaluation of new trial data.

DITHIOCARBAMATES (105)

- 62. The Committee requested the JMPR to examine whether it was appropriate to use the toxicological correction factor for all dithiocarbamates for the purpose of exposure assessment, since some of them are ETU (or PTU)-formers and others are not (para. 37).
- 63. As the IEDI in 3 out of the 5 regional diets exceeded the ADI (up to 360%) the manufacturers were asked to send detailed STMR information to WHO, so that they could be taken into account in re-calculation of the intake.
- 64. Noting that metiram was no longer supported for common beans, the Committee agreed to consider all MRLs at Step 6 and the withdrawal of the MRL for common beans at its next Session.

ETHEPHON (106)

- 65. The Committee noted that data on pepper, cantaloupe and grapes would be available to the 1997 JMPR, and that data on pineapple would become available in 1999. The Observer from the EC informed the Committee that data on tomato would be provided to the 1997 JMPR. The Committee kept the MRLs for cantaloupe, pepper and pineapple at Step 7B and amended last years decision on grape, pending the JMPR evaluation.
- 66. The Committee requested the Delegation of the USA to forward their comments on a higher MRL for pineapple to the 1997 JMPR.

FENBUTATIN OXIDE (109)

67. Since insufficient data had been available to the JMPR on mandarins, the Committee retained the group MRL for citrus fruits and withdrew the separate MRLs (para. 55).

IPRODIONE (111)

68. The Committee retained the CXL for tomato for one more year as new data from indoor trials would become available in 1999 and the TMDI did not exceed the lowered ADI.

PHORATE (112) (Annex II, para. 42)

TECNAZENE (115): METHACRIFOS (125) (Annex II)

PHENOTHRIN (127)

69. The Committee agreed to consider deletion of the existing CXLs at the next session as the use of the compound might not be supported.

ISOFENPHOS (131); TRIADIMEFON (133); METALAXYL (138) (Annex II)

TRIAZOPHOS (143) (Annex II, para. 42)

OXYDEMETON-METHYL (166)

70. The Committee postponed discussion pending the 1998 JMPR periodic review of the compound and the related compound, demeton-S-methyl (073).

TRIADIMENOL (168); PROFENOFOS (171) (Annex II)

BENTAZONE (172)

71. The Committee requested the JMPR to consider revising the residue definition for plant commodities.

BUPROFEZIN (173)

72. The Committee postponed discussion on the MRL for oranges to the next Session as new trial data on oranges would be available to the 1999 JMPR

ABAMECTIN (177)

73. The Committee postponed discussion awaiting the 1997 JMPR evaluation (paras. 9 - 12).

BIFENTHRIN (178)

74. The Committee postponed discussion pending review by the 1997 JMPR of questions raised at its 28th session concerning residues in cereals and its impact on animal products.

DITHIANON (180)

75. The Committee noted that no new data on cherries were expected.

PENCONAZOLE (182) (Annex II)

CLETHODIM (187)

76. The Committee postponed discussions pending the 1997 JMPR re-evaluation.

FENPROPIMORPH (188)

77. The Committee noted that animal transfer studies were being developed.

TEBUCONAZOLE (189)

78. The Committee kept the MRL for grapes at Step 7B awaiting the 1997 JMPR review of residue data on grapes and oat.

FENARIMOL (192) (Annex II)

FENPYROXIMATE (193)

79. The Committee noted that additional data would be submitted to the 1999 JMPR.

EXTRANEOUS MAXIMUM RESIDUE LIMITS¹⁹

- 80. The Committee considered whether there was a need to elaborate criteria for setting EMRLs, or to accept the EMRL setting policy of the JMPR stated in the 1995 and 1996 JMPR Reports. The Committee had a brief discussion on acceptable rates of violation and how to treat outlier data points.
- 81. The Committee accepted the offer of the Delegation of the USA to prepare a discussion paper in collaboration with Australia, Egypt, Netherlands, New Zealand, South Africa, UK and the EC for consideration by the Committee at its next Session. The paper should examine the need for such criteria and what need to be considered if criteria are to be established, e.g., approach taken by the CCFAC. The Reports of the 1995 and 1996 JMPR should also be taken into consideration in the paper.

RECOMMENDATIONS FOR METHODS OF ANALYSIS AND SAMPLING (Agenda Item 10)

- (a) REVISION OF RECOMMENDED METHODS OF SAMPLING FOR THE DETERMINATION OF PESTICIDE RESIDUES²⁰
- 82. The Committee considered the referenced documents with the assistance of the *ad hoc* Working Group on Methods of Analysis, which had considered the Proposed Draft Recommended Methods extensively during this Session and had made a number of proposals for amendments.
- 83. The Committee exchanged views on sampling of low fat meat for determination of residues of fat-soluble pesticides; and the portion of stone fruits on which MRLs were established and which should be taken into account when calculating residue levels. After some discussion, the Committee accepted all the proposed amendments contained in CX/PR 97/12, and those recommended by the Group, except the deletion of Sections 2.3 and 5.2 in Table 3 on sampling of meat parts without adhering fats. The Committee also agreed to add notes in Sections 1 and 4 of Table 3 referring to

¹⁹ CX/PR 97/9-Add.2 (comments from USA).

²⁰ CX/PR 97/12 and CRD 11 (report of the ad hoc Working Group on Methods of Analysis).

- Sections 2 and 5, respectively. The Committee decided to advance the Proposed Draft Recommended Methods of Sampling as amended²¹ to Step 5 for adoption by the Commission with the understanding that at its next session the Committee would consider only fundamental issues.
- 84. To promote coordination within Codex, the Committee agreed to bring the amended document to the attention of the CCMAS and CCRVDF.
- (b) REVISION OF THE LIST OF RECOMMENDED METHODS OF ANALYSIS FOR PESTICIDE RESIDUES AND OTHER MATTERS RELATED TO METHODS OF ANALYSIS FOR PESTICIDE RESIDUES²²
- Revision of the List of [Recommended] Methods of Analysis for Pesticide Residues
- 85. The Committee was informed by the Chairperson of the *ad hoc* Working Group, Dr. van Zoonen (The Netherlands) that an updated list had not been prepared. He offered to screen validated methods from the current list and to prepare a less complicated document. The Committee noted that the Working Group had considered the merits of recommending generic methods or criteria with which methods should comply but no conclusion had been reached.
- 86. Member Governments were again invited to provide methods for cycloxidim (179), etofenprox (184), clethodim (187), teflubenzuron (190), fenarimol (192), fenpyroximate (193) and haloxyfop (193).
- MRLs Set at or about the Limit of Determination (LOD)
- 87. The Committee agreed to maintain MRLs for abamectin set at or about the LOD at 0.01 mg/kg.
- Others
- 88. In relation to the lack of validation data for methods of analysis for veterinary drug residues²³ and, to an extent, pesticide residues, the Committee supported the proposal of the CCRVDF that the Commission request FAO and WHO to give consideration to convening an expert consultation on method validation for food control purposes.
- 89. The Committee agreed to convene a new ad hoc Working Group under the Chairship of Dr. van Zoonen (The Netherlands) at its next session.

PRIORITY LIST OF PESTICIDES²⁴ (Agenda item 11)

- 90. The Committee agreed to add two new compounds to the priority list, imidacloprid (Canada) and kresoxim-methyl (Germany). The JMPR Secretariat had tentatively scheduled kresoxim-methyl for toxicological and residue evaluation in 1998 and imidacloprid for toxicological evaluation in 2000 and for residue evaluation in 2001.
- 91. Based on a good response to a letter from the Global Crop Protection Federation to manufacturers of pesticides eligible for periodic review, many pesticides had been tentatively scheduled for periodic review²⁵. Several compounds eligible for periodic review had not yet been scheduled, including three substances that had become eligible for periodic review this year on the basis of the selection criteria previously agreed by the Committee.
- 92. Cyhalothrin, fenvalerate, and metalaxyl were not supported for periodic reevaluation. However, as there was support for MRLs based on the use of specific enantiomers/isomers, it would

²¹ Attached to this report as Appendix II.

²² CX/PR 97/14, and CX/PR 97/14-Add.1.

²³ CX/PR 97/14-Add.1.

CL 1996/35-PR; CX/PR 97/15; CX/PR 97/15-Add.1 (CRD 3); CRD 12 (report of the as hoc Working Group on priorities).

²⁵ Appendix III.

be appropriate to maintain the CXLs for these pesticides until such time as MRLs for the new products reach Step 8.

- 93. It was noted that, in line with the goal of reviewing EMRLs every five years, contaminants with EMRLs should be scheduled for review by the JMPR at the next Session.
- 94. The Committee's attention was drawn to the fact that, according to the current schedule, the FAO Panel had a large number of compounds to review over the next few meetings which would present a very heavy workload. The Committee noted that, without additional resources, FAO and WHO would not even be able to complete the work in the current schedules.
- 95. The Committee thanked the informal group on priorities, under the chairship of Dr. R. Eichner (Australia), for preparing the priority lists. The Committee requested the Delegation of Australia to prepare a paper on priority lists well in advance of the next Session, with assistance provided by other interested delegations and international organizations.

PROBLEMS RELATIVE TO PESTICIDE RESIDUES IN FOOD IN DEVELOPING COUNTRIES²⁶ (Agenda Item 12)

- 96. The Report of the *ad hoc* Working Group on Problems Relative to Pesticide Residues in Food In Developing Countries was presented by its Chairperson, Dr. Cheah Uan Boh (Malaysia).
- 97. Dr. Cheah highlighted some key points in the discussion paper²⁷: GEMS/Food Programme monitoring data had identified pesticide/commodity combinations by region, illustrating where MRLs had been exceeded; Codex MRLs were commonly used by developing countries as reference standards to facilitate trade and for domestic food safety purposes; and noting that limited resources and expertise in many developing countries were major factors hindering the generation of residue data and the establishment of national MRLs, it was suggested that regional cooperation might help address a number of these issues.
- 98. Responses²⁸ to the Questionnaire for Information on Pesticides in Current Use in Developing Countries²⁹ indicated that although pesticide registration schemes were established in all responding countries, systems for establishing MRLs and for generating residue data to support submission to the JMPR were at various stages of development. A number of commodity/pesticide combinations were identified for which Codex MRLs needed urgently to be established.
- 99. With minor amendments, the Committee endorsed the following recommendations of the Working Group:
 - 1. International organizations and developing countries should be invited to consider cooperative programmes at the regional level for the generation of residue and GAP data to support the establishment of MRLs for commodities of importance in developing countries, including some of those combinations identified in CX/PR 97/16 Appendix 1 and CX/PR 97/17 Appendix 1, question 4a.
 - 2. The CCPR should encourage the activities of developing countries in promoting regional cooperation as a means of addressing issues related to pesticide residues, food safety and trade facilitation, and consider ways in which these initiatives can be supported.
 - 3. The JMPR should be requested to give particular consideration to the concerns of developing countries when elaborating criteria for extrapolating residue data for minor crops in the proposed revision of the FAO Manual on Submission and Evaluation of

²⁶ CX/PR 97/16, CX/PR 97/17 (responses to the Questionnaire (CL 1996/15-PR)), and CRD 13 (report of the Ad Hoc Working Group on Problems Relative to Pesticide Residues in Food in Developing Countries.

²⁷ CX/PR 97/16.

²⁸ CX/PR 97/17.

²⁹ CL 1996/15-PR.

- Residue Data with particular attention to the commodities identified in CX/PR 97/16 Appendix 1 and CX/PR 97/17 Appendix 1, question 4a.
- 4. Importing countries should be encouraged to make available information on pesticide residue-related trade problems, particularly with respect to minor crops in developing countries, and to provide this information to national authorities and/or the Codex Contact Point in the relevant exporting country.
- 5. Participating countries should be encouraged to provide updates on national/regional initiatives in resolving pesticide residue-related problems at Working Group meetings, in order to assist other members of the Group in addressing common problems with respect to food safety and trade facilitation.
- 6. The Questionnaire, with necessary amendments, should continue to be utilized as a useful tool for information collection.
- 7. An update paper should be prepared by Malaysia for consideration by the Plenary and the Working Group at the next Session. The paper should include the status of the implementation of the recommendations.
- 8. Attention should be paid to preventive measures to reduce residues, including Integrated Pest Management (IPM), availability of quality pesticides, and training in safe and efficient use as part of IPM. IPM should be taken into account when developing GAP information for JMPR.
- 100. The Committee noted that the 1997 JMPR would consider extrapolation specifically in relation to the recommendation 3 above. The Committee agreed that a Working Group should convene at its next Session under the chairship of Dr. Cheah.

OTHER BUSINESS AND FUTURE WORK (Agenda Item 13)

- Recommended National Regulatory Practices to Facilitate Acceptances and Use of Codex Maximum Limits for Pesticide Residues in Foods (CAC/PR 9-1985)
- 101. The Committee noted that Codex acceptance procedures had been discussed at the 12th Session of the CCGP, where it was stated that such procedures "were no longer appropriate in the light of the SPS and TBT Agreements". The CCGP decided to consider revised proposals for a procedure to replace the current acceptance procedures at its next session. It was therefore suggested that CAC/PR 9-1985 might now be irrelevant.
- 102. Several delegations stressed the usefulness of the document in the work of the CCPR, both for information and for transparency, and the Committee unanimously supported the update of the document. The Committee agreed to seek approval of the Commission to initiate work on "National Regulatory Practices to Facilitate the Use of Codex Maximum Residue Limits for Pesticide" with the understanding that sections concerning acceptances should not be included, as acceptance matters should be horizontally addressed by the Commission and/or CCGP. Once this work was completed, CAC/PR 9-1985 should be recommended for deletion. The Committee accepted the offer of the International Toxicology Information Center to perform the necessary work.

DATE AND PLACE OF NEXT SESSION (Agenda Item 14)

103. The Thirtieth Session of the Committee was tentatively scheduled to be held in the Hague from 20-25 April 1998, subject to confirmation by the Netherlands and Codex Secretariats.

SUMMARY STATUS OF WORK

Subject	Step	Action by	Document Reference (ALINORM 97/24A)
Draft MRLs	8	22nd CAC	Annex II
Proposed Draft MRLs	5/8	22nd CAC	Annex II
Draft MRLs	7	Governments 30th CCPR JMPR	Annex II, CX/PR 97/9
Draft MRLs	6	Governments Secretariat 30th CCPR	Annex II, CX/PR 97/9
Proposed Draft MRLs	5	22nd CAC	Annex II
Proposed Draft MRLs	3	Governments Secretariat 30th CCPR	Annex II, CX/PR 97/9
Proposed Draft Revised Methods of Sampling for the Determination of Pesticide Residues	5	22nd CAC Governments 30th CAC	Appendix II, paras. 82-84
Priority List of Pesticide (new pesticides and pesticides under periodic review)	1	22nd CAC JMPR CCPR Governments International organizations Secretariat Australia	Appendix III, paras. 90-95
Methods of Analysis	-	Secretariat Governments The Netherlands 30th CCPR	paras. 85-89
Identification of pesticide/commodity combinations of interest to developing countries	-	Secretariat Malaysia 30th CCPR	paras. 96-100
National Regulatory Practices to Facilitate the Use of Codex Maximum Residue Limits for Pesticide	1	22nd CAC Secretariat	paras. 101-102

STATUS OF MRLS CONSIDERED

Code	Commodity	MRL (mg/kg)	Step ¹	Remarks/Reservations ²
2	AZINPHOS-METHYL				
AM 660 TN 660 TN 660 FP 226 GC 80 FS 13 FS 245 FS 247 FS 247 FP 230 FS 14 VO 448 GC 654	Almond hulls Almonds Almonds Apple Cereal grains Cherries Nectarine Peach Peach Pear Plums (including prunes) Tomato Wheat	5 0.2 0.05 2 0.2 2 2 4 2 2 2 1 0.2		5/8 CXL-D 8(a) 8 CXL-D 8(a) 8 8(a) WD	
17	CHLORPYRIFOS				
FC 1	Citrus fruits	. 2		5(a)	USA, Spain: new GAP supports a lower MRL of 1 mg/kg.
22	DIAZINON				
AO2 2	Fruits (except as otherwise listed)	0.5		CXI-D	•
FP 9	Pome fruits	2		8	
26	DICOFOL				
ML 106 FP 9	Milks Pome fruits	0.1 5	F	7C 7C	
31	DIQUAT -				
AL 1020	Alfalfa fodder	100		6	Spain: too high in relation to ingestion by cattle
VD 71 AL 1023	Beans (dry) Clover	0.2 50		6 6	Egypt: prefers lower MRL; Spain: too high in relation to ingestion by cattle
VD 533 GC 645 GC 647 VD 72 VR 589 PM 110 PO 111	Lentil (dry) Maize Oats Peas (dry) Potato Poultry meat Poultry, Edible offal of	0.2 0.05 2 0.2 0.05 0.05 0.05	(*) (*) (*)	6 6(a) 6 6 6(a) 6	Egypt: prefers lower MRL
GC 649 CM 649 VD 541 SO 702 OC 172	Rice Rice, Husked Soya bean (dry) Sunflower seed Vegetable oils, Crude	10 1 0.2 1 0.05	(*)	6(a) 6(a) 6 6(a) 6(a)	Egypt: prefers lower MRL

CXL-D, recommendation to the Codex Alimentarius Commission to delete the Codex MRL; WD, deletion of the MRL under elaboration at certain Step of the Codex Procedure.

⁽R), reservation

Code	Commodity	MRL	(mg/kg)	Step ¹	Remarks/Reservations ²
CF 1211 EC (R): I	Wheat flour Data overly summarized & datab	0.5 pase not	satisfactorily	6(a) represented	1 .
34	ETHION				
FC 1	Citrus fruits	5		8(a)	Egypt, Spain: prefer lower MRL
35	ETHOXYQUIN				
FP 226 FP 230	Apple Pear	3	Po Po	CXL-D	
39	FENTHION				
FP 226	Apple	2		CXL-D	
FI 327	Banana	1		CXL-D	
VB 41	Cabbages, Head	1		CXL-D	
VB 404	Cauliflower	. 1		CXL-D	
JF 1	Citrus juice	0.2		CXL-D	
VP 526	Common bean (pods and/or immature seeds)	0.1		CXL-D	
FB 269	Grapes	0.5		CXT-D	
VL 482	Lettuce, Head	2		CXL-D	
FC 3	Mandarins	0.5	/6 \ m_	5 (a)	Spain: prefers to maintain the MRL for citrus fruits; EC: database insufficient
MM 95	Meat (from mammals other than marine mammals)	2	(fat) V	CXL	
ML 106	Milks	0.05	FV	CXL	
OC 305	Olive oil, Virgin	3		5 (a)	France, Spain, EC: acute dietary intake
VA 385	Onion, Bulb	0.1		CXL-D	concern
FC 4	Oranges, Sweet, Sour	0.5		5 (a)	Spain: prefers to maintain the MRL for citrus fruits; EC: database insufficient
FS 247	Peach	2		CXL-D	cittus irutes, E.C. database insumicient
FP 230	Pear	2		CXL-D	
VP 63	Peas (pods and succulent = immature seeds)	0.5		CXL-D	
FS 14	Plums (including prunes)	1		CXL-D	
VR 589	Potato	0.05	(*)	CXL-D	
GC 649	Rice	0.1		CXL-D	
	Rice, Husked	0.05			EC (R): insufficient time to study
VC 431	Squash, Summer	0.2		CXL-D	
FB 275	Strawberry	2		CXL-D	
VR 508 VO 448	Sweet potato Tomato	0.1		CXT-D	
GC 654	Wheat	0.5 0.1		CXL-D CXL-D	
	Winter squash	0.1		CXL-D	
	oncerns about acute exposure in		to cherries.	Ozurb	
		F			
51	METHIDATHION				
FB 269	Grapes	1		7C(a)	
FP 230	Pear	1		7C(a)	
Chile, Fra	nce: concerns about acute dietas	ry intak	e; Germany (is about the quality of monograph.
58	PARATHION				
FP 226	Apple	0.05	(*)	7B	
SO 691	Cotton seed	1	()	/Б 8	
30 0/1	Cotton seed	1		0	

Code	Commodity	MRL (mg/kg)	Step ¹	Remarks/Reservations ²
AO2 2	Fruits (except as otherwise listed)	0.5		CXT-D	
GC 645	Maize	0.1		8	
GC 651	Sorghum	5		8	Finland: concerns about acute dietary
					exposure as sorghum is used in weaning food; Spain (R): too high from technological reasons of use
VD 541	Soya bean (dry)	0.05	(*)	8	
SO 702	Sunflower seed	0.05	(*)	8	
59	PARATHION-METHYL				
VS 620	Artichoke globe	2		5/8	
AL 1030	Bean forage (green)	1		5	EC: animal transfer studies needed
VD 71	Beans (dry)	0.05	(*)	5/8	
VB 400	Broccoli	0.2	()	5(a)	EC: disagrees with residue evaluation
VB 41	Cabbages, Head	0.2		5(a)	Germany, EC: disagree with residue
12 .1	Cubbuges, 11cae	V.2		J(a)	evaluation
VR 577	Carrot	1		5/8	
VS 624	Celery	5			Spain: intake concern for children
AL 1023	Clover			5/8	FC vitable for the 1.1
		10	(* <u>)</u>	5 5 (0	EC: animal transfer studies needed
VP 526	Common bean (pods and/or immature seeds)	0.05	(*)	5/8	
VP 528	Garden pea (young pods)	1		5/8	
AS 162	Hay or fodder (dry) of grasses	5	443	5	EC: animal transfer studies needed
DH 1100	Hops, Dry	0.05	(*)	CXI-D	
	Hops, Dry	1		5/8 (a)	
VL 482	Lettuce, Head	0.05	(*)	5/8	
VL 483	Lettuce, Leaf	0.5		5/8	
VP 534	Lima bean (young pods and/or immature beans)	0.05	(*)	5/8	
VL 485	Mustard greens	0.5		5/8	
VD 72	Peas (dry)	0.2		5/8	
VR 589	Potato	0.05	(*)	5/8	
GC 649	Rice	3	•	5	
AS 649	Rice straw and fodder, Dry	10		5	EC: animal transfer studies needed
CM 649	Rice, Husked	1		5	EC: animal transfer studies needed
VL 502	Spinach	0.5		5/8	
AV 596	Sugar beet leaves or tops	0.05	(*)	5	EC: animal transfer studies needed
VL 506	Turnip greens	2	()	5/8	
VR 506	Turnip, Garden	0.05	(*)	5/8	
GC 654	Wheat	5	()	5	EC: animal transfer studies needed, disagrees
		•		•	with residue evaluation
CM 654	Wheat bran, Unprocessed	10		5	EC: animal transfer studies needed
AS 654	Wheat straw and fodder, Dry	10		5	EC: animal transfer studies needed
64	QUINTOZENE				
FI 327	Banana	1		CXL-D	
VB 400	Broccoli	0.02		CXL-D	
VB 41	Cabbages, Head	0.02		CXL	
VD 526	Common bean (dry)	0.2		CXL	
VP 526	Common bean (pods and/or immature seeds)	0.01		CXL	
SO 691	Cotton seed	0.03		CXL	
VL 482	Lettuce, Head	3		CXL	
SO 697	Peanut	2		CXL	
SO 703	Peanut, Whole	5		CXL	
VO 445	Peppers, Sweet	0.01		CXL	

Code	Commodity	MRL (n	ng/kg)	Step ¹	Remarks/Reservations ²
VR 589	Potato	0.2		CXL	
VIC 307	Tomato	0.2		CXL	
10	Tomato	0.1		CAL	
<i>7</i> 0	BROMOPROPYLATE				
FC 1	Citrus fruits	5		CXL-D	
FC 1	Citrus fruits	2		8(a)	EC (R): data insufficient
		-		O(a)	Do (19. data insumerent
74	DISULFOTON				
GC 640	Barley	0.2		7B(a)	•
VD 71	Beans (dry)	0.05		7B	
VB 400	Broccoli	0.1		7B	
VB 41	Cabbages, Head	0.2		7B	
VB 404	Cauliflower	0.05		7B	
VP 526	Common bean (pods and/or	0.2		7B	
020	immature seeds)	0.2		7.5	
SO 691	Cotton seed	0.1		7B	
VP 528	Garden pea (young pods)	0.1		7B	
VL 482	Lettuce, Head				
VL 482 VL 483	Lettuce, Leaf	1		7B	
	•	1		7B	•
AF 647	Oat forage (green)	0.5		7B(a)	
AS 647	Oat straw and fodder, Dry	0.05		7B	
GC 651	Sorghum	1		7B(a)	
AF 651	Sorghum forage (green)	5		7B(a)	
GC 654	Wheat	0.2		7B(a)	
AF 654	Wheat forage (whole plant)	1		7B(a)	
AS 654	Wheat straw and fodder, Dry	5		<i>7</i> B	
083	DICLORAN				
FS 240	Apricot	10	Po	CXL-D	
FB 264	Blackberries	5	10	CXL-D	
VR 577	Carrot		Po	CXL	
FS O13	Cherries		Po	CXL-D	
VP 526	Common bean (pods and/or	2	10	CXL-D	
FB 021	immature seeds)				
	Charlein Charlein	5		CXL-D	
VC 425	Gherkin	0.5	_	CXL-D	
FB 269	Grapes		Po	CXL	
VL 482	Lettuce, Head	10	D.	CXL	
FS 245	Nectarine		Po ·	CXL-D	
VA 385	Onion, Bulb		Po	CXL	
FS 247	Peach		Po	CXL	
FS 014	Plums (including prunes)		Po	CXL	
FB 272	Raspberries, Red, Black	10		CXT-D	
FB 275	Strawberry	10		CXL	
VO 448	Tomato	0.5		CXL	
VS 469	Witloof chicory (sprouts)	1		CXL-D	
90	CHLORPYRIFOS-METHYI				
GC 640	Barley	10 I	Po	7C	
GC 647	Oats		ro Po	7C 7C	
GC 649	Rice		ro Po		Fount: prefere lower MPI - Carlon - 1:1
OO 07/	1466	10 1		O(a)	Egypt: prefers lower MRL; Spain: too high
97	CARTAP				
VB 41	Cabbages, Head	0.2		CXT-D	

	Commodity	MRL (mg/kg)	Step ¹	Remarks/Reservations ²
TN 664	Chestnuts	0.1	CXL-D	
VL 467	Chinese cabbage (type pe-tsai)	2	CXL-D	
HS 784	Ginger, root	0.1	- CXL-D	
FB 269	Grapes	1	CXL-D	
DH 1100	-	5	CXL-D	
FT 307	* ' '	1	CXL-D	
	Persimmon, Japanese	_		
VR 589	Potato	0.1	CXI-D	· ·
VR 494	Radish	1	CXL-D	
CM 649	•	0.1	CXL-D	
VO 447	•	0.1	CXL-D	
DT 1114	Tea, Green, Black	20	CXT-D	
100	METHAMIDOPHOS			
FP 9	Pome fruits	0.5	7B	Spain: intake concern; EC: data base insufficient
105	DITHIOCARBAMATES			
VS 624	Celery	5	CXL-D	
VP 526	Common bean (pods and/or immature seeds)	1	5	
VL 476	Endive	1	CXL-D	
DH 1100	Hops, Dry	30	5	EC: processing studies desirable to enable
D11 1100	110ps, 21y	30	,	
FI 345	Mango	2	5	risk assessment concerning ETU in beer EC: data base insufficient; unacceptable that banana and mango data are mutually
Denmark: tomato	intake concern relating to pro	pineb and thiram; UK	intake c	supportive oncerning pome fruits and
106	ETHEPHON			
ED 226	Apple	5	0	
FP 226	Apple	5	8	
GC 640	Barley	1 .	8	
GC 640 AS 640	Barley Barley straw and fodder, Dry	1 5	8 8	E 1 MDI EO DIT
GC 640	Barley	1 .	8	Egypt: proposes lower MRL; EC: PHI
GC 640 AS 640	Barley Barley straw and fodder, Dry Blueberries	1 5	8 8	missing EC (R): PHI missing and disagreement with
GC 640 AS 640 FB 20	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and	1 5 20	8 8 8	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI
GC 640 AS 640 FB 20 VC 4199 DF 297	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied	1 5 20 1	8 8 8 7B 8	missing EC (R): PHI missing and disagreement with residue evaluation
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes	1 5 20 1 10 1	8 8 8 7B 8	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers	1 5 20 1 10 130	8 8 8 7B 8 5 7B	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple	1 5 20 1 10 1 30	8 8 7B 8 5 7B	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353 GC 650	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple Rye	1 5 20 1 10 1 30 1	8 8 7B 8 5 7B 7B	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old USA (R): proposes higher MRL; EC: PHI
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353 GC 650 AS 650	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple Rye Rye straw and fodder, Dry	1 5 20 1 10 1 30 1	8 8 7B 8 5 7B 7B 8 8	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old USA (R): proposes higher MRL; EC: PHI missing
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353 GC 650	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple Rye	1 5 20 1 10 1 30 1	8 8 7B 8 5 7B 7B	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old USA (R): proposes higher MRL; EC: PHI
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353 GC 650 AS 650	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple Rye Rye straw and fodder, Dry	1 5 20 1 10 1 30 1	8 8 7B 8 5 7B 7B 8 8	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old USA (R): proposes higher MRL; EC: PHI missing Egypt proposes lower MRL; Spain: database too old; EC: difference indoor/outdoor
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353 GC 650 AS 650 VO 448	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple Rye Rye straw and fodder, Dry Tomato FENBUTATIN OXIDE	1 5 20 1 1 10 1 30 1 1 5 2 2	8 8 8 7B 8 5 7B 7B 8 8 7B	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old USA (R): proposes higher MRL; EC: PHI missing Egypt proposes lower MRL; Spain: database too old; EC: difference indoor/outdoor
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353 GC 650 AS 650 VO 448	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple Rye Rye straw and fodder, Dry Tomato FENBUTATIN OXIDE Citrus fruits	1 5 20 1 1 10 1 30 1 1 5 2 2	8 8 8 7B 8 5 7B 7B 8 8 7B	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old USA (R): proposes higher MRL; EC: PHI missing Egypt proposes lower MRL; Spain: database too old; EC: difference indoor/outdoor
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353 GC 650 AS 650 VO 448	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple Rye Rye straw and fodder, Dry Tomato FENBUTATIN OXIDE Citrus fruits Grapefruit	1 5 20 1 10 1 30 1 1 5 2	8 8 8 7B 8 5 7B 7B 8 8 7B	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old USA (R): proposes higher MRL; EC: PHI missing Egypt proposes lower MRL; Spain: database too old; EC: difference indoor/outdoor trials not clear
GC 640 AS 640 FB 20 VC 4199 DF 297 FB 269 VO 51 FI 353 GC 650 AS 650 VO 448	Barley Barley straw and fodder, Dry Blueberries Cantaloupe Figs, Dried or dried and candied Grapes Peppers Pineapple Rye Rye straw and fodder, Dry Tomato FENBUTATIN OXIDE Citrus fruits	1 5 20 1 1 10 1 30 1 1 5 2 2	8 8 8 7B 8 5 7B 7B 8 8 7B	missing EC (R): PHI missing and disagreement with residue evaluation Egypt: proposes lower MRL; EC (R): PHI missing Egypt: proposes lower MRL; Spain: data base too old USA (R): proposes higher MRL; EC: PHI missing Egypt proposes lower MRL; Spain: database too old; EC: difference indoor/outdoor

Code	Commodity	MRL	(mg/kg)	Step ¹	Remarks/Reservations ²
111	IPRODIONE				
FB 264	Blackberries	30			E
VR 577	Carrot	10	Po	8 8	Egypt: proposes lower MRL
VIC 3//	Caro	10	10	0	Egypt: proposes lower MRL; EC: database insufficient
FS 13	Cherries	10		8	Egypt: proposes lower MRL; EC: database
VP 526	Common bean (pods and/or immature seeds)	2		8	insufficient; disagrees residue evaluation EC: disagrees residue evaluation
CM 649	Rice, Husked	3		CXL-D	
CM 649	Rice, Husked	10		8 (a)	Egypt: proposes lower MRL; EC: disagrees
	ŕ			- (-)	residue evaluation
VO 448	Tomato	5		CXL	
112	PHORATE				
VR 577	Carrot	0.2		7C	
VR 589	Potato	0.2		7C	
11(30)	Totalo	0.2		/C	•
115	TECNAZENE				
VL 482	Lettuce, Head	2		CXL-D	
VL 4	Witloof chicory (sprouts)	0.2		CXL-D	
125	METHACRIFOS				
MM 812	Cattle meat	0.01	(*) (fat)	CXL-D	
	Cattle, Edible offal of	0.01	(*)	CXL-D	
GC 80	Cereal grains	10	Po	WD	
PE 112	Eggs	0.01	(*)	CXL-D	•
ML 106	Milks	0.01	(*)	CXL-D	
PM 110	Poultry meat	0.01	(*) (fat)	CXL-D	
CM 654	Wheat bran, Unprocessed	20	PoP	WD	
CF 1211	Wheat flour	2	PoP	WD	
CF 1212	Wheat wholemeal	10	PoP	WD	
131	ISOFENPHOS				
FI 327	Banana	0.02	(*)	CXL-D	
VB 40	Brassica vegetables	0.1	()	CXL-D	
VR 578	Celeriac	0.02	(*)	CXL-D	
VS 624	Celery	0.02	(*)	CXL-D	
FC 1	Citrus fruits	2	•	CXL-D	
MO 105	Edible offal (mammalian)	0.02	(*)	CXL-D	
GC 645	Maize	0.02	(*)	CXL-D	
AS 645	Maize fodder	0.5	dry wt	CXL-D	
MF 100	Mammalian fats (except milk fats)	0.02	(*)	CXL-D	
MM 95	Meat (from mammals other than marine mammals)	0.02	(*) (fat)	CXL-D	
ML 106	Milks	0.01	(*)	CXL-D	
VA 385	Onion, Bulb	0.1		CXL-D	
VR 589	Potato	0.1	(n)	CXL-D	
PF 111	Poultry fats	0.02	(*)	CXL-D	
PM 110	Poultry meat	0.02	(*) (fat)	CXL-D	
PO 111	Poultry, Edible offal of	0.02	(*) (*)	CXL-D	
SO 495 VR 497	Rape seed	0.02	(*) (*)	CXI-D	
V 1\ 47/	Swede	0.02	(*)	CXL-D	

Code	Commodity	MRL (mg/kg)		Step ¹	Remarks/Reservations ²			
VO 447 AS 447 VR 506	Sweet corn (corn-on-the-cob) Sweet corn fodder Turnip, Garden	0.02 0.5 0.02	(*) (*)	CXT-D CXT-D				
133	TRIADIMEFON							
FI 353 FI 353 USA, EC	Pineapple Pineapple : disagree with residue definition	3 2	Po Po	CXL-D 8(a)				
138	METALAXYL							
FB 275	Strawberry	0.2		WD	Spain: proposes higher MRL			
143	TRIAZOPHOS							
VR 577	Carrot	0.5		8				
168	TRIADIMENOL							
FI 353 USA, EC:	Pineapple disagree with residue definition	1	Po TF	8	EC: insufficient data base			
171	PROFENOFOS							
SO 691 VO 445	Cotton seed Peppers, Sweet	2 0.5		8 5/8	France, Spain: prefer lower MRL France, EC: data base insufficient; EC (R):			
DT 171	Teas (tea and herb teas)	0.5		WD	insufficient time to study			
172	BENTAZONE							
PE 112 MM 95	Eggs Meat (from mammals other than marine mammals)	0.05 0.05	(*) (*)	8				
ML 106 Germany:	Milks disagrees with residue definition	0.05 for pla	(*) nt products.	8				
173 BUPROFEZIN								
VC 424 FC 4 VO 448	Cucumber Oranges, Sweet, Sour Tomato	1 0.3 1	Т	6	France: disagrees with the residue evaluation France: disagrees with the residue evaluation			
178	BIFENTHRIN							
GC 640 MF 812 ML 812 DH 1100 GC 645	Barley Cattle fat Cattle milk Hops, Dry Maize DITHIANON	0.05 0.5 0.05 10 0.05	(*) (*) (*)	7B 7B 7B 8 7B				
FS 13	Cherries	5			France (R): concerns about analytical method used in old trials. Netherlands (R): disagrees residue evaluation			

Code	Commodity	MRL (mg/kg)		Step ¹	Remarks/Reservations ²				
182	PENCONAZOLE								
DF 269	Dried grapes (=currants, raisins and sultanas)	0.5		5/8	EC (R): insufficient time to study				
FB 269	Grapes	0.2		8					
FP 9	Pome fruits	0.2		8					
188	FENPROPIMORPH								
GC 640	•	0.5		5					
AS 640		5		5					
AV 1051 AS 647	Fodder beet leaves or tops	1		5					
GC 647		5 0.5		5					
GC 650		0.5		5 5					
AS 650	,	5		5					
VR 596		0.05	(*)	5					
AV 596	8	1	()	5					
GC 654		0.5		5					
As 654	Wheat straw and fodder, Dry	5		5					
Germany, EC: Animal feeding studies and analytical method for metabolites in products of animal origin required									
189	TEBUCONAZOLE								
FB 269	Grapes	2		7B					
Germany:	Possible to extrapolate an MRI	for oat	from barley dat						
192	FENARIMOL								
AB 226	Apple pomace, Dry	5		5	EC: processing data insufficient				
VS 620	Artichoke globe	0.1		5/8	EC(R): insufficient time to study				
FI 327	Banana	0.2		5/8	EC (R): insufficient time to study				
	Cattle kidney	0.02	(*)	5	EC: insufficient data on apple pomace, dry				
	Cattle liver	0.05		5	EC: insufficient data on apple pomace, dry				
	Cattle meat	0.02	(*)	5	EC: insufficient data on apple pomace, dry				
FS 13	Cherries	1		5/8	EC (R): insufficient time to study				
DF 269	Dried grapes (=currants, raisins and sultanas)	0.2	•	5	EC: processing data insufficient				
FB 269	Grapes	0.3		5					
VC 46	Melons, except watermelon	0.05		5/8	EC: insufficient time to study				
FS 247	Peach	0.5		5	EC: data base insufficient				
TN 672	Pecan	0.02	(*)	5/8	EC (R): insufficient time to study				
VO 445	Peppers, Sweet	0.5	• •	5	EC: data base insufficient				
FP 9	Pome fruits	0.3		5					
FB 275	Strawberry	1		5/8	EC (R): insufficient time to study				

ALINORM 97/24A APPENDIX I

LIST OF PARTICIPANTS LISTE DES PARTICIPANTS LISTA DE PARTICIPANTES

Chairman of the Session:

Dr W.H. VAN ECK

Président de la Session:

Ministry of Health, Welfare and Sport

President de la Reunión:

Directorate of Public Health

Postbox 5406 2280 MK Rijswijk The Netherlands

ALGERIA ALGERIE ARGELIA

Dr Ali MOUMEN Ingenieur en chef

Institut National de la Protection des

Vegetaux Alger BP: 80 - El-Harrach Tel.: +213 2 52 30 16 Fax: +213 2 76 62 71

ARGENTINA ARGENTINE

Ms Graciela GUTIERREZ DE PALMA

Embassy of Argentina

First Secretary
Javastraat 20
2585 An Den Haag
The Netherlands

Tel.: 070-365 4836 Fax: 070-392-4900

Ms Alba R. MUSTACCIOLO

Senasa: "Servicio Nacional de Sanidad y Calidad Agro Alimentaria"

Oficina de Residuos

Prolongación Avda Belgrano y Digue II este

1107 Ciudad de Buenos Aires

Tel.: (54-1) 312 4015/4050 ext.nr 100 or 188

Fax: (54-1) 312 4015/4050 ext.nr 162

AUSTRALIA AUSTRALIE

Mr Ian COLEMAN

Director

Agricultural and Veterinary Chemicals Policy

Section

Department of Primary Industries and Energy

GPO Box 858 Canberra ACT 2601 Tel.: +61 6 271 6371 Fax: +61 6 272 5899

e-mail: ian.coleman@dpie.gov.au

Mr Denis HAMILTON

Principal Scientific Officer Animal and Plant Health Services

Department of Primary Industries

80 Ann St, Brisbane

Queensland 4000 Tel.: +61 7 3239 3409

Fax: +61 7 3211 3293

e-mail: hamiltdj@dpi.qld.gov.au

Dr Angelo VALOIS

Section Head Chemical Residues

Food Policy Branch

Australian Quarantine and Inspection Service Department of Primary Industries and Energy

GPO Box 858

Canberra ACT 2601

Tel.: +61 6 272 5566 Fax: +61 6 271 6522

e-mail: angelo.valois@dpie.gov.au

Dr Fay STENHOUSE

Australia New Zealand Food Authority

55 Blackall street

Barton ACT 2600 Tel.: +61 6 271 2252

Fax: +61 6 271 2278

e-mail: fay.stenhouse@anzfa.gov.au

Dr Ronald D. EICHNER

Manager Residue Evaluation Section

National Registration Authority for Agricultural and Veterinary Chemicals

P.O. Box E240

Kingston ACT 2600

Tel.: +61 6 272 5248

Fax: +61 6 272 3551

e-mail: reichner@nra.gov.au

Mr Geoff MACALPINE

Technical Director

Avcare Limited

Level 11.

53 Walker Street

North Sydney NSW 2060

Tel.: +61 2 9922 2199

Fax. +61 2 9954 0588

e-mail: macalpine@compuserve.com

Dr Wolfgang KORTH

Residues Program Chemist

National Residue Survey

Bureau of Resource Sciences

P.O. Box E11

Kingston ACT 2601

Tel.: +61 6 272 4771

Fax: +61 6 272 4023

e-mail: wgk@nrs.brs.gov.au

Dr Terry SPENCER

Deputy Australian Government Analyst

AGAL

GPO Box 1844

Canberra ACT 2601

Tel.: +61 6 2758714

Fax. +61 6 275 3565

e-mail: terry.spencer@agal.gov.au

AUSTRIA AUTRICHE

Dipl Ing Hermine REICH

Analytical Chemist

Bundesamt und Forschungszentrum für

Landwirtschaft

Spargelfeldstraße 191

1220 Wien

Tel.: +43 1288 16 5130

Fax: +43 1288 16 5194

Dr Edmund PLATTNER

Federal Chancellery

Division VI/2

Radetzkystrasse 2

A-1030 Wien

Tel.: +43 1 71172/4872(ext.no)

Fax: +43 1 7137952

BELGIUM

BELGIQUE

BELGICA

Ir. L. MOHIMONT

Ministère de l'Agriculture

Inspection générale Matières premières et

Produits transformés

WTC 3 - 8° étage

Bd S. Bolivar 30

B-1000 Bruxelles

Tel.: +32 2 208 38 42

Fax: +32 2 208 38 66

Prof dr ir W. DEJONCKHEERE

Laboratorium voor Fytofarmacie

Faculteit Landbouwkundige en

Toegepaste Biologische Wetenschappen

Rijksuniversiteit Gent

Coupure Links 653

B-9000 Gent

Tel.: +32 9 264 60 09

Fax: +32 9 264 62 47

e-mail: willy.dejonckheere@rug.ac.be

ir O. PIGEON Chemist Ingeneer Ministère des Classes Moyennes et de l'Agriculture Centre de recherches agronomiques de gembloux Station de Phytopharmacie Rue du Bordia 11 B-5030 Gembloux Tel.: +32 81 625262

Fax: +32 81 62 52 72

Dr Christine VINKX Inspecteur der Eetwaren Ministerie van Sociale Zaken, Volksgezondheid, en Leefmilieu Algemene Eetwareninspectie Rijksadministratief Centrum Pachecolaan 19, B5 **B-1010** Bruxelles Tel.: +32 2 210 48 43

Fax: +32 2 210 48 16

e-mail: christine.vinkx@health.fgov.be

BRAZIL BRESIL BRASIL

Mr Arlindo BONIFACIO Agronomist Engineer Ministry of Agriculture Ministério da Agricultura e do Abastecimento Esplanada dos Ministérios - Bloco D Anexo A - 30Andar - Sala 350 70.043.900 - Brasilia Tel.: +55 061 218 2445/2808/2809

Mr Flavio RODRIGUES PUGA Instituto Biológico Av. Cons. Rodrigues Alves 1252 04014.020 - Sao Paulo Tel.: (0055) 11 570 0300 Fax: (0055) 11 570 4234

Fax: +55 061 225 5341

Mrs Cleide M.C.M. DE OLIVEIRA BASF S.A. Est. Samuel Aizemberg 1707 -09851-550-SBC Sao Paulo

Tel.: (0055)-11-751 2350 Fax: (0055-11-751 2285

Mrs R. DE SOUZA OLIVEIRA RODRIGUES GARP - Associacaó do Grupo dos Analistas De Residuos De Pesticidas Av. Dr. Arnaldo, 355 01246-902 - Sao Paulo Tel.: (0055) 11 306 41527 9722694 Fax: (0055) 11 306 41527

Mrs Heloisa Helena BARRETO DE TOLEDO Instituto Adolfo Lutz Av. Dr Arnaldo, 355 01246-902-Sao Paulo Tel.: (0055) 11 306 10111 R: 155 Fax: (0055) 11 853 3505

CANADA

Mr Bill MURRAY Pest Management Regulatory Agency Health Canada 2250 Riverside Drive Rm D.749 pst Loc. 6607D Ottawa, Ontario, K1A OK9 Tel.: +61 3 736 3671 Fax: +61 3 736 3699/59 e-mail: bmurray@pmra.hwc.ca

Mr Chris WARFIELD Health Evaluation Division Head Food Residue Exposure Assessment Room E 539 Sir Charles Tupper Building Health Canada 2250 Riverside Drive pst Loc. 6607E Ottawa, Ontario, K1A OK9 Tel.: +61 3 736 3520 Fax: +61 3 736 3505 e-mail: cwarfield@pmra.hwc.ca

CHILE CHILI

Mr Carlos LEON N. Head National Pesticide Programme Ministry of Agriculture Servicio Agricola y Ganadero Division de Protección Agricola Avenida Bulnes No. 140 Santiago

Tel.: +56 2 698 2244 Anexo 314

Fax: +56 2 696 6480

Mr Roberto H. GONZALEZ Professor of Pesticide Science University of Chile, College of Agriculture P.O. Box 1004 Santiago

Tel.: +56 2 678 5714
Fax: +56 2 541 7055

Fax: +86 010 6599 3800

CHINA CHINE

Mr. MU Naiqiang
Senior Engineer
State Administration of Import and
Export Commodity Inspection (SACI)
10-A Chaowaidjie
Chaoyang District Beijing
Tel.: +86 010 6599 3897

Mr. CAI Zeci
Engineer
State Administration of Import and
Export Commodity Inspection (SACI)
10-A Chaowaidjie
Chaoyang District Beijing
Tel.: +86 010 6599 3897
Fax: +86 010 6599 3800

Mr. TANG Guangjiang
Officer
State Administration of Import and
Export Commodity Inspection (SACI)
10-A Chaowaidjie
Chaoyang District Beijing
Tel.: +86 010 6599 3897
Fax: +86 010 6599 3800

CZECH REPUBLIC REPUBLIQUE TCHEQUE REPUBLICA CHECA

Ms Helena MALOÑOVÁ
Head of National Reference Centre for
Pesticides
National Institute of Public Health
Srobárova 48
10042 Praha 10
Tel.: +42 2 6708 2377
Fax: +42 2 6731 0291

DENMARK DANEMARK DINAMARCA

Mr Arne BÜCHERT
Deputy head of division
National Food Agency of Denmark
Morkhoj Bygade 19
DK-2860 Soborg
Tel.: +45 39 69 6600
Fax: +45 39 66 0100
e-mail: ab@lst.min.dk

Mr Milter Green LAURIDSEN, M.Sc. Senior Officer National Food Agency of Denmark Morkhoj Bygade 19 DK-2860 Soborg Tel.: +45 39 69 6600 Fax: +45 39 66 0100 email: mgl@lst.min.dk

Ms Hanne Friis BOETTE, Ph.D.
Scientific Officer
National Food Agency of Denmark
Morkhoj Bygade 19
DK-2860 Soborg
Tel.: +45 39 69 6600
Fax: +45 39 66 0
email: hfb@lst.min.dk

EGYPT EGYPTE EGIPTO

Dr Mohamed FATHY MAKLAD
Director Regional for Agriculture Research
Station Agriculture Research, Station Sabbahia
P.O. Baccos, Alexandria
Tel.: 03 5490755 / 03 5701067
Fax: 03 5701067

Dr Sohair AHMED GAD ALLA Research (Technical Manager) Ministry of Agriculture Laboratory of Residues Analysis of Pesticides and Heavy Metals in Food 6 Nadi El Said St. Dokki, Cairo Tel.: +20 2 360 1395

Tel.: +20 2 360 1395 Fax: +20 2 361 1216 e-mail: gcap@idsci.gov.eg

FINLAND FINLANDE FINLANDIA

Dr Pirjo-Liisa PENTTILÄ Senior Scientific Officer National Food Administration Box 5

00531 Helsinki Tel.: 358 9 7726 7621

Fax: 358 9 7726 7666

Mr Hans BLOMQVIST

Head of Division

Plant Production Inspection Center

Pesticide Division

Box 42

00501 Helsinki

Tel.: 358 9 1342 1537 Fax: 358 9 1342 1421

email: hans.blomqvist@mmm.fi

Mr Pekka RAVIO

Chemist

Finnish Customs Laboratory

Tekniikantie 13

SF-02150 Espoo

Tel.: 358 9 614 3276

Fax: 358 9 463 383

Mr Vesa TUOMAALA

Senior Adviser

Ministry of Trade and Industry

Box 230

00171 Helsinki

Tel.: 358 9 160 3553

Fax: 358 9 160 3666

FRANCE FRANCIA

Mr Jean-Pierre CUGIER

Ministère de l'Agriculture, de la Pêche et de

l'Alimentation

DGAL/SDPV

INRA/GRAPPA

Domaine Saint Paul

Site Agroparc

84914 Avignon Cedex 9

Tel.: +33 4 9031 6058

Fax: +33 4 9089 6905

Mr Bernard DECLERCQ

Ministère de l'Economie et des Finances Laboratoire interrégional de la DGCCRF

25, avenue de la République

91305 Massy Cedex

Tel.: +33 1 6953 8750

Fax: +33 1 6953 8725

Mrs Sylvie COULON

Ministère de l'Agriculture et de la Pêche et de

l'Alimentation

Direction Générale de l'Alimentation

SDSPA Bureau Pharmacie Vetérinaire

175, rue du Chevaleret

75013 Paris Cedex 13

Tel.: +33 1 4955 8121

Fax: +33 1 4955 4398

Mr Gerard DE CACQUERAY

Agronomist

UIPP - Union des Industries de la Protection

des Plantes

2, rue Denfert-Rochereau

92100 Boulogne-Billancourt

Tel.: +33 1 4002 5321

Fax: +33 1 4345 2819

Mr Michel L'HOTELLIER

Agronomist

UIPP - Union des Industries de la Protection

des Plantes

2, rue Denfert-Rochereau

92100 Boulogne Billancourt

Tel.: +33 1 4032 3546

Fax: +33 1 4032 3524

Mr Philippe VERGER

Directeur

Centre de recherches Foch

45, rue des Saint-Pères

75006 Paris

Tel.: +33 1 4296 8421

Fax: +33 1 4020 9685

e-mail: foch@clwb internet.fz

GERMANY ALLEMAGNE ALEMANIA

Dr Michael WINTER Regierungsdirektor Bundesministerium für Gesundheit Am Propsthof 78a D-53108 Bonn

Tel.: +49 228 941 4151 Fax: +49 228 941 4943

Dr Jutta SCHAUB Oberregierungsrätin Bundesministerium für Ernährung, Landwirtschaft und Forsten Rochusstrasse 1 D-53123 Bonn Tel.: 0228 529 3329

Tel.: 0228 529 3329 Fax: 0228 529 4404

Dr Karsten HOHGARDT Wissenschaftlicher Rat Biologische Bundesanstalt für Land- und Forstwirtschaft Messeweg 11/12 D-38104 Braunschweig Tel.: +49 531 2993503 Fax: +49 531 2993004

Dr Renate HANS
Dir.u.Prof., Bundesinstitut für
gesundheitlichen Verbraucherschutz und
Veterinärmedizin
Thielallee 88-92
D-14195 Berlin

Tel.: +49 30 8412 3383 Fax: +49 30 8412 3894

e-mail: k.hohgardt@bba.de

Dr Lutz ALDER Wissenschaftlicher Oberrat Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin Postfach 330013, FG 704 D-14195 Berlin

Tel.: +49 30 8412 3377 Fax: +49 30 8412 3685

Dr Gabriele TIMME
Bayer AG
Landwirtschaftszentrum Monheim
Geschäftsbereich Pflanzenschutz
PF-E/Registrierung
D-51368 Leverkussen
Tel.: 00 49 2173 383882
Fax: 00 49 2173 383516

Dr Ernst D. PICK Industrieverband Agrar E.V. Karlstrasse 21 D-60329 Frankfurt/Main Tel.: +69 2556 1283 Fax: +69 236702

Dr Gudrun OETKEN Advisor Pestizid Aktions Netzwerk E.V. Nernstweg 32-34

D-22765 Hamburg Tel.: 040 393978 Fax: 040 3907520

e-mail: pan-germany@umwelt.ecolink.org

HUNGARY HONGRIE HUNGRIA

Dr Katalin MATYASOVSZKY
Head of the Pesticide Residue Department
National Institute for Food-Hygiene and
Nutrition
Gyali ut 3-a
1097 Budapest
Tel.: 361 215 4130
Fax: 361 215 1545

Dr Lászlo GYÖRFI
Deputy Director of Plant Hygiene and Soil
Protection of Budapest
Ministry of Agriculture
Budaörsi ùt 141-145
H-1118 Budapest
Tel.: +36 1 309 1020

INDIA INDE

Mr K.M. VAGHELA

Deputy Director (Storage and Research) M/O Food, Department of Food

Procurement and Distribution Kinshi Bravan, Room no. 486

New Delhi Tel.: 338 7622

Fax: 378 2213

INDONESIA INDONESIE

Dr Kasumbogo UNTUNG

Vice Chairman Pestiside Commission

State Ministry of Environment

Jalan D.I. Panjaitan, Kebon Nanas

Jakarta Timur

Tel.: +61 21 858 0107 Fax: +61 21 858 0108

Mrs Retno L.P. MARSUDI

First Secretary

Indonesian Embassy

Tobias Asserlaan 8

2517 KC 's-Gravenhage

The Netherlands

Tel.: +31 70 310 8123

Fax: +31 70 364 3331

IRELANDE IRLANDA

Dr Dan O'SULLIVAN

Agricultural Inspector

Pesticide Control Laboratory

Department of Agriculture, Food and

Forestry

Abbotstown, Castleknock

Dublin 15

Tel.: +353 1 607 2614

Fax: +353 1 820 4260

Mr J. QUIGLEY

Senior Chemist, State Laboratory

Abbotstown, Castleknock

Dublin 15

Tel.: +353 1 821 7700 Fax: +353 1 821 7320

ISRAEL

Ms Rina ASHKENAZY

Head of Pesticide Registration Section

Ministry of Agriculture

Plant Protection and Inspection Services

P.O Box 78

Bet-Dagan, 50250

Tel.: +972 3 968 1562

Fax: +972 3 968 1507

Dr Rina VARSANO

Head Food Contaminants Section

Ministry of Health

Food Control Administration

P.O. Box 20301

Tel-Aviv 61203

Tel.: +972 3 563 4782

Fax: +972 3 561 9549

ITALY

ITALIE

ITALIA

Ms Brunella LO TURCO

Secrétaire générale

Comité National du Codex Alimentarius

Ministero delle Risorse Agricole, Alimentari e

Forestali

Via XX Settembre 20

Roma

Tel.: +39 6 488 0273

Fax: +39 6 488 0273

Mr Alberto LEANDRI

Government Expert

Ministero dell'Agricoltura

Istituto Sperimentale per la Patologia Vegetale

Via C.G. Bertero, 22

00156 - Roma

Tel.: +39 6 8207 0305

Fax: +39 6 8680 2296

Ms Elvira CECERE

Ministero della Sanità

Dianspv Div.V/a

Piazza Marconi, 25

00144 Roma

Tel.: +39 6 5994 3566

Fax: +39 6 5994 3217

JAPAN JAPON

Mr Yoshikazu HAYASHI Environment Agency Deputy Director Soil and Agricultural Chemicals Division Water Quality Bureau 1-2-2 Kasumigaseki, Chiyoda-ku Tokyo 100

Tel.: +81 3 3580 3173 Fax: +81 3 3593 1438

e-mail: yoshikazu_hayashi@eanet.go.jp

Mr Toshiro NAKAGAKI
Deputy Director
Food Chemistry Division
Ministry of Health and Welfare
1-2-2, Kasumigaseki, Chiyoda-ku
Tokyo 100-45
Tel.: +81 3 3595 2341
Fax: +81 3 3501 4868
e-mail: tn-uys@mhw.go.jp

Mr Shingo NAKAYAMA
Technical Officer
Food Chemistry Division
Ministry of Health and Welfare
1-2-2, Kasumigaseki, Chiyoda-ku
Tokyo 100-45
Tel.: +81 3 3595 2341
Fax: +81 3 3501 4868
e-mail: sn-kfa@mhw.go.jp

Ms Kyoko SATO
Standard and Labelling Division
Food and Marketing Bureau
Ministry of Agriculture, Forestry and
Fisheries
1-2-1, Kasumigaseki
Chiyoda-ku
Tokyo 100
Tel.: +81 3 3502 8111 (ext.4863)

Fax: +81 3 3502 0438

Mr Tsuyoshi SAKAMOTO
Head of Technical Research Section
Ministry of Agriculture, Forestry and
Fisheries
Agricultural Chemicals Inspection Station
2-772 Suzuki-cho, Kodaira,
Tokyo
Tel.: +81 4 2383 2151
Fax: +81 4 2385 3361

Dr Takao MAKI
Director
Japan Food Hygiene Association
Shibuya ku, Jingumae 2-6-17
Tokyo 150
Tel.: +81 3 3403 2111
Fax: +81 3 3403 2946

e-mail: jr2t-skmt@asahi.net.or.jp

Mr Toshikazu Miyakawa JCPA / General Manager 1-8-25 Huromachi, Nihonbashi Chuo-ku Tokyo 103 Tel.: +81 3 3241 0230 Fax: +81 3 3241 3149 e-mail: Jcpamiya@ra2.so-net.or.jp

MALAYSIA MALAISIE MALASIA

Mr Cheaw Keat CHIN
Principal Assistant Director
Food Quality Control Division
Ministry of Health Malaysia
4th Floor, Block E, Office Complex
Jalan Dunguin, Bunkit Damansara
50490 Kuala Lumpur
Tel.: +60 3 2540 088
Fax: +60 3 2537 804
e-mail: chin@dph.gov.my

Ms Nor HAYATI bt. ZAKARIA Scientific Officer (chemist) Department of Chemistry Jalan Sultan 46661 Petaling Jaya Selangor Tel.: +60 3 1569622 ext.397 e-mail: roslin.jkpj@gov.my Dr Uan-Boh CHEAH
Senior Research Officer
Centre for strategic, Environment & Natural
resources Research
Malaysian Agricultural Research
and Development Institute (MARDI)
P.O. Box 12301, 50774
Kuala Lumpur

Tel.: +60 3 9437 528 Fax: +60 3 9487 639 e-mail: ubcheah@mardi.my

Ms Zalilah NASIR Food Technologist Food Quality Control Laboratory c/o Public Health Centre Batu 5 Jalan Skudai 81200 Johor Bahru Johor

Tel.: +60 7 2377 206 Fax: +60 7 2377 206

Dr Ainie KUNTOM
Principal Research Officer
Palm Oil Research Institute of Malaysia
(PORIM)
No. 6, Persiaran Institusi, B.Baru Bangi
43000 Kajang, Selangor
Tel.: +60 3 8259 155
Fax: +60 3 8259 446

MEXICO MEXIQUE

Fax: (525) 658 74 02

Mrs Amada VELEZ
Directora de Servicios y Apoyo Technico
Secretaría de Agricultura, Ganadería y
Desarrollo Rural
Guillermo Perez Valenzuela #21
Col. Carmen Coyacan México 04100
Tel.: (525) 658 28 28

MOROCCO MAROC MARRUECOS

Fax: +212 2 30 1972

Mr Larbi HACHIMI
Directeur
Laboratoire Officiel d'Analyses
et de Recherches Chimiques (LOARC)
Ministère de l'Agriculture et de la Mise en
Valeur Agricole
25, rue Nichakra Rahal
Casablanca
Tel.: +212 2 30 2196/98

Mr Mostafa TARHY
Chef de Service Pesticides (LOARC)
Ministere de l'Agriculture et de la Mise en
Valeur Agricole
25, rue Nichakra Rahal
Casablanca
Tel.: +212 2 30 2196/98
Fax: +212 2 30 1972

Mr Mohamed FARES Ingenieur d'état Chef du service de la Répression des Fraudes de Tanger

NETHERLANDS PAYS-BAS PAISES BAJOS

Dr ir Henry DE HEER
International Phytopharmaceutical
Coordinator
Ministry of Agriculture, Nature Management
and Fisheries
Department of Agriculture
P.O. Box 20401
2500 EK Den Haag
Tel.: +31 70 379 3685
Fax: +31 70 347 6896

e-mail: h.de.heer@DL.Agro.NL

Dr ir Abraham BOEKESTEIN

Ministry of Agriculture, Nature Management

and Fisheries

RIKILT-DLO

P.O. Box 230

6700 AE Wageningen

Tel.: +31 317 475473

Fax: +31 317 417717

e-mail: a.boekestein@rikilt.dlo.nl

Mrs Paula H. VAN HOEVEN-ARENTZEN

Toxicologist

National Institute of Public

Health and Environment

P.O. Box 1

3720 BA Bilthoven

Tel.: +31 30 2743263

e-mail: paula.van.hoeven@rivm.nl

Dr Gijs KLETER

Ministry of Welfare, Health and Sport

Inspector for Health Protection

P.O. Box 5406

2280 HK Rijswijk

Tel.: +31 70 340 6933

Fax: +31 70 340 5435

Dr David G. KLOET

Residue Adviser

Ministry of Agriculture, Nature Management

and Fisheries

RIKILT-DLO

P.O. Box 230

6700 AE Wageningen

Tel.: +31 317 475 562

Fax: +31 317 417 717

Mrs Erica MULLER

Consultant Phytopharmacy

Ministry of Agriculture, Nature Management

and Fisheries

Plant Protection Service

P.O. Box 9102

6700 HC Wageningen

Tel.: +31 317 496 881

Fax: +31 317 421 701

Dr Piet VAN ZOONEN

Head of Laboratory

National Institute of Public Health

and the Environment

P.O. Box 1

3720 BA Bilthoven

Tel.: +31 30 274 2876

Fax: +31 30 274 4424

e-mail: piet.van.zoonen@rivm.nl

Ir Gerard COSTER

Technical Manager

ProAgro B.V.

P.O. Box 1180

3600 BB Maarssen

Tel.: +31 346 552 186

Fax: +31 346 552 274

Ms ir Jossie A. GARTHOFF

Board of Pesticide Authorization (CTB)

P.O. Box 217

6700 AA Wageningen

Tel.: +31 317 471 853

Fax: +31 317 471 899

Mrs dr Mia A.T. KERKHOFF

P.M. Contaminants

Unilever Research Laboratorium

P.O. Box 114

3130 AC Vlaardingen

Tel.: +31 10 460 5098

Fax: +31 10 460 5671

e-mail: mia.kerkhoff@unilever.com

Mrs ir Monique MELLEMA

Commodity Board for Horticulture

P.O. Box 90403

2509 AB Den Haag

Tel.: +31 7 304 1234

Fax: +31 7 347 8181

Dr Max E. SIEMELINK

Ministry of Agriculture, Nature

Management and Fisheries

Department of Encironment, Quality and

Health (MKG)

P.O. Box 20401

2500 EK The Hague

Tel.: +31 70 379 2465

Fax: +31 70 347 7552

NEW ZEALAND NOUVELLE-ZELANDE NUEVA ZELANDIA

Mr David LUNN

National Manager (Residue Standards)

Ministry of Agriculture

P.O. Box 2526

Wellington

Tel.: +64 4 474 4100 Fax: +64 4 474 4257

e-mail: lunnd@ra.Maf.Govt.nz

Mr. Bob MARTIN Market Access Manager Zespri International Ltd P.O. Box 9906

Auckland

Tel.: +64 9 367 7538 Fax: +64 9 367 0240

e-mail: martinb@zespri.co.nz

Mr Jim WATERS

Senior Advisor (Toxicology) Ministry of Health

P.O. Box 5013 Wellington

Tel.: +64 4 496 2121 Fax: +64 4 496 2340

e-mail: jim_waters@moh.govt.nz

NORWAY NORVEGE NORUEGA

Mrs Hanne-Grete NILSEN

Advisor

Department of Food Law and International

Affairs

Norwegian Food Control Authority

P.O. Box 8187 Dep.

N-0034 Oslo

Tel.: +47 22 24 66 50 Fax: +47 22 24 66 99

e-mail: hanne.nilsen@snt.dep.telemax.no

Mr Borge HOLEN Laboratory Manager

The Norwegian Crop Research Institute

Pesticide Laboratory

Osloveien 1 N-1430 ÅS

Tel.: +47 64 97 03 91 Fax: +47 64 97 03 87

e-mail: borge.holen@planteforsk.nlh.no

Mr Kai-Uwe BRACKLO

Senior Executive Officer

Norwegian Agricultural Inspection Service

P.O. Box 3 N-1430 ÅS

Tel.: +47 64 94 43 45 Fax: +47 64 94 40 10 e-mail: kai-uwe.bracklo@ landbrukstilsynet.sri.telemax.no

PHILIPPINES FILIPINAS

Dr Dalmacio S. SALTING

Agricultural Attache Philippine Embassy 85 Rue Washington 1050 Brussels

Belgium

Tel.: +322 538 3917 Fax: +322 538 3917

Ms Dahlia D. CERVANTES

Agricultural Center Chief III
Pesticide Analytical Laboratory
DNCRDC /BPI, Bago Oshiro, Mintal

Davao City 8000 Tel.: +63 293 02 20 Fax: +63 293 01 07

POLAND POLOGNE POLONIA

Ms Bozena MARTINEK

Plant Protection Institute

20, Miczurina str. 60-318 Poznan

Tel.: +48 61 679021 Fax: +48 61 676301 Dr Alicja NIEWIADOWSKA National Veterinary Research Institute

Department of Pharmacology and Toxicology

Al. Partyzantow 57 24-100 Pulawy

Tel.: +48 81 863051 ext. 109

Fax: +48 81 862595

e-mail: zmudzki@esterka.piwet.pulawy.pl

Mr Wojciech MARTINEK Chief of laboratory Central Quality Control Office Zurawia 32/34 P.O. Box No. 25 00-950 Warszaw Tel.: +48 61 67 90 34

PORTUGAL

Mr Edwin J.B.A. FERNANDES Centro Nacional de Protecçao de Produçao Agricola Ministerio de Agricultura Quinta do Marquês 2780 Oeiras

Tel.: +351 1 441 2822 Fax: +351 1 442 0616

REPUBLIC OF KOREA REPUBLIQUE DE COREE REPUBLICA DE COREA

Mr Ym-Shik LEE Assistant Director Food Sanitation Division Ministry of Health and Welfare Government Complex II Kwacheon-City Kyounggi-Do

Tel.: +82 2 503 7586 Fax: +82 2 504 1100

Mr Kwang-Nyeon JEONG Agro Business Division Oriental Chemical Industries Oriental Chemical Building (5A) 50, Sokong-Dong, Chung-ku Seoul 100-718

Tel.: +82 2 7279 557 Fax: +82 2 755 2681 Mr Yoo-Sang PARK Manager Dongbu Hannong Chem. 6-13 Nonhyun-Dong, Kangnam-ku Seoul

Tel.: +82 2 3449 2471 Fax: +82 2 548 6181

Mr Je-Hwan WOO Manager Technical Department Agriculture Chemicals Industrial Association Taekeuck Building 1358-9 Seocho-dong, Seocho-ku Seoul

Tel.: +82 2 3474 1591/4 Fax: +82 2 3472 4134

Mr Tae-Hwa KIM
Researcher
Kyung ju Research Institute
Kyung Nong Corporation
226, Kuhwang-Dong, Kyungju-city
Kyung Buk, 780-110
Tel.: +82 561 749 9741
Fax: +82 561 773 4288
e-mail: tohamsan@chollian.dacom.co.kr

Mr Hee-Sung AHN
General Manager
Development team Marketing Division
Kyung Nong Corporation
1337-4, Seocho-Dong
Seocho-Ku, Seoul
Tel.: +82 2 3474 0670
Fax: +82 2 3474 4227

Mr Shin-Sang SUNG
Assistant Director
Sustainable Agricultural Division
Ministry of Agriculture and Forestry
Government Complex II
Kwacheon-City
Kuounggi-Do
Tel.: +82 2 503 7285
Fax: +82 2 503 7249

Mr Byoung-Gon JEONG Veterinary Officer Food Safety Test Division National Animal Quarantine Service 23-4 Deungchon-Dong Kangseo-Ku Seoul

Tel.: +82 2 6500 671 Fax: +82 2 6500 655

Mr Joong-Keun LEE Researcher

Food Hygiene Research Department Korea Institute of Food Hygiene 57-1, Noryangjin-dong, Dongjak-ku Seoul 156-050

Tel.: +82 2 826 2100 Ext.318

Fax: +82 2 817 5017

Mr Young-Pyo LEE Assistant Manager 6-13 Nonhyung-Dong, Kang nam-Ku Dongbu Hannong Chemical Seoul

Tel.: +82 2 3449 2494 Fax: +82 2 548 6181

Dr Byung-Hun SONG Senior Researcher Agriculture Science and Technical Institute Seodundong-249 Suwon City, 441-100 Tel.: +82 331 290 0503

Dr Yun-Hyun YU Researcher Korea Ginseng & Tobacco Research Institute P.O. Box 59 Suwon-City, Kyounggi-Do

Tel.: +82 345 419 3411 Fax: +82 345 419 9434

Fax: +82 331 290 0521

SLOVENIA SLOVENIA ESLOVENIA

Dr med Marusa ADAMIC
Head Department of Food and Nutrition
Institute of Public Health of Sloveniat
CC Point
Trubarjeva 2
1000 Ljubljana
Tel.: +386 61 1323 245

SOUTH AFRICA AFRIQUE DU SUD SUDAFRICA

Fax: +386 61 323 955

Dr J.B. VERMEULEN
Senior Agricultural Management Advisor
Directorate Agricultural Production Inputs
National Department of Agriculture
Private Bag X 343
0001 Pretoria
Tel.: +27 12 319 7303

Fax: +27 12 319 7179 e-mail: johan@hoof2.agric.za

Ms F.W.J. VAN RIJSSEN
Deputy Director Food Control
Department of Health
Private Bag X 828
0001 Pretoria
Tel.: +27 12 312 0509
Fax: +27 12 312 0811

e-mail: vrijw@hltrsa2.gov.pwv.za

SPAIN ESPAGNE ESPANA

Dr Angel YAGUE MARTINEZ DE TEJADA Jefe del Servicio de Rediduos de la Subdirección General de Sanidad Vegetal Ministerio de Agricultura, Pesca y Alimentación Velazquez 147 28002 Madrid Tel.: 34 1 34 78273

Fax: 34 1 34 78316

Mr Victorio TERUEL MUÑOZ
Jefe de Sección de Homologación de
Productos Fitosanitarios
de la Subdirección General de Sanidad Vegetal
Ministerio de Agricultura, Pesca y
Alimentación
Velazquez 147
28002 Madrid

Tel.: 34 1 34 78292 Fax: 34 1 34 78316

Dr Josefina LOMBARDERO VEGA Jefa del Departemento de Residuos de la Subdireccion General de Analisis Ministerio de Agricultura, Pesca y Alimentacion Paseo Infanta Isabel 1 28071 Madrid Tel.: 34 1 34 74978

Fax: 34 1 34 749/8

Dr Santiago GUTIERREZ DEL ARROYO Tecnico Superior de la Subdireccion General de Higiene de los Alimentos Ministerio de Sanidad y Consumo Paseo del Prado 18-20 28014 Madrid Tel.: 34 1 5969996

Dr Enrique CELMA Technical Manager Zeneca Agro Costa Brava 13 28034 Madrid Spain

Tel.: 34 1 7344011 Fax: 34 1 7350180

SUDAN SOUDAN

Prof Dr Khalid H.EL ABBADI Director Central Pesticides Laboratory P.O. Box 105 Wad Medani

SWEDEN SUEDE SUECIA

Mr Arne ANDERSSON Chief Government Inspector National Food Administration P.O. Box 622 S-751 26 Uppsala Tel.: 46 18 175641 Fax: 46 18 693321 e-mail: aran@slv.se

Mr Bengt-Göran ERICSSON Toxicologist National Food Administration P.O. Box 622 S-751 26 Uppsala Tel.: 46 18 171458 Fax: 46 18 105848 e-mail: bger@slv.se

SWITZERLAND SUISSE SUIZA

Dr Claude WÜTHRICH
Federal Office of Public Health
Division of Food Control
Schwarzenburgstrasse 165
CH-3003 Bern
Tel.: 41 31 322 95 69
Fax: 41 31 322 95 74
e-mail: claude.wuethrich@bag.admin.ch

Dr Werner KOBEL
Swiss Society of Chemical Industry
c/o Novartis Crop Protection AG
CH-4002 Basel
Tel.: +41 61 697 6239
Fax: +41 61 697 5334
e-mail: werner.kobel@cp.novartis.com

Ms Danièlle MAGNOLATO Nestec ltd 55 Av Nestle CH-1800 Vevey Tel.: 41 21 924 44 41

Fax: 41 21 924 45 47 e-mail: dmagnol@nestec.ch

Mr Tjakko STIJVE Nestec ltd Nestlé Research Centre P.O. Box 44 CH-1000 Lausanne

Tel.: +41 (21) 785 8250 Fax: +41 (21) 785 8553

TANZANIA TANZANIE

Mr R.M. KUKULA Principal Health Officer Ministry of Health P.O. Box 9083 Dar-Es-Salaam Tel.: 255 51 20261

THAILANDE THAILANDIA

Fax: 255 51 39951

Dr Sakprayoon DEEMA Ministry of Agriculture Bangkok 10200 Tel.: 662 6898383

Fax: 662 2921633

Mrs Oratai SILAPANAPAPORN Standards Officer Thai Industral Standards Institute Rama VI Rd. Ratchathewi Bangkok 10400

Tel.: 662 2023444 Fax. 662 2487987

Ms Ladda AKAVIPAT
Director of Standard Analysis Division
Department of Forientrade
Ministry of Commerce
Snamchai Road
Bangkok 10200

Tel.: 662 2213256 Fax: 662 2213255 Mr wanchai SOMCHIT Executive Manager Thai Food Processors Association 170/22 9th Floor Ocean Tower 1 New-Rachadapisek Road Klongtoey Bangkok 10110

Tel.: 662 261 2684-6 Fax: 662 261 2996-7

Dr Yuantar PRUKSARAJ Director of Division Feed Quality Control Division Department of Livestock Development Phyathai Road Bangkok 10400 Tel.: 662 2518206: 662 2515136-8

Fax: 662 2511942

Dr Nuansri TAYAPUTCH Director Division of Agricultural Toxic Substances Department of Agriculture Bangkok 10900 Tel.: 662 9405390/662 5793579 Fax: 662 5614695

Mr Pisan PONGSAPITCH Standards Officer Thai Industrial Standards Institute Rama VI Road Ratchathewi Bangkok 10100

Tel.: 662 2023444 Fax: 662 2478741

Ms Leelanuj SUTHEPARUKS Senior Sanitary Technical Officer Food Sanitation Division Department of Health Ministry of Public Health Tivanon Road Nonthaburi 11000

Tel.: 662 5904179 Fax: 662 5918188

Mr Prarop CHANGJAROEN Head of Insect Pest Section Dept. Agri. Extension Jatujak District Bangkok 10900 Tel.: 662 5797519 Mr Supreecha PEUKSACHART Commodity Standards Technical Officer Commodity Standards Div Dept. of Foreign Trade Ministry of Commerce Mansiona. Rajadamneon Klang Ave. Panakorn District Bangkok 10200 Tel.: 662 2822111-3

Mr Cherdkiat ATTHAKOR First Secretary Royal Thai Embassy The Hague The Netherlands Tel.: +31 70 3450632

TUNISIA TUNISIE TUNEZ

Mr Abdelaziz CHEBIL
Ingénieur en Chef Responsable du Laboratoire
de contrôle et d'Analyses
Ministère de l'Agriculture
DGPA
30, Rue Alain Savary
1002EL Tunis
Tel.: +216 1 788 979
Fax: +216 1 797 047

Dr Abdelhamid HANNACHI Inspecteur Général Ministère de la Santé Publique 26 Avenue Mouaau'a Ebi Sofiane 1004 EL Benzah VIII Ariana Tel.: +216 1 711 233

UNITED KINGDOM ROYAUME-UNI REINO UNIDO

Fax: +44 1904 455 733

Mr J.R. MASCALL
Ministry of Agriculture, Fisheries and Food
Pesticide Safety Directorate
Mallard House
Kings Pool
3 Peasholme Green
York. YO1 2 PX
Tel.: +44 1904 455 759

Mr S. CROSSLEY
Ministry of Agriculture, Fisheries and Food
Pesticide Safety Directorate
Mallard House, Kings Pool
3 Peasholme Green
York YO1 2PX
Tel.: +44 1904 455 903
Fax: +44 1904 455 711
e-mail: s.j.crossley@psd.maff.gov.uk

Mr A.R.C. HILL
Ministry of Agriculture, Fisheries and Food
Central Science Laboratory
Sand Hutton
York YO4 1LZ
Tel.: +44 1904 462 560
Fax: +44 1904 462 111
e-mail: alan.hill@csl.gov.uk

Ms S. O'HAGAN
Department of Health
HEF(M) 2 Division
Skipton House
80 London Road
Elephant and Castle
London SE1 6TE
Tel.: +44 1719 725 305
Fax: +44 1719 225 134

Mr G. TELLING
Food and Drink Federation
Green End Farmhouse
Perten Hall
Beds MK44 2AX
Tel.: +44 1480 860 439
Fax: +44 1480 861 739

Mr J.R. COX
National Resources Institute
Central Avenue
Chatham Maritime
Kent ME4 4TB
Tel.: +44 1634 883 896
Fax: +44 1634 883 232
e-mail: john.cox@nri.org

Mr R. ROWE

European Registration Manager

DowElanco Letcombe Regis

Wantage

Oxon OX12 9JT Tel.: +44 1235 774 734

Fax: +44 1235 774 749

UNITED STATES OF AMERICA ETATS-UNIS D'AMERIQUE ESTADOS UNIDOS D'AMERICA

Dr Richard D. SCHMITT

Deputy Director, Program Management and

Support Division

Office of Pesticide Programs

U.S. Environmental Protection Agency

401 M Street, S.W. 7502C

Washington, DC 20460 Tel.: +1 703 305 5484

Fax: +1 703 305 5512

e-mail: schmitt.richard@ epamail.epa.gov

Dr Richard M. PARRY, Jr Assistant Administrator Agricultural Research Service

U.S. Department of Agriculture Room 358-A, Administration Bldg.

1400 Independence Ave, SW Washington DC 20250-0302

Tel.: +1 202 720 3973 Fax: +1 202 720 7549

e-mail: parryr@ars.usda.gov

Dr Pat BASU

Director, Chemistry and Toxicology Division

U.S. Department of Agriculture Food Safety and Inspection Service Office of Public Health and Science Room 6912, Franklin Court Suite 1400 Independence Ave., SW

Washington, DC 20250-3700

Tel.: +1 202 501 7319 Fax: +1 202 501 7639

e-mail: pat.basu@usda.gov

Mr Louis J. CARSON

Food and Drug Administration

Division of Field Science (HFC-141)

5600 Fishers Lane

Rockville, MD 20857 Tel.: +1 301 443 3320

Fax: +1 302 443 6388

e-mail: lcarson@fdaem.dhhs.gov

Mr Charles W. COOPER

Director, International Activities Staff

(HFS585)

Center for Food Safety and Applied Nutrition

Food and Drug Administration

200 C Street, S.W.

Washington, D.C. 20204

Tel.: +1 202 205 5042

Fax: +1 202 401 7739

Mr Fred IVES

Health Effects Division (H7509C)

Office of Pesticide Programs

U.S. Environmental Protection Agency

HOI M st. S.W.

Washington D.C. 20460 USA

Tel.: +1 703 305 6378

Fax.: +1 703 305 5147

Dr John W. JONES

Office of Policy, Planning and Strategic

Initiatives HFS-11

Center for Food Safety and Applied Nutrition

Food and Drug Administration

200 C Street, S.W.

Washington, DC 20204

Tel.: +1 202 205 4311

Fax: +1 202 401 2893

Mrs Carolyne FILLMORE WILSON

International Trade Specialist

Office of Food Safety and Technical Services

Foreign Agriculture Service, USDA

1400 Independence Ave, S.W.

Washington, DC 20250-1027

Tel.: +1 202 720 2239

Fax: +1 202 690 0677

e-mail: wilsonc@fas.usda.gov

Dr Richard D. COSTLOW

Chairman

International Registration Committee American Crop Protection Association

Rohm and Haas Company 100 Independence Mall, West Philadelphia, PA 19106-2399

Tel.: +1 215 592 3581 Fax: +1 215 592 3414

e-mail: richard d costlow@rohmhaas.com

Mr Paul B. ENGLER

President, California Citrus Quality Council 1575 S. Valley, Vista Drive, Suite 130

Diamond Bar

California 91765-3914

Tel.: +1 909 861 1340 Fax: +1 909 861 2161

e-mail: ccqc@ix.netcom.com

Dr John P. FRAWLEY

President

Health & Environment International

400 W. 9th Street, Suite 401 Wilmington, Delaware 19801

Tel.: +1 302 426 1717 Fax: +1 302 426 1716

Dr Hugh W. EWART

Vice President

Northwest Horticultural Society

903 Larson Building Yakima, WA 98907

Tel.: +1 509 453 3193

Fax: +1 509 457 7615

URUGUAY

Dr Rosanna RUBINOS Second Secretary Embassy of Uruguay

Nassaulaan 1

2514 JS 's-Gravenhage

The Netherlands

Tel.: +31 70 360 9815

Fax: +31 70 356 2826

OBSERVER COUNTRIES PAYS OBSERVATEURS PAISES OBSERVADORES

BOSNIA AND HERZEGOVINA BOSNIE-HERZEGOVINE BOSNIA Y HERZEGOVINA

Prof dr Osman SARIC

Consultant of Ministry of Agriculture

Water Management of Forestry

H. Kresevljakovica 3

71000 Sarajevo

Tel.: +387 71 442761

Fax: +387 71 663659

Mr. Ivan TOMIC

Third Secretary at the Embassy

Van Bleiswijkstraat 118 2582 LJ 's-Gravenhage

The Netherlands Tel.: +31 70 3588505

Fax: +31 70 3584367

INTERNATIONAL ORGANIZATIONS ORGANISATIONS INTERNATIONALES ORGANIZACIONES INTERNACIONALES

AOAC INTERNATIONAL

Mr A.R.C. HILL

Ministry of Agriculture, Fisheries and Food

Central Science Laboratory

Sand Hutton

York YO4 1LZ

Tel.: +44 1904 462 560

Fax: +44 1904 462 111

e-mail: alan.hill@csl.gov.uk

CONSUMERS INTERNATIONAL (CI)

Ms Lisa Y. LEFFERTS

Codex Consultant Consumers International

RR 1, Box 76

Andes, NY 13731

T TC A

Tel.: +1 301 559 3630 Fax: +1 301 853 3272

e-mail: llefferts@igc.apc.org

Dr Ronald LUIJK

Consumentenbond, Research Department

PO Box 1000

2500 BA 's-Gravenhage

The Netherlands

Tel.: +31 70 445 4545

Fax: +31 70 445 4590

EUROPEAN COMMUNITY (EC) COMMUNAUTE EUROPEENNE COMUNIDAD EUROPEA

Mr Michael WALSH

Pricipal Administrator

Directorate General Agriculture

DG VI.B.2.1

200, Rue de la Loi

EC office Loi 84, 01/4

B-1049 Brussels

Tel.: +32 2 295 7705

Fax: +32 2 296 5963

e-mail: michael.walsh@dg6.cec.be

Mr Clive EDMUNDS

Administrator

Directorate General Agriculture

DG VI.B.21

200, Rue de la Loi

EC office Loi 84, 01/44

B-1049 Brussels

Tel.: +32 2 295 74 95

Mrs Marie-Ange BALBINOT

Administrator

Directorate General Industry

DG III

Rond Point Schumann 11, 3/30

B-1049 Brussels

Tel.: +32 2 295 0763

Fax: +32 2 296 0951

e-mail: Marie-ange.Balbinot@dg3.cec.be

GLOBAL CROP PROTECTION FEDERATION (GCPF)

Dr J. W. ADCOCK AgrEvo UK Ltd. Dr M. BLISS

ISK Biosciences Corporation

5966 Heisley Road

P.O. Box 8000

Mentor, OH 44061-8000

USA

Tel.: 216 357 4152

Fax: 216 357 4692

Dr Hugh Desmond BYRNE

Manager

Tomen Agro Inc.

100 lst Street

San Francisco, CA 94115

USA

Tel.: 415 536 3465

Fax: 415 284 884

Dr Richard D. COSTLOW

Rohm and Haas Company

100 Independence Mall West

Philadelphia, PA 19106-2399

USA

Mr H. DANTSUJI

Manager

Takeda Chemical Industries Ltd.

13-10 Nihonbashi 2-chome Chua-ku

Tokyo

Japan 103

Tel.: 03 3278 2568

Fax: 03 3278 2750

Mr G. DE CAQUERAY

Rohm & Haas

France

Ms Agelina DUGGAN, Ph.D

Registration Manager

FMC Agricultural Products Group

1735 Market Street

Philidelphia, Pa 19103

USA

Tel.: 215 299 6670

Fax: 215 299 6468

e-mail: angelina_duggan@fmc.com

Dr G. Ronald GARDINER Technical Director, ECPA/GCPF Avenue de Beaulieu 25 B - 1160 Brussels Belgium

Tel.: 32 2 663 1559 Fax: 32 2 663 1560

e-mail: g.ron.gardiner@ecpa.be

Mr Alain GARNIER

Director Janssen Pharmaceutica N.V. Turnhoutsebaan 30 B-2340 Beerse

Belgium

Tel.: 32 14 60 21 45 Fax: 32 14 60 59 51

e-mail: agarmie2@jambe.jmj.com

Mr W. GRAHAM Registration Manager Monsanto 270-272 AV.Deteryuren 1150 Brussels Belgium

Tel.: 32 2 7764533 Fax: 32 2 776 4269

Mr N. HASHIZUME

Manager SDS Biotech K.K. 12-7, Higashi Shimbashi 2-Chome, Minato-Ku Tokyo 105 Japan

Tel.: 81 3 3436 7446 Fax: 81 3 3436 0989

Mr F. ISHIJIMA Hokko Chemical Ind. 2165 Toda, Atsugi Kanagawa 243

Tel.: 0462 28 5881 Fax: 0462 28 0164 Dr Bruce G. JULIN E.I. DuPont A. Spinoystraat 6 Mechelen B-2800 Belgium

Tel.: 32 15 441378 Fax: 32 15 441398

e-mail: bruce.g.julin@usa.dupont.com

Dr M. KAETHNER

Head Dietery Exposure Assesement

Novartis Crop Protection

R 1058.800 CH-4002 Basle Switserland

Tel.: 00 41 61 6972849 Fax: 00 41 61 6974966

e-mail: michale.kaethner@cp.nvartis.com

Mr Steven KOZLEN Makhteshim Agan ICC 283 Avenue Louise B-1050 Brussels Belgium

Tel.: 32 2 646 86 06 Fax: 32 2 646 91 52

e-mail: steve.kozlen@maicc.be

Dr Gerhard. KEUCK AgrEvo GmbH Hoechst AG, K607 D - 65926 Frankfurt

Germany

Tel.: 069 305 3785 Fax: 069 305 17290

e-mail: gerhard.keuck@agrevo.com

Dr W. KOBEL Swiss Society of Chemical Industry c/o Ciba-Geigy Ltd. CH-4002 Basel Switzerland

Mr M. KUDO

Manager

Product Safety Evaluation, Registory Affairs Nissan Chemical Industries, Ltd. 17-1, 3-chome, Kanda-Nishiki-cho

Chiyoda-Ku, Tokyo

Japan 101

Tel.: 03 3296 8151 Fax: 03 3296 8016 Dr James Lee KUNSTMAN

Bayer

Registration Specialist 8400 Hawthorn Road

Kansas City, MO 64120

USA

Tel.: 816 242 2838 Fax: 816 242 2138

e-mail: jim.kunstman.b@bayer.com

Mr S. MARUYAMA Sumitomo Chemical Co. 5-33 Kitahama, 4-Chome Chuo-Ku, Osaka 541

Japan

Tel.: 81 6 220 3685 Fax: 81 6 220 3350

Mr T. MIYAKAWA

Society of Agricultural Chemical Industry 5-8, 1-Chome, Muromachi Nihonbashi, Chuo-Ku Tokyo Japan

Ms N. MOLL ECPA Mr M. NABESHIMA Kumiai Chemical Co. Ltd.

Dr R.J. NIELSSON
Director, Strategic Regulatory Issues
American Cyanamid Company
P.O. Box 400

Princeton, N.J. 08543-0400

USA

Tel.: 1 609 716 2354 Fax: 1 609 716 2333

Mr Makoto NISHIDA Resarcher 3-2-5 Kasumigaseki Chiyoda-ku Tokyo 100

Japan

Tel.: 03 3592 4612

Mr M. NOKATA

Deputy General Manager, Product Safety

Regulatory Affairs Dept. Nihon Noyaku Co. Ltd. 1-2-5, Nihonbashi

Chuo-Ku, Tokyo 103

Japan

Tel.: 03 3274 3383 Fax: 03 3281 2443

Ms Yuko OKAMOTO

DuPont K.K. Arco Tower 8-1, Shimomegro, 1-Chome Meguro-Ku, Tokyo 153 Japan

Tel.: 03 5434 6119 Fax: 03 5434 6187

Dr Ernst-Dieter PICK Industrieverband Agrar e.V. Karlstraße 21 D-60329 Frankfurt/M. Germany

Dr P.R. PRITCHARD Uniroyal Chemical Ltd. Kennet House 4 Langley Quay Slough, Berks SL 3 6 EH England

Dr K.S. RAO Globle Registration Manager DowElanco 9330 Zeonsville Road Indianapolis, IN 46033 USA

Tel.: 317 337 4974 Fax: 317 337 4966

Frederick John RAVENEY

Director Agrilex S.A. Place de la Gare 1 CH-1260 Nyon Switzerland

Tel.: 41 22 362 4860 Fax: 41 22 362 4866 e-mail: agrilex@vtx.ch Dr Samuel F. RICKARD Merck & Co., INC. P.O. Box 450 Hillsborough Road Three Bridges, NJ 08887-0450 USA

Tel.: +1 908 369 3031 Fax: +1 908 369 3010

Dr Falk R. RITTIG BASF AG P.O. Box 120 D-67114 Limburgerhof Germany

Tel.: +49 621 60 27377 Fax: +49 621 60 27701

e-mail: falk.rittig@APS.X400.BASF-AG.DE

Mr R. ROWE DowElanco Europe

Mr Hirotaka SAKAKIBARA Rhône-Poulenc Yuka Agro Roppongi First Building 1-9-9, Roppongi, Minako-Ku Tokyo,

Tel.: 03 5570 6064 Fax: 03 5570 6070

Ms S.A. SCHUTTE Monsanto USA

Ms V. SGOURI Rhone-Poulenc Agro

Mr SHIGEMURA
Assistant Manager
Regular Affairs Department
Nihon Nohyaku Co.
8th Floor Eicaro Bldg
2-5 Nihonbashi 10 Chome, Chuo-ku
Tokyo 103
Japan

Tel.: 81 3 3274 3383 Fax: 81 3 3281 2443 Mr S. SUGIMOTO Nippon Soda Co. Ltd. 2-2-1, Ohtemachi Chiyoda-Ku, Tokyo 100 Japan Tel.: 81 3 3245 6185 Fax: 81 3 3245 6289

Mr Y. TAKIMOTO Sumitomo Chemical Co. 5-33 Kitahama, 4-Chome Chuo-Ku, Osaka 541 Japan

Mr S. TAMAGAWA
Director
Mitsui Toatsu Chemicals Inc.
3-2-5, Kasumigaseki,
Chiyoda-Ku, Tokyo 100
Japan
Tel.: 03 3592 4616
Fax: 03 3592 4282

Mr Y. TANAKA Manager Tomen Corporation 14-27, Akasaka, 2-Chome Minato-Ku, Tokyo 107 Japan Tel.: 03 3588 7481

Fax: 03 3588 7481

e-mail: tanaka@tokyo6.tomen.co.jp

Dr D.R. TENANT TAS International 31 Dover Street London WIX 3RA Tel.: 44 (0) 171 629 1955 Fax: 44 (0) 171 629 1975

Frau Dr Gabriele TIMME Bayer AG PF-E/Registrierung, GEB.6100 Zentr. Landwirtschaft Monheim D-51368 Leverkusen Germany Mr J.C. TOURNAYRE
UIPP - Union des Industrie de la Protection
des Plantes
2 rue Denfert Rochereau
92100 Boulogne Billancourt
France

Vassilia SGOURI Regulator Affairs Specialist Rhône Poulenc Agro Chimie SA 55 av. René Cassin 69009 Lyon France

Tel.: 04 72854585 Fax: 04 72854567

INSTITUTE OF FOOD TECHNOLOGISTS (IFT)

Dr Chad B. SANDUSKY
Director of Safety and Risk Assessment for
Technical Assessment Systems
The Floor Mill
1000 Potomac Street, N.W.
Washington D.C. 20007
Tel.: +1 202 332 2625
Fax.: +1 202 332 1744

INTERNATIONAL COOPERATIVE ALLIANCE (ICA) ALLIANCE COOPERATIVE INTERNATIONALE ALIANZA COOPERATIVA INTERNACIONAL

Mr Hiroshi SUZUKI
Laboratory of Japanese Consumers' Cooperative Union
1-17-18 Nishikicho
Warabi, Saitama
Japan

Tel.: + 81 48 433 8300 Fax: + 81 48 433 8309

Mr Yoshikazu NAKAGAWA Consumers Co-operative Kobe 1-3-23 Okamoto Hyogo Higashinada-Ku Kobe Japan Hygo

Tel.: +81 78 453 0116 Fax: +81 78 453 01866

INTERNATIONAL COUNCIL OF GROCERY MANUFACTURERS ASSOCIATIONS (ICGMA)

Dr Barbara PETERSEN
President
Novigen Sciences, Inc.
1730 Rhode Island Ave, N.W. Suite 1100
Washington, D.C., 20036
Tel.: +1 202 293 5374
Fax.: +1 202 293 5377
e-mail: petersen@novigensci.com

INTERNATIONAL DAIRY
FEDERATION (IDF)
FEDERATION INTERNATIONALE
DE LAITERIE
FEDERACION INTERNACIONAL DE
LECHERIA

ir L.G.Th.M. TUINSTRA Square Vergrote B-1030 Brusselsingen Belgium Tel.: +32 2 733 9888

Fax: +32 2 733 0413

e-mail: fil-idf@mail.interpac.be

INTERNATIONAL FEDERATION OF WINES AND SPIRITS (FIVS) FEDERATION INTERNATIONALE DES VINES ET SPIRITUEUX (FIVS)

Dr Guiseppe GABRI Martini & Rossi S.P.A. Corso Vittorio Emanuele 42 10123 Torino

Tel.: +39 11 8108 235 Fax.: +39 11 8108 413

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO) ORGANISATION INTERNATIONALE DE NORMALISATION ORGANIZACION INTERNACIONAL DE NORMALIZACION

Mrs ir I.M. RENTENAAR Nederlands Normalisatie Instituut P.O. Box 5059 2600 GB Delft The Netherlands Tel.: +31 15 2690 310

Fax: +31 15 2690 190

e-mail: irene.rentenaar@nni.nl

INTERNATIONAL TOXICOLOGY INFORMATION CENTRE (ITIC)

Dr G. VETTORAZZI Director ITIC Paseo Ramón Maria Lili, 1, 4°-D E-20002 San Sebastian Spain

Tel: +34 43 320 455 Fax: +34 43 320 487 e-mail: gaston@lander.es

Cecilia P. GASTON Novigen Sciences Inc. 1730 Rhode Island Ave, N.W. Suite 1100 Washington, D.C. USA

Tel.: +1 202 2935374 Fax: +1 202 2935377

e-mail: ceciliag@novigensci.com

Bruce R. JAEGER 1461 Jameson Pl. Crofton, MD 21114

Tel.: +1 703 527 3601 Fax: +1 703 527 3602

Dr Barbara J. PETERSEN Novigen Sciences, Inc. 1730 Rhode Island Avenue N.W., Suite 1100 Washington, D.C. 20036 USA

Tel.: +1 202 293 5374 Fax: +1 201 293 5377

e-mail: petersen@novigensci.com

John R. WESSEL Consultant Health & Environment Int'l 4101 Flintlock Court Glenelg, MD 21737 USA

Tel.: +1 301 854 5161 Fax: +1 301 854 5162 e-mail: jwessel@erols.com

INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY (IUPAC) UNION INTERNATIONALE DE CHIMIE PURE ET APPLIQUEE UNION INTERNACIONAL DE QUIMICA PURA Y APLICADA

Dr Sue-Sun WONG
Senior Specialist
Taiwan Agricultural Chemicals and Toxic
Substances Research Institute
11 Kung-Ming Road
Wufong
Taichung Hsien
Taiwan
Tel.: +886 4 330 2101 ext. 401

Fax: +886 4 332 4738 e-mail: sswong@tactri.gov.tw

INTERNATIONAL VINE AND WINE OFFICE OFFICE INTERNATIONAL DE LA VIGNE ET DU VIN (OIV) OFICINA INTERNACIONAL DE LA VIÑA Y DEL VINO

Mr Dominique TUSSEAU Rue H. Martin PB 135 51204 Epernay France

Tel.: 33 (03) 26511930 Fax: 33 (03) 26551979

INTER-AMERICAN INSTITUTE FOR COOPERATION ON AGRICULTURE INSTITUT INTERAMERICAIN DE COOPERATION POUR L'AGRICULTURE INSTITUTO INTERAMERICANO DE COOPERACION PARA LA **AGRICULTURA**

Dr Julio C. DELGADO Especialista Regional en Sanidad Vegetal Centro RegionalSur Oficina del IICA en Argentina Defensa 113, Piso 10^o (1065) CapitalFederal Buenos Aires, Argentina Tel.: (54-1) 345-1209 1210 Fax: (54-1) 345-1208 e-mail: jdelgado@udiica.org.ar

FOOD AND AGRICULTURE ORGANIZATON OF THE UNITED NATIONS (FAO)

Dr A. AMBRUS FAO Consultant for Joint Secretary to the **JMPR** c/o AGPP, FAO Viale delle Terme di Caracalla Rome 00100 Italy

Tel.: +39 6 522 53222 / 552 55757

Fax: +39 6 522 56347

e-mail: arpad.ambrus@fao.org

WORLD HEALTH ORGANIZATON (WHO)

Dr John L. HERRMAN International Programme on Chemical Safety World Health Organization 1211 Geneva 27 Switzerland Tel: +41 22 791 3569

Fax: +41 22 791 4848

Dr Gerald G. MOY Programme on Food Safety and Food Security World Health Organization 1211 Geneva 27 Switzerland Tel.: +41 22 791 3698 Fax: +41 22 791 4807

JOINT FAO/WHO SECRETARIAT

e-mail: moyg@who.ch

Dr Y. YAMADA Food Standards Officer Joint FAO/WHO Food Standards Programme FAO Via delle Terme di Caracalla 00100 Rome, Italy Tel.: +39 6 5225 5443 Fax: +39 6 5225 4593 E-mail: yukiko.yamada@fao.org

Mr D.H. BYRON Food Standards Officer Joint FAO/WHO Food Standards Programme FAO Via delle Terme di Caracalla 00100 Rome, Italy Tel.: +39 6 5225 4419

Fax: +39 6 5225 4593

NETHERLANDS SECRETARIAT

Dr J.W. DORNSEIFFEN Ministry of Health, Welfare and Sport Directorate of Public Health P.O. Box 5406 2280 HK Rijswijk The Netherlands Tel.: +31 70 3406961 Fax: +31 70 3405177 e-mail: k.a.schenkveld@minvws.nl

Ms Sue BAKER Ministry of Health, Welfare and Sport Directorate of Public Health P.O. Box 5406 2280 HK Rijswijk The Netherlands

Ms Nienke DORNSEIFFEN The Netherlands

Ms Anneke CORTENBACH Ministry of Health, Welfare and Sport Directorate of Public Health P.O. Box 5406 2280 HK Rijswijk The Netherlands

Drs R. HITTENHAUSEN-GELDERBLOM Ministry of Health, Welfare and Sport Inspectorate for Health Protection Hoogte Kadijk 401 1018 BK Amsterdam The Netherlands

Drs N.B. LUCAS LUIJCKX
Ministry of Health, Welfare and Sport
Directorate of Public Health
P.O. Box 5406
2280 HK Rijswijk
The Netherlands

Mrs. T.P. POEPON
Ministry of Health, Welfare and Sport
Directorate of Public Health
P.O. Box 5406
2280 HK Rijswijk
The Netherlands

ir P.D.A. OLTHOF
Ministry of Health, Welfare and Sport
Directorate of Public Health
P.O. Box 5406
2280 HK Rijswijk
The Netherlands
Tel.: +31 70 3406955
Fax: +31 70 3405177
e-mail: k.a.schenkveld@minvws.nl

ir R. TOP Ministry of Health, Welfare and Sport Directorate of Public Health P.O. Box 5406 2280 HK Rijswijk The Netherlands

Mr W. BUITENWEG Ministry of Health, Welfare and Sport Directorate of Public Health P.O. Box 5850 2280 HW Rijswijk The Netherlands

PROPOSED DRAFT REVISED RECOMMENDED METHODS OF SAMPLING FOR THE DETERMINATION OF PESTICIDE RESIDUES FOR COMPLIANCE WITH MRLS

(advanced to Step 5 of the Codex Procedure)

CONTENTS

		Pages
OBJECTI	VE	50
PRINCIPI	.ES	50
SAMPLIN	G PROCEDURES	51
CRITERIA	A FOR DETERMINING COMPLIANCE	52
Table 1.	Minimum number of primary samples to be taken from a lot	53
Table 2.	Number of primary samples required for a given probability of detecting a violation in a lot of meat or poultry product	54
Table 3.	Meat and poultry products: description of primary samples and minimum size of laboratory samples	55
Table 4.	Plant products: description of primary samples and minimum size of laboratory samples	58
Table 5.	Egg and dairy products: description of primary samples and minimum size of laboratory samples	60
Annex I.	DEFINITION OF TERMS	62
Annex II.	SCHEMATIC REPRESENTATION OF SAMPLING	65
REFEREN	CES	66
PROPOS	ED DRAFT REVISED RECOMMENDED METHODS OF SAMPLING FOR	THE

PROPOSED DRAFT REVISED RECOMMENDED METHODS OF SAMPLING FOR THE DETERMINATION OF PESTICIDE RESIDUES FOR COMPLIANCE WITH MRLS

1. OBJECTIVE

The objective of these sampling procedures is to enable a representative sample to be obtained from a lot, for analysis to determine compliance with Codex Maximum Residue Limits (MRLs).

2. PRINCIPLES

- 2.1 Codex MRLs are intended to ensure good agricultural practices in the use of pesticides and are set at the appropriate levels required to minimize exposure of consumers and animals and to protect crops, food or feeding stuffs.
- 2.2 A Codex MRL for a plant, egg or dairy product takes into account the maximum level expected to occur in a composite sample, which has been derived from multiple units of the treated product and which is intended to represent the average residue level in a lot. A Codex MRL for meat and other poultry products takes into account the maximum level expected to occur in the tissues of individual treated animals or birds.

2.3 In consequence, MRLs for meat and poultry products apply to a bulk sample derived from a single primary sample, whereas MRLs for plant products, eggs and dairy products apply to a composité bulk sample derived from 1-10 primary samples.

3. SAMPLING PROCEDURES

Notes. (a) The terms used are defined in Annex I and the procedures are shown schematically in Annex II.

(b) ISO recommendations for sampling of grain¹, or other commodities shipped in bulk may be adopted, if required.

3.1 Precautions to be taken

Contamination and deterioration of samples must be prevented at all stages, because they may affect the analytical results. Each lot to be checked for compliance must be sampled separately.

3.2 Collection of primary samples

The minimum number of primary samples to be taken from a lot is determined from Table 1. Each primary sample should be taken from a randomly chosen position in the lot, as far as practicable. The primary samples must consist of sufficient material to provide the laboratory sample(s) required from the lot.

Notes. (a) Sampling devices required for grain¹, pulses² and tea³ are described in ISO recommendations and those required for dairy products⁴ are described by the IDF.

3.3 Preparation of the bulk sample

3.3.1 Procedure for meat and poultry products (Table 3)

Each primary sample is considered to be a separate bulk sample and it should be mixed well, if practicable.

3.3.2 Procedure for plant products, eggs or dairy products (Tables 4 and 5)

The primary samples should be combined and mixed well, if practicable, to form the bulk sample.

3.3.3 Alternative procedure where mixing to form the bulk sample is inappropriate or impractical

Where units may be damaged (and thus residues may be affected) by the processes of mixing or sub-division of the bulk sample, or where large units cannot be mixed to produce a more uniform residue distribution, the units should be allocated randomly to replicate laboratory samples at the time of taking the primary samples. In this case, the bulk sample is considered to be the sum of the laboratory samples analyzed.

3.4 Preparation of the laboratory sample

Where the bulk sample is larger than is required for a laboratory sample, it should be divided to provide a representative portion. A sampling device, quartering, or other appropriate size reduction process may be used but units of fresh plant products or whole eggs should not be cut or broken. Where required, replicate laboratory samples should be withdrawn at this stage or they may be prepared as in 3.3.3, above. The minimum sizes required for laboratory samples are given in Tables 3 and 4.

3.5 Sampling record

The sampling officer must record the nature and origin of the lot; the owner, supplier or carrier of it; the date and place of sampling; and any other relevant information. Any

departure from the recommended method of sampling must be recorded. A signed copy of the record must accompany each replicate laboratory sample and a copy should be retained by the sampling officer.

3.6 Packaging and transmission of the laboratory sample

The laboratory sample must be placed in a clean, inert container which provides secure protection from contamination, damage and leakage. The container should be sealed, the sampling record must be attached and the sample delivered to the laboratory as soon as practicable. Spoilage in transit must be avoided, e.g. fresh samples should be kept cool and frozen samples must remain frozen. Samples of meat and poultry products should be frozen prior to despatch, unless transported to the laboratory before spoilage can occur.

3.7 Preparation of the analytical sample

The laboratory sample should be given a unique identifier which, together with the date of receipt and the sample size, should be added to the sample record. The part of the commodity to be analysed^{5,6}, i.e. the analytical sample, should be separated as soon as practicable. Where the residue level must be calculated to include parts which are not analysed, the weights of the separated parts must be recorded.

3.8 Preparation and storage of the analytical portion

The analytical sample should be comminuted, if appropriate, and mixed well, to enable representative analytical portions to be withdrawn. The size of the analytical portion should be determined by the analytical method and the efficiency of mixing. The methods for comminution and mixing should not affect the residues present in the analytical sample. Where appropriate, the analytical sample should be processed under special conditions, e.g. at sub-zero temperature, to minimize adverse effects. Where processing could affect residues and where practical alternative procedures are not available, the analytical portion may consist of whole units, or segments removed from whole units. If the analytical portion thus consists of few units or segments, it is unlikely to be representative of the analytical sample and sufficient replicate portions must be analysed, to indicate the uncertainty of the mean value. If analytical portions are to be stored before analysis, the method and length of time of storage should be such that they do not affect the level of residues present. Additional portions must be withdrawn for replicate and confirmatory analyses, as required.

4. CRITERIA FOR DETERMINING COMPLIANCE

- 4.1 Analytical results must be derived from samples which were in a fit state for analysis and they must be supported by acceptable quality control data (e.g. for instrument calibration and pesticide recovery refer to Codex Alimentarius, Volume 2, Section 4.2, "Guidelines on good laboratory practice in pesticide residue analysis"). Results should not be corrected for recovery. Where a residue is found to exceed an MRL, its identity should be confirmed and its concentration must be verified by analysis of one or more additional analytical portions.
- 4.2 The Codex MRL applies to the bulk sample.
- 4.3 The lot complies with a Codex MRL where the MRL is not exceeded by the analytical result(s).
- Where results for the bulk sample exceed the MRL, a decision that the lot is non-compliant must take into account: (i) the range of results obtained from replicate laboratory samples and/or replicate analytical portions, as applicable; and (ii) the accuracy and precision of analysis, as indicated by the supporting quality control data.

Table 1. Minimum number of primary samples to be taken from a lot

			of primary samples from the lot
(a) Meat a	nd poultry products		
	on-suspect lot 1spect lot	1 approximately 6-30	(see note(i), below)
(b) Plant p	products, eggs and dairy products		
(i)	Products, packaged or in bulk, which can be assumed to be mixed or homogeneous	1	see note (d) under definition of a lot, Annex 1
(ii)	Products, packaged or in bulk, which may not be mixed or homogeneous		see note (ii), below
eith	•		
	Weight of lot, kg < 50 50-500 > 500	3 5 10	
or	Number of cans, cartons or other containers in the lot	1	
	26-100 > 100	5 10	

Notes. (i) If the location of contaminated units within a lot of a meat, dairy or poultry product cannot be determined by visual inspection, the number of samples to be taken from a suspect lot will depend on the degree of confidence required (see Table 2).

⁽ii) For products comprised of large units, in class A only, the minimum number of primary samples should comply with the minimum number of units required for the laboratory sample (see Table 4).

Table 2. Number of randomly selected primary samples required for a given probability of detecting at least one non-compliance in a lot of meat or poultry product

Incidence of violative residues in the lot		er of samples (n_o) reresidue with a prob	
%	90%	95%	99%
90	1	-	2
80	•	2	3
70	2	3	4
60	3	4	5
50 ⁻	4	5	7
40	5	6	9
35	6	7	11
30	7	9	13
25	9	11	17
20	11	14	21
15	15	19	29
10	22	29	44
5	45	59	90
· 1	231	299	459
0.5	460	598	919
0.1	2302	2995	4603

Notes. (a) The Table assumes random sampling.

(b) Where number of primary samples indicated in Table 2 is more than about 10% of units in the total lot, the number of primary samples taken may be fewer and should be calculated as follows:

$$n = \frac{n_0}{1 + (n_0 - 1) / N}$$

where n = minimum number of primary samples to be taken

 $n_o = number of primary samples given in Table 2$

N = number units, capable of yielding a primary sample, in the lot.

- (c) Where a single primary sample is taken, the probability of detecting a violation is similar to the incidence of violative residues.
- (d) This Table should not be used to determine the probability of detecting a violation in a lot of a plant product. As composite samples are prepared for plant products, the statistical distribution of residues in the lot must be known, to determine the probability.

Table 3. Meat and poultry products: description of primary samples and minimum size of laboratory samples

	laboratory sampl		_	
	Commodity classification	Examples	Nature of primary sample to be taken	Minimum size of each laboratory sample
Clas	ss B, primary food commoditie	s of animal origin		
1.	Mammalian meats, type 06, g Note: for enforcement of MR below.		sticides samples must be taken a	according to section 2
1.1	Large mammals, whole or half carcass, usually 10 kg or more	cattle sheep pigs	whole or part of diaphragm, supplemented by cervical muscle, if necessary	0.5 kg
1.2	Small mammals whole carcass	rabbits	whole carcass or hind quarters	0.5 kg, after removal of skin and bone
1.3	Mammal meat parts, loose fresh/chilled/frozen packaged or otherwise	quarters chops steaks shoulders	whole unit(s), or a portion of a large unit	0.5 kg, after removal of bone
1.4	Mammal meat parts, bulk frozen	quarters chops	either a frozen cross- section of a container or the whole (or portions) of individual meat parts	0.5 kg, after removal of bone
2.	Mammalian fats, including control Note: samples of fat taken as of fat or the whole product, with	described in 2.1, 2.2	and 2.3 may be used to determi	ne compliance of the
2.1	Large mammals, at slaughter, whole or half carcass usually 10 kg or more	cattle sheep pigs	kidney, abdominal or subcutaneous fat cut from one animal	0.5 kg
2.2	Small mammals, at slaughter, whole or half carcass < 10 kg		abdominal or subcutaneous fat from one or more animals	0.5 kg
2.3	Mammal meat parts	legs chops	<pre>either visible fat, trimmed from unit(s)</pre>	0.5 kg
		steaks	or whole unit(s) or portions of whole unit(s), where fat is not trimmable	2 kg
2.4	Mammal bulk fat tissue		units taken with a sampling device from at least 3 positions	0.5 kg
Class	B, primary food commodities	of animal origin		
3.	Mammalian offals, type 06, gr	oup 032		
3.1	Mammal liver, fresh/chilled/frozen	-	whole liver(s), or part of liver	0.4 kg

Commodities are classified according to the Codex Alimentarius⁵ Refer to Table 1 to determine the number of primary samples required.

	Commodity classification	Examples	Nature of primary sample to	Minimum size of each
3.2	Managallila		be taken	laboratory sample
3.2	Mammal kidney, fresh/chilled/frozen	•	1 or both kidneys from 1 or more animal	0.2 kg
3.3	Mammal heart, fresh/chilled/frozen	-	Whole heart(s), or ventricle portion only, if large	0.4 kg
3.4	Other mammal offal, fresh/chilled/frozen	intestines brains	Part or whole unit from 1 or more animals, or a cross- section taken from bulk frozen product	0.5 kg
4.	Poultry meats, type 07, group Note: for enforcement of MRI below.		ticides samples must be taken a	ccording to section 5
4.1	Bird, large-sized carcass > 2 kg	turkey goose mature chicken	thighs, legs and other dark meat	0.5 kg after removal of skin and bone
4.2	Birds, medium-sized carcass 500 g-2 kg	duckling guinea fowl young chicken	thighs, legs or other dark meat from at least 3 birds	0.5 kg after removal of skin and bone
4.3	Birds, small-sized carcass < 500 g carcass	quail pigeon	carcasses from at least 6 birds	0.2 kg of muscle tissue
4.4	Bird parts fresh/chilled/frozen, retail or wholesale packaged	legs quarters	packaged units, or individual parts	0.5 kg (after removal of skin and bone)
Clas	s B, primary food commodities	of animal origin		
5.	Poultry fats, including carcass Note: samples of fat taken as d the whole product, with the co	escribed in 5.1 and 5	337 5.2 may be used to determine co	ompliance of the fat or
5.1	Birds, at slaughter, whole or part-carcass	chickens turkeys	units of abdominal fat from at least 3 birds	0.5 kg
5.2	Bird meat parts	legs breast muscle	either visible fat, trimmed from unit(s)	0.5 kg
			or whole unit(s) or portions of whole unit(s), where fat is not trimmable	2 kg
5.3	Bird fat tissue in bulk	-	units taken with a sampling device from at least 3 positions	0.5 kg
6.	Poultry offals, type 07, group 0	038		
6.1	Edible bird offal, except goose and duck fat liver and similar high value products		units from at least 6 birds, or a cross-section from a container	0.2 kg
6.2	Goose and duck fat liver and similar high value products		unit from 1 birds or container	0.05 kg

Commodities are classified according to the Codex Alimentarius⁵ Refer to Table 1 to determine the number of primary samples required.

	Commodity classification	Examples	Nature of primary sample to be taken	Minimum size of each laboratory sample
Clas	ss E, processed foods of animal	origin	•	
7.	Secondary food commodities Derived edible products of a Manufactured food (single in Manufactured food (multi-in	nimal origin, type igredient) of anim	type 16, group 080 dried meats 17, group 085 processed animal al origin, type 18 al origin, type 19	fats
7.1	Mammal or bird, comminuted, cooked canned, dried, rendered, or otherwise processed products, including multi-ingredient products	ham sausage minced beef chicken paste	packaged units, or a representative cross-section from a container, or units (including juices, if any) taken with a sampling device	0.5 kg or 2 kg if fat content <5%

Commodities are classified according to the Codex Alimentarius⁵
Refer to Table 1 to determine the number of primary samples required.

Table 4. Plant products: description of primary samples and minimum size of laboratory samples

	Commodity classification	Examples	Nature of primary samples to be taken	Minimum size of eac laboratory sample
Clas	ss A, primary food commodities of 1	plant origin		_
1.	All fresh fruits, type 1, groups 001 All fresh vegetables, type 2, group		roup 015 (dry pulses)	
1.1	small sized fresh products units generally < 25 g	berries peas olives	whole units, or packages, or units taken with a sampling device	1 kg
1.2	medium sized fresh products units generally 25-250 g	apples oranges	whole units,	1 kg (at least 10 units)
1.3	large sized fresh products units generally > 250 g	cabbages cucumbers grapes(bunches)	whole units	2 kg (at least 5 units)
2.	Pulses, type 2, group 015 Cereal grains, type 3, group 020 Tree nuts, type 4, group 022	soya beans rice, wheat except coconuts coconuts		1 kg 1 kg 1 kg 5 units
	Oilseeds, type 4, group 023 Seeds for beverages and sweets, type 4, group 024	peanuts coffee beans		500 g 500 g
3.	Herbs, type 5, group 027	fresh parsley others, fresh	whole units	0.5 kg 0.2 kg
	(for dried herbs see: Class D, type 12, in section 5 of this Table)			V.2 Ng
	Spices, type 5, group 028	dried	whole units or taken with a sampling device	0.1 kg
Clas	s C, primary animal feed commodit	ies		
4.	Primary feed commodities of plan	t origin, type 11		
4.1	Legume animal feeds, and other forages and fodders		whole units, or units taken with a sampling device	1 kg (at least 10 units)
4.2	Straw, hay and other dried products		units taken with a sampling device	0.5 kg (at least 10 units)
Clas	s D, processed foods of plant origin			
5.	Secondary food commodities of plant origin, miscellaneous products Manufactured foods (single ingred Manufactured foods (multi-ingred manufactured foods)	type 13, teas, veget	able oils, juices, by-product	s for animal feed and

of animal origin where the ingredient(s) of plant origin predominate(s), and group 078, breads

Commodities are classified according to the Codex Alimentarius⁵ Refer to Table 1 to determine the number of primary samples required.

	Commodity classification	Examples	Nature of primary samples to be taken	Minimum size of each laboratory sample
5.1	Products of high unit value		packages or units taken with a sampling device	0.1 kg*
5.2	Solid products of low bulk density	hops tea	packaged units, or units taken with a sampling device	0.2 kg
5.3	Other solid products	bread flour apple pomace dried fruit	packages or other whole units, or units taken with a sampling device	0.5 kg
5.4	Liquid products	vegetable oils juices	packaged units, or units taken with a sampling device	0.5 l or 0.5 kg

^{*} A smaller laboratory sample may be taken from a product of exceptionally high value but the reason for doing so should be noted in the sampling record.

Commodities are classified according to the Codex Alimentarius⁵ Refer to Table 1 to determine the number of primary samples required.

Table 5. Egg and dairy products: description of primary samples and minimum size of laboratory samples

	Commodity classification	Examples	Nature of primary samples to be taken	Minimum size of each laboratory sample
Clas	s B, primary food commodities	of animal origin		•
1.	Poultry eggs, type 7, group 039	•		
1.1	Eggs, except quail and similar, whole or otherwise		whole eggs, or units taken with a sampling device	12 whole chicken eggs, 6 whole goose or duck eggs
1.2	Eggs, quail and similar		whole eggs	24 whole eggs
Class	E, processed foods of animal o	rigin		
2.	Secondary food commodities of and milk powders Derived edible products of ani creams, cream powders, caseins, Manufactured food (single ing Manufactured food (multi-ing ingredients of plant origin where	mal origin, type 17, gr etc. redient) of animal oriq redient) of animal orig	oup 086 milkfats, group 0 gin, type 18, group 090 rin, type 19, group 092 (in	87 butters, butteroils,
2.1	Liquid milks, milk powders, evaporated milks and creams, creams, dairy ice creams, yoghurts		packaged units, or units taken with a sampling device	0.5 l (liquid) or 0.5 kg (solid)
Notes	. (i) Evaporated milks and evaporal adhering material from the sides a and again stirred well before remo (ii) Milk powders in bulk should be (iii) Creams in bulk should be mix churning must be avoided.	end bottom of containers oving the laboratory sam e sampled by passing a di	and stirring well. About 2- ple. y borer tube through the po	3 l should be removed wder at an even rate.
2.2	Butter and butteroils	butter, whey butter, low fat spreads containing butter fat, anhydrous butteroil, anhydrous milkfat	whole or parts of packaged units, or units taken with a sampling device	0.2 kg or 0.2 l
Note.	Butter in bulk should be sampled opposite quarters taken as units.		res. Pats or rolls > 250g show	uld be quartered and
2.3	Cheeses, including processed cheeses			
	units 0.3 kg or greater		whole units, or units cut with a sampling device	0.5 kg
	units < 0.3 kg		whole units, or units cut with a sampling device	0.3 kg
Note.	Cheeses with a circular base should rectangular base should be sampled	l be sampled by making t l by making two cuts par	wo cuts radiating from the allel to the sides.	centre. Cheeses with a

	Commodity classification	Examples	Nature of primary samples to be taken	Minimum size of each laboratory sample
2.4	Liquid, frozen or dried egg products		units taken aseptically with a sampling device	0.5 kg

Commodities are classified according to the Codex Alimentarius⁵
Refer to Table 1 to determine the number of primary samples required.

Annex I. DEFINITION OF TERMS

Analytical portion

A representative quantity of material removed from the analytical sample, of proper size for measurement of the residue concentration.

Note. A sampling device may be used to withdraw the analytical portion.

Analytical sample

The material prepared for analysis from the laboratory sample, by separation of the portion of the product to be analysed^{5,6} and then by mixing, grinding, fine chopping, etc., for the removal of analytical portions with minimal sampling error.

Note. Preparation of the analytical sample must reflect the procedure used in setting Codex MRLs and thus the portion of the product to be analysed may include parts that are not normally consumed.

Bulk sample

For plant products, the combined and well mixed aggregate of the primary samples taken from a lot. For meat, dairy and poultry products, the well mixed primary sample.

Notes. (a) The primary samples must contribute sufficient material to enable all laboratory samples to be withdrawn from the bulk sample.

(b) Where separate laboratory samples are prepared during collection of the primary sample(s), the bulk sample is the conceptual sum of the laboratory samples, at the time of taking the samples from the lot.

Laboratory sample

The sample sent to, or received by, the laboratory. A representative quantity of material removed from the bulk sample.

Notes. (a) The laboratory sample may be the whole or a part of the bulk sample.

- (b) Units should not be cut or broken to produce the laboratory sample(s), except where sub-division of units is specified in Table 3.
- (c) Replicate laboratory samples may be prepared.

Lot

A quantity of a food material delivered at one time and known, or presumed, by the sampling officer to have uniform characteristics such as origin, producer, variety, packer, type of packing, markings, consignor, etc. A suspect lot is one which, for any reason, is suspected to contain an excessive residue. A non-suspect lot is one for which there is no reason to suspect that it may contain an excessive residue.

Notes. (a) Where a consignment is comprised of lots which can be identified as originating from different growers, etc., each lot should be considered separately.

- (b) A consignment may consist of one or more lots.
- (c) Where the size or boundary of each lot in a large consignment is not readily established, each one of a series of wagons, lorries, ship's bays, etc., may be considered to be a separate lot.
- (d) A lot may be mixed by grading or manufacturing processes, for example.

Primary sample

One or more units taken from one position in a lot.

- Notes. (a) The position from which a primary sample is taken in the lot should preferably be chosen randomly but, where this is physically impractical, it should be a random position in the accessible parts of the lot.
 - (b) The number of units required for a primary sample should be determined by the number of primary samples to be taken from the lot and by the minimum size and number of laboratory samples required.
 - (c) For plant, egg and dairy products, where more than one primary sample is taken from a lot, each should contribute an approximately similar proportion to the bulk sample.
 - (d) Units may be allocated randomly to replicate laboratory samples at the time of collecting the primary sample(s), in cases where the units are of medium or large size and mixing the bulk sample would not make the laboratory sample(s) more representative, or where the units (e.g. eggs, soft fruit) could be damaged by mixing.
 - (e) Where primary samples are taken at intervals during loading or unloading of a lot, the sampling "position" is a point in time.
 - (f) Units should not be cut or broken to produce the primary sample(s), except where sub-division of units is specified in Table 3.

Sample

One or more units selected from a population of units, or a portion of material selected from a larger quantity of material.

Sampling

The procedure used to draw and constitute a sample.

Sampling device

- (i) A tool such as a scoop, dipper, borer, knife or spear, used to remove a unit from bulk material, from packages (such as drums, large cheeses) or from units of meat or poultry products which are too large to be taken as primary samples. (ii) A tool such as a riffle box, used to prepare a laboratory sample from a bulk sample, or to prepare an analytical portion from an analytical sample.
- Notes. (a) Specific sampling devices are described by ISO^{1,2,3} and IDF⁴ standards.
 - (b) For materials such as loose straw or leaves, the hand of the sampling officer may be considered to be a sampling device.

Sampling officer

A person trained in sampling procedures and, where required, authorised by the appropriate authorities to take samples.

Note. The sampling officer is responsible for all procedures leading to and including preparation, packing and shipping of the laboratory sample(s). The officer must understand that consistent adherence to the specified sampling procedures is necessary, must provide complete documentation for samples, and should collaborate closely with the laboratory.

Sample size

The number of units, or quantity of material, constituting the sample.


Unit

The smallest discrete portion in a lot, which should be withdrawn to form the whole or part of a primary sample.

Note. Units should be identified as follows.

- (a) Fresh fruit and vegetables. Each whole fruit, vegetable or natural bunch of them (e.g. grapes) should form a unit, except where these are small. Units of packaged small products may be identified as in (d), below. Where a sampling device may be used without damaging the material, units may be created by this means. Individual fresh fruit or vegetables must not be cut or broken to produce units.
- (b) Large animals or parts or organs of them. A portion, or the whole, of a specified part or organ should form a unit. Parts or organs may be cut to form units.
- (c) Small animals or parts or organs of them. Each whole animal or complete animal part or organ present may form a unit. Where packaged, units may be identified as in (d), below. Where a sampling device may be used without affecting residues, units may be created by this means.
- (d) Packaged materials. The smallest discrete packages should be taken as units. Where the smallest packages are very large, they should be sampled as bulk, as in (e), below. Where the smallest packages are very small, a pack of packages may form the unit.
- (e) Bulk materials and large packages (such as drums, cheeses, etc.) which are individually too large to be taken as primary samples. The units are created with a sampling device.

Annex II. SCHEMATIC REPRESENTATION OF SAMPLING



REFERENCES

- 1. International Organisation for Standardization, 1979. International Standard ISO 950: Cereals Sampling (as grain).
- 2. International Organisation for Standardization, 1979. International Standard ISO 951: Pulses in bags Sampling.
- 3. International Organisation for Standardization, 1980. International Standard ISO 1839: Sampling Tea.
- 4. International Dairy Federation, 1985. International IDF Standard 50B: Milk and milk products methods of sampling.
- 5. Joint FAO/WHO Food Standards Programme (1993). "Portion of commodities to which Codex Maximum Residue Limits apply and which is analysed". Codex Alimentarius, Volume 2, Section 4.1, 389-404. FAO Rome. ISBN: 92-5-103271-8.
- 6. Joint FAO/WHO Food Standards Programme (1993). "Codex classification of foods and animal feeds". Codex Alimentarius, Volume 2, Section 2, 147-366. FAO Rome. ISBN: 92-5-103271-8.

PRIORITY LIST OF COMPOUNDS SCHEDULED FOR EVALUATION OR REEVALUATION BY JMPR

The following is the final or tentative lists of compounds to be considered by the FAO/WHO Joint Meeting of Pesticide Residues (JMPR) from 1997 to 2004.

AGENDA OF THE 1997 JMPR

Toxicological evaluations	Residue evaluations
NEW COMPOUNDS	NEW COMPOUNDS
fenbuconazole fipronil	fenbuconazole
PERIODIC REEVALUATIONS	PERIODIC REEVALUATIONS
fenamiphos (085) guazatine (114) malathion (049)	carbofuran (096) carbosulfan (145) guazatine (114) mevinphos (053) phosmet (103) thiabendazole (065)
triforine (116)	tinabendazoie (003)
EVALUATIONS	EVALUATIONS
abamectin (177)	abamectin (177)
amitrole (079) chlormequat (015)	bifenthrin (178) captan (007)/folpet (041)
ethephon (106) AMPA (metabolite of glyphosate (158)) lindane (048)	chlorothalonil (081) clethodim (187) ethephon (106) glyphosate (158)
phosalone (060)	methamidophos (100) myclobutanil (181) parathion (58) tebuconazole (189) tebufenozide (196)

TENTATIVE AGENDA OF THE 1998 JMPR

Toxicological evaluations	Residue evaluations
NEW COMPOUNDS	NEW COMPOUNDS
kresoxim-methyl	kresoxim-methyl
PERIODIC REEVALUATIONS	PERIODIC REEVALUATIONS
amitraz (122)	amitrole (079) benomyl (069) / carbendazim (072) /
bitertanol (144)	thiophanate-methyl (077) captan (007) carbaryl (008)
dicloran (083)	2,4-D (020) demeton-S-methyl (073) / oxydemeton-methyl (166) dicloran (083) dimethoate (027) / omethoate (055) /
diphenylamine (030) endosulfan (032) ethoxyquin (035)	formothion (042) folpet (41)
methiocarb (132) pyrethrins (063) thiometon (076)	maleic hydrazide (102)
EVALUATIONS	EVALUATIONS
bentazone (172) dinocap (87)	bentazone (172) dinocap (087) disulfoton (074)
phosmet (103)	glufosinate-ammonium (175) hexythiazox (176) procymidone (136)
thiophanate-methyl (77)	quintozene (064)

TENTATIVE AGENDA OF THE 1999 JMPR

Toxicological evaluations	Residue evaluations
NEW COMPOUNDS	NEW COMPOUNDS
pyrifenox pyriproxyfen PERIODIC REEVALUATIONS	pyrifenox pyriproxyfen PERIODIC REEVALUATIONS
chlorpyrifos (017) dimethipin (151) ethoprophos (149)	bitertanol (144) diflubenzuron (130)
imazalil (110)	ethoxyquin (035) fenamiphos (085) malathion (049)
permethrin (120)	methiocarb (132) ortho-phenylphenol (056) piperonyl butoxide (062)
propargite (113)	pirimiphos-methyl (086) pyrethrins (069)
EVALUATIONS	EVALUATIONS
PTU (150)	buprofezin (173) clethodim (187) ethion (34) fenproxymate (193) phosalone (060)

TENTATIVE AGENDA OF THE 2000 JMPR

Toxicological evaluations	Residue evaluations
NEW COMPOUNDS	NEW COMPOUNDS
imidacloprid	
PERIODIC REEVALUATIONS	PERIODIC REEVALUATIONS
acephate (95) deltamethrin (135) dodine (084) fenitrothion (37) methamidophos (100) thiodicarb (154) vamidothion (78)	amitraz (122) chlorpyriphos (017) cypermethrin (118) diphenylamine (030) endosulfan (032) methomyl (094) / thiodicarb (154) parathion (058) parathion-methyl (059) thiometon (076)
EVALUATIONS	EVALUATIONS
	aldicarb (117)

TENTATIVE AGENDA OF THE 2001 JMPR

Toxicological evaluations	Residue evaluations
NEW COMPOUNDS	NEW COMPOUNDS
	imidacloprid
PERIODIC REEVALUATIONS	PERIODIC REEVALUATIONS
	dimethipin (151) dodine (084) ethoprophos (149) fenitrothion (37) imazalil (110)
oxamyl (126)	, ,
prochloraz (142)	permethrin (120)
triazophos(143)	propargite (113)

10 April 1997

TENTATIVE AGENDA OF THE 2002 JMPR

Toxicological evaluation	Residue evaluation
NEW COMPOUNDS	NEW COMPOUNDS
PERIODIC REEVALUATIONS	PERIODIC REEVALUATIONS
	acephate (95) deltamethrin (135) methamidophos (100) oxamyl (126) prochloraz (142)
propamocarb (148)	triazophos (143) vamidothion (78)

TENTATIVE AGENDA OF THE 2003 JMPR

Toxicological evaluation	Residue evaluation
NEW COMPOUNDS	NEW COMPOUNDS
PERIODIC REEVALUATIONS	PERIODIC REEVALUATIONS
bendiocarb (137)	propamocarb (148)

10 April 1997

TENTATIVE AGENDA OF THE 2004 JMPR

Toxicological evaluations	Residue evaluations
NEW COMPOUNDS	NEW COMPOUNDS
PERIODIC REEVALUATIONS	PERIODIC REEVALUATIONS
	bendiocarb (137)

10 April 1997

ANNEX

CANDIDATE COMPOUNDS FOR PERIODIC REVIEW NOT YET SCHEDULED

Azocyclotin ¹	Methoprene
Clofentazine ²	Phenthoate
Cyhexatin ¹	Phorate
Cyhalothrin ³	Phoxim
Fenvalerate ³	Pirimicarb ⁴
Flucythrinate ⁴	Phosphamidon ²
Glyphosate ²	Triadimefon ⁵
Mecarbam	Triforine (residues)4
Metalaxyl ³	,

- Availability of adequate data package to be confirmed.
- New candidate compound for periodic review.
- Not supported for periodic reevaluation. However, there is support for MRLs based on the use of specific enantiomers/isomers.
- Awaiting scheduling date for review in the European Community.
- Support fro the periodic review to be confirmed at the 30th Session of the CCPR.