

Traditional Fisheries Tourism Field Guide

Designed and Produced: Gizem YAVUZARSLAN, Hayri Can KOCA, Efe ULUTÜRK, Oğulcan HERAL, Elizabeth Grace, Tunka ERONAT, Erhan IRMAK

Photos:

Murat KAYA; Erhan IRMAK; Efe ULUTÜRK; S.
Can AKÇINAR;
Oğulcan Heral; Elizabeth G. T. Eronat;
Filiz KÜÇÜKSEZGİN; Akın İLKYAZ
(<http://www.ilkyaz.eu/fishpic/index.html>)

Fishbase Photos (www.fishbase.org)
David LUQUET; Dammous Shibl; Trevor Meyer

Editör: Zafer KIZILKAYA

©All rights reserved by The Mediterreanean Conservation Society

2013

BAŞKANIN ÖN SÖZÜ

How to Use This Pesca Turismo Field Guide



You can find more information about specimens
on this part



İskorpit/Adabeyi
Red scorpionfish
Sci. Name *Scorpaena scrofa*

Max. TL: 50 cm
Legal Length: 15 cm
Habitat: Various
Fishing Technique:
Trawl, Gill net
Commercial Value:
Valuable
Consumption: Frying,
Soup
Fishing Season: Year
Long

What is Maximum Length of
specimen ?? What is the Legal catch
length of specimen ?? Where do they
live ??
How are they caught ??
Are they economics or not ??
How are they cooked ??
When are their catch season ??

Don't worry :)



If Your species



Be careful your species could be
dangerous !!

This symbol indicates the
conservation status of species
according to the IUCN
Red List Threatened Species
(<http://www.iucnredlist.org>)




→ Turkish name of species



→ English name of species

→ Scientific name of species



Before Going to Fishing



Before going to fishing you need to know some important things such as the weather conditons, what to wear?, What are the safety precaution etc.). You find some clues on the following pages to make your experince more comfortable and safe



Check the weather from one of the web s <http://www.accuweather.com/tr/world-weather> <http://poseidon.hcmr.gr/> <http://www.mgm.gov.tr/tahmin/turkiye.aspx#sfU>

The Beaufort Scale

Force	Wind (Knots)	WMO Classification	Appearance of Wind Effects
0	Less than 1	Calm	Sea surface smooth and mirror-like
1	1-3	Light Air	Scaly ripples, no foam crests
2	4-6	Light Breeze	Small wavelets, crests glassy, no breaking
3	7-10	Gentle Breeze	Large wavelets, crests begin to break, scattered whitecaps
4	11-16	Moderate Breeze	Small waves 1-4 ft. becoming longer, numerous whitecaps
5	17-21	Fresh Breeze	Moderate waves 4-8 ft taking longer form, many whitecaps, some spray
6	22-27	Strong Breeze	Larger waves 8-13 ft, whitecaps common, more spray
7	28-33	Near Gale	Sea heaps up, waves 13-19 ft, white foam streaks off breakers
8	34-40	Gale	Moderately high (18-25 ft) waves of greater length, edges of crests begin to break into spindrift, foam blown in streaks
9	41-47	Strong Gale	High waves (23-32 ft), sea begins to roll, dense streaks of foam, spray may reduce visibility
10	48-55	Storm	Very high waves (29-41 ft) with overhanging crests, sea white with densely blown foam, heavy rolling, lowered visibility
11	56-63	Violent Strom	Exceptionally high (37-52 ft) waves, foam patches cover sea, visibility more reduced
12	64+	Hurricane	Air filled with foam, waves over 45 ft, sea completely white with driving spray, visibility greatly reduced

What about the effects of moon ?

Moon phases effect marine creatures movement and feeding schedules. If you check the lunar calendar, it can be useful during your experience . Some fishing activities might be in conducted during a specific moon phase.

The Moon Phases



New Moon



Waxing Crescent



First Quarter



Waxing Gibbous



Full Moon




Waning Gibbous



Last Quarter



Waning Crescent



The Names of Wind

Knowing the name of wind type helps you to understand weather conditions.



Remember Safety First !!



When you are on the boat, there are some rules. First thing you should know is SAFETY COMES FIRST . In this section we show you some important safety precautions. Please read this part carefully and do not hesitate to ask any questions.

Lütfen bir “CAN YELEĞİ” giyiniz.

Bring some food and water in your backpack



If it is winter time;



Wear something to stay warm and dry



Wear nonskid shoes or boots



Please keep your valuable thing (Wallet, phone, etc.) in a waterproof bag



If it is summer time;



Protect yourself from the sun



Wear a head

Sun glasses

Use sun cream

Wear nonskid shoes or sandals



Be careful !!

You have to be careful when you caught a marine creatures, because some of them are dangerous. Please check species information before you touch or eat. In addition to please keep your eyes open while using fishhooks (Please check out figure 1)




Figure 1:How to remove a fishhook



Don't Throw your trash anywhere besides in a trash can
Protect our seas



24/7



Essential Contact Numbers



Coast Guard



Gendarmerie



Ambulans



Fire Brigade





Police




Forest Fire

Denizel Canlıların Temel Anatomisi




Balıkların Basit Anatomisi





d1: 1. Dorsal Fin
d2: 2. Dorsal Fin
c: Caudal Fin
a: Anal Fin
pel. : Pelvic Fin
pek. : Pektoral Fin
opc. : Operculum
n : Nostrils
m : Mouth

Basic Anatomy of Craps, Shrimp, Squid, Cuttlefish, Octopus



Craps

Squid; Cuttlefish; Octopus




Shrimp

How do I measure my specimen ??

Why measuring my species is important?

Because we have to understand that our caught could have a legal length in reference to the code Turkish fisheries of conduct.


The measurement unit in Turkey is in metric system



Hello my name is Mr. Ruler Can I assist you?




You know if you want to measure your specimen, you should have a ruler or measuring tape .









Ok now we should learn which part of the species we have to measure (see page 10) and measure accordingly. then you can write the measurements in to data sheet (you can find it on the last page of the guide) and check the lengths of the species in the guide because it could be under the species in the guide because it could be under the legal length. If it is please release your caught immediately.

Now we're ready to measure our specimens.

Please check out next page. You can find types of measurement of marine creatures ...



Measurement Types of Marine Specimens



Fishes





Bilimsel ad

Adi .köpekbalığı
Smooth-hound

Mustelus mustelus

Max. SL: 200 cm

Legal Length: -

Habitat: Sandy-muddy bottoms

Fishing Technique: Trawl, Gill net, Longline

Commercial Value: Valuable

Cunsumption: -

Fishing Season: -



Harmles



Bilimsel ad

İğneli vatoz - Rina
Common stingray

Dasyatis pastinaca

Max. SL: 60 cm

Legal Length: -

Habitat: Sandy-muddy bottoms

Fishing Technique: Trawl, Gill net, Longline

Commercial Value: No Value

Cunsumption: -

Fishing Season: -



Harmful



Bilimsel ad

Adi .köpekbalığı
Smooth-hound

Squalus blainvillei

Max. SL: 110 cm

Legal Length: -

Habitat: Sandy-muddy bottoms

Fishing Technique: Trawl, Gill net, Longline

Commercial Value: Valuable

Cunsumption: -

Fishing Season: -



Harmful



Keler



Smoothback angelshark

Bilimsel ad

Squatina oculata



Harmful



Kemane balığı



Blackchin guitarfish

Bilimsel ad

Rhinoba cemiculus



Harmless



Elektrik balığı



Marbled electric ray

Bilimsel ad

Torpedo marmorata



Harmful

Max. SL: 200 cm

Legal Length: -

Habitat: Sandy-muddy bottoms

Fishing Technique: Trawl, Gill net, Longline

Commercial Value: Valuable

Consumption: -

Fishing Season: -

Max. SL: 200 cm

Legal Length: -

Habitat: Sandy-Rocky bottoms

Fishing Technique: Trawl

Commercial Value: Valuable

Consumption: -

Fishing Season: -

Max. SL: 60 cm

Legal Length: -

Habitat: Sandy-muddy bottoms

Fishing Technique: Trawl, Gill net

Commercial Value: No Value

Consumption: -

Fishing Season: -



Dikenli vatoz



Thornback ray

Bilimsel ad

Raja clavata

Max. SL: 110 cm

Legal Length: -

Habitat: Sandy-muddy bottoms

Fishing Technique: Trawl, Gill net

Commercial Value: Valuable

Cunsumption: -

Fishing Season: -

NT

Harmless



Benekli vatoz



Brown ray

Bilimsel ad

Raja miraletus

Max. SL: 60 cm

Legal Length: -

Habitat: Sandy-muddy bottoms

Fishing Technique: Gill net

Commercial Value: No Value

Cunsumption: -

Fishing Season: -

NT

Harmless



Kazikkuyruk



Spiny bu

Bilimsel ad

Gymnura altavela

Max. SL: 400 cm

Legal Length: -

Habitat: Sandy-muddy bottoms

Fishing Technique: Trawl, Gill net

Commercial Value: No Value

Cunsumption: -

Fishing Season: -

VU

Harmful



Çuçuna



Common eagle ray

Bilimsel ad **Myliobatis aquila**



Harmful

Max. SL: 183 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Gil net, Longline
Commercial Value: Minor (Aquarium)
Consumption: -
Fishing Season: -



İri Sardalya



Round Sardinella

Bilimsel ad **Sardinella aurita**



Harmless

Max. SL: 31 cm
Legal Length: 11cm
Habitat: Pelagic
Fishing Technique: Trawl, Gill net
Commercial Value: Valuable
Consumption: Frying
Fishing Season: September - May



Lokum Balığı



Brushtooth lizardfish

Bilimsel ad **Saurida undosquamis**



Harmless

Max. SL: 50 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Gill net
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Müren
Mediterranean Moray

Bilimsel ad Muraena helena

Max. SL: 150 cm
Legal Length: -
Habitat: Rocky bottom
Fishing Technique: Longline, Spear gun
Commercial Value: No Value
Consumption: Grill
Fishing Season: Year long



Migr
European Conger

Bilimsel ad Conger conger

Max. SL: 300 cm
Legal Length: -
Habitat: Sandy-Rocky bottoms
Fishing Technique: Trawl, Longline
Commercial Value: No Value
Consumption: -
Fishing Season: Year long



Zargana
Garfish

Bilimsel ad Belone belone

Max. SL: 93 cm
Legal Length: -
Habitat: Epipelagic
Fishing Technique: Purse seine
Commercial Value: Valuable
Consumption: Frying
Fishing Season: November - April





Migri
European Conger

Bilimsel ad **Conger conger**

Max. SL: 15 cm
Legal Length: Illegal to catch
Habitat: Seagrass bed
Fishing Technique: Longline
Commercial Value: Illegal to sell
Consumption: -
Fishing Season: -



Harmless




Bakalyaro
European Hake

Bilimsel ad **Merluccius merluccius**

Max. SL: 140 cm
Legal Length: 25 cm
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Gill net, Longline
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Harmless



Gelincik Balığı
Forkbeard

Bilimsel ad **Phycis phycis**

Max. SL: 65 cm
Legal Length: -
Habitat: Rocky bottom
Fishing Technique: Gill net, Longline
Commercial Value: Valuable
Consumption: -
Fishing Season: Year long



Harmless



Asker balığı
Redcoat

Bilimsel ad **Sargocentrum rubrum**

Max. SL: 32 cm
Legal Length: -
Habitat: Rocky bottom
Fishing Technique: Gill net, Longline
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Dülger
John Dory

Bilimsel ad **Zeus faber**

Max. SL: 90 cm
Legal Length: -
Habitat: Semipelagic
Fishing Technique: Trawl
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Lahoz
White Grouper

Bilimsel ad **Epinephelus aeneus**

Max. SL: 120 cm
Legal Length: 45 cm
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Longline, Gill net,
Spear gun, Fishing line
Commercial Value: Valuable
Consumption: Frying, Grill, Casserol
Fishing Season: Year long





Orfoz
Blacktip grouper

Bilimsel ad **Epinephelus costae**



Harmless



Orfoz
Dusky Grouper

Bilimsel ad **Epinephelus marginatus**



Harmless



Asil Hani
Comber

Bilimsel ad **Serranus cabrilla**



Harmless

Max. SL: 140 cm

Legal Length: 45 cm

Habitat: Sandy and Rocky bottoms

Fishing Technique: Spear gun, Longline, Fishing line

Commercial Value: Valuable

Consumption: Frying, Casserole

Fishing Season: Year long

Max. SL: 150 cm

Legal Length: 45 cm

Habitat: Rocky bottom

Fishing Technique: Spear gun, Longline

Commercial Value: Valuable

Consumption: Frying, Casserole

Fishing Season: Year long

Max. SL: 40 cm

Legal Length: -

Habitat: Sandy-muddy, Rocky bottom and sea-grass beds

Fishing Technique: Trawl, Fishing line

Commercial Value: Valuable

Consumption: Frying

Fishing Season: Year long



Yazılı Hani
Painted comber

Bilimsel ad **Serranus scriba**

Max. SL: 36 cm
Legal Length: -
Habitat: Rocky and Seaweed bottoms
Fishing Technique: Fishing line
Commercial Value: No Value
Consumption: -
Fishing Season: Year long



Levrek
European Seabass

Bilimsel ad **Dicentrarchus labrax**

Max. SL: 103 cm
Legal Length: 25 cm
Habitat: Rocky and Sandy bottoms
Fishing Technique: Spear gun, Gill net, Long line
Commercial Value: Valuable
Consumption: Frying, Grill, Casserole, Soup, etc...
Fishing Season: November - April



Lüfer
Bluefish

Bilimsel ad **Pomatomus saltatrix**

Max. SL: 130 cm
Legal Length: 20 cm
Habitat: Purse seine, Gill net
Fishing Technique: Spear gun, Gill net, Long line
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: September - January





Kral Balığı
Blue Runner

Bilimsel ad **Caranx crysos**

Max. SL: 70 cm
Legal Length: -
Habitat: Epipelagic
Fishing Technique: Fishing line
Commercial Value: Valuable
Consumption: Frying
Fishing Season: May - November



Harmless



Çıplak
Leerfish

Bilimsel ad **Lichia amia**

Max. SL: 200 cm
Legal Length: 30 cm
Habitat: Epipelagic
Fishing Technique: Purse seine, Gill net
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: September - March



Harmless



Sarıkuyruk (Akya)
Greater Amberjack

Bilimsel ad **Seriola dumerili**

Max. SL: 190 cm
Legal Length: 30 cm
Habitat: Semipelagic
Fishing Technique: Purse seine, Gill net, Fishing line, Spear gun
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: Year long



Harmless



Sarıkuyruk istavrit
Atlan

Bilimsel ad **Trachurus mediterraneus**

Max. TL: 70 cm
Legal Length: 13 cm
Habitat: Semipelagic
Fishing Technique: Purse seine, Gill net, Trawl
Commercial Value: Valuable
Consumption: Frying
Fishing Season: December - May

NE

Harmless



Minakop
Shi Drum

Bilimsel ad **Umbrina cirrosa**

Max. TL: 73 cm
Legal Length: 25 cm
Habitat: Sandy-muddy bottom
Fishing Technique: Purse seine, Gill net
Commercial Value: Valuable
Consumption: Frying, Casserole
Fishing Season: Year long

NE

Harmless



Tekir
Surmullet

Bilimsel ad **Mullus surmuletus**

Max. TL: 70 cm
Legal Length: 11 cm
Habitat: Sandy and Rocky bottoms
Fishing Technique: Gill net, Trawl
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: Year long

NE

Harmless



Barbun
Red Mullet

Bilimsel ad **Mullus barbatus**

Max. SL: 33 cm
Legal Length: 13 cm
Habitat: Sandy-muddy bottom
Fishing Technique: Gill net, Trawl
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: Year long



Harmless



Paşa Barbunu
Goldband Goa

Bilimsel ad **Upeneus moluccensis**

Max. SL: 20 cm
Legal Length: 10 cm
Habitat: Sandy-muddy bottom
Fishing Technique: Purse seine, Gill net, Trawl
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Harmless



Kupez
Bogue

Bilimsel ad **Boops boops**

Max. SL: 36 cm
Legal Length: -
Habitat: Semipelagic
Fishing Technique: Purse seine, Gill net,
Fishing line
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: Year long



Harmless



Sinagrit
Common Dentex

Bilimsel ad **Dentex dentex**

Max. SL: 100 cm
Legal Length: 35 cm
Habitat: Rocky bottom
Fishing Technique: Gill net, Longline
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: Year long

NE

Harmless



Fas Mercanı
Morocco Dentex

Bilimsel ad **Dentex maroccanus**

Max. SL: 45 cm
Legal Length: -
Habitat: Rocky bottom
Fishing Technique: Gill net, Trawl, Longline, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long

NE

Harmless



isparoz
Annular Seabream

Bilimsel ad **Diplodus annularis**

Max. SL: 24 cm
Legal Length: -
Habitat: Various
Fishing Technique: Gill net, Trawl, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long

NE

Harmless



Sargoz
White Seabream

Bilimsel ad Diplodus sargus

Max. SL: 45 cm
Legal Length: 21 cm
Habitat: Various
Fishing Technique: Spear gun, Gill net,
Fishing line
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: Year long



Harmless



Karagöz
Common two-banded sea bream

Bilimsel ad Diplodus vulgaris

Max. SL: 45 cm
Legal Length: 18 cm
Habitat: Various
Fishing Technique: Spear gun, Gill net,
Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Harmless



Mirmir
Sand Steenbras

Bilimsel ad Lithognathus mormyrus

Max. SL: 55 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Spear gun Gill net,
Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Harmless



Melanur
Saddled Seabream

Bilimsel ad **Oblada melanura**

Max. SL: 34 cm
Legal Length: -
Habitat: Rocky bottom and Seagrass beds
Fishing Technique: Gill net, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long

NE

Harmless



Yabani Mercan
Axillary Seabream

Bilimsel ad **Pagellus acarne**

Max. SL: 36 cm
Legal Length: -
Habitat: Various
Fishing Technique: Trawl, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long

NE

Harmless



Kirma Mercan
Common Pandora

Bilimsel ad **Pagellus erythrinus**

Max. SL: 60 cm
Legal Length: 15 cm
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Gill net, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long

NE

Harmless



Fangri
Red Porgy

Bilimsel ad **Pagrus pagrus**

Max. SL: 91 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Gill net, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Harmless



Salpa
Salema

Bilimsel ad **Sarpa salpa**

Max. SL: 51 cm
Legal Length: -
Habitat: Rocky bottoms and seagrass beds
Fishing Technique: Gill net, Purse seine
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Harmless



İpura
Gilthead Seabream

Bilimsel ad **Sparus aurata**

Max. SL: 70 cm
Legal Length: 20 cm
Habitat: Various
Fishing Technique: Longline, Gill net, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: September - December



Harmless



İzmarit
Blotched Picarel

Bilimsel ad **Spicara maena**

Max. SL: 25 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Gelin Balığı
Medit. Rainbow Wrasse

Bilimsel ad **Coris julis**

Max. SL: 30 cm
Legal Length: -
Habitat: Rocky bottoms and seagrass beds
Fishing Technique: Trawl, Fishing pole
Commercial Value: No Value
Consumption: -
Fishing Season: Year long



Gün Balığı
Ornate Wrasse

Bilimsel ad **Thalassoma pavot**

Max. SL: 25 cm
Legal Length: -
Habitat: Rocky bottom and seagrass beds
Fishing Technique: Fishing pole
Commercial Value: Valuable
Consumption: -
Fishing Season: Year long





Papağan Balığı
Parrotfish

Bilimsel ad Sparisoma cretense



Max. SL: 50 cm
Legal Length: -
Habitat: Rocky bottom and seagrass beds
Fishing Technique: Gill net, Fishing pole
Commercial Value: No Value
Consumption: Frying, Grill
Fishing Season: May - November



Trakonya
Greater Weever

Bilimsel ad Trachinus draco



Max. SL: 53 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Fishing pole, Trawl
Commercial Value: -
Consumption: -
Fishing Season: Year long



Tiryaki Balığı
Stargazer

Bilimsel ad Uraboscopus scaber



Max. SL: 40 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Gill net
Commercial Value: -
Consumption: -
Fishing Season: Year long



Esmer Sokar
Dusky Spinefoot

Bilimsel ad **Siganus luridus**



Max. SL: 30 cm
Legal Length: -
Habitat: Rocky bottom and seagrass beds
Fishing Technique: Gill net
Commercial Value: Valuable
Consumption: Frying Grill
Fishing Season: March - November



Photo by Damnous Shibi



Beyaz Sokar
Marbled Spinefoot

Bilimsel ad **Siganus rivulatus**



Max. SL: 27 cm
Legal Length: -
Habitat: Rocky bottom and seagrass beds
Fishing Technique: Gill net
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: March - November



Kilkuyruk
Largehead Hairtail

Bilimsel ad **Trichurus lepturus**



Max. SL: 234 cm
Legal Length: -
Habitat: Semipelagic
Fishing Technique: Gill net, Fishing pole
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Yazılı orkinos
Little tunny

Bilimsel ad **Euthynnus alle**



Harmless

Max. SL: 122 cm
Legal Length: 45 cm
Habitat: Epipelagic
Fishing Technique: Fishing pole, Purse seine
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Kolyoz
Club mackerel

Bilimsel ad **Scomber japonicus**



Harmless

Max. SL: 64 cm
Legal Length: 18 cm
Habitat: Epipelagic
Fishing Technique: Gill net, Dropline
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Orkinoz
Atlan

Bilimsel ad **Thunnus thynnus**



Harmless

Max. SL: 458 cm
Legal Length: 30 cm
Habitat: Epipelagic
Fishing Technique: Fishing pole, Purse seine
Commercial Value: Valuable
Consumption: Frying
Fishing Season: June 15 - September 15



Kılıç balığı
Swordfish



Bilimsel ad Xiphias gladius



İskarmoz
Yellowmouth barracuda



Bilimsel ad Sphyræna viridensis



Mavraki / Kefal
Thicklip grey mullet



Bilimsel ad Chelon labrosus

Max. SL: 455 cm
Legal Length: 125 cm
Habitat: Epipelagic
Fishing Technique: Longline
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: March 15 - September 1
December 1 - February 15

Max. SL: 128 cm
Legal Length: 60 cm
Habitat: Epipelagic
Fishing Technique: Fishing pole, Purse seine, Spear gun
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long

Max. SL: 75 cm
Legal Length: 20 cm
Habitat: Epipelagic
Fishing Technique: Fishing pole, Purse seine, Gill net
Commercial Value: Valuable
Consumption: Frying, Grill, Casserole, etc.
Fishing Season: July - December



Kefal
Flathead grey mullet

Bilimsel ad **Mugil cephalus**

Max. SL: 100 cm
Legal Length: 30 cm
Habitat: Epipelagic
Fishing Technique: Fishing pole, Purse seine, Gill net
Commercial Value: Valuable
Consumption: Frying, Grill, Caviar
Fishing Season: July - December



Harmless



Gümüş balığı
Big-scale sand smelt

Bilimsel ad **Atherina boyeri**

Max. SL: 20 cm
Legal Length: -
Habitat: Epipelagic
Fishing Technique: -
Commercial Value: Valuable
Consumption: Frying
Fishing Season: Year long



Harmless



iskorkpit/Adabeyi
Red scorpionfish

Bilimsel ad **Scorpaena scrofa**

Max. SL: 50 cm
Legal Length: 15 cm
Habitat: Various
Fishing Technique: Trawl, Gill net
Commercial Value: Valuable
Consumption: Frying, Soup
Fishing Season: Year long



Harmful



Öksüz
Tub gurnard

Bilimsel ad **Chelidonichthys lucerna**

Max. SL: 100 cm
Legal Length: 18 cm
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Gill net
Commercial Value: Valuable
Consumption: Frying, Soup
Fishing Season: Year long



Harmless



Uçan kirlangıç
Flying gurnard

Bilimsel ad **Dactylopterus volitans**

Max. SL: 50 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Gill net
Commercial Value: No Value
Consumption: -
Fishing Season: May - December



Harmless



Çivisiz kalkan
Brill

Bilimsel ad **Scopthalmus rhombus**

Max. SL: 75 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Gill net
Commercial Value: Valuable
Consumption: Frying
Fishing Season: December - April



Harmless



Pisi balığı
Wide-eyed flounder

Bilimsel ad **Bothus podas**

Max. SL: 45 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Gill net, Fishing pole
Commercial Value: No Value
Consumption: -
Fishing Season: Year long



Dil balığı
Common sole

Bilimsel ad **Solea solea**

Max. SL: 70 cm
Legal Length: 20 cm
Habitat: Sandy-muddy bottoms
Fishing Technique: Gill net
Commercial Value: Valuable
Consumption: Frying
Fishing Season: March - February



Vantuz balığı
Live sharsucker

Bilimsel ad **Echeneis naucrates**

Max. SL: 110 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: -
Commercial Value: -
Consumption: -
Fishing Season: -





Çütre
Grey triggerfish

Bilimsel ad **Balistes capriscus**

Max. SL: 60 cm
Legal Length: -
Habitat: Rocky bottom
Fishing Technique: Gill net
Commercial Value: No Value
Consumption: Frying
Fishing Season: Year long



Balon balığı
Silver - cheeked toadfish

Bilimsel ad **Lagocephalus sceleratus**

Max. SL: 110 cm
Legal Length: -
Habitat: Pelagic
Fishing Technique: Trawl, Fishing pole,
Longline
Commercial Value: Illegal to catch
Consumption: Poisonous
Fishing Season: Year long





Kırma Mercan
Common pandora

Bilimsel ad **Pagellus erythrinus**

Max. SL: 60 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: -
Commercial Value: Valuable
Consumption: -
Fishing Season: -



Harmless



Fangri
Red porgy

Bilimsel ad **Pagrus pagrus**

Max. SL: 60 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: -
Commercial Value: Valuable
Consumption: -
Fishing Season: -



Harmless



Sarpa
Salema

Bilimsel ad **Sarpa salpa**

Max. SL: 51 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: -
Commercial Value: Valuable
Consumption: -
Fishing Season: -



Harmless



Kırma Mercan
Common pandora

Bilimsel ad **Pagellus erythrinus**



Tehlikesiz



Fangri
Red porgy

Bilimsel ad **Pagrus pagrus**



Tehlikesiz



Sarpa
Salema

Bilimsel ad **Sarpa salpa**



Tehlikesiz

Maks. TL: 60 cm
Yasal Avlanma Boyu: -
Habitat: Kumlu-Çamurlu zemin
Avcılık Metodu:
Ticari Değer: Ekonomik
Tüketim şekli:
Av Dönemi:

Maks. TL: 91 cm
Yasal Avlanma Boyu: -
Habitat: Kumlu-Çamurlu zemin
Avcılık Metodu:
Ticari Değer: Ekonomik
Tüketim şekli:
Av Dönemi:

Maks. TL: 51 cm
Yasal Avlanma Boyu: -
Habitat: Kumlu-Çamurlu zemin
Avcılık Metodu:
Ticari Değer: Ekonomik
Tüketim şekli:
Av Dönemi:



Invertebrates



Mavi Yengeç
Blue crab

Callinectes sapidus

Max. SL: 25 cm
Legal Length: 13 cm
Habitat: Lagoon
Fishing Technique: Gill net, Fishing pole
Commercial Value: Valuable
Consumption: Grill, Boiled
Fishing Season: October - April

No
Data

Harmful
Aggressive



Yüzen Yengeç
Blue swimming crab

Portunus pelagicus

Max. SL: 20 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Fishing pole, Gill net
Commercial Value: Valuable
Consumption: Grill, Boiled
Fishing Season: October - April

No
Data

Harmful
Aggressive



Örümcek Yengesi
European Spider Crab

Maja squanido

Max. SL: 20 cm
Legal Length: -
Habitat: Soft bottoms
Fishing Technique: -
Commercial Value: No Value
Consumption: -
Fishing Season: -

EN

Harmless



Karides
Caramote prawn

Penaeus kerathurus



Max. SL: 22,5 cm
Legal Length: 13 cm
Habitat: Muddy bottoms
Fishing Technique: Trawl, Gill net
Commercial Value: Valuable
Consumption: Grill, Boiled, Frying
Fishing Season: 16 September - 14 April



Böcek
European Spiny Lobster

Palinurus elephas



Max. SL: 60 cm
Legal Length: -
Habitat: Rocky bottoms
Fishing Technique: Traps, Spear gun
Commercial Value: Valuable
Consumption: Boiled
Fishing Season: 16 June - 14 April



Karavida
Mediterranean Slipper Lobster

Scyllarides latus



Max. SL: 45 cm
Legal Length: -
Habitat: Rocky bottoms
Fishing Technique: Traps, Spear gun
Commercial Value: Valuable
Consumption: Boiled
Fishing Season: Year long



Mantis karides
Mantis shrimp

Squilla man

No
Data

Harmless



Ahtapot
Octopus

Octopus vulgaris

No
Data

Harmless



Sübye
Cuttlefish

Sepia officinalis

Max. SL: 20 cm
Legal Length: -
Habitat: Sandy-muddy bottoms
Fishing Technique: Trawl, Gill net
Commercial Value: Valuable
Consumption: Grill, Boiled
Fishing Season: Year long

Max. SL: 60 cm
Legal Length: 1 kg
Habitat: Rocky and sandy bottoms
Fishing Technique: Trawl, Fishing pole
Commercial Value: Valuable
Consumption: Grill, Boiled, Frying
Fishing Season: 1 November - 30 April

Max. SL: 45 cm
Legal Length: -
Habitat: Sandy-muddy bottoms and
Seagrass beds
Fishing Technique: Gill net, Fishing pole,
Trawl
Commercial Value: Valuable
Consumption: Frying, Grill
Fishing Season: Year long

No
Data

Harmless



Kalamar
Squid

Bilimsel ad **Loligo vulgaris**

Max. SL: 42 cm
Legal Length: -
Habitat: Semipelagic
Fishing Technique: Gill net, Purse seine,
Fishing pole
Commercial Value: Valuable
Consumption: Frying, Grill, Boiled
Fishing Season: November - February

No
Data

Harmless

DATA SHEET

[illegible]

Notes: