

REPORT OF THE

INTERNATIONAL RICE COMMISSION

TWENTY-FIRST SESSION



Chiclayo, Peru
3–5 May 2006

EXECUTIVE SUMMARY

The FAO Conference, at its Fourth Session in 1948, established the International Rice Commission (IRC), with the objective of promoting national and international action in matters relating to the production, conservation, distribution and consumption of rice. The Commission's Constitution went into force in 1949. Its member countries have grown from 15 in 1949 to 61 at present. Every four years, the IRC organizes a session to review the emerging issues and recent achievements in scientific, technical and socio-economic matters relating to sustainable rice production. Furthermore, it assists member countries in orienting strategies for their national rice development programmes while encouraging extensive interaction among national, regional and international institutions. The 20th Session of the IRC was convened in Bangkok, Thailand, in 2002.

The 21st Session of the IRC was convened at Gran Chiclayo Hotel, Chiclayo, Peru, from 3 to 5 May 2006 by the Ministry of Agriculture of Peru and FAO with the main theme of "Rice is Life – Bringing the Implementation of IYR to Farmers' Fields". It was attended by 90 delegates and participants from Member Countries and partner institutions. It has 5 Sub-Sessions, a Poster Session, and a Field Visit.

Main Observations

The Commission noted the following:

1. In December 2002, the United Nations General Assembly at its 57th Session, noting that rice is the staple food of more than half of the world's population and reaffirming the need to focus world attention on the role that rice can play in providing food security and eradicating poverty, declared 2004 the International Year of Rice.
2. The Second Committee of the 60th Session of the United Nations General Assembly in November 2005 recognized the success and the contribution of the implementation of the International Year of Rice in 2004 in effectively raising awareness on the role that rice plays in reducing hunger and poverty and the support of all stake-holders to sustainable rice production.
3. Rice supplies consumers with more calories than other staple crops, particularly in the diets of very poor people whose food purchases account for more than half of all expenditures. Women and children in sub-Saharan Africa, South and Southeast Asia, and Latin America and the Caribbean are especially susceptible to deficiencies in micronutrients, particularly vitamin A, iron and zinc.
4. For the third consecutive year, global paddy production experienced a brisk expansion in 2005, which lifted total production to an all-time high of 629 million tonnes. However, the increase in global production in 2005-2006 would be only just sufficient to cover utilization.

5. Rice production in sub-Saharan Africa continues to be outpaced by consumption, while food insecurity and poverty are extensive in rainfed rice ecosystems in Asia where the demand for food has been growing fast.
6. The world's population continues to increase steadily, while land and water resources for rice production are diminishing due to competition from other sectors of the economy and the increased population. Moreover, the environment and natural resources bases of rice production are being degraded due to pesticide and nutrient contamination.
7. The increased temperature, the seas rising, and the erratic rainfall distribution under global climate change potentially may have large negative impacts on the productivity of rice farming.
8. Pilot tests conducted by FAO, member countries and partner institutions have demonstrated the effectiveness of rice integrated crop management (RICM) systems in closing the rice yield gap (or the difference between the yield potential of the existing varieties and the yields, which are being obtained by farmer), in increasing farmers' profit, and in minimizing the damage on the environment.
9. After the development of high-yielding varieties, hybrid rice and NERICA rice are the only two proven achievements in the field of rice breeding. In 2004, about 1.5 million hectares of hybrid rice were planted in a number of Asian countries, in addition to about 15 million hectares of hybrid rice in China. In sub-Saharan Africa, NERICA rice is being adopted by farmers.

Main Recommendations

The Commission recommended the following:

1. Member countries, funding donors, FAO, partner institutions, and all stakeholders should increase collaborative efforts and funding support to activities aiming at full implementation of the Commission's recommendations for sustainable increase in rice production in order to reduce hunger and poverty.
2. The partnership in rice research and development between national and international institutions as well as NGOs (non-governmental organizations) and the private sector should be strengthened and broadened for effective contribution to the sustainable increase in rice production in member countries.
3. Rice production systems should be viewed in an integrated way - from selection of seed to food on the table, as well as the interactions and relationships among rice plants and other organisms in the rice ecosystems in order to maximize income and nutrition enhancement and to conserve the natural resources for future production.
4. Strategies and policies for sustainable rice production should prioritise building up of the capacity of rice farmers in precision management for improving the efficiency of resource (especially water) utilization and reducing the

environmental damages, as well as enhancing the economic competitiveness of rice production systems. Consequently, guidelines and criteria for monitoring the sustainability of rice production systems should be developed for each of the rice agro-ecologies in order to facilitate the training of farmers.

5. Initiatives to promote the development, dissemination and adoption of rice varieties with high content of iron, zinc and vitamin A should be considered in efforts to improve human nutrition, along with raising consumers' awareness and support from industry.
6. In the development of new rice varieties, attention should be given not only to having high yield, but also to having better nutritional value and better tolerance to salinity, high temperature, drought and flood stress.
7. Small and medium enterprises that harness the technologies for transforming the whole rice grain, including milled rice, rice bran, rice husks into value-added products should be promoted in order to increase the returns from rice production and to open up employment opportunities.
8. The Secretariat of the Commission should organize a Global Expert Consultation, between the 21st (2006) and the 22nd (2010) Sessions, to review progress and to identify suitable strategies for up-scaling the transfer of rice integrated crop management systems for closing the yield gap, increasing profit, and reducing environmental degradation in rice production under different agro-socio-economic set-ups.

MAIN REPORT

The FAO Conference, at its Fourth Session in 1948, established the International Rice Commission (IRC), with the objective of promoting national and international action in matters relating to the production, conservation, distribution and consumption of rice. The Commission's Constitution went into force in 1949. Its member countries have grown from 15 in 1949 to 61 at present. Every four years, the IRC organizes a session to review the emerging issues and recent achievements in scientific, technical and socio-economic matters relating to sustainable rice production. Furthermore, it assists member countries in orienting strategies for their national rice development programmes while encouraging extensive interaction among national, regional and international institutions. The 20th Session of the IRC was convened in Bangkok, Thailand, in 2002.

The 21st Session of the IRC was convened at Gran Chiclayo Hotel, Chiclayo, Peru, from 3 to 5 May 2006 by the Ministry of Agriculture of Peru and FAO with the main theme of "Rice is Life – Bringing the Implementation of IYR to Farmers' Fields". It was attended by 90 delegates and participants from Member Countries and partner institutions. It has 5 Sub-Sessions, a Poster Session, and a Field Visit.

I. OPENING SESSION

The Provisional Agenda (Appendix A) was unanimously approved by the 74 delegates from Member Countries and 19 participants from international institutions (Appendix B). The Session elected the Minister of Agriculture of Peru, Mr. Manuel Manrique Ugarte, as the Chairperson of the Commission; Mr. Jorge Burneo from Ecuador as the First Vice-Chairperson; and Mr. El Tantawy Badawi Hassan from Egypt as the Second Vice-Chairperson (Appendix B).

The regional welcome address was delivered by the Governor of Lambayeque Region, Mr. Yehude Simons Munaro (Appendix C), while the national welcome address was delivered by the Minister of Agriculture, Peru, Mr. Manuel Manrique Urgante (Appendix D). The FAO's Statement was delivered by the FAO Assistant Director-General for Latin America and the Caribbean, Mr. Jose Graziano Da Silva, on behalf of the Director-General of FAO (Appendix E).

I.1 Keynote Address

The Keynote Address was given by the Chief of Crop and Grassland Service, Mr. E.A. Kueneman (Appendix F).

The Commission noted the following:

- I.1.1** In December 2002, the United Nations General Assembly, noting that rice is the staple food of more than half of the world's population and reaffirming the need to focus world attention on the role that rice can play in providing food security and eradicating poverty, declared 2004 the International Year of Rice.

- I.1.2 Since 2002, the world rice production began to recovery, following three consecutive years of declining production.
- I.1.3 Rice production in sub-Saharan Africa continues to be outpaced by consumption.
- I.1.4 Land and water resources for rice production are diminishing and environmental degradation due to pesticide and nutrient contamination, methane emission and ammonia volatilization are a few of the adverse affects of rice production requiring urgent attention.
- I.1.5 The case studies from several countries in Asia, Latin America and Madagascar have demonstrated that high yields of irrigated rice are readily obtainable with improved crop management practices utilizing current varieties.
- I.1.6 Seed of NERICA varieties in Africa are becoming increasingly available for assisting upland rice farmers to increase yield and income.
- I.1.7 In areas where significant yields increases have been obtained due to improved crop management, programs with strong breeding and seed production capabilities should consider hybrid rice for further increasing yield potential. Hybrid rice offers additional potential provided seed production problems can be overcome. Low yield of F1 seed and labour costs for hybrid seed production are constraints to widespread adoption of hybrid technology.
- I.1.8 In order to improve management, farmers must be exposed to the new crop management technologies. The transfer of improved agronomic practices is distinct from seed-based technology and requires adequate resources for extension activities such as demonstration plots, technical bulletins as well as extensive farmer training.

I.2 The Report on the Implementation of the Commission's Twentieth Session recommendations

The report was presented by Mr. Nguu Van Nguyen, Executive Secretary of the Commission (Appendix G)

The Commission noted the following:

- I.2.1 As recommended by the 20th Session, the FAO through the IRC Secretariat, its technical units, along with member countries and partner institutions such as IRRI, CIAT and WARDA; non-governmental organizations (NGOs); the private sector; and other civil society bodies worldwide have successfully implemented the International Year of Rice in 2004.
- I.2.2 The 20th Session also made a series of recommendations to its member countries, CGIAR centres, FAO and others concerned with enhancing sustainable rice production. Limited resources meant that choices had to be made, and FAO gave priority to the implementation of the recommendation

concerning the development and dissemination of rice integrated crop management (RICM) aimed at closing the yield gap in irrigated rice production.

- I.2.3** The results of the pilot tests as well as extensive on-farm demonstration plots have reported yields of 10 tonnes/ha or more, indicating that it is feasible to bridge the yield gap between actual farmer yields and yield potential of current varieties. The results illustrate that significant increases in farmer yield can be obtained without additional cost, through the application of RICM systems.

I.3 Rice market situation in 2005 and outlook for 2006

The Commission noted the following:

- I.3.1** For the third consecutive year, global paddy production experienced a brisk expansion in 2005, which lifted total production to an all time high of 629 million tonnes, equivalent to approximately 420 million tonnes of milled rice. However, tight domestic supplies in a number of countries and production shortfalls in 2004 resulted in an 8.6 percent increase of global imports in 2005, to a record volume of 29.0 million tonnes.
- I.3.2** In the 2005/06 marketing year, milled rice consumption – mostly as food – is estimated at about 420 million tonnes (6 million tonnes more than in the previous year). On average, per caput rice food intake could rise slightly to 57.0 kg/year. Therefore, despite sizeable gains in 2005, global production would be only just sufficient to cover utilization, so global rice inventories at the end of the season are likely to be unchanged at about 99 million tonnes.
- I.3.3** International rice prices in 2005 hovered around the relatively high levels of the previous year, with the FAO rice price index (1998-2000=100) averaging 103 (compared with 104 in the previous year).
- I.3.4** It is estimated that the global paddy production in 2006 could rise to 634 million tonnes, while world rice trade in 2006 might fall by 4.1 percent to 27.8 million tonnes due to anticipated production shortfalls in traditional exporting countries, such as Australia and USA.

I.4 Recommendations

The Commission recommended the following:

- I.4.1** In recognition of the continued population increase and the fact that rice production in 2006 would only match utilization, member countries, FAO, partner institutions and all stake-holder should increase collaborative efforts to bring the Implementation of IYR to Farmers' Fields in order to promote sustainable rice production to continually match utilization.
- I.4.2** Rice remains a strategic commodity in many countries, subject to considerable policy interactions. Governments should, to the maximum possible, minimize any such interventions that could destabilize the world rice market and make sure they act in accordance with their international obligations.

- I.4.3** Given its declining resources, the Commission should limit the number of recommendations and focus only on areas where interventions could lead to an effective increase in rice production, enhance human nutrition and environmental conservation
- I.4.4** Noting that the global importance of rice from the UN Declaration of 2004 as the International Year of Rice, and noting that FAO has only one rice officer who must provide the secretariat functions for the IRC as well as all technical assistance globally for FAO rice production agronomy; member countries and donors are recommended to increase funding support that will enable full implementation of the Commission's recommendations on sustainable increase in rice production for food security and poverty reduction.
- I.4.5** Pilot tests conducted by FAO, member countries and partner institutions have demonstrated the potential of rice integrated crop management system as a process and approach to economically increase rice yield, while also minimizing environmental degradation. In this context, the Secretariat of the Commission should organize an Expert Consultation, between the 21st and the 22nd Sessions, to review the progress and to identify strategies for up-scaling the transfer of rice integrated crop management systems.
- I.4.6** The success of the improved crop management programs provides the opportunity for breeders to develop varieties and hybrids with increased yield potential and stress tolerance, while maintaining or improving grain quality to respond to the increased demand for higher quality rice; thus rice breeding should continue to receive support in major producing countries.

II. SESSION ON RICE GENETIC IMPROVEMENT FOR “RICE IS LIFE” IN FARMERS’ FIELDS

II.1 Impacts and achievements for the improvement of human nutrition

The Commission noted the following:

- II.1.1** Micronutrient malnutrition affects more than half of the world's population. Women and children in sub-Saharan Africa, South and Southeast Asia, and Latin America and the Caribbean are especially susceptible to deficiencies in micronutrients, particularly vitamin A, iron and zinc.
- II.1.2** The goal of the Biofortification Challenge Program (BCP), HarvestPlus of the CGIAR (Consultative Group on International Agricultural Research) is to improve the health of the poor by breeding staple foods that are rich in iron, zinc and vitamin A for poor consumers.
- II.1.3** Rice has become the most important food grain in LAC, supplying consumers with more calories than other staple crop. Rice has become particularly important in the diets of very poor people, who comprise about 40 percent of LAC's total population. Food purchases account for more than half of all

expenditures by the poor, and rice in turn accounts for about 15 percent of their food purchases.

- II.1.4** Preliminary data obtained at the International Center for Tropical Agriculture (CIAT) indicate that on average 59 percent of the iron and 26 percent of the zinc present in brown rice is lost after milling. There were significant differences in the iron and zinc levels after milling among the eleven genotypes tested. Similar findings have been reported by the International Rice Research Institute (IRRI).
- II.1.5** A transgenic approach is being used by a number of stake-holders including the International Rice Research Institute to increase the level of pro-vitamin A in rice, while at the same time germplasm banks are being screened for mineral content to identify potential varieties or donors for immediate use.

II.2 Breeding varieties for rainfed rice ecosystems in Asia: Progress and impact

The Commission noted the following:

- II.2.1** Improved varieties are widely used in Asia and improved crop management is beginning to narrow the gap between actual yields and potential yield. There has been, however, more technological progress in rice production in the irrigated ecosystem than for rainfed systems.
- II.2.2** Rainfed ecosystems – sloping and plateau uplands, medium to deeply flooded monsoon-dependent lowlands, and salt-affected coastal areas – still account for about 45 percent of total rice lands in Asia and are, therefore, a potential source for sustaining future growth in rice production, although some of these ecologies are better suited for other crops or production systems, for example the rice-fish in rainfed lowland.
- II.2.3** Progress has been made on development of varieties for upland ecosystems, but most farmers continue to grow traditional varieties. Substantial efforts have also been made in improving varieties for the flood-prone ecosystem by changing the plant’s capacity to elongate with rising floodwaters and developing “kneeing” ability when the water recedes and the plants lodge. However, farm-level data from Thailand show limited adoption of the improved deepwater rice varieties due to marginal effects on yield. Many farmers in the flood-prone ecosystem have invested in drainage infrastructure and abandoned deepwater rice in favour of shorter-duration high-yielding rice varieties, often raising two rice crops in the same year thereby substantially increasing rice production and income.
- II.2.4** Progress has been relatively slow in the development of varieties for the rainfed lowlands. However, data on the effect of adoption show that rice yield remains low because farmers do not use adequate inputs due to the risk of crop failure as a result of drought and submergence.
- II.2.5** Recent efforts to incorporate drought and submergence tolerance into the popularly grown modern varieties may contribute to a substantial increase in rice production in this ecosystem.

II.3 Achievements and impact of NERICA on sustainable rice production in sub-Saharan Africa

The Commission noted the following:

- II.3.1** The inter-specific varieties of New Rice for Africa (NERICA) are being adopted by farmers in sub-Saharan Africa in upland ecosystems.
- II.3.2** Sixty (60) NERICA varieties for rainfed lowland and irrigated ecologies are recently named by the Africa Rice Center (WARDA) and are ready for further testing and adoption by member countries.
- II.3.3** Upland NERICAs have short growth duration (around 100 days). Among the NERICAs resistance and tolerance have been observed to some of the major African pests and diseases (such as stem borer, nematodes and rice blast) and abiotic stresses (such as iron toxicity and drought). Some NERICAs also compete well with weeds.
- II.3.4.** At present, the availability of seed is the most important constraint to expanding the use of NERICA varieties by farmers in sub-Saharan Africa.

II.4 A glance at rice research at the French Agricultural Research Centre for International Development (CIRAD)

The Commission noted the following:

- II.4.1** Rice scientists at CIRAD (French Agricultural Research Centre for International Development) are working worldwide in developing countries in Africa, Asia and Latin America, in partnership with national and international institutions, NGOs (non-governmental organizations) and the private sector. They also participate in global research initiatives like the Generation Challenge Program.
- II.4.2** CIRAD's work focuses on targeted problems for development such as new improved varieties showing yield stability and potential, and grain quality, and crop management practices.
- II.4.3** The main challenge for the coming years is to spread the knowledge of the achievements to a larger number of potential users.

II.5 Recommendations

The Commission recommended the following:

- II.5.1** Interdisciplinary communications and cooperation are essential for dealing with the many complex issues of human nutrition. Expertise from plant breeders, molecular biologists, food technologists, human nutritionists, extension officers, social workers, experts in food product development and marketing, nutrition communication experts, economists and policy-makers need to be combined in multidisciplinary teams to develop strategies to reduce micronutrient

malnutrition throughout the world. Initiatives to promote: technology dissemination and adoption by farmers; consumers' awareness and the industry support will have to be considered in efforts to improve human nutrition.

II.5.2 Food insecurity and poverty are extensive in rainfed rice ecosystems in Asia and the demand for food has been growing fast. Therefore, alternative production and/or livelihood strategies have to be found for these marginal rice-based systems.

II.5.3 Complementary technologies should be developed in order to enhance performance and quality of NERICA. Prerequisites for technologies such as NERICA to raise food security in the region include the development of a seed sector, improved farmer access to seed and information, and policies that support the marketing of locally produced rice.

II.5.3 The interspecific varieties of New Rice for Africa (NERICA) developed by WARDA are being adopted by farmers. Complementary technologies should be developed in order to enhance performance and quality. Prerequisites for technologies such as NERICA to raise food security in the region include the development of a seed sector, improved farmer access to seed and information, and policies that support the marketing of locally produced rice.

II.5.4 The partnership between CIRAD and other national and international rice research institutions as well as NGOs (non-governmental organizations) and the private sector is commendable. This effort to broaden the partnership in rice research and development should be strengthened for sustainable increase in rice production and quality.

III. SESSION INTEGRATED MANAGEMENT FOR “RICE IS LIFE” IN FARMERS’ FIELDS

III.1 The concept and implementation of precision farming and the integrated rice management system for sustainable production in the twenty-first century

The Commission noted the following:

III.1.1 The precision farming system (PFS) is based on the recognition of the spatial and temporal variability in crop production and the subsequent application of the understanding of variability to improve farm management for increased productivity and reduced environmental risks.

III.1.2 In developed countries, technologies for precision farming system (PFS) accompanied by advanced information technology and full agricultural mechanization are being tested and modified as means of responding to variation attributes occurring over space and time.

III.1.3 In most of the developing world, the concept of precision farming system is also known in the agricultural research and education. However, the costs of the technologies and of tools used in precision farming systems in industrialized

countries are beyond the reach of resource poor farmers in developing countries. The rice integrated crop management (RICM) systems were recently developed as a suitable approach to help small farmers better understand management options in order to apply inputs in the right amounts and at the right time, reducing production costs per tonne.

III.2 Progress towards more competitive irrigated rice production in Latin America: Transfer of improved crop management practices

The Commission noted the following:

III.2.1 Deficiencies in crop management and technology transfer were identified as primary causes of the large yield gap resulting in non-competitive production in the irrigated rice sector in nearly all Latin American countries.

III.2.2 Results of the technology transfer programmes implemented by FLAR (Latin American Fund for Irrigated Rice) with support from the Common Fund for Commodity (CFC) demonstrated that high yields without significant increase in costs are possible through the use of simple technology when applied in an integrated form and with precision. The technology functions across a wide range of environments when properly adjusted to local conditions.

III.2.3 The technological interventions promoted by FLAR are based precision management, which is defined as making a decision or implementing a practice or applying an input in the exact quantity at the right moment and under appropriate conditions that enhance yield and production efficiency. The precision management programme is based upon six crop management practices that when applied in an integrated manner and with precision, result in large yield increases and reduced production costs.

III.2.4 Farmers are the primary force for change, and when farmers are directly responsible for making decisions of crop management practices, adoption is generally rapid. Technology transfer is more difficult when technical assistants are involved in the decision making process. Farmer involvement is essential for effective and efficient technology transfer programs.

III.2.5 There are no fixed recipes for technology transfer strategies, and methodologies and local programmes must be compatible with local needs, available resources and existing institutional structures.

III.3 Weedy rice problems and solutions for its management

The Commission noted the following:

III.3.1 Weedy rice, which is a product of the natural hybridization between cultivated varieties and wild rice relatives, has become a serious problem due to wider adoption of direct seeding as a result of the shortage of labour and high cost in several countries.

III.3.2 Weedy rice is not easy to control since it is a weed which has the same genome as the cultivated variety. Normally the best way to combat weedy rice is through the use of clean rice seeds and a pre-planting treatment, for example, a stale seed bed preparation, removing the germinated weedy rice mechanically or using a suitable herbicide before rice planting.

III.3.3 The parasitic weed, *Rhamphicarpa fistulosa*, is becoming a serious constraint to upland rice in parts of Sub-Saharan Africa and crop rotation is an effective means of reducing yield losses. More attention is required to identify tolerant/resistant rice varieties to the parasitic weed.

III.4 Issues on weed management in US rice production

The Commission noted the following:

III.4.1 The top two major weed species in the U.S. are *Echinochloa* spp. and weedy *Oryza*. The rice crop establishment system (dry seeding vs. water seeding) impacts weed spectrum and weed management strategies. However, chemical weed control is still the backbone of weed management programs.

III.4.2 The major issues related to weed management are: a) resistance to herbicides/species shifts, b) mitigation of gene flow from cultivated rice with enhanced traits to weedy rice, c) herbicide drift, d) water scarcity, e) emerging aquatic weed complex including invasive species, and f) input costs; the most serious issue is water supply.

III.5 Impact of integrated nutrient management on sustainable rice production

The Commission noted the following:

III.5.1 Inadequate crop nutrition is one of the prime reasons for yield gaps. Integrated Nutrient Management (INM) ensures maintenance and possible enhancement of soil fertility through the balanced and judicious use of mineral fertilizers combined with organic and biological sources; the results are seen in terms of improved nutrient efficiency, increased crop productivity and minimized nutrient losses to the environment.

III. 5.2 Rice requires large amounts of nitrogen and potassium. Nitrogen management is critical for high yield and low efficiency due to poor management results in increased cost and environmental contamination.

III. 5.3 Nutrient balance studies provide information that enable farmers to management nutrients more efficiently especially in rice rotation systems, i.e., rice-wheat, rice-legume and etc.

III.6 Aquatic biodiversity in rice-based systems for food and nutrition

The Commission noted the following:

III.6.1 In many countries, particularly in Asia, the consumption and marketing of aquatic organisms obtained from rice-based systems are particularly important for food security, as they often are the most readily available, most reliable and cheapest source of animal protein, fatty acids and other nutrients for both farming households and the landless.

III.6.2 Global advancement of integrated pest management practices and progress in fish seed production of local species provide opportunities for the enhancement and culture of aquatic organisms in rice-based systems.

III.6.3 The potential of rice-fish farming as a distinct and viable farming system requires promotion. The identification of suitable areas for rich-fish systems should receive priority. Rice-fish farming should be reflected in national rice policies and strategies and become an integral component of national agricultural extension systems.

III.7 Impacts of diversification of rice-based systems for enhanced human nutrition

The Commission noted the following:

III.7.1 Diversity is a fundamental principle of good nutrition and the basis of dietary guidelines for individuals and populations.

III.7.2 Diversification for enhancing human nutrition takes several important forms when dealing with rice-based systems: dietary diversification among rice-eating urban populations; diversity of foods for rural populations within a rice-based ecosystem; biodiversity of rice genetic resources; and diversification in processing and preparation of raw materials.

III.7.3 Rice accounts for 20 percent of the world's dietary energy supply (DES), 25 percent of the DES for all developing countries, and 30 percent of the DES for Asian developing countries. The nutrient content of different rice species and varieties are related to the genetic resources, while the diversity of processing and preparation methods offer further options for improving and compromising the nutrient intake of rice-consuming populations.

III.7.4 Whole grain rice provides a superior nutrient profile compared to milled/polished white rice.

III.7.5 The rice ecosystem also provides many options for improved nutrition for rural populations and the ecosystem approach to improved nutrition has been gaining more attention recently.

III.8 Using wholegrain rice to promote small and medium enterprises (SMES)

The Commission noted the following:

III.8.1 Prices of milled rice, which is the primary product obtained from rough rice, have tended to fall in real terms in recent years, thus affecting the socio-economic development of rice-producing countries.

III.8.2 There are available technologies for transforming the whole grain of rice, including milled rice, rice bran, rice husks into value-added products for increasing the returns from rice production and opening up employment opportunities.

III.9 Recommendations

The Commission recommended the following:

III.9.1 Rice production systems should be viewed in an integrated way- from selection of seed to food on the table, and considering interactions and relationships among rice plants and other organisms in the rice ecosystems as well as the conservation of resources for future rice production. Consequently, efforts should be given to the development of guidelines and/or criteria for evaluation and monitoring the performance of rice production systems with respect to economic competitiveness, income and employment generation, human nutrition and environment conservation.

III.9.2 Funding support and effort should be increased to the transfer of precise crop management systems for enhancement/improvement of farmer capacity to apply precisely and timely inputs and crop management practices in an integrated manner.

III.9.3 FAO and other interested organizations need to direct additional attention to develop appropriate technology transfer strategies and methods best suited for various conditions in developing countries.

III.9.4 Variability of field conditions is a major factor causing inefficient crop management in rice production. This variability happens within a field and between fields. Member countries are recommended to promote the application of information technology to improve the understanding of the spatial variability so as to guide precision management.

III.9.5 Weed competition in rice production is increasing due to the increased adoption of direct seeding for establishing the rice crop in areas that used to be predominantly under transplanted system. High labor cost and shortage of labor in rural areas drive this trend. Flooding the rice fields and application of herbicides have been the major components of the management of rice weeds, but water resource is diminishing and chemical herbicides **have not been used rationally**. Moreover, lack of **diversity** in herbicides and intensity of use have harmful effects leading to the development of herbicide-resistant weeds. Consequently, integrated and diversified strategies for weed management need to be urgently developed.

- III.9.6** Nutrient balance charts for the rice crop under different ecosystems should be developed in order to assist farmers to understand and to adopt precision nutrient input management.
- III.9.7** Member countries should promote, where appropriate, the development and transfer of rice-fish systems to enhance economic competitiveness of rice-based production systems, human nutrition, rural incomes and employment opportunity. While high rice yields are impossible in monsoon season due to low solar radiation, new agro-enterprise such as aqua-culture may lead to improve income and food diversity. An Expert Consultation is recommended to explore options and guide pilot development.
- III.9.8** The evaluation of the composition and consumption of rice cultivars should continue for the development of food biodiversity indicators to guide agro-biodiversity conservation and human nutrition. Increasing the availability and promoting the use of whole grain and moderately milled rice and rice products will provide human nutrition benefits, particularly related to micronutrients.
- III.9.9** Small and medium enterprises that harness the technologies for transforming the whole grain of rice, including milled rice, rice bran, rice husks into value-added products should be promoted for increasing the returns from rice production and opening up employment opportunities.
- III.9.10** New paradigms for sustaining sustainable rice research and development need to be explored. The FLAR model is particularly attractive due to farmer support and the efficiency by pooling resources to research common problems. New partnerships in technology transfer are also recommended.

IV. SESSION ON REGIONAL STRATEGIES FOR “RICE IS LIFE” IN FARMERS’ FIELDS

IV.1 Rice production in Latin America at a critical crossroads

The Commission noted the following:

- IV.1.1** Rice is a major dietary staple in Latin America and the Caribbean (LAC) and it is especially important in the diet of the low income strata. There is a deficit between rice production and consumption in Central America and the Caribbean sub-region, while a surplus is recorded in the Southern Cone region.
- IV.1.2** Rice production in LAC is being affected by the on-going negotiation under World Trade Organization WTO and declining funding support from the public sector. However, the increasing intervention and support from rice growers, especially in the area of crop management through FLAR, holds promise for significant yield increase in the region.

IV. 1.3 Twenty-six countries are rice producers in LAC and 60 percent of production is derived from the high potential irrigated ecosystem. Plant breeding programs have been very dynamic, releasing over 300 new rice varieties during the last three decades. Improved varieties that led to the Green Revolution resulted in significant yield increases and reduced rice prices both to farmers and consumers. However, the incidence of pest and diseases (blast, mite complex and white leaf virus) are continuous challenges to the rice sector, requiring an integrated approach using conventional and advanced breeding technology and improved crop management practices.

IV.2 Latin American Fund for Irrigated Rice (FLAR): A new form of public-private association for the development of the rice sector in Latin America

The Commission noted the following:

IV.2.1 FLAR has created a dynamic new paradigm of partnerships in rice research and development where the producers associations and rice-related private enterprises provide principle funding for applied research and technology transfer. FLAR has integrated the interest of 14 countries in LAC, representing both public and private entities. FLAR also receives support from the Common Fund for Commodities for assisting member countries in crop management and technology transfer. CIAT has provided infrastructure to FLAR and financial resources for administration.

IV.2.2 To date, the major achievements of FLAR include the identification of genetic material suited to the conditions in tropic and semi-tropic regions for possible use by the institutional and national partners to develop commercial varieties and the development of “farmer to farmers” method for transferring precise management technology in rice production that has resulted in yield increase without additional cost.

IV.2.3. FLAR has been a driving force to consolidate local institutions that are essential for having an impact in the rice sector.

IV.3 African smallholder farmers: Rice production and sustainable livelihoods in sub-Saharan Africa

The Commission noted the following:

IV.3.1 The demand for rice as a staple food in many sub-Saharan African countries has dramatically increased in recent years and is now the basis of the diet of millions of people in Africa. However, in spite of notable increase in regional production, the region spends about 1 billions US dollars annually for importing rice for ensuring food security.

IV.3.2 The majority of rice farmers are smallholders and resource-poor farmers in upland ecosystems where yields are still generally very low. The region has considerable wetland areas that should be harnessed for rice production but major improvements in infrastructure are required.

IV.3.3 Technologies such as NERICA (New Rice for Africa) varieties for rainfed upland ecologies and rice integrated crop management systems such as IPM have been developed by international (WARDA, CIRAD, IITA, etc.) and national research systems for enhancing the productivity of rice production in different ecosystems. However, much technology have not been widely adopted due to the weakness in technology transfer and support infrastructures such as seed production and distribution, transportation, and marketing of inputs and outputs and post harvest processing.

IV.3.4. Countries supported by development partners have begun to engage in multi-stakeholder consolidation to find solutions to some constraints affecting rice production and consumption in Africa.

IV.4 Regional strategies for sustainable rice-based production systems in Asia and the Pacific: Challenges and opportunities

The Commission noted the following:

IV.4.1 Rice is the most important source of calories of the population in the region and rice-based system play a dominant role in the livelihoods, providing part-time employment to some 300 million men, women and children. The continued diminishing land and water resources, as well as the poor economic return from rice production pose serious constraints to enhance food security and poverty reduction in the region.

IV.4.2 By 2025, it is expected that 2 million ha of irrigated dry-season rice and 13 million ha of irrigated wet-season rice in the region will experience physical water scarcity. The productivity and sustainability of rice lands are threatened, not only by the degradation of the natural resource base, but also by the increase in temperature, salinity and erratic distribution of rainfall anticipated under global climate changes.

IV.4.3 The land holdings of rice farmers in the region are becoming smaller as a consequence of subdivision for inheritance, sale, leasing and state redistribution purposes, resulting in inadequate farm income and threatening the livelihood of resource-poor farmers.

IV.4.4 A wide range of political, economical and social measures will be required to harness the benefits of technologies for enhancing food security and alleviating poverty in rice-based livelihood systems.

IV.4.5 In irrigated ecosystems, technology such as the hybrid rice and recently developed rice integrated crop management (RICM) systems have proven to be effective in increasing yield and profits from rice production. The adoption of both hybrid rice and RICM systems, although increasing, cover only a relatively small rice area in the region.

IV.6 Challenges and opportunities for sustainable increase of rice production in the Near East region

The Commission noted the following:

IV.6.1 Rice is the third largest crop (after wheat and cotton) in the Near East region in terms of area sown and plays a significant role in the strategy to overcome food shortages. The region's small irrigated agro-ecology is favourable for very high yields. However, there is high variability in rice yields among different countries due to differences in socio-economic factors and biophysical conditions.

IV.6.2 The stagnation in the expansion of rice harvested area in most of the countries, which have been observed since 1990, suggests that substantial and sustainable increase in rice production in the region will depend greatly on the increase in the productivity of rice production systems through adoption of improved varieties and precision crop management.

IV.6.3.The utilization of rice biomass is poorly handled and there is a need for more studies on converting crop residues into usable products of economic value.

IV.6.4.The region is suffering from low efficiency of water use and inefficient drainage systems that raise soil salinity in several countries in the Near East.

IV.7 Sustainable rice production in Europe

The Commission noted the following:

IV.7.1 Though rice is not a staple food crop in Europe, its consumption continues to increase and imports of rice remain high. The consumption of long-grain *indica* rice has surpassed the consumption of round to medium-grain *japonica* rice, which is traditionally produced and consumed in the region. Over the last years, the rice cultivated area in the European Union has remained stable, whilst it has continued to decline in South-eastern Europe and the Central Asian sub-region. Rice production has increased in Turkey and the downward trend in the Russian Federation and Ukraine has been overcome.

IV.7.2 The relatively high operation costs for rice production and the increasing environmental concerns over pesticide use and methane gas emissions from irrigated rice fields are major socio-economic constraints, while low temperature and water scarcity are main physical constraints of rice production in Europe.

IV.8 Recommendations:

The Commission recommended the following:

IV.8.1 Strategies and policies in all regions should prioritise the building up of the capacity of rice farmers in precision management for improving the efficiency of resource utilization, especially water, and reducing the environmental damages as well as enhancing the economic competitiveness of rice production systems. The development of guidelines and criteria for monitoring the sustainability of rice production should be developed for each of the agro-ecologies in each of the regions in order to facilitate the training of farmers.

- IV.8.2** Progress in closing of yield gap through the application of precision crop management as well as the need to adapt the potential effects of global climate changes necessitate continued efforts in variety development. New generations of rice varieties should not only be high yielding, but also have better nutritional value and more tolerance to salinity, high temperature, drought and flood stress.
- IV.8.3** The efforts of FLAR to mobilize the partnership among stake-holders in Latin America and the Caribbean for sustainable rice production are commendable and it should complete its regional representation, including the few rice producing countries that are not yet members. The promotion of partnerships among stake-holders, following the FLAR model, should be encouraged in other regions.
- IV.8.4** For Africa, member countries should establish strategies and policies for enhancing rural infrastructure, access to credit and inputs, improving crop production and post-harvest technologies, strengthening of farmers' organizations, and facilitating the marketing of locally produced rice. In this regard, sub-regional and regional economic organizations in Africa should develop policies to facilitate rice marketing across national borders.
- IV.8.5** Seed production and distribution of NERICA rice as well as demonstration of SRU & IPM, should be promoted.
- IV.8.6.** For Asia and the Pacific, in addition to intensification through adopting hybrid rice and rice integrated crop management systems, member countries should formulate strategies for diversification and intensification of rice-based cropping systems such as inclusion of economically important crops in rotation, rice-fish farming systems and efficient use of locally available resources for cost-effective production with the main objective of enhancing food security and improving the livelihood of resource-poor farmers.
- IV.8.7** For Latin America and the Caribbean, member countries should strengthen technology transfer activities and develop a new generation of rice varieties with higher yield potential.
- IV.8.8** For the Near East, member countries should give priority to the development and transfer of improved production technologies that result in higher yield and more efficient water and nutrient utilization.
- IV.8.9** For Europe, priority actions should be directed towards reducing production costs while appropriate attention should be given to decreasing the adverse environmental consequences of rice production.

V. SESSION ON COUNTRY REPORTS AND STATEMENTS

V.1 Argentina

Argentina rice production has good competitiveness at international level. Plentiful natural resources as soil and water and favourable ecological conditions exist

jointly with good germplasm availability and acceptable technological level; hence the prospects for production increase are good. This production increase must be done looking for rice export and, if possible, open it to new markets since domestic consumption is stagnant. In order to be able to gain markets, varieties with better grain quality are required but without resigning the productivity of those now cultivated.

V.2 Bolivia

Present rice production in Bolivia guarantees country demand and has the growth potential for matching domestic demand increase. Efforts have been made with good results to cover variety demand, basically by means of recommendations for the agronomic management of the different production systems. The National Research Centre for Tropical Agriculture -CIAT- Cochabamba) and the international cooperation have put emphasis firstly in improving the country food security and then the farmers incomes, especially of the small farmers. The challenges are countless: improving product production and quality with high yielding potential varieties, resistant to main pests and diseases, *Piricularia* in particular, improving grain quality taking into account national and international demand, coordinating and reaching a consensus on protection policies for national production. The marketing of raw materials is looking for the establishment of legal mechanisms in order to allow an equitable distribution of benefits among farmers, processing mills, wholesalers and middlemen. As a research centre, to train and update in a sustainable manner not only technical staff but also rice growers, to participate in training and genetic material exchange projects sponsored by FAO, to consolidate a germplasm bank with a database able to provide a better service and facilitates for germplasm exchange. To build a sustainable relationship with plant breeding and crop agronomy research centres, socializing the results obtained within and outside the country. We are sure that working on these issues we can rise the technological development which is going to be the fundamental support of a more competitive production.

V.3 Brazil

Rice production in Brazil is about 11 million tonnes per year. Upland rice production (rainfed) is decreasing, mainly due to an area reduction; irrigated rice production has increased. Most of the rice production in Brazil comes from irrigated farms. The states of Santa Catarina (SC) and Río Grande do Sul (RS) are the main irrigated rice production states in Brazil. With scarcely 40 percent of the cultivated area, this states produce almost 73 percent of the rice harvested in the country. Upland rice with more than half of the rice planted area produces scarcely less than 25 percent of the production. Varieties and management technology available for the South of the country are not constraints to obtain a more competitive production. Mean productivity in SC is about 7.5 t/ha and in RS is about 6.5 t/ha in more than 1 million hectares planted.

The Rice Institute of Río Grande (IRGA), the Agricultural Research and Extension Enterprise (EPAGRI) and the Brazilian Agricultural Research Enterprise (EMBRAPA) are the main public institutions working with rice in Brazil. The first two work exclusively with irrigated rice for the states of Río Grande and Santa Catarina, respectively. Both institutions have research as well as extension services. EMBRAPA operates in the whole national territory and is working with both, upland (rainfed) rice

and irrigated rice. However, it does not have a specific extension service. These institutions have plant breeding and broad crop management programmes.

The main constrain to increase the productivity in South Brazil is technology transfer. IRGA, together with rice growers of RS, developed a technology transfer programme named «Project 10». Accompanying this work, there was a resource contribution from CFC-FAO-FLAR for technology transfer in part of the state area. The results reveal than some farmers will be able to produce more than 10, 11 and even 13 t/ha. The state average, in more than 1 million ha, has already raised from less than 5,5 t/ha to 6,5 t/ha.

V.4 Colombia

In the next years the Colombian rice sector will face imports from the USA which will imply lower price levels. Efforts made during the last years to increase yield and to decrease production cost per tonne will not be enough and now is urgently needed a greater reduction in production costs in order to be competitive and face the new foreseen prices.

The different lines of support promised by the government must be targeted looking to keep the farmer incomes and to reward those who make important efforts to decrease their production costs. With this objective there are several issues that must be prioritized for research in a rapid and effective manner as crop fertilization, disease and pest control, farm renting, harvest and transport, among others.

V.5 Costa Rica

At present the national farmer relies on varieties adapted both to rainfed and irrigated conditions. SENUMISA is in the final process of releasing other varieties that are going to improve the variety supply of the sector. The Management for High Productivity programme is spreading and is in a consolidation stage through a partnership between SENUMISA and CONARROZ. This partnership will provide the rice sector the opportunity to increase yields, reduce costs and improve profitability. The consolidation of the Technology Transfer National Programme, with the support of CONARROZ, will offer the whole sector the opportunity to optimize variety potential and improve crop management. The release of high yielding potential varieties, will be the factor projecting the Clearfield Production System as the great alternative to offer the national rice sector a great opportunity to recover and to sow rice in a cost-effectively way in fields contaminated with red rice and off-type varieties. On the other hand, it is necessary to have the opportunity to introduce other conventional breeding systems and the endorsement and attitude to appraise other breeding and biotechnological development forms. In rainfed production systems the challenge is to carry on irrigation projects which allow the farmers to plan their sowings to dates with higher solar radiation; in zones on which irrigation is available is necessary to identify varieties that offer to the farmer good profitability when sown in dates with less solar radiation.

V.6 Ecuador

Rice cropping is mostly carried on in the coastal zone with 331 460 ha planted by 70 515 farmers. The average holding per farmer is 4.7 ha; nevertheless, 32 percent of the farmers have from 50 to more than 200 ha. The productivity is 3.62 t/ha. Only 8 percent of farmers use certified seeds. The best sowing date for rice starts in December, because higher luminosity happens in February, March and April. There are some private enterprises that are beginning to develop the rice crop in a technical manner. One of them is PRONACA, which is planting 8 382 ha with farmers integrated to the enterprise; they receive technical advice, certified seeds and inputs. This will lead to the attainment of an estimated productivity, for the year 2006, of 4,8 t/ha. It is understood that Ecuador will sign soon a Free Trade Agreement with the USA, therefore it will have to face the consequences of this treaty. Farmers are going to use certified seeds of the highest possible quality, as well as to map those areas with best production, developing at the same time technological packages suitable to reduce production costs and to be able to participate in the international market.

V.7 Egypt

Rice is one of the most important crops in Egypt and its production plays a significant role in the strategy to overcome food shortage and improve self-sufficiency for local consumption and export. It occupies annually about 0.64 million ha. Because of the limited land available for cultivation in Egypt, the Rice Research Program (RRP) has aimed to increase production and yield of rice since the 1980s by cultivating high-yielding short- and long-grain varieties. The average yield in 1984 was 5.71 tonnes/ha and reached 9.8 tonnes/ha in 2004 with an increment of about 4.1 tonnes/ha (i.e. 72 percent), placing Egypt first among the main rice-producing countries of the world. These achievements were due to the well-organized multidisciplinary Rice Research Program, its technology transfer component and the efficiency of the National Rice Campaign. Recently researchers have managed to cultivate new short-duration varieties (120-135 days from seed to seed) which are harvested 30 to 45 days earlier than the traditional long-duration varieties and yield 13.0 tonnes/ha. The yield per day of the short-duration varieties is higher than that of the long-duration traditional varieties; this translates into a saving of 3.5 billion m³ of irrigation water which represents about 30 percent of the rice water consumption. RRP aims to reduce the gap between potential rice yield using the conventional breeding method (13 tonnes/ha) and the national average (9.8 tonnes/ha), by adopting a strategy of sustainability, including: (1) Government policy to support sustainability, (2) Improved technologies: genetic technology; crop, soil, nutrient, water and pest management; agricultural machinery; and technology to improve the productivity of saline areas (150,000 ha), (3) External support: marketing input and output, institution credit, extension and ownership, (4) Farmer participation: attention to farmers' goals, income and preferences, taking into account resource constraints (land, labour, capital, organization); and (5) dissemination of new Egyptian hybrid rice to cover most of the rice area in Egypt.

V.8 Guatemala

Two rice planting systems are used in Guatemala. The rainfed system, covering 10,000 ha and the irrigated rice system with 2,000 ha. According to these figures Guatemala is clearly sowing rainfed rice, however there are zones, like the Polochic river banks, where up to 25 000 ha could be sowed with irrigated rice. Guatemala produces 40 percent of of the rice consumed and imports the other 60 percent,

equivalent to 69,000 tonnes of paddy rice. The average field yield equals to 3.5 t/ha. Rice consumption per capita is the lowest of Latin America, with 5.5 kg.

The Guatemalan Rice Association (ARROZGUA) is a non government organization (NGO) devoted to management, research and marketing of rice in Guatemala. Its mission is to organize, train, promote and enhance the rice sector of the country, through the specialization of its stakeholders and by means of strategies and programmes that benefit the rice sector. The technical area of ARROZGUA provides assistance to the rice farmers of the country in several issues: (1) Plant breeding to obtain new varieties, (2) Technological package management: agronomic research, reduction of production costs, training, new crop practices, technology transfer, and others, (3) Administration and marketing of the national harvest: purchase agreements for a guarantee price product delivered to the industry established on a grain quality basis stipulated by the quality control laboratory, and (4) Strategic partnerships with national and international institutions involved in rice.

V.9 Madagascar

The working group on the System for Rice Intensification (SRI) was established in 1990. It was based on the concept of the Jesuit Priest Henri de Laulanié. SRI is neither a theme nor a mere package of technologies: it is a system of rice production, an excellent system of rice cultivation. In Madagascar, there are three systems of irrigated rice production, namely (1) Traditional system: Practised for centuries, rice yields have stagnated at around 2.5 to 3.5 tonnes/ha; characterized by random transplanting in hill using a large number of old (3 months or more) seedlings/hill; (2) Improved system: Yields ranging from 3.5 to 6 tonnes/ha, characterized by transplanting two to four 20- to 30-day-old seedlings/hill; and (3) System for Rice Intensification: Yields reaching up to 10 tonnes/ha (or more in some cases), characterized by transplanting one very young (2-leaf stage) seedling/hill and with minimum irrigation. The Ministry of Agriculture, Livestock and Fisheries organized in the last 3 years numerous contests for best farmers at regional and national level; the three best winners/farmers in each of 22 regions and the three best national farmers in the contest were farmers practising the System for Rice Intensification.

V.10 Mexico

Up to 1988 Mexico was self-sufficient in rice production; since that year the commercial opening of the country, with the adhesion to GATT, its further admission to WTO and finally the signing of NAFTA, seriously affected the national production, due to the accelerated liberalization of imports and the accelerated deduction of custom duties, adopted without taking into account the enormous competitive differences with farmers of exporting countries. Initially, big imports of white polished rice from Asia, promoted a drastic fall of the Mexican production and lately with the signature of NAFTA, Asian rice was displaced by imports of American paddy rice. In this way was avoided the close of the few rice mills that still existed and that would purchase less national harvest every time. With all this process the situation of the rice crop was characterized by (1) Drastic reduction of sowing area and production, (2) Bankruptcy of mill industries and loss of direct and indirect employment, (3) Accelerated growth of imports and loss of food self-sufficiency, and (4) Disarticulation of the rice production chain (farmer – mill – packing – wholesaler).

There are different factors affecting the competitiveness of the Mexican rice farmers: fall of international prices and overestimation of the currency, poor agricultural infrastructure, excessive fragmentation of agricultural fields, limited access to private bank financing, high domestic freights, high financing costs, high cost of agricultural inputs. At present the variety predominating in 90 percent of the rice fields in Mexico is IR8 (Philippine Miracle), which was introduced in the country in the early 70s; it has low milling quality with polished white whole rice yields from 32 to 42 percent, compared with long grain American varieties that yield 55 percent. During many years the INIFAP (National Institute of Forestry, Agriculture and Livestock Research), the governmental organization that should carry on rice research, was devoted to conduct trials disconnected from what the industry and the consumer were demanding. For this reason, at present there are no modern and more competitive varieties able to resplace IR8 and allow to sow long grain rice in order to reduce imports.

V.11 Nicaragua

Rice is one of the most important crops in the national agricultural sector and, at the same time, one of the main staple foods in Nicaraguan's diet. Rice activity generates US\$ 80 million annually at national level and generates about 75,000 employments per year. A growing tendency exists in its demand curve due to the increase of the *per capita* consumption levels, which at present is of 40 kg/person. Some recent studies reported that the population with less-resources assign near 60 percent of their food expenditures to buy rice.

Irrigated rice national average is in Nicaragua of only 4.4 t/ha. Progressive rice farmers that are beginning to implement the Crop Improved Management are obtaining during the dry season mean yields of 7.1 t/ha, or 2.6 t/ha approximately above the national average. More refinement in crop management will result in yields higher than 9.7 t/ha during the season of greater solar radiation (summer), which represents a little more than double of the national mean yield. Demonstrative plots in farms have confirmed that these yields are easily attainable. Yields of 9.7 t/ha can be obtained without significant increases in production costs per unit of area, which in turn is translated in an important reduction in the cost per unit of the rice. These achievements aim to an increase of the production competitiveness of Nicaragua. It is feasible to produce irrigated rice in Nicaragua with a cost of US\$ 110/t, which is competitive with USA production or with any other rice exporting country in the world.

V.12 Panama

Rice is a staple food crop for the Panamanian population. In spite of the achievements attained during the last 30 years, a series of factors and practices that are limiting their production, raising costs and causing environmental degradation still persist; these factors must be managed at commercial level within the concept of integrated crop management, in this sense, rice chain monitoring is important as a base to take decisions. The main challenge facing the rice sub-sector is to maintain its competitiveness, within the market's opening. This may be possible through a strong research and innovation project, focused to integrated crop management and to face emerging phyto-sanitary problems, with enough resources to answer the agricultural technological demand necessary for the sustainability of the activity in the global

market. It is necessary to change technology transfer methods for more suitable ones, as integrated knowledge management and field schools, so that the new technologies generated and validated by the research/innovation interdisciplinary teams be adopted by the users immediately. The enlargement of cropping areas with irrigation and high technological profile is an opportunity for Panamanian rice growers to remain competitive in this activity in spite of markets' globalization. This is our challenge.

V.13 Peru

Rice has the largest cropping area of the country, having reached a record of 352,000 ha planted in 2005. About 100,000 farmers are dedicated to this crop, most of them (85 percent) dealing with less than 5 ha. The most common planting system is transplanting. Eighty to 100 day wages per hectare are employed, hence it has a remarkable economical and social significance in zones where this cereal is cultivated. Rice consumption is of 52 kg per person per year and the country consumes 1,440,444 metric tonnes of white rice annually. National production supplies the country needs. The crop uses between 10,000 and 18,000 cubic metres of water per hectare per season. Rice production ecologies include the Coast, High Selva, and Low Selva.

The Coast: Coastal areas provide about 41 percent of national rice area with a mean yield of 8,300 kg/ha. In Arequipa zone yield may reach to 15,000 kg/ha. About 90% of coastal rice areas are planted to IR 43. prevails (90 percent of the area). Salinity problems and low temperatures starting in April affect late sowings and the major pests are *Hydrellia* sp (Diptera) and *Chironomus xanthus*

High Selva: About 42 percent of national rice area is found in this ecology. The prevailing cultivar is Capirona, which produces on the average 6,800 kg/ha. The main pest and diseases are *Pyricularia oryzae* and white leaf virus transmitted by the *Tagosodes orizicolus* vector.

Low Selva: About 17 percent of national rice area is found in this ecology. Broadcasting using seeds of old varieties, often mixed, are broadcasted onto the mud when rivers lower the flow. No fertilizers neither agricultural chemicals are applied. Average yield is 2,800 kg/ha. The main pest is *Diatraea saccharalis* and the most common diseases are *Pyricularia oryzae* and *Helminthosporium oryzae*.

The Rice Project of the National Institute for Agricultural Research and Extension (INIEA) is in charge of research, with their main experimental stations located in Vista Florida (coast), El Porvenir de Tarapoto (high Selva) and San Roque de Iquitos (low Selva). The Rice Project has just released to the market the variety La Conquista for the high Selva zone, obtained by the individual genealogical selection method, starting from the PNA 2349 crossing between the varieties Huallaga-INIA and Uquihua, carried out at Vista Florida Experimental Station in 1995.

V.14 Spain

The rice area is about 120,000 ha, which is supposed to be the 22 percent of the rice area of the European Union. The Spanish mean yield is 8 t/ha (8.5 t/ha in the South). The main concern of the farmer is losing profitability due to, mainly, the disappearance of the guarantee prize and the progressive reduction of the subsidies by

the European Union. Water scarcity for irrigation, specially in the South (Andalucía), is another pressing problem. About 90 percent of the national rice area is under the integrated management regime, with a significant decrease in inputs (seeds, nitrogen, water and mainly insecticides). There is now a desire of farmers to increase their low participation in processing and marketing white rice.

V.15 Thailand

Rice is more than a staple food; it is the culture and the way of life of the Thai people. Rice lands in Thailand cover about 10.64 million ha (9.2 million ha in the wet season and 1.44 million ha in the dry season). In 2004, Thailand exported about 10 million tonnes from a total production of 27.3 million tonnes of paddy rice or 17.2 million tonnes of white or milled rice. The exported rice included aromatic rice, good quality white rice, parboiled rice, glutinous rice and rice products, such as rice flour and noodles. However, the average rice yield is quite low (about 2.5 tonnes/ha). Moreover, rice farmers are still poor compared to other crop growers. These problems are well recognized by the government. A roadmap for rice development during 2006-08 has therefore been drawn up to upgrade rice yield, in terms of both quantity and quality, and to improve the well-being of Thai farmers. The roadmap indicates the following five strategies to be implemented: (1) Research and development, (2) Farmers' development, (3) Rice production, (4) Value creation, and (5) Rice marketing promotion

Furthermore, the Department of Rice (DOR) was established by combining all rice activities of the Ministry of Agriculture and Cooperatives (MOAC) into a single department. DOR comprises six offices, which are (1) Rice Policy and Strategy, (2) Rice Research and Development, (3) Rice Extension, (4) Rice Seed, (5) Rice Products Development, and (6) Administration. The goal of DOR is to improve rice crop management for higher productivity and quality of Thai rice, in order to maintain its competitiveness and its status as the world's first rice exporter. Rice quality will be guaranteed by incorporating a certification system and a traceability system along the rice supply chain. The Good Agricultural Practices (GAP)/Good Management Practices (GMP) certificate will be issued to those who meet the requirements for each standard, and the Q-Mark can be placed on the rice products. There has been much improvement in terms of GAP, thanks to the technical assistance provided by FAO under the Thai RiceCheck System Project – TCP/THA/0167 (T) Training on Integrated Crop Management Technologies for Production of Good Quality Rice Seeds – funded by FAO during 2002-04. It was successfully implemented in farmers' fields using the Thai RiceCheck system for integrated rice crop management.

V.16 Uruguay

During last few years, rice has been planted to about 180,000 ha. An important improvement of average yields has been attained, from 6 t/ha to more than 6.5 t/ha. Slightly less than 600 farmers are planting rice. Large grain varieties are being cultivated of *indica* genetic base as well as tropical *japonica* (American quality). The varieties El Paso 144, INIA Tacuarí and INIA Olimar, obtained in the country are covering more than 95 percent of the area. Certified seed is being used in 85 percent of it. Its quality and purity is the main tool utilized to generate a uniform product and to

control red rice. The crop is sowed mechanically in rows or broadcasted in dry soil drained in surface during the months of October and November. Rice crops share the use of the soil with livestock production. The livestock sector utilizes the major proportion of the natural resource along the rotation period. After sowing rice during 2 or 3 consecutive years, improved pastures (grasses and legumes) are sowed by plane without any soil tillage, for a 3 to 5 years term. Research on this crop is carried out by the National Institute for Agricultural Research (INIA). The transfer of the results obtained is carried on mainly by private professionals, who further transfer them to the farmers.

V.17 Venezuela

High yielding varieties, adapted to most of the regions where irrigated rice is cultivated in Venezuela, are going to be available very soon. Crop management technologies, allowing the varieties to express their maximum potential have been identified and are in the process of been transferred to farmers. However, there are many deficiencies in farmer's organizations that are preventing the transfer of improved production technologies. These external factors include: lack of appropriate financing allowing farmers to begin sowing activities on time; deficiencies in fertilizer's acquisitions (in particular urea), which results in late and ineffective applications; disconnection between administrative and technical departments within local associations of farmers affecting the support to technology transfer; the coordinators of technology transfer are overloaded with activities that make ineffective their work, causing great damage because the use of pesticides, continuous sowing and permanent rice production bring as a consequence damage by rodents.

VI. CLOSING SESSION

This Closing Session was co-chaired by Mr. Manuel Manrique Ugarte, Minister of Agriculture of Peru and Mr. E. A. Kueneman, Chief of the FAO Crop and Grassland Service, on behalf of the Director-General of FAO. Mr. Kueneman expressed sincere thanks to the Government and people of Peru for kind offer to host the 21st Session of the IRC. In his closing remark, the Minister of Agriculture of Peru congratulated the all staff involved in the preparation and organization of the successful 21st Session. He felicitated the delegates and participants for laudable contributions they had made towards the success of the Session.

VI.1 Adoption of the Report

The Commission unanimously adopted the Report of the meeting.

VI.2 Other Matters

VI.2.1 The Commission recognized the importance of rice for world food security and poverty alleviation of population, and confirmed its support to the work of the FAO Secretariat of the International Rice Commission

VI.2.2 Following FAO member countries expressed their interest to become the members of the Commission: Argentina, Bolivia, Costa Rica, Honduras and Spain.

VI.3 Date and Place of the Next Session

The Commission expressed appreciation of the invitation extended by the delegation of France for hosting the 22nd Session in 2010. This proposal was applauded by the Commission. The final decision as to the exact date and place shall be taken by the Director-General of FAO, in consultation with the Government of the Member Country concerned.

APPENDIX A

PROVISIONAL AGENDA

Theme: “Rice is Life – Bringing the Implementation of IYR to Farmers’ Fields”

1. Election of Chairperson and Vice-Chairpersons
2. Adoption of Agenda
3. Welcome Address from Host Country
4. FAO Statement
5. Keynote Address
6. Report of the Executive Secretary
7. Rice Market Situation in 2005 and Outlook for 2006
8. Rice Genetic Improvement for “Rice Is Life” in farmers’ fields
9. Rice Integrated Management for “Rice Is Life” in farmers’ fields
10. Regional Strategies for “Rice Is Life” in farmers’ fields
11. National Reports and Perspectives
12. Other Matters
13. Date and Place of the Next Session
14. Adoption of the Report
15. Closing Session

APPENDIX B

LIST OF DELEGATES AND PARTICIPANTS

Chairperson:	Mr. Manuel Manrique Ugarte (Peru)
First Vice-Chairperson:	Mr. Jorge Burneo (Ecuador)
Second Vice-President:	Mr. Abdel El Azim El Tantawy B. Hassan (Egypt)
Executive Secretary:	Mr. Nguu Van Nguyen (FAO/Rome)

MEMBERS OF THE COMMISSION

BRAZIL

Mr. Valmir Gaedke Menezes
Instituto Riograndense do Arroz (IRGA)
Rua Joao Paetzel 723, Porto Alegre,
Brasil, CEP 91330.281
Tel. 51 34700635
E-mail: vmgaedke@yahoo.com.br

Mr. Luciano De Campos Carmona
Consultor
Mexico, 902, Camacuan
Rio Grande do Sul, Brasil, CEP 96180-
000
Tel. 51 56922219
E-mail: lucianocarmona@ibest.com.br

COLOMBIA

Mr. Luis Eduardo Berrío Orozco
Fondo Latinoamericano de Arroz de
Riego
(FEDEARROZ)
Recta Cali - Palmera Km 17,
A.A 6713, Cali, Colombia
Tel. 4450000 ext. 3276

Tel. 57-14252013
E-mail:
investigaciones@fedearroz.com.co

Mr. Néstor Gutiérrez
Fondo Latinoamericano de Arroz de
Riego
(FEDEARROZ)
Kra 100 Nr. 25H55

Mr. Luis Sanint
Director de Finanzas y Parque
Científico
CIAT Colombia Apartado Aereo 6713,
Cali, Colombia
Tel. 57-2-4450038
Fax: 57-2-4450073
E-mail: l.sanint@cgiar.org

ECUADOR

Mr. Jorge Burneo

PRONACA

Av. Granador 4415 y Naranjos

Tel. 593-22-263651 ext 423

Fax: 593-22-467016

E-mail: jburneo@pronaco.com

EGYPT

Mr. Abdel El Azim El Tantawy B. Hassan

President

Agriculture Research Center Egypt

9 Gamaa St. Giza, Egypt

Tel. 00202-5720 944

Fax. 00202-5720 944

FRANCE

Mr. Marc-Henri Chatel

CIRAD, CIAT

CIAT A.A. 6713,

Cali Colombia

Tel. 57-2-4450000 ext 3330

Fax: 57-2-4450094

E-mail: m.chatel@cgiar.org

GUATEMALA

Mr. Eduardo Alfonso Gudiel Ortiz

Asociación Guatemalteca del Arroz

(ARROZGUA)

44 Calle 18-51 Zona 12, Av. Petapa, Guatemala

Tel. 00502-24421443/ 24767259

Fax: 00502-24421443

E-mail: egudiel@arroz.com.gt

INDIA

Dr. Jai Prakash Mishra

Ministry of Agriculture

Government of India

445, Krishi Bhawan,

New Delhi, 110001, India

Tel. 91-11-23389207 (0),

91-11-22374595

Fax: 91-11-23389348

E-mail: jpmishra67@rediffmail.com

INDONESIA

Mr. Hasil Sembiring

Director
Indonesian Institute for Rice Research,
Indonesia
Jl. Raya Subang IX, Sukamandi
Jawa Barat, Indonesia
Tel. 62-260-520 157
Fax: 62-260-520 158
E-mail: h.sembiring@telkom.net
balitpa@vision.net.id

ITALY

Ms. Tiziana Marini

First Secretary
Embassy of Italy in Peru
Av. Gregorio Escobedo 298
Jesus Maria, Lima, Peru
Tel. 511-463-7224
Fax: 511-463-7224
E-mail tmarini@italembperu.org.pe
tisampa@hotmail.com

MADAGASCAR

Mr. Ralahy Emmanuel

Director de SAP
Madagascar

MALAYSIA

Mr. Ariffin Tawang

Director
Rice and Industrial Crops Research
Center
Mardi, P.O. Box 12301, GDO 50774
Kuala Lumpur
Tel. 603-89437218
Fax: 603-89425786
E-mail: tawang@mardi.my

Mr. Ibrahim Muhamad

Undersecretary
Paddy and Rice Industry Division
Ministry of Agriculture and
Agro-based Industry Malaysia
Level 2, Tower Block, Wisura Tani
Lot 461, Precint 4
Federal Government
Administration Centre
62624 Putnagaya, Malaysia
Tel. 603-88701810
Fax: 603-88886050
E-mail: ibrahim@agri.moa.my

MEXICO

Mr. Luis Bueno

Vicepresidente
Consejo Mexicano del Arroz
Carretera Nacional Mexico Laredo Km 553
Ciudad Mante, Tamaulipas
Mexico
Tel. 52-831 2327215
Fax: 52-831-2343498
E-mail: luisbueno@mante.com.mx

NICARAGUA

Mr. Carlos Mendez

ANAR Nicaragua
De la Casa del Obrero / c Arrivad 1/2 c Sur
Managua, Nicaragua
Tel. 505-2225513
E-mail: camendez50@hotmail.com

PANAMA

Mr. Ismael Camargo

Instituto de Investigación Agropecuaria
de Panama IDIAP
Apdo. 6-4391, Panama GA, Panama
Tel. 507-993-3253
Fax: 507-993-3253
E-mail: icamargo@cwpanama.net

PERU

Mr. Manuel Manrique Ugarte

Minister of Agriculture
Ministry of Agriculture
Psje. Francisco de Zela 150
Jesus Maria, Lima 11
Peru
Tel. 511 6135800

Mr. Yehude Simon Munaro

President
Regional Government of Lambayeque
Lambayeque

E-mail: lpacora@minag.gob.pe

Mr. Lander Pacora Coupén

Jefe de Gabinete de Asesores
Ministry of Agriculture
Psje. Francisco de Zela 150
Jesus Maria, Lima 11
Peru
Tel. 51 1 4310406

Mr. Ricardo Alfonso Romero Rentería

Gerente General IDAL
Instituto de Desarrollo Agrario de
Lambayeque

Tel. 51 74 237028
Fax: 51 74 237028

E-mail: rarr49@hotmail.com

Mr. Heriberto Mendoza Torres
Presidente
Junta de Usuarios del Distrito
de Riego de Lambayeque
Tel. 51 74 272696

Mr. Juan Risi Carbone
Director General
Dirección General de Promoción
Agraria
Lima

Ms. Rocío Mundines Matute
Especialista
Dirección General de Promoción
Agraria
Tel. 51 1 4332946
Fax: 51 1 4332946
E-mail: rmundines@minag.gob.pe

Mr. Carlos Alberto Díaz Pérez
Director Regional
DRA-Lambayeque
Tel. 51 74 234471
Fax: 51 74 234471
E-mail:
diazagricultura@regionlambayeque.gob
.pe

Mr. Carlos Humberto Yepes Flores
Director
Dirección Agencia Agraria Chiclayo
Tel . 51 74 205848
E-mail: aachiclayo@yahoo.es

Mr. Carlos Toledo Ocampo Anderson
Director
Dirección Agencia Agraria Lambayeque
Sede Motupe
Tel .51 74 426005
Fax: 51 74 426005
E-mail: catoa_7@hotmail.com

**Mr. Florentino Eduardo López
Gómez**
Director
Dirección Agencia Agraria Ferreñafe
Tel. 51 74 252035 / 287670
Fax: 51 74 234471
E-mail: felg26947@hotmail.com

**Mr. Manuel Alberto Zapata
Quintana**
Director
Director de Promoción Agraria
Lambayeque
Tel. 51 74 208506 / 201529

Ms. Gloria Gonzáles Zeña
Coordinadora
DPA Cultivos Lambayeque
Tel -51 74 208506 / 234721
Fax: 51 74 234471
E-mail gloriagz@hotmail.com

Mr. Enrique Monteza Cantos
Director
Dirección Regional de Agricultura
Tel .51 74 234721
E-mail: dia_lambayeque@minag.gob.pe

Mr. Angel Castro Alfaro
Dirección de Planificación Agraria

Lambayeque, Peru
Tel. 51 74 234721

Fax: 51 74 234471
E-mail: angelcas_4@yahoo.es

Mr. Carlos Wildor Olano Fernandez
Administrador Técnico

Mr. José Modesto Vásquez Vásquez
Servicio Nacional de Sanidad Agraria
Piura
Tel .51 73 354917
Fax 51 73 354917
E-mail senasa@piura.com.pe

Mr. Segundo Cardenio Fernández Romero
Director
Estacion Experimental Vista Florida
INIEA
Tel. 51 74 9669695
Fax: 51 74 272950
E-mail:vflorida@inia.gob.pe

Mr. Juan Andrés Muro Farfan
Gerente Técnico
Junta Nacional de Usuarios
Chiclayo, Lambayeque
Tel 51 74 231635
E-mail: judrchl@hotmail.com.pe

Mr. Ernesto Seclén Gelacio
Presidente
Comision de Regantes Chiclayo
Lambayeque
Tel. 51 74 204916

Mr. Luis Zúñiga Rosas
Presidente
Comité Nacional de Productores de
Arroz del Perú
Tel .51 1 4276370

Administración Técnica Distrito Riego
Chiclayo, Lambayeque
Tel. 51 74 233176
Fax: 51 74 233176
E-mail:wildorolano@yahoo.es

Ms. Esmilda Arévalo Tiglia
Chiclayo
Servicio Nacional de Sanidad Agraria
Tel .51 74 226044
Fax: 51 74 226044
E-mail:lambayeque@senasa.gob.pe

Mr. Leandro Egberto Aguinaga Calderón
Especialista en Arroz
Instituto para el Desarrollo Agrario
Lambayeque
Tel. 51 74 265406 / 237028
Fax: 51 74 237028
E-mail: leaguinaga@hotmail.com /
idal@terra.com

Mr. Virgilio Brenis Muro
Gerente Técnico
Junta Nacional de Usuarios Distrito de
Riego del Perú
Tel. 51 1 4273391
Fax: 51 1 4287417
E-mail:virgiliobrenis@yahoo.com

Mr. Braulio Yesquen Lluen
Presidente
Comisión de Regantes Ferreñafe

Fax: 51 1 4276370
E-mail: cnpa@infonegocio.net.pe
lzmajes@infonegocio.net.pe

Ms. Rosa Margarita Huanqui Quispe

Técnico
Comité Nacional de Productores de
Arroz

51 1 4276370
51 1 4276370
cnpa@infonegocio.net.pe

Ms. Francisca Chota Salas
Delegado Selva Baja
Comité de Productores de Arroz
de Alto Amazonas
Tel. 51 65 352265
Fax 51 65 352265

E-mail: pchota45@hotmail.com

Mr. Carlos Rachumi Cassiano
Delegado Costa Norte
Comité de Productores de arroz
Lambayeque

Mr. Luis Gasco Arrobas
Presidente
Asociacion Nacional de Molineros
de Arroz - Peru
Lambayeque
Tel. 51 74 265074

Fax: 51 74 265080

Mr. Jose Hernandez Leyton
Fitomejorador de Arroz
Lambayeque

Mr. Rommel Ynoñan Marcelo
Jefe Area de Agroindustria y Precios
Agroindustrias y Precios DIA - DRA
Tel. 51 74 234471 / 234721
Fax 51 74 234471
E-mail: yrommel8@hotmail.com
dia_lambayeque@minac.gob.pe

Mr. Lorenzo Escurra Puicón
Docente Especialista
Universidad Nacional Pedro Ruiz Gallo
Chiclayo, Lambayeque

Mr. Alberto Jiménez Saavedra
Docente Especialista
Universidad Nacional Pedro Ruiz Gallo
Karl Weiss A-101 - Chiclayo
Lambayeque
Tel. 51 74 224790

Ms. Olga Vallejos Vilchez
Docente Especialista
Universidad Nacional Pedro Ruiz Gallo
Lambayeque

Ms. María Julia Jaramillo Carrion
Docente Especialista
Universidad Nacional Pedro Ruiz Gallo
51 44 9481482
E-mail: majulia_jaramillo@yahoo.es

Mr. Augusto Sayan Yanela
Especialista en Promocion Agraria
DGPA -Ministerio de Agricultura
Tel. 51 1 6135800
E-mail: asayan@minag.gob.pe

Mr. Nelson Larrea Lora
Coordinador Nacional del Programa
para el Desarrollo de la Amazonía –
PROAMAZONIA
Tel. 51 1 4242317

Fax: 51 1 4242317
E-mail: nlarrea@minag.gob.pe

Mr. Cesar Teran Sanguinetti

FAO Peru

THAILAND

Mr. Apichart Pongsrihadulchai

Deputy Permanent Secretary
Ministry of Agriculture and
Cooperatives, Thailand
Rajdamnern Nok Ave.
Bangkok 10200, Thailand
Tel. 02-282-4190

Ms. Laddawan Kunnot

Director
Office of Rice Product Development
Ministry of Agriculture and
Cooperatives, Thailand
Chatuchak, Bangkok,
Thailand, 10900
Tel. 66-2-5793548
Fax:66-2-561-1732
66-6-9946547 (mobile)
E-mail:lkunnoot@hotmail.com

UNITED STATES OF AMERICA

Ms. Nilda Burgos

Associate Professor
1366 W. Alheimer Drive
University of Arkansas
Fayetteville, AR 72762 USA
Tel. 01-479-575-3955
Fax:01-479-575-3975

31 Warren Hall, Ithaca
NY 111853, USA
Tel. 607-255-0831
Fax:607-255-1005
E-mail:ntu1@cornell.edu

Mr. Norman Uphoff

Director Emeritus CIIFAD
CIIFAD,

Ms. Marguerite Uphoff

16 Cedar Lane, Ithaca, NY 14850
Tel. 607-257-6660
Fax:607-266-0909
E-mail:muphoff@tweny.rr.com

URUGUAY

Mr. Enrique Deambrosi

Ruta 8 Km 281
INIA Uruguay
Treinta y tres Uruguay
Tel. 598 4525703
Fax:598 4525701
E-mail:edeambrosi@tyt.inia.org.uy

Mr. Hugo Manini Rios

President
Asociacion de Cultivadores de Arroz
Tel. 00598-2-9001824
E-mail: acu@aca.com.uy
hmaninir@adinef.com.uy

VENEZUELA

Mr. Tarcisio Rodríguez

Coordinador Transferencia de Tecnologías
(FUNDARROZ)

Calle 8, entre Av. 30 y 31,
Araure Portuguesa, Venezuela
Tel. 0255-6651442
E-mail: tarcy58@hotmail.com

ASSOCIATED MEMBERS OF THE COMMISSION

ARGENTINA

Mr. Alfredo Marín
INTA Argentina
C.C. 57 3400 Corrientes, Argentina
Tel. 54-3783-42178687
E-mail:
amarin@corrientes.inta.gob.ar

Ms. Lucrecia Santinoni
Dirección Nacional de Producción
Agropecuaria y Forestal,
Secretaria de Agricultura, Ganadería,
Pesca y Alimentación, Argentina
Paseo Colon 982, 2do piso, of. 226
(1063)

Buenos Aires, Argentina
Tel. 54-11-43492111/2105
Fax: 54-11-4349-2196
E-mail: lusant@mecon.gov.ar

Ms. Daniela Vanina Fernandez
Secretaria de Agricultura, Ganadería,
Pesca y Alimentos, Argentina.
Av. Paseo Colon 922 (1063)
Buenos Aires, Argentina
Tel. 5411-4349-2269
E-mail: danifer@mecon.gov.ar

BOLIVIA

Mr. Jose Luis Llanos Rocha
CIAT Bolivia
Tel. 591-33-368590
Fax: 591-33-368590
E-mail: jlllanos@ciatbo.org

Mr. Mauricio Roca
CAO, FLAR Bolivia
Tel. 591-3-3522200
Fax: 591-3-352621
E-mail: cao@cotas.com.bo

COSTA RICA

Mr. Norman Oviedo
Semillas del Nuevo Milenio
SENUMISA
San Jose, Costa Rica,
AA Moravia
Tel. 506 255 3727
Fax: 506 255 3727
E-mail: hroviedos@costarricense.cr

Mr. Juan Mauricio Mora Cruz
Agregado Comercial
Embassy of Costa Rica
Baltazar la Torre 828
Lima 27, Peru
Tel. 51-1-264-2711
Fax. 51-1-2652799
E-mail: costarica@terra.com.pe

HONDURAS

Mr. Mario Federico Mejía Galeano
PROGRAMA de Honduras
Colonia Primavera, Tegucigalpa F.M.
E-mail:
mejia_federico2003@yahoo.com.mex

SPAIN

Mr. Manuel Aguilar
Jefe del Dpto. Arroz
Investigación Agraria Instituto Formación España
Calle Cifa Las Torres
Apartado Oficial 41200
Alcala del Rio, Sevilla
Tel. 954581456
E-mail:
manuel.aguila.portero@juntadeandalucia.es

INTERNATIONAL ORGANIZATIONS

FONDO LATINOAMERICANO DE ARROZ DE RIEGO (FLAR)

Mr. Gonzalo Zorrilla
Director
Fondo Latinoamericano de Arroz de Riego (FLAR)
Km. 17, Recta Cali,
Palmira, Colombia
Tel. 572-445-0093
Fax: 572-4450094
E-mail: g.zorrilla@cgiar.org

CIAT

Mr. Lee Alexander Calvert
Leader Rice Project CIAT
CIAT, AA6713,
Cali Colombia
Tel. 57-2-445-0194
E-mail: l.calvert@cgiar.org

AFRICAN RICE CENTER (WARDA)

Mr. Jonne Rodenburg
Inland Valley Agronomist,
(WARDA Benin)
01Bp2031

Cotonon Benin
Tel. 00229-2135 0188
Fax: 00229-2135 0556
E-mail: j.rodenburg@cgiar.org

FAO/RLC

Mr. Graziano da Silva
Regional Representative for
Latin America and the Caribbean
(RLC)
and FAO Assistant Director-General
Tel.
E-mail:
jose.grazianodasilva@fao.org

Tel. 511 447-2641/4476690/446-
2985
Fax: 511-447-2640
E-mail: fao-pe@fao.org

Mr. Juan Izquierdo
Senior Plant Production Officer
FAO P.O. Box 10095
Santiago de Chile, Chile
Tel. 56-2-3372224
56-2-3372101
juan.izquierdo@fao.org

Mr. Luis Castello
Representative in Peru
FAO Manuel Almenara 328
Miraflores, Lima 18, Peru

FAO/RAP

Mr. Gamini Keerthisinghe
Senior Plan Production Officer
FAO, 39 PHRA ATIT RD
Bangkok 10200, Thailand
Tel. 66-2-6974165
E-mail: gamini.keerthisinghe@fao.org

FAO/RAF

Mr. Brahim Kebe
Crop & Pasture Production Officer
Regional Office for Africa,
P.O. Box 1628 Accra, Ghana,
W Africa
Tel. 233-7010930
Fax: 233-7010943
E-mail: brahim.kebe@fao.org

FAO/RNE

Mr. Fawzi A. Taher
Crop Production Officer
Regional Office for the Near East,
11, Eslah El Zerai St. Dokko
Cairo, Egypt
Tel. 00-2023316000

E-mail: fawsi.taher@fao.org

FAO/REU

Mr. Stefan Schlingloff

Agricultural Officer
Regional Office for Europe
FAO Viale delle Terme di Caracalla
00100 Roma, Italy
Tel. 39-0657054732
39-06-570-55634

FAO/ROME

Mr. Eric Alan Kueneman

Chief, Crop and Grassland Service
(AGPC)
FAO Viale delle Terme di Caracalla
00100 Rome, Italy
Tel. 39-06-570-54930
E-mail: eric.kueneman@fao.org

Ms. Barbara Burlingame

Senior Officer, Nutrition Division
(ESN)
FAO Viale delle Terme di Caracalla
00100 Rome, Italy
Tel. 39-06-570-53728
E-mail: barbara.burlingame@fao.org

Ms. Concepcion Calpe

Senior Commodity Specialist
Rice Group (ESCB)
FAO
Viale delle Terme di Caracalla
00100 Rome Italy
Tel. 39-06-570-54136
Fax: 39-06-570-54495
E-mail: concepcion.calpe@fao.org

Mr. Danilo J. Mejía

Agricultural Officer
Agro-Industries and Post-Harvest
Management Service (AGSI)
FAO
Viale delle Terme di Caracalla
00100, Rome Italy
Tel. 39-06-570-55027
Fax: 39-06-570-54960
E-mail: danilo.mejia@fao.org

Mr. Matthias Halwart

Fishery Resources Officer (FIRI)
FAO
Viale delle Terme di Caracalla
00100, Rome Italy
Tel. 39-06-570-55080
Fax: 39-06-570-53020
E-mail: matthias.halwart@fao.org

Mr. Ricardo Labrada

Technical Officer (AGPP)
FAO Viale delle Terme di Caracalla
00100 Rome Italy
Tel. 39-0657054079
Fax: 39-0657056227
E-mail: ricardo.labrada@fao.org

Mr. Walter Burgos Leon

Technical Officer
Integrated Plant Nutrient and Soil
Fertility Management Group
(AGLL)

FAO Viale delle Terme di Caracalla
00100 Rome Italy
Tel 39-06-57055043
Email: water.burgosleon@fao.org

Mr. Edward L. Pulver
AGPC Consultant
FAO Viale delle Terme di Caracalla
00100 Rome Italy

Mr. Nguu Van Nguyen
Executive Secretary,
International Rice Commission
FAO Viale delle Terme di Caracalla
00100 Rome Italy
Tel. 39-06-57056265
E-mail: nguu.nguyen@fao.org

APPENDIX C

WELCOME ADDRESS OF MR. YEHUDÉ SIMONS MUNARO Governor of Lambayeque

Distinguished Minister of Agriculture of Peru, Mr. Manuel Manrique Ugarte;
Distinguished Chairman of the 20th Session of the International Rice Commission, Mr. Apichart Pongsrihadulchai
Distinguished FAO Assistant Director-General and Regional Representative for Latin America and the Caribbean, Mr. Jose Graziano Da Silva
The Chief of FAO Crop and Grassland Service, Mr. E. A. Kueneman; The Executive Secretary of the International Rice Commission, Mr. Nguu V. Nguyen;
Distinguished Delegates, Participants and Observers

As President of the Regional Government of Lambayeque, I welcome you to our Region, which is known as the “Region of Friendship and Culture”. We really hope that these three days could be of learning for all of you and ourselves.

The slogan for this 21st Session is “Rice is Life” and I can say that we, Peruvians, do understand that “Rice is Life”. In a world where hunger still affects 850 million people, in a world where there are 200 million children suffering the consequence of hunger, Rice, the most nutritional cereal, is in fact Life. In our country rice gives working opportunities for millions of Peruvians. In our case, we talk about 40 million working days for our people bearing in mind that the average Peruvian consumption per person is 50 kg of milled rice per year. That means that we are the high rice consumption country.

The Lambayeque is the region that has the highest rate of rice consumption in the whole country. We are very happy of having you here, where we are going to see the significance of rice as food. We are also going to see the rice varieties, cultivation techniques, scientific advances, and policies that the Governments have to understand. Today we have the Minister of Agriculture here with us. His presence is a guarantee of what we are going to do within next years. Today, we also have the FAO Representatives to foster collaboration between our region and this special organization of the United Nations.

Regarding Lambayeque, I would like to say that we are in a desert. In spite of this, when someone speaks about Lambayeque, he/she speaks about the region of rice. We plant about 60 to 70 thousand hectares of rice yearly. Water scarcity and salinity, however, are becoming major constraints to rice production in this region. Consequently, we are eager to do all the necessary efforts in order to diversify the rice-based production systems here for income generation to reduce poverty, while to increase rice area and production in the Amazon region where water resource is more abundant. We ask FAO to collaborate with us in the diversification of rice-based production systems that we will do it in the next weeks and years.

In the name of Señor de Sipán I want to say that here in Peru we are not just Incas, we are also pre-Incas and we are very proud of our culture, the culture of Señor de Sipán. I also expect that the organizers may have the possibility of taking all our guests to our museums so they can understand the great meaning of the Mochica culture in Peru.

Thank you and good luck.

APPENDIX D

WELCOME ADDRESS OF THE MINISTER OF AGRICULTURE OF PERU

Distinguished Mr. President of the 20th Session of the International Rice Commission, Mr. Apichart Pongsrihadulchai.

Distinguished Mr. Regional Representative of FAO for Latin America and the Caribbean , Mr. José Graziano Da Silva

Distinguished Chief of FAO Crops and Grassland Service, Mr. Erick A. Kueneman

Distinguished Executive Secretary of the International Rice Commission of FAO, Mr. Nguu Nguyen).

Distinguished President of the Regional Government of Lambayeque, Mr. Yehude Simon Munaro

Distinguished Representatives of States Members of the International Rice Commission adscript to the Food and Agriculture Organization of the United Nations (FAO)

Distinguished Representatives of Associated Institutions to FAO

Distinguished Lecturers and Observers

Rice is a staple food of seventeen countries in Asia and the Pacific, of eight countries in Africa, of seven countries in Latin America and the Caribbean and one in the Near East. It was introduced to Peru by the Spaniards in the second half of XVI century, being located at the coastal valleys of the south of the country. At present, it occupies important areas of northern valleys and of forest borders and forest. It occupies 350,000 ha and socially it occupies 40 millions of day wages from sowing to harvest and it constitutes 10 % of the Gross Value of Agricultural Production.

It is a cereal of great importance in daily feeding of the Peruvian population. Rice is life for the major populations of the world and is deeply related to the cultural heritage of numerous societies. Only in Asia, more than 2,000 million people obtain from rice 60 to 70 per cent of their caloric consumption. It is the food source of Africa with a faster growth, and it is of vital importance for the food security. Production systems based on rice and their corresponding post-harvest handling provide employment to almost 1,000 million people in rural zones of undeveloped countries. And in these countries with low incomes, approximately four fifth of the world rice is cultivated by small scale farmers.

However, rice production is facing serious constraints, among them yield stagnation, labour shortage, gender-based conflicts, institutional limitations and environmental contamination are found. The diversity of regions, people and resources related with rice-based systems in the world, requires a different approach of rice global development that demands the coordinated participation at local and international level. On the other hand, the biodiversity of rice-based systems offers an excellent

opportunity for a better nutrition of rural communities and for the enhancement of farmers' incomes.

In this opportunity, Peru is housing you in this noble land of Chiclayo, over which ancient pre-Columbian cultures developed like Lambayeque, Mochica and Cimú cultures, and that sometime housed that great *mochica* priest, «the Lord of Sipan», which dazzles us due to its majesty. Now, Chiclayo is a modern and booming city that pertain to Lambayeque region, a region that at present produces more than 350,000 tonnes of paddy rice per year, that represents almost 15 % of national production, in an area of approximately 40,000 hectares. The Lambayeque region is considered as the main producing zone of the Peruvian Coast, only exceeded by the San Martín region in the forest border when drought problems are present in the northern coast of Peru.

In Peru milled rice consumption is greater than in other countries of Latin America and it is estimated that the per capita consumption is more than 50 kg/person/year. Rice in Peru is considered a staple and diary food in Peruvian population diet and it allows a great diversification of delicious dishes.

In this world meeting organized by the Ministry of Agriculture of Peru jointly with FAO, pattern and means will be discussed in order to promote international action dealing with production, storage, distribution and consumption of rice in the framework of the theme «*Rice is Life: Bringing the Implementation of the International Year of Rice to Farmers' Fields*». To overcome some problems it is essential to concentrate our efforts in this 21st Session of the International Rice Commission, in order to discuss and analyze issues like plant breeding, integrated management for sustainable production and regional strategies for rice production now in course.

We will listen to the experiences of international experts and representatives of FAO State Members in the framework of an authentic synergy of ideas that will allow us to take advantage of them for the design and execution of reliable and responsible agricultural public policies in order to consolidate world food security and to mitigate poverty in the field.

Peru and this noble city of Chiclayo open their doors for you to provide the best of your ideas and proposals, we will be eternally grateful for them.

I declare that the 21th Session of the International Rice Commission is opened.

Thank you very much.

APPENDIX E

STATEMENT OF MR. JOSE GRAZIANO DA SILVA FAO Assistant Director-General for Latin America and the Caribbean

*Honourable Minister of Agriculture,
Mr Chairman,
Distinguished Delegates,
Ladies and Gentlemen,*

On behalf of the Director-General of the Food and Agriculture Organization of the United Nations, I wish to welcome all of you to the Twenty-first Session of the International Rice Commission.

First of all, I would like to take this opportunity to express my sincere thanks to the Government of Peru for generously hosting this Twenty-first Session.

I also wish to reiterate the organizational structure and mission of the Commission, of which – as members – most of you are well aware. The International Rice Commission, which works within the framework of FAO, came into force on 15 January 1949; its mission was to promote national and international action in matters relating to the production, conservation, distribution and consumption of rice. The present membership is 61 and represents all rice-growing regions. The Commission meets once every 4 years to review the global status of rice development with respect to production and demand and to draw up strategies to meet future challenges. The Twentieth Session of the IRC took place in Bangkok, Thailand in 2002.

As you are aware, rice is the staple food of more than half of the world's population. Rice constitutes over 20 percent of the total food energy intake of the world population. Nearly 2 billion people in Asia alone derive between 60 and 70 percent of their daily dietary energy from rice and its products. Therefore, rice has a major influence on human nutrition and food security all over the world. Recently, rice has been increasingly perceived as a healthy food in a number of countries in Africa, Latin America and the Caribbean, and in other regions where rice is not traditionally a major food crop. In particular, rice production in sub-Saharan Africa has not been able to meet the demand of the population and governments in the subcontinent are spending about US\$1 billion per year for rice importation in order to achieve food security. In addition, there are still about 850 million people suffering from hunger and malnutrition; of these, 250 million are children.

In the twentieth century, per caput consumption of rice in Latin America and the Caribbean increased from 10 to 30 kg; rice now supplies more calories to the diet than wheat, maize, cassava or potatoes and is especially important in the diet of the poor.

Overcoming hunger, poverty and malnutrition is a major challenge for many countries in the face of numerous constraints: land scarcity, depleted water resources and growing population. For this reason, the 57th Session of the United Nations General

Assembly (UNGA) recognized the importance of rice as a staple food and affirmed the need to heighten awareness of the role that rice can play in providing food security and eradicating poverty in the attainment of the internationally agreed development goals, including those contained in the United Nations Millennium Declaration in 2000. On 16 December 2002, UNGA adopted Resolution 57/162 on the International Year of Rice, submitted by the Government of the Philippines and co-sponsored by 43 member countries, and declared 2004 the International Year of Rice (IYR).

The dedication of an International Year to rice, a single crop, is unique in the history of the United Nations. This unprecedented declaration presents a unique opportunity to coordinate efforts in a fight against world poverty and hunger. UNGA invited FAO to facilitate the implementation of the International Year of Rice, in collaboration with governments, the United Nations Development Programme (UNDP), the Consultative Group on International Agricultural Research (CGIAR), other relevant organizations of the UN System and non-governmental organizations (NGOs). The preparation and implementation were coordinated by the Informal International Working Group (IIWG) for IYR, made up of representatives of 17 rice-producing and consuming countries as well as six UN agencies, five CGIAR centres, NGOs and the private sector, in order to provide guidance in the planning of and preparation for IYR implementation. *Rice Is Life* was selected as the theme for IYR, whose mission was to promote improved production of and access to this vital food crop. Guided by the IIWG and the IYR Organizing Committee (FAO), the IRC Secretariat was strengthened in March 2003 in order to prepare for and implement IYR.

IYR 2004 was officially launched on 30 October 2003. For this occasion, the FAO Director-General addressed the Economic and Social Committee of the United Nations (ECOSOC) in New York, highlighting the need to increase rice production while decreasing pressure on the diminishing land and water resources – complicated tasks that he said could only be achieved if the global community worked together.

By 2004, governmental and public institutions, intergovernmental bodies and institutions, non-governmental organizations, private and youth sectors and farmers' associations worldwide had established their own IYR organizing committees. Initial compilation of information conducted by IRC showed that, globally, more than 800 activities were being implemented in 68 countries on five continents to celebrate IYR 2004. Celebratory activities included: festivals and cultural events; conferences and seminars; exhibitions; competitions (photographic, scientific, painting, cookery, rice planting); youth and school activities; IYR stamp production; and rice development projects.

The implementation of IYR in 2004 was reported to the Second Committee on Poverty Eradication during the 60th Session of UNGA in November 2005. In its Resolution, the Second Committee on Poverty Eradication of UNGA recognized:

the important contribution that the observance of the International Year of Rice, 2004, has made in drawing world attention to the role that rice can play in providing food security and eradicating poverty in the attainment of the internationally agreed development goals, including the Millennium Development Goals.

The Executive Secretary of the International Rice Commission will provide you with more detailed information on the implementation and achievements of IYR worldwide.

On behalf of the Director-General of FAO, I would like to thank the member countries of the Commission and partner institutions, especially the members of the International Informal Working Group for IYR.

The implementation of the International Year of Rice will be deemed successful only when more rice is accessible and affordable to the poor and when impact is felt in both urban centres and rural areas, while ensuring an adequate return for rice farmers. The lessons learned from the Green Revolution in the 1970s and 1980s and, recently, in a number of countries, especially China and Viet Nam, demonstrate that global rice production can meet the demand of the increasing population, provided that it receives the commitment and support of all stakeholders: government policy-makers, researchers and scientists, extension officers, farmers and civil societies. Therefore, there is an urgent need for Member Nations to integrate rice production into their national economic development programmes.

Much work lies ahead beyond the International Year of Rice 2004. The period following the Green Revolution has seen the food security of many developing countries reinforced; however, there is concern with regard to a number of issues: environmental impact, productivity decline, biodiversity losses and possible links to increased rural poverty and malnutrition. According to FAO projections, rice demand in the year 2030 is forecast to reach approximately 803 million tonnes of paddy rice, that is 38 percent more than the annual quantity produced between 1997 and 1999. Rice production faces serious constraints, in particular, rice farmer poverty, globalization trends, WTO agreements and environmental impact.

Most rice farmers in developing countries are small-scale and resource-poor. The increase in rice yield and production during the Green Revolution initially increased returns from rice production and incomes of rice farmers, affording the poor in both rural and urban centres better access to food. However, farmer incomes have been negatively affected by the recent decline in rice prices worldwide. Furthermore, poverty usually occurs in rainfed rice production ecologies, remote areas and disaster-prone regions, where rice-holdings are small. Rainfed rice production (rainfed lowland, upland, deepwater and tidal wetland) occupies about 45 percent of the world's harvested area, but accounts for only one-fifth of production. The average yield ranges from under 1 tonne/ha to 3 tonnes/ha. A suitable developmental strategy and appropriate technologies to reduce these risks would help improve farmers' incomes in this ecology.

With globalization and the establishment of WTO agreements, developing countries are confronted with the challenge of keeping abreast of the trade liberalization momentum to reap the benefits of a more efficient allocation of resources, while providing alleviation to the plight of small producers, especially those who find it difficult to move to other sectors of the economy during the transition. Some developed countries, however, face the dilemma of opening their borders to rice from low-cost producers, while at the same time preserving the cultural heritage and environmental benefits associated with their own rice production systems.

Demographic pressure and the subsequent intensification of rice production have harmed the environment. Excessive use of pesticides leads to water pollution and health hazards. Intensive irrigation can cause salinization in semi-arid and arid zones and waterlogging in humid zones – leading to greatly reduced soil fertility – and years of high yields have caused the soil to become depleted of nutrients. Also of concern are the warming effects of rice production on the global climate, caused by methane emission from wetland rice and nitrous oxide emission from the use of nitrogen-based fertilizers. Protecting the environment is increasingly important.

Fortunately, technological options for sustainable increased rice production are available. A wide yield gap is still found in rice production and its narrowing could lead to substantial increase in production and farmers' incomes. Further yield increases could be achieved with the new generation of rice varieties, hybrid rice, super rice and, recently, NERICA (New Rice for Africa).

Twenty-six countries in Latin America and the Caribbean region (LAC) grow rice and the total production in 2004 was estimated at 25.8 million tonnes of paddy. This means that LAC contributes about 4.2 percent of world production (estimated at 605 million tonnes of paddy). Production in LAC is increasing: in 2000-03, average annual production was 22 million tonnes. During this period, yields increased from an average of 3.5 to over 4.0 tonnes/ha. The area under production decreased during 2001-03, mainly due to low world prices. In 2004, as prices recovered, the area under production increased to the same area as in 2000. This indicates that rice production in LAC is sensitive to world rice prices. Rice is a versatile crop and is grown in a wide range of climates and soils, and under diverse moisture conditions. About 55 percent of the crop (3.6 million ha) is grown under irrigation or in wetlands. About 45 percent (3.0 million ha) is grown under rainfed conditions in Latin America and the Caribbean.

The concept of precision farming has emerged in different forms in many countries since the early 1990s, taking advantage of advanced technologies (e.g. information technologies and farm mechanization) for better management of farm inputs on a smaller scale. Site-specific management helps improve productivity and efficiency and reduce environmental impact. In developing countries, farmers have used the integrated crop management system to narrow the yield gap as well as to reduce rural poverty. This system is an integrated production tool, helping small farmers to apply farm inputs in the right quantities and at the right time, improving profits, and reducing production costs and environmental risks.

In addition, biotechnology offers potential to increase yield and nutritional quality and to reduce needed inputs. Recently, Golden Rice – a rice with high levels of pro-vitamin A – has been successful in trials. The most important achievement in rice biotechnology is the sequencing and mapping of the rice genome that was completed in 2002 by the International Rice Genome Sequencing Project (IRGSP) and other public and private institutions. Knowledge of the rice genome could effectively assist the breeding of new rice varieties, including the transfer of genes from other crops and organisms to rice.

Rice production has been quite dynamic in Latin America and the Caribbean region. Since the late 1960s, over 300 new varieties have been released, production has tripled; high yields explain 80 percent of this increase. The main beneficiaries of the

process have been consumers, with real rice prices dropping by over 40 percent during this period. An important reason for this trend is the impact of conventional and biotechnology-supported rice breeding programmes.

These programmes vary greatly in terms of capacity: from developing and testing their own crosses to evaluating a limited number of fixed lines. In order for smaller programmes to be effective, they must be associated with organizations developing fixed lines. Two such networks, Fondo Latinoamericano para Arroz de Riego (FLAR) and the Working Group on Advanced Rice Breeding (GRUMEGA), currently support activities in irrigated and upland rice. Rice programmes in both the public and the private sector are facing more open markets; they are collaborating closely and understand the need for this trend to continue.

In his statement on the official launch of the International Year of Rice at the United Nations in New York in 2003, the Director-General of FAO said:

It's time to capitalize on rice-based production systems. They can help us achieve the goals of the Millennium Declaration and the World Food Summit: Five Years Later. It's time for the global community to work together to increase rice production in a sustainable way that will benefit farmers, women, children and especially the poor. Together we can manage these improvements so that their benefits help to increase global equity and peace.

There is an uphill task ahead. No doubt this body will deliberate in depth during the course of the next 3 days and appropriate recommendations will be formulated on how best to meet the above challenges.

On behalf of the Director-General of FAO, I wish you a successful Session.

APPENDIX F

KEYNOTE ADDRESS: IMPROVED RICE PRODUCTION IN A CHANGING ENVIRONMENT: FROM CONCEPT TO PRACTICE

Mr. E. A. Kueneman, Chief, FAO Crop and Grassland Service

I INTRODUCTION

The rice subsector has experienced three striking events since the last meeting of the International Rice Commission, held in 2002 in Bangkok, Thailand. First, the United Nations General Assembly adopted Resolution 57/162, declaring 2004 the International Year of Rice; it was the first time the UN had dedicated this honour to a single commodity. Second, in 2002 world rice production began to increase once again, following three consecutive years of declining production: world production in 2005 stood at around 614 million tonnes of paddy rice (FAOSTAT, 2005). Third, world average yield in 2005 is projected to break the 4 tonnes/ha barrier. An average yield of 4 tonnes/ha may not appear to be a major accomplishment, but considering that rice is grown on over 150 million ha under a wide variety of conditions from irrigated to dryland to floating, an average yield of 4 tonnes/ha is indeed a significant achievement.

There are, however, also negative factors that plague the rice sector. Rice production in sub-Saharan Africa continues to be outpaced by consumption; imported rice now accounts for over 50 percent of sub-Saharan Africa's rice requirement. Rice is rapidly becoming a food staple in the African diet, and low and stagnant rice production accentuates the food security problem confronting much of sub-Saharan Africa. Food shortage in Africa is becoming synonymous with rice deficit. Excessive water usage, environmental degradation due to pesticide and nutrient contamination, methane emission and ammonia volatilization are a few of the adverse affects of rice production requiring urgent attention. Land and water resources for rice production are diminishing and global climate changes may have a major effect on rice production. There are, however, a wide range of technologies available for reducing the adverse consequences of rice production, but the majority have not been extended to the rice grower. Technology adaptation and adoption remain opportunities and challenges.

In consideration of the entire spectrum of events, the Twenty-first Session of the International Rice Commission (IRC) is being held in a much more positive environment than most recent sessions. Several of the advances in rice production have emerged from recommendations made at recent IRC sessions, in particular the promotion of improved crop management technologies. The Twentieth Session in Thailand, as well as the Nineteenth Session in Egypt, made important recommendations for improving yield and bridging the yield gap in irrigated rice. The Expert Consultation on Yield Gap and Productivity Decline in Rice Production in September 2000 in Italy also identified that improved crop management and technology transfer are the principal mechanisms for enhanced yield. FAO and its partners took immediate action on the Commission's recommendations and made major progress in this important area, that has the potential to enhance the productivity and efficiency of farmers' crop

management as well as to help meet global food security requirements. This article gives primary attention to these advances and also reviews other developments that may have important effects on the global rice industry in the near future.

II THE CHANGING ENVIRONMENT OF RICE PRODUCTION

Global rice production has met consumption demand during recent decades. However, this situation cannot necessarily be maintained without appropriate action in the near future. The global rice production environment is undergoing substantial changes in numerous areas that require adjustments in rice research and development to support sustainable production.

II.1 Increasing rice demand and declining resources for rice production

Worldwide, rice provides 27 percent of dietary energy supply and 20 percent of dietary protein. Rice production nearly doubled during the period from 1970 (316 million tonnes) to 2001 (592.8 million tonnes). The world's rice production, after reaching a peak in 1999, declined during the 2000-02 period and has been increasing again since 2002 (Figure 1), closing the gap between consumption and production. However, there are still 852 million people suffering from hunger and malnutrition and, due to the steady population increase, rice demand is projected to increase from 571.9 million tonnes in 2001 to 771.1 million tonnes in 2030 (FAO, 2003a).




FIGURE 1: World rice production in 1970, 1980, 1990 and 1995-2005 (Source: FAOSTAT, 2005).

The world rice harvested area grew from 133 million ha in 1970 to 157 million

ha in 1999 (FAOSTAT, 2005), mainly as a result of the increase in cropping intensification. In tropical climate areas with favourable temperature regimes, two or more rice crops can be grown on the same land in a year. Rice-rice and rice-other-crop-rice systems are very popular with farmers in Bangladesh, southern China, southern India, Indonesia, Myanmar, the Philippines and Viet Nam. Rice-rice systems are also widely practised in many irrigated lands in sub-Saharan Africa. Continuous rice production systems are also common in much of tropical Latin America.

In 2005, the global rice harvested area was 153.5 million ha, i.e. a decline of 3.4 million ha since 1999 (FAOSTAT, 2005). In the near future, the possibility for expanding area under rice-based systems will be limited due to increased competition for land and water from the urban and industrial sectors in the major rice-producing countries in Asia. Outside Asia, inadequate water supply limits rice cultivation in Spain, Portugal, Egypt and Australia (Nguyen and Ferrero, 2005). The Egyptian Government plans to limit the area under rice production due to the limited water supply. In a number of countries in sub-Saharan Africa and Latin America, there is still considerable land area suited to rice production. High development costs are a deterrent to expanding irrigated rice in Africa. Lack of capital and stable economic policies restrict long-term investment in irrigated rice in Latin America, despite the availability of vast land and water resources.

The accumulation of greenhouse gases in the atmosphere is warming the planet, resulting in changes in the global climate (IPCC, 2001). In 1992, Downing reported that the core agricultural zone in Zimbabwe would be reduced by 67 percent with a 2°C temperature increase (Downing, 1992). A later report also suggested that agricultural land in the low latitude tropical climate regions may be hardest hit by temperature increases (Rosenzweig and Iglesias, 1994). Recently, Darwin *et al.* (2005) estimated that the amount of land classified as "land class 6", which is the primary land class for rice, maize, sugar cane and rubber in tropical areas, would decline by 18 to 51 percent in the next century as a result of global warming.

Increasing the productivity of the rice systems has proven an effective means of conserving water and of decreasing greenhouse gases in wetland rice systems by reducing the area under production. The large-scale adoption of hybrid rice (about 50 percent of total rice area) permitted China to increase production from 128 million tonnes in 1975 to 191 million tonnes in 1990, while reducing the rice harvested area from 36 million ha in 1975 to 33 million ha in 1990 (Nguyen, 2004). Increase in productivity has translated into a substantial reduction in the total amount of water consumed in rice production. The practice of intermittent irrigation is also expanding as a potential alternative to the relatively high rate of water consumption in fully flooded irrigated rice.

II. 2 Changing policy, trade and market agreements

Historically, rice trade has accounted for only a small amount of world rice production; until recently, it was considered relatively unimportant. Rice is generally thought of as the "most protected" crop since governments have historically intervened in pricing, inputs supplies, procurement and trade. However, trade in rice has grown into a major international business with global rice trade amounting to over 26 million tonnes (milled) in 2004 and it is projected to continue to grow (Calpe, 2005). The rice

protection policies in both developing and developed countries are frequently becoming contested issues in world trade negotiations. The trade liberalization policies resulting from the Uruguay Round of the GATT conference in the late 1990s are often considered to be the driving force behind the rapid increase in rice trade. Likewise, failure to reach an agreement at the WTO-Cancun meeting was precipitated by agriculture, and rice trade was a major issue. Market access and export subsidies are major issues still to be resolved. Domestic price support is also an important issue that appears to be difficult to negotiate due to the historical importance of rice as a food and source of income in many major rice-producing countries. Although international rice trade is still relatively small and accounts for only 7 percent of world production, trade has been shown to assist in reducing large fluctuations in national rice price and has had a calming effect on world prices.

National rice policies are in a continuous state of evolution, and more changes are anticipated as world production and consumption equalize and other sectors of the economy become increasingly important in the major rice-producing countries. Consequently, rice is no longer viewed as just a subsistence crop in the world market but increasingly as a tradable commodity. Recent studies reported that complete trade liberalization would increase rice trade by between 7 and 73 percent (depending on grain type), increase export prices by 2 to 91 percent, but decrease consumer prices by 18 to 27 percent. Total economic gain from complete liberalization would amount to US\$7.4 billion annually with over two-thirds of the gains going to importing countries or rice consumers (Wailes, 2004). This illustrates the potential economic gains and losses involved in rice trade agreements. Although it has not been quantified, similar reductions in government subsidies in the United States of America and Europe would have major impacts on world trade and rice prices.

II. 3 Diminishing labour supply and increased concern for environmental conservation

Rice cultivation in many countries is labour-intensive. Labour shortages are being experienced in many rice-producing areas, especially those near urban centres, as farmers migrate to seek more lucrative employment in other sectors of the economy. The labour supply for rice production is diminishing in a number of Asian countries (Pingali, Hossain and Garpacio, 1997). Farm mechanization will be required to sustain rice production as migration from rural to urban areas increases with industrial development. There is a need to foster sustainable mechanization, which is environmentally friendly, ecologically sound and less resource demanding. Direct seeding is growing in popularity in Asia due to labour shortages for transplanting. Direct seeding requires rice varieties with thicker stems and which are less susceptible to lodging, as well as better land levelling and preparation to ensure adequate plant establishment.

Environmental considerations play an increasingly important role in rice production. Contamination from pesticides and fertilizers is under close scrutiny; programmes such as integrated pest management and integrated nutrient management offer viable alternatives. Reduced subsidies for fertilizers will require greater efficiency; this in turn will change cultural practices. In general, the major rice-producing countries have low N-use efficiency. Technology for higher N-use efficiency is available, but has not been adopted by most rice producers. New paradigms in technology transfer are

required to expand the use of proven technologies in pest management, fertilizer usage and water management.

II. 4 Shifting consumer preference and malnutrition in rice-consuming populations

Nutritional value is normally not considered a qualitative factor. The nutritional contributions of rice were reviewed extensively in the 2002 IRC session (Kennedy, Burlingame and Nguyen, 2003). Essentially, rice in developing countries is an important source of carbohydrates, accounting for between 27 and 50 percent of the dietary energy supply, a major source of protein, supplying 20 to 50 percent of the dietary protein requirements, and a significant source of fat, supplying 3 to 27 percent of the dietary requirements. The variation in meeting dietary requirements is explained by the wide range in rice consumption. In countries such as China and India, rice supplies approximately 9 to 17 percent of the recommended nutrient intake (RNI) of calcium, foliate and iron and nearly 20 percent of the RNI of zinc. In general, rice contains adequate levels of B vitamins (thiamine, riboflavin and niacin) but contains little vitamin C, D or beta-carotene (vitamin A). The bran contains the highest level of dietary fibre, minerals such as Ca, K, Fe, Zn and P, as well as most of the B vitamins. Consequently, rice processing (milling and polishing) significantly reduces the nutritional quality of rice. Most high-yielding varieties contain less than 1.5 mg iron/100 g, but germplasm has been identified containing twice this quantity (Graham *et al.*, 1999; Juliano, 2003). However, iron nutrition is complex and a major problem is the low bioavailability (often only about 18 percent). In addition, there are numerous inhibitors of iron absorption, including phytic acid, polyphenols, vegetable proteins and calcium, as well as enhancers of absorption that include ascorbic acid, organic acids and animal tissues, i.e. meat, fish and poultry.

Extensive research is underway to improve the nutritional quality of rice, using both conventional breeding methods and biotechnology. Variation within the species permits the use of conventional breeding methods to improve nutritional characters thereby avoiding the difficulties with genetically modified organisms (GMOs) (Graham *et al.*, 1999; Kennedy, Burlingame and Nguyen, 2003). Data in Table 1 show a wide range of protein content in rice varieties around the globe. Similarly, Senadhira, Gregorio and Graham (1998) reported large variations in the zinc and iron content between grains of different rice varieties. Attempts to improve beta-carotene content led to the "Golden Rice" phenomenon in the mid-1990s, but the difficulties encountered in engineering led to delays in its commercial development. Many of these difficulties may now have been resolved and new research is promising, pointing to higher levels of beta-carotene (Beyer *et al.*, 2002). Efforts are also underway to increase iron content via several methods including genetic modification using the ferritin gene from the common bean (Lucca *et al.*, 2000). Although much of this work is at an advanced stage, a major limitation remains consumer acceptance of GMO rice.

TABLE 1 Protein content in grains of rice planted around the globe

Source	Sample number	Range of protein content (%)
<i>Oryza sativa</i> L.	2 674	4-14
• Asia	1 626	4-14

• Australia	24	5-10
• North America	190	4-13
• South America	301	5-13
• Europe	233	5-13
• Africa	300	5-11
<i>Oryza glaberrima</i> Steud	195	9-14

Source: Juliano and Villareal, 1993 (adapted).

Higher incomes as a result of developments in the manufacturing sector are leading to greater demand for higher quality rice. The price of aromatic rice such as Basmati and Khao Daw Mali is much higher than that of HYVs (high-yielding varieties) and the demand for aromatic, soft and long-grain rice continues to increase with improvements in the income of rice-consuming populations, especially in many European countries (Ferrero and Nguyen, 2004). Currently, high quality rice accounts for 75 percent of international rice trade (Calpe, 2005). Rice breeders will have to be more stringent on grain quality characteristics to meet the requirements of sophisticated consumers.

II. 5 Emerging partnerships in research and development

The contribution to rice producers and consumers from research conducted at the international research centres under the CG (Consultative Group [on International Agricultural Research]) system is large and unquestionable. Both the consumer and the producer have benefited tremendously from the advances made in research. Further refinements in pest and disease resistance breeding and improved grain quality have added further value to the high-yielding plant types that drove the Green Revolution in the 1960s and 1970s. The worldwide benefits of the Green Revolution were seen in the yield increase of 1.7 tonnes/ha (Figure 2). Although not readily apparent, agronomic research conducted following the Green Revolution is the primary factor fuelling current yield increases.




FIGURE 2 Trend in world rice yield, 1970-2005 (*Source: FAOSTAT, 2005*).

The CG centres have fostered closer collaborations with national programmes and non-traditional partners, partly as a result of the reduction in resources. The participatory approach to research has helped the centres focus more sharply their research activities. Furthermore, centre-wide initiatives were introduced to reduce duplication of efforts and more cost-effective research programmes. The CG centres have historically been the source of new technologies; current research from these centres and elsewhere will contribute to the continuing effort to further increase rice production that is less resource demanding and less damaging to the environment.

Public sector research and extension programmes have traditionally assumed responsibility for national enhancement of rice production in many countries. In Latin America, however, the demise of the public sector efforts during the 1990s due to structural readjustments resulted in the surfacing of a national growers association as a primary conduit for rice research and development. Currently, the private sector accounts for nearly 80 percent of all expenditures on rice research and development in Latin America. A similar retraction in public sector support to rice has occurred in much of Asia, but the private sector has not often assumed a stronger role in rice development. Little funding is available for laboratory-level or on-farm research activities.

The private sector is an untapped resource for rice development. Private seed companies, fertilizer suppliers, pesticide companies etc. depend on an economically successful farmer to be successful themselves. The advancement of technologies that increase farmer profits also produces increased sales of essential inputs. Recently, non-governmental organizations and the private sector have begun to actively invest in rice research, especially in the field of rice biotechnology (Brookes and Barfoot, 2003).

Policy-makers as well as researchers and extension personnel, therefore, need to examine alternative means of support for vital rice research and development. State and

district governments are assuming more of a role in several countries, NGOs are operating in all areas of development, input suppliers have a vested interest in the advancement of rice, and millers require paddy to operate. Establishing partnership linkages within the rice chain to pool revenue for research and development is feasible, since all sectors have a vested interest in the success of the crop. Promoting research and development through growers associations is an attractive alternative. For example, FLAR (Latin American Fund for Irrigation Rice) not only derives funds for rice research and development from producers and millers but it has established agreements with commercial seed and chemical companies. Expanding and widening partnerships among the public sector, NGOs and the private sector will be a central challenge for rice research throughout the world. The FLAR model should be examined by other countries.

III FROM CONCEPT TO PRACTICE: CASE STUDIES ON CLOSING THE YIELD GAP IN IRRIGATED RICE PRODUCTION

The Nineteenth Session of the International Rice Commission in 1998 directed special attention to the yield gap in irrigated rice and noted that bridging the yield gap was the most appropriate means of increasing yield and profitability in the highly productive irrigated sector. Subsequently, FAO (Rome) organized in 2000 in Italy an Expert Consultation on Bridging the Yield Gap that provided a forum for analysing the extent of the yield gap in the major rice-producing regions and developing action plans for addressing the problem. These two events combined with the Twentieth Session of the IRC provided the basis for formulating the concept of rice integrated crop management to enhance productivity in irrigated rice, which was then articulated by the Secretariat of the International Rice Commission (Nguyen, 2002; Clampett, Nguyen and Tran, 2003). After the Nineteenth Session of the Commission, FLAR with assistance from the Common Fund for Commodities (CFC) commenced efforts to close the yield gap in several Latin American countries, while FAO has assisted Indonesia, the Philippines, Thailand and Viet Nam in initiating activities in integrated crop management and technology transfer. The International Rice Research Institute (IRRI) in collaboration with Indian institutions has also undertaken activities to address the yield gap problem. Finally, a new “compost-based” concept for smallholders emerged from Madagascar and is referred to as the System of Rice Intensification (SRI). While the activities are being pursued by different organizations, often with distinct methods, they all have the common objective of increasing on-farm yields through the use of improved crop management.

III. 1 Asian case studies

Improved crop management programmes are also being implemented in several Asian countries, including the Philippines, Indonesia, Viet Nam and India. The programmes are being implemented by several institutions using different technologies and methods of technology transfer. Results from several of the countries are presented in the 2005 issue of the International Rice Commission Newsletter (Vol. 54).

Indonesia. Much research, development and assessment of integrated crop management (ICM) has been carried out by numerous national institutions in Indonesia during the last 5 years (Abdulrachman, Las and Yuliardi, 2005). The programme has

evolved from a discipline-oriented on-farm research programme into an active integrated extension programme that utilizes ICM as a methodology with a set of principles for guiding farmers in managing the rice crop with emphasis on the following areas: (1) selection of rice variety for high yield and use of quality seed; (2) planting of young and healthy seedlings; (3) incorporation of organic manure and basal fertilizer prior to transplanting and use of the leaf colour chart for predicting the need for nitrogen top-dressing; (4) use of intermittent irrigation; (5) frequent mechanical weeding; and (6) control of pests and diseases based on regular field observations. The rice ICM system was first evaluated in Grobogan District, Central Java in the wet season (Nov.-Feb.) of the 2000/01 cropping season. In the 2001 dry season, the assessment became part of the National Integrated Crop Management Network of the Indonesian Agency for Agricultural Research and Development (IAARD) and was conducted in seven provinces. In 2002, the Integrated Rice Development Project (P3T) was initiated and developed in 31 districts, located in 14 provinces. The assessment of the impact of the application of rice ICM system during 2001/02 showed that the application of ICM methodology positively increased yield in 25 villages (out of the 26 villages assessed), with yields increasing by more than 20 percent in 13 villages (Table 2). The programme found that new varieties, seed treatment and rodent control were the preferred features of the ICM programme. In contrast, use of the leaf colour chart, organic fertilizer and soil analysis to predict P and K requirements were least accepted by growers.


TABLE 2 Range of yield changes due to application of ICM methodology in 26 villages in Indonesia during three cropping seasons, 2001-02

Range (%) of yield change due to application of ICM	Number of villages
Increase of > 30% to < 50%	6
Increase of > 20% to < 30%	7
Increase of > 10% to < 20%	8
No increase	4
Decrease of > 3%	1
Total number of villages under observation	26

Philippines. The Philippine Rice Research Institute is implementing a rice integrated crop management system, referred to as PalayCheck (Cruz *et al.*, 2005; Olvida, 2005; Publico, 2005). The programme is based upon the application of key checks similar to the Australian RiceCheck programme. Technological interventions consist of eight checks, namely: use of high quality seed; land levelling; reduced density and early transplanting; use of leaf colour chart for monitoring N nutrition; monitoring of panicle size and density; water management; control of pests, diseases, insects and weeds; and harvest at early maturity. A large number of on-farm demonstration plots show that full compliance with the checks results in yields of over 8 tonnes/ha compared to an average of 4.5 tonnes/ha with conventional crop management (Figure 3). Yield is highly related to adoption of the key checks and ranges from about 4 tonnes/ha from farmers who achieved three key checks to over 8 tonnes/ha from farmers who achieved all key checks. Similarly, gross profit margins nearly doubled from US\$421/ha to US\$828/ha due mainly to increased yield. Although some farmers reported high yields, especially during the dry season, the overall impact was limited because the checks were only partially adopted; only 20 percent of the farmer-cooperators followed all eight recommendations. Farmers seldom adopt technologies as "packages"; they normally select component practices that they view as more important.

Adoption of several practices (in this case, eight) requires time and much effort. Therefore, during the initial phase of introducing the technologies, it may be necessary to reduce the number of technological interventions resulting in a simpler technical message.

FIGURE 3 Yield increase in the Philippines during wet season related to adoption of various improved management practices (checks)



Source: Cruz *et al.*, 2005 (adapted).

Viet Nam. Viet Nam is employing an integrated crop management programme called "3 Increases, 3 Reductions" (Pham, Trinh and Tran, 2005). The application of this programme follows a participatory approach in which the technology is introduced, tested and subsequently modified based on farmer experience. The programme has not to date resulted in substantial increases in rice yield. Yield increases ranged from 1.7 to 6.3 percent in three cropping seasons in two districts during 2002-04. However, the programme reduced production costs as a result of the decrease in the quantities of fertilizers, pesticides and seed; there were also improvements in grain quality. Rice produced with the "3 Increases, 3 Reductions" programme was cleaner as a result of the lower incidence of disease infection resulting in higher whole grain yield from milling. As a result, profits increased from US\$44 to US\$64/ha/season (Pham, Trinh and Tran, 2005).

India. Collaboration between IRRI and Indian scientists led to the development of an ICM programme incorporating technologies from various sources. The ICM programme is built upon five management factors: early transplanting (4-leaf stage); one seedling per hill; square transplanting (0.225 × 0.225); early and frequent mechanical weeding; and intermittent irrigation (Balasubramanian *et al.*, 2005). Yield increase on research farms using the five management factors ranged from 35 to 48 percent. Removal of a single component caused the following yield depressions: 19 percent due to late weeding; 16 percent due to transplanting older seedlings;

14 percent due to transplanting more than one seedling per hill; and 10 percent due to infrequent irrigation. On-farm demonstration plots reported yield of 6.6 tonnes/ha with ICM and 4.4 tonnes/ha with conventional management, or a 50 percent yield increase. Profits increased more than threefold from US\$105/ha to US\$369/ha due to improvements in crop management. The programme is currently developing procedures for widespread dissemination of the ICM technologies.

III. 2 Latin American case studies

Following the recommendations that emerged from the Nineteenth Session in 1998 and the Expert Consultation on Bridging the Yield Gap (FAO, Rome) in 2000, FLAR obtained assistance from the Common Fund for Commodities (CFC) to initiate efforts to bridge the yield gap in several Latin American countries. The following is a summary of the results of this effort in southern Brazil, Venezuela, Costa Rica and Nicaragua.

Rio Grande do Sul, Brazil. Average irrigated rice yield in the State of Rio Grande do Sul in southern Brazil stagnated at 5.2 tonnes/ha in the last 15 years. In 2003/04, FLAR, in collaboration with the state rice growers association, Instituto Rio Grandense do Arroz (IRGA), initiated activities to improve yield through the introduction and promotion of improved crop management (Pulver and Carmona, 2004). The salient features of the technical intervention focus on six strategic management practices: planting date to expose the crop to high solar radiation during the reproductive period; reduced seeding density to produce healthy plants that are less susceptible to lodging with less incidence of foliar diseases; improved pest management based upon insecticide treated seed; balanced nutrition in sufficient quantities for high yield; early weed control; and appropriate irrigation water management. The six practices must be applied in an integrated manner and with precision. Simply adopting one or two of the improved practices and omitting others does not result in the anticipated increase in yield. Likewise, applying the practices but at an inopportune time or under an inappropriate condition does not produce the desired results.

In the first year of the project (2003/04), demonstration plots were established at 17 sites. Farmers who applied all the practices with precision obtained an average yield of 9.7 tonnes/ha, which is 4 tonnes/ha greater than the regional average and 3.5 tonnes/ha greater than the adjacent commercial fields of the participating farmer (Table 3). From the demonstration plots, established at two sites of commercial size, yields of 12 tonnes/ha were recorded. These are the highest yields that have ever been reported in the state and clearly show that very high yields are feasible even with currently available varieties when accompanied by improved crop management.

TABLE 3 Summary of yields obtained with the most appropriate technology in demonstration plots established on farms with farmer leaders

Region	Yield (tonnes/ha)			
	District average	Farmer yield	Improved crop management	Yield increase over district average
Fronteira Oeste Region - 7 sites	5.9	6.7	10.0	4.1
Campanha Region - 2 sites	5.5	5.5	10.0	4.5
Depressão Central Region - 5 sites	5.6	5.8	9.0	3.4
Average of all regions - 14 sites	5.7	6.2	9.7	4.0

Source: Pulver and Carmona, 2004 (adapted).

In the second year, the programme expanded to cover 52 sites. The mean yield of demonstration plots comprising over 8 000 ha was 9.1 tonnes/ha (2.3 tonnes/ha greater than commercial fields on the same farm) (Table 4). Growers who adopted all the practices but not in the degree required had an average yield of 7.8 tonnes/ha (1.6 tonnes/ha greater than the regional average during the same season). These farmers generally did not reduce the seeding density to the required level. Growers who partially adopted the improved practices obtained a yield of 7.1 tonnes/ha (1.0 tonnes/ha greater than the regional average). Finally, growers who attended only one or two field events and attempted to use the technology but in an imprecise manner reported an average yield of 6.5 tonnes/ha, representing a yield increase of only 0.8 tonnes/ha above the regional average. The varying level of success, depending upon the degree of adoption of the technology, is similar to the yield responses experienced with the adoption of "production checks", popularized by the Australian RiceCheck programme.

TABLE 4 A summary of farmer participation, adoption of improved practices and the resulting impact on yield, production and income for the 2004/05 cropping season

All 2004/05 season	Regions No. farmers	Area (ha)	Yield (tonnes/ha)	Yield increase (tonnes/ha)	Production increase (tonnes)
Farmer Leaders	52	8 467	9.1	2.3	19 124
Farmers with assistance	115	25 805	7.8	1.6	42 291
Farmers without assistance	268	52 107	7.1	1.0	53 154
Indirect participants	1 171	114 209	6.5	0.8	92 247
Total	1 606	200 588			206 816
Value of increased production @ US\$150/tonne					31 022 400
Increased income/farmer					US\$19 317

Source: Pulver and Carmona, 2005 (adapted).

In just two growing seasons, the programme incorporated 1 600 farmers over an area of approximately 200 000 ha into the improved crop management programme. The large number of participants and the rapid adoption of the technology are principally due to the extension methodology employed, that is, the "farmer-to-farmer" method. This system is based on farmer-to-farmer exchange, resulting in the autonomous diffusion of technologies. In addition, the use of large-scale demonstration plots

provides convincing evidence that the technology being transferred is relevant, easily adjusted to different conditions and simple to adopt.

Venezuela. During the last two decades, the mean rice yield in Venezuela has remained stagnant at 4 to 4.5 tonnes/ha. In the 2003 season, the CFC/FLAR project commenced, providing assistance to the national rice growers association (FUNDARROZ) with the objective of developing a coordinated technology transfer system (Pulver and Rodriguez, 2004 and 2005). The project collaborates with eight organizations, accounting for approximately 115 700 ha of irrigated rice (nearly 80 percent of the total rice area in the country). During the 2003/04 dry season, demonstration plots with improved management technology gave excellent yields, often exceeding 9 tonnes/ha. The agronomic practices that resulted in improved yields were based on four concepts: date of planting that permits the crop to receive maximum solar radiation during the reproductive phases; N fertilizer management resulting in high N efficiency; early weed control; and improved irrigation water management. In the second year of the project, two additional practices were added: the use of insecticide-treated seeds to control insect outbreaks during crop establishment; and lower planting density to reduce foliar disease and cost of treated seeds.

National yields in Venezuela are increasing at a faster rate than in any other Latin American country (FAOSTAT, 2005). The current national yield of 5.2 tonnes/ha is approximately 0.5 tonnes/ha greater than the national average prior to the CFC project. Numerous demonstration plots as well as commercial fields have demonstrated that yields of 6 to 7 tonnes/ha are readily feasible during the rainy season and yields of 8 to 10 tonnes/ha are obtainable during the dry season when solar radiation is abundant.

Costa Rica. Mean irrigated rice yields in Costa Rica have stagnated at about 4 to 4.5 tonnes/ha over the last 15 years. In the 2003/04 season, demonstration plots were established using the six strategic management practices developed for Venezuela, but modified to suit local conditions. On two cooperating farms on a semi-commercial area, yields of 7.5 tonnes/ha (approximately 3.5 tonnes/ha greater than the national average yield under irrigation) were obtained (Oviedas, 2005). In the 2004/05 season, the improved practices were extended to six commercial farms and 1 500 ha were planted using the six strategic practices, resulting in an average yield of 6.5 tonnes/ha (2.3 tonnes/ha greater than the national average). In the same season, demonstration plots planted on the same farms using "best management practices" gave an average yield of 7.6 tonnes/ha over an area of 360 ha (3.4 tonnes/ha greater than the national average) (Figure 4). The "best management practices" are essentially further modifications of the six strategic practices for Costa Rican conditions.

Nicaragua. Yields in the irrigated production system were approximately 4 tonnes/ha during the last decade. During the last two seasons, the FLAR/CFC project in collaboration with the national rice growers association (Asociación Nicaragüense de Arroceros - ANAR) introduced improved crop management practices. The technology consisted of the same six strategic management practices described for Brazil and Venezuela, but adjusted to the conditions of Nicaragua. In the 2003/04 season, the technology was introduced on one commercial farm. Yield with improved management was 9.7 tonnes/ha (5.3 tonnes/ha greater than the national average under irrigated conditions). In the second season, the same technology was extended to four commercial farms. The average yield of the "best management practice" farms was

9.9 tonnes/ha (Pulver, Bejarano and Mendez, 2005). Participating farmers also began utilizing the technology and reported an average yield of 7.4 tonnes/ha. These yields are 3 to 5.5 tonnes/ha greater than the national average (Figure 5).

FIGURE 4 Summary of yields in Costa Rica with improved crop management (2004/05) compared to historic yields





FIGURE 5 Yield of irrigated rice in Nicaragua under various levels of crop management



III. 3 African case study

The system of rice intensification (SRI) was developed in Madagascar in 1986 and has recently been spreading to Asia (Stoop, Uphoff and Kassan, 2002 and 2004; Stoop, 2003; Uphoff, 2005). SRI is based upon early transplanting of clean seedlings, careful attention to transplanting to avoid root injury, transplanting at pre-determined

spacing (0.25×0.25 m in unfertile soil and up to 0.50×0.50 m in fertile soil), frequent hand weeding before canopy closes, use of large amounts of compost or organic amendments, and intermittent irrigation to maintain the soil constantly moist during the vegetative stage followed by flooded conditions during reproduction. The SRI system has been called unconventional even though the technology employed has been well known for decades (Doberman, 2003; Sinclair, 1993; Sheehy *et al.*, 2004). Use of high quality seed is known to provide a yield advantage of 10 to 15 percent; transplanting before the 4-leaf stage increases yield by approximately 16 percent (Balasubramanian *et al.*, 2005); a weed-free environment is essential for high yields; and numerous sources of organic matter contain sufficient nutrients for high yields if applied in sufficient quantity.

Intermittent irrigation is feasible if weeds can be controlled manually. Intermittent irrigation has been practised for decades in the Tolima area of Colombia and high yields are the norm, often exceeding 10 tonnes/ha. However, weed control costs often reach US\$400/ha due to dependence on chemical weed control and the need for repeated applications in the absence of flooded conditions to provide residual weed control. This does not appear to be a limitation for small farms, which are the focus of the SRI programme and where frequent hand weeding is feasible. Management of inorganic N fertilizer (urea) is a major problem without the water control provided by flooded conditions. Ammonia volatilization is a huge problem with surface applications of urea; it can be significantly reduced by applying urea on the dry soil surface followed by establishing a permanent flood to prevent nitrification/denitrification. In contrast, nutrients derived from the degradation of organic compost are essentially "slow release" with minimum losses. Some composted materials contain high levels of nutrients (e.g. chicken manure), and if applied in sufficient quantity they provide adequate nutrients to support high yields. However, not all compost is rich in nutrients, especially N. Given the wide variation in nutrient content of diverse compost, the SRI programme requires a more precise definition of suitable organic compost.

III. 4 Summary of case studies

The case studies from several countries in Asia, Latin America and Madagascar implemented under distinct socio-economic settings, employing different technologies and methods of transfer have several features in common:

I. High yields of irrigated rice are readily obtainable with improved crop practices utilizing current varieties. Yields in on-farm demonstration plots and commercial area in southern Brazil routinely surpass 10 tonnes/ha and yields as high as 12.3 tonnes/ha have been obtained. Yields in Venezuela in the dry season often surpass 10 tonnes/ha in large areas. In Nicaragua, yields of over 12 tonnes/ha have been recorded in on-farm demonstration plots. In the Philippines, a yield of 11 tonnes/ha was recorded in demonstration plots using the PalayCheck technologies. Similarly, high yields often exceeding 8 tonnes/ha have been reported in lowland rainfed rice in Indonesia when grown under improved management. The SRI programme has also reported exceptionally high yields. An eminent rice scientist stated that the yield increases due to improved crop management are comparable to the yield advances experienced during the Green Revolution and referred to the advances occurring in crop management as the "Agronomic Revolution" in rice (Jennings, 2004).

2. Observations from Asia and Latin American countries indicate that varieties are not the only limitation to improved yield. Currently available varieties are capable of yielding over 10 tonnes/ha and farmers are exploiting less than 50 percent of the yield potential of available genetic material. The yield gap – the difference between yield potential and actual yield – is due to lack of application of improved crop management practices. New genetic material will only be beneficial if accompanied by improvements in crop management; otherwise, yield expression will be limited by deficiencies in crop management, as has been the case since the Green Revolution. On the other hand, improved crop management offers the opportunity for plant breeders to develop genetic material with higher yield potential. For example, FLAR breeders, recognizing the yield limit of current varieties, have adjusted their breeding programme to focus on identifying genetic material with higher yield potential to link to improved crop management.

3. High yields are more feasible in more favoured ecologies. Irrigated areas are easier to impact than less favoured ecologies; albeit, advances have also been reported in the lowland rainfed ecology. Within the irrigated sector, high yields are dependent upon adequate solar radiation. Yield advances are more frequently recorded during the dry season in the tropics or in temperate environments, where solar radiation is not a yield-limiting factor. Yield during the wet season in the tropics is limited, most probably due to low levels of solar radiation. All high-yielding environments, such as California, Australia, Egypt, coastal Peru and the southern cone of South America, also exhibit high levels of solar radiation. Under tropical conditions, adjusting the planting date to encounter high solar radiation during the critical phase of panicle initiation to flowering is one of the primary factors resulting in high yields reported in the case studies in Latin America.

4. Focusing production during the dry season and under irrigation presents opportunities for alternative uses of land resources during the wet season and in less productive ecologies. At current rice prices, production during the low-yielding wet season and in stressed ecologies may often not be economically viable. Rice prices have been declining for decades and as production and consumption equalize, there will be more pressure for lower paddy prices (Dawe, 2004). The low level of return on labour in rice production often confines farmers to poverty. Use of simple water harvesting techniques permits production during the high solar radiation dry season. Also alternative land use and income-generating practices are required. Fish production may provide more income than rice during the wet season. Livestock rotated with rice is an attractive alternative in many areas and is already widely practised in the temperate regions of Latin America. In Asia, traditional thinking encourages rice production during the monsoon season since rice can tolerate excessive water. However, further yield improvement during the wet season may be limited due to the low level of solar radiation. More thought is required to identify alternatives to rice farming during the solar-radiation-limiting wet season and other less favoured ecologies.

5. To date, the efforts in integrated crop management have been carried out mainly by FAO and some government institutions in four Asian countries, by IRRI and institutions in India, and by FLAR in Latin America (as well as growers associations in a number of countries). The transfer of SRI was carried out by conservation groups and NGOs. Traditionally, technological developments in rice were derived primarily from research activities at the CGIAR centres. The CG system may have over-emphasized

variety development at the expense of crop management following the success of the Green Revolution resulting in a missed opportunity and decades of yield stagnation, especially in the high-yield-potential irrigated system (Jennings, 2004).

Variety improvement merits sustained attention in order to address the yield potential barriers. Varieties with higher yield potential will be essential for a sustainable increase in rice production under conditions of diminishing land and water resources and taking into account the potential impacts of climate changes such as high temperature regimes and increased area under tidal influence due to the rising sea level. The achievement of mapping the rice genome in 2002 creates new opportunities for the application of genetic resources in rice variety improvement by allowing scientists to identify and functionally characterize the genes and biochemical pathways that are responsible for agronomic performance, resistance to biotic and abiotic stress and consumer quality (Khush, 2004).

III. 5 Outstanding issues in extension of crop management practices

Efficient and effective technology transfer programmes. The case studies provide convincing evidence that there are major differences between the transfer of improved crop management practices and simply introducing new varieties. Seed-based technologies are relatively easy to introduce and expand due to farmer-to-farmer exchange of seed. In contrast, improved crop management is "knowledge-based" and considerable effort is required to educate growers. Farmer-to-farmer exchange is often important but must be accompanied by a continuing educational process. Agronomic practices are not "fixed" like genetic traits and must be modified for different environments and frequently refined for distinct conditions within a particular farm. This requires in-depth knowledge of crop management by the farmer. How to teach millions of farmers with varying degrees of education remains a major challenge facing the rice sector.

Attention and resources have been directed towards the spread of high-yielding varieties. International germplasm testing programmes have been operative for decades. In contrast, there has been little attention to crop management and the identification of effective and efficient technology transfer programmes. The rice sector has limited knowledge of the farmer decision-making process, methods of educating growers, and means of sustaining extension activities, with the result that there is much "trial and error" in technology transfer. There are several examples of successful technology transfer programmes that are suitable for particular socio-economic settings, but it would be naïve to assume that systems developed in one particular country will function similarly in other countries with distinct socio-economic conditions. However, even with these limitations there are concepts that may be applicable to successful technology transfer programmes. These universal concepts need to be more clearly identified, adjusted to particular socio-economic conditions and assembled into a structured extension service. It is recommended that the International Rice Commission and its partners take a lead role in defining more efficient and effective technology transfer programmes to extend the use of improved crop management practices.

Improved N management. N fertilizer is an essential ingredient for high yields in rice production. Increased costs for N-based fertilizer present a serious problem for advocating adequate N rates for high yields, and the environmental consequences of

inefficient use are also a major concern. The problems associated with low N efficiency were highlighted at the Twentieth Session of the Commission. In Asia, FAO, IRRI and some member countries have promoted the use of the leaf colour chart for N top-dressing. Programmes in Latin America have incorporated practices to enhance high N fertilizer efficiency in the technology transfer efforts. SRI also places emphasis on more efficient N management through the use of organic compost. Technologies for N efficiency are available and need to be a component of all technology transfer programmes. In many African countries, high fertilizer prices make highly efficient management practices essential in order to compete with imported rice.

Research in crop management. Research in agronomy has not received the attention required; there is an imbalance in resource allocation which favours genetic improvement. This appears to be a consequence of the success of the Green Revolution, but the substantial decline in the growth rate of rice yield indicates that factors other than varieties are limiting yield. A host of factors require further research, for example, nutrient management for high yield, the role of climatic factors, date of planting, irrigation water management, and pest and disease control. Research on identifying improved crop management practices is out of date or lacking at both international and national level. Agronomic constraints to improved production are often erroneously thought to be "site specific", precluding a concerted research effort at the international research centres. However, recent efforts show that the major constraints to improved crop management are widespread and it is inefficient to address the factors on a country-by-country basis without networking and sharing experiences.

IV TECHNICAL OPPORTUNITIES FOR SUSTAINABLE RICE PRODUCTION IN THE MEDIUM TERM (2006-2010)

The current challenge is to find ways to continue increasing yields without putting pressure on the environment. Farmers who adopted high-yielding rice varieties obtained a major increase in yield but it was a one-time event; that is, once the new varieties were adopted there was no subsequent yield increase. The spread of rice cultivation into new areas, such as sub-Saharan Africa, presents yet another challenge to the scientific community. Even with the increased amount of land dedicated to rice, production has not kept pace with demand. This is further complicated by the low-input production systems in sub-Saharan Africa. Low-input results in low yield and subsequently high-cost-per-unit output. With this scenario it is difficult for small, poor farmers to compete in the market place against cheaper imported rice. Some low-lying areas in Asian countries with monsoon rainfall patterns are not suited for growing anything but rice in the rainy season. Trends certainly indicate that the demand for rice will continue to grow, but the issue is how to maintain small farmers in rice production if yields are so low that they cannot compete in an open market situation.

Improved field management can result in significant yield increases, comparable to the advances witnessed during the Green Revolution. However, in order to improve management, farmers must be exposed to the new crop management technology and this implies considerable resources for extension and farmer training. In addition to the closing of the yield gap with efficient transfer of improved crop management practices, as discussed above, there are also readily available technical options for assisting rice farmers. The most prominent are described below.

IV. 1 Hybrid rice

Hybrid rice was first cultivated commercially in China in 1976 and yielded approximately 15 percent more than high-yielding varieties. Most recently, "super hybrids" have been developed that further increase yield by 20 percent. Hybrid rice increased annual production in China from about 128 million tonnes in 1975 to 191 million tonnes in 1990 (i.e. an increase of more than 60 million tonnes), while during the same period, the rice harvested area was reduced from 36 to 33 million ha. In 2004, more than 15 million ha in China and 1.5 million ha in other areas of Asia were planted with hybrid varieties. The area planted to hybrid rice in Asian countries outside China, however, represents only a small fraction of the total rice area (Table 5), indicating the major potential for adoption of hybrid rice to increase rice production. Outside Asia, hybrid rice varieties have also been successfully developed and used in the United States of America (Way, 2004). Recently, hybrid rice varieties suitable for a subtropical climate have been successfully developed in Egypt (FAO, 2003b). However, the high price of F1 seeds due to limited production remains a serious limitation to the widespread use of hybrids. Genetic uniformity and vulnerability remain a concern with current hybrids due to a common source of cytoplasmic male sterility.

TABLE 5 General situation of the commercial hybrid rice cultivation in Asian countries outside China, 2002-04

	Hybrid rice area (ha)			National rice area in 2004 (million ha)	% national area covered by hybrid in 2004
	2002	2003	2004		
Viet Nam	500 000	600 000	650 000	7.40	8.8
India	200 000	290 000	560 000	42.50	1.3
Philippines	27 943	-	192 000	4.00	4.8
Myanmar	1 294	54 656	54 656	6.00	0.9
Bangladesh	-	-	40 000	11.00	0.4
Indonesia	-	-	875	11.70	n.a.
Sri Lanka	-	-	15	0.75	n.a.
Total	-	-	1 497 546		

Source: Nguyen, 2005.

IV.2 New Rice for Africa (NERICA)

NERICA rice was developed by plant breeders at The Africa Rice Center (WARDA), combining African rice varieties already adapted to the local environment with Asian varieties that have high yield potential. NERICA is drought-tolerant and can increase yield by 30 percent over traditional African varieties (Jones and Wopereis-Pura, 2001; Defoer *et al.*, 2004). Its short growing season (approximately 15 days shorter than that of other varieties) is especially important in sub-Saharan Africa where farmers can schedule their planting and harvesting to take advantage of the short rainy season in drought-prone areas. This also allows farmers to grow a second crop (e.g. legumes) that, when alternated with rice, helps maintain soil fertility. Although developed mainly for the rainfed uplands, researchers hope to develop other varieties of NERICA for irrigated and lowland systems. West and Central Africa boast some 20 million ha of inland valley swamps which are well suited for rice production, but less than 20 percent is used at present. With the initial support of the United Nations Development Programme (UNDP), WARDA and FAO, the governments in sub-Saharan Africa established the Africa Rice Initiative (ARI) in 2002 to promote the dissemination of NERICA rice. Recently the African Bank of Development approved a US\$35 million multinational project for NERICA dissemination in sub-Saharan Africa (Akintayo, 2005). Also, the Government of Japan has approved funding support for the FAO projects on the dissemination of NERICA and improved rice technologies in Ghana, Sierra Leone and Uganda.

IV.3 Progress in advanced breeding and rice biotechnology

Advances in rice research and biotechnology are crucial for raising the yield potential of rice. The development of new plant type (NPT) and C-4 rice aims to increase the yield potential of tropical rice to about 12 to 13 tonnes/ha. Recent efforts have resulted in only limited success (Khush, 2004). FLAR breeders are now also developing new plant types with higher yield potential to respond to the advances in agronomy. These new types are based upon large panicles. Wide crosses involving wild relatives of *Oryza* offer promise for incorporating traits not found in *Oryza sativa* and perhaps increased yield potential (Khush, 2004). Recurrent selection strategies have also been used by a number of countries in Latin America and the Caribbean for improving traits such as cold tolerance, grain quality, disease resistance and yield potential. More than 20 broad genetic base populations with different characteristics have been created by the national programmes; in 2002 Brazil released the first irrigated rice variety (SCSBRS 113-Tio Taka) out of a population breeding strategy, and in 2005 Bolivia released the second one. Breeding programmes in France and China already have population improvement as part of their breeding portfolio (Guimaraes, 2005).

The entire genome of rice has been sequenced and this has allowed the identification of thousands of DNA markers that are simple-sequence repeat (SSR), best known as microsatellite markers. Since the introduction of the modern high-yielding varieties, many breeding programmes have employed a genetically narrow gene pool. There are SSR markers available for many other traits, and there are numerous research programmes working to discover the function of rice genes. This type of information will allow the widespread development of Single Nucleotide Polymorphisms (SNPs), which are highly specific markers that are amenable to very high-throughput analysis.

Marker aided selection (MAS) is amenable to high-throughput analysis and sufficient polymorphism can be found for the parents of most crosses, enabling breeding to expand the genetic base (Coffman, McCouch and Herdt, 2004). Several molecular markers for disease and pest resistance are available including markers for both major and minor resistance genes for rice blast, rice bacterial blight (*Xanthamonas oryzae*) and planthopper. Rice hoja blanca is an important disease in LAC and is costly to screen in the field. Already one potential marker has been identified for resistance to this disease. The MAS technologies are being used in only a few advanced laboratories. As more information on resistance to biotic and abiotic stresses as well as on important agronomic characteristics emerges, the use of MAS will become more compelling. The question is not will MAS become an important standard activity in rice breeding programmes, but when will it be economical to employ the technology in high-volume rice breeding programmes.

Rice does not normally produce vitamin A and Golden Rice was developed to alleviate vitamin-A deficiency. It was developed by inserting two daffodil genes and one bacterial gene into the rice genome. This allows the production of beta-carotene in rice grain. The resulting plants are normal except that their grain is a golden-yellow colour due to the presence of provitamin-A (Potrykus, 2003). Rice hoja blanca virus (RHBV) is a major viral disease of economic importance affecting rice in northern South America, Central America and the Caribbean. Transgenic plants with the RHBV nucleoprotein viral gene are available and have been crossed with the commercial variety, Fedearroz 50 (Lentini *et al.*, 2003). Field evaluations indicated that six fixed, transgenic lines were more resistant than Fedearroz 2000, the most RHBV-resistant commercial variety. The transgenic lines express low levels of RNA, which is detectable only by RT-PCR, and the RHBV nucleoprotein is not expressed in these plants, thus suggesting a very low risk, if any, for environmental and food safety concerns.

While the deployment of transgenic rice varieties for commercial production is still limited, there are many field experiments throughout the world. Herbicide resistance and stem borer resistance (Bt) are widely deployed in commercial cotton, maize and soybean. Herbicide resistance using mutants, which are not transgenic, is currently used on a wide scale in southern Brazil, the United States of America and parts of Colombia and Costa Rica. Mutant-herbicide resistance offers the opportunity to effectively control red rice, a major problem throughout LAC. New herbicide resistance based upon transgenic technology will soon be available, but commercialization remains a question. Resistance to abiotic and biotic stresses using genetic transformations continues to be pursued by several laboratories.

Commercial use of the new technology is complicated by intellectual property rights issues, public acceptance of GMOs and difficulties involving trade of transgenic material. The technology is much more advanced than is public acceptance and perception. Advanced breeding and biotechnology methods are available. However, the results of an FAO study show the need for urgent capacity building in developing countries in order to take full advantage of the new technologies.

V THE WAY FORWARD

The advances in crop management and corresponding large yield increases reported by various organizations in different countries and continents present new opportunities, especially in the irrigated sector. Technological factors and methods *per se* do not appear to be the primary factor limiting production increases but deficiencies in application of technology transfer hinder the spread of known technologies to large numbers of farmers. There are diverse methods of technology transfer. Several programmes are operative using different methodologies and strategies and involving a range of institutions/agencies. New partnerships are evolving that offer unique opportunities. Development of appropriate technology transfer systems for distinct socio-economic settings involving a range of actors represents the next challenge in the rice sector.

Higher yields and lower production costs with minimum harmful effects on the environment are imperative for more competitive production in a global market that is increasingly environmentally sensitive. Improved crop management can result in significant yield and production increases on less land and water, which offers the opportunity for diversification of the rice-based systems, for example, rotation of rice with fish, rice with livestock, rice with a range of other crops in order to spread risk but also to increase income and to improve human nutrition. New paradigms are emerging that require innovative ideas in technology transfer, more efficient use of resources and alliances with new partners.

As the yield gap in rice production is narrowing with improved crop management, a new generation of rice varieties will be needed for sustainable rice production. The progress in plant breeding and rice biotechnology should be harnessed for generating rice varieties with not only high yield potential but also good taste, eating quality and added nutrients. This will require a broad and strengthened partnership among the international institutions, public institutions, private sector and non-governmental organizations.

REFERENCES

- Abdulrachman, S., Las, I. & Yuliardi, I.** 2005. Development and dissemination of integrated crop management for productive and efficient rice production in Indonesia. *IRC Newsl.*, 54: 73-82.
- Akintayo, I.** 2005. African Rice Initiative – 2005’s activities report. Paper presented at JICA seminar on NERICA, Nairobi, Kenya, 12-15 Dec. 2005.
- Balasubramanian, V., Rajendran, R., Ravi, V., Chellaiah, N., Castro, E., Chandrasekaran, B., Jayaraj, T. & Ramanathan, S.** 2005. Integrated crop management for enhancing yield, factor productivity and profitability in Asian rice farms. *IRC Newsl.*, 54: 63-73.
- Beyer, P., Al-Babili, S., Ye, X., Lucca, P., Schaub, P., Welsch, R. & Potrykus, I.** 2002. Golden Rice: Introducing the beta-carotene biosynthesis pathway into rice endosperm by genetic engineering to defeat vitamin A deficiency. *J. of Nutrition*, 123: 506S-510S.
- Brookes, G. & Barfoot, P.** 2003. GM Rice: Will this lead the way for global acceptance of GM crop technology? Brief No. 28. Los Baños, Philippines, ISAAA.
- Calpe, C.** 2005. International trade in rice: recent developments and prospects. *IRC Newsl.*, 20: 11-24.
- Clampett, W.S., Nguyen, N.V. & Tran, D.V.** 2003. The development and use of Integrated Crop Management for rice production. In *Proceedings of the 20th Session of International Rice Commission*, Bangkok, Thailand, 23-26 July 2002. p. 135-144. Rome, Italy, FAO.
- Coffman, R., McCouch, S.R. & Herdt, R.W.** 2004. Potentials and limitations of biotechnology in rice. In *Proceedings of the FAO Rice Conference*. *IRC Newsl.*, 53: 26-40.
- Cruz, R.T., Llanto, G.P., Castro, A.P., Barroga, K.E.T., Bordey, F.H., Redoña, E.D. & Sebastian, L.S.** 2005. PalayCheck: the Philippines rice integrated crop management system. *IRC Newsl.*, 20: 83-91.
- Darwin, R., Tsigas, M., Lewandrowski, J. & Raneses, A.** 2005. *World agriculture and climate change: Economic adaptation*. USDA Agriculture Economic Report Number 703. 86 pp.
- Dawe, D.** 2004 Changing structure, conduct and performance of the world rice market. In *Proceedings of the FAO Rice Conference, Rice in Global Markets*. p. 46-52.
- Defoer, T., Wopereis, M.S.C., Jones, M.P., Lancon, F., Erenstein, O. & Guei, R.G.** 2004. Rice-based production systems for food security and poverty alleviation in sub-Saharan Africa. *IRC Newsl.*, 53: 85-96
- Doberman, A.** 2003. A critical assessment of the system of rice intensification (SRI). *Agric. Syst.*, 79: 261-281.
- Downing, T.** 1992. *Climate change and vulnerable places: Global food security and country studies in Zimbabwe, Kenya, Senegal and Chile*. Research Report No.1. Environmental Change Unit, University of Oxford, Oxford.
- FAO.** 2003a. *World agriculture: Towards 2015/2030 – An FAO perspective*. FAO and EarthScan.
- FAO.** 2003b. Terminal report of project TCP/EGY/8923 (T), Training in hybrid rice technology through technical cooperation between developing countries.
- FAOSTAT.** 2005. Available at <http://faostat.external.fao.org/faostat/form?collection=Production.Crops.Primary&Domain=Production&servlet=1&hasbulk=0&version=ext&language=EN>

- Ferrero, A. & Nguyen, N.V.** 2004. The sustainable development of rice-based production systems in Europe. *IRC Newsl.*, 53: 115-124.
- Graham, R., Senadhira, D., Beebe, S., Iglesias, C. & Monasterio, I.** 1999. Breeding for micronutrient density in edible portions of staple food crops: conventional approaches. *Field Crops Research*, 60: 57-80.
- Guimaraes, E.P.** 2005. *Population improvement: A way of exploiting the rice genetic resources of Latin America*. 350 pp. FAO.
- IPCC (International Panel on Climate Change).** 2001. *Third assessment report: Report of Working Group I*. Cambridge University Press.
- Jennings, P.** 2004. Reflexiones sobre las revoluciones en arroz. *Revista Foro*, Nov. 2004: 13-18.
- Jones, M. & Wopereis-Pura, M.** 2001 History of NERICA and PVS. Paper presented at the International Workshop on NERICA-based food security in sub-Saharan Africa, Mbe, Côte d'Ivoire, 9-12 April 2001.
- Juliano, B.O.** 2003. *Rice chemistry and quality*. Munoz, Philippines, PhilRice. 479 pp.
- Juliano, B.O. & Villareal, C.P.** 1993. Grain quality evaluation of world rices. Manila, Philippines, IRRI. 205 pp.
- Kennedy, G., Burlingame, B. & Nguyen, V.N.** 2003. Nutritional contribution of rice and impact of biotechnology and biodiversity in rice-consuming countries. In *Proceedings of the 20th Session of the International Rice Commission*, Bangkok, Thailand, 23-26 July 2002. p. 59-69.
- Khush, G.S.** 2004. Harnessing science and technology for sustainable rice-based production systems. In *Proceeding of the FAO Rice Conference*. *IRC Newsl.*, 53: 17-23.
- Lentini, Z., Lozano, I., Tabares, E., Fory, L., Domínguez, J., Cuervo, M. & Calvert, L.** 2003. Expression and inheritance of hypersensitive resistance to rice hoja blanca virus mediated by the viral nucleocapsid protein gene in transgenic rice. *Theor. Appl. Genetics*, 106: 1018-1026.
- Lucca, P., Wunn, J., Hurrell, R. & Potrykus, I.** 2000. Development of iron-rice rice and improvements of its absorption in humans by genetic engineering. *J. of Plant Nutrition*, 23: 1983-1988.
- Nguyen, V.N.** 2004. FAO programme on hybrid rice development and use for food security and livelihood improvement. Paper presented at the Concluding Workshop of the IRRI-ADB funded project Sustaining Food Security in Asia through the Development of Hybrid Rice Technology, IRRI, Los Baños, Laguna, Philippines, 7-9 Dec. 2004.
- Nguyen, N.V.** 2002. Productive and environmentally friendly rice integrated crop management systems. *IRC Newsl.*, 51: 25-32.
- Nguyen, N.V. & Ferrero, A.** 2005. Meeting the challenges of global rice production. *Paddy Water Environ* (2005) DOI 10.1007/s10333-005-0031-5.
- Nguyen, N.V.** 2005. Moving hybrid rice to farmers' fields: lessons learnt from the successful programs. Paper presented at the Regional Forum for Development and Dissemination of Hybrid Rice Technology, IRRI-ADB, Manila, 6-8 June 2005.
- Olvida, I.** 2005. *PalayCheck makes rice production easy and understandable*. Available at: <http://www.philrice.gov.ph/features.php?newsTab=88>
- Oviedas, N.** 2005. FLAR Technical Committee. Annual Review. Available at: www.flar.org
- Pham, T.S., Trinh, K.Q. & Tran, D.V.** 2005. Integrated crop management for intensive irrigated rice in the Mekong Delta of Viet Nam. *IRC Newsl.*, 20: 91-96.

- Pingali, P.L., Hossain, M. & Garpacio, R.V.** 1997. *Asian rice bowls: The returning crisis?* United Kingdom, CAB International.
- Potrykus, I.** 2003. Golden rice. In *Proceedings of the 20th Session of the International Rice Commission*, Bangkok, Thailand, 23-26 July 2002. p. 71-74. Rome, Italy, FAO.
- Publico, S.** 2005. PhilRice papers in 2nd place in Llocos regional symposium. Available at: <http://www.philrice.gov.ph/features.php?newsTab=769>
- Pulver, E. & Rodriguez, T.** 2004. Annual report: Bridging the yield gap in Venezuela. Available at: www.flar.org
- Pulver, E. & Rodriguez, T.** 2005. Annual report: Bridging the yield gap in Venezuela. Available at: www.flar.org
- Pulver, E. & Carmona, L.** 2004. Annual report: Bridging the yield gap in Brazil. Available at: www.flar.org
- Pulver, E. & Carmona, L.** 2005. Annual report: Bridging the yield gap in Brazil. Available at: www.flar.org
- Pulver, E., Bejarano, W. & Mendez, C.** 2005. La revolución agronómica del arroz bajo riego en Nicaragua. *Arrocero*, Tercer Numero, 2 do semestre 2005.
- Rosenzweig, C. & Iglesias, A.** 1994. *Implications of climate change for international agriculture: Crop modeling study*. Washington DC, US Environmental Protection Agency – Climate Change Division.
- Senadhira, D., Gregorio, G. & Graham, R.** 1998. Paper presented at the International Workshop on Micronutrient Enhancement of Rice for Developing countries, Stuttgart, Arkansas, 3 Sept. 1998.
- Sheehy, J.E., Peng, S., Dobermann, A., Mitchell, P.L., Ferrer, A., Yang, J., Zou, Y., Zhong, X. & Huang, J.** 2004. Fantastic yields in the system of rice intensification: fact or fallacy? *Field Crops Res.*, 88: 1-8.
- Sinclair, T.R.** 1993. Crop yield potential and fairy tales. In Buxton, D.R., Shibles, R., Forsberg, R.A., Blad, B.L., Asay, K.H., Paulsen, G.M. & Wilson, R. (eds). *Proceedings of the International Crop Science Congress*, International Crop Science I. Ames, IA, 14-22 July 1992. p. 707-711. Madison, WI, Crop Science Society of America.
- Stoop, W.A. & Kassam, A.** 2004. The SRI controversy: a response. *Field Crops Research*, 89: 1-4.
- Stoop, W.A.** 2003. *The system of rice intensification (SRI) from Madagascar; myth or missed opportunity?* Report on a study visit to the "Hauts Plateaux" region of Madagascar. STOOP Consult, Driebergen-R., The Netherlands, 3-15 March 2003. 17 pp.
- Stoop, W.A., Uphoff, N. & Kassam, A.** 2002. A review of agricultural research issues raised by the system of rice intensification (SRI) from Madagascar: opportunities for improving farming systems Sinclair and Cassman are so concerned about? Based for resource-poor farmers. *Agric. Syst.*, 71: 249-274.
- Uphoff, N.** 2005. Seminar presented at FAO, Rome, Nov. 2005.
- Wailes, E.J.** 2004. Implications of the WTO Doha Round for the rice sector. In *Proceedings of the FAO Rice Conference, Rice in Global Markets*. p. 27-35.
- Way, M.O.** 2004. *Texas rice production guideline*. Texas Agricultural Experiment Station.

APPENDIX G

Report of the Executive Secretary on the Implementation of the Commission's Twentieth Session Recommendations

Nguu Van Nguyen

I INTRODUCTION

The Twentieth Session of the International Rice Commission was held from 23 to 26 July 2002, in Bangkok, Thailand during which the Commission confirmed its support to the efforts of member countries and FAO with a view to having the United Nations declare 2004 the International Year of Rice. The Commission's Secretariat worked for the United Nations declaration together with member countries and partners. On 16 December 2002, the United Nations General Assembly (UNGA) declared 2004 the International Year of Rice (IYR) and requested that FAO facilitate its implementation. The dedication of an International Year to rice, a single crop, is unique in the history of the United Nations.

The 20th Session also made a series of recommendations to its member countries, CGIAR (Consultative Group on International Agricultural Research) centres, FAO and others involved in enhancing sustainable rice production, especially in the area of rice integrated crop management. This report covers the following areas: the International Year of Rice and its implementation; the implementation of other recommendations of the 20th Session, especially with regards to the development and dissemination of rice integrated crop management systems; and the regular activities of the IRC Secretariat.

II THE INTERNATIONAL YEAR OF RICE: ITS IMPLEMENTATION AND RESULTS

In 1999, FAO and the International Rice Research Institute (IRRI) joined forces to focus international attention on the rice industry and its role in achieving global food security. With the support of the member countries of the International Rice Commission, especially the Philippines, the FAO Conference at its 31st Session approved Resolution 2/2001 calling for the United Nations to declare the International Year of Rice in 2004. The UN General Assembly at its 57th session in December 2002, noting that rice is the staple food of more than half of the world's population, and reaffirming the need to focus world attention on the role that rice can play in providing food security and eradicating poverty in the attainment of the internationally agreed development goals, including those contained in the Millennium Declaration, declared 2004 the International Year of Rice (IYR).

The IRC Secretariat, FAO technical units and members of the IRC Steering

Committee, dedicated time and resources to facilitating the preparation and implementation of IYR in collaboration with Member Governments, the United Nations Development Programme (UNDP), CGIAR, other relevant organizations of the UN System, non-governmental organizations (NGOs), the private sector and other civil bodies worldwide. The IYR implementation in 2004 was remarkably successful.

II. 1 Preparation for the implementation of the International Year of Rice

In January 2003, the FAO Steering Committee of the International Rice Commission (IRC) met at FAO Headquarters in Rome and established the FAO IYR Organizing Committee. The IRC Secretariat also organized in March 2003 the Informal International Planning and Coordination Meeting for IYR. This meeting established the Informal International Working Group (IIWG) for IYR, with representatives from 17 rice-producing and consuming countries as well as six UN agencies, five CGIAR centres, NGOs and the private sector, in order to provide guidance to the planning of and preparation for IYR implementation.

The Informal International Working Group selected *Rice Is Life* as the slogan for the Year. The mission of the International Year of Rice was to promote improved production and access to this vital food crop, which feeds more than half of the world population while providing income for millions of rice producers, processors and traders. The development of sustainable rice-based systems will reduce hunger and poverty and contribute to environmental conservation and a better life for the present and future generations for whom *Rice Is Life*.

Guided by IIWG and the FAO IYR Organizing Committee, the IRC Secretariat was strengthened in order to prepare and publish a series of documents for distribution to member countries and IYR partners, including: (1) the concept of IYR; (2) the global communication plan for IYR; (3) guidelines for national IYR committees to establish their action programmes; (4) "fact sheets" providing basic facts on sustainable rice production and global food security; and (5) a 4-minute video clip on *Rice Is Life*. The official IYR Web site (<http://www.fao.org/rice2004/>) was also established in order to serve as the virtual meeting place of all participants and provide an opportunity to take the message of IYR to an even wider audience. The official IYR Web site is in seven languages: Arabic, Chinese, English, French, Italian, Japanese and Spanish.

The FAO IYR Organizing Committee organized several events to promote IYR 2004 to the general public and to attract donor support prior to 2004. Briefing materials on IYR were prepared and presented to delegates of major FAO bodies, including the Committee on Agriculture (COAG), Council and Conference. Senior managers of the FAO Agriculture Department and the IRC Secretariat accepted invitations to be interviewed on the issues, challenges and options for sustainable rice production, and the implementation of IYR was widely covered in the press as well as on radio and television. Other promotional materials – such as the IYR poster, 2004 IYR calendar and IYR banners – were produced and provided to organizers of IYR exhibitions around the globe.

IYR was officially launched on 30 October 2003 at the United Nations in New York. For this occasion, the FAO Director-General addressed the Economic and Social Committee of the United Nations (ECOSOC), highlighting the need to increase rice

production while decreasing pressure on the diminishing land and water resources – complicated tasks that he said could only be achieved by a global community working together.

II. 2 The implementation of the International Year of Rice in 2004

In 2004, more than 800 activities were implemented in 68 countries on five continents to celebrate IYR. The IYR events in 2004 took on various forms, such as conferences, meetings, symposiums, field days, festivals, fairs, exhibitions, popular contests and cooking demonstrations at all levels (global, regional, country and local). The IYR events were organized by government institutions, UN agencies, CG international institutions, NGOs, the private sector, youth and religious groups, and farmers' associations. The participants of IYR events came from all walks of life. Detailed information of the implementation of IYR in 2004 can be found in the report to the United Nations. A synthesis of the report is provided below.

II. 2. i Global events

The major IYR events at global level are listed below:

- International Rice Conference, FAO. In February 2004, over 500 policy-makers, rice specialists and rice industry representatives from 90 countries participated.
- IYR Global Scientific Contest. The Global Scientific Contest was coordinated with the invaluable support of IRRI. Submissions were received in two categories: Rice Crop Management (rice agronomy) and Rice Crop Improvement (plant breeding, including rice biotechnology). Over 200 entries were received on a variety of rice-related issues. Two scientists, one from China and one from Japan, won the award.
- IYR Global Photography Contest. The IYR Global Photography Contest, "Rice Is Life", was conceived as part of a broad publicity campaign. More than 460 entries from 53 nations qualified for the contest that was judged by a panel of professional photographers and rice experts, including two members of IIRWG.
- World Food Prize International Symposium. In October 2004 the World Food Prize, awarded annually by the State Department of the United States of America, went to Professor Yuan Longping for his role in the successful development of hybrid rice, and Dr Monty P. Jones for his achievement in developing NERICA rice.
- World Rice Research Conference. The Conference was organized by the Japanese Ministry of Agriculture, Forestry and Fisheries from 4 to 7 November 2004 in Tokyo and Tsukuba. More than 1 200 of the world's leading rice researchers and scientists participated in the Conference and exchanged information on the latest breakthroughs and ideas that could benefit the world's millions of rice farmers and consumers and help to develop improved livelihoods.
- CropLife International Symposium, Belgium. CropLife International organized in December 2004, a symposium called "Rice and Brussels Sprouts". The symposium was held in Brussels to examine the future of the rice crop in terms of improving its production and enhancing nutrition.

II. 2. ii Regional and national events

All FAO Member Nations had the opportunity to discuss the potential and constraints of sustainable rice production during their 2004 FAO regional conferences:

Africa (March, Johannesburg, South Africa), Asia and the Pacific (May, Beijing, China), Europe (May, Montpellier, France), Latin America and the Caribbean (April, Guatemala City, Guatemala) and the Near East (March, Doha, Qatar). The other major IYR events are listed below.

Major IYR events in Asia and the Pacific. In a historic show of support for the goals of IYR, the leaders of all ten member governments of the Association of Southeast Asian Nations (ASEAN), plus China, Japan and the Republic of Korea, signed the IYR poster during the Summit meeting held on 13 January 2004 in Jakarta, Indonesia. The Asian Development Bank (AsDB), in collaboration with its member countries and IRRI, celebrated IYR in November at its headquarters, with participation of high-level policy-makers from countries in the region. Throughout the year, IRRI hosted or co-hosted 15 regional and international conferences and workshops for delegates from some 36 countries.

A series of IYR events were also organized in Australia, Cambodia, China, India, Indonesia, Japan, the Republic of Korea, the Lao People's Democratic Republic, Malaysia, Myanmar, Pakistan, Sri Lanka, the Philippines, Thailand and Viet Nam. The most spectacular were: the Royal Ploughing Ceremony in May 2004 in Bangkok presided over by the King of Thailand; the 2-month IYR exhibition (July-August) held at the gallery of the United Nations Information Centre (UNIC) in Tokyo; and the International Rice Forum in Manila in December that attracted around 200 participants from 27 countries.

Major IYR events in Europe. Italy, Europe's largest rice producer and the host country of FAO, was deeply involved in IYR implementation; it not only provided funding to assure that developing countries had the opportunity to participate, but also organized its own celebratory events. It held 29 conferences and public events on rice and its contribution to livelihood. The University of Turin hosted the International Conference on "Challenges and Opportunities for Sustainable Rice-based Production Systems".

IYR events were also organized by public institutions, UN agencies, the private sector, NGOs and youth groups in Austria, France, Germany, Portugal, Spain and the United Kingdom. The most memorable was the special conference on "Rice as a Staple Food" organized in June 2004 by the Oldenburg Model United Nations, established by young, motivated senior high school students.

Major IYR events in Latin America and the Caribbean. The Brazilian Agricultural Research Corporation (EMBRAPA) organized a conference on "Genetic Development of Rice in Latin America and the Caribbean" to examine the current advances in rice crop improvement technologies and to formulate regional initiatives for sustainable rice production. The International Centre for Tropical Agriculture (CIAT) and its Latin American Fund for Irrigated Rice (FLAR) supported EMBRAPA and other institutions in Brazil in the organization of the "Latin American Congress on Rice Economics" held in Porto Alegre.

A series of IYR events were also organized in Colombia, Costa Rica, the Dominican Republic, Guatemala, Honduras, Peru, Uruguay and Venezuela. The most

exciting event was the large festival in Costa Rica held at el Paseo Colón, in San José, during which 272 kg of rice were cooked and offered free of charge to 5 000 people.

Major IYR events in the Near East and North Africa. Egypt's Agricultural Research Centre organized in Alexandria a conference on "Advanced Rice Research" for scientists and policy-makers in the Near East region to examine the current state of rice research and to focus on ways to assure that farmers obtain the highest production possible from their fields. In the Republic of Iran, 290 paintings on different aspects of rice were made by elementary school students in Teheran, while the workshop on "Sustained Food Security – Priority Research Agenda for Decades Ahead" was held in July at the Agricultural Biotechnology Research Institute in Karaj.

Major IYR events in North America. In the United States of America, the Fowler Museum of Cultural History organized an exhibition on "Rice and its Culture" during which the American Center for Wine, Food and Arts participated with a theme on "The Art of Rice: Spirit and Sustenance in Asia". Yale University organized a symposium on "The Future of Rice Biotechnology: Scientific Advances and Policy Issues", while in Arkansas, the time capsule, which was sealed in 1954 at the Carlisle Elementary School to commemorate the first Arkansas rice crop, was opened in October to celebrate IYR and the centennial of rice cultivation in Arkansas. In Canada, the Dundas Studio Tour 2004 exploring the theme of rice as a symbol of cultural identity and global unity was organized, and a food drive for a local food bank with emphasis on rice was held.

Major IYR events in sub-Saharan Africa. The Pan-African celebration of IYR took place at the International Conference Centre in Accra with the theme "Rice Is Life for Africans". The celebration attracted 600 participants including ministers of agriculture, senior officers and heads of government departments, participants from international scientific institutions and representatives of diplomatic missions in sub-Saharan Africa. The Africa Rice Center (WARDA) organized the Third Biennial Regional Rice Research Review for rice researchers from national research systems in sub-Saharan Africa to review and formulate strategies to improve rice productivity in the region.

IYR events were also organized in Burkina Faso, the Democratic Republic of Congo, Côte d'Ivoire, the Gambia, Kenya, Liberia, Madagascar, Nigeria, Senegal, Sierra Leone and Uganda. The most important events included: the field day to celebrate IYR in Nigeria with the participation of the President of the Federal Republic, his cabinet and civil and religious leaders; and the month-long rice festival including Malagasy art and culinary demonstrations held in November in Madagascar.

II. 3 Major achievement of the implementation of the International Year of Rice in 2004

The implementation of IYR was remarkably successful. It raised awareness among the global population of the role that rice can play in providing food security and eradicating poverty. Also, it generated considerable information on rice technologies and other aspects of rice-based production systems.

II. 3. i Raising awareness, understanding and support

The implementation of IYR raised awareness among all stakeholders of the contribution of rice-based systems to world peace through enhancing food security, reducing poverty and conserving the environment and natural resources. Governments and donors now have enhanced awareness of the need to support new rice initiatives. At their 26th Annual Meeting in October 2004, the Ministers of the Association of Southeast Asian Nations endorsed in Yangon, Myanmar, a 10-year research plan that focuses on three major challenges of rice production in the region, namely, water shortage, global warming and inadequate human resources. The Asian Development Bank has funded a project since 1998 on sustaining food security in Asia through the development of hybrid rice technology and approved, in 2004, funding support for the implementation of a 3-year project on "Enhancing farmers' income and livelihood through integrated crop and resource management in rice-wheat systems in South Asia". In sub-Saharan Africa, the African Development Bank approved funding support to promote NERICA development and sustainable use in West Africa.

II. 3. ii Information generation and dissemination

An investigation using the Google search engine indicated that about 200 Web sites and pages worldwide linked to the official IYR Web site. IYR witnessed a phenomenal proliferation of books, proceedings, journals, magazines, reports of workshops on CD, CD movies and calendars. All in all, there were 30 major books and proceedings published, as well as some 18 articles in scientific journals, magazines and periodicals, in addition to a variety of other information material. In particular, the book *Rice around the World in 300 Recipes* was published by the UN to commemorate IYR. The book was the product of a joint project of the Geneva-based UN Special magazine, the UN, the World Health Organization (WHO) and FAO.

II. 3. iii Promotion of global fight against poverty

IYR officially ended on 31 December 2004, but for the billions of people who rely on rice for their lives and livelihoods, the positive effects of the year's activities will continue to be felt. The consensus that grew throughout the implementation of IYR recognized the need for new ways of thinking about the future of rice and rice-based systems, and the renewal of commitment from all stakeholders. Rural people (as well as consumers) need to feel secure about the future of rice production, and that security will only come from the development of technologies, economic models and investments that keep pace with the changing patterns of human development. It also requires the continued support of all the people in the rice industry, especially policy-makers and funding donors for the efficient transfer of existing technologies to improve productivity at field level as well as the development of new technologies and innovations for sustainable rice development. The report of the implementation of IYR was presented at the 60th Session of the UN General Assembly in November 2005. In its Resolution, the Second Committee on Poverty Eradication of the 60th UNGA Session recognized the contribution of the implementation of IYR in 2004, highlighting:

“the important contribution that the observance of the International Year of Rice, 2004, has made in drawing world attention to the role that rice can play in providing food security and eradicating poverty in the attainment of the internationally agreed development goals, including the Millennium Development Goals.”

III IMPLEMENTATION OF THE RECOMMENDATIONS OF THE 20th SESSION

In addition to its support for the International Year of Rice, the 20th Session also made several recommendations to member countries, CG centres, FAO and other UN agencies. The Secretariat of the International Rice Commission and the members of the FAO Steering Committee of the Commission have devoted considerable effort to implementing the recommendations, with priority given to the development and dissemination of rice integrated crop management (RICM) systems for productive and environmentally friendly production.

III.1 Development and dissemination of rice integrated crop management (RICM) systems

Over the last 4 years, in Asia, the FAO Secretariat of the International Rice Commission has worked with government institutions in Indonesia, the Philippines, Thailand and Viet Nam to develop and disseminate RICM systems as a pilot test for possible implementation in other countries. In Latin America, the activities were carried out in collaboration with a para-public/farmers'-association-led FLAR in Brazil and Venezuela, with funding support from the Common Fund for Commodities (CFC) since 2002. The detailed results of these initiatives formed the main part of "From Concept to Practice" in the Keynote Address and in the following presentations from FLAR at this 21st Session. There follows an outline of the major results of the development and dissemination of RICM systems:

- **Effect of RICM systems on irrigated rice yield.** Positive effects of RICM systems on rice yield were reported in most cases.
 - In Indonesia, the application of the RICM system increased the yield of rice crops planted in 25 out of 26 villages in the three cropping seasons during 2001-02. A yield increase of 20 percent or more above 5 tonnes/ha due to the application of RICM was observed in 12 villages.
 - In the Philippines, full compliance with the eight checks as specified in the PalayCheck system resulted in yields of over 8 tonnes/ha compared to an average of 4.5 tonnes/ha with conventional crop management systems. The more key checks farmers successfully achieved, the higher the yield they obtained.
 - In Thailand, the Thai RiceCheck helped farmers in Pathumtani, Prachinburi, Sakhon-Nakorn and Phitsanulok to increase yield by an average of 26.7 percent.
 - In Brazil, adoption of just one practice – seeding on the appropriate date – led to an increase in rice yield of as much as 30 percent.
 - In Venezuela, excellent yields, often exceeding 9 tonnes/ha were obtained from RICM demonstration plots in Calabozo Portuguesa during the 2003/04 dry season.

- **Effect of RICM systems on the cost and profit of irrigated rice cultivation.** The Thai RiceCheck reduced cultivation costs by an average of about 16.8 percent. Similar reduction in the cost of rice cultivation was obtained with the Vietnamese system, "3 Increases, 3 Reductions". The application of RICM in Indonesia, however, increased cultivation costs in 7 districts and reduced them in only 3 districts. Economic analysis of data from the adoption of RICM systems in Indonesia and Viet Nam showed that the profit of rice cultivation increased with the application of RICM systems. In Brazil, the application of RICM led to an increase in economic return of more than US\$31 million (or US\$19 317 per participating grower). In the Philippines, the results showed that farmers who achieved eight crop management areas as measured by the key checks in the PalayCheck system had an average gross margin of US\$828 per ha, while farmers who achieved only three crop management areas had an average gross margin of US\$421 per ha.

III.2 Recommendations of the Asian Expert Consultation Workshop, 28 February – 2 March 2005, Ho Chi Minh City, Viet Nam

The Consultation Workshop on Rice Integrated Crop Management Methodology – RiceCheck was organized under the framework of the Trust Fund project – GCP/INT/933/ITA Promoting, Coordinating and Implementing Observance of the International Year of Rice 2004 – to provide continuity of IYR implementation. It was also a collaborative effort between FAO and the Ministry of Agriculture and Rural Development (MARD) of Viet Nam. The workshop was attended by 50 experts from Australia, Cambodia, Fiji, Indonesia, Japan, the Philippines, Sri Lanka, Thailand and Viet Nam. It was agreed that there is a need to upscale and further develop, adapt and disseminate RICM systems throughout the developing world for Good Agricultural Practices in rice-based production systems for healthy/safe food, sound environment, farming productivity and economics. The following recommendations were made:

- 1) All participating countries should introduce, develop and evaluate RICM systems as a means of improving yields and profitability for food security, livelihood improvement and environmental conservation.
- 2) A regional RICM workshop should be held in Southeast Asia in 2007 to share experiences in the development and application of RICM systems.
- 3) Administrative procedures, particularly research and extension, should be put in place to involve and integrate all stakeholders for the successful development and application of RICM systems.
- 4) Participating countries should adapt, develop and evaluate an RICM system using a range of approaches and experiences.
- 5) RICM systems should be adapted to other crop enterprises to assist in the diversification of rice-based farming systems.
- 6) The outcomes of RICM systems should include grain yield, grain quality, profitability and sustainable environment.
- 7) A short course (3-5 days) should be developed for training frontline and supervisory research and extension officers in participating countries in RICM concepts and principles, in practices of RiceCheck and other approaches, and in related extension methodology, in particular group facilitation and dynamics.
- 8) Participating countries should formulate and undertake a pilot project to develop and evaluate an RICM system suitable for their local situation.

III. 3 Lessons learned from the activities of the last 4 years

The experiences gained from the development and dissemination of RICM systems led to the following observations and conclusions:

- Full yield potential (10 tonnes/ha or more) of existing rice varieties is obtainable without additional cost by application of RICM systems.
- Highest rice yields are obtained when solar radiation is high during the last 45 days of the crop; determination of the correct date of planting should, therefore, be an essential component of RICM systems.
- Successful RICM systems will occur only where governments, NGOs, research and extension officers, and farmers work together to achieve common outcomes. All parties must learn about RICM systems.
- Successful RICM systems must include compatible and complementary extension processes to help farmers learn and use the relevant technology; these processes must be recognized by governments, and appropriate administrative structures put in place.
- Countries and/or regions have their own agro-economic and socio-ecological systems; they should develop and evaluate a range of RICM systems to suit their specific environment.
- An important consideration in developing an RICM system is to “hasten slowly”. A minimum of 2 years is needed for a pilot project to develop and evaluate a preliminary local RICM/RiceCheck model, before advancing/upscaling to a medium-term plan.

III. 4 Implementation of other recommendations of the 20th Session

In the implementation of the other recommendations of the 20th Session, the FAO Secretariat and members of the Steering Committee of the International Rice Commission also formulated and implemented and/or participated in field projects to assist member countries in the following areas:

- **Hybrid rice development and use.** FAO participated in the AsDB-funded project on "Sustaining food security in Asia through the development of hybrid rice technology" and implemented a Technical Cooperation Project (TCP) in Egypt. The major results of these activities were the planting of about 1.5 million ha of hybrid rice in Asian countries outside China in 2005.
- **Development and dissemination of NERICA rice.** FAO participated in the UNDP project GUI/01/006/A01/99 "Multiplication and distribution of seed of NERICA rice in Guinea". Also, three Trust Fund projects for the dissemination of NERICA rice in Ghana, Sierra Leone and Uganda were successfully formulated. The projects have already been approved by fund donors and will be soon implemented.
- **Capacity-building for seed production.** FAO implemented the following projects: (1) TCP/CMR/3002 "Support to the multiplication and distribution of good rice seed in Cameroon", (2) TCP/SIL/0167 "Emergency support to quality seed production in Sierra Leone", (3) GCP/SIL/023/GER "Development of a sustainable seed programme in Sierra Leone", and (4) OSRO/SRL/401/JPN "Emergency provision of quality seeds and rehabilitation of certified seed production to assist vulnerable farmers in conflict-affected areas of Sri Lanka".

- **Rice breeding.** FAO implemented the project TCP/RLC/3102(A) "Capacity-building in rice breeding in Latin America and the Caribbean", while FAO and the International Atomic Energy Agency implemented the following projects: (1) MYA/5/010 "Development of improved rice with tolerance to drought and soil salinity in Myanmar", (2) PAK/5/042 "Induced mutation to improve salt tolerance in non-aromatic rice varieties in Pakistan", (3) SIL/5/007 "Development of high-yielding rice varieties for low-input agricultural systems using mutation technique", (4) VIE/5/014 "Rice mutant varieties for saline soil" and (5) VIE/5/015 "Enhancement of quality and yield of rice mutants using nuclear and related techniques".
- **Weed management in rice production.** FAO implemented project TCP/RLA/2913(A) "Control del arroz maleza/rojo en áreas de arroz in Latin America".
- **Rice-aquaculture system.** FAO implemented project TCP/RLA/3003 "Introduction of aquaculture and other integrated production management practices to rice farmers".
- **Rice production in general.** FAO implemented the projects: (1) TCP/RWA/2802(A) "Intensification of rice production in Rwanda", (2) TCP/RWA/2905(D) "Support to the programme on intensification of rice production for food security in Rwanda", (3) TCP/NIR/3003 "Accelerated rice production in the Nigeria Rice Basin in Nigeria", and (4) TCP/SUD/3101 (T) "Training on improved rice technologies for the enhancement of irrigated rice production in the White Nile State in support of food security and poverty alleviation in Sudan".

IV REGULAR ACTIVITIES OF THE SECRETARIAT OF THE INTERNATIONAL RICE COMMISSION

In its support to the International Rice Commission, in addition to providing technical support for the implementation of the International Year of Rice and other recommendations of the 20th Session, the Secretariat also performed the following regular functions:

IV.1 Provision of forum/meetings

From 2002 to 2004, the Secretariat organized:

- Four meetings of the IRC Steering Committee, held in 2002, 2003, 2004 and 2005, to review and follow up the preparation and celebration of IYR.
- Consultation Workshop on Rice Integrated Crop Management Systems – Rice Check Methodology for Food Security, Livelihood Improvement and Environmental Conservation, from 28 February to 2 March 2005, Ho Chi Minh, Viet Nam.

IV.2 Collection, analysis and dissemination of information on rice-based production systems

The Secretariat realized the following publications and information:

- Four issues of the IRC Newsletter: vol. 51 (2002), vol. 52 (2003), vol. 53 (2004) and vol. 54 (2005).

- Proceedings of the 20th Session of the IRC held in Bangkok, Thailand, 23-26 July 2002.
- Rice is Life – International Year of Rice 2004 and its implementation, book published to raise awareness on the role of rice in reducing hunger and poverty (hard cover).
- Report of the implementation of the International Year of Rice in five languages.
- IRC [Web site \(http://www.fao.org/ag/AGP/AGPC/doc/field/commrice/welcome.htm\)](http://www.fao.org/ag/AGP/AGPC/doc/field/commrice/welcome.htm) revised and updated.
- Technical book on Promising technologies for rice production in West and Central Africa, in collaboration with The Africa Rice Center (WARDA).
- Proceedings of the regional workshop on Adoption of Hybrid Rice in Asia: Policy Support, in collaboration with IRRI and the Ministry of Agriculture and Rural Development of Viet Nam.
- Manual on Guidelines for Identification of Field Constraints to Rice Production.
- Technical book on Genetic Diversity in Rice Production.

IV.3 Support to the cooperative networks on rice

The Secretariat provided technical support to the following offices and rice networks:

- FAO Near East Office, which organized an Expert Consultation in 2003 on the transfer of hybrid rice technology and the rice integrated crop management system for food security in Near East countries.
- International Task Force on Hybrid Rice (INTAFOHR), to promote hybrid rice development and use of hybrid rice in Asia and Egypt.

V CONCLUSIONS

Since the last IRC Session, the Secretariat and members of the IRC Steering Committee have been actively involved in the preparation and implementation of and the follow-up to the events of the International Year of Rice, through numerous meetings, conferences, exhibitions, contests, publications, information development, project formulation and implementation. More than 80 countries, as well as numerous international and regional agencies, enthusiastically participated in observing and celebrating IYR. The Secretariat did its utmost to implement the 20th Session's recommendations, with emphasis on promoting the integrated crop management system under the Australian RiceCheck concept, with pilot trials in a few selected countries, such as Viet Nam, Thailand, Indonesia, the Philippines, Brazil and Venezuela. The initial results are very promising. The members of the FAO Steering Committee of the International Rice Commission implemented 28 projects to provide support to member countries in Africa, Asia and Latin America in their implementation of the recommendations of the 20th Session. In addition, the Secretariat of the Commission has also undertaken regular activities to provide a forum and information on rice-based systems to member countries.