

Table 8.2. Feeding table for common carp (*Cyprinus carpio*) using balanced feed

Size of feed (mm)	Fish size (g)	Temperature (°C)															
		10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Aller Aqua – Carp starter (Kg feed per 100 kg fish per day)																	
0.5–1.0	>= 1			2.9					4.4							6.9	
0.9–1.6	2–4			2.4					3.3							4.8	
1.3–2.0	2–5			1.9					3.1							4.2	
1.3–2.0	5			1.8					2.9							3.9	
Aller Aqua – Carp grower 1 (Kg feed per 100 kg fish per day)																	
2	15–40				1.75			2	2.5		3		3.5		4		3.5
3	40–100				1.5			2	2.5		3		3		3.5		3
4	100–300				1.5			1.5	2		2.5		3		3.5		3
Aller Aqua – Carp grower 2 (Kg feed per 100 kg fish per day)																	
2	15–40				1.8			2.1	2.6		3.1		3.6		4.2		3.6
3	40–100				2			2.5	3		4		4.5		5		4
4	100–300				1.8			2	2.5		3		3.5		4		3.5
5	300–1 500				1.5			1.8	2		2.5		3		3.5		3
Aller Aqua – Carp grower 3 (Kg feed per 100 kg fish per day)																	
5	250–1 500				1.5			2	2.5		2.5		3.5		4		3.5
5	>1 500				1.5			1.5	2		2		3		3.5		3
Coppens International – Carpc Crumble Excellent (% of BW per day)																	
0.2–0.3	<2		3.6–4.4	4.4–4.9	4.9–5.6	5.6–6.7	6.7–7.7	7.7–8.7	8.7–9.5	9.5–10							
0.3–0.5	0.2–0.5		3.6	4.4	4.9	5.6	6.7	7.7	8.7	9.5							
0.5–0.8	0.5–1.5		2.8	3.3	3.8	4.6	5.6	6.7	7.2	7.6							
0.8–1.2	1.5–5		1.9	2.5	3	3.6	3.6	4.5	5.1	5.4							
1.2–1.5	5–10		1.5	2.1	2.6	3.1	3.6	4.1	4.6	4.9							
Coppens International – Carpc Crumble Astax (% of BW per day)																	
0.2–0.3	<2		3.4–4.2	4.2–4.6	4.6–5.4	5.4–6.4	6.4–7.4	7.4–8.3	8.3–9.2	9.2–10							
0.3–0.5	0.2–0.5		3.4	4.2	4.6	5.4	6.4	7.4	8.3	9.2							
0.5–0.8	0.5–1.5		2.7	3.2	3.7	4.4	5.4	6.4	6.9	7.2							
0.8–1.2	1.5–5		1.8	2.4	2.9	3.4	3.8	4.3	4.8	5							
1.2–1.5	5–10		1.4	1.9	2.5	3	3.4	3.9	4.4	4.6							
Coppens International – Crumble (% of BW per day)																	
0.2–0.3	<2		3.3–4.1	4.1–4.5	4.5–5.4	5.3–6.2	6.2–7.2	7.2–8.1	8.1–9	9–9.6							
0.3–0.5	0.2–0.5		3.3	4.1	4.5	5.3	6.2	7.2	8.1	9							
0.5–0.8	0.5–1.5		2.6	3.1	3.6	4.3	5.3	6.2	6.7	7							
0.8–1.2	1.5–5		1.8	2.3	2.8	3.3	3.7	4.2	4.7	4.9							
1.2–1.5	5–10		1.4	1.9	2.4	2.9	3.3	3.8	4.3	4.5							
Coppens International – Noblesse (% of BW per day)																	
0.3	<0.2		1.3	1.7	2.5	3	4.5	5.3	4.9	3.9							
0.5	0.2–0.6		1.2	1.6	2.2	2.7	3.6	4.6	4.1	2.9							
0.8	0.4–3		1.1	1.5	1.9	2.3	2.5	2.7	2.1	1.5							
Coppens International – Carpc Excellent (% of BW per day)																	
1.5	42 217		1.3	1.9	2.4	3	3.6	3.8	4.4	5.3							
Coppens International – Carpc Start Premium (% of BW per day)																	
1	40 604		1.9	2.4	2.9	3.4	3.9	4.3	4.8	5							
1	40 666		1.4	1.9	2.4	2.9	3.4	3.9	4.3	4.5							
1–1.5	40 760		1.3	1.7	2.1	2.5	2.9	3.3	3.8	4							
1.5	42 217		1.2	1.4	1.7	2	2.3	2.6	2.9	3.1							
Coppens International – Carpc Grower EF (% of BW per day)																	
2	15–25		2	2.6	2.8	3.6	4.3	4.9	5.6	6.4							
2	25–50		1.5	2	2.6	2.8	3.6	4.3	4.9	5.4							
Coppens International – Carpc Excellent (% of BW per day)																	
2	15–25		1.3	1.9	2.4	3	3.5	3.7	4.4	5.3							
2	25–50		1.2	1.6	2.2	2.6	3.2	3.4	4	4.7							
Coppens International – Carpc Standard (% of BW per day)																	
3	50–100		1.1	1.7	2.3	2.9	3.4	4	4.6	5.2							
4.5	100–250		0.9	1.1	1.7	2	2.6	3.2	3.7	4.3							
6	250–500		0.7	0.9	1.1	1.4	1.7	2	2.6	3.2							
6	500–1 000		0.6	0.7	0.9	1.1	1.4	1.7	2	2.3							
6	1 000–2 000		0.5	0.6	0.8	0.9	1.3	1.5	1.8	2.1							
Coppens International – Carpc Excellent (% of BW per day)																	
3	50–100		1.1	1.7	2.2	2.8	3.4	3.6	4.2	5.1							
3–6	100–250		0.9	1.1	1.7	2	2.5	3.1	3.6	4.2							
6	250–500		0.7	0.9	1.1	1.4	1.7	2	2.5	3.1							
6	500–1 000		0.6	0.7	0.8	1.1	1.4	1.7	2	2.2							
6	1 000–2 000		0.5	0.6	0.8	0.9	1.2	1.5	1.8	2							
Coppens International – Carpc Prime EF (% of BW per day)																	
3	50–100		1.1	1.7	2.2	2.8	3.4	3.6	4.2	5.1							
3–6	100–250		0.9	1.1	1.7	2	2.5	3.1	3.6	4.2							
6	250–500		0.7	0.9	1.1	1.4	1.7	2	2.5	3.1							
6	500–1 000		0.6	0.7	0.8	1.1	1.4	1.7	2	2.2							
6	1 000–2 000		0.5	0.6	0.8	0.9	1.2	1.5	1.8	2							
Coppens International – Carpc Floating EF (% of BW per day)																	
3	50–100		1.1	1.7	2.2	2.7	3.3	3.8	4.4	4.9							
3–6	100–250		0.9	1.1	1.6	1.9	2.5	3	3.6	4.1							
6	250–500		0.7	0.9	1.1	1.4	1.6	1.9	2.5	3							
6	500–1 000		0.5	0.7	0.8	1.1	1.4	1.6	1.9	2.2							
6	1 000–2 000		0.4	0.5	0.8	0.9	1.2	1.4	1.7	2							
Coppens International – Carpc Grower EF (% of BW per day)																	
3	50–100		1	1.5	2	2.6	3.1	3.6	4.1	4.6							
4.5	100–250		0.8	1	1.5	1.8	2.3	2.8	3.3	3.8							
6	250–500		0.6	0.8	1	1.3	1.5	1.8	2.3	2.8							
6	500–1 000		0.5	0.6	0.8	1	1.3	1.5	1.8	2							
6	1 000–2 000		0.4	0.5	0.7	0.8	1.1	1.3	1.6	1.8							
Coppens International – Carpc Basic Select (% of BW per day)																	
3	50–100		1	1.5	2	2.6	3.1	3.6	4.1	4.6							
4.5	100–250		0.8	1	1.5	1.8	2.3	2.8	3.3	3.8							
6	250–500		0.6	0.8	1	1.3	1.5	1.8	2.3	2.8							
6	500–1 000		0.5	0.6	0.8	1	1.3	1.5	1.8	2							
6	1 000–2 000		0.4	0.5	0.7	0.8	1.1	1.3	1.6	1.8							
Coppens International – Repro																	
8	Brood fish																According to appetite but not more than 1% of BW/day