

Crop and/or situation (a)	Country	Product name	F G or I (b)	Pests or Group of pests controlled (c)	Formulation		Application				Application rate per treatment			PHI (days) (l)	Remarks: (m)
					Type	Conc. of as	method kind	growth stage & season	number min max	interval between applications (min)	kg as/hL	water L/ha	kg as/ha		
					(d-f)	(i)	(f-h)	(j)	(k)	(min)	min max	min max	min max		

Remarks: (a) For crops, Codex (or other, e.g. EU) classifications should be used; where relevant, the use situation should be described (e.g. fumigation of a structure)
 (b) Outdoor or field use (F), glasshouse application (G) or indoor application (I)
 (c) e.g. biting and suckling insects, soil born insects, foliar fungi, weeds
 (d) e.g. wettable powder (WP), emulsifiable concentrate (EC), granule (GR)
 (e) GCPF Codes - GIFAP Technical Monograph No 2, 1989
 (f) All abbreviations used must be explained
 (g) Method, e.g. high volume spraying, low volume spraying, spreading, dusting, drench

(h) Kind, e.g. overall, broadcast, aerial spraying, row, individual plant, between the plants - type of equipment used must be indicated
 (i) g/kg or g/l
 (j) Growth stage at last treatment (BBCH Monograph, Growth Stages of Plants, 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application
 (k) The minimum and maximum number of application possible under practical conditions of use must be provided
 (l) PHI - minimum pre-harvest interval
 (m) Remarks may include: Extent of use/economic importance/restrictions