

Russian Federation


Cattle Population

Type of farming	Dairy	Beef	Total
Cattle population	8 322 400 (cow)	1 290 000 (bulls)	18 992 000
Small holdings	-	-	36 400
Farms	-	-	30 100

- Cattle density map Yes
- Seasonal cattle migration: No
- Nomadic farming practices: No
- Domestic buffalo: Yes, small amount ()

Cattle density map

Плотность поголовья КРС на территории Российской Федерации относительно общей площади региона 2016 г.



LSD situation

Epidemic situation in 2016:

- infected Subjects of the RF **17**
- total number of outbreaks 313

Notification: May-October

```
Republic of Chechnya — 108
Republic of Kalmykia — 57
The Republic of Ingushetia — 35
Stavropol region — 30
The Republic of Dagestan — 28
Astrakhan region and the Republic of Karachay-Cherkessia — on 10
Volgograd region — 9
Tambov region — 6
Rostov and Samara region — on 5
Ryazan region — 2
Republic Adygea and Kabardino-Balkaria, Voronezh region — on 1
Krasnodar region — 5
```

In all cases biomaterial samples were collected and tested by PCR

Outbreak map



Diagnostic capacity

Assay	Available	Not available	Testing possible at any time (24/7)	Max capacity of sample testing/day
PCR Gel based	+	-	+	50
PCR Real-time	+	-	+	200
Virus isolation	+	-	+	1-2
Serology	+	-	+	30
Other	-	+	-	-

LSD Vaccination campaigns

	Start (Date)	Finished (Date)	Vaccination strategy (whole country, ring vacc., buffer zone)	Vaccination coverage in vaccinated areas (%)
LSD Outbreaks	September 2015	October 2016	Ring vacc.	90-100%
Vaccination campaign (2016)	May	October	Buffer zone	90-100%
Vaccination campaign (2017)	January	-	-	-

Product name	Manufacturer	Dosage	Present stock	Adverse reactions detected
Lumpy skin disease vaccine for cattle	ОРВ	-	-	-
Lumpyvax	MSD	-	-	-
Other vaccine (POXVAC)	ARRIAH	1 ml	Υ	N

• Started tender for vaccine for vaccination campaigns in 2017? Yes

Outbreak response

Measure	Applied	Not applied		
Contingency plan available	Yes			
Cattle movement control	Yes			
Cleaning and disinfection	Yes			
Stamping-out policy	Total (all animals)	Partial (only those with clinical signs)	Partial (only severe cases)	
Disposal of carcasses	At site	Outside	Into a plant	
	Burning	Burial	Rendering	
Vector control	<u>Animals</u>	<u>Facilities</u>	Environment	
Clinical surveillance	Active (# of samples) Passive (# of samples)			
Serosurveillance	# of samples No			