

# Contents

Preparation of this document	iii
Abstract	iv
List of tables	vii
List of figures	viii
List of plates	xi
List of boxes	xi
Acknowledgements	xii
Abbreviations and acronyms	xiii
Executive summary	xiv
<b>1. Introduction</b>	<b>1</b>
1.1 Background and objectives	1
1.2 Overview of the analytical approach and outputs	3
1.2.1 Key assumptions on the spatial development of offshore mariculture	4
1.2.2 Criteria and thresholds used to estimate near-future offshore mariculture potential	4
1.2.3 Comparisons of predicted offshore potential with inshore mariculture practice and verifications at offshore mariculture sites	11
1.2.4 Basic requirements and constraints on the study	12
<b>2. Status of mariculture from a spatial perspective</b>	<b>13</b>
2.1 Nominal intensity of the use of the coastline for mariculture at the national level	13
<b>3. Exclusive economic zones as spatial frameworks for offshore mariculture development</b>	<b>17</b>
<b>4. Potential for offshore mariculture development</b>	<b>19</b>
4.1 Overview	19
4.2 Areas where it is technically feasible to place culture installations	19
4.2.1 Areas within a cost-effective distance for offshore mariculture development and with access to ports	23
4.2.2 Spatial integration of technical feasibility for cages and longlines with cost-effective area for development	24
4.2.3 Summary of technical feasibility for cages and longlines and the cost-effective area for development	26
4.3 Areas favouring grow-out of fish and mussels spatially integrated with areas technically feasible for cages and longlines	27
4.3.1 Areas favouring grow-out of fish and mussels	28
4.3.2 Spatial integration of areas with favourable grow-out of fish and mussels with areas technically feasible for cages and longlines and within the cost-effective area for development	33
4.4 Hypothetical loss of offshore mariculture potential due to competing and conflicting uses	38

---

4.5	Summary of the results on offshore mariculture potential with species, culture systems and cost-effective area for development integrated	41
<b>5.</b>	<b>Comparisons and verifications for offshore mariculture potential</b>	<b>43</b>
5.1	Cobia	43
5.1.1	National-level potential and production comparison	43
5.1.2	National to local level offshore mariculture potential compared with inshore mariculture locations	44
5.1.3	Offshore mariculture potential compared with actual offshore mariculture locations	46
5.2	Atlantic salmon	49
5.2.1	National-level potential and production comparison	49
5.2.2	National to local level offshore mariculture potential compared with inshore mariculture locations	50
5.3	Blue mussel	53
5.3.1	National-level potential and production comparison	53
5.3.2	National to local level offshore mariculture potential compared with inshore mariculture locations	55
5.4	IMTA offshore mariculture potential compared with inshore Atlantic salmon and mussel farm locations	55
5.5	Summary of comparisons of offshore mariculture potential of cobia, Atlantic salmon, blue mussel and IMTA with inshore mariculture of these species	55
<b>6.</b>	<b>Discussion and conclusions</b>	<b>59</b>
6.1	Analytical approach	59
6.2	Comparisons of offshore mariculture potential with inshore mariculture practice and verification	60
6.3	Improvements in the approach	61
6.4	Offshore mariculture potential	63
6.5	Future directions	69
6.6	Recommendations	70
	<b>References</b>	<b>73</b>
	<b>Annexes</b>	<b>85</b>
1	Overview of the spatial analyses and data sources	85
2	Grid-based model: days of grow-out to a harvestable weight for Atlantic salmon among four salmon-producing countries	117
3	Remote sensing for the sustainable development of offshore mariculture	123

# Tables

1	Criteria and corresponding threshold ranges used to estimate near-future offshore mariculture potential	5
2	Status of mariculture from a spatial perspective	13
3	Number of nations and corresponding areas meeting depth, current speed and cost-effective area criteria for offshore mariculture development	20
4	Nations consistently scoring high in potential for offshore mariculture development in technical and cost-effective area for development as measured by ranks and overall scores	26
5	Number of nations and corresponding areas with potential for favourable growth for cobia, Atlantic salmon and blue mussel integrated with suitable depth and current speed for cages and longlines	28
6	Number of nations and corresponding areas within the cost-effective area for development integrated with favourable grow-out for cobia, Atlantic salmon, blue mussel and IMTA and depths and current speeds suitable for sea cages and longlines	33
7	Estimates of mariculture potential for cobia by regions and subregions	36
8	Number of nations and corresponding MPA area, and nations and corresponding areas within MPAs with potential for cobia offshore mariculture	38
9	National-level potential and production comparison for cobia: mean annual production (2004–2008) of cobia-producing nations with areas meeting temperature, depth and current speed criteria and areas meeting the first two criteria	43
10	Comparison of offshore potential of cobia with inshore cage sites and farming areas based on meeting the 22–32 °C temperature threshold	45
11	Cobia mariculture locations that are offshore	46
12	National-level comparison of Atlantic salmon annual production with potential by nation tabulated as areas meeting two temperature threshold ranges as well as depth and current speed criteria, and areas meeting the first two criteria	49
13	Blue mussel annual production by nation compared with offshore potential with areas meeting two temperature and two chlorophyll-a threshold ranges, as well as depth and current speed criteria, and areas meeting the first two criteria	54
14	Mean SWH ranges in 2009 in areas suitable for offshore mariculture of Atlantic salmon and cobia	62
15	Extrapolated annual production from the aggregate areas suitable for the offshore mariculture of cobia, Atlantic salmon and blue mussel with 5 percent and 1 percent of the areas developed for offshore mariculture	67

# Figures

1	Sea cages and longlines for offshore mariculture	6
2	Effects of current speed on culture structures and on cultured organisms	6
3	Integrated multi-trophic aquaculture in practice and in concept	10
4	Intensity of mariculture production (2004–2008) in tonnes per kilometre of coastline and numbers of countries in the range	14
5	Ranking by area of main nations in intensity of mariculture (tonnes/km coastline) production (2004–2008)	14
6	Economic zones as spatial frameworks for offshore mariculture development	17
7	Ranking by area of main mariculture nations in area of economic zones	18
8	Ranking by area of main non-mariculture nations in area of economic zones	18
9	Areas with depths suitable for sea cages and longlines within economic zones	19
10	Ranking by area of main mariculture nations in depths suitable for sea cages and longlines	20
11	Ranking by area of main non-mariculture nations in depths suitable for sea cages and longlines	20
12	Areas within EEZs with current speeds suitable for sea cages and longlines	21
13	Ranking by area of main mariculture nations with current speeds suitable for sea cages and longlines	21
14	Ranking by area of main non-mariculture nations with current speeds suitable for sea cages and longlines	21
15	Areas in northern Latin America with current speeds and depths suitable for sea cages and longlines	22
16	Ranking by area of main mariculture nations with current speeds and depths suitable for sea cages and longlines	22
17	Ranking by area of main non-mariculture nations with current speeds and depths suitable for sea cages and longlines	22
18	Cost-effective area for offshore mariculture development that is within 25 nm of a port	23
19	Ranking by area of main mariculture nations in cost-effective area for development	24
20	Ranking by area of main non-mariculture nations in cost-effective area for development	24
21	Ranking by area of main mariculture nations with current speeds and depths suitable for sea cages and longlines and within the cost effective area for development	25
22	Ranking by area of main non-mariculture nations with current speeds and depths suitable for sea cages and longlines and within the cost-effective area for development	25
23	Offshore mariculture potential for sea cages and longlines by areas meeting depth, current speed and cost-effective area for development criteria	27

24	Offshore mariculture potential for sea cages and longlines by numbers of nations meeting depth, current speed and cost-effective area for development criteria	27
25	Areas within EEZs with temperatures favourable for offshore grow-out of cobia	28
26	Regional view of areas in South Asia-Oceania with temperatures favourable for offshore grow-out of cobia and depths and current speeds suitable for sea cages	29
27	Ranking by area of main mariculture nations with temperatures favourable for cobia grow-out and current speeds and depths suitable for sea cages	29
28	Ranking by area of main non-mariculture nations with temperatures favourable for cobia grow-out and current speeds and depths suitable for sea cages	30
29	Areas within EEZs with temperatures favourable for offshore grow-out of Atlantic salmon	30
30	Ranking by area of main mariculture nations with temperatures favourable for Atlantic salmon grow-out and current speeds and depths suitable for sea cages	31
31	Areas within EEZs with temperatures and chlorophyll-a concentrations favourable for offshore grow-out of the blue mussel	31
32	Ranking by area of main mariculture nations with temperatures and chlorophyll-a concentrations favourable for blue mussel grow-out and depths and current speeds suitable for longlines	32
33	Regional view of areas in southern Latin America with temperatures and chlorophyll-a concentrations favourable for Atlantic salmon-blue mussel IMTA and depths and current speeds suitable for sea cages and longlines	32
34	Ranking by area of main mariculture nations with temperatures and chlorophyll-a concentrations favourable for Atlantic salmon-blue mussel IMTA and current speeds and depths suitable for sea cages and longlines	33
35a	Ranking by area of main mariculture nations in cost-effective area for development, temperatures favourable for offshore grow-out of cobia and current speeds and depths suitable for sea cages	34
35b	Ranking by area of main mariculture nations in cost-effective area for development, temperatures favourable for offshore grow-out of cobia and current speeds and depths suitable for sea cages	34
36a	Ranking by area of main non-mariculture nations in cost-effective area for development, temperatures favourable for offshore grow-out of cobia and current speeds and depths suitable for sea cages	35
36b	Ranking by area of main non-mariculture nations in cost-effective area for development, temperatures favourable for offshore grow-out of cobia and current speeds and depths suitable for sea cages	35
37	Ranking by area of main mariculture nations within the cost-effective area for development, with temperatures favourable for Atlantic salmon grow-out and current speeds and depths suitable for sea cages	37
38	Ranking by area of main mariculture nations within the cost-effective area for development, with temperature and chlorophyll-a concentration favourable for blue mussel grow-out and current speeds and depths suitable for longlines	37

---

39	Ranking by area of main mariculture nations within the cost-effective area for development, with temperatures and chlorophyll-a concentration favourable for Atlantic salmon-blue mussel IMTA and current speeds and depths suitable for sea cages and longlines	37
40	Ranking by area of main mariculture nations in marine protected areas	39
41	Ranking by area of main non-mariculture nations in marine protected areas	39
42	Regional view of area within MPAs with temperatures favourable for cobia grow-out and depths and current speeds suitable for sea cages	40
43	Ranking by area of main mariculture nations in hypothetical loss of area with potential for offshore mariculture of cobia due to exclusion from MPAs	40
44	Ranking by area of main non-mariculture nations with a hypothetical loss of area with potential for offshore mariculture of cobia due to exclusion from MPAs	41
45	Area suitable for the offshore mariculture of cobia, Atlantic salmon, blue mussel and IMTA among maritime nations overall and within the cost-effective area for development	41
46	Numbers of maritime nations with areas suitable for the offshore mariculture of cobia, Atlantic salmon, blue mussel and IMTA overall and within the cost-effective area for development	42
47 <sub>a</sub>	Cobia cages in site 1 near Belize City, Belize	47
47 <sub>b</sub>	Cobia cages in site 2 near Belize City, Belize	47
47 <sub>c,d,e,f</sub>	Areas with temperatures favourable for grow-out of cobia and depths and current speeds suitable for sea cages compared with locations of cobia sea cage sites	48
48	Areas with temperatures favourable for grow-out of Atlantic salmon and depths and current speeds suitable for sea cages compared with locations of salmon farms in Norway, Ireland, Canada and Chile	52
49	Areas with temperatures and chlorophyll-a favourable for blue mussel grow-out and depths and current speeds suitable for longlines compared with locations of mussel farms in Norway and Ireland	56
50	Areas (km <sup>2</sup> ) within EEZs relative to depths and current speeds suitable for sea cages and longlines and to the cost-effective area for development	64
51	Idealized diagram of a multiple sea cage system with a single point mooring	65
52	An Ocean Drifter cage concept	65
53	Conceptual design of a 400-ha ocean food and energy farm unit	66
54	Offshore wind farm combined with oyster and mussel farming	68

---

## Plates

1	Fish cages in rough weather in Norway	7
2	Species indicative of different kinds of offshore mariculture potential	8
3	Example of fed aquaculture of fish in cages	9
4	Net cages along the coast of Turkey	15
5	Net cages along the coast of Norway	15
6	Experimental version of an offshore towed fish cage	65

## Boxes

1	Definition of offshore aquaculture	1
2	Key assumptions about the near-future development of offshore mariculture	4