

B-56 Clams, cockles, arkshells
Clams, coques, arches
Almejas, berberechos, arcas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t | 2015 t |
|--|---------------------------|-----------|-------------------------------------|-----------|-----------------------------|-----------|-----------|-----------------------|-----------|------------|
| Noah's ark | Arche de Noé | | Arca de Noe | | Arca noae | | | 3,16(04)001,03 | | RKQ |
| 37 Croatia | ... | ... | ... | ... | ... | 13 | 13 | 20 | 17 | 22 |
| 37 Fishing area total | ... | ... | ... | ... | ... | 13 | 13 | 20 | 17 | 22 |
| Species total | ... | ... | ... | ... | ... | 13 | 13 | 20 | 17 | 22 |
| Turkey wing | Arche zèbre | | Arca cebra | | Arca zebra | | | 3,16(04)001,06 | | RQZ |
| 31 Bermuda | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - |
| 31 Fishing area total | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - |
| Species total | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - |
| Ark clams nei | Arches nca | | Arcas nep | | Arca spp | | | 3,16(04)001,XX | | ARK |
| 31 Venezuela | 13 586 | 74 356 | 70 964 | 68 500 F | 40 000 F | 19 770 | 12 687 | 15 000 F | 17 384 | 29 073 |
| 31 Fishing area total | 13 586 | 74 356 | 70 964 | 68 500 F | 40 000 F | 19 770 | 12 687 | 15 000 F | 17 384 | 29 073 |
| 61 Korea Rep | 4 366 | 481 | 1 320 | 3 865 | 3 959 | 1 581 | 1 945 | 1 070 | 900 | 1 152 |
| 61 Fishing area total | 4 366 | 481 | 1 320 | 3 865 | 3 959 | 1 581 | 1 945 | 1 070 | 900 | 1 152 |
| 77 Costa Rica | 35 | 57 | 42 | 46 | 90 | 11 | 13 | 12 | 3 | 3 F |
| Mexico | 632 | 598 | 648 | 698 | 697 | 654 | ... | ... | ... | ... |
| 77 Fishing area total | 667 | 655 | 690 | 744 | 787 | 665 | 13 | 12 | 3 | 3 F |
| Species total | 18 619 | 75 492 | 72 974 | 73 109 F | 44 746 F | 22 016 | 14 645 | 16 082 F | 18 287 | 30 228 F |
| Half-crenated ark | Arche crénelée | | Arca japonesa | | Scapharca subcrenata | | | 3,16(04)005,08 | | MCL |
| 61 Japan | 2 175 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 61 Fishing area total | 2 175 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Species total | 2 175 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Blood cockle | Arche granuleuse | | Arca del Pacífico occidental | | Anadara granosa | | | 3,16(04)071,01 | | BLC |
| 57 Indonesia | 23 521 | 30 510 | 27 659 | 5 444 | 7 295 | 18 064 | 18 076 | 21 859 | 206 132 | 43 790 |
| 57 Fishing area total | 23 521 | 30 510 | 27 659 | 5 444 | 7 295 | 18 064 | 18 076 | 21 859 | 206 132 | 43 790 |
| 61 Korea Rep | 148 | 152 | 1 228 | 5 638 | 5 720 | 3 692 | 560 | 377 | 110 | 51 |
| Russian Fed | 141 | 198 | 295 | 280 | 294 | 295 | 300 | 300 | 300 | 300 |
| 61 Fishing area total | 289 | 350 | 1 523 | 5 918 | 6 014 | 3 987 | 860 | 677 | 410 | 351 |
| 71 Indonesia | 29 396 | 34 131 | 19 778 | 25 719 | 27 187 | 20 936 | 25 101 | 23 843 | 27 525 | 5 850 |
| Thailand | 1 417 | 1 204 | 1 219 | 1 416 | 1 464 | 1 459 | 1 940 | 1 565 | 582 | 482 |
| 71 Fishing area total | 30 813 | 35 335 | 20 997 | 27 135 | 28 651 | 22 395 | 27 041 | 25 408 | 28 107 | 6 332 |
| Species total | 54 623 | 66 195 | 50 179 | 38 497 | 41 960 | 44 446 | 45 977 | 47 944 | 234 649 | 50 473 |
| Blood ark | Arche ovale | | ...C | | Anadara ovalis | | | 3,16(04)071,16 | | NDZ |
| 21 USA | 6 | 4 | 47 | 51 | 85 | 56 | 284 | 246 | 102 | 199 |
| 21 Fishing area total | 6 | 4 | 47 | 51 | 85 | 56 | 284 | 246 | 102 | 199 |
| 31 USA | - | - | - | - | - | - | 13 | 15 | 13 | 12 |
| 31 Fishing area total | - | - | - | - | - | - | 13 | 15 | 13 | 12 |
| Species total | 6 | 4 | 47 | 51 | 85 | 56 | 297 | 261 | 115 | 211 |
| Anadara clams nei | Arches Anadara nca | | Arcas Anadara nep | | Anadara spp | | | 3,16(04)071,XX | | BLS |
| 71 Fiji | 339 | 135 | 170 F | 210 F | 250 | 300 | 300 F | 300 F | 300 F | 300 F |
| Philippines | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 71 Fishing area total | 340 | 136 | 171 F | 211 F | 251 | 301 | 301 F | 301 F | 301 F | 301 F |
| 87 Ecuador | ... | ... | 370 | 371 | 336 | 599 | ... | 363 | ... | ... |
| 87 Fishing area total | ... | ... | 370 | 371 | 336 | 599 | ... | 363 | ... | ... |
| Species total | 340 | 136 | 541 F | 582 F | 587 | 900 | 301 F | 664 F | 301 F | 301 F |
| Ocean quahog | Cyprine d'Islande | | Almeja de Islandia | | Arctica islandica | | | 3,16(09)045,01 | | CLQ |
| 21 Canada | 0 | 12 | 2 | 0 | 9 | 42 | 1 | - | - | - |
| USA | 119 307 | 129 771 | 128 552 | 130 634 | 132 224 | 118 893 | 131 425 | 120 749 | 117 474 | 112 273 |
| 21 Fishing area total | 119 307 | 129 783 | 128 554 | 130 634 | 132 233 | 118 935 | 131 426 | 120 749 | 117 474 | 112 273 |
| 27 Iceland | 328 | 4 620 | 7 629 | - | - | 5 | 16 | 20 | - | 6 |
| 27 Fishing area total | 328 | 4 620 | 7 629 | - | - | 5 | 16 | 20 | - | 6 |
| Species total | 119 635 | 134 403 | 136 183 | 130 634 | 132 233 | 118 940 | 131 442 | 120 769 | 117 474 | 112 279 |
| Striped venus | Petite praire | | Chirla | | Chamelea gallina | | | 3,16(11)001,05 | | SVE |
| 27 France | 1 165 | 801 | 666 | 712 | 609 | 600 | 659 | 638 | 646 | 635 |
| Portugal | 692 | 253 | 83 | 53 | 20 | 132 | 225 | 255 | 424 | 565 |
| Spain | 3 394 | 3 520 | 2 967 | 3 162 | 2 360 | 1 137 | 2 552 | 3 867 | 4 053 | 4 044 |
| 27 Fishing area total | 5 251 | 4 574 | 3 716 | 3 927 | 2 989 | 1 869 | 3 436 | 4 760 | 5 123 | 5 244 |

B-56 Clams, cockles, arkshells
Clams, coques, arches
Almejas, berberechos, arcas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t | 2015 t |
|--|----------------------------------|-----------|----------------------------|-----------|--------------------------------|-----------|-----------|-----------------------|-----------|------------|
| 37 Greece | 273 | 324 | 297 | 263 | 294 | 138 | 121 | 121 | 118 | 94 |
| Italy | 19 510 | 28 802 | 24 940 | 17 328 | 19 748 | 19 668 | 20 028 | 14 598 | 14 118 | 14 660 |
| Slovenia | - | - | - | - | - | - | 0 | - | - | - |
| Spain | 133 | 78 | 111 | 55 | 53 | 24 | 21 | 49 | 32 | 15 |
| Turkey | 48 344 | 47 215 | 36 896 | 24 574 | 26 931 | 30 176 | 61 225 | 28 030 | 21 828 | 37 404 |
| 37 Fishing area total | 68 260 | 76 419 | 62 244 | 42 220 | 47 026 | 50 006 | 81 395 | 42 798 | 36 096 | 52 173 |
| Species total | 73 511 | 80 993 | 65 960 | 46 147 | 50 015 | 51 875 | 84 831 | 47 558 | 41 219 | 57 417 |
| Pullet carpet shell | Palourde bleue | | Almeja babosa | | Venerupis pullastra | | | 3,16(11)003,01 | | CTS |
| 27 France | 49 | 74 | 74 | 730 | 712 | 496 | 571 | 1 383 | 1 441 | 1 170 |
| Portugal | 184 | 230 | 212 | 257 | 260 | 135 | 245 | 127 | 81 | 35 |
| Spain | 509 | 635 | 772 | 1 172 | 1 184 | 1 181 | 983 | 946 | 937 | 838 |
| 27 Fishing area total | 742 | 939 | 1 058 | 2 159 | 2 156 | 1 812 | 1 799 | 2 456 | 2 459 | 2 043 |
| 37 Spain | 0 | 0 | - | - | 0 | 1 | 0 | 0 | 0 | 2 |
| 37 Fishing area total | 0 | 0 | - | - | 0 | 1 | 0 | 0 | 0 | 2 |
| Species total | 742 | 939 | 1 058 | 2 159 | 2 156 | 1 813 | 1 799 | 2 456 | 2 459 | 2 045 |
| Banded carpet shell | Palourde rose | | Almeja rubia | | Venerupis rhomboides | | | 3,16(11)003,03 | | VNR |
| 27 Portugal | 5 | ... | 1 | 16 | 109 | 75 | 0 | ... | ... | ... |
| Spain | ... | ... | ... | ... | ... | ... | ... | 369 | 428 | 452 |
| 27 Fishing area total | 5 | ... | 1 | 16 | 109 | 75 | 0 | 369 | 428 | 452 |
| Species total | 5 | ... | 1 | 16 | 109 | 75 | 0 | 369 | 428 | 452 |
| Smooth callista | Vernis fauve | | Almejon | | Callista chione | | | 3,16(11)006,01 | | KLK |
| 27 France | 36 | 34 | 34 | 22 | 62 | 63 | 57 | 34 | 22 | 9 |
| Portugal | 252 | 310 | 204 | 284 | 319 | 297 | 224 | 136 | 128 | 218 |
| Spain | ... | ... | ... | ... | ... | ... | ... | 52 | 87 | 137 |
| 27 Fishing area total | 288 | 344 | 238 | 306 | 381 | 360 | 281 | 222 | 237 | 364 |
| 37 Croatia | ... | ... | ... | ... | ... | 1 | 1 | 3 | 5 | 54 |
| Italy | 2 190 | 1 853 | 1 669 | 1 955 | 1 679 | 1 704 | 1 429 | 1 493 | 1 137 | 1 160 |
| Spain | ... | ... | ... | ... | ... | ... | ... | 149 | 147 | 134 |
| 37 Fishing area total | 2 190 | 1 853 | 1 669 | 1 955 | 1 679 | 1 705 | 1 430 | 1 645 | 1 289 | 1 348 |
| Species total | 2 478 | 2 197 | 1 907 | 2 261 | 2 060 | 2 065 | 1 711 | 1 867 | 1 526 | 1 712 |
| Stutchbury's venus | ...B | | ...C | | Chione stutchburyi | | | 3,16(11)007,04 | | KNU |
| 81 New Zealand | 1 450 | 1 398 | 1 148 | 1 202 | 1 202 | 1 186 | 1 037 | 1 089 | 1 100 | 1 048 |
| 81 Fishing area total | 1 450 | 1 398 | 1 148 | 1 202 | 1 202 | 1 186 | 1 037 | 1 089 | 1 100 | 1 048 |
| Species total | 1 450 | 1 398 | 1 148 | 1 202 | 1 202 | 1 186 | 1 037 | 1 089 | 1 100 | 1 048 |
| Japanese hard clam | Cythérée du Japon | | Mercenaria japonesa | | Meretrix lusoria | | | 3,16(11)017,01 | | HCJ |
| 61 China,Taiwan | - | - | - | - | - | - | - | 7 | - | - |
| Japan | 867 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Korea Rep | 4 490 | 2 662 | 1 415 | 1 396 | 1 146 | 793 | 572 | 132 | 305 | 423 |
| 61 Fishing area total | 5 357 | 2 662 | 1 415 | 1 396 | 1 146 | 793 | 572 | 139 | 305 | 423 |
| Species total | 5 357 | 2 662 | 1 415 | 1 396 | 1 146 | 793 | 572 | 139 | 305 | 423 |
| Hard clams nei | ...B | | ...C | | Meretrix spp | | | 3,16(11)017,XX | | HCX |
| 57 Indonesia | 3 838 | 3 892 | 7 762 | 1 692 | 2 170 | 717 | 847 | 665 | 460 | 710 |
| 57 Fishing area total | 3 838 | 3 892 | 7 762 | 1 692 | 2 170 | 717 | 847 | 665 | 460 | 710 |
| 71 Indonesia | 10 177 | 3 991 | 10 029 | 10 152 | 9 948 | 9 863 | 211 | 1 008 | 208 | 320 |
| 71 Fishing area total | 10 177 | 3 991 | 10 029 | 10 152 | 9 948 | 9 863 | 211 | 1 008 | 208 | 320 |
| Species total | 14 015 | 7 883 | 17 791 | 11 844 | 12 118 | 10 580 | 1 058 | 1 673 | 668 | 1 030 |
| Grooved carpet shell | Palourde croisée d'Europe | | Almeja fina | | Ruditapes decussatus | | | 3,16(11)020,01 | | CTG |
| 27 France | 383 | 471 | 470 | 13 | 8 | 21 | 7 | 11 | 15 | 3 |
| Portugal | 72 | 64 | 54 | 118 | 90 | 65 | 54 | 47 | 87 | 80 |
| Spain | 153 | 206 | 275 | 820 | 804 | 775 | 734 | 634 | 576 | 482 |
| 27 Fishing area total | 608 | 741 | 799 | 951 | 902 | 861 | 795 | 692 | 678 | 565 |
| 37 Croatia | ... | ... | ... | 1 | 1 | 2 | 2 | 3 | 3 | 1 |
| France | - | - | - | 19 | 10 | 6 | 3 | 12 | 9 | 1 |
| Spain | 0 | 1 | 1 | 7 | 3 | 2 | 1 | 6 | 30 | 7 |
| Tunisia | 487 | 615 | 537 | 481 | 433 | ... | 757 | 1 070 | 1 635 | 1 386 |
| 37 Fishing area total | 487 | 616 | 538 | 508 | 447 | 10 | 763 | 1 091 | 1 677 | 1 395 |
| Species total | 1 095 | 1 357 | 1 337 | 1 459 | 1 349 | 871 | 1 558 | 1 783 | 2 355 | 1 960 |
| Japanese carpet shell | Palourde japonaise | | Almeja japonesa | | Ruditapes philippinarum | | | 3,16(11)020,02 | | CLJ |
| 27 France | 26 | 15 | 13 | 4 | ... | 24 | 21 | 15 | 13 | 16 |
| Ireland | ... | ... | 158 | - | 120 | - | - | - | - | - |
| Portugal | ... | ... | ... | 9 | 105 | 567 | 889 | 772 | 1 036 | 930 |

B-56 Clams, cockles, arkshells
Clams, coques, arches
Almejas, berberechos, arcas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t | 2015 t |
|--|-------------------------|-----------|--------------------------|-----------|------------------------------|-----------|-----------|-----------------------|-----------|------------|
| 27 Fishing area total | 26 | 15 | 171 | 13 | 225 | 591 | 910 | 787 | 1 049 | 946 |
| 61 Japan | 34 984 | 35 822 | 39 217 | 31 655 | 27 185 | 28 793 | 27 300 | 23 049 | 19 449 | 14 000 |
| Korea Rep | 7 559 | 8 640 | 20 761 | 22 488 | 12 818 | 12 230 | 12 405 | 13 565 | 12 652 | 15 241 |
| Russian Fed | - | - | - | - | 22 | 18 | 38 | 27 | 20 | 35 |
| 61 Fishing area total | 42 543 | 44 462 | 59 978 | 54 143 | 40 025 | 41 041 | 39 743 | 36 641 | 32 121 | 29 276 |
| Species total | 42 569 | 44 477 | 60 149 | 54 156 | 40 250 | 41 632 | 40 653 | 37 428 | 33 170 | 30 222 |
| Carpet shells nei | Clovisses nca | | Almejas nep | | Ruditapes spp | | | 3,16(11)020,XX | | TPS |
| 27 France | 663 | 1 063 | 1 063 | 395 | 461 | 475 | 367 | 417 | 172 | 1 |
| 27 Fishing area total | 663 | 1 063 | 1 063 | 395 | 461 | 475 | 367 | 417 | 172 | 1 |
| 41 Argentina | ... | ... | 620 | 0 | 346 | 322 | - | - | - | - |
| 41 Fishing area total | ... | ... | 620 | 0 | 346 | 322 | - | - | - | - |
| Species total | 663 | 1 063 | 1 683 | 395 | 807 | 797 | 367 | 417 | 172 | 1 |
| Rostrate pitar | ...B | | Almeja corazón | | Pitar rostratus | | | 3,16(11)021,04 | | ITT |
| 41 Uruguay | 328 | 865 | 0 | - | 25 | ... | ... | ... | ... | ... |
| 41 Fishing area total | 328 | 865 | 0 | - | 25 | ... | ... | ... | ... | ... |
| Species total | 328 | 865 | 0 | - | 25 | ... | ... | ... | ... | ... |
| Gay's little venus | ...B | | Juliana | | Tawera gayi | | | 3,16(11)024,01 | | TWG |
| 87 Chile | 6 342 | 6 644 | 3 251 | 7 725 | 9 608 | 7 494 | 7 397 | 4 908 | 5 087 | 3 774 |
| 87 Fishing area total | 6 342 | 6 644 | 3 251 | 7 725 | 9 608 | 7 494 | 7 397 | 4 908 | 5 087 | 3 774 |
| Species total | 6 342 | 6 644 | 3 251 | 7 725 | 9 608 | 7 494 | 7 397 | 4 908 | 5 087 | 3 774 |
| Triangular tivela | ...B | | ...C | | Tivela macroides | | | 3,16(11)025,02 | | TVM |
| 41 Brazil | 2 461 | 1 820 | 1 590 | 1 754 | 1 652 | 1 507 | 1 657 | 1 495 | 1 509 | 1 355 F |
| 41 Fishing area total | 2 461 | 1 820 | 1 590 | 1 754 | 1 652 | 1 507 | 1 657 | 1 495 | 1 509 | 1 355 F |
| Species total | 2 461 | 1 820 | 1 590 | 1 754 | 1 652 | 1 507 | 1 657 | 1 495 | 1 509 | 1 355 F |
| Warty venus | Praire commune | | Escupina grabada | | Venus verrucosa | | | 3,16(11)027,01 | | VEV |
| 37 Croatia | ... | ... | ... | ... | ... | 27 | 31 | 71 | 112 | 123 |
| 37 Fishing area total | ... | ... | ... | ... | ... | 27 | 31 | 71 | 112 | 123 |
| Species total | ... | ... | ... | ... | ... | 27 | 31 | 71 | 112 | 123 |
| Butter clam | Coque jaune | | Almeja amarilla | | Saxidomus giganteus | | | 3,16(11)037,02 | | BCL |
| 67 Canada | 827 | 629 | 696 | 612 | 551 | 536 | 425 | 425 | 372 | 448 |
| USA | 29 | 31 | 30 | 109 | 27 | 33 | 22 | 36 | 38 | 56 |
| 67 Fishing area total | 856 | 660 | 726 | 721 | 578 | 569 | 447 | 461 | 410 | 504 |
| Species total | 856 | 660 | 726 | 721 | 578 | 569 | 447 | 461 | 410 | 504 |
| Short neck clams nei | ...B | | ...C | | Paphia spp | | | 3,16(11)041,XX | | NCL |
| 57 Thailand | ... | ... | 1 800 | 2 025 | 1 985 | 0 | 0 | - | 66 | 22 |
| 57 Fishing area total | ... | ... | 1 800 | 2 025 | 1 985 | 0 | 0 | - | 66 | 22 |
| 71 Philippines | 5 | 4 | 3 | 3 | 3 | 2 | 2 | 1 | 1 | 1 |
| Thailand | 22 097 | 13 205 | 14 134 | 15 738 | 18 832 | 12 594 | 8 713 | 12 367 | 12 344 | 8 522 |
| 71 Fishing area total | 22 102 | 13 209 | 14 137 | 15 741 | 18 835 | 12 596 | 8 715 | 12 368 | 12 345 | 8 523 |
| 81 New Zealand | 176 | 137 | 146 | 153 | 120 | 117 | 63 | 60 | 87 | 144 |
| 81 Fishing area total | 176 | 137 | 146 | 153 | 120 | 117 | 63 | 60 | 87 | 144 |
| Species total | 22 278 | 13 346 | 16 083 | 17 919 | 20 940 | 12 713 | 8 778 | 12 428 | 12 498 | 8 689 |
| Pacific littleneck clam | Palourde commune | | Almejuela común | | Protothaca staminea | | | 3,16(11)055,02 | | PTS |
| 67 USA | 64 | 54 | 51 | 57 | 49 | 33 | 55 | 49 | 41 | - |
| 67 Fishing area total | 64 | 54 | 51 | 57 | 49 | 33 | 55 | 49 | 41 | - |
| Species total | 64 | 54 | 51 | 57 | 49 | 33 | 55 | 49 | 41 | - |
| Taca clam | Palourde taca | | Taca | | Protothaca thaca | | | 3,16(11)055,03 | | TCL |
| 87 Chile | 13 868 | 9 400 | 15 725 | 15 739 | 21 591 | 20 359 | 11 264 | 6 299 | 9 105 | 12 970 |
| 87 Fishing area total | 13 868 | 9 400 | 15 725 | 15 739 | 21 591 | 20 359 | 11 264 | 6 299 | 9 105 | 12 970 |
| Species total | 13 868 | 9 400 | 15 725 | 15 739 | 21 591 | 20 359 | 11 264 | 6 299 | 9 105 | 12 970 |
| Northern quahog(=Hard clam) | Praire | | Chirla mercenaria | | Mercenaria mercenaria | | | 3,16(11)075,01 | | CLH |
| 21 Canada | 739 | 458 | 722 | 839 | 821 | 710 | 682 | 463 | 395 | 450 |
| USA | 241 | 3 798 | 3 445 | 3 424 | 1 527 | 3 458 | 7 942 | 9 070 | 9 224 | 10 716 |
| 21 Fishing area total | 980 | 4 256 | 4 167 | 4 263 | 2 348 | 4 168 | 8 624 | 9 533 | 9 619 | 11 166 |

B-56 Clams, cockles, arkshells
Clams, coques, arches
Almejas, berberechos, arcas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t | 2015 t |
|--|------------------------------|-----------|--------------------------------|-----------|-------------------------------|-----------|-----------|-----------------------|-----------|------------|
| 27 France | - | - | - | 147 | 184 | 56 | 32 | 1 | 1 | - |
| UK | 7 | - | 15 | 4 | 11 | 16 | 19 | 3 | 47 | 21 |
| 27 Fishing area total | 7 | - | 15 | 151 | 195 | 72 | 51 | 4 | 48 | 21 |
| 31 USA | 8 975 | 7 912 | 3 361 | 4 086 | 3 615 | 2 859 | 3 011 | 3 105 | 8 546 | 3 892 |
| 31 Fishing area total | 8 975 | 7 912 | 3 361 | 4 086 | 3 615 | 2 859 | 3 011 | 3 105 | 8 546 | 3 892 |
| Species total | 9 962 | 12 168 | 7 543 | 8 500 | 6 158 | 7 099 | 11 686 | 12 642 | 18 213 | 15 079 |
| Venus clams nei | Petites praires nca | | Almejas(=Veneridos) nep | | Veneridae | | | 3,16(11)XXX,XX | | CLV |
| 27 France | 1 | 0 | 0 | ... | ... | 7 | 10 | 15 | 13 | 24 |
| UK | - | - | 47 | 93 | 91 | 107 | 6 | 0 | - | 6 |
| 27 Fishing area total | 1 | 0 | 47 | 93 | 91 | 114 | 16 | 15 | 13 | 30 |
| 31 Mexico | 1 581 | 1 798 | 1 768 | 1 739 | 1 871 | 2 644 | 3 314 | 2 436 | 2 100 | 1 998 |
| Venezuela | 680 F | 790 F | 810 F | 840 F | 500 F | 58 | 120 | 60 F | 2 | 221 |
| 31 Fishing area total | 2 261 F | 2 588 F | 2 578 F | 2 579 F | 2 371 F | 2 702 | 3 434 | 2 496 F | 2 102 | 2 219 |
| 37 France | - | - | - | 2 | 2 | 2 | 1 | 1 | 1 | 1 |
| Turkey | 1 266 | 1 334 | 1 255 | 68 | 56 | 27 | 15 | 83 | 9 | 5 |
| 37 Fishing area total | 1 266 | 1 334 | 1 255 | 70 | 58 | 29 | 16 | 84 | 10 | 6 |
| 77 Mexico | 6 990 | 6 399 | 7 539 | 7 678 | 7 815 | 5 673 | 6 403 | 10 024 | 22 387 | 16 301 |
| 77 Fishing area total | 6 990 | 6 399 | 7 539 | 7 678 | 7 815 | 5 673 | 6 403 | 10 024 | 22 387 | 16 301 |
| Species total | 10 518 F | 10 321 F | 11 419 F | 10 420 F | 10 335 F | 8 518 | 9 869 | 12 619 F | 24 512 | 18 556 |
| Imperial surf clam | Clam | | Almeja | | Pseudocardium sybillae | | | 3,16(12)001,02 | | HCL |
| 61 Japan | 8 006 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Korea Rep | 612 | 606 | 146 | 331 | 248 | 544 | 402 | 218 | 152 | 174 |
| Russian Fed | - | - | - | - | 255 | 478 | 378 | 286 | 220 | 369 |
| 61 Fishing area total | 8 618 | 606 | 146 | 331 | 503 | 1 022 | 780 | 504 | 372 | 543 |
| Species total | 8 618 | 606 | 146 | 331 | 503 | 1 022 | 780 | 504 | 372 | 543 |
| Pacific horse clams nei | ...B | | ...C | | Tresus spp | | | 3,16(12)005,XX | | TQZ |
| 67 USA | 4 | 4 | 9 | 6 | 11 | 18 | 25 | 45 | 64 | 483 |
| 67 Fishing area total | 4 | 4 | 9 | 6 | 11 | 18 | 25 | 45 | 64 | 483 |
| Species total | 4 | 4 | 9 | 6 | 11 | 18 | 25 | 45 | 64 | 483 |
| Atlantic surf clam | Mactre solide | | Almeja blanca | | Spisula solidissima | | | 3,16(12)020,01 | | CLB |
| 21 Canada | 789 | 567 | 509 | 819 | 1 055 | 960 | 642 | 907 | 612 | 561 |
| USA | 144 981 | 151 534 | 138 586 | 122 305 | 98 398 | 100 855 | 99 004 | 105 971 | 103 956 | 97 700 |
| 21 Fishing area total | 145 770 | 152 101 | 139 095 | 123 124 | 99 453 | 101 815 | 99 646 | 106 878 | 104 568 | 98 261 |
| Species total | 145 770 | 152 101 | 139 095 | 123 124 | 99 453 | 101 815 | 99 646 | 106 878 | 104 568 | 98 261 |
| Stimpson's surf clam | Douceron de Stimpson | | Coquina antártica | | Spisula polynyma | | | 3,16(12)020,02 | | CLT |
| 21 Canada | 21 922 | 18 823 | 20 014 | 25 594 | 23 764 | 23 062 | 22 005 | 20 859 | 21 045 | 25 143 |
| 21 Fishing area total | 21 922 | 18 823 | 20 014 | 25 594 | 23 764 | 23 062 | 22 005 | 20 859 | 21 045 | 25 143 |
| Species total | 21 922 | 18 823 | 20 014 | 25 594 | 23 764 | 23 062 | 22 005 | 20 859 | 21 045 | 25 143 |
| Solid surf clam | Spisule épaisse | | ...C | | Spisula solida | | | 3,16(12)020,05 | | ULO |
| 27 Denmark | 6 | 6 | 41 | - | - | - | - | - | 184 | 256 |
| France | 207 | 22 | 21 | 101 | 97 | ... | ... | ... | 5 | 110 |
| Ireland | 103 | - | - | - | - | - | - | 5 | - | - |
| Netherlands | - | 2 | - | - | - | - | - | - | - | - |
| Portugal | 1 193 | 550 | 405 | 678 | 666 | 557 | 625 | 738 | 1 098 | 1 483 |
| UK | - | - | 101 | 94 | - | - | - | - | - | - |
| 27 Fishing area total | 1 509 | 580 | 568 | 873 | 763 | 557 | 625 | 743 | 1 287 | 1 849 |
| Species total | 1 509 | 580 | 568 | 873 | 763 | 557 | 625 | 743 | 1 287 | 1 849 |
| Subtruncate surf clam | Douceron triangulaire | | Pechina triangular | | Spisula subtruncata | | | 3,16(12)020,06 | | ULT |
| 27 Sweden | - | - | - | - | 1 | 0 | 1 | 1 | 1 | - |
| 27 Fishing area total | - | - | - | - | 1 | 0 | 1 | 1 | 1 | - |
| Species total | - | - | - | - | 1 | 0 | 1 | 1 | 1 | - |
| Surf clams nei | Spisules nca | | ...C | | Spisula spp | | | 3,16(12)020,XX | | SSD |
| 61 Russian Fed | 524 | 501 | 433 | 594 | 595 | 597 | 1 031 | 915 | 907 | 1 265 |
| 61 Fishing area total | 524 | 501 | 433 | 594 | 595 | 597 | 1 031 | 915 | 907 | 1 265 |
| Species total | 524 | 501 | 433 | 594 | 595 | 597 | 1 031 | 915 | 907 | 1 265 |
| Taquilla clams | Mactres taquille | | Taquillas | | Mulinia spp | | | 3,16(12)040,XX | | MUN |
| 87 Chile | 5 307 | 7 870 | 3 843 | 2 650 | 3 290 | 1 734 | 722 | 935 | 1 743 | 1 154 |
| 87 Fishing area total | 5 307 | 7 870 | 3 843 | 2 650 | 3 290 | 1 734 | 722 | 935 | 1 743 | 1 154 |

B-56 Clams, cockles, arkshells
Clams, coques, arches
Almejas, berberechos, arcas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t | 2015 t |
|--|--------------------------------|-----------|-------------------------------|-----------|-------------------------------------|-----------|-----------|-----------------------|-----------|------------|
| <i>Species total</i> | 5 307 | 7 870 | 3 843 | 2 650 | 3 290 | 1 734 | 722 | 935 | 1 743 | 1 154 |
| Common European bittersweet | Amande commune | | Almendra de mar | | <i>Glycymeris glycymeris</i> | | | 3,16(13)001,02 | | GKL |
| 27 France | 7 591 | 4 984 | 4 463 | 2 771 | 3 877 | 3 733 | 3 100 | 2 533 | 2 881 | 3 325 |
| Portugal | ... | ... | 83 | 16 | 25 | 27 | 20 | 17 | 7 | 8 |
| 27 <i>Fishing area total</i> | 7 591 | 4 984 | 4 546 | 2 787 | 3 902 | 3 760 | 3 120 | 2 550 | 2 888 | 3 333 |
| <i>Species total</i> | 7 591 | 4 984 | 4 546 | 2 787 | 3 902 | 3 760 | 3 120 | 2 550 | 2 888 | 3 333 |
| Donax clams | Olives de mer | | Coquinas | | <i>Donax spp</i> | | | 3,16(15)002,XX | | DON |
| 27 France | 0 | - | - | 120 | - | 0 | 2 | 0 | - | - |
| Portugal | 561 | 609 | 588 | 379 | 340 | 256 | 339 | 329 | 246 | 291 |
| Spain | 8 | 1 | 8 | 32 | 29 | 25 | 41 | 0 | - | - |
| 27 <i>Fishing area total</i> | 569 | 610 | 596 | 531 | 369 | 281 | 382 | 329 | 246 | 291 |
| 37 France | - | - | - | - | - | 0 | 0 | - | - | 0 |
| Italy | 454 | 308 | 195 | 176 | 66 | 91 | 184 | 527 | 479 | 391 |
| Spain | 201 | 83 | 152 | 183 | 146 | 104 | 99 | 7 | 4 | 1 |
| 37 <i>Fishing area total</i> | 655 | 391 | 347 | 359 | 212 | 195 | 283 | 534 | 483 | 392 |
| 47 South Africa | 6 | 19 | 32 | 40 | 32 | 41 | 37 | 28 | 28 | 40 |
| 47 <i>Fishing area total</i> | 6 | 19 | 32 | 40 | 32 | 41 | 37 | 28 | 28 | 40 |
| <i>Species total</i> | 1 230 | 1 020 | 975 | 930 | 613 | 517 | 702 | 891 | 757 | 723 |
| Solen razor clams nei | Couteaux Solen nca | | Navajas Solen nep | | <i>Solen spp</i> | | | 3,16(16)003,XX | | RAZ |
| 27 Ireland | 87 | 208 | 181 | 231 | 363 | 366 | 300 | 148 | 241 | 304 |
| Portugal | ... | ... | ... | ... | 32 | 39 | 26 | 27 | 35 | 149 |
| Spain | 182 | 219 | 256 | 342 | 400 | 470 | 514 | 2 | 0 | 0 |
| UK | 107 | 257 | 553 | 723 | 695 | 743 | 919 | 940 | 463 | 400 |
| 27 <i>Fishing area total</i> | 376 | 684 | 990 | 1 296 | 1 490 | 1 618 | 1 759 | 1 117 | 739 | 853 |
| <i>Species total</i> | 376 | 684 | 990 | 1 296 | 1 490 | 1 618 | 1 759 | 1 117 | 739 | 853 |
| Atl.jackknife(=Atl.razor clam) | Couteau de l'Atlantique | | Navaja del Atlántico | | <i>Ensis directus</i> | | | 3,16(16)005,02 | | CLR |
| 21 USA | 254 | 133 | 93 | 105 | 91 | 86 | 167 | 366 | 242 | 187 |
| 21 <i>Fishing area total</i> | 254 | 133 | 93 | 105 | 91 | 86 | 167 | 366 | 242 | 187 |
| <i>Species total</i> | 254 | 133 | 93 | 105 | 91 | 86 | 167 | 366 | 242 | 187 |
| Pod razor shell | Couteau-sabre | | Navaja | | <i>Ensis ensis</i> | | | 3,16(16)005,03 | | EQE |
| 27 Ireland | 456 | 16 | - | - | 48 | 87 | 68 | 19 | 0 | - |
| Netherlands | 1 873 | 2 314 | 2 217 | 2 218 | 2 903 | 3 097 | 2 742 | 757 | 187 | 5 332 |
| Spain | ... | ... | ... | ... | ... | ... | ... | 368 | 426 | 453 |
| 27 <i>Fishing area total</i> | 2 329 | 2 330 | 2 217 | 2 218 | 2 951 | 3 184 | 2 810 | 1 144 | 613 | 5 785 |
| <i>Species total</i> | 2 329 | 2 330 | 2 217 | 2 218 | 2 951 | 3 184 | 2 810 | 1 144 | 613 | 5 785 |
| Sword razor shell | Couteau-sillique | | Muergo | | <i>Ensis silliqua</i> | | | 3,16(16)005,05 | | EQI |
| 27 Ireland | 3 | - | 284 | ... | 82 | 73 | 129 | 700 | 766 | 517 |
| Spain | ... | ... | ... | ... | ... | ... | ... | 67 | 31 | 18 |
| 27 <i>Fishing area total</i> | 3 | ... | 284 | ... | 82 | 73 | 129 | 767 | 797 | 535 |
| <i>Species total</i> | 3 | ... | 284 | ... | 82 | 73 | 129 | 767 | 797 | 535 |
| Pacific razor clam | Couteau du Pacifique | | Navaja del Pacífico | | <i>Silliqua patula</i> | | | 3,16(16)007,01 | | RAP |
| 67 USA | 131 | 127 | 174 | 244 | 240 | 157 | 117 | 228 | 246 | 204 |
| 67 <i>Fishing area total</i> | 131 | 127 | 174 | 244 | 240 | 157 | 117 | 228 | 246 | 204 |
| <i>Species total</i> | 131 | 127 | 174 | 244 | 240 | 157 | 117 | 228 | 246 | 204 |
| Razor clams, knife clams nei | Couteaux, etc. nca | | Navajas, solénidos nep | | <i>Solenidae</i> | | | 3,16(16)XXX,XX | | SOI |
| 37 France | - | - | - | - | - | 2 | 2 | 2 | 8 | 1 |
| Italy | 304 | 182 | 210 | 364 | 356 | 398 | 500 | 280 | 298 | 214 |
| Spain | - | - | - | - | 2 | 2 | 0 | 0 | 0 | - |
| 37 <i>Fishing area total</i> | 304 | 182 | 210 | 364 | 358 | 402 | 502 | 282 | 306 | 215 |
| 51 Pakistan | ... | 12 | 18 | 148 | 190 | 176 | 198 | 201 | 187 | 195 |
| 51 <i>Fishing area total</i> | ... | 12 | 18 | 148 | 190 | 176 | 198 | 201 | 187 | 195 |
| <i>Species total</i> | 304 | 194 | 228 | 512 | 548 | 578 | 700 | 483 | 493 | 410 |
| Sand gaper | Mye des sables | | Almeja de can | | <i>Mya arenaria</i> | | | 3,16(17)006,01 | | CLS |
| 21 Canada | 1 725 | 1 026 | 841 | 1 693 | 1 063 | 1 890 | 1 789 | 1 750 | 1 389 | 1 663 |
| USA | 7 636 | 7 997 | 7 241 | 7 050 | 7 404 | 8 843 | 7 202 | 6 918 | 5 886 | 5 732 |
| 21 <i>Fishing area total</i> | 9 361 | 9 023 | 8 082 | 8 743 | 8 467 | 10 733 | 8 991 | 8 668 | 7 275 | 7 395 |
| 27 Ireland | - | - | - | - | - | - | - | 2 | 2 | 1 |
| UK | - | - | 7 | - | 0 | 63 | 83 | 51 | 12 | 30 |

B-56 Clams, cockles, arkshells
Clams, coques, arches
Almejas, berberechos, arcas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t | 2015 t |
|--|-----------------------------|-----------|-----------------------------------|-----------|--------------------------------|-----------|-----------|-----------------------|-----------|------------|
| 27 Fishing area total | - | - | 7 | - | 0 | 63 | 83 | 53 | 14 | 31 |
| 37 Bulgaria | - | - | - | - | - | - | 1 | 11 | 62 | 125 |
| 37 Fishing area total | - | - | - | - | - | - | 1 | 11 | 62 | 125 |
| 67 USA | 691 | 410 | 1 017 | 1 236 | 1 666 | 953 | 1 097 | 1 135 | 1 698 | - |
| 67 Fishing area total | 691 | 410 | 1 017 | 1 236 | 1 666 | 953 | 1 097 | 1 135 | 1 698 | - |
| Species total | 10 052 | 9 433 | 9 106 | 9 979 | 10 133 | 11 749 | 10 172 | 9 867 | 9 049 | 7 551 |
| Pacific geoduck | Panopée du Pacifique | | Panopea del Pacífico | | Panopea generosa | | | 3,16(18)089,01 | | GEC |
| 67 Canada | 1 278 | 1 178 | 1 332 | 1 367 | 1 330 | 1 562 | 997 | 1 346 | 1 494 | 1 384 |
| USA | 5 159 | 4 963 | 6 412 | 7 982 | 5 040 | 4 507 | 4 466 | 4 467 | 4 921 | 4 524 |
| 67 Fishing area total | 6 437 | 6 141 | 7 744 | 9 349 | 6 370 | 6 069 | 5 463 | 5 813 | 6 415 | 5 908 |
| Species total | 6 437 | 6 141 | 7 744 | 9 349 | 6 370 | 6 069 | 5 463 | 5 813 | 6 415 | 5 908 |
| Common edible cockle | Coque commune | | Berberecho común | | Cerastoderma edule | | | 3,16(23)002,03 | | COC |
| 27 Denmark | 679 | 39 | 52 | 892 | 187 | 794 | 240 | 4 982 | 6 081 | 7 699 |
| France | 686 | 703 | 703 | 576 | 577 | 733 | 390 | 367 | 228 | 145 |
| Ireland | 7 | 105 | 9 | 63 | 2 | 372 | 296 | 374 | 3 | - |
| Norway | 8 | 10 | 14 | 27 | 18 | 5 | 1 | - | - | - |
| Portugal | 4 374 | 1 769 | 2 293 | 3 878 | 2 890 | 1 606 | 1 125 | 1 265 | 1 991 | 4 700 |
| Spain | 1 409 | 2 729 | 2 760 | 3 269 | 3 729 | 3 609 | 2 278 | 1 645 | 1 195 | 2 410 |
| Sweden | - | 14 | 21 | 22 | 16 | 5 | 2 | 0 | - | 2 |
| UK | 11 324 | 11 317 | 14 035 | 2 637 | 1 257 | 3 180 | 2 266 | 10 121 | 10 171 | 11 169 |
| 27 Fishing area total | 18 487 | 16 686 | 19 887 | 11 364 | 8 676 | 10 304 | 6 598 | 18 754 | 19 669 | 26 125 |
| 34 Senegal | 80 | 252 | 354 | 534 | 640 | 601 | 583 | 155 | ... | ... |
| 34 Fishing area total | 80 | 252 | 354 | 534 | 640 | 601 | 583 | 155 | ... | ... |
| Species total | 18 567 | 16 938 | 20 241 | 11 898 | 9 316 | 10 905 | 7 181 | 18 909 | 19 669 | 26 125 |
| Basket cockle | ...B | | ...C | | Clinocardium nuttallii | | | 3,16(23)004,02 | | KCL |
| 67 USA | 79 | 98 | 104 | 125 | 179 | 171 | 136 | 155 | 155 | 445 |
| 67 Fishing area total | 79 | 98 | 104 | 125 | 179 | 171 | 136 | 155 | 155 | 445 |
| Species total | 79 | 98 | 104 | 125 | 179 | 171 | 136 | 155 | 155 | 445 |
| American yellow cockle | Bucarde jaune | | Berberecho amarillo | | Trachycardium muricatum | | | 3,16(23)010,04 | | TIX |
| 41 Argentina | 1 | 54 | - | 0 | 2 | - | - | - | - | - |
| 41 Fishing area total | 1 | 54 | - | 0 | 2 | - | - | - | - | - |
| Species total | 1 | 54 | - | 0 | 2 | - | - | - | - | - |
| Cockles nei | Coques nca | | Berberechos(=Cárdidos) nep | | Cardiidae | | | 3,16(23)XXX,XX | | COZ |
| 37 France | - | - | - | 10 | 23 | 12 | 8 | 4 | 6 | 6 |
| Italy | 72 | 28 | 48 | 21 | 9 | 11 | 6 | 4 | 0 | 80 |
| 37 Fishing area total | 72 | 28 | 48 | 31 | 32 | 23 | 14 | 8 | 6 | 86 |
| 61 Korea Rep | 272 | 1 817 | 364 | 3 504 | 949 | 251 | 426 | 471 | 1 910 | 80 |
| 61 Fishing area total | 272 | 1 817 | 364 | 3 504 | 949 | 251 | 426 | 471 | 1 910 | 80 |
| Species total | 344 | 1 845 | 412 | 3 535 | 981 | 274 | 440 | 479 | 1 916 | 166 |
| Pipi wedge clam | ...B | | ...C | | Paphies australis | | | 3,16(24)002,01 | | AFQ |
| 57 Australia | 1 025 | 994 | 607 | 469 | 300 | 300 | 374 | 443 | 444 | 430 |
| 57 Fishing area total | 1 025 | 994 | 607 | 469 | 300 | 300 | 374 | 443 | 444 | 430 |
| 81 Australia | 299 | 118 | 73 | 32 | 15 | 9 | 18 | 48 | 62 | 111 |
| 81 Fishing area total | 299 | 118 | 73 | 32 | 15 | 9 | 18 | 48 | 62 | 111 |
| Species total | 1 324 | 1 112 | 680 | 501 | 315 | 309 | 392 | 491 | 506 | 541 |
| Macha clam | Mesodème chilienne | | Macha | | Mesodesma donacium | | | 3,16(24)039,01 | | CLM |
| 87 Chile | 2 593 | 2 882 | 2 108 | 2 906 | 4 056 | 2 734 | 2 879 | 2 741 | 832 | 1 255 |
| Peru | - | - | - | 31 | - | - | - | - | - | - |
| 87 Fishing area total | 2 593 | 2 882 | 2 108 | 2 937 | 4 056 | 2 734 | 2 879 | 2 741 | 832 | 1 255 |
| Species total | 2 593 | 2 882 | 2 108 | 2 937 | 4 056 | 2 734 | 2 879 | 2 741 | 832 | 1 255 |
| Chilean semele | Sémèle chilienne | | Almeja blanca chilena | | Semele solida | | | 3,16(39)001,03 | | TUW |
| 87 Chile | 1 685 | 1 853 | 1 143 | 689 | 1 752 | 1 005 | 627 | 595 | 535 | 661 |
| 87 Fishing area total | 1 685 | 1 853 | 1 143 | 689 | 1 752 | 1 005 | 627 | 595 | 535 | 661 |
| Species total | 1 685 | 1 853 | 1 143 | 689 | 1 752 | 1 005 | 627 | 595 | 535 | 661 |
| Bean solen | Cératisole-gousse | | Navallon | | Pharus legumen | | | 3,16(40)005,01 | | FRL |
| 27 Portugal | 178 | 256 | 116 | 82 | 72 | 19 | 34 | 59 | 94 | ... |
| 27 Fishing area total | 178 | 256 | 116 | 82 | 72 | 19 | 34 | 59 | 94 | ... |

B-56 Clams, cockles, arkshells
Clams, coques, arches
Almejas, berberechos, arcas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t | 2015 t |
|--|------------------------|----------------|--------------------------|----------------|--------------------|----------------|----------------|-----------------------|----------------|----------------|
| <i>Species total</i> | 178 | 256 | 116 | 82 | 72 | 19 | 34 | 59 | 94 | ... |
| Tellins nei | Tellines nca | | Telinas nep | | Tellina spp | | | 3,16(42)002,XX | | TWL |
| 37 France | ... | ... | ... | 31 | 30 | 44 | 40 | 51 | 34 | 21 |
| <i>37 Fishing area total</i> | ... | ... | ... | 31 | 30 | 44 | 40 | 51 | 34 | 21 |
| <i>Species total</i> | ... | ... | ... | 31 | 30 | 44 | 40 | 51 | 34 | 21 |
| Clams, etc. nei | Clams, etc. nca | | Almejas, etc. nep | | Bivalvia | | | 3,16(XX)XXX,XX | | CLX |
| 04 Indonesia | 243 | 223 | 197 | 565 | 79 | 700 | 409 | 607 | 680 | 670 |
| <i>04 Fishing area total</i> | 243 | 223 | 197 | 565 | 79 | 700 | 409 | 607 | 680 | 670 |
| 21 Canada | 1 385 | 1 621 | 610 | 527 | 46 | 589 | 1 398 | 3 101 | 3 428 | 3 475 |
| USA | 24 | 216 | 3 | 3 | - | 5 | - | 0 | - | - |
| <i>21 Fishing area total</i> | 1 409 | 1 837 | 613 | 530 | 46 | 594 | 1 398 | 3 101 | 3 428 | 3 475 |
| 27 France | 16 | 18 | 14 | 3 | 1 | 94 | 84 | 51 | 3 | 2 |
| Ireland | 30 | 14 | 55 | 26 | 25 | 39 | 136 | 92 | 67 | 48 |
| Portugal | 35 | 103 | 212 | 210 | 94 | 162 | 106 | 126 | 124 | 141 |
| Spain | 1 223 | 1 069 | 1 788 | 2 952 | 2 803 | 2 806 | 2 336 | 1 883 | 2 173 | 2 466 |
| UK | 78 | 196 | 613 | 552 | 789 | 584 | 467 | 276 | 277 | 516 |
| <i>27 Fishing area total</i> | 1 382 | 1 400 | 2 682 | 3 743 | 3 712 | 3 685 | 3 129 | 2 428 | 2 644 | 3 173 |
| 31 Cuba | 374 | 385 | 95 | 296 | 304 | 187 | 162 | 423 | 342 | 330 F |
| Martinique | 650 | 708 F | 716 F | 615 F | 530 F | 433 F | 334 F | 320 F | 300 F | 280 F |
| USA | 14 | 35 | 50 | 46 | 85 | 19 | 5 | 20 | 187 | 202 |
| <i>31 Fishing area total</i> | 1 038 | 1 128 F | 861 F | 957 F | 919 F | 639 F | 501 F | 763 F | 829 F | 812 F |
| 34 Mauritania | - | - | - | - | - | - | - | - | - | 2 |
| Portugal | ... | ... | ... | ... | ... | ... | 0 | - | - | - |
| Spain | 1 | 0 | - | - | 0 | 0 | 6 | 0 | 1 | 3 |
| <i>34 Fishing area total</i> | 1 | 0 | ... | ... | 0 | 0 | 6 | 0 | 1 | 5 |
| 37 Croatia | 55 | 65 | 45 | 38 | 46 | 2 | 1 | 2 | 5 | 9 |
| France | 524 | 156 | 96 | 1 | 1 | 1 | - | 1 | 0 | 0 |
| Greece | 153 | 223 | 194 | 237 | 337 | 202 | 132 | 111 | 206 | 212 |
| Slovenia | - | 1 | 6 | 5 | 7 | 3 | - | 0 | 1 | 1 |
| Spain | 682 | 1 020 | 1 002 | 586 | 887 | 257 | 250 | 445 | 656 | 674 |
| <i>37 Fishing area total</i> | 1 414 | 1 465 | 1 343 | 867 | 1 278 | 465 | 383 | 559 | 868 | 896 |
| 41 Uruguay | - | - | 512 | ... | ... | ... | 4 | ... | ... | 3 |
| <i>41 Fishing area total</i> | - | - | 512 | ... | ... | ... | 4 | ... | ... | 3 |
| 51 Pakistan | ... | 240 | 255 | 478 | 465 | 433 | 450 | 465 | 532 | 546 |
| <i>51 Fishing area total</i> | ... | 240 | 255 | 478 | 465 | 433 | 450 | 465 | 532 | 546 |
| 57 Malaysia | 1 282 | 4 312 | 6 322 | 23 019 | 1 544 | 1 458 | 2 500 | 2 134 | 6 101 | 3 633 |
| <i>57 Fishing area total</i> | 1 282 | 4 312 | 6 322 | 23 019 | 1 544 | 1 458 | 2 500 | 2 134 | 6 101 | 3 633 |
| 61 Japan | 26 929 | 51 315 | 42 032 | 40 141 | 44 341 | 39 648 | 37 838 | 36 810 | 34 008 | 36 700 |
| Korea Rep | 21 664 | 19 335 | 8 865 | 8 037 | 8 732 | 8 401 | 4 980 | 5 965 | 5 615 | 6 069 |
| Russian Fed | 6 | 214 | 566 | 1 | 373 | 9 | 1 | 81 | - | - |
| <i>61 Fishing area total</i> | 48 599 | 70 864 | 51 463 | 48 179 | 53 446 | 48 058 | 42 819 | 42 856 | 39 623 | 42 769 |
| 67 USA | 3 731 | 2 146 | 1 970 | 2 146 | 1 702 | 1 399 | 2 526 | 1 582 | 2 071 | 3 451 |
| <i>67 Fishing area total</i> | 3 731 | 2 146 | 1 970 | 2 146 | 1 702 | 1 399 | 2 526 | 1 582 | 2 071 | 3 451 |
| 71 Fiji | 83 | 47 | 48 | 40 | 45 | 50 | 50 F | 50 F | 50 F | 50 F |
| Malaysia | 640 | 705 | 1 730 | 727 | 915 | 1 115 | 2 088 | 2 778 | 2 167 | 2 655 |
| Philippines | 350 | 308 | 319 | 317 | 315 | 306 | 287 | 281 | 245 | 226 |
| Solomon Is | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F |
| <i>71 Fishing area total</i> | 1 078 F | 1 065 F | 2 102 F | 1 089 F | 1 280 F | 1 476 F | 2 430 F | 3 114 F | 2 467 F | 2 936 F |
| 77 Panama | 1 302 | 1 214 | 1 565 | 865 | 660 | 508 | 314 | 1 645 | ... | ... |
| USA | - | 1 | 7 | 8 | 380 | 10 | 4 | 8 | 7 | 4 |
| <i>77 Fishing area total</i> | 1 302 | 1 215 | 1 572 | 873 | 1 040 | 518 | 318 | 1 653 | 7 | 4 |
| 81 New Zealand | 660 | 81 | 64 | 52 | 85 | 118 | 242 | 269 | 308 | 430 |
| <i>81 Fishing area total</i> | 660 | 81 | 64 | 52 | 85 | 118 | 242 | 269 | 308 | 430 |
| 87 Chile | 13 152 | 12 830 | 10 239 | 7 952 | 10 746 | 10 314 | 10 365 | 9 368 | 8 716 | 9 768 |
| Colombia | 70 F | 120 F | 150 F | 198 | 104 | 96 | 50 F | 6 | 8 | 438 |
| Peru | 2 899 | 2 793 | 1 906 | 326 | 765 | 491 | 761 | 1 227 | 1 207 | 3 627 |
| <i>87 Fishing area total</i> | 16 121 F | 15 743 F | 12 295 F | 8 476 | 11 615 | 10 901 | 11 176 F | 10 601 | 9 931 | 13 833 |
| <i>Species total</i> | 78 260 F | 101 719 F | 82 251 F | 90 974 F | 77 211 F | 70 444 F | 68 291 F | 70 132 F | 69 490 F | 76 636 F |
| Group total | 719 352 | 806 765 | 766 281 | 718 107 | 650 473 | 598 878 | 607 439 | 579 209 | 771 189 | 610 911 |